

LOCAL GOVERNMENT BOARD.

MEDICAL DEPARTMENT LIBRARY.

No. _____ Room 10911

Case N Shelf _____



22500992771

w. b.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 1. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JAN. 7. [Price 1½d.

General Register Office, Somerset House,
January 9th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·9 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 19·2, 19·4, and 22·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 25·0 in Hanley, 25·8 in Huddersfield, 26·9 in Great Yarmouth, 27·8 in Coventry, 28·7 in Sunderland, 28·8 in Nottingham, 30·0 in West Bromwich, 31·4 in Grimsby, 31·8 in Stockton on Tees, and 37·4 in Merthyr Tydfil; from *measles*, 1·8 in Plymouth, 1·9 in Nottingham, 2·0 in Burton on Trent, 4·0 in Stockton on Tees, and 4·9 in Merthyr Tydfil; from *scarlet fever*, 1·4 in Southampton and 1·7 in Northampton; from *diphtheria*, 1·0 in Newcastle upon Tyne, 1·1 in Bradford, 1·2 in Rochdale, 1·3 in East Ham, and 2·0 in Stockton on Tees; from *whooping-cough*, 1·8 in Norwich, 1·9 in South Shields and in Tynemouth, 2·7 in Preston, and 3·1 in Grimsby; and from *diarrhœa*, 1·3 in Derby, 1·7 in Handsworth (Staffs.), and 2·1 in Merthyr Tydfil. One death from *small-pox* was registered in each of the following towns—Oldham, Burnley, and Bradford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2720 BIRTHS and 1665 DEATHS were registered. Allowing for increase of population, the births were 258 and the deaths 252 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 19·0, 17·6, and 21·0 in the preceding three weeks, fell last week to 18·5. During the four weeks ended on Saturday last the death-rate averaged 19·0 per 1000, being 1·0 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1665 deaths included 32 from measles, 9 from scarlet fever, 13 from diphtheria, 16 from whooping-cough, 9 from enteric fever, and 12 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 91 deaths were referred to these diseases in the aggregate, being 87 below the corrected average weekly number.

The deaths from *measles*, which had been 32, 26, and 44 in the preceding three weeks, fell last week to 32, and were 22 below the corrected average; 5 deaths belonged to the Borough of Islington, 4 to Finsbury, and 4 to Bermondsey. The deaths from *scarlet fever*, which had been 6, 3, and 15 in the preceding three weeks, fell last week to 9, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 12, 13, and 17 in the preceding three weeks, fell last week to 13, and were 29 below the corrected average; 3 deaths belonged to Woolwich. The deaths from *whooping-cough*, which had been 20, 17, and 25 in the preceding three weeks, fell last week to 16, and were 21 below the corrected average. The fatal cases of *enteric fever*, which had been 4, 7, and 8 in the preceding three weeks, were 9 last week, and were 4 below the corrected average. The deaths from *diarrhoea*, which had been 16, 12, and 15 in the preceding three weeks, fell last week to 12, the corrected average being 13; 3 deaths belonged to Islington. Of the 12 deaths from diarrhoea, 8 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 1 more death at this age. The deaths attributed directly to *influenza* numbered 27, having been 45, 40, and 23 in the preceding three weeks. The death of a lavatory attendant, aged 44 years, was certified as from *peripheral neuritis, due to lead*.

Different forms of *violence* caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 2 were cases of suicide, and 1 of homicide, while the remaining 62 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 11 to burns and scalds, 9 to drowning, 2 to poisoning by coal gas, 1 to poisoning by fumes of burnt gas and steam, and 11 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 18 cases of small-pox, 2308 of scarlet fever, 828 of diphtheria, and 157 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 2, 9, and 5; of scarlet fever, 187 cases, against 242, 242, and 201; of diphtheria, 111 cases, against 89, 105, and 111; and of enteric fever, 18 cases, against 34, 20, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 31st, 1904.

GREATER LONDON.

In Greater London 4206 births and 2331 deaths were registered. Allowing for increase of population these numbers are 196 and 323 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 18 from whooping-cough, 1 from "fever," and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.04 inches, and that of the Thermometer 41° 0, the latter being 2° 6 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 1.5 hours; the measured rainfall amounted to 0.42 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 7th January, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 7th Jan., 1905.		The DEATHS registered in the Week include										TOWNS.					
		Week ended					11-17.		BIRTHS.	DEATHS.	Deaths of											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		17th Dec., 1904.					7th Jan., 1905.				Persons aged under 1 Year of Age.															
		24th Dec., 1904.	31st Dec., 1904.	7th Jan., 1905.	Week ended 7th Jan., 1905.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		17.	18.	19.	20.	21.
BIRMINGHAM -	542,959	20.6	20.6	26.9	21.2	0.7				362	221	47	89	-	2	-	2	2	1	-	12	18	45	13	BIRMINGHAM.	
KINGS NORTON -	69,680	13.3	16.4	11.7	12.7	0.7				41	17	1	7	-	-	-	-	-	-	1	-	-	-	-	KINGS NORTON.	
SMETHWICK -	62,805	18.0	13.7	18.9	10.8	-				48	13	3	6	-	-	-	-	-	-	-	-	1	-	-	SMETHWICK.	
ASTON MANOR -	81,820	16.9	11.7	18.8	14.7	-				35	23	5	7	-	-	-	-	-	-	-	2	4	-	2	ASTON MANOR.	
COVENTRY -	75,134	18.3	18.3	25.4	27.8	-				43	40	12	14	-	-	-	-	-	-	-	3	3	7	2	COVENTRY.	
LEICESTER -	228,132	14.2	11.4	12.8	12.8	1.4				129	56	10	24	-	4	1	-	1	-	-	2	2	10	-	LEICESTER.	
GRIMSBY -	68,153	18.7	17.1	20.2	31.4	4.6				40	41	6	15	-	2	-	-	4	-	-	-	1	1	10	3	GRIMSBY.
NOTTINGHAM -	251,671	20.7	21.6	24.9	28.8	3.5				157	139	33	42	-	9	1	1	6	-	-	2	7	15	2	NOTTINGHAM.	
DERBY -	122,207	22.9	20.3	18.2	19.6	1.3				76	46	13	12	-	-	-	-	-	-	3	2	10	15	-	DERBY.	
STOCKPORT -	98,320	24.7	23.7	22.6	20.2	3.2				46	38	9	9	-	2	1	-	1	1	1	1	4	5	-	STOCKPORT.	
BIRKENHEAD -	116,035	23.6	18.2	19.5	16.6	0.4				77	37	8	10	-	-	-	1	-	-	-	1	7	2	-	BIRKENHEAD.	
WALLASEY -	62,460	13.0	14.7	19.0	24.2	0.8				28	29	5	7	-	-	-	-	1	-	-	3	3	4	-	WALLASEY.	
LIVERPOOL -	730,143	23.1	19.1	28.0	23.6	2.1				486	331	71	86	-	8	4	5	4	3	6	19	29	76	17	LIVERPOOL.	
BOOTLE -	62,768	22.0	21.1	20.3	17.4	1.7				45	21	6	6	-	-	-	1	1	-	-	-	-	4	2	BOOTLE.	
ST. HELENS -	89,843	15.3	21.8	24.7	22.6	1.2				69	39	10	8	-	1	-	1	-	-	-	4	6	6	4	ST. HELENS.	
WIGAN† -	86,681	25.7	21.6	19.9	21.7	2.4				67	36	12	6	-	1	-	1	2	1	-	1	2	4	-	WIGAN†.	
WARRINGTON -	68,301	17.8	20.9	21.7	22.1	1.5				45	29	9	5	-	-	1	1	-	-	-	1	1	2	2	WARRINGTON.	
BOLTON -	178,111	16.9	22.8	22.3	17.3	0.6				94	59	22	13	-	1	-	1	-	-	-	2	4	3	-	BOLTON.	
BURY -	58,594	14.3	25.0	23.2	18.7	0.9				26	21	4	6	-	-	-	-	-	-	-	-	2	1	-	BURY.	
MANCHESTER† -	631,185	22.7	26.5	35.2	22.6	1.5				314	274	45	93	-	5	1	4	6	-	2	15	18	69	8	MANCHESTER†.	
SALFORD -	231,514	22.3	21.6	28.2	21.8	1.4				150	97	17	24	-	3	1	-	1	1	-	5	13	20	1	SALFORD.	
OLDHAM -	140,225	23.2	22.4	33.3	17.1	1.5				60	46	9	16	-	-	1	-	2	-	-	1	5	6	-	OLDHAM.	
ROCHDALE -	86,300	20.1	20.1	25.0	17.5	1.2				33	29	4	12	-	-	-	2	-	-	-	1	1	2	1	ROCHDALE.	
BURNLEY -	101,682	23.3	17.6	24.9	22.1	1.0				54	43	13	8	-	-	-	-	-	-	-	1	1	5	1	BURNLEY.	
BLACKBURN -	133,067	18.5	21.7	24.1	22.3	1.6				67	57	11	15	-	-	1	-	-	-	2	2	3	4	1	BLACKBURN.	
PRESTON -	115,721	23.1	22.7	29.5	24.3	3.2				69	54	12	16	-	-	-	-	-	-	-	1	2	5	1	PRESTON.	
BARROW-IN-FURNESS -	60,306	8.7	16.6	19.2	17.3	0.9				33	20	9	8	-	-	-	-	6	-	1	1	2	5	1	BARROW-IN-FURNESS.	

TOWNS.	POPULATION estimated middle of the Year 1905.*	Week ended				in cols. 11-17.		during the week ended 7th Jan., 1905.		Deaths from										Deaths of Public Institutions.		Cause of Death.	TOWNS.
		17th Dec., 1904.	24th Dec., 1904.	31st Dec., 1904.	7th Jan., 1905.	Week ended 7th Jan., 1905.	Deaths of 11-17.	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD.	94,888	24.2	31.9	28.6	25.8	1.1	59	47	10	13	-	-	-	-	1	1	-	-	2	3	1	HUDDESFIELD.	
HALIFAX.	108,419	17.4	22.3	23.1	23.1	1.4	41	48	9	17	-	-	-	-	2	2	-	-	5	8	1	HALIFAX.	
BRADFORD.	286,769	21.2	22.5	23.6	24.7	2.7	118	136	22	33	1	1	-	6	5	2	7	12	17	2	BRADFORD.		
LEEDS.	456,787	13.1	19.8	23.3	20.5	0.7	243	180	33	62	-	-	-	2	1	2	1	10	29	24	1	LEEDS.	
SHEFFIELD.	440,414	14.8	21.9	27.0	21.3	1.7	274	180	40	50	-	4	4	-	3	3	-	7	11	24	7	SHEFFIELD.	
ROTHERHAM.	59,794	18.7	12.5	15.2	22.7	-	46	26	6	9	-	-	-	-	-	-	-	4	4	1	-	ROTHERHAM.	
YORK.	82,362	18.0	14.8	9.6	20.9	1.3	53	33	7	16	-	-	1	-	1	-	-	2	2	7	-	YORK.	
HULL.	258,127	23.8	20.1	20.7	22.0	1.8	143	109	20	38	-	2	-	3	3	1	-	4	17	15	-	HULL.	
MIDDLESBROUGH.	98,369	21.6	29.1	32.4	23.3	2.1	70	44	18	12	-	2	1	-	-	-	1	-	-	8	1	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	52,425	17.0	27.0	33.0	31.8	6.0	27	32	9	6	-	4	-	2	-	-	-	3	4	7	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	71,313	15.8	12.0	25.6	17.5	0.7	45	24	9	6	-	-	-	1	-	-	-	1	2	1	-	WEST HARTLEPOOL.	
SUNDERLAND.	152,761	23.5	24.8	30.0	28.7	0.7	90	84	18	32	-	1	-	-	1	-	-	4	6	7	2	SUNDERLAND.	
SOUTH SHIELDS.	109,360	26.2	25.3	28.2	21.9	1.9	65	46	15	9	-	-	-	-	4	-	-	3	5	3	-	SOUTH SHIELDS.	
GATESHEAD.	120,620	23.4	23.8	25.2	21.2	1.3	73	49	14	17	-	2	-	1	-	-	1	1	1	6	1	GATESHEAD.	
NEWCASTLE-ON-TYNE†.	264,511	21.3	25.5	22.7	18.9	1.4	141	96	19	28	-	-	-	5	2	-	-	5	6	14	-	NEWCASTLE-ON-TYNE†.	
TYNEMOUTH.	53,595	21.6	28.5	20.6	23.3	2.9	33	24	6	10	-	1	-	-	2	-	-	2	3	4	1	TYNEMOUTH.	
NEWPORT (MON.).	72,880	15.3	18.9	21.1	13.6	0.7	48	19	5	7	-	1	-	-	-	-	-	1	1	-	-	NEWPORT (MON.).	
CARDIFF.	180,054	19.8	17.2	21.9	19.7	0.6	95	68	23	17	-	1	-	-	1	-	-	5	8	9	-	CARDIFF.	
RHONDDA.	121,888	16.2	25.6	26.4	23.4	0.8	109	56	17	14	-	2	-	-	-	-	-	-	-	-	1	RHONDDA.	
MERTHYR TYDFIL.	73,848	16.5	17.2	25.1	37.4	9.2	59	53	17	15	-	7	1	1	1	-	3	-	1	3	1	MERTHYR TYDFIL.	
SWANSEA.	96,384	15.2	16.8	22.3	22.2	1.1	68	41	12	12	-	-	1	-	-	-	1	2	4	6	-	SWANSEA.	
GREATER LONDON.	7,010,172	17.5	16.6	19.7	17.3	1.1	4206	2331	471	811	-	45	12	26	37	11	14	82	235	682	7	GREATER LONDON.	
OUTER RING.	2,325,378	14.5	14.6	17.1	14.9	1.2	1486	666	155	226	-	13	3	13	21	2	2	17	50	77	2	OUTER RING.	
8 TOWNS IN OUTER RING.	1,135,316	13.9	14.2	16.2	14.3	1.1	732	312	74	105	-	8	2	8	3	1	1	7	23	37	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,190,062	15.0	15.0	17.9	15.5	1.4	754	354	81	121	-	5	1	5	18	1	1	10	27	40	2	REMAINDER OF OUTER RING.	
EDINBURGH.	336,577	17.1	17.0	19.3	19.5	1.9	153	126	24	47	-	2	-	3	2	1	4	6	?	28	9	EDINBURGH.	
GLASGOW.	808,986	26.6	23.7	24.2	22.8	2.5	498	354	65	76	-	3	-	-	26	4	6	19	?	97	21	GLASGOW.	
DUBLIN†.	378,994	25.3	24.5	25.0	25.6	0.7	180	186	34	45	-	3	-	-	-	1	1	7	9	65	10	DUBLIN†.	
BELFAST†.	368,680	21.7	20.6	23.6	22.2	2.0	275	153	24	44	-	5	-	5	-	3	1	1	3	30	?	BELFAST†.	

* See note on first page of this return.

† As enlarged in 1904.

‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FIRST Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	5085	2735	2717	3001	2893	2792	2983	2949	2661	2862	2977.7	2720
Males - -	1569	1425	1359	1509	1437	1400	1482	1496	1367	1471	1507.1	137
Females - -	1516	1310	1358	1492	1456	1392	1501	1453	1294	1391	1470.6	135
TOTAL Deaths -	1462	1707	1580	1990	1666	3266	1593	1810	1660	1731	1917.3	1665
Males - -	751	899	803	973	882	1542	801	920	805	861	959.1	863
Females - -	711	808	777	1017	784	1724	792	890	855	870	958.2	802

* The numbers in this column are the average weekly numbers in the first week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	13 Weeks.
TOTAL Births -	2491	2442	2585	2581	2476	2455	2356	2542	2185	2449	2122	2320	2720	31721
TOTAL Deaths -	1270	1476	1311	1330	1357	1505	1502	1932	1613	1696	1572	1868	1665	20097
Under 1 year -	267	292	289	288	306	357	345	400	330	294	278	347	316	4109
1–5 years -	121	131	122	121	137	153	144	197	157	164	140	173	144	1904
5–20 " -	74	87	55	78	75	74	80	80	82	75	76	60	88	982
20–40 " -	168	212	173	170	175	196	181	234	154	202	181	230	179	2465
40–60 " -	282	279	266	286	281	304	312	402	352	345	340	383	355	4207
(60 yrs. & upwds.)	358	475	386	387	383	421	440	619	538	616	547	675	585	6130
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	15	26	20	14	15	15	14	32	22	32	26	44	32	307
Scarlet Fever -	11	6	8	13	9	8	19	5	9	6	3	15	9	121
Diphtheria - -	17	13	12	15	13	24	11	18	23	12	13	17	13	201
Whooping-cough -	5	11	7	4	4	12	10	15	19	20	17	25	16	165
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	15	11	7	6	11	10	3	8	11	4	7	8	9	110
Pyrexia (origin uncertain) -	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	49	45	25	22	27	25	18	16	16	16	12	15	12	298
All above Diseases -	112	113	79	74	79	94	75	94	100	90	78	124	91	1203
Dis. of Resp. System	94	127	145	158	171	175	228	357	268	272	233	358	275	2864
Pneumonia - -	100	124	144	127	153	186	157	208	180	215	189	163	168	2105
Phthisis - -	142	174	144	159	140	170	163	193	163	170	181	192	158	2149
Dis. of Circ. System	179	197	182	169	169	185	191	255	211	216	200	243	208	2605
Violence - -	41	53	47	52	46	45	54	76	55	62	60	76	65	732
Inquest Cases - -	125	123	136	137	119	127	124	204	155	170	140	218	185	1963
Deaths in Institutions	479	568	489	475	485	532	536	641	567	628	592	587	605	7204
TEMPERATURE OF THE AIR.														
Mean - -	47.8	54.9	49.9	49.3	48.8	42.2	33.7	40.5	42.3	43.4	34.1	41.8	41.0	43.8
Mean of Highest -	56.3	61.3	56.1	53.1	54.3	49.6	37.7	41.6	45.4	47.7	38.0	45.6	47.7	48.9
Mean of Lowest -	38.7	48.7	43.1	45.9	43.3	35.3	28.5	35.8	35.9	37.7	29.7	37.2	34.3	37.9
Mean Humidity of the Air.	85	89	84	84	83	94	82	87	88	87	97	85	83	87
Rain-fall (in inches) -	0.02	0.43	0.20	0.11	1.40	0.04	0.18	0.07	1.54	0.50	0.04	0.09	0.42	5.04
Registered Sunshine (in hours).	25.0	10.0	22.9	9.8	11.7	14.9	9.6	4.3	3.3	5.8	3.5	7.0	1.5	129.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	1	1	1	1	1	1	1	3	4	6	14	17	18	5
Scarlet Fever -	2516	2687	2725	2782	2843	2774	2741	2325	2490	2403	2394	2390	2308	2591
Diphtheria - -	931	950	947	979	947	921	919	892	874	839	825	804	828	897
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	242	229	225	230	224	214	191	178	165	174	170	159	157	197

* The Metropolitan Asylum and London Fever Hospitals.
† See note to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., M.D., Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FIRST Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 1st week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.		Deaths in the 1st week of the year 1904.	1905—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.								0-1.	1-5.	5-20.			
ALL CAUSES	- - -	1731	1665	316	144	86	179	355	585	Meningitis (not tuberc.)	19	18	9	6	1	-	2	-	
										Insanity, Gen. Par. of	20	17	-	-	-	2	7	8	
										Insane -	9	7	-	-	-	1	4	2	
Small-pox*	- - -	-	-	-	-	-	-	-	-	Epilepsy -	22	25	25	-	-	-	-	-	
Cowpox -	- - -	-	-	-	-	-	-	-	-	Convulsions	2	3	-	-	-	-	3	-	
Measles (Morbilli)	- - -	58	32	8	23	1	-	-	-	Locomotor Ataxy -	6	8	-	-	-	-	-	3	
Scarlet Fever -	- - -	10	9	-	5	4	-	-	-	Paraplegia, Dis. of Cord	22	25	-	1	4	2	5	13	
Typhus -	- - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)									
Plague -	- - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	50	46	-	-	6	5	11	24	
Influenza -	- - -	17	27	-	-	-	5	4	18	Cerebr. Hem. Thromb. -	30	36	-	-	1	2	12	21	
Whooping-cough -	- - -	28	16	8	7	1	-	-	-	Apoplexy, Hemiplegia -	27	23	-	-	-	-	9	14	
Diphtheria -	- - -	14	13	1	10	2	-	-	-	Aneurysm -	4	7	-	-	-	2	5	-	
Cerebro Spinal Fever	- - -	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	2	2	-	-	-	-	2	-	
Pyæmia,† (Origin un-	- - -	-	-	-	-	-	-	-	-	(not cerebral)									
certain) -	- - -	5	9	-	1	4	4	-	-	Heart & Blood Vessel Dis.	127	94	-	2	4	10	23	55	
Enteric Fever -	- - -	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	1	1	-	1	-	-	-	-	
Asiatic Cholera -	- - -	-	-	-	-	-	-	-	-	Memb.) -	217	238	31	14	3	6	35	149	
Epidemic Diarrhœa }	- - -	3	2	1	-	-	1	-	-	Bronchitis -	10	9	-	-	-	1	4	4	
(Infective Enteritis) }	- - -	13	10	6	1	-	-	-	3	Asthma, Emphysema -	8	7	1	1	-	1	1	3	
Diarrhœa, Dysentery	- - -	-	-	-	-	-	-	-	-	Pleurisy -	14	20	6	5	1	1	3	4	
Tetanus -	- - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)									
Rabies, Hydrophobia	- - -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	1	1	-	-	-	-	-	1	
Glanders -	- - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	9	6	4	1	-	-	1	-	
Anthrax (Splenic Fever)-	- - -	9	5	2	1	-	1	1	-	Gastro-Enteritis -	5	3	1	-	-	-	1	-	
Venereal Dis. -	- - -	1	3	-	-	-	3	-	-	Peritonitis (not Puerp.)	3	16	-	-	2	1	10	5	
Puerperal Septicæmia	- - -	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	15	3	-	-	-	2	-	1	
Puerperal Pyæmia -	- - -	-	-	-	-	-	-	-	-	Liver Dis. (other) -	7	42	4	1	6	6	11	14	
Puerperal Fever -	- - -	-	-	-	-	-	-	-	-	Digestive Dis., Other	47								
Infective Endocarditis	- - -	4	-	-	-	-	-	-	-	Nephritis, Acute -	8	2	-	-	-	-	1	1	
Lobar -	- - -	18	22	1	4	-	3	9	5	Bright's Dis., Albumin-	34	39	-	-	1	6	13	19	
Broncho -	- - -	75	71	33	19	1	-	6	12	uria -	6	17	-	-	-	1	4	12	
Epidemic -	- - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.									
Not defined	- - -	92	75	11	12	4	11	19	18	Generative Organs Dis.-	6	6	-	-	-	2	2	2	
Erysipelas -	- - -	4	3	-	-	-	-	2	1	Childbirth (Accid. of) -	3	3	-	-	-	3	-	-	
Septicæmia (not Puer-	- - -	-	-	-	-	-	-	-	-	Old Age -	55	77	-	-	-	-	-	77	
peral) -	- - -	-	-	-	-	-	-	-	-	Other Diseases -	115	91	67	7	3	2	8	4	
Pyæmia (not Puerperal)	- - -	-	-	-	-	-	-	-	-										
Other Infective Processes	- - -	17	6	1	-	1	-	-	4	ACCIDENT.									
Tuberculous Phthisis	- - -	78	93	1	1	10	31	39	11	By Railways -	3	2	-	-	-	1	1	-	
"Phthisis"	- - -	72	65	-	3	3	20	23	7	By Vehicles and Horses-	5	7	-	-	1	1	-	2	
Tuberculous Meningitis	- - -	10	18	5	10	1	2	-	-	In Ships, Boats, Docks,	1	-	-	-	-	-	-	-	
Tuberculous Peritonitis	- - -	5	7	4	-	1	1	1	-	(exclusive of Drown-									
Tubes Mesenterica -	- - -	3	-	-	-	-	-	-	-	ing) -	2	-	-	-	-	-	-	-	
Tuberculous Dis. (other)-	- - -	18	20	2	2	6	5	5	-	In Building Operations									
Serafala -	- - -	-	-	-	-	-	-	-	-	In Conflagrations -	2	-	-	-	-	-	-	-	
Alcoholism -	- - -	18	12	-	-	-	2	6	4	By Burns, Scalds, Ex-	16	11	1	3	4	2	-	1	
Rheumatic Fever -	- - -	8	3	-	-	2	1	-	-	plosions -									
Gout -	- - -	1	2	-	-	-	-	-	2	By Drowning -	1	9	-	-	-	5	3	1	
Carcinoma -	- - -	49	49	-	-	-	8	21	20	By Suffocation in Bed	20	11	11	-	-	-	-	-	
Sarcoma -	- - -	5	9	-	1	2	-	3	3	By Poisons or Poisonous	3	6	-	-	2	3	1	-	
Cancer (undefined) -	- - -	24	45	-	-	-	-	19	26	Vapours -									
Diabetes Mellitus -	- - -	9	10	-	-	2	3	4	1	Other Deaths by Acci-	10	16	3	1	1	-	4	7	
Premature Birth -	- - -	86	66	66	-	-	-	-	-	dent -									
										VIOLENCE OTHER THAN									
										ACCIDENTAL.									
										Homicide -	3	1	1	-	-	-	-	-	
										Suicide -	7	2	-	-	-	-	1	-	
										Execution -	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th January, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2720	1665	316	585	-	32	9	13	16	-	9	-	12	65	185	605		
WEST DISTRICTS - - -	805,311	382	274	49	95	-	3	1	1	2	-	1	-	2	8	24	97		
NORTH DISTRICTS - - -	1,056,070	553	375	61	134	-	10	3	3	3	-	1	-	5	16	44	119		
CENTRAL DISTRICTS - - -	209,465	111	82	18	22	-	4	-	2	1	-	-	-	-	6	13	36		
EAST DISTRICTS - - -	715,739	551	308	71	95	-	8	-	1	4	-	2	-	2	15	54	126		
SOUTH DISTRICTS - - -	1,749,844	1123	578	117	221	-	7	4	7	6	-	4	-	3	20	49	179		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	48	-	18	-	-	1	-	-	-	1	-	-	-	1	48		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	37	39	11	12	-	-	-	-	-	-	-	-	1	1	3	8		
W ^{2H} }																			
St. John Paddington H - - G.	33,617	7	17	-	5	-	-	-	-	-	-	-	-	-	1	2	6		
North-West Paddington - - C.	17,181	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W, w ^{2H} G, W. & C.	128,037	61	63	8	28	-	-	-	1	-	-	-	-	1	1	2	30		
Brompton 2H - - W. & C.	48,591	6	9	2	4	-	-	-	-	-	-	-	-	-	1	1	-		
North Hammersmith W, w ^H } W. & G.	49,192	24	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
South Hammersmith w ^{2H} }	63,047	35	11	4	4	-	-	-	-	-	-	-	-	-	-	3	1		
North-west Fulham W }	45,180	50	19	3	8	-	-	-	-	-	-	-	-	-	-	-	13		
North-east Fulham F }	46,405	35	6	2	1	-	-	-	-	-	-	1	-	-	-	1	-		
South Fulham W }	45,704	24	15	3	4	-	3	1	-	2	-	-	-	-	-	1	-		
Chelsea North W, w ^{3H} - - C.	42,514	20	22	2	11	-	-	-	-	-	-	-	-	-	1	2	19		
Chelsea South W ^{2H} - - C.	31,328	17	14	2	6	-	-	-	-	-	-	-	-	-	-	2	1		
May Fair and Knightsbridge C. & G.	28,743	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W ^{2H} - - C.	55,815	19	22	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret & St. John 4H - C.	43,698	23	18	4	5	-	-	-	-	-	-	-	-	-	2	5	11		
St. James Westminster } N. & G.	21,588	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
W ^H }																			
St. Anne Soho 5H - - N.	11,493	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.	35,391	10	19	1	4	-	-	-	-	-	-	-	-	-	1	2	9		
Rectory Marylebone W - G. & W.	19,849	8	7	1	3	-	-	-	-	-	-	-	-	-	-	1	2		
St. Mary Marylebone 4H - G. & W.	18,099	31	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
Christchurch Marylebone H - W.	39,536	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 3H - W.	20,426	11	6	-	1	-	-	-	-	-	-	-	-	-	2	-	-		
Hampstead W, w ^{3H} - - N. & W.	81,942	23	17	3	3	-	-	2	-	-	-	1	-	-	-	3	9		
West St. Pancras 2H - - W.	60,562	33	21	4	8	-	-	-	-	-	-	-	-	-	5	6	5		
Tottenham-court w ^{6H} - - N. & W.	21,258	7	14	2	4	-	-	-	-	-	-	-	-	-	1	1	12		
Gray's Inn Lane 4H - - N.	34,449	14	13	2	4	-	1	-	-	1	-	-	-	-	3	6	2		
East St. Pancras W ^{2H} - - N.	60,320	42	23	4	15	-	-	-	-	-	-	-	-	-	-	-	10		
North St. Pancras 2W - - N.	58,728	31	27	2	13	-	1	-	-	1	-	-	-	-	1	1	12		
Tufnell W - - - N.	31,905	21	29	1	15	-	1	-	-	1	-	-	-	1	-	1	20		
Upper Holloway 2W, w ^{2H} - - N.	33,978	23	20	2	6	-	-	-	-	-	-	-	-	-	1	2	11		
Tollington W - - - N.	33,922	15	9	3	5	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - - N.	41,424	26	12	4	4	-	-	-	-	-	-	-	-	-	-	4	-		
Barnsbury - - - N.	54,478	28	22	7	7	-	1	-	-	-	-	-	-	-	1	3	-		
Islington South-east F - - N.	75,397	45	25	4	7	-	1	-	-	-	-	-	-	1	1	3	-		
Highbury 2H - - - N.	63,797	29	19	4	7	-	2	-	-	-	-	-	-	1	1	1	-		
Stoke Newington H - - N.	51,247	25	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - - E. & N.	50,560	15	13	-	4	-	1	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - E. & N.	50,536	27	10	2	6	-	2	1	2	-	-	-	-	-	1	-	2		
South-west Hackney 3H - E. & N.	59,921	35	24	7	6	-	-	-	-	-	-	-	-	-	-	-	4		
South-east Hackney 2W, w, H E. & N.	58,255	33	29	3	12	-	-	-	-	-	-	-	-	-	2	3	20		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated,—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, EASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 7th January, 1905—continued.

[illegible]

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th January, 1905—*continued.*

REGISTRATION SUB-DISTRICTS,		Enu- merated Popu- lation, 1901.	Total Births.	Total DEATHS.	The DEATHS registered during the Week include												Inquest Cases	
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhea.	Violence.		
SOUTH DISTRICTS.																		
Christchurch Southwark	W, H, & S.	11,263	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark	H - S.	12,056	7	17	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road	- - S. & L.	21,904	15	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr	- - S. & L.	39,091	24	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-
West W, H, L	- - -	49,022	24	10	3	6	-	-	-	-	-	-	-	-	-	-	-	-
Newington North	- - S. & L.	72,841	34	26	6	7	-	-	-	-	-	-	-	-	-	-	-	-
Newington South	W - S. & L.																	
St. Olave	2W - - S.	9,817	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey	W - - S.	82,483	81	16	5	6	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe	W, F - S. & K.	38,460	33	26	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road	2H - L. & S.	27,440	18	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st	H - L. & S.	18,423	12	23	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 2nd	2W - L. & S.	39,818	25	23	1	14	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 1st	H - S. & L.	53,198	41	12	6	4	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd	H - S. & L.	42,896	17	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Brixton	F - L. & S.	84,232	42	18	9	7	-	-	-	-	-	-	-	-	-	-	-	-
Norwood	W, H - L.	36,888	17	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea	H - - S.	72,203	44	19	4	6	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	- - S.	49,656	38	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea	W, H - S.	47,048	20	20	2	11	-	-	-	-	-	-	-	-	-	-	-	-
Clapham	2H - S.	51,361	37	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham	W, 2w, 2F, 3L - L.	88,019	63	46	7	25	-	-	-	-	-	-	-	-	-	-	-	-
Springfield	2W, L - S.	27,959	23	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields	H - - S.	40,444	30	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Putney	- - - S.	24,139	16	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	- - L. & S.	13,359	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South	W, w - S. & L.	40,206	19	25	-	16	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell North	W, 3L - S. & L.	65,584	44	27	3	16	-	-	-	-	-	-	-	-	-	-	-	-
St. George	- - L. & S.	47,331	37	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Peckham	2W, w - S., L. & K.	92,859	63	21	6	8	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	- - - K.	37,613	24	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central	- - - K.	45,481	33	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford South	- - - K.	34,625	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West	2H - - K.	23,456	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East	2W, H - K.	43,859	24	31	6	16	-	-	-	-	-	-	-	-	-	-	-	-
Eltham	w, H - - - K.	7,226	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	w, H - - - K.	25,490	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham	W, w, F - - K.	58,352	50	23	2	16	-	-	-	-	-	-	-	-	-	-	-	-
Sydenham	H - - - L.	43,653	19	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Charlton	F, 2H - - - K.	21,134	12	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich	4H - - - K.	41,625	21	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West	W - - - K.	18,063	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East	2W, H - K.	50,264	44	27	6	7	-	-	-	-	-	-	-	-	-	-	-	-
Workhouse:—																		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals:—																		
Joyce Green																		
Long Reach																		
M. A. B. Fever Hospitals:—																		
North-Eastern																		
Northern																		
M. A. B. Imbecile Asylums:—																		
Caterham																		
Darenth																		
Gore Farm (temporary)																		
Leavesden																		
London County Lunatic Asylums:—																		
Banstead																		
Ewell (Epileptic Colony)																		
Horton																		
Manor																		
Cane Hill																		
Dartford Heath																		
Hanwell																		
Colney Hatch																		
Claybury																		

Fig. 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 7th January, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from										Deaths in Public Institutions.	Unclassified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING	368,602	2,044,973	1486	666	155	226	-	13	3	13	21	2	2	17	50	77	2	
1 Carshalton <i>w</i> 2F,3H	12,228	32,997	22	13	3	3	-	-	-	1	-	-	-	-	-	2	1	-
2 Epsom, <i>part of</i> * W, <i>w</i> 2F, H	10,423	15,548	7	6	-	3	-	-	-	-	-	-	-	-	-	5	-	-
1 Godstone, <i>part of</i> * W, F	2,754	2,892	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,089	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon <i>w</i>	4,200	49,309	19	12	1	9	-	-	-	-	-	-	-	-	-	1	-	-
3 West Croydon 3W, F, H	2,168	42,888	38	22	5	8	-	-	-	1	-	-	-	-	-	1	7	-
4 North Croydon H	2,644	41,698	33	10	1	4	-	-	-	-	-	-	-	-	-	1	-	-
5 Penge <i>w</i>	770	22,465	4	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham <i>w</i>	11,711	30,015	36	8	-	7	-	-	-	-	-	-	-	-	-	-	-	-
1 Wimbledon F, 3H	3,221	41,652	23	9	4	3	-	-	-	-	-	-	-	-	-	2	1	-
2 Kingston W, H	8,224	42,068	20	14	5	8	-	-	-	-	-	-	-	-	-	2	-	-
3 Surbiton F, H	3,046	15,017	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Esher, <i>part of</i> * H	5,402	13,100	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Hampton H, L	4,564	23,456	14	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
1 Richmond W, H	2,162	28,865	12	14	-	6	-	2	-	-	3	-	-	-	-	1	-	-
2 Mortlake F	2,847	20,628	22	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
1 Bromley F, 2H	4,703	27,354	11	10	4	2	-	-	-	-	3	-	-	-	1	1	1	-
2 Beckenham H	7,825	28,497	15	12	3	5	-	-	-	1	-	-	-	-	-	-	2	-
3 Orpington, <i>part of</i> * W	10,113	9,857	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Chislehurst 2H	7,333	16,446	11	5	2	1	-	-	-	-	-	-	-	-	-	2	-	-
1 Bexley F, H	8,678	21,151	19	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Erith F, H	3,854	25,296	22	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3 Dartford W, F, <i>part of</i> *	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-	4	-	-
1 Sunbury <i>w</i>	11,054	18,083	13	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-
2 Staines W, H	13,277	15,178	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Hillingdon W, F, H	6,035	13,661	4	5	1	3	-	-	-	-	-	-	-	-	-	1	-	-
2 Uxbridge H	12,757	8,984	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Hayes W, F, H	8,066	16,358	10	4	-	1	-	-	-	-	-	-	-	-	2	3	-	-
1 Isleworth 3W, 2F, H	6,859	30,863	22	9	3	4	-	-	-	-	-	-	-	-	1	1	2	-
2 Twickenham F, H	2,421	20,991	16	8	3	2	-	-	-	-	-	-	-	-	-	2	1	-
3 Brentford 2F, 2H, L	4,319	46,389	35	22	4	9	-	1	-	1	-	1	1	1	2	1	1	1
4 Chiswick H	1,249	29,809	21	7	-	4	-	-	-	-	1	-	-	-	1	1	1	1
5 Acton <i>w</i> 3H	6,132	48,914	64	22	6	8	-	-	-	-	-	-	-	-	-	-	-	-
1 Harrow F, H	13,809	25,523	19	10	4	2	-	-	-	-	1	-	-	-	1	1	-	-
2 Edgware F, 2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W, F, 2H	4,384	114,811	97	42	10	15	-	-	-	1	-	-	-	3	4	6	-	-
4 Hendon W, F	8,382	22,450	12	11	5	3	-	-	-	-	-	-	-	-	1	2	-	-
1 South Mimms 2F, H	17,755	7,308	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W, 3H	3,324	17,970	9	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-
3 Finchley F, 2H	4,688	33,692	13	7	2	2	-	-	-	1	-	-	-	-	-	-	-	-
1 Hornsey F, H	2,875	72,056	41	15	4	5	-	-	-	-	-	-	1	-	1	-	-	-
2 Wood Green H	1,625	34,233	42	14	3	2	-	-	-	1	1	-	-	-	-	4	-	-
3 West Tottenham F	996	48,853	36	22	6	4	-	1	-	1	1	-	-	-	-	-	-	-
4 East Tottenham F, H	2,017	53,888	41	14	6	5	-	-	-	-	-	-	-	-	-	3	4	-
5 Edmonton W, <i>w</i> 2F	7,491	61,892	52	24	9	3	-	-	-	1	2	-	-	-	-	1	1	-
6 Enfield 2W, F, H	12,601	42,738	23	11	3	4	-	-	-	1	-	-	-	-	-	1	1	-
7 Waltham Abbey	11,017	6,549	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F, H	8,479	12,292	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, <i>part of</i> * W	3,305	869	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Bushey H	9,333	9,173	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Watford W, 2F, <i>part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
1 Stratford H	1,072	44,827	24	15	6	3	-	-	1	-	-	-	-	-	-	-	-	-
2 Plaistow F, 3H	1,249	90,921	88	28	8	9	-	-	-	-	-	-	-	-	1	1	3	-
3 Canning Town H	1,558	70,718	65	20	6	3	-	2	-	4	-	1	-	-	-	-	-	-
4 Forest Gate <i>w</i>	806	60,892	30	15	3	5	-	-	-	-	-	-	-	-	-	2	-	-
5 North East Ham <i>w</i>	1,333	58,676	44	20	7	6	-	-	1	-	1	-	-	-	-	2	-	-
6 South East Ham 2F	1,993	37,342	33	19	3	3	-	3	-	3	-	-	-	-	-	2	-	-
7 Wanstead F	1,679	9,179	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	33	11	-	6	-	-	-	-	-	-	-	-	-	5	-	-
9 North Leyton W, <i>w</i> , F	1,963	48,445	33	23	2	11	-	1	-	-	-	-	-	1	2	11	-	-
0 Walthamstow 3H, L	6,504	108,929	87	28	8	9	-	1	-	-	-	-	-	2	5	1	-	-
1 Chigwell, <i>part of</i> * 2F, H	11,778	16,397	12	5	-	1	-	-	-	1	-	-	-	-	1	1	-	-
2 Epping W, F, <i>part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, <i>part of</i> * W, 2F	6,556	6,091	5	6	-	1	-	-	-	-	-	-	-	-	-	2	-	-
2 Ilford F, L	8,496	41,234	30	14	4	1	-	-	-	-	3	-	-	-	-	1	1	-
3 Barking Town F	3,893	21,547	22	14	3	2	-	2	-	-	-	1	-	2	3	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-	-
London County Asylum, Friern Barnet.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Wotton Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 43: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria, and Group.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,684,794	January 7	2720	1665	18·5	-	32	9	13	16	9	-
CALCUTTA - -	847,796	November 19	-	469	28·7	-	-	-	-	-	159†	-
BOMBAY - -	776,006	December 20	507	729	48·8	25	3	-	-	1	151†	-
MADRAS - -	509,246	" 2	419	305	31·1	-	3	?	?	?	80	-
PARIS - -	2,660,559	" 31	993	1040	20·0	4	5	1	4	4	5	-
BRUSSELS - -	586,936	" 31	205	188	16·6	-	6	-	1	-	-	-
ANTWERP - -	286,695	" 31	132	94	17·0	-	6	-	1	-	1	-
AMSTERDAM -	548,160	" 24	301	196	18·6	-	8	-	4	9	-	-
COPENHAGEN -	423,000	" 31	253	121	14·9	-	2	1	1	1	-	-
STOCKHOLM -	309,496	" 24	128	94	15·8	-	2	-	1	-	-	-
CHRISTIANIA -	223,649	" 31	146	70	16·3	-	-	-	7	3	-	-
ST. PETERSBURG	1,248,122	" 24	650	700	29·2	4	13	14	16	6	23	-
MOSCOW - -	1,092,360	" 24	-	578	27·6	1	9	15	9	7	3	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	1,964,315	December 17	907	631	16·5	-	8	2	8	2	1	-
HAMBURG - -	751,842	" 31	-	226	15·6	-	4	1	2	1	-	-
BRESLAU - -	445,679	" 31	-	221	25·9	-	-	-	2	?	-	-
MUNICH - -	520,000	" 31	-	167	16·7	-	2	2	4	6	-	-
VIENNA - -	1,797,992	" 31	1034	683	19·5	-	9	1	13	-	1	4
PRAGUE - -	426,402	" 24	189	184	22·2	-	4	-	2	-	4	1
BUDA-PESTH -	813,399	" 24	422	295	18·2	1	4	7	2	1	-	1
TRIESTE - -	190,166	" 31	-	-	-	-	-	-	-	-	-	-
ROME - -	505,371	November 5	221	161	16·6	-	-	-	-	-	3	1
VENICE - -	166,288	" 12	224	180	18·6	-	2	-	-	-	11§	1
		December 3	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	" 24	135	126	23·3	-	-	2	-	-	-	-
NEW YORK - -	3,838,024	" 24	1691	1426	19·4	-	4	15	47	1	17	36
CHICAGO - -	1,932,315	" 3	-	450	12·4	-	3	3	13	3	3	2
PHILADELPHIA -	1,408,154	" 17	-	519	19·2	-	-	2	15	-	9	17
BOSTON - -	617,950	" 10	-	197	16·6	-	-	2	2	-	7	?
RIO DE JANEIRO	850,000	" 4	-	336	20·7	43	2	-	-	1	20†	-

* Excluding deaths from croup in the Indian Cities.

† Including 8 deaths from plague in Calcutta, 102 in Bombay, and 19 in Rio de Janeiro.

‡ Including 33 deaths from cholera in Calcutta, and 1 in Bombay.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th January, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	54·0	19·5	40·0	0·42	BRADFORD - -	51·2	29·0	43·8	0·04
BRIGHTON - -	53·8	22·1	42·0	0·17	LEEDS - - -	51·0	31·0	43·9	0·03
PORTSMOUTH - -	54·5	25·0	42·6	0·06	HULL - - -	51·0	28·0	41·7	0·11
NORWICH - -	52·0	21·4	38·8	0·17	TYNEMOUTH - -	51·0	32·0	43·2	0·00
PLYMOUTH - -	53·7	35·1	45·5	0·37					
BRISTOL - -	54·9	26·6	43·0	0·09	EDINBURGH - -	50·4	34·1	43·1	0·05
BIRMINGHAM - -	52·6	25·7	41·7	0·17	GLASGOW - -	53·2	35·5	45·0	0·35
NOTTINGHAM - -	52·0	25·8	41·7	0·10	DUBLIN { Phoenix Park. Fitz- william Square.†	52·4	39·3	46·7	0·35
LIVERPOOL OBSERVATORY. }	50·0	32·0	42·9	0·39		53·9	41·0	48·2	0·28
MANCHESTER - -	49·2	28·8	42·1	1·02					
PRESTON - -	?	?	?	?					
HUDDERSFIELD -	50·3	29·8	42·3	0·45	BELFAST - -	?	?	?	?

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·01 Fahrenheit.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1905.

MONTH AND DAY

JANUARY.

	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ELAPSED TIME (For explanation of symbols, see Note.)

GENERAL REMARKS.

ELAPSED TIME (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Registered Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY - 1	0°3'	7°9'	Fine and partially cloudy; occasional slight snow; very cold.
MONDAY - 2	0°0'	7°9'	Generally overcast; frequent slight snow till evening, followed by sleet and rain at night; very cold.
TUESDAY - 3	0°0'	7°9'	Generally overcast; occasional slight rain in early morning.
WEDNESDAY - 4	0°0'	7°9'	Generally overcast; mild.
THURSDAY - 5	1°0'	7°9'	Overcast with frequent rain till 10h. A.M.; cloudy till noon; very fine with little cloud afterwards; great gloom at 8h. A.M.
FRIDAY - 6	0°0'	8°0'	Generally overcast; frequent rain between 3h. A.M. and noon, followed by gusty wind; very mild.
SATURDAY - 7	0°2'	8°0'	Generally overcast; fine in afternoon; very mild; strong gusty wind in early morning.
No. of Col.	Sum 1°5'	Sum 55°5'	Sum 29

The results apply to the civil day, or from midnight to midnight. The height of the eastern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 5h. A.M.; noon; 3h. P. M. and 9h. P. M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometric tables. The average temperature of the air is derived from a discussion of the total observations made at Greenwich during the 50 years ending 1880, and the corresponding movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 30°31 in. at the beginning of the week to 30°42 in. by 7h. P. M. on the 1st; decreased to 29°41 in. by 2h. P. M. on the 6th; and increased to 30°18 in. by midnight on the 7th. ERRATA. - Report for week ending 1904 Dec. 10. Barometer, Dec. 6, for "29°155 in." read "29°175 in." Mean for week, for "29°335 in." read "29°338 in."

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 31st December, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	4	3	-	-	-	-	-	-
Kensington - - - -	179,236	-	2	1	-	1	-	-	1	-
Hammersmith - - - -	117,412	-	10	2	-	-	-	-	-	1
Fulham - - - -	152,482	-	9	1	-	-	-	-	1	-
Chelsea - - - -	74,329	-	3	2	-	-	-	-	1	-
City of Westminster - - -	177,321	-	4	1	-	1	-	-	2	-
NORTH.										
St. Marylebone - - - -	130,337	-	-	-	-	-	-	-	1	-
Hampstead - - - -	86,663	-	3	1	-	1	-	-	3	-
St. Pancras - - - -	235,936	-	6	9	-	3	-	-	5	-
Islington - - - -	341,044	-	13	7	-	1	-	-	2	-
Stoke Newington - - - -	52,445	-	-	1	-	-	-	-	2	-
Hackney - - - -	226,266	-	23	7	-	-	-	-	7	-
CENTRAL.										
Holborn - - - -	57,161	-	2	-	-	-	-	-	1	-
Finsbury - - - -	98,958	-	4	1	-	-	-	-	6	-
City of London - - - -	23,482	-	-	1	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	117,033	-	8	8	-	-	-	-	1	-
Bethnal Green - - - -	130,207	1	11	8	-	1	-	-	7	-
Stepney - - - -	303,791	-	24	9	-	3	-	-	4	-
Poplar - - - -	169,905	-	6	8	-	1	-	-	5	1
SOUTH.										
Southwark - - - -	207,937	-	9	15	-	-	-	-	8	1
Bermondsey - - - -	129,397	-	5	5	-	1	-	-	1	-
Lambeth - - - -	310,359	-	15	14	-	-	-	-	1	-
Battersea - - - -	175,465	-	22	7	-	2	-	-	1	-
Wandsworth - - - -	257,448	1	21	7	-	4	-	-	7	1
Camberwell - - - -	283,334	-	16	2	-	-	-	-	4	-
Deptford - - - -	113,509	-	10	2	-	-	-	-	4	-
Greenwich - - - -	101,651	-	3	-	-	1	-	-	3	-
Lewisham - - - -	140,401	-	11	5	-	2	-	-	2	-
Woolwich - - - -	123,416	2	3	16	-	-	-	-	3	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON, }		4	247	143	-	22	-	-	84	4
Ages										
0-1 - - - -	-	-	2	8	-	-	-	-	2	-
" 1-5 - - - -	-	1	81	72	-	2	-	-	7	-
" 5- - - - -	-	-	112	38	-	4	-	-	3	-
" 10- - - - -	-	-	30	13	-	4	-	-	2	-
" 15- - - - -	-	-	11	3	-	1	-	-	2	-
" 20- - - - -	-	-	8	2	-	5	-	-	9	1
" 25- - - - -	-	1	3	6	-	4	-	-	13	1
" 35- - - - -	-	1	-	1	-	1	-	-	21	2
" 45- - - - -	-	1	-	-	-	1	-	-	8	-
" 55- - - - -	-	-	-	-	-	-	-	-	10	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	7	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 31st DECEMBER, 1904.

BOROUGHs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	<i>Pyæmia</i> (origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON	19,054	-	287	116	206	155	-	105	1	335	2,079	4,020	128
West.													
PADDINGTON -	535	-	-	2	10	6	-	5	-	19	54	90	124
KENSINGTON -	657	-	-	3	3	3	-	1	1	6	89	117	145
HAMMERSMITH -	484	-	2	5	11	14	-	2	-	11	35	123	156
FULHAM -	600	-	3	2	4	16	-	3	-	24	60	149	125
CHELSEA -	312	-	-	2	2	2	-	2	-	2	31	65	181
CITY OF WESTMINSTER	603	-	-	1	3	5	-	1	-	11	67	84	119
North.													
ST. MARYLEBONE -	536	-	-	3	3	3	-	-	-	8	56	84	85
HAMPSTEAD -	224	-	-	-	2	4	-	2	-	2	19	38	105
ST. PANCRAS -	1,107	-	24	3	11	8	-	3	-	8	152	187	125
ISLINGTON -	1,416	-	30	10	10	10	-	7	-	10	152	265	125
STOKE NEWINGTON -	176	-	2	-	2	-	-	2	-	1	19	29	104
HACKNEY -	877	-	17	9	11	2	-	10	-	8	92	185	122
Central.													
HOLBORN -	290	-	-	-	-	1	-	1	-	6	51	54	137
FINSBURY -	547	-	23	4	4	-	-	6	-	10	64	117	129
CITY OF LONDON	100	-	-	-	-	2	-	-	-	-	7	7	74
East.													
SHOREDITCH -	643	-	23	2	3	5	-	4	-	15	83	159	176
BETHNAL GREEN -	664	-	17	6	12	10	-	3	-	13	69	161	144
STEPNEY -	1,531	-	22	14	26	6	-	10	-	36	188	356	135
POPLAR -	760	-	11	7	26	4	-	5	-	30	78	162	121
South.													
SOUTHWARK -	1,002	-	4	5	5	13	-	9	-	20	124	237	149
BERMONDSEY -	655	-	30	8	4	8	-	5	-	11	84	172	165
LAMBETH -	1,216	-	10	3	10	10	-	4	-	22	109	285	126
BATTERSEA -	600	-	7	2	3	1	-	4	-	9	68	133	113
WANDSWORTH -	823	-	32	4	14	4	-	3	-	6	76	162	96
CAMBERWELL -	1,020	-	-	8	6	10	-	4	-	18	102	234	132
DEPTFORD -	414	-	1	4	2	1	-	2	-	8	39	91	112
GREENWICH -	370	-	4	1	1	3	-	4	-	5	42	74	114
LEWISHAM -	458	-	16	2	5	1	-	-	-	10	33	97	111
WOOLWICH -	434	-	9	6	13	3	-	3	-	6	56	103	119

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 572 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 621 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, F.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 2. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JAN. 14. [Price 1½d.

*General Register Office, Somerset House,
January 16th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 19·4, 22·4, and 19·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 24·0 in Halifax, 24·1 in West Hartlepool, 24·3 in Newport (Mon.), 24·7 in Rochdale, 25·3 in Hull, 25·4 in Merthyr Tydfil, 26·5 in Middlesbrough, 26·7 in Warrington, 27·6 in Swansea, and 35·8 in Stockton on Tees; from *measles*, 1·1 in Liverpool, 1·2 in Wigan and in Cardiff, 2·7 in Nottingham, 2·8 in Merthyr Tydfil, and 6·0 in Stockton on Tees; from *diphtheria*, 1·5 in Kings Norton, 1·7 in East Ham and in Northampton, and 2·0 in Stockton on Tees; from *whooping-cough*, 1·2 in Hull, 1·6 in Huddersfield, and 2·3 in Grimsby; and from "*fever*," 2·7 in Bury. One death from *small-pox* was registered in each of the following towns:—London, Oldham, Bradford, West Hartlepool, and South Shields, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2553 BIRTHS and 1424 DEATHS were registered. Allowing for increase of population, the births were 178 and the deaths 423 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 17·6, 21·0, and 18·5 in the preceding three weeks, fell last week to 15·8. During the four weeks ended on Saturday last the death-rate averaged 18·2 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1424 deaths included 1 from small-pox, 25 from measles, 14 from scarlet fever, 9 from diphtheria, 23 from whooping-cough, 5 from enteric fever, and 11 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 88 deaths were referred to these diseases in the aggregate, being 86 below the corrected average weekly number.

The death from *small-pox* belonged to the Borough of Lewisham. The deaths from *measles*, which had been 26, 44, and 32 in the preceding three weeks, fell last week to 25, and were 28 below the corrected average; 5 deaths belonged to Stepney, 3 to Finsbury, 3 to Poplar, and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 3, 15, and 9 in the preceding three weeks, rose last week to 14, and were 2 above the corrected average. The deaths from *diphtheria*, which had been 13, 17, and 13 in the preceding three weeks, fell last week to 9, and were 27 below the corrected average. The deaths from *whooping-cough*, which had been 17, 25, and 16 in the preceding three weeks, rose last week to 23, but were 17 below the corrected average; 3 deaths belonged to Fulham, and 3 to Southwark. The fatal cases of *enteric fever*, which had been 7, 8, and 9 in the preceding three weeks, fell last week to 5, and were 8 below the corrected average. The deaths from *diarrhoea*, which had been 12, 15, and 12 in the preceding three weeks, were 11 last week, the corrected average being 14. Of the 11 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 22, having been 40, 23, and 27 in the preceding three weeks.

Different forms of *violence* caused 75 deaths, concerning all of which inquests were held. Of these 75 deaths, 12 were cases of suicide, while the remaining 63 were attributed to accident or negligence. Five of the latter were referred to vehicles in the streets, 11 to burns and scalds, 2 to poisoning by coal gas, 2 to the effects of anæsthetics administered for surgical purposes, and 16 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 19 cases of small-pox, 2192 of scarlet fever, 808 of diphtheria, and 157 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 9, 5, and 1; of scarlet fever, 194 cases, against 242, 201, and 187; of diphtheria, 101 cases, against 105, 111, and 111; and of enteric fever, 19 cases, against 20, 14, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 7th.

GREATER LONDON.

In Greater London 3906 births and 2014 deaths were registered. Allowing for increase of population these numbers are 165 and 530 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 7 from scarlet fever, 6 from diphtheria, 14 from whooping-cough, 2 from "fever," and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 40°·5, the latter being 2°·5 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 34 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 20·2 hours; the measured rainfall amounted to 0·08 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the Week include

Registered Deaths in the Week ended 14th Jan., 1905.

DEATH-RATES from all Causes.

POPULATION estimated to the end of the Year 1905.

TOWNS.	Cols.	POPULATION estimated to the middle of 1905.		Causes.				Diseases in 1905.		Registered Deaths in 14th Jan., 1905.		Deaths from										Inquest Cases.		Deaths in Public Institutions.		Causes of Death.		TOWNS.
		1.	1905	Week ended				11-17.	Deaths in 1905.	Deaths in 1904.	Deaths in 1903.	Deaths in 1902.	Deaths in 1901.	Deaths in 1900.	Deaths in 1899.	Deaths in 1898.	Deaths in 1897.	Deaths in 1896.	Deaths in 1895.	Deaths in 1894.	Deaths in 1893.	Deaths in 1892.	Deaths in 1891.	Deaths in 1890.				
				24th Dec., 1904.	31st Dec., 1904.	7th Jan., 1905.	14th Jan., 1905.																		Week ended 11-17.			
76 TOWNS		15,609,377		19'4	22'4	19'9	17'5	1'3	90'44	525'1	111'1	16'42	5	11'4	42	60	86	31	40	207	497	1212	61	21.	76 TOWNS.			
LONDON -	-	4,684,794		17'6	21'0	18'5	15'8	1'0	255'3	142'4	270	487	1	25	14	9	23	5	11	75	155	525	5	20.	LONDON.			
(CROYDON.	-	147,704		17'0	24'9	13'8	14'1	1'1	91	40	8	16	-	-	-	1	1	1	-	1	3	9	-	21.	(CROYDON.			
WILLESDEN -	-	138,080		10'2	11'8	15'9	7'6	0'8	88	20	2	5	-	1	-	-	1	-	-	-	1	4	-	-	WILLESDEN.			
HORNSEY -	-	84,070		14'8	13'5	10'5	8'1	-	30	13	1	4	-	-	-	-	-	-	-	-	1	4	-	-	HORNSEY.			
TOTTENHAM -	-	116,232		16'2	15'7	17'5	12'1	0'4	72	27	5	12	-	-	-	-	1	-	-	-	1	7	-	-	TOTTENHAM.			
WEST HAM -	-	294,987		15'2	17'0	15'2	14'7	0'9	190	83	20	23	-	2	-	1	1	1	-	3	7	15	-	-	WEST HAM.			
EAST HAM -	-	123,381		15'6	12'0	16'5	13'5	3'0	85	32	8	8	-	2	1	4	-	-	-	-	6	-	-	-	EAST HAM.			
LEYTON -	-	114,555		11'3	19'3	10'0	10'5	1'4	72	23	2	11	-	2	1	-	2	-	-	3	4	5	-	-	LEYTON.			
(WALTHAMSTOW.	-	116,297		12'2	12'2	12'6	11'2	1'3	62	25	6	9	-	-	-	1	-	-	-	-	-	7	-	-	(WALTHAMSTOW.			
HASTINGS -	-	68,820		18'0	12'5	15'6	8'6	-	32	11	2	5	-	-	-	-	-	-	-	-	-	1	-	-	HASTINGS.			
BRIGHTON -	-	127,183		20'2	16'1	15'6	20'5	-	56	50	8	28	-	-	-	-	-	-	2	5	11	-	-	-	BRIGHTON.			
PORTSMOUTH†	-	201,975		24'5	18'4	18'6	15'2	1'5	119	59	6	24	-	3	1	1	-	-	4	8	11	-	-	-	PORTSMOUTH.†			
BOURNEMOUTH -	-	66,168		10'5	16'1	13'4	18'1	1'6	21	23	3	9	-	1	-	1	-	-	-	-	3	-	-	-	BOURNEMOUTH.			
SOUTHAMPTON -	-	114,897		19'0	14'4	15'9	14'1	-	50	31	5	13	-	-	-	-	-	-	2	10	8	-	-	-	SOUTHAMPTON.			
READING -	-	77,674		14'3	18'4	15'4	10'1	0'7	97	15	3	6	-	-	-	-	-	-	1	1	3	-	-	-	READING.			
NORTHAMPTON -	-	92,441		20'6	17'7	13'0	18'1	2'3	32	32	2	16	-	-	-	3	1	-	-	1	2	3	-	-	NORTHAMPTON.			
IPSWICH -	-	70,802		17'2	20'2	16'2	18'4	-	36	25	10	5	-	-	-	-	-	-	-	-	-	7	-	-	IPSWICH.			
GREAT YARMOUTH -	-	52,353		14'0	21'0	26'9	15'9	1'0	38	16	3	8	-	-	-	-	-	-	1	-	-	6	-	-	GREAT YARMOUTH.			
NORWICH -	-	116,741		23'9	22'6	21'9	18'8	0'4	72	42	12	19	-	-	-	-	1	-	-	1	6	-	-	-	NORWICH.			
PLYMOUTH -	-	116,000		17'4	19'7	24'7	21'1	2'2	55	47	12	13	-	1	1	1	-	-	4	4	4	6	-	-	PLYMOUTH.			
DEVONPORT -	-	76,864		17'3	17'3	16'3	14'2	0'7	33	21	5	3	-	-	1	-	-	-	2	4	4	3	-	-	DEVONPORT.			
BRISTOL† -	-	358,515		19'0	20'7	19'6	18'8	1'9	183	129	26	47	-	-	2	2	2	-	-	4	7	35	1	-	BRISTOL.†			
HANLEY -	-	64,667		32'6	36'7	25'0	19'4	0'8	41	24	8	6	-	-	-	1	-	-	-	-	1	1	-	-	HANLEY.			
BURTON-ON-TRENT	-	52,424		24'1	26'1	21'9	12'9	1'0	27	13	4	3	-	-	-	-	1	-	-	-	2	-	-	-	BURTON-ON-TRENT.			
WOLVERHAMPTON -	-	99,456		17'0	19'1	15'2	12'6	0'5	67	24	8	8	-	-	-	-	1	-	-	-	1	5	-	-	WOLVERHAMPTON.			
WALSALL -	-	92,998		24'5	20'0	21'3	21'3	0'6	58	38	12	10	-	-	1	-	-	-	-	-	3	2	-	-	WALSALL.			
HANDSWORTH -	-	61,721		17'5	13'1	23'7	11'0	-	29	13	-	8	-	-	-	-	-	-	-	1	1	-	-	-	HANDSWORTH.			
WEST BROMWICH -	-	67,823		23'3	20'2	30'0	17'7	0'8	44	23	9	8	-	-	-	-	-	-	1	2	2	5	1	-	WEST BROMWICH.			

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 14th January, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.		The Deaths registered in the Week include										TOWNS.									
TOWNS.	Cols.	1.	Deaths from Causes.					Deaths of Persons aged 60 Years and upwards.					Deaths in Public Institutions.					Cols.			
			Week ended					Under 1 Year of Age.					Inquest Cases.								
			24th Dec., 1904.	31st Dec., 1904.	7th Jan., 1905.	14th Jan., 1905.	Week ended 16th Jan., 1905.	Small-pox.	Measles.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
BIRMINGHAM	-	542,959	20'6	26'9	21'2	19'7	0'9	315	205	62	-	-	1	4	1	3	6	8	42	9	BIRMINGHAM.
KINGS NORTON	-	69,630	16'4	11'7	12'7	14'2	1'5	30	19	5	-	-	2	-	-	-	-	1	1	1	KINGS NORTON.
SMETHWICK	-	62,805	13'7	18'9	10'8	14'2	-	34	17	9	-	-	-	-	-	-	1	1	2	-	SMETHWICK.
ASTON MANOR	-	61,320	11'7	18'8	14'7	13'8	-	43	20	4	-	-	-	-	-	-	-	-	-	-	ASTON MANOR.
COVENTRY	-	75,134	18'3	23'4	27'8	20'1	1'4	36	29	12	-	-	1	-	-	1	-	-	3	-	COVENTRY.
LEICESTER	-	228,132	11'4	13'8	12'8	14'4	0'9	126	63	24	-	4	-	-	-	-	3	7	12	1	LEICESTER.
GRIMSBY	-	68,153	17'1	20'2	31'4	14'5	2'3	43	19	6	-	-	-	3	-	-	2	3	1	1	GRIMSBY.
NOTTINGHAM	-	251,671	21'6	24'9	28'8	20'5	3'3	149	89	31	-	13	-	3	-	-	2	6	11	1	NOTTINGHAM.
DERBY	-	122,207	20'3	18'2	19'6	14'9	0'9	73	35	6	-	-	-	1	1	-	1	1	8	-	DERBY.
STOCKPORT	-	98,320	23'7	22'6	20'2	18'6	1'1	68	35	6	-	1	-	-	1	-	-	4	3	-	STOCKPORT.
BIRKENHEAD	-	116,035	18'2	19'5	16'6	15'3	0'4	85	34	12	-	-	1	-	-	-	1	5	6	-	BIRKENHEAD.
WALLASEY	-	82,460	14'7	19'0	24'2	15'9	-	30	19	2	11	-	-	-	-	-	1	1	2	-	WALLASEY.
LIVERPOOL	-	730,143	19'1	28'0	23'6	20'0	2'1	508	280	72	-	15	6	4	1	2	2	21	86	8	LIVERPOOL.
BOOTLE	-	62,758	21'1	20'3	17'4	14'1	0'8	60	17	5	4	1	-	-	-	-	-	-	1	1	BOOTLE.
ST. HELENS	-	89,843	21'8	24'7	22'6	16'3	1'2	66	28	4	4	1	-	-	1	-	2	2	6	1	ST. HELENS.
WIGAN†	-	83,581	21'6	19'9	21'7	13'2	1'8	66	22	6	4	2	-	-	1	1	1	3	2	2	WIGAN†.
WARRINGTON	-	68,301	20'9	21'7	22'1	26'7	-	52	35	6	12	-	-	-	-	-	2	2	2	2	WARRINGTON.
BOLTON	-	178,111	22'8	22'3	17'3	15'2	0'6	101	52	12	14	1	-	1	-	-	1	5	8	-	BOLTON.
BURY	-	58,594	25'0	23'2	16'7	21'4	3'6	23	24	7	8	-	-	-	-	3	1	2	2	1	BURY.
MANCHESTER†	-	631,185	26'5	35'2	22'6	19'6	1'7	439	237	44	70	-	3	4	3	1	5	16	65	2	MANCHESTER†.
SALFORD	-	231,514	21'6	28'2	21'8	14'9	1'1	142	66	11	18	1	1	-	3	1	2	1	19	-	SALFORD.
OLDHAM	-	140,225	22'4	33'3	17'1	17'5	1'9	60	47	8	13	1	1	-	-	-	1	5	4	-	OLDHAM.
ROCHDALE	-	86,300	20'1	25'0	17'5	24'7	1'2	38	41	4	17	-	-	1	-	1	2	5	3	1	ROCHDALE.
BURNLEY	-	101,682	17'6	24'9	22'1	23'6	2'6	66	46	7	14	-	1	1	1	-	1	1	8	-	BURNLEY.
BLACKBURN	-	133,067	21'7	24'1	22'3	18'0	0'8	53	46	12	13	-	1	-	-	1	-	2	6	2	BLACKBURN.
PRESTON	-	115,721	22'7	29'5	24'3	20'3	1'8	75	45	13	8	-	-	-	2	-	-	6	6	2	PRESTON.
BARROW-IN-FURNESS	-	60,306	16'6	19'2	17'3	22'5	0'9	35	26	3	-	-	1	-	-	-	1	1	2	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the year 1905.	Causes.				Diseases in Cols. 11-17.		Registered during the week ended 14th Jan., 1905.		Deaths of		Deaths from								Deaths in Public Institutions.		Towns.			
		Week ended				11-17.		week ended		under 1 Year of Age.															
		24th Dec., 1904.	31st Dec., 1904.	7th Jan., 1905.	14th Jan., 1905.	Week ended 14th Jan., 1905.		14th Jan., 1905.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
HUDDESFIELD -	-	94,888	31'9	28'6	25'8	20'9	2'7	43	38	9	16	-	1	-	-	3	1	-	-	-	3	-	HUDDESFIELD.		
HALEFAX -	-	108,419	22'8	22'3	23'1	24'0	0'5	31	50	7	27	-	-	-	1	-	-	-	2	2	7	1	HALEFAX.		
BRADFORD -	-	286,789	22'5	23'6	24'7	20'9	2'4	103	115	24	33	1	2	-	4	2	4	-	5	8	26	1	BRADFORD.		
LEEDS -	-	456,787	19'8	23'3	20'5	20'2	0'6	278	177	31	68	-	-	1	2	1	1	-	10	19	30	-	LEEDS.		
SHEFFIELD -	-	440,414	21'9	27'0	21'3	21'0	1'7	254	177	46	49	-	3	2	1	7	-	1	5	6	26	7	SHEFFIELD.		
ROTHERHAM -	-	59,794	12'5	15'2	22'7	17'4	-	39	20	7	6	-	-	-	-	-	-	-	-	-	2	-	ROTHERHAM.		
YORK -	-	82,362	14'8	9'6	20'9	13'3	1'3	38	21	1	6	-	-	1	-	6	1	-	-	-	6	-	YORK.		
HULL -	-	258,127	20'1	20'7	22'0	25'3	2'0	181	125	22	43	-	3	-	1	6	-	-	6	9	28	1	HULL.		
MIDDLESBROUGH -	-	98,369	28'1	32'4	23'3	26'5	3'2	77	50	16	7	-	1	-	1	1	1	2	-	-	2	-	MIDDLESBROUGH.		
STOCKTON-ON-TEES	-	52,425	27'0	33'0	31'8	35'8	9'0	38	36	10	9	-	6	-	2	-	1	-	1	5	1	1	STOCKTON-ON-TEES.		
WEST HARTLEPOOL	-	71,313	12'0	25'6	17'5	24'1	0'7	52	33	9	4	1	-	-	-	-	-	-	1	2	3	2	WEST HARTLEPOOL.		
SUNDERLAND -	-	152,761	21'8	30'0	28'7	20'5	1'4	97	60	17	10	-	-	-	2	-	-	-	1	3	11	4	SUNDERLAND.		
SOUTH SHIELDS	-	109,360	25'3	28'2	21'9	16'7	2'4	65	35	8	9	1	-	1	-	2	1	-	-	-	5	2	SOUTH SHIELDS.		
GATESHEAD -	-	120,620	23'8	25'2	21'2	15'6	0'9	84	36	9	6	-	-	-	-	2	-	-	2	2	3	2	GATESHEAD.		
NEWCASTLE-ON-TYNE†	-	264,511	25'5	22'7	18'9	21'1	0'8	171	107	18	27	-	-	1	1	1	1	-	6	9	23	-	NEWCASTLE-ON-TYNE.†		
TYNEMOUTH -	-	53,595	28'5	20'6	23'3	18'5	1'0	37	19	3	3	-	1	-	-	-	-	-	-	2	2	-	TYNEMOUTH.		
NEWPORT (MON.) -	-	72,880	18'9	21'1	13'6	24'3	-	40	34	5	12	-	-	-	-	-	-	-	1	2	9	-	NEWPORT (MON.).		
CARDIFF -	-	180,064	17'2	21'9	19'7	19'7	2'3	97	68	16	15	-	-	-	1	2	-	1	7	11	10	-	CARDIFF.		
RHONDDA -	-	124,988	25'6	26'4	23'4	14'2	1'7	98	34	14	6	-	2	1	-	-	1	-	1	1	2	-	RHONDDA.		
MERTHYR TYDFIL -	-	73,843	17'2	25'1	37'4	25'4	3'5	67	36	10	10	-	4	-	-	-	-	1	1	2	1	-	MERTHYR TYDFIL.		
SWANSEA -	-	96,384	16'8	22'3	22'2	27'6	0'5	65	51	16	15	-	-	-	-	1	-	-	1	1	3	-	SWANSEA.		
GREATER LONDON -	-	7,010,172	16'6	19'7	17'3	15'0	1'1	3906	2014	390	670	1	31	23	22	43	11	14	91	193	649	8	GREATER LONDON.		
OUTER RING -	-	2,325,378	14'6	17'1	14'9	13'2	1'3	1363	590	120	203	-	6	9	13	20	6	3	16	38	114	3	OUTER RING.		
8 TOWNS IN OUTER RING	-	1,135,316	14'2	16'2	14'3	12'1	1'1	680	263	52	88	-	5	2	7	6	4	-	7	16	54	-	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING	-	1,090,062	15'0	17'9	15'5	14'3	1'4	603	327	68	115	-	1	7	6	14	2	3	9	22	60	3	REMAINDER OF OUTER RING.		
EDINBURGH -	-	336,577	17'0	19'3	19'5	18'1	1'4	105	117	22	46	-	1	1	2	4	-	1	3	?	45	6	EDINBURGH.		
GLASGOW -	-	809,986	23'7	24'2	22'8	23'9	3'8	506	371	67	84	-	4	-	2	38	4	11	11	?	92	10	GLASGOW.		
DUBLIN† -	-	376,994	24'5	25'0	25'6	22'6	2'9	221	164	32	44	-	12	1	2	1	1	4	3	6	65	11	DUBLIN.†		
BELFAST† -	-	358,680	20'6	23'6	22'2	22'5	3'1	205	155	32	32	1	15	-	2	-	2	1	2	9	27	?	BELFAST.†		

† See note † on first page of this return.

‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the SECOND Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*
TOTAL Births -	2922	2454	2928	2703	2435	2766	2468	2890	2349	2589	2731.0
Males - -	1498	1218	1519	1382	1275	1396	1259	1351	1147	1339	1389.7
Females - -	1424	1236	1409	1321	1160	1370	1207	1339	1202	1250	1341.3
TOTAL Deaths -	1622	1540	1538	1982	1568	2930	1750	1633	1545	1677	1846.7
Males - -	806	767	765	997	808	1325	863	820	774	840	910.1
Females - -	816	773	773	985	760	1605	887	813	771	837	936.6

* The numbers in this column are the average weekly numbers in the second week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	1 st Week
TOTAL Births -	2442	2585	2581	2476	2455	2356	2542	2185	2446	2122	2320	2720	2553	31.1
TOTAL Deaths -	1476	1311	1330	1357	1505	1502	1932	1613	1696	1572	1868	1665	1424	20.1
Ages at Death {														
Under 1 year -	292	289	288	306	357	345	400	330	294	278	347	316	270	41.1
1-5 years -	131	122	121	137	153	144	197	157	164	140	173	144	126	18.1
5-20 " -	87	55	78	75	74	80	80	82	75	76	60	86	75	7.1
20-40 " -	212	173	170	175	196	181	234	154	202	191	230	179	177	24.1
40-60 " -	279	286	286	281	304	312	402	352	345	340	383	355	309	44.1
60 yrs.& upwds.	475	386	387	383	421	440	619	538	616	547	675	585	467	68.1
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	1	0.1
Measles - -	26	20	14	15	15	14	32	22	32	26	44	32	25	3.1
Scarlet Fever -	6	8	13	9	8	19	5	9	6	3	15	9	14	1.1
Diphtheria -	13	12	15	13	24	11	18	23	12	13	17	13	9	1.1
Whooping-cough -	11	7	4	4	12	10	15	19	20	17	25	16	23	1.1
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	11	7	6	11	10	3	8	11	4	7	8	9	5	1.1
Purpura (origin uncertain) -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	45	25	22	27	25	18	16	16	16	12	15	12	11	1.1
All above Diseases -	113	79	74	79	94	75	94	100	90	78	124	91	88	11.1
Dis. of Resp. System	127	145	158	171	175	228	357	268	272	236	358	275	174	24.1
Pneumonia - -	124	144	127	153	186	157	208	180	215	180	163	168	127	21.1
Phthisis - -	174	144	159	140	170	163	193	163	170	181	192	158	147	21.1
Dis. of Circ. System -	197	182	169	169	185	191	255	211	216	200	243	208	179	26.1
Violence - -	53	47	52	46	45	54	76	55	62	60	76	65	75	7.1
Inquest Cases -	123	136	137	119	127	124	204	155	170	140	218	185	155	19.1
Deaths in Institutions	588	489	475	485	532	536	641	567	628	592	587	605	525	72.1
TEMPERATURE OF THE AIR.														
Mean - -	54.9	49.9	49.3	48.8	42.2	33.7	40.5	42.3	43.4	34.1	41.6	41.0	40.5	4.1
Mean of Highest -	61.3	56.1	53.1	54.3	49.6	37.7	44.5	46.4	47.7	38.0	45.6	45.7	45.4	4.1
Mean of Lowest -	48.7	43.1	45.9	43.3	35.3	28.5	35.8	35.9	37.7	28.7	37.2	34.3	34.1	3.1
Mean Humidity of the Air.	89	84	84	83	94	82	87	88	87	97	85	83	79	-
Rain-fall (in inches) -	0.43	0.20	0.11	1.40	0.04	0.18	0.07	1.54	0.50	0.04	0.09	0.42	0.08	5.1
Registered Sunshine (in hours).	10.0	22.9	9.8	11.7	14.9	9.6	4.3	3.3	5.8	3.5	7.0	1.5	20.2	12.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	1	1	1	1	1	3	4	6	14	17	18	5	-	Meas.
Scarlet Fever -	2687	2725	2782	2843	2774	2741	2625	2490	2403	2394	2390	2309	2397	21.1
Diphtheria - -	950	947	979	947	921	919	892	874	839	825	804	827	825	8.1
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	229	225	230	224	214	191	178	165	174	170	159	157	178	1.1

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the result have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D. Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON—DEATHS Registered in the SECOND Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 2nd week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 2nd week of the year 1904.	1905—Deaths of Persons of the Ages									
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.		60 years and upwards.		
				0-1.	1-5.	5-20.		0-1.				1-5.	5-20.	0-1.		1-5.	5-20.			
L CAUSES	-	1677	1424	270	126	75	177	309	467	Meningitis (not tuberc.)	16	10	5	3	-	1	-	1		
										Insanity, Gen. Par. of	20	20	-	-	-	6	6	-		
										Insane -	6	10	-	-	1	6	1	2		
										Epilepsy -	24	18	16	2	-	-	-	-		
										Convulsions -	2	1	-	-	-	1	-	-		
										Locomotor Ataxy -	5	13	1	-	1	1	4	6		
										Paraplegia, Dis. of Cord	20	14	1	-	2	3	1	7		
										Nervous Sys. (other dis.)										
										Valv. Dis., Endocarditis-	44	39	-	-	4	7	10	16		
										Cerebr. Hæm. Thromb.	34	41	1	-	2	12	26			
										Apoplexy, Hemiplegia	16	13	-	-	-	1	1	2		
										Aneurysm -	7	1	-	-	-	-	-	-		
										Embolism, Thrombosis }	4	1	-	-	-	1	-	-		
										(not cerebral)										
										Heart & Blood Vessel Dis.	97	84	-	-	5	7	21	51		
										Croup (not Spasm: nor	-	-	-	-	-	-	-	-		
										Memb.) -	-	-	-	-	-	-	-	-		
										Bronchitis -	183	148	19	8	1	4	23	93		
										Asthma, Emphysema -	7	8	-	-	-	1	4	3		
										Pleurisy -	5	5	1	-	-	2	-	-		
										Respiratory Dis. (other)	24	13	3	-	-	3	7	-		
										Tonsillitis, Quinsy -	1	1	-	1	-	-	-	-		
										Enteritis (not Epid.)	6	6	4	-	1	1	-	-		
										Gastro-Enteritis	6	4	3	1	-	-	-	-		
										Peritonitis (not Puerp.)	4	2	-	-	1	1	-	-		
										Cirrhosis of Liver	13	11	-	-	-	3	5	3		
										Liver Dis. (other)	5	8	-	-	-	2	2	-		
										Digestive Dis., Other	45	44	5	1	5	10	15	8		
										Nephritis, Acute	8	11	1	-	-	3	3	4		
										Bright's Dis., Albumin-	33	31	-	-	2	1	11	17		
										uria	9	9	-	-	-	-	3	6		
										Urinary Sys., Other Dis.										
										Generative Organs Dis.-	6	7	-	-	4	1	2	-		
										Childbirth (Accid. of)	4	9	-	-	7	2	-	-		
										Old Age	65	63	-	-	-	-	-	63		
										Other Diseases	111	92	62	10	2	4	2	12		
										ACCIDENT.										
										By Railways	2	2	-	-	-	2	-	-		
										By Vehicles and Horses	4	5	-	-	1	2	-	2		
										In Ships, Boats, Docks,										
										(exclusive of Drown-	2	-	-	-	-	-	-	-		
										ing)										
										In Building Operations	1	-	-	-	-	-	-	-		
										In Conflagrations										
										By Burns, Scalds, Ex-	10	11	-	4	4	-	1	2		
										plosions -										
										By Drowning	2	1	-	-	-	1	-	-		
										By Suffocation in Bed	18	16	16	-	-	-	-	-		
										By Poisons or Poisonous		6	-	-	-	-	3	3		
										Vapours										
										Other Deaths by Acci-	14	22	1	1	2	4	3	11		
										dent										
										VIOLENCE OTHER THAN										
										ACCIDENTAL.										
										Homicide	3	-	-	-	-	-	-	-		
										Suicide	9	12	-	-	-	4	6	2		
										Execution										

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th January, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic (Origin un- certain).	Diarrhoea.	Violence.				
LONDON - - -	4,536,429	2553	1424	270	467	1	25	14	9	23	-	5	-	11	75	155	525		
WEST DISTRICTS - - -	805,311	372	270	40	104	-	2	-	2	7	-	1	-	1	9	19	95		
NORTH DISTRICTS - - -	1,056,070	527	267	47	86	-	2	4	3	4	-	1	-	1	15	38	89		
CENTRAL DISTRICTS - - -	209,465	107	72	21	15	-	3	-	-	-	-	-	-	1	9	9	25		
EAST DISTRICTS - - -	715,739	490	261	58	78	-	9	1	2	3	-	1	-	2	19	42	122		
SOUTH DISTRICTS - - -	1,749,844	1057	501	104	167	1	8	3	2	9	-	2	-	6	23	47	141		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	53	-	17	-	1	6	-	-	-	-	-	1	-	-	53		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	37	26	2	12	-	-	-	-	1	-	-	-	-	1	1	7		
W, 2H																			
St. John Paddington H - - G.	33,617	12	12	2	3	-	-	-	-	-	-	-	-	-	1	1	10		
North-West Paddington - - C.	17,181	2	5	-	1	-	-	-	-	1	-	-	-	-	-	1	-		
Kensington Town 2W, w, 2H G. & W. & C.	128,037	59	35	9	27	-	-	-	-	-	-	-	-	-	2	4	27		
Brompton 2H - - W. & C.	48,591	11	14	1	8	-	-	-	-	-	-	-	-	-	1	2	2		
North Hammersmith W, w, 2H } W. & G.	49,192	27	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-		
South Hammersmith w, 2H }	63,047	40	19	4	5	-	-	-	-	1	-	-	-	-	1	1	3		
North-west Fulham W }	45,180	46	25	7	5	-	-	-	-	2	-	-	-	-	1	4	10		
North-east Fulham F }	48,405	20	17	1	6	-	1	-	2	1	-	1	-	-	-	-	4		
South Fulham W }	45,704	32	14	7	5	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North W, w, 3H - - C.	42,514	19	29	1	14	-	-	-	-	1	-	-	-	-	1	1	23		
Chelsea South W, 2H - - C.	31,328	14	9	2	2	-	1	-	-	-	-	-	-	-	1	1	1		
May Fair and Knightsbridge C. & G.	28,743	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W, 2H - - C.	55,815	24	12	-	1	-	-	-	-	-	-	-	-	-	-	2	3		
St. Margaret & St. John 4H - C.	43,698	18	17	2	4	-	-	-	-	-	-	-	-	-	1	1	4		
St. James Westminster } N. & G.	21,588	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
W, H																			
St. Anne Soho 5H - - N.	11,493	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.	35,391	11	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2		
Rectory Marylebone W G. & W.	19,849	5	2	-	2	-	-	-	-	-	-	-	-	-	-	1	1		
St. Mary Marylebone 4H G. & W.	18,099	29	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H- W.	39,536	19	10	3	2	-	-	-	-	1	-	-	-	-	-	1	-		
St. John Marylebone 3H - W.	20,426	5	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 6H - N. & W.	81,942	28	22	3	8	-	-	2	2	-	-	1	-	-	1	2	10		
West St. Pancras 2H - - W.	60,562	36	14	1	3	-	-	-	-	-	-	-	-	-	-	2	2		
Tottenham-court w, 6H N. & W.	21,258	7	12	-	3	-	-	-	-	-	-	-	-	-	1	2	7		
Gray's Inn Lane 4H - - N.	34,449	18	7	2	2	-	-	-	-	-	-	-	-	-	2	3	1		
East St. Pancras W, 2H - - N.	60,320	25	20	1	12	-	-	-	-	-	-	-	-	-	-	4	12		
North St. Pancras 2W - - N.	58,728	35	11	3	3	-	-	-	-	1	-	-	-	-	-	1	3		
Tufnell W - - N.	31,995	19	13	2	7	-	-	-	-	-	1	-	-	-	-	-	9		
Upper Holloway 2W, w, 2H - N.	33,978	20	21	2	5	-	-	-	-	-	-	-	-	-	-	2	14		
Tollington W - - N.	33,922	20	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Lower Holloway - - N.	41,424	21	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - N.	54,478	26	12	-	4	-	-	-	1	-	-	-	-	-	1	2	-		
Islington South-east F - - N.	75,397	36	16	5	4	-	-	1	-	1	-	-	-	-	-	-	-		
Highbury 2H - - N.	63,797	31	16	3	7	-	-	-	-	-	-	-	-	-	3	4	1		
Stoke Newington H - - N.	51,247	19	13	7	2	-	-	-	-	-	-	-	-	-	-	2	-		
North Hackney - - E. & N.	50,560	22	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - E. & N.	50,536	30	10	3	4	-	-	2	-	-	-	-	-	-	1	2	3		
South-west Hackney 3H E. & N.	59,321	31	16	3	2	-	-	-	-	-	-	-	-	-	1	4	9		
South-east Hackney 2W, w, H E. & N.	58,255	34	25	4	10	-	1	-	-	-	-	-	-	-	2	4	16		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies (Gr.) Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River. E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th January, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th January, 1905—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.			
SOUTH DISTRICTS.																		
Christchurch Southwark W, H, L. & S.	11,263	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1
St Saviour Southwark H - S.	12,056	6	14	3	1	-	-	-	-	1	-	-	-	-	-	-	5	13
Kent-road - - - S. & L.	21,904	9	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,004	19	9	4	3	-	-	-	-	-	-	-	-	-	-	1	1	4
West W, 2H, L - - - }	49,022	36	10	5	4	-	-	-	-	3	-	-	-	-	-	2	2	-
Newington North - - S. & L.	72,841	51	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South W - S. & L.	9,817	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W - - - S.	82,483	71	13	1	7	-	-	-	-	-	3	-	-	-	-	-	-	-
Bermondsey W - - - S.	38,480	13	11	2	2	-	1	-	-	-	-	-	-	-	-	1	2	5
Rotherhithe W, F - - S. & K.	27,440	23	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2H - - L. & S.	18,423	14	12	1	2	-	-	-	-	-	-	-	-	-	-	1	1	10
Lambeth Church 1st H - L. & S.	39,818	31	22	3	12	-	-	-	-	-	-	-	-	-	-	1	2	13
Lambeth Church 2nd 2W - L. & S.	53,198	31	14	3	14	-	-	-	-	-	-	-	-	-	-	1	1	-
Kennington 1st H - - S. & L.	42,896	26	14	3	2	-	-	-	-	1	-	-	-	-	-	1	1	2
Kennington 2nd H - - S. & L.	84,232	35	15	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton F - - - L. & S.	35,888	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood W, H - - - L.	72,203	42	22	6	5	-	1	-	-	-	-	-	-	-	-	1	-	-
East Battersea H - - S.	49,666	40	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea - - S.	47,048	14	28	4	11	-	-	-	-	-	1	-	-	-	-	-	1	20
South-west Battersea W, H - S.	51,361	25	11	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1
Clapham 2H - - - S.	88,019	68	28	9	10	-	1	3	1	-	-	-	-	-	-	1	2	10
Streatham W, 2w, 2F, 2L - L.	27,959	16	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Springfield 2W, L - - S.	40,444	37	14	4	2	-	1	-	-	-	-	1	-	-	-	-	1	-
Southfields H - - - S.	24,139	10	6	2	4	-	1	-	-	-	-	-	-	-	-	-	1	-
Putney - - - - - S.	13,359	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	40,206	10	27	1	12	-	-	-	-	-	-	-	-	-	-	-	2	19
Camberwell South W, w S. & L.	65,584	37	24	3	9	-	-	-	-	-	1	-	-	-	-	1	2	12
Camberwell North W, 2L S. & L.	47,331	24	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George - - - L. & S.	92,859	60	15	5	6	-	-	-	-	-	-	-	-	-	-	-	2	-
Peckham 2W, w - - S., L. & K.	37,613	24	8	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North - - - K.	45,481	28	11	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - K.	34,625	15	10	3	4	-	-	-	-	-	-	-	-	-	-	2	2	-
Deptford South - - - K.	23,456	19	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West 2H - - K.	43,859	26	11	3	4	-	-	-	-	-	-	-	-	-	-	2	3	9
Greenwich East 2W, H - K.	7,226	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Eltham w, H - - - K.	25,490	10	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	2
Lee w H - - - K.	58,352	48	29	4	10	1	1	-	1	-	1	-	-	-	-	2	4	11
Lewisham W, w, F - - K.	43,653	31	11	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Sydenham H - - - L.	21,134	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Charlton F, 2H - - - K.	41,625	28	17	7	2	-	1	-	-	-	-	-	-	-	-	-	3	-
Woolwich 4H - - - K.	18,063	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West W - - K.	50,264	40	15	1	5	-	-	-	-	-	-	-	-	-	-	2	2	4
Plumstead East 2W, H - K.																		
Workhouse:—																		
Central London Sick Asylum	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(Westminster, St. Giles, and Strand Unions)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small pox Hospitals:—																		
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
North Eastern - - - -	-	-	5	-	-	-	1	4	-	-	-	-	-	-	-	-	-	5
Northern - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2
M. A. B. Imbecile Asylums:—																		
Caterham - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3
Darenth - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Gore Farm (temporary)	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4
London County Lunatic Asylums:—																		
Banstead - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Evell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
Manor - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dartford Heath - - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	7
Hanwell - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	7
Colney Hatch - - - - -	-	-	5	-	7	-	-	-	-	-	-	-	-	-	-	-	-	5
Claybury - - - - -	-	-	7	-	13	-	-	-	-	-	-	-	-	-	-	1	-	7

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th January, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												
					Deaths of		Deaths from										
					1 Year of Age.	60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1353	590	120	203	-	6	9	13	20	6	3	16	38	114	3
Carshalton <i>w</i> 2 <i>F</i> 3 <i>H</i>	12,238	32,997	10	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Epsom, part of* <i>W</i> , <i>w</i> 2 <i>F</i> , <i>H</i>	10,423	15,548	7	4	-	3	-	-	-	-	-	-	-	-	-	1	2
Godstone, part of* <i>W</i> , <i>F</i>	2,754	2,692	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon <i>w</i>	4,200	49,509	27	10	12	5	-	-	-	-	-	-	-	-	-	-	-
West Croydon 3 <i>W</i> , <i>F</i> , <i>H</i>	2,168	42,888	42	28	3	11	-	-	1	-	1	1	-	1	3	15	-
North Croydon <i>H</i>	2,644	41,668	22	16	3	4	-	-	-	1	1	1	-	-	-	-	-
Penge <i>w</i>	770	22,465	11	6	1	-	-	-	-	-	1	-	-	1	1	-	-
Mitcham <i>w</i>	11,711	30,015	26	6	2	3	-	-	-	-	-	-	-	-	-	-	-
Wimbledon <i>F</i> , 3 <i>H</i>	3,221	41,652	28	8	1	3	-	-	-	-	-	-	-	-	-	-	-
Kingston <i>W</i> , <i>H</i>	6,224	42,068	15	12	1	5	-	-	-	-	-	-	1	-	1	3	-
Surbiton <i>F</i> , <i>H</i>	3,046	15,017	8	4	1	1	-	-	-	-	-	-	-	1	2	-	-
Esher, part of* <i>H</i>	6,402	13,100	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton <i>H</i> , <i>L</i>	4,564	23,456	14	6	1	12	-	-	-	3	-	-	-	-	-	3	-
Richmond <i>W</i> , <i>H</i>	2,162	28,865	7	7	-	2	-	-	-	-	3	1	-	-	-	-	-
Mortlake <i>F</i>	2,847	20,628	15	8	2	3	-	-	-	-	-	-	-	-	1	-	-
Bromley <i>F</i> , 2 <i>H</i>	4,703	27,354	16	7	-	3	-	-	-	-	-	-	-	-	1	-	-
Beckenham <i>H</i>	7,825	28,497	14	11	3	6	-	-	-	-	1	-	-	-	-	-	-
Orpington, part of* <i>W</i>	10,113	9,857	3	4	-	-	-	-	-	-	-	-	-	1	1	3	-
Chislehurst 2 <i>H</i>	7,333	16,446	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bexley <i>F</i> , <i>H</i>	8,678	21,151	19	6	1	3	-	-	-	-	-	-	-	-	-	-	-
Erith <i>F</i> , <i>H</i>	3,854	25,296	23	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Dartford <i>W</i> , <i>F</i> , part of*	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Sunbury <i>w</i>	11,054	18,683	11	6	3	2	-	-	-	-	-	-	-	-	-	-	2
Staines <i>W</i> , <i>H</i>	13,277	15,178	4	3	1	1	-	-	-	1	-	-	-	-	-	-	-
Hillingdon <i>W</i> , <i>F</i> , <i>H</i>	6,035	13,661	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Uxbridge <i>H</i>	12,757	8,984	11	6	-	4	-	-	-	-	-	-	-	-	-	-	-
Hayes <i>w</i> , <i>F</i> , <i>H</i>	8,066	16,358	15	4	1	-	-	-	-	-	-	-	-	-	1	-	-
Isleworth 3 <i>W</i> 2 <i>F</i> , <i>H</i>	6,859	30,863	22	21	2	8	-	-	-	1	-	-	-	1	2	11	-
Twickenham <i>F</i> , <i>H</i>	2,421	20,991	9	6	1	2	-	-	-	-	-	-	-	-	1	1	-
Brentford 2 <i>F</i> , 2 <i>H</i> , <i>L</i>	4,319	48,289	26	20	6	5	-	-	1	-	-	-	-	-	-	3	1
Chiswick <i>H</i>	1,249	29,809	22	11	2	3	-	-	-	-	-	-	-	1	1	-	-
Acton <i>w</i> , 3 <i>H</i>	6,132	48,914	42	18	8	3	-	-	-	-	3	-	-	1	2	-	-
Harrow <i>F</i> , <i>H</i>	13,806	25,523	15	6	1	2	-	-	-	-	-	-	-	-	-	1	-
Edgware <i>F</i> , 2 <i>H</i>	6,994	4,521	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Willesden <i>W</i> , <i>F</i> , 2 <i>H</i>	4,384	114,811	88	20	2	5	-	1	-	-	1	-	-	-	1	4	-
Hendon <i>W</i> , <i>F</i>	8,382	22,450	16	7	1	2	-	-	-	-	1	-	-	-	-	2	-
South Mimms 2 <i>F</i> , <i>H</i>	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet <i>W</i> , 3 <i>H</i>	3,324	17,970	6	7	-	4	-	-	-	-	-	-	-	-	-	-	-
Finchley <i>F</i> , 2 <i>H</i>	4,688	33,692	16	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Hornsey <i>F</i> , <i>H</i>	2,875	72,056	30	12	1	3	-	-	-	-	-	-	-	-	-	-	-
Wood Green <i>H</i>	1,825	34,233	25	4	3	1	-	-	-	-	-	-	-	-	-	-	-
West Tottenham <i>F</i>	996	48,853	43	11	3	3	-	-	-	-	1	-	-	-	1	1	2
East Tottenham <i>F</i> , <i>H</i>	2,017	53,688	29	11	2	6	-	-	-	-	-	-	-	1	1	3	9
Edmonton <i>W</i> , <i>w</i> 2 <i>F</i>	7,491	61,892	54	27	10	11	-	-	-	-	1	-	-	1	1	3	9
Enfield 2 <i>W</i> , <i>F</i> , <i>H</i>	12,601	42,738	38	12	1	6	-	-	1	-	-	-	-	1	-	-	-
Waltham Abbey	11,017	6,549	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F</i> , <i>H</i>	8,479	12,292	8	4	-	1	-	-	-	-	1	-	-	-	-	-	-
Hatfield, part of* <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W</i> , 2 <i>F</i> , part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Stratford <i>H</i>	1,072	44,827	27	14	5	5	-	-	-	-	-	-	-	2	3	1	-
Plaistow <i>F</i> , 2 <i>H</i>	1,249	90,921	73	27	9	5	-	-	1	-	-	1	-	1	1	3	-
Canning Town <i>H</i>	1,556	70,718	61	22	4	4	-	2	-	1	1	1	-	-	1	4	-
Forest Gate <i>w</i>	806	60,892	29	10	2	3	-	-	-	-	-	-	-	-	-	-	-
North East Ham <i>w</i>	1,333	58,676	38	10	2	4	-	-	1	-	-	-	-	-	-	-	-
South East Ham 2 <i>F</i>	1,993	37,342	17	17	5	2	-	2	-	4	-	-	-	-	-	1	-
Wanstead <i>F</i>	1,679	9,179	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2 <i>W</i>	631	50,467	36	19	1	9	-	-	-	-	1	-	-	-	3	3	10
North Leyton <i>W</i> , <i>w</i> , <i>F</i>	1,963	48,445	36	26	12	12	-	-	1	-	1	2	-	-	-	1	17
Walthamstow 3 <i>H</i> , <i>L</i>	6,504	108,929	72	21	7	7	-	-	-	-	1	1	-	-	-	-	-
Chigwell, part of* 2 <i>F</i> , <i>H</i>	11,778	16,397	4	6	2	3	-	-	-	1	1	-	-	-	-	-	1
Epping <i>W</i> , <i>F</i> , part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* <i>W</i> , 2 <i>F</i>	6,556	6,091	9	8	1	3	-	-	2	-	-	-	-	-	-	2	5
Ilford <i>F</i> , <i>L</i>	8,496	41,234	25	17	3	4	-	-	1	-	1	-	-	-	1	1	2
Barking Town <i>F</i>	3,803	21,547	14	6	1	2	-	1	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
Park Hospital, Lewisham	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Friern Barnet.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
North-Eastern Hosp., Tot- tenham.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	January 14	2553	1424	15·8	1	25	14	9	23	5
CALCUTTA - -	847,796	November 26	-	535	32·8	2	-	-	-	-	191
BOMBAY - -	776,008	December 27	426	737	49·4	20	1	-	-	1	154
MADRAS - -	509,346	" 9	368	327	33·3	3	-	?	?	?	81
PARIS - -	2,660,559	January 7	999	1207	23·5	1	5	2	7	1	5
BRUSSELS - -	586,936	" 7	210	234	20·7	-	2	-	3	-	3
ANTWERP - -	286,695	" 7	138	88	16·0	-	4	-	1	2	-
AMSTERDAM -	550,831	December 31	308	193	18·3	-	7	-	4	4	3
COPENHAGEN -	426,000	January 7	209	131	16·2	-	3	1	-	4	-
STOCKHOLM -	309,496	December 31	172	106	17·8	-	-	1	2	3	1
CHRISTIANIA -	223,649	January 7	109	71	16·5	-	-	-	8	-	-
ST. PETERSBURG	1,248,122	December 31	602	753	31·7	3	7	14	15	5	22
MOSCOW - -	1,092,360	" 31	-	674	32·2	1	9	16	15	10	1
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,000,374	December 24	858	662	17·3	-	9	5	9	6	2
HAMBURG - -	772,852	January 7	-	261	17·6	-	6	3	1	2	-
BRESLAU - -	445,679	" 7	-	221	-	-	2	1	2	?	3
MUNICH - -	528,000	" 7	-	219	21·6	-	4	1	3	-	-
VIENNA - -	1,816,303	" 7	907	808	22·4	-	7	-	11	2	-
PRAGUE - -	430,569	December 31	174	200	24·1	-	3	1	-	-	2
BUDA-PESTH -	836,267	" 31	438	258	16·5	-	10	6	2	-	1
TRIESTE - -	191,092	" 31	123	111	30·2	-	-	1	-	1	1
ROME - -	503,857	November 19	236	200	20·6	-	1	1	2	1	85
VENICE - -	166,288	" 26	212	201	20·7	-	1	-	2	1	5
		December 10	72	71	17·0	-	-	-	2	-	1
BUCHAREST -	282,071	" 31	159	113	23·3	-	-	-	2	2	-
NEW YORK -	3,838,024	" 31	-	-	-	-	-	-	-	-	-
CHICAGO - -	1,932,315	" 24	-	548	14·8	4	2	2	14	7	6
PHILADELPHIA-	1,408,164	" 24	-	508	18·8	-	-	-	15	-	8
BOSTON - -	617,950	" 17	-	209	17·6	-	-	1	5	1	3
RIO DE JANEIRO	850,000	" 18	-	312	19·2	34	2	-	-	5	15†

* Excluding deaths from croup in the Indian Cities.

† Including 8 deaths from plague in Calcutta, 106 in Bombay, and 15 in Rio de Janeiro.

‡ Including 41 deaths from cholera in Calcutta, and 1 in Bombay.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th January, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inch.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	50·8	24·5	39·8	0·08	BRADFORD - -	49·2	31·2	40·8	0·7
BRIGHTON - -	50·0	31·1	42·2	0·06	LEEDS - - -	51·0	30·0	40·9	0·3
PORTSMOUTH - -	?	?	?	?	HULL - - -	49·0	31·0	40·4	0·2
NORWICH - -	50·2	25·2	39·4	0·18	TYNEMOUTH - -	52·0	29·0	39·7	0·0
PLYMOUTH - -	51·8	30·0	44·4	0·21					
BRISTOL - - -	50·3	26·7	40·7	0·28	EDINBURGH - -	49·7	28·8	39·3	0·6
BIRMINGHAM -	48·4	31·1	40·0	0·58	GLASGOW - - -	51·0	31·5	40·8	0·9
NOTTINGHAM -	49·8	30·8	39·6	0·35	DUBLIN { Phoenix Park. Fitz- william Square.†	53·0	31·1	41·6	0·3
LIVERPOOL - -	52·0	34·0	42·4	0·25		53·9	34·0	43·3	0·2
MANCHESTER -	50·5	32·8	40·9	0·66		51·5	30·0	41·1	0·6
PRESTON - - -	?	?	?	?					
HUDDERSFIELD -	49·0	27·0	39·1	0·67					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·2° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

No of Col

DATE.	ELECTRICITY (Circumstances, symbols, &c. Note.	Registered Sunshine in hours.	Registered Sunshine in hours.	GENERAL REMARKS.
SUNDAY - 8	w. P. throughout.	04	80	Generally overcast; fine in forenoon; very mild; brisk wind at times.
MONDAY - 9	w. P. throughout.	00	81	Generally overcast till 5h. P.M.; cloudless and very fine afterwards; brisk wind; frequent rain between 11h. A.M. and 2h. P.M.
TUESDAY - 10	w. P. till 3h. P.M.; s. P. till 7h. P.M.; w. P. afterwards.	08	81	Cloudless with hoar frost in early morning; fine and partially cloudy in forenoon; cloudless with slight exceptions afterwards; hoar frost at night.
WEDNESDAY - 11	w. P. till noon; w. P. till 8h. P.M.; w. P. afterwards.	44	81	Fine and partially cloudy; gusty wind prevalent after noon.
THURSDAY - 12	m. P. principally till 10h. A.M.; s. P. afterwards.	59	82	Very fine throughout and cloudless with slight exceptions; hoar frost in morning; gusty wind between 11h. A.M. and 4h. P.M. Lunar halo in evening.
FRIDAY - 13	s. P. throughout.	22	82	Very fine and generally cloudless; hoar frost in morning and at night; slight fog prevalent in afternoon and evening.
SATURDAY - 14	s. P. till 5h. A.M.; m. P. generally after- wards.	65	82	Very fine throughout; the amount of cloud was usually very small; hoar frost in morning. Lunar halo in evening.
		Sum 202	Sum 569	
No. of Col.	27	28	29	

DATE.	EL ELEVATIONS (For explanation of symbols see Note.	Registered Sunshine in hours.	Registered Shade Horizon in hours.	GENERAL REMARKS.
SUNDAY - 8	w. P. throughout.	04	80	Generally overcast; fine in forenoon; very mild; brisk wind at times.
MONDAY - 9	w. P. throughout.	00	81	Generally overcast till 5h. P.M.; cloudless and very fine afterwards; brisk wind; frequent rain between 11h. A.M. and 2h. P.M.
TUESDAY - 10	w. P. till 3h. P.M.; s. P. till 7h. P.M.; w. P. afterwards.	08	81	Cloudless with hoar frost in early morning; fine and partially cloudy in forenoon; cloudless with slight exceptions afterwards; hoar frost at night.
WEDNESDAY 11	w. P. till noon; w. P. till 8h. P.M.; w. P. afterwards.	44	81	Fine and partially cloudy; gusty wind prevalent after noon.
THURSDAY - 12	m. P. principally till 10h. A.M.; s. P. afterwards.	59	82	Very fine throughout and cloudless with slight exceptions; hoar frost in morning; gusty wind between 11h. A.M. and 4h. P.M.
FRIDAY - 13	s. P. throughout.	22	82	Lunar halo in evening. Very fine and generally cloudless; hoar frost in morning and at night; slight fog prevalent in afternoon and evening.
SATURDAY - 14	s. P. till 5h. A.M.; m. P. generally after- wards.	65 Sum 202	82 Sum 569	Very fine throughout; the amount of cloud was usually very small; hoar frost in morning. Lunar halo in evening.
No. of Col -	27	28	29	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 7th January 1905.*

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	147,935	-	6	3	-	1	-	-	-	-	
Kensington - - - - -	130,083	-	7	5	-	1	-	-	-	-	
Hammersmith - - - - -	119,037	-	1	1	-	-	-	-	-	1	
Fulham - - - - -	157,210	-	5	5	-	-	-	-	-	1	
Chelsea - - - - -	74,496	-	5	5	-	-	-	-	-	-	
City of Westminster - - - - -	175,606	-	6	2	-	1	-	-	2	-	
NORTH.											
St. Marylebone - - - - -	129,453	-	3	3	-	1	-	-	5	-	
Hampstead - - - - -	88,142	-	-	-	-	-	-	-	2	-	
St. Pancras - - - - -	236,183	-	11	2	-	2	-	-	4	1	
Islington - - - - -	342,994	-	10	8	-	-	-	-	7	1	
Stoke Newington - - - - -	52,828	-	3	1	-	-	-	-	1	-	
Hackney - - - - -	228,479	-	18	5	-	3	-	-	6	-	
CENTRAL.											
Holborn - - - - -	59,481	-	4	4	-	-	-	-	-	-	
Finsbury - - - - -	98,207	-	7	3	-	4	-	-	-	-	
City of London - - - - -	22,425	-	1	1	-	-	-	-	2	-	
EAST.											
Shoreditch - - - - -	116,565	-	4	2	-	-	-	-	4	-	
Bethnal Green - - - - -	130,401	-	5	5	-	1	-	-	5	-	
Stepney - - - - -	305,466	-	24	18	-	3	-	-	10	-	
Poplar - - - - -	170,280	-	8	7	-	-	-	-	4	-	
SOUTH.											
Southwark - - - - -	208,528	-	11	8	-	-	-	-	9	-	
Bermondsey - - - - -	129,006	-	2	1	-	1	-	-	2	1	
Lambeth - - - - -	313,045	-	7	4	-	1	-	-	6	-	
Battersea - - - - -	177,532	-	10	2	-	-	-	-	5	-	
Wandsworth - - - - -	265,392	-	22	3	-	1	-	-	7	-	
Camberwell - - - - -	271,240	-	11	4	-	1	-	-	1	-	
Deptford - - - - -	114,495	-	2	2	-	1	-	-	6	-	
Greenwich - - - - -	103,493	-	3	3	-	-	-	-	-	-	
Lewisham - - - - -	144,420	-	10	2	-	3	-	-	2	-	
Woolwich - - - - -	125,372	1	9	13	-	1	-	-	2	-	
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	1	215	124	-	26	-	-	102	5
Ages 0-1 - - - - -		-	2	3	-	-	-	-	2	-	
" 1-5 - - - - -		-	84	58	-	1	-	-	6	-	
" 5- - - - -		-	84	39	-	3	-	-	2	-	
" 10- - - - -		-	17	7	-	3	-	-	4	-	
" 15- - - - -		-	7	3	-	6	-	-	7	-	
" 20- - - - -		1	8	7	-	1	-	-	7	2	
" 25- - - - -		-	11	5	-	7	-	-	14	2	
" 35- - - - -		-	1	1	-	3	-	-	20	1	
" 45- - - - -		-	1	1	-	1	-	-	23	-	
" 55- - - - -		-	-	-	-	1	-	-	10	-	
" 65 and upwards		-	-	-	-	-	-	-	7	-	
Age not stated - - - - -		-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (1) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING DECEMBER, 1904.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th January, 1905.

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of December.

Twelve samples were taken in each of the eight districts, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrides.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ December 12th, Cab Rank, Horse Guards, Whitehall. }	6·3	29·80	·145	·014	0	·254	·268	1·8	20·9
West Middlesex - -	{ December 12th, Cab Rank, Great Portland Street. }	5·3	28·58	·171	·019	0	·217	·236	1·8	19·9
Southwark - - - -	{ December 12th, Cab Rank, High Street, Peckham. }	6·0	30·66	·232	·024	·0045	·300	·328	1·9	20·6
Grand Junction - -	{ December 12th, Cab Rank, Haymarket, near Charles Street. }	6·0	30·50	·174	·016	·0025	·310	·328	1·85	21·3
Lambeth - - - -	{ December 12th, Cab Rank, Westminster Bridge Road. }	6·0	31·08	·168	·016	·0015	·273	·299	1·85	22·1
LEA AND WELLS.										
New River - - - -	{ December 12th, Cab Rank, Gray's Inn Road, by King's Cross Station. }	7·0	34·86	·059	·008	0	·271	·279	1·8	24·5
LEA, THAMES AND WELLS.										
East London - - - -	{ December 12th, Cab Rank, Sidney Street, E. }	6·1	38·34	·138	·014	0	·343	·357	2·05	26·0
DEEP WELLS.										
Kent- - - - -	{ December 12th, Cab Rank, Jerningham Road, near New Cross Station. }	11·5	38·72	·040	·006	0	·515	·521	2·05	27·5
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 12th December, had a temperature of 6·3° C.; 100,000 lbs. of it contained 29·80 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·145 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·254 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·268 lb. The above weight of water also contained 1·8 lb. of chlorine and 20·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 12th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:— Kent 0·8, New River 1·1, East London 2·6, Chelsea 2·7, Lambeth 3·1, West Middlesex and Grand Junction 3·2, and Southwark 4·3.

The filtered supplies sent out from the five District Works dealing with Thames water all contained slightly greater proportions of organic impurities than in the previous month, but the actual amounts were in all cases moderate for the winter season. All the Thames-derived supplies collected on the 12th were clear and of good quality.

The filtered Lea and well water distributed from the New River works contained only a small amount of organic matter and was clear and of very good quality. The East London district supply was clear and in quality slightly superior to the best of the filtered Thames water supplies.

The Kent district deep-well water was, as usual, perfectly clear and of high organic purity.

Seen through a stratum two feet deep the Kent water was colourless, and that from the New River works nearly colourless; the Southwark district water was of a pale yellow colour and the remaining supplies were very pale yellow.

In addition to the above analytical examination, the 96 samples of water, collected during December at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·114	·069	·083	·126	·076	·091	·002	0	trace	·010	·0065	·007
West Middlesex ...	·116	·082	·098	·128	·089	·107	0	0	0	·0105	·009	·0095
Southwark	·154	·069	·113	·166	·072	·121	·0045	0	·002	·0115	·006	·010
Grand Junction ...	·142	·067	·102	·159	·075	·115	·0025	0	·0015	·011	·006	·009
Lambeth	·123	·077	·096	·144	·087	·108	·007	0	·0025	·011	·007	·009
LEA AND WELLS.												
New River	·044	·018	·029	·047	·021	·032	0	0	0	·0035	·0015	·0025
LEA, THAMES AND WELLS.												
East London	·129	·059	·032	·138	·064	·090	0	0	0	·011	·0055	·007
DEEP WELLS.												
Kent	·010	·005	·008	·011	·007	·009	0	0	0	·001	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The analytical data obtained in November showed that the amount of organic impurity in the filtered Thames supplies was rising towards the end of that month; this rise was followed, in the early days of December, by a slight decrease, but on the 9th, owing to the less favourable condition of the river, the proportion of organic matter commenced to rise again in the Southwark and Grand Junction supplies and reached a maximum on the 19th. Owing to the use of stored water the Chelsea, West Middlesex and Lambeth district supplies were not affected until some days later and to a less extent, and with regard to the Lambeth water it is worth noting that this is the first occasion on which my analytical results have afforded substantial evidence that the recent additions to storage have been utilized. The general character of the filtered Thames water compared favourably with that distributed in the corresponding month in the two preceding years, and all the supplies were of good quality, except the Southwark and Grand Junction on the 19th, when they were only fair.

The New River district water contained, on the average, slightly more organic matter than in November, but all the samples were of good quality.

The East London district filtered supply also contained more organic impurity than in the previous month, the samples exhibiting the highest proportions being those drawn in the area partly supplied with water abstracted from the Thames at Sunbury; the average quality of the supply was practically the same as that of the best of the Thames waters.

All the samples collected in the Kent district, were, as usual, of excellent quality.

The whole of the 96 samples examined during the month were clear.

I am, Sir,

Your obedient Servant.

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of December, 1904, exclusive of supply to the Urban Districts of Tottenham and Enfield and inclusive of supply to the Borough of Croydon. The supply was in the ratio of 208 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	DECEMBER. 1903.	DECEMBER. 1904.	DECEMBER. 1903.	DECEMBER. 1904.
TOTAL SUPPLY - - -	978,696	998,576	198,223,189	208,024,190
From Thames - - - - -	464,894	474,118	104,514,423	109,872,671
From Lea and from other Sources -	513,802	524,458	93,708,766	98,151,519
THAMES.				
Chelsea - - - - -	39,654	39,922	11,419,677	11,713,226
West Middlesex - - - - -	90,380	91,353	21,545,675	23,887,000
Southwark and Vauxhall - - -	128,871	130,063	27,670,583	28,958,000
Grand Junction - - - - -	75,149	78,060	15,419,124	16,160,868
Lambeth - - - - -	130,860	134,720	28,459,364	29,153,577
LEA AND OTHER SOURCES.				
New River - - - - -	179,026	182,214	38,025,409	39,133,924
East London - - - - -	226,165	231,034	38,136,000	41,403,000
Kent - - - - -	108,611	111,210	17,547,357	17,614,595

Note.—The Return for December, 1904, as compared with that for the corresponding month of 1903, shows an increase of 19,880 services, and of 8,801,001 gallons of water supplied daily. Owing to changes of area, the returns for 1904 are not strictly comparable with those for 1903.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, J.L.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 3. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JAN. 21. [Price 1½d.

General Register Office, Somerset House,
January 23rd, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·1 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 22·4, 19·9, and 17·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 25·0 in Hanley, 25·8 in Walsall, 26·0 in Grimsby, 27·6 in Swansea, 27·8 in West Hartlepool, 32·3 in Middlesbrough, and 32·5 in Merthyr Tydfil; from *measles*, 1·4 in Leyton, 1·5 in West Bromwich and in Grimsby, 1·9 in Nottingham, 2·0 in Stockton on Tees, 2·2 in Ipswich, and 4·9 in Merthyr Tydfil; from *whooping-cough*, 1·3 in East Ham and 2·3 in Grimsby; from "*fever*," 1·1 in Salford; and from *diarrhoea*, 1·4 in Preston. One death from *small-pox* was registered in Burnley and one in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2408 BIRTHS and 1492 DEATHS were registered. Allowing for increase of population, the births were 307 and the deaths 314 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate from all causes, which had been 21·0; 18·5, and 15·8 per 1000 living in the preceding three weeks, rose last week to 16·6. During the four weeks ended on Saturday last the death-rate averaged 18·0 per 1000, being 3·0 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period

The 1492 deaths included 21 from measles, 7 from scarlet fever, 11 from diphtheria, 24 from whooping-cough, 4 from enteric fever, and 12 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 79 deaths were referred to these diseases in the aggregate, being 104 below the corrected average weekly number.

The deaths from *measles*, which had been 44, 32, and 25 in the preceding three weeks, further fell last week to 21, and were 34 below the corrected average; 6 deaths belonged to the Borough of Wandsworth, and 4 each to Islington and Hackney. The deaths from *scarlet fever*, which had been 15, 9, and 14 in the preceding three weeks, fell last week to 7, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 17, 13, and 9 in the preceding three weeks, were 11 last week, and were 25 below the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 25, 16, and 23 in the preceding three weeks, were 24 last week, and were 23 below the corrected average; 4 deaths belonged to Hammersmith and 3 to Southwark. The fatal cases of *enteric fever*, which had been 8, 9, and 5 in the preceding three weeks, were 4 last week, and were 8 below the corrected average; 2 deaths belonged to Finsbury. The deaths from *diarrhoea*, which had been 15, 12, and 11 in the preceding three weeks, were 12 last week, the corrected average being 15; 4 deaths belonged to Camberwell and 3 to Lambeth. Of the 12 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 21, having been 23, 27, and 22 in the preceding three weeks.

Different forms of *violence* caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 6 were cases of suicide, and 1 of homicide, while the remaining 39 were attributed to accident or negligence. Ten of the latter were referred to burns and scalds, 9 to drowning, 1 to injuries caused by the explosion of a kitchen boiler, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 18 cases of small-pox, 2174 of scarlet fever, 836 of diphtheria, and 146 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 5, 1, and 1; of scarlet fever, 225 cases, against 201, 187, and 194; of diphtheria, 124 cases, against 111, 111, and 101; and of enteric fever, 13 cases, against 14, 18, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 14th.

GREATER LONDON.

In Greater London 3654 births and 2114 deaths were registered. Allowing for increase of population these numbers are 339 and 367 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 5 from scarlet fever, 5 from diphtheria, 8 from whooping-cough, and 1 from "fever," were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.79 inches, and that of the Thermometer 33°1, the latter being 5°4 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 19 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 11.8 hours; the measured rainfall amounted to 0.47 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION estimated at middle of the Year 1905.*	DEATH-RATES FROM all Causes.				RATES FROM DISEASES in Cols. 11-17.		The DEATHS registered in the Week include										TOWNS.					
			Week ended				31st Dec., 1904.	7th Jan., 1905.	14th Jan., 1905.	21st Jan., 1905.	BIRTHS.	DEATHS.	Deaths of							Deaths from				Causes of Death.
			Week ended										Deaths of							Deaths from				
			31st Dec., 1904.	7th Jan., 1905.	14th Jan., 1905.	21st Jan., 1905.							Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.		Whooping-cough.	Fever.	Dysentery.	Violence.	
76 TOWNS		15,609,377	22'4	19'9	17'5	18'1	1'2	8403	5419	1160	1764	2	88	38	63	92	31	44	199	415	1286	79	76 TOWNS.	
LONDON -	-	4,684,794	21'0	18'5	15'8	16'6	0'9	2408	1492	293	522	-	-	7	11	24	4	12	46	149	531	2	LONDON.	
CROYDON -	-	147,701	24'9	13'8	14'1	15'2	0'7	78	37	6	21	-	-	2	-	-	-	2	3	6	10	-	CROYDON.	
WILLESDEN -	-	138,080	11'8	15'9	7'6	14'0	0'8	75	37	11	13	-	-	-	-	-	-	-	-	1	2	-	WILLESDEN.	
HORNSEY -	-	84,070	13'5	10'5	8'1	12'4	-	19	20	4	9	-	-	-	-	-	-	-	-	1	1	-	HORNSEY.	
TOTTENHAM -	-	116,232	15'7	17'5	12'1	14'4	0'9	59	32	12	12	-	-	-	-	1	-	1	-	6	5	-	TOTTENHAM.	
WEST HAM -	-	291,987	17'0	15'2	14'7	19'6	2'5	185	111	27	29	-	-	3	4	2	2	3	2	5	27	-	WEST HAM.	
EAST HAM -	-	123,381	12'0	16'5	13'5	13'1	2'1	83	31	12	7	-	-	-	-	3	-	-	2	3	4	-	EAST HAM.	
LEYTON -	-	111,555	19'3	10'0	10'5	11'8	1'4	48	26	2	12	-	-	-	-	-	-	-	1	2	6	-	LEYTON.	
WALTHAMSTOW -	-	116,237	12'2	12'6	11'2	11'2	0'4	67	25	3	11	-	-	-	-	-	-	-	1	5	7	-	WALTHAMSTOW.	
HASTINGS -	-	66,820	12'5	15'6	8'6	19'5	1'6	24	25	5	12	-	-	-	-	1	-	1	-	-	4	-	HASTINGS.	
BRIGHTON -	-	127,133	16'1	15'6	20'5	16'8	1'2	55	41	4	21	-	-	1	1	1	-	-	1	1	15	-	BRIGHTON.	
PORTSMOUTH†	-	201,875	18'4	18'6	15'2	18'6	1'3	86	72	10	23	-	-	2	1	-	1	-	1	1	12	-	PORTSMOUTH†.	
BOURNEMOUTH -	-	66,168	16'1	13'4	18'1	12'6	0'8	18	16	3	3	-	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	-	114,697	14'4	15'9	14'1	13'6	-	53	30	2	12	-	-	-	-	-	-	-	-	2	7	-	SOUTHAMPTON.	
READING -	-	77,674	18'4	15'4	10'1	22'8	-	37	34	8	8	-	-	-	-	-	-	-	1	2	9	1	READING.	
NORTHAMPTON -	-	92,441	17'7	13'0	18'1	17'5	1'7	36	31	6	12	-	-	-	2	1	-	-	-	-	5	2	NORTHAMPTON.	
IPSWICH -	-	70,802	20'2	16'2	18'4	18'4	2'2	39	25	8	8	-	-	3	-	-	-	-	1	2	2	1	IPSWICH.	
GREAT YARMOUTH -	-	52,353	21'0	26'9	15'9	17'9	-	33	18	2	10	-	-	-	-	-	-	-	1	1	5	-	GREAT YARMOUTH.	
NORWICH -	-	116,741	22'6	21'9	18'8	18'3	0'9	50	41	7	18	-	-	-	-	1	-	1	2	5	9	-	NORWICH.	
PLYMOUTH -	-	116,000	19'7	24'7	21'1	22'0	-	58	49	11	21	-	-	-	-	-	-	-	1	5	4	-	PLYMOUTH.	
DEVONPORT -	-	76,864	17'3	16'3	14'2	15'6	-	27	23	8	6	-	-	-	-	-	-	-	-	2	3	-	DEVONPORT.	
BRISTOL†	-	358,515	20'7	19'6	18'8	19'3	2'2	204	133	29	47	-	-	5	1	7	-	1	5	15	23	-	BRISTOL†.	
HANLEY -	-	64,067	36'7	25'0	19'4	25'0	2'4	34	31	7	8	-	-	1	1	-	-	-	-	1	1	2	HANLEY.	
BURTON-ON-TRENT	-	52,424	26'1	21'9	12'9	11'9	1'0	21	12	4	4	-	-	-	-	-	-	-	-	3	13	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	-	93,456	19'1	15'2	12'6	18'3	0'5	56	35	9	10	-	-	-	1	-	-	-	2	3	13	-	WOLVERHAMPTON.	
WALSALL -	-	92,998	20'0	21'3	21'3	25'8	1'1	56	46	9	11	-	-	-	-	1	-	-	1	2	6	1	WALSALL.	
HANDSWORTH -	-	61,721	13'1	23'7	11'0	14'4	0'8	36	17	2	7	-	-	-	-	-	-	-	1	1	1	-	HANDSWORTH.	
WEST BROMWICH -	-	67,823	20'2	30'0	17'7	18'5	1'5	35	24	3	10	-	-	-	-	-	-	-	-	5	4	-	WEST BROMWICH.	

* See note on first page of this return.

† These towns are included within the area of Greater London.

† As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 21st January, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 21st Jan., 1906.			The DEATHS registered in the Week include										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of	
-------	--	---------------------------------	--	--	--	--	---	--	--	--	--	---	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--

TOWNS.	Cols.	POPULATION estimated from middle of the Year 1905.*	Values.				During the Week ended 31st Jan., 1905.		Deaths of 60 Years and upwards.		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	TOWNS.		
			Week ended 11-17.				Deaths.	Infants under 1 Year.	Persons aged 10 or over.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.						
			31st Dec., 1904.	7th Jan., 1905.	14th Jan., 1905.	21st Jan., 1905.																	
			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	-	94,888	28'6	25'8	20'9	17'6	0'5	49	32	6	9	-	-	-	-	1	-	-	2	3	3	-	HUDDESFIELD.
HAIPHAX	-	108,419	22'3	23'1	24'0	21'6	1'4	42	45	4	25	-	-	-	1	2	-	-	-	1	8	1	HAIPHAX.
BRADFORD	-	286,799	25'6	24'7	20'9	21'8	2'0	119	120	30	42	-	-	1	4	6	-	6	11	11	20	1	BRADFORD.
LEEDS	-	456,787	23'3	20'5	20'2	15'1	0'5	258	132	32	45	-	-	-	1	1	1	1	3	7	30	1	LEEDS.
SHEFFIELD	-	440,414	27'0	21'3	21'0	21'0	1'5	254	177	39	59	-	1	4	-	4	3	1	10	12	36	3	SHEFFIELD.
ROTHERHAM	-	59,794	15'2	22'7	17'4	17'4	1'7	44	20	4	3	-	-	1	-	1	-	-	1	1	3	2	ROTHERHAM.
YORK	-	82,362	9'6	20'9	13'3	13'9	0'6	35	22	2	8	-	-	1	-	-	-	-	4	4	3	-	YORK.
HULL	-	258,127	20'7	22'0	25'3	18'2	1'2	172	80	24	35	1	-	-	1	3	-	1	4	7	15	-	HULL.
MIDDLESBROUGH	-	98,369	32'4	23'3	26'5	32'3	1'6	70	61	23	13	-	-	-	1	-	1	1	1	2	12	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,425	33'0	31'8	35'8	20'9	4'0	32	21	7	2	-	2	1	-	-	1	-	2	2	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	71,313	25'6	17'5	24'1	27'8	0'7	39	38	9	7	-	1	-	-	-	-	-	-	-	3	-	WEST HARTLEPOOL.
SUNDERLAND	-	152,761	30'0	28'7	20'5	19'5	1'7	108	57	10	14	-	-	-	1	3	1	-	1	2	5	3	SUNDERLAND.
SOUTH SHIELDS	-	109,360	28'2	21'9	16'7	18'6	1'0	68	39	8	9	-	-	1	-	1	-	-	2	2	7	2	SOUTH SHIELDS.
GATESHEAD	-	120,620	25'2	21'2	15'6	15'1	0'4	72	35	6	12	-	-	-	1	-	-	-	2	2	2	1	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	264,511	22'7	18'9	21'1	16'8	0'6	173	85	25	21	-	-	2	-	1	1	-	5	8	19	1	NEWCASTLE-ON-TYNE.†
TYNEMOUTH	-	53,595	20'6	23'3	18'5	21'4	1'0	32	22	5	5	-	-	-	-	1	-	-	1	1	3	-	TYNEMOUTH.
NEWPORT (MON.)	-	72,880	21'1	13'6	24'3	22'9	-	49	32	10	15	-	-	-	-	-	-	-	2	6	3	-	NEWPORT (MON.).
CARDIFF	-	180,054	21'9	19'7	19'7	17'4	1'2	116	60	8	19	-	3	1	-	-	-	-	2	9	8	-	CARDIFF.
RHONDDA	-	124,988	26'4	23'4	14'2	18'8	0'8	86	45	17	8	-	-	-	-	1	1	-	2	3	-	1	RHONDDA.
MERTHYR TYDFIL	-	73,384	25'1	37'4	25'4	32'5	6'4	79	46	17	7	-	7	1	-	-	-	1	1	4	4	-	MERTHYR TYDFIL.
SWANSEA	-	96,364	22'3	22'2	27'6	27'6	1'6	66	51	17	17	-	-	1	1	1	-	-	5	6	5	-	SWANSEA.
GREATER LONDON	-	7,010,172	19'7	17'3	15'0	15'7	1'0	3654	2114	438	744	-	35	12	22	38	7	18	63	195	633	4	GREATER LONDON.
OUTER RING	-	2,325,378	17'1	14'9	13'2	13'9	1'2	1246	622	145	222	-	14	5	11	14	3	6	17	46	102	2	OUTER RING.
8 TOWNS IN OUTER RING	-	1,135,316	16'2	14'3	12'1	14'9	1'3	624	325	77	114	-	9	-	6	6	2	6	10	29	62	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,180,062	17'9	15'5	14'3	13'0	1'1	622	297	68	108	-	5	5	5	8	1	-	7	17	40	2	REMAINDER OF OUTER RING.
EDINBURGH	-	338,577	19'3	19'5	18'1	16'7	0'5	142	108	18	46	-	1	-	-	1	-	1	5	?	?	2	EDINBURGH.
GLASGOW	-	808,988	24'2	22'8	23'9	22'0	2'8	449	341	71	76	1	4	-	-	27	-	12	13	?	83	9	GLASGOW.
DUBLIN†	-	375,994	25'0	25'6	22'6	21'2	1'4	229	154	23	44	-	5	2	2	-	1	-	5	4	61	12	DUBLIN.†
BELFAST†	-	358,680	23'6	22'2	22'5	22'4	3'2	207	154	31	34	-	12	2	2	2	2	2	7	15	32	?	BELFAST.†

See note † on first page of this return.

† As enlarged in 1904.

* See note † on first page of this return.

† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRD Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2818	2491	2484	2631	2811	2533	2693	2580	2593	2515	2715.1	2408
Males - -	1388	1310	1284	1322	1485	1288	1334	1360	1353	1288	1392.6	1221
Females - -	1430	1181	1200	1309	1326	1245	1359	1220	1240	1227	1322.5	1186
TOTAL Deaths -	1689	1624	1547	2021	1503	2365	1666	1583	1848	1549	1806.2	1492
Males - -	879	820	800	1043	779	1128	799	802	930	791	910.7	757
Females - -	810	804	747	978	724	1237	867	781	918	758	895.5	735

* The numbers in this column are the average weekly numbers in the third week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	13 Weeks.
TOTAL Births -	2585	2581	2476	2455	2356	2542	2185	2446	2122	2320	2720	2553	2408	31749
TOTAL Deaths -	1311	1330	1357	1505	1502	1932	1613	1696	1572	1868	1665	1424	1492	20267
Under 1 year -	289	283	308	357	345	400	330	294	278	347	316	270	293	4113
1-6 years -	122	121	137	153	144	197	157	164	140	173	144	126	121	1899
Ages at Death -														
5-20 " -	55	78	75	74	80	80	82	75	76	60	86	75	72	968
20-40 " -	173	170	175	196	181	234	154	202	191	230	179	177	171	2433
40-60 " -	286	286	281	304	312	403	352	345	340	383	355	309	313	4268
60 yrs. & upwds.	366	387	383	421	440	619	538	616	547	675	585	467	522	6586
Deaths from—														
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Measles - -	20	14	15	15	14	32	22	32	26	44	32	25	21	312
Scarlet Fever - -	8	13	9	8	19	5	9	6	3	15	9	14	7	125
Diphtheria - -	12	15	13	24	11	18	23	12	13	17	13	9	11	191
Whooping-cough -	7	4	4	12	10	15	19	20	17	25	16	23	24	196
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	6	11	10	3	8	11	4	7	8	9	5	4	93
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	25	22	27	25	18	16	16	16	12	15	12	11	12	227
All above Diseases -	79	74	79	94	75	94	100	90	78	124	91	88	79	1145
Dis. of Resp. System	145	158	171	175	228	357	268	272	236	358	275	174	238	3055
Pneumonia - -	144	127	153	186	157	208	180	215	180	163	168	127	139	2147
Phthisis - -	144	159	140	170	163	193	163	170	181	192	158	147	160	2140
Dis. of Circ. System -	182	169	169	185	191	255	211	216	200	243	208	179	207	2815
Violence - -	47	52	46	45	54	76	55	62	60	76	65	75	46	759
Inquest Cases - -	136	137	119	127	124	204	155	170	140	218	185	155	149	2019
Deaths in Institutions	489	475	486	532	536	641	567	628	592	587	605	525	531	7193
TEMPERATURE OF THE AIR.														
Mean - -	49.9	49.3	48.8	42.2	33.7	40.5	42.3	43.4	34.1	41.6	41.0	40.5	33.1	41.6
Mean of Highest -	56.1	53.1	54.3	49.6	37.7	41.5	45.4	47.7	38.0	45.6	45.7	45.4	39.8	46.5
Mean of Lowest -	43.1	45.9	43.3	35.3	28.5	35.8	35.9	37.7	28.7	37.2	34.3	34.1	27.8	36.0
Mean Humidity of the Air.	84	84	83	94	82	87	88	87	97	85	83	79	78	85
Rain-fall (in inches) -	0.20	0.11	1.40	0.04	0.18	0.07	1.54	0.50	0.04	0.09	0.42	0.08	0.47	5.14
Registered Sunshine (in hours).	22.9	9.8	11.7	14.9	9.6	4.3	3.3	5.8	3.5	7.0	1.5	20.2	11.8	126.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	1	1	1	1	1	3	4	6	14	17	18	19	18	Means. 8
Scarlet Fever - -	2725	2782	2843	2774	2741	2625	2490	2403	2394	2390	2309	2192	2174	2526
Diphtheria - -	947	979	947	921	919	862	874	839	825	804	827	808	836	878
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	225	230	224	214	191	178	165	174	170	159	157	157	146	184

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRD Week of the Year 1905.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 3rd week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 3rd week of the year 1904.	1905—Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.				60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.		60 years and upwards.	
			0-1.	1-5.	5-20.		0-1.	1-5.					5-20.	0-1.	1-5.		5-20.			
ALL CAUSES	1549	1492	293	121	72	171	313	522	Meningitis (not tuberc.)	11	14	4	9	1	-	-	-	-		
									Insanity, Gen. Par. of	21	23	-	-	-	4	10	-	-		
									Insane	10	3	-	-	1	1	-	-	-		
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy	23	19	16	3	-	-	-	-	-		
Cowpox	-	-	-	-	-	-	-	-	Convulsions	4	7	-	-	-	-	1	-	-		
Measles (Morbilli)	46	21	7	14	-	-	-	-	Locomotor Ataxy	23	22	1	2	1	-	4	14	-		
Scarlet Fever	10	7	2	3	2	-	-	-	Paraplegia, Dis. of Cord	30	60	-	-	6	5	22	27	-		
Diphtheria	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	42	47	-	-	1	4	15	27	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	18	14	-	-	-	2	4	8	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	6	3	-	-	-	-	2	1	-		
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	1	-	-	-	-	-	-	-	-		
	17	21	2	1	1	3	4	10	Aneurysm	85	83	-	-	2	6	21	54	-		
Influenza	29	24	13	11	-	-	-	-	Embolism, Thrombosis	-	1	-	-	-	-	-	-	-		
Whooping-cough	10	11	-	9	1	1	-	-	(not cerebral)	-	-	-	-	-	-	-	-	-		
Diphtheria	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	-	1	-	1	-	-	-	-	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	Membr.)	182	205	31	15	2	7	31	119	-		
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-	Bronchitis	14	9	-	-	-	1	3	5	-		
	5	4	-	-	2	1	1	-	Asthma, Emphysema	3	6	-	1	-	-	-	-	-		
Scarlet Fever	-	-	-	-	-	-	-	-	Pleurisy	11	17	4	2	1	-	2	8	-		
Measles (Morbilli)	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	9	4	3	-	-	-	1	-	-		
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-	Gastro-Enteritis	5	4	4	-	-	-	-	-	-		
	2	4	4	-	-	-	-	-	Peritonitis (not Puerp.)	3	2	-	-	1	1	-	-	-		
Scarlet Fever	-	-	-	-	-	-	-	-	Cirrhosis of Liver	14	14	-	-	1	-	8	5	-		
Measles (Morbilli)	-	-	-	-	-	-	-	-	Liver Dis. (other)	8	8	-	-	-	-	3	6	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Digestive Dis., Other	40	44	9	4	2	7	8	14	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	Nephritis, Acute	7	5	-	-	-	2	2	1	-		
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	43	35	-	-	-	4	16	15	-		
	5	9	7	-	-	1	1	-	Urinary Sys., Other Dis.	12	9	-	1	-	-	3	5	-		
Scarlet Fever	-	-	-	-	-	-	-	-	Generative Organs Dis.	4	5	-	-	-	1	4	-	-		
Measles (Morbilli)	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	4	2	-	-	-	2	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Old Age	55	63	-	-	-	-	-	63	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	Other Diseases	103	96	59	3	6	5	12	11	-		
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-												
	57	66	9	6	3	11	16	21	ACCIDENT.											
Scarlet Fever	-	-	-	-	-	-	-	-	By Railways	3	2	-	-	-	1	-	1	-		
Measles (Morbilli)	-	-	-	-	-	-	-	-	By Vehicles and Horses	3	-	-	-	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	In Building Operations	1	-	-	-	-	-	-	-	-		
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-	In Conflagrations	1	-	-	-	-	-	-	-	-		
	80	56	27	14	2	-	4	9	By Burns, Scalds, Explosions	10	10	-	5	1	-	1	3	-		
Scarlet Fever	-	-	-	-	-	-	-	-	By Drowning	4	9	-	-	1	3	4	1	-		
Measles (Morbilli)	-	-	-	-	-	-	-	-	By Suffocation in Bed	7	9	9	-	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	1	2	-	-	1	-	1	-	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	Other Deaths by Accident	16	7	-	-	1	-	3	3	-		
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-												
	2	-	-	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.											
Scarlet Fever	-	-	-	-	-	-	-	-	Homicide	1	1	-	-	-	1	-	-	-		
Measles (Morbilli)	-	-	-	-	-	-	-	-	Suicide	3	6	-	-	-	-	3	3	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Execution	-	-	-	-	-	-	-	-	-		
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-												
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-												
	60	50	-	-	-	4	18	28												
Scarlet Fever	-	-	-	-	-	-	-	-												
Measles (Morbilli)	-	-	-	-	-	-	-	-												
Epidemic Typhus	-	-	-	-	-	-	-	-												
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-												
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-												
	32	29	-	-	-	3	11	15												
Scarlet Fever	-	-	-	-	-	-	-	-												
Measles (Morbilli)	-	-	-	-	-	-	-	-												
Epidemic Typhus	-	-	-	-	-	-	-	-												
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-												
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-												
	7	5	-	-	-	1	1	3												
Scarlet Fever	-	-	-	-	-	-	-	-												
Measles (Morbilli)	-	-	-	-	-	-	-	-												
Epidemic Typhus	-	-	-	-	-	-	-	-												
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-												
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-												
	50	61	61	-	-	-	-	-												

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st January, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
					Deaths of Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhoea.	Violence.		
LONDON - - -		4,536,429	2408	1492	293	522	-	21	7	11	24	-	4	-	12	46	149	531
WEST DISTRICTS		805,311	384	232	40	84	-	2	-	1	5	-	-	-	2	6	22	76
NORTH DISTRICTS		1,056,070	517	341	55	129	-	10	3	4	6	-	2	-	-	8	31	120
CENTRAL DISTRICTS		209,465	113	78	12	16	-	-	-	1	-	-	1	-	1	2	6	40
EAST DISTRICTS		715,739	432	257	65	72	-	3	1	2	4	-	-	-	-	15	44	103
SOUTH DISTRICTS		1,749,844	962	536	120	202	-	6	2	4	8	-	1	-	7	14	45	144
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	48	1	19	-	-	1	-	-	-	-	-	1	1	1	48
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.		93,178	43	29	6	10	-	-	-	-	-	-	-	-	-	1	5	10
W,2H																		
St. John Paddington H - - G.		33,617	8	9	-	2	-	-	-	-	-	-	-	-	-	-	-	3
North-West Paddington - - C.		17,181	7	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H G.,W.&C.		128,037	68	50	8	29	-	-	-	-	-	-	-	-	-	-	4	21
Brompton 2H - - W. & C.		48,591	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith W,w,H } W.&G.		49,192	32	11	2	2	-	-	-	-	-	-	-	-	-	1	2	-
South Hammersmith w,2H		63,047	25	18	4	2	-	2	-	-	4	-	-	-	-	1	2	3
North-west Fulham W		45,180	39	20	4	6	-	-	-	-	-	-	-	-	1	1	1	8
North-east Fulham F } W. & C.		46,405	30	15	2	4	-	-	-	1	-	-	-	-	-	-	1	1
South Fulham W		45,704	27	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - C.		42,514	17	25	5	9	-	-	-	-	-	-	-	-	-	-	2	18
Chelsea South W,2H - - C.		31,328	17	10	4	-	-	-	-	-	1	-	-	-	-	-	-	-
May Fair and Knightsbridge C. & G.		28,743	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - C.		55,815	23	16	-	4	-	-	-	-	-	-	-	-	-	1	2	6
St. Margaret & St. John 4H - C.		43,698	25	8	3	1	-	-	-	-	-	-	-	-	1	1	2	2
St. James Westminster } N. & G.		21,588	10	5	-	5	-	-	-	-	-	-	-	-	-	-	-	4
W,H																		
St. Anne Soho 5H - - - N.		11,493	6	4	-	2	-	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.		35,391	8	13	1	4	-	-	-	-	-	-	-	-	-	-	2	6
Rectory Marylebone W G. & W.		19,849	5	8	-	5	-	-	-	-	-	-	-	-	-	-	-	4
St. Mary Marylebone 4H G. & W.		18,099	28	10	2	3	-	-	-	-	2	-	-	-	-	-	1	-
Christchurch Marylebone H - W.		39,536	22	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.		20,426	9	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,8H - - N. & W.		81,942	22	25	3	7	-	-	2	-	-	-	2	-	-	1	4	15
West St. Pancras 2H - - W.		60,562	28	11	3	6	-	-	-	-	-	-	-	-	-	-	2	-
Tottenham-court w,6H - N. & W.		21,258	8	15	2	8	-	-	-	-	-	-	-	-	-	1	2	8
Gray's Inn Lane 4H - - N.		34,449	21	15	3	4	-	2	-	-	-	-	-	-	-	-	1	2
East St. Pancras W,2H - - N.		60,320	28	23	1	11	-	-	-	-	-	-	-	-	-	1	1	12
North St. Pancras 2W - - N.		58,728	30	26	7	9	-	-	-	-	1	-	-	-	-	1	1	13
Tufnell W - - - N.		31,995	20	20	2	7	-	-	-	-	-	-	-	-	-	1	3	15
Upper Holloway - - - N.		33,978	13	22	2	7	-	-	-	-	-	-	-	-	-	1	1	14
Tollington W - - - N.		33,922	18	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.		41,424	25	11	3	4	-	1	-	-	1	-	-	-	-	2	-	-
Barnsbury - - - N.		54,478	34	9	2	3	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east F - - N.		75,397	44	17	4	9	-	1	-	-	-	-	-	-	-	2	-	-
Highbury 2H - - - N.		63,797	27	11	4	2	-	1	-	-	-	-	-	-	-	-	1	-
Stoke Newington H - - N.		51,247	18	7	1	2	-	-	-	-	-	-	-	-	-	-	2	-
North Hackney - - - E. & N.		50,560	19	8	1	5	-	1	-	-	-	-	-	-	-	1	-	-
Central Hackney 2w,F - E. & N.		50,536	23	22	4	6	-	-	1	4	1	-	-	-	-	2	3	6
South-west Hackney 3H E. & N.		59,921	26	16	2	4	-	1	-	-	-	-	-	-	-	3	4	-
South-east Hackney 2W,w,H E. & N.		58,265	41	31	2	15	-	2	-	-	1	-	-	-	-	1	1	19

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st January, 1905—continued.

STATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia. (Origin uncertain).	Diarrhœa.	Violence.		
CENTRAL DISTRICTS.																	
Is and Bloomsbury W, 2H N.	31,436	24	6	-	3	-	-	-	-	-	-	-	-	-	-	-	2
W, 4H - - - N. & C.	21,874	4	18	-	5	-	-	-	-	-	-	-	-	-	1	2	15
Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
n W, 6H - - - N.	29,612	12	14	5	3	-	-	-	-	-	-	-	-	-	1	2	6
Clerkenwell - - - N.	28,676	15	7	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Clerkenwell H - - N.	35,028	24	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
ry 3H, L - - - N.	36,110	28	7	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Union Workhouse, } am - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
olph H - - - N. & E.	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nichre and Allhallows } London Asylum, Stone }	16,824	4	17	4	-	-	-	-	-	-	-	1	-	-	-	1	14
EAST DISTRICTS.																	
itch South H - - E. & N.	46,362	27	9	4	1	-	-	-	-	-	-	-	-	-	2	3	-
itch North-West W, w, H N.	36,127	27	21	-	9	-	-	-	-	-	-	-	-	-	-	2	18
itch North-East - - N. & E.	36,148	29	6	1	-	-	-	-	-	1	-	-	-	-	-	1	-
ch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Green North 2H - - E.	51,514	36	22	8	4	-	-	-	-	-	-	-	-	-	4	7	4
l Green South - - - E.	33,472	15	12	4	7	-	-	-	-	-	-	-	-	-	-	1	-
l Green East 2W, H, L - E.	44,694	25	22	3	11	-	-	-	-	1	-	-	-	1	-	-	15
elds - - - E. & N.	27,969	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ld New Town W, H - E.	28,718	19	28	3	5	-	-	-	1	-	-	-	-	-	-	2	25
an's Fields - - - E.	22,081	14	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-
rge and St. John 2W E.	49,068	31	13	1	5	-	-	-	-	-	-	-	-	-	1	2	8
ell and Ratcliff W, H E. & N.	25,568	15	7	3	-	-	-	-	-	-	-	-	-	-	-	1	4
ouse - - - E.	32,369	24	10	7	2	-	-	1	-	-	-	-	-	-	2	5	-
nd Old Town South- } ern H - - - E.	63,698	39	18	4	6	-	-	-	-	-	-	-	-	-	-	3	-
nd Old Town North- } rn W, w - - - E.	49,129	28	16	2	9	-	-	-	-	-	-	-	-	-	1	2	6
y 3w, H - - - E.	41,989	22	9	1	2	-	1	-	-	-	-	-	-	-	1	1	-
W, w - - - E.	68,319	43	44	15	6	-	1	-	-	1	-	-	-	-	3	10	121
	68,514	29	17	7	5	-	-	-	1	1	-	-	-	-	1	3	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st January, 1905.—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.			Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.
						Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																		
Christchurch Southwark W,H,L.&S.			11,203	6	3	-	1	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark H - S.			12,056	10	11	4	1	-	-	-	1	-	-	-	-	1		
Kent-road - - - S. & L.			21,904	18	6	3	-	-	-	-	-	2	-	-	-	-		
St. George the Martyr } West W,H,L. - - }			39,094	21	14	5	2	-	-	-	1	3	-	-	-	1		
Newington North - - - S. & L.			49,022	37	11	4	3	-	-	-	-	-	-	-	-	1		
Newington South W - - S. & L.			72,541	31	10	4	3	-	-	-	-	-	-	-	-	2		
St. Olave 2W - - - S.			9,817	9	4	-	3	-	-	-	-	-	-	-	-	1		
Bermondsey W - - - S.			82,483	66	26	4	11	-	-	-	-	-	-	-	-	5		
Rotherhithe W,F - - S. & K.			38,460	14	14	3	1	-	-	-	1	-	-	-	-	1		
Waterloo-road 2H - - L. & S.			27,440	17	8	5	-	-	-	-	-	-	-	-	-	-		
Lambeth Church 1st H - L. & S.			18,423	5	10	-	3	-	-	-	-	-	-	-	-	3		
Lambeth Church 2nd 2W - L. & S.			39,818	20	28	6	3	-	-	-	-	-	-	-	2	-		
Kennington 1st H - - S. & L.			53,198	41	9	4	3	-	-	-	-	-	-	-	1	-		
Kennington 2nd H - - S. & L.			42,896	24	12	3	5	-	-	-	-	-	-	-	1	-		
Brixton F - - - L. & S.			84,232	42	20	8	4	-	-	-	-	-	-	-	-	-		
Norwood W,H - - - L.			35,888	11	8	1	5	-	-	-	-	-	-	-	-	-		
East Battersea H - - - S.			72,203	37	16	4	1	-	-	-	-	-	-	-	-	1		
North-west Battersea - - S.			49,656	34	17	7	2	-	-	-	-	-	-	-	-	5		
South-west Battersea W,H - S.			47,048	25	23	2	14	-	-	-	1	-	-	-	1	4		
Clapham 2H - - - S.			51,361	25	6	-	2	-	-	-	-	-	-	-	-	-		
Streatham -W,2w,2F,3L - L.			88,019	35	22	4	8	-	-	1	-	-	-	-	-	-		
Springfield 2W,L - - - S.			27,959	17	6	4	-	-	-	2	2	-	-	-	-	-		
Southfields H - - - S.			40,444	24	15	3	9	-	-	2	2	-	-	-	-	-		
Putney - - - - S.			24,139	6	3	1	2	-	-	-	-	-	-	-	-	1		
Dulwich - - - L. & S.			13,359	3	1	1	-	-	-	-	-	-	-	-	-	-		
Camberwell South W,w - S. & L.			40,206	21	38	3	22	-	-	-	-	-	-	-	-	-		
Camberwell North W,2L - S. & L.			65,584	22	36	6	16	-	-	-	-	-	-	1	3	1		
St. George - - - L. & S.			47,331	31	13	4	4	-	-	-	-	-	-	-	2	2		
Peckham 2W,w - - S., L. & K.			92,859	56	23	8	10	-	-	-	-	-	-	1	2	3		
Deptford North - - - K.			37,013	18	5	1	2	-	-	-	-	-	-	-	-	-		
Deptford Central - - - K.			45,481	41	12	4	5	-	-	-	-	-	-	-	-	-		
Deptford South - - - K.			34,626	11	6	1	3	-	-	-	-	-	-	-	-	-		
Greenwich West 2H - - K.			25,456	17	7	1	5	-	-	-	-	-	-	-	-	1		
Greenwich East 2W,H - K.			43,859	28	18	-	10	-	-	-	-	-	-	-	1	1		
Eltham w,H - - - K.			7,226	5	3	2	-	-	-	-	-	-	-	-	-	-		
Lee w,H - - - K.			25,490	7	3	-	3	-	-	-	-	-	-	-	-	-		
Lewisham W,w,F - - K.			58,352	36	16	3	10	-	-	-	-	-	-	-	1	1		
Sydenham H - - - L.			43,653	19	12	1	7	-	-	-	-	-	-	-	-	2		
Charlton F,2H - - - K.			21,134	7	8	-	3	-	-	1	-	-	-	-	-	-		
Woolwich 4H - - - K.			41,625	21	16	2	6	-	-	1	-	-	-	-	-	-		
Plumstead West W - - K.			18,063	10	5	2	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - K.			50,264	34	13	2	5	-	-	-	-	-	-	-	-	-		
Workhouse :-																		
Central London Sick Asylum					2	-	-	-	-	-	-	-	-	-	-	-		
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals :-																		
Joyce Green - - -																		
Long Reach - - -																		
M. A. B. Fever Hospitals :-																		
North-Eastern - - -					1	1	-	-	-	1	-	-	-	-	-	-		
Northern - - -																		
M. A. B. Imbecile Asylums :-																		
Caterham - - -					2	-	2	-	-	-	-	-	-	-	-	-		
Darenth - - -					2	-	1	-	-	-	-	-	-	-	-	-		
Gore Farm (temporary) - -					3	-	-	-	-	-	-	-	-	-	-	-		
Leavesden - - -					2	-	1	-	-	-	-	-	-	-	-	-		
London County Lunatic Asylums :-																		
Banstead - - -					6	-	3	-	-	-	-	-	-	-	1	1		
Ewell (Epileptic Colony) -					1	-	-	-	-	-	-	-	-	-	-	-		
Horton - - -					1	-	1	-	-	-	-	-	-	-	-	-		
Manor - - -					-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill - - -					-	-	-	-	-	-	-	-	-	-	-	-		
Dartford Heath - - -					6	-	2	-	-	-	-	-	-	-	-	-		
Hanwell - - -					9	-	4	-	-	-	-	-	-	-	-	-		
Colney Hatch - - -					6	-	1	-	-	-	-	-	-	-	-	-		
Claybury - - -					5	-	3	-	-	-	-	-	-	-	-	-		
					2	-	1	-	-	-	-	-	-	-	1	-		

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st January, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												
					Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1246	622	145	222	-	14	5	11	14	3	6	17	46	102	2
Carshalton W, 2F, 2H	12,228	32,997	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Epsom, part of* W, W, 2F, H	10,423	15,548	7	7	2	1	-	-	-	1	-	-	-	-	-	-	3
Godstone, part of* W, F	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conladon	11,069	8,166	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon W	4,200	49,309	24	11	2	6	-	-	-	-	-	-	-	1	2	-	-
West Croydon 3W, F, H	2,168	42,888	31	27	3	10	-	-	-	13	-	-	-	13	4	13	-
North Croydon H	2,644	41,698	23	9	2	7	-	-	-	-	-	-	-	-	-	-	-
Penge W	770	22,465	9	5	2	-	-	-	-	-	-	-	-	-	1	-	-
Mitcham W	11,711	30,015	19	12	2	6	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F, 3H	3,221	41,652	17	9	2	5	-	-	1	-	-	-	-	-	-	1	-
Kingston W, H	6,224	42,068	22	14	3	6	-	-	1	-	-	-	-	1	3	1	-
Surbiton F, H	3,046	15,017	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of* H	5,402	13,100	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Hampton H, L	4,564	23,456	11	9	1	2	-	1	-	1	-	-	-	-	-	-	-
Richmond W, H	2,162	28,865	8	13	2	6	-	1	-	-	2	-	-	-	-	-	-
Mortlake F	2,847	20,628	13	5	1	2	-	-	-	-	1	-	-	1	1	-	-
Bromley F, 2H	4,703	27,354	17	9	1	1	-	-	2	1	-	-	-	-	-	4	-
Beckenham H	7,825	28,497	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Orpington, part of* W	10,113	9,857	1	4	-	2	-	-	-	-	-	-	-	-	-	1	-
Chislehurst 2H	7,333	16,446	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Bexley F, H	8,678	21,151	8	3	-	1	-	-	1	-	-	-	-	-	-	1	-
Erith F, H	3,854	25,296	25	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford W, F, part of*	-	-	-	4	-	4	-	-	-	-	-	-	-	-	-	4	-
Sunbury W	11,054	18,683	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Staines W, H	13,277	15,178	12	5	-	2	-	-	-	-	-	-	-	-	-	1	-
Hillingdon W, F, H	6,035	13,661	6	11	1	8	-	-	-	-	-	-	-	-	-	4	1
Uxbridge H	12,757	8,984	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Hayes W, F, H	8,086	16,358	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W, 2F, H	6,859	30,863	15	12	2	3	-	-	-	-	-	-	-	-	-	2	-
Twickenham F, H	2,421	20,991	13	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Brentford 2F, 2H, L	4,319	48,289	39	11	2	6	-	-	-	-	1	-	-	-	1	-	-
Chiswick H	1,249	29,809	10	11	2	3	-	-	-	-	-	-	-	-	-	-	-
Acton W, 3H	6,132	48,914	36	15	4	4	-	-	-	1	-	-	-	-	-	-	-
Harrow F, H	13,809	25,523	23	8	1	5	-	-	-	1	-	-	-	-	-	1	-
Edgware F, 2H	6,994	4,521	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Willesden W, F, 2H	4,384	114,811	75	37	11	13	-	-	-	-	2	-	-	1	1	2	-
Hendon W, F	8,382	22,450	15	4	-	2	-	-	-	-	-	-	-	-	-	1	-
South Mimms 2F, H	17,755	7,308	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnet W, 3H	3,324	17,970	8	3	1	2	-	-	-	-	-	-	-	-	-	-	1
Finchley F, 2H	4,688	33,692	21	5	1	1	-	-	-	-	1	-	-	-	-	-	-
Hornsey F, H	2,875	72,056	19	19	4	8	-	-	-	-	-	-	-	-	1	-	-
Wood Green H	1,825	34,233	21	4	1	3	-	-	-	-	-	-	-	-	2	-	-
West Tottenham F	996	48,853	27	10	4	2	-	-	-	1	-	-	-	-	-	-	-
East Tottenham F, H	2,017	53,688	32	23	8	9	-	-	-	-	-	-	1	2	7	6	-
Edmonton W, W, 2F	7,491	61,892	51	22	8	10	-	-	-	-	3	-	-	-	2	7	-
Enfield 2W, F, H	12,601	42,738	33	8	4	2	-	-	-	-	-	-	-	1	1	-	-
Waltham Abbey	11,017	6,549	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F, H	8,479	12,292	8	7	2	2	-	-	-	-	-	-	-	1	1	-	-
Hatfield, part of* W	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Watford W, 2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	24	14	5	4	-	1	-	-	-	-	-	1	2	1	-
Plaistow F, 2H	1,249	90,921	77	39	11	5	-	1	-	4	-	-	1	1	1	8	-
Canning Town H	1,558	70,718	63	31	7	6	-	1	-	-	2	1	1	1	3	1	-
Forest Gate W	806	60,892	31	10	2	5	-	-	-	-	-	-	-	-	-	-	-
North East Ham W	1,333	58,676	43	9	3	2	-	-	-	-	2	-	-	-	1	-	-
South East Ham 2F	1,993	37,342	40	18	8	3	-	2	-	-	-	-	-	2	2	-	-
Wanstead F	1,679	9,179	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	25	12	2	9	-	-	-	-	-	-	-	1	1	5	-
North Leyton W, W, F	1,963	48,445	23	37	3	14	-	3	-	-	-	-	-	1	1	24	-
Walthamstow 3H, L	6,504	108,929	76	23	4	10	-	-	-	-	-	-	-	1	5	-	-
Chigwell, part of* 2F, 4H	11,778	16,397	7	7	-	2	-	1	-	-	1	-	-	-	-	2	-
Epping W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W, 2F	6,556	6,091	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Ilford F, L	8,496	41,234	20	14	2	6	-	1	-	-	-	-	-	-	-	4	-
Barking Town F	3,803	21,547	14	8	3	1	-	2	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Walthamstow parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	January 21	2408	1492	16'6	-	21	7	11	24	4
CALCUTTA - -	847,796	December 3	-	569	34'8	-	-	-	-	-	174
BOMBAY - -	776,008	January 5	499	799	53'5	35	7	-	-	-	181
MADRAS - -	509,346	December 16	392	344	35'1	1	-	?	?	?	101
PARIS - -	2,660,559	January 14	1027	1201	23'4	-	6	3	5	2	3
BRUSSELS - -	586,936	" 14	245	207	18'3	-	7	-	3	-	2
ANTWERP - -	286,695	" 14	156	86	15'6	-	3	1	1	-	-
AMSTERDAM -	550,831	" 7	282	193	18'2	-	10	1	3	3	1
COPENHAGEN -	426,000	" 14	249	128	15'7	-	-	-	-	3	-
STOCKHOLM -	309,496	" 7	129	135	22'7	-	3	1	6	3	-
CHRISTIANIA -	223,649	" 14	122	70	16'3	-	2	-	3	2	-
ST. PETERSBURG	1,248,122	" 7	494	753	31'5	-	14	21	19	8	16
MOSCOW - -	1,092,360	" 7	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,000,374	December 31	971	635	16'6	-	6	7	10	7	-
HAMBURG - -	772,852	January 14	-	257	17'3	-	2	-	6	2	-
BRESLAU - -	453,896	" 14	-	208	23'6	-	1	-	3	?	-
MUNICH - -	528,000	" 14	-	216	21'3	-	3	2	2	3	-
VIENNA - -	1,816,303	" 14	862	838	23'2	-	14	-	14	1	1
PRAGUE - -	430,569	" 7	219	218	26'3	-	4	-	4	1	2
BUDA-PESTH -	836,267	" 7	361	390	25'3	-	5	8	4	-	-
TRIESTE - -	191,092	" 7	132	109	29'6	-	-	1	-	2	1
ROME - -	503,857	December 3	267	207	21'4	-	-	-	2	1	58
VENICE - -	166,288	" 17	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	January 7	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,838,024	December 31	2049	1453	19'7	-	6	16	45	1	7
CHICAGO - -	1,932,315	January 7	2015	1603	21'2	-	11	22	45	5	11
PHILADELPHIA -	1,408,154	December 31	-	654	17'7	3	5	2	15	9	15
BOSTON - -	617,950	" 31	-	497	18'4	-	-	2	12	2	11
		" 24	-	198	16'7	-	-	2	3	1	-
RIO DE JANEIRO	850,000	" 25	-	352	21'6	49	-	-	-	-	13

* Excluding deaths from croup in the Indian Cities.

† Including 8 deaths from plague in Calcutta, 128 in Bombay, and 12 in Rio de Janeiro.

‡ Including 69 deaths from cholera.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st January, 1905

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	43'6	20'6	33'8	0'47	BRADFORD - -	41'4	23'0	32'7	0'10
BRIGHTON - -	46'4	26'3	37'5	0'61	LEEDS - - -	43'0	24'0	32'5	0'10
PORTSMOUTH - -	48'0	26'0	37'0	0'90	HULL - - -	42'0	21'0	33'2	0'15
NORWICH - -	40'8	24'6	33'9	0'53	TYNEMOUTH - -	42'0	27'0	34'9	0'04
PLYMOUTH - -	49'1	29'0	40'5	1'73					
BRISTOL - -	46'0	21'3	33'9	0'22	EDINBURGH - -	44'7	25'6	35'7	0'03
BIRMINGHAM - -	42'2	22'0	31'9	0'17	GLASGOW - -	45'2	28'0	37'0	0'27
NOTTINGHAM - -	40'7	18'0	30'8	0'30					
LIVERPOOL }	42'0	23'0	32'6	0'29	PHENIX PARK, DUBLIN {	50'9	28'6	38'6	0'50
OBSERVATORY. }	41'8	22'9	32'6	0'25	FITZ-WILLIAM SQUARE,†	49'4	32'2	40'2	1'10
MANCHESTER - -	42'0	24'0	34'3	0'09					
PRESTON - -	43'3	22'0	31'6	0'23	BELFAST - -	45'9	29'0	37'5	0'38
HUDDERSFIELD -									

* These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'2 Fahrenheit to be subtracted. See Table V. of Glaisher's *Diurnal Range Tables*.

† Kindly furnished by Sir J. V. Moore, B.A., M.D. Dublin.

1905.		MORNING.		AFTERNOON.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				WINDS deduced from Anemometers.				Rain collected in a gauge & surface receiving surfacis 5 inches above Average of Ground.			
Phases of the Moon.	Mean daily rected (cor-rected and re-duced to Fahrenheit.)	Of the Air.				Of the Dew point		Degree of Hu-midity (Sat-ur-ation equals 100.)	Of Radiation.		General Direction.		Ossler's.		Pressure on the Square Foot.		Robinson's.		Horizontal Movement of the bar on each Day.	Depar-ture from Average of 16 years.					
		High-est.	Low-est.	Daily Range.	Mean daily Average value.	De-parture from Average value.	Mean daily value.		Great-est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great-est.	Least.	Mean hourly obs.	Horizontal Movement of the bar on each Day.							
JANUARY.		in.																							
SUNDAY - 15	..	29°88	39°1	28°3	128	32°9	- 54	15°3	17°6	19°4	12°3	47	58°3	22°7	43°04	SE.	SE. & ESE.	11°0	1°0	1°1	423	+ 39	in.	0°00	
MONDAY - 16	..	29°31	43°5	20°6	22°9	26°8	- 11°7	18°8	8°0	17°7	0°9	70	46°0	18°6	42°42	ESE.	SE. ESE. & SSW.	5°0	0°0	0°7	401	+ 75	0°08	0°0	
TUESDAY - 17	..	29°28	43°6	32°8	10°8	38°0	- 0°5	35°2	2°8	5°1	0°4	90	47°3	26°0	41°86	SE. & WSW.	SW. & WSW. & S.W.	1°0	0°0	0°0	224	- 104	0°38	0°0	
WEDNESDAY 18	..	29°40	40°7	30°2	10°5	34°9	- 3°6	32°5	2°4	8°5	1°5	91	46°3	24°2	41°56	WSW. & W.	WSW. & NW WNW.	1°4	0°0	0°1	300	- 30	0°00	0°0	
THURSDAY- 19	Greatest Dec. N.	30°07	37°5	25°1	12°4	31°0	- 7°5	25°8	5°2	12°5	0°0	80	37°5	20°6	41°22	WSW.	NE.	0°0	0°0	0°0	137	- 194	0°00	0°2	
FRIDAY - 20	N.	30°07	36°3	32°2	4°1	34°4	- 4°0	30°3	4°1	5°6	0°9	85	38°2	24°8	41°04	NE. ENE. & ESE.	E. ESE. & SE.	1°4	0°0	0°0	199	- 133	0°01*	0°8	
SATURDAY- 21	Full	30°34	37°7	27°4	10°3	33°4	- 4°9	28°7	4°7	6°5	2°2	83	39°2	20°6	40°61	ESE. & E.	ESE. ENE. & N.E.	0°7	0°0	0°0	185	- 147	0°00	0°0	
MEANS	-	29°78	39°8	27°8	12°0	33°1	- 5°4	23°7	6°4	10°8	2°6	78	47°7	22°5	41°68	Variable		Sum 1889	Sum - 434	Sum 0°47	0°1	
No. of Column	3	4		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Frost.

The height of the diurnal of the barometer is 153 feet above the mean level of the sea. No correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M. and 9h. P.M.

The eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean values of the dry and wet bulb thermometers are also given (columns 9 and 10).

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1860 and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30.06 in. at the beginning of the week to 28.80 in. by 3h. A.M. on the 17th; increased to 30.27 in. by 10h. P.M. on the 18th; decreased to 29.98 in. by 6h. A.M. on the 21st; and increased to 30.11 in. by midnight on the same day.

DATE.		ELUCIDATORY. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Registered Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	- 15	w. P. till 8h. A.M.; m. P. afterwards.	38	82	Very fine generally; partially cloudy; brisk wind after 8h. A.M.
MONDAY	- 16	w. P. throughout.	06	83	Generally cloudless till 8h. A.M.; overcast afterwards with snow and rain at night.
TUESDAY	- 17	w. P. and v. N. till 9h. A.M.; s. P. after- wards.	00	83	Overcast and showery in morning; fine and partially cloudy afterwards with hoar frost at night. Solar halo in forenoon.
WEDNESDAY	18	m. P. till 6h. A.M.; s. P. afterwards.	24	84	Very fine throughout; hoar frost in morn- ing and at night.
THURSDAY	- 19	s. P. throughout.	01	84	Generally cloudless with slight fog till evening; cloudy at night; hoar frost in morning.
FRIDAY	- 20	m. P. generally.	00	85	Overcast.
SATURDAY	- 21	m. P. till 8h. A.M.; s. P. afterwards.	49	85	Overcast till 2h. A.M.; very fine and cloud- less till evening; overcast at night.
			Sum 118	Sum 586	
No. of Col.	-	27	38	29	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th January 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	147,935	-	7	1	-	-	-	-	3	-	
Kensington - - - - -	180,083	-	2	3	-	-	-	-	6	-	
Hammersmith - - - -	119,037	-	8	12	-	-	-	-	-	1	
Fulham - - - - -	157,210	-	10	4	-	1	-	-	1	1	
C Chelsea - - - - -	74,496	-	6	1	-	-	-	-	3	-	
City of Westminster -	175,606	-	6	-	-	-	-	-	2	-	
NORTH.											
St. Marylebone - - - -	129,453	-	1	1	-	-	-	-	7	-	
Hampstead - - - - -	88,142	-	1	-	-	-	-	-	-	-	
St. Pancras - - - - -	236,183	-	12	6	-	2	-	-	4	-	
Islington - - - - -	342,994	-	12	8	-	2	-	-	1	-	
Stoke Newington - - -	52,828	-	2	-	-	-	-	-	-	-	
Hackney - - - - -	228,479	-	19	6	-	4	-	-	6	-	
CENTRAL.											
Holborn - - - - -	58,481	-	5	1	-	-	-	-	1	-	
Finsbury - - - - -	98,207	-	3	2	-	-	-	-	2	-	
City of London - - -	22,425	-	-	-	-	-	-	-	2	-	
EAST.											
Shoreditch - - - - -	116,565	-	5	4	-	-	-	-	6	-	
Bethnal Green - - - -	130,401	-	16	8	-	1	-	-	4	-	
Stepney - - - - -	305,496	-	12	23	-	3	-	-	8	-	
Poplar - - - - -	170,280	-	7	9	-	1	-	-	4	-	
SOUTH.											
Southwark - - - - -	208,528	-	8	5	-	-	-	-	4	-	
Bermondsey - - - - -	129,006	-	7	2	-	-	-	-	3	-	
Lambeth - - - - -	313,045	-	18	6	-	1	-	-	5	1	
Battersea - - - - -	177,532	-	6	5	-	2	-	-	7	-	
Wandsworth - - - - -	265,342	-	16	4	-	3	-	-	6	2	
Camberwell - - - - -	271,240	-	14	6	-	3	-	-	12	2	
Deptford - - - - -	114,495	-	8	1	-	-	-	-	3	-	
Greenwich - - - - -	103,493	-	4	-	-	-	-	-	6	-	
Lewisham - - - - -	144,420	1	9	4	-	1	-	-	4	1	
Woolwich - - - - -	125,372	-	4	12	-	-	-	-	1	1	
Port of London - - - -	-	-	-	-	-	-	-	-	1	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	1	228	134	-	24	-	-	112	9
Ages 0-1 - - - - -		-	6	8	-	-	-	-	5	-	
" 1-5 - - - - -		-	76	54	-	1	-	-	6	-	
" 5- - - - -		-	73	36	-	3	-	-	3	-	
" 10- - - - -		-	41	11	-	3	-	-	2	-	
" 15- - - - -		-	11	5	-	5	-	-	4	-	
" 30- - - - -		-	8	5	-	2	-	-	10	2	
" 25- - - - -		-	10	7	-	4	-	-	14	4	
" 35- - - - -		1	3	5	-	4	-	-	21	3	
" 45- - - - -		-	-	3	-	2	-	-	17	-	
" 55- - - - -		-	-	-	-	-	-	-	16	-	
" 65 and upwards -		-	-	-	-	-	-	-	14	-	
Age not stated - - -		-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.C.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 4. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JAN. 28. [Price 1½d.

General Register Office, Somerset House,
January 30th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 19·9, 17·5, and 18·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 24·1 in West Hartlepool, 24·2 in Nottingham, 24·9 in Stockton on Tees, 25·4 in Rochdale, 27·1 in Rhondda, 28·9 in Merthyr Tydfil, and 29·7 in Middlesbrough; from *measles*, 2·1 in Burnley, 2·3 in Nottingham, 2·5 in East Ham, 3·0 in Stockton on Tees, and 7·1 in Merthyr Tydfil; from *whooping-cough*, 1·4 in Hull, 1·6 in Hastings and in Hanley, 1·7 in Barrow in Furness and in Sunderland, 1·8 in Preston, and 3·1 in Grimsby; and from *diarrhoea*, 1·3 in Plymouth and 1·5 in Ipswich. One death from *small-pox* was registered in London, and one in each of the following towns:—Leeds, Gateshead, and Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2637 BIRTHS and 1700 DEATHS were registered. Allowing for increase of population, the births were 63 below and the deaths 7 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·5, 15·8, and 16·6 in the preceding three weeks, rose last week to 18·9. During the four weeks ended on Saturday last the death-rate averaged 17·5 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1700 deaths included 1 from small-pox, 30 from measles, 9 from scarlet fever, 18 from diphtheria, 38 from whooping-cough, 1 from enteric fever, and 9 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 106 deaths were referred to these diseases in the aggregate, being 61 below the corrected average weekly number.

One death from *small-pox* belonging to the Borough of Shoreditch, was registered last week; in the three preceding weeks the deaths had been 0, 1, and 0 respectively. The deaths from *measles*, which had been 32, 25, and 21 in the preceding three weeks, rose last week to 30, but were 13 below the corrected average; 6 deaths belonged to Shoreditch, 5 to Islington, and 4 to Fulham. The deaths from *scarlet fever*, which had been 9, 14, and 7 in the preceding three weeks, rose last week to 9, but were 3 below the corrected average. The deaths from *diphtheria*, which had been 13, 9, and 11 in the preceding three weeks, rose last week to 18, but were 16 below the corrected average; 5 deaths belonged to Stepney, 3 to Poplar, and 3 to Southwark. The deaths from *whooping-cough*, which had been 16, 23, and 24 in the preceding three weeks, further rose last week to 38, but were 11 below the corrected average; 6 deaths belonged to Camberwell, 5 to Stepney, 4 to Kensington, 4 to Southwark, and 3 to Fulham. The fatal cases of *enteric fever*, which had been 9, 5, and 4 in the preceding three weeks, further fell last week to 1, the corrected average being 11. The deaths from *diarrhoea*, which had been 12, 11, and 12 in the preceding three weeks, fell last week to 9, and were 4 below the corrected average; 5 deaths belonged to Stepney. Of the 9 deaths from diarrhoea, 7 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 24, having been 27, 22, and 21 in the preceding three weeks.

Different forms of *violence* caused 72 deaths, concerning all of which inquests were held. Of these 72 deaths, 9 were cases of suicide, while the remaining 63 were attributed to accident or negligence. Six of the latter were referred to vehicles in the streets, 17 to burns and scalds, 5 to drowning, and 14 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 15 cases of small-pox, 2096 of scarlet fever, 840 of diphtheria, and 134 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 1, 1, and 1; of scarlet fever, 251 cases, against 187, 194, and 225; of diphtheria, 127 cases, against 111, 101, and 124; and of enteric fever, 17 cases, against 18, 19, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 21st.

GREATER LONDON.

In Greater London 3914 births and 2349 deaths were registered. Allowing for increase of population these numbers are 75 below and 27 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 5 from diphtheria, and 7 from whooping-cough, were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·37 inches, and that of the Thermometer 37°·4, the latter being 1°·5 below the week's average in the 50 years 1841–90. The general direction of the wind was variable, the horizontal movement of the air being 39 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 10·1 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION estimated middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 28th Jan., 1905.		The DEATHS registered in the Week include										TOWNS.											
			Week ended					6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.									
			7th Jan., 1905.	14th Jan., 1905.	21st Jan., 1905.	28th Jan., 1905.	Week ended 28th Jan., 1905.																										
																									Deaths of Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diphtheria.	Violence.
76 TOWNS		15,609,377	19'9	17'5	18'1	18'4	1'3	8914	5520	1122	1782	4	124	28	61	107	15	37	204	481	201	804	5	72	201	804	5	72	201	804	5	72	76 TOWNS.
LONDON -	-	4,684,794	18'5	15'8	16'8	18'9	1'2	2637	1700	295	615	1	30	9	18	38	1	9	72	201	804	5	72	201	804	5	72	201	804	5	72	LONDON.	
CROYDON -	-	147,704	13'8	14'1	15'2	16'2	-	74	46	7	15	-	-	-	-	-	-	-	1	2	13	-	1	2	13	-	1	2	13	-	1	CROYDON.	
WILLESDEN -	-	138,080	15'9	7'6	14'0	13'2	0'8	97	35	6	13	-	-	-	-	-	-	-	1	3	8	-	1	3	8	-	1	3	8	-	1	WILLESDEN.	
HORNSEY -	-	84,070	10'5	8'1	12'4	10'5	-	23	17	1	11	-	-	-	-	-	-	-	1	3	2	-	1	3	2	-	1	3	2	-	1	HORNSEY.	
TOTTENHAM -	-	116,232	17'5	12'1	14'4	14'4	0'4	59	32	6	10	-	-	-	-	-	-	-	1	5	6	-	1	5	6	-	1	5	6	-	1	TOTTENHAM.	
WEST HAM -	-	294,997	15'2	14'7	19'6	15'9	1'2	171	90	21	24	-	-	-	-	-	-	-	4	12	16	-	4	12	16	-	4	12	16	-	4	WEST HAM.	
EAST HAM -	-	123,381	16'5	13'5	13'1	18'2	3'4	83	43	20	8	-	-	-	-	-	-	-	6	-	-	-	6	-	-	-	6	-	-	-	6	EAST HAM.	
LEYTON -	-	114,555	10'0	10'5	11'8	13'7	2'7	58	30	1	12	-	-	-	-	-	-	-	4	-	-	-	4	-	-	-	4	-	-	-	4	LEYTON.	
WALTHAMSTOW -	-	116,297	12'6	11'2	11'2	9'0	0'4	55	20	3	7	-	-	-	-	-	-	-	-	1	4	-	-	1	4	-	-	1	4	-	-	WALTHAMSTOW.	
HASTINGS -	-	66,820	15'6	8'6	19'5	20'3	1'6	21	26	3	12	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	2	HASTINGS.	
BRIGHTON -	-	127,183	15'6	20'5	16'8	14'8	-	67	36	2	17	-	-	-	-	-	-	-	1	1	3	-	1	1	3	-	1	1	3	-	1	BRIGHTON.	
PORTSMOUTH† -	-	201,975	18'6	15'2	18'6	13'7	1'0	107	53	14	13	-	-	-	-	-	-	-	1	6	10	-	1	6	10	-	1	6	10	-	1	PORTSMOUTH.†	
BOURNEMOUTH -	-	66,168	13'4	18'1	12'6	22'9	0'8	27	29	4	10	-	-	-	-	-	-	-	2	4	2	-	2	4	2	-	2	4	2	-	2	BOURNEMOUTH.	
SOUTHAMPTON -	-	114,897	15'9	14'1	13'6	12'3	-	53	27	2	12	-	-	-	-	-	-	-	-	1	6	-	-	1	6	-	-	1	6	-	-	SOUTHAMPTON.	
READING -	-	77,674	15'4	10'1	22'8	15'4	-	45	23	8	6	-	-	-	-	-	-	-	2	4	3	-	2	4	3	-	2	4	3	-	2	READING.	
NORTHAMPTON -	-	92,441	13'0	18'1	17'5	20'9	1'1	35	37	5	16	-	-	-	-	-	-	-	1	2	3	-	1	2	3	-	1	2	3	-	1	NORTHAMPTON.	
IPSWICH -	-	70,802	16'2	18'4	13'4	16'2	1'5	43	22	6	10	-	-	-	-	-	-	-	2	-	4	-	2	-	4	-	2	-	4	-	2	IPSWICH.	
GREAT YARMOUTH -	-	52,353	26'9	15'9	17'9	14'9	-	30	15	-	6	-	-	-	-	-	-	-	-	1	4	-	-	1	4	-	-	1	4	-	-	GREAT YARMOUTH.	
NORWICH -	-	116,741	21'9	18'8	18'3	17'9	1'3	57	40	6	18	-	-	-	-	-	-	-	-	-	9	-	-	-	9	-	-	-	9	-	-	NORWICH.	
PLYMOUTH -	-	116,000	24'7	21'1	22'0	21'6	2'7	59	48	12	18	-	-	-	-	-	-	-	3	10	4	-	3	10	4	-	3	10	4	-	3	PLYMOUTH.	
DEVONPORT -	-	76,864	16'3	14'2	15'6	21'0	-	42	31	6	12	-	-	-	-	-	-	-	1	2	2	-	1	2	2	-	1	2	2	-	1	DEVONPORT.	
BRISTOL† -	-	358,515	19'6	18'8	19'3	18'5	2'6	191	127	23	48	-	-	-	-	-	-	-	6	9	25	-	6	9	25	-	6	9	25	-	6	BRISTOL.†	
HANLEY -	-	64,667	25'0	19'4	25'0	19'4	2'4	39	24	3	11	-	-	-	-	-	-	-	-	2	3	-	-	2	3	-	-	2	3	-	-	HANLEY.	
BURTON-ON-TRENT -	-	52,424	21'9	12'9	11'9	15'9	1'0	31	16	3	5	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	-	99,456	15'2	12'6	18'3	16'3	0'5	64	31	6	9	-	-	-	-	-	-	-	-	4	4	-	-	4	4	-	-	4	4	-	-	WOLVERHAMPTON.	
WALSALL -	-	92,998	21'3	21'3	25'8	19'6	1'1	44	35	13	12	-	-	-	-	-	-	-	-	3	1	-	-	3	1	-	-	3	1	-	-	WALSALL.	
HANDSWORTH -	-	61,721	23'7	11'0	14'4	9'3	-	32	11	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.	
WEST BROMWICH -	-	67,823	30'0	17'7	18'5	20'8	1'5	43	27	4	8	-	-	-	-	-	-	-	2	3	6	-	2	3	6	-	2	3	6	-	2	WEST BROMWICH.	

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As entered in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 28th January, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS	Cols.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths in Week ended 28th Jan., 1905.		The DEATHS registered in the Week include												TOWNS.	
			Week ended				7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.			
			7th Jan., 1905.	14th Jan., 1905.	21st Jan., 1905.	28th Jan., 1905.																		
																						Week ended 11-17.		Week ended 18-24.
Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.										
BIRMINGHAM -	-	542,959	21'2	19'7	19'2	16'9	320	176	43	41	-	2	1	2	3	-	1	8	10	28	15	BIRMINGHAM.		
KINGS NORTON -	-	69,830	12'7	14'2	6'7	12'0	27	16	4	4	-	-	-	-	1	-	-	2	2	1	-	KINGS NORTON.		
SMETHWICK -	-	42,605	10'8	14'2	10'8	12'5	36	15	4	3	-	-	-	-	-	-	-	2	2	1	-	SMETHWICK.		
ASTON MANOR -	-	81,320	14'7	12'8	16'7	18'6	37	29	8	8	-	-	-	-	2	-	-	1	-	3	2	ASTON MANOR.		
COVENTRY -	-	75,134	27'8	20'1	20'8	20'8	38	30	6	11	-	-	-	-	-	-	-	1	2	4	-	COVENTRY.		
LEICESTER -	-	238,132	12'8	14'4	15'8	14'4	114	63	15	17	-	1	-	-	1	-	-	3	9	16	-	LEICESTER.		
GRIMSBY -	-	68,153	31'4	14'5	26'0	20'7	36	27	6	6	-	-	2	4	-	-	-	2	3	5	-	GRIMSBY.		
NOTTINGHAM -	-	251,671	28'8	20'5	21'3	24'2	136	117	24	43	-	11	-	2	1	-	-	9	11	24	1	NOTTINGHAM.		
DERBY -	-	122,207	19'6	14'9	15'8	23'0	62	54	15	24	-	-	-	1	1	-	1	3	10	10	-	DERBY.		
STOCKPORT -	-	98,320	20'2	18'6	18'6	21'2	70	40	5	15	-	1	1	1	-	-	-	2	4	5	-	STOCKPORT.		
BIRKENHEAD -	-	116,035	16'6	15'3	15'3	14'4	74	32	10	12	-	-	1	1	-	-	-	1	1	7	-	BIRKENHEAD.		
WALLASEY -	-	62,460	24'2	15'9	13'4	14'2	42	17	4	5	-	1	-	-	-	-	-	1	2	2	-	WALLASEY.		
LIVERPOOL -	-	730,143	23'6	20'0	22'7	23'0	489	322	60	101	-	4	1	3	1	2	3	6	10	111	12	LIVERPOOL.		
BOOTLE -	-	62,758	17'4	14'1	19'9	23'3	41	28	7	6	-	1	-	2	-	2	-	1	1	9	1	BOOTLE.		
ST. HELENS -	-	89,843	22'6	16'3	24'4	16'3	63	28	7	8	-	2	-	-	1	-	-	-	-	3	3	ST. HELENS.		
WIGAN† -	-	88,581	21'7	13'2	22'3	19'9	55	33	7	5	-	1	-	-	-	-	-	3	3	4	-	WIGAN†.		
WARRINGTON -	-	68,301	22'1	26'7	19'1	15'3	55	20	4	3	-	-	-	1	-	-	-	-	-	2	-	WARRINGTON.		
BOLTON -	-	178,111	17'3	15'2	16'1	15'8	94	54	8	13	-	4	-	-	2	-	-	3	7	9	-	BOLTON.		
BURY -	-	58,594	18'7	21'4	23'1	15'1	22	17	3	7	-	-	-	-	-	-	-	-	1	4	-	BURY.		
MANCHESTER† -	-	631,185	22'6	19'6	18'5	16'4	357	198	53	50	-	-	-	-	-	-	-	7	14	47	4	MANCHESTER†.		
SALFORD -	-	231,514	21'3	14'9	18'2	17'6	142	78	11	22	-	1	2	-	-	1	1	3	9	19	1	SALFORD.		
OLDHAM -	-	140,225	17'1	17'5	20'8	19'7	81	53	12	15	-	1	-	-	-	-	-	1	2	10	-	OLDHAM.		
ROCHDALE -	-	86,390	17'5	24'7	21'1	25'4	32	42	3	24	-	-	-	-	-	-	-	1	2	6	3	ROCHDALE.		
BURNLEY -	-	101,682	22'1	23'6	14'4	22'1	61	43	9	10	-	4	-	-	-	-	-	1	2	4	10	BURNLEY.		
BLACKBURN -	-	133,067	22'3	18'0	20'4	16'1	68	41	12	13	-	-	-	-	-	-	-	2	3	4	1	BLACKBURN.		
PRESTON -	-	115,721	24'3	20'3	16'2	23'0	59	51	8	16	-	-	1	-	-	-	-	-	1	4	1	PRESTON.		
BARROW-IN-FURNESS.	-	60,306	17'3	22'5	20'8	22'5	38	26	6	5	-	-	-	-	2	-	6	-	6	3	-	BARROW-IN-FURNESS.		

TOWNS.	POPULATION estimated to the middle of the Year 1901.*	Causes.				Diseases in Cols. 11-17.		Registers during the year ending 28th Jan. 1906.		Deaths of		Deaths from								Deaths in Public		TOWNS.				
		Week ended				11-17.		28th Jan. 1906.		under 1 Year of Age.		Persons aged 60 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.	Whooping-cough.		Fever.	Diarrhoea.	Violence.	Inquest Cases.
		7th Jan. 1905.				11-17.		28th Jan. 1906.		under 1 Year of Age.		Persons aged 60 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.	Whooping-cough.		Fever.	Diarrhoea.	Violence.	Inquest Cases.
		14th Jan. 1905.	21st Jan. 1905.	28th Jan. 1905.	Week ended 28th Jan. 1906.	11-17.		28th Jan. 1906.		under 1 Year of Age.		Persons aged 60 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.	Whooping-cough.		Fever.	Diarrhoea.	Violence.	Inquest Cases.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
HUDDESFIELD.	-	94,888	25'8	20'9	17'6	20'3	0'5	41	37	8	14	-	-	1	-	-	-	-	1	4	8	-	HUDDESFIELD.			
HALIFAX.	-	108,419	23'1	24'0	21'6	19'7	1'4	43	41	8	16	-	-	-	2	1	-	-	-	3	6	-	HALIFAX.			
BRADFORD.	-	286,789	24'7	20'9	21'8	17'6	1'1	144	97	19	28	-	1	-	2	2	1	-	1	7	13	1	BRADFORD.			
LEEDS.	-	456,787	20'5	20'2	15'1	15'8	0'9	278	138	27	46	1	-	2	3	1	-	1	-	12	19	-	LEEDS.			
SHEFFIELD.	-	440,414	21'3	21'0	21'0	18'9	1'5	290	160	40	46	-	3	1	2	4	1	2	3	8	28	5	SHEFFIELD.			
ROTHERHAM.	-	59,784	22'7	17'4	17'4	13'7	0'9	32	18	3	5	-	-	-	1	-	-	1	1	1	3	-	ROTHERHAM.			
YORK.	-	82,362	20'9	13'3	13'9	19'0	-	41	30	6	13	-	-	-	-	-	-	-	-	1	7	-	YORK.			
HULL.	-	258,127	22'0	25'3	18'2	19'6	2'0	157	97	26	30	-	2	1	-	7	-	-	6	12	12	3	HULL.			
MIDDLESBROUGH.	-	93,369	23'3	26'5	32'3	29'7	1'5	68	56	16	11	-	1	-	-	-	-	2	1	1	3	1	MIDDLESBROUGH.			
STOCKTON-ON-TEES.	-	52,425	31'8	35'8	20'9	24'9	5'0	35	25	6	8	-	3	1	1	-	-	-	-	1	5	-	STOCKTON-ON-TEES.			
WEST HARTLEPOOL.	-	71,313	17'5	24'1	27'8	24'1	-	35	33	10	7	-	-	-	-	-	-	-	-	-	2	-	WEST HARTLEPOOL.			
SUNDERLAND.	-	162,761	28'7	20'5	19'5	20'5	2'7	90	60	12	12	-	-	-	2	5	-	1	1	1	12	1	SUNDERLAND.			
SOUTH SHIELDS.	-	109,360	21'9	16'7	18'6	16'2	2'4	76	34	10	5	-	3	1	-	1	-	-	1	3	2	-	SOUTH SHIELDS.			
GATESHEAD.	-	120,620	21'2	15'6	15'1	20'7	0'9	69	48	10	15	1	-	1	-	-	-	-	-	2	8	3	GATESHEAD.			
NEWCASTLE-ON-TYNE†	-	264,511	18'9	21'1	16'8	16'8	0'8	162	85	18	20	1	1	-	1	1	-	-	3	8	10	-	NEWCASTLE-ON-TYNE†			
TYNEMOUTH.	-	53,595	23'3	18'5	21'4	18'5	1'9	36	19	3	3	-	1	-	-	-	1	-	1	3	-	-	TYNEMOUTH.			
NEWPORT (MON.).	-	72,680	13'6	24'3	22'9	19'3	0'7	64	27	9	5	-	1	-	-	-	-	-	1	3	3	-	NEWPORT (MON.).			
CARDIFF.	-	180,054	19'7	19'7	17'4	15'3	1'7	90	53	9	14	-	4	-	-	1	1	-	3	4	5	-	CARDIFF.			
RHONDDA.	-	124,988	23'4	14'2	18'8	27'1	2'5	107	65	28	8	-	2	-	1	2	-	1	1	1	2	-	RHONDDA.			
MERTHYR TYDFIL.	-	73,848	37'4	25'4	32'5	28'9	7'8	52	41	8	9	-	10	-	1	-	-	-	1	2	3	1	MERTHYR TYDFIL.			
SWANSEA.	-	96,384	22'2	27'6	27'6	18'9	0'5	68	35	7	15	-	-	-	-	-	-	1	1	2	10	-	SWANSEA.			
GREATER LONDON.	-	7,010,172	17'3	15'0	15'7	17'5	1'1	3914	2349	430	843	1	48	10	29	49	2	9	89	250	715	5	GREATER LONDON.			
OUTER RING.	-	2,325,378	14'9	13'2	13'9	14'6	0'9	1277	649	135	228	-	18	1	11	11	1	-	17	49	111	-	OUTER RING.			
8 TOWNS IN OUTER RING.	-	1,135,316	14'3	12'1	14'9	14'4	1'1	620	313	65	100	-	14	-	6	4	1	-	8	27	56	-	8 TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING.	-	1,190,062	15'5	14'3	13'6	14'7	0'7	657	336	70	128	-	4	1	5	7	-	-	9	22	55	-	REMAINDER OF OUTER RING.			
EDINBURGH.	-	338,577	19'5	18'1	16'7	21'2	1'9	153	137	27	36	-	1	2	3	3	-	3	6	?	39	14	EDINBURGH.			
GLASGOW.	-	809,986	22'8	23'9	22'0	19'9	2'4	485	309	60	63	-	1	1	4	25	2	5	16	?	92	8	GLASGOW.			
DUBLIN†.	-	378,984	25'6	22'6	21'2	25'5	2'5	232	185	26	54	-	13	2	-	2	-	1	4	4	70	8	DUBLIN†.			
BELFAST†.	-	368,680	22'2	22'5	22'4	24'1	2'8	196	166	42	38	-	11	2	1	1	1	1	1	1	35	?	BELFAST†.			

See 1st page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2612	2452	2715	2639	2686	2634	2713	2467	2652	2434	2700.1	2637
Males - -	1294	1228	1419	1322	1360	1329	1355	1247	1343	1236	1363.7	1287
Females - -	1318	1224	1296	1317	1326	1305	1358	1220	1309	1198	1336.4	1350
TOTAL Deaths -	1481	1582	1702	1761	1381	1950	1568	1571	1569	1734	1692.7	1700
Males - -	728	808	843	876	698	1009	777	808	801	853	851.5	857
Females - -	753	774	859	885	683	941	791	763	768	881	841.2	843

* The numbers in this column are the average weekly numbers in the fourth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	13 Weeks.
TOTAL Births -	2581	2476	2455	2356	2542	2185	2446	2122	2320	2720	2553	2408	2637	31801
TOTAL Deaths -	1330	1357	1505	1502	1932	1613	1696	1572	1863	1665	1424	1492	1700	20656
Deaths at														
Under 1 year -	288	306	357	345	400	330	294	278	347	316	270	293	295	4119
1-5 years -	121	137	153	144	197	157	164	140	173	144	126	121	156	1933
5-20 " -	78	75	74	80	80	82	75	76	60	86	75	72	80	993
20-40 " -	170	175	196	181	234	154	202	191	230	179	177	171	205	2465
40-60 " -	286	281	304	312	402	352	345	340	383	355	309	313	349	4331
60 yrs. & upwds.	387	383	421	440	619	538	616	547	675	585	467	522	615	6815
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	1	-	1	2
Measles - -	14	15	15	14	32	22	32	26	44	32	25	21	30	322
Scarlet Fever - -	13	9	8	19	5	9	6	3	15	9	14	7	9	126
Diphtheria - -	15	13	24	11	18	23	12	13	17	13	9	11	18	197
Whooping-cough -	4	4	12	10	15	19	20	17	25	16	23	24	38	227
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	6	11	10	3	8	11	4	7	8	9	5	4	1	87
Pyæmia (origin uncertain). -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	22	27	25	18	16	16	16	12	15	12	11	12	9	211
All above Diseases -	74	79	94	75	94	100	90	78	124	91	88	79	106	1172
Dis. of Resp. System	158	171	175	228	357	268	272	236	358	275	174	238	283	3193
Pneumonia - -	127	153	186	157	208	180	215	180	163	168	127	139	195	2198
Phthisis - -	159	140	170	163	193	163	170	181	192	158	147	160	163	2159
Dis. of Circ. System	169	169	185	191	255	211	216	200	243	208	179	207	235	2688
Violence - -	52	46	45	54	76	55	62	60	76	65	75	46	72	784
Inquest Cases - -	137	119	127	124	204	155	170	140	218	185	155	149	201	2084
Deaths in Institutions	475	485	532	536	641	567	628	592	587	605	525	531	604	7308
TEMPERATURE OF THE AIR.														
Mean - -	49.3	48.8	42.2	33.7	40.5	42.3	43.4	34.1	41.6	41.0	40.5	33.1	37.4	40.6
Mean of Highest -	53.1	54.3	49.6	37.7	44.5	49.4	47.7	38.0	45.6	45.7	45.4	39.8	42.3	45.4
Mean of Lowest -	45.9	43.3	35.3	28.5	35.8	35.9	37.7	28.7	37.2	34.3	34.1	27.8	32.1	35.1
Mean Humidity of the Air.	84	83	94	82	87	88	87	97	85	83	79	78	85	86
Rain-fall (in inches) -	0.11	1.40	0.04	0.18	0.07	1.54	0.50	0.04	0.09	0.42	0.08	0.47	0.00	4.94
Registered Sunshine (in hours).	9.8	11.7	14.9	9.6	4.3	3.3	5.8	3.5	7.0	1.5	20.2	11.8	10.1	113.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	1	1	1	1	3	4	6	14	17	18	19	18	15	9
Scarlet Fever - -	2732	2843	2774	2741	2625	2490	2403	2394	2390	2309	2192	2174	2096	2486
Diphtheria - -	979	947	921	919	892	874	839	825	804	827	808	836	840	870
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	230	221	211	191	178	165	174	170	159	157	157	146	131	177
Means.														

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FOURTH Week of the Year 1905.

terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 4th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 4th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
A. CAUSES	1734	1700	295	156	80	205	349	615	Meningitis (not tuberc.)	14	13	2	6	3	-	2	-
									Insanity, Gen. Par. of	34	23	-	-	-	5	8	10
									Inane	5	8	-	-	-	1	-	-
									Epilepsy	24	19	18	1	-	-	-	-
									Convulsions	3	4	-	-	-	-	2	2
									Locomotor Ataxy	5	1	-	-	-	-	1	-
									Paraplegia, Dis. of Cord	25	21	-	-	1	6	2	12
									Nervous Sys. (other dis.)	50	47	-	-	2	5	12	28
									Valv. Dis., Endocarditis	27	35	-	-	-	-	9	29
									Cerebr. Hæm. Thromb.	23	20	-	-	-	-	4	16
									Apoplexy, Hemiplegia	4	9	-	-	-	5	3	1
									Aneurysm	-	2	-	-	-	-	1	1
									Embolism, Thrombosis	125	139	-	-	-	6	10	41
									(not cerebral)								
									Heart & Blood Vessel Dis.								
									Croup (not Spasm : nor	-	-	-	-	-	-	-	-
									Membr.)	238	239	27	9	1	5	42	155
									Bronchitis	4	15	-	-	-	1	9	5
									Asthma, Emphysema	5	5	-	2	-	-	3	3
									Pleurisy	18	24	6	5	1	1	2	9
									Respiratory Dis. (other)	2	2	1	1	-	-	-	-
									Tonsillitis, Quinsy	11	5	3	1	-	-	1	-
									Enteritis (not Epid.)	4	5	5	-	-	-	-	-
									Gastro-Enteritis	2	3	-	-	-	1	2	-
									Peritonitis (not Puerp.)	12	10	-	-	-	1	3	6
									Cirrhosis of Liver	6	3	-	-	-	-	2	1
									Liver Dis. (other)	41	41	4	4	2	16	8	7
									Digestive Dis., Other	8	7	-	1	-	-	2	4
									Nephritis, Acute	42	33	-	-	1	5	12	15
									Bright's Dis., Albumin-	12	12	-	-	2	-	1	9
									uria								
									Urinary Sys., Other Dis.	4	3	1	-	-	-	2	-
									Generative Organs Dis.	5	5	-	-	-	5	-	-
									Childbirth (Accid. of)	60	65	-	-	-	-	-	65
									Old Age	105	96	71	5	6	2	4	8
									Other Diseases								
									ACCIDENT.								
									By Railways	3	1	-	-	-	-	1	-
									By Vehicles and Horses	6	6	-	-	-	1	2	3
									In Ships, Boats, Docks,	1	-	-	-	-	-	-	-
									(exclusive of Drown-								
									ing)	3	-	-	-	-	-	-	-
									In Building Operations	8	17	1	10	3	2	1	-
									In Conflagrations	2	5	-	-	-	-	4	-
									By Burns, Scalds, Ex-	16	14	14	-	-	-	-	-
									plosions	1	2	-	-	-	-	-	2
									By Drowning	12	18	2	-	-	-	2	3
									By Suffocation in Bed								
									By Poisons or Poisonous								
									Vapours								
									Other Deaths by Acci-								
									dent								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide	2	-	-	-	-	-	-	-
									Suicide	3	9	-	-	-	-	2	4
									Execution	-	-	-	-	-	-	-	3

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th January, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include												
			Deaths of		Deaths from										
			Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.
LONDON - - -	4,530,429	2637	1700	295	615	1	30	9	18	33	-	1	-	9	72
WEST DISTRICTS - - -	805,311	370	293	55	119	-	5	2	1	10	-	-	-	6	19
NORTH DISTRICTS - - -	1,056,070	591	375	55	139	-	9	-	1	3	-	-	-	1	5
CENTRAL DISTRICTS - - -	209,465	111	73	13	17	-	1	1	1	-	-	1	-	20	51
EAST DISTRICTS - - -	715,739	509	327	69	104	1	10	-	5	3	-	-	-	4	23
SOUTH DISTRICTS - - -	1,749,844	1056	579	103	299	-	5	6	1	14	-	-	-	23	68
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	53	-	17	-	-	-	1	-	-	-	-	2	1
WEST DISTRICTS.															
St. Mary Paddington } G. & W.	93,178	48	40	7	17	-	-	-	-	-	-	-	-	2	2
W. 2H															
St. John Paddington } H - G.	33,617	6	10	-	2	-	-	-	-	-	-	-	-	1	3
North-West Paddington - C.	17,181	7	2	1	1	-	-	-	-	1	-	-	-	-	6
Kensington Town 2W, w. 2H G. & W. & C.	128,037	66	53	10	17	-	1	-	-	3	-	-	-	-	14
Brompton 2H - W. & C.	48,591	7	11	1	4	-	-	-	-	1	-	-	-	2	4
North Hammersmith W, w. 2H } W. & G.	49,192	42	13	2	6	-	-	-	-	-	-	-	-	-	1
South Hammersmith w. 2H } W. & G.	63,047	27	16	3	3	-	-	-	-	-	-	-	-	-	1
North-west Fulham W } W. & C.	45,180	38	31	6	9	-	-	-	-	3	-	-	-	2	11
North-east Fulham F } W. & C.	46,405	23	18	6	6	-	-	-	-	-	-	-	-	1	3
South Fulham W } W. & C.	45,704	27	14	5	6	-	-	-	1	-	-	-	-	1	3
Chelsea North W, w. 3H - C.	42,514	10	29	2	22	-	-	-	-	1	-	-	-	1	25
Chelsea South W, 2H - C.	31,328	14	12	3	6	-	-	-	-	-	-	-	-	1	2
May Fair and Knightsbridge C. & G.	28,743	2	4	1	3	-	-	-	-	-	-	-	-	-	-
Belgrave W, 2H - C.	55,816	27	18	5	1	-	-	-	1	-	-	-	-	1	1
St. Margaret & St. John 4H - C.	43,698	19	14	3	1	-	-	-	-	-	-	-	-	1	3
St. James Westminster } N. & G.	21,538	4	5	1	3	-	-	-	-	-	-	-	-	1	3
W. H															
St. Anne Soho 5H - N.	11,493	3	3	-	1	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.															
All Souls Marylebone 8H - W.	35,391	14	16	-	1	-	-	-	-	-	-	-	-	-	6
Rectory Marylebone W G. & W.	18,849	5	3	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone 4H G. & W.	18,069	41	4	-	-	-	-	-	-	-	-	-	-	-	7
Christchurch Marylebone H- W.	39,536	16	8	2	-	-	-	-	-	-	-	-	-	-	1
St. John Marylebone 3H - W.	20,426	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, P, 6H - N. & W.	81,942	33	25	5	7	-	-	1	1	-	-	-	-	1	2
West St. Pancras 2H - W.	60,562	29	24	3	9	-	-	-	-	-	-	-	-	1	4
Tottenham-court w, 6H - N. & W.	21,258	5	14	2	5	-	-	-	-	-	-	-	-	1	2
Gray's Inn Lane 4H - N.	34,449	23	12	4	3	-	-	-	-	-	-	-	-	1	9
East St. Pancras W, 2H - N.	60,320	41	27	3	12	-	-	-	-	-	-	-	-	4	5
North St. Pancras 2W - N.	58,728	31	32	5	15	-	-	-	-	-	-	-	-	1	6
Tufnell W - N.	31,995	14	23	4	9	-	-	-	-	-	-	-	-	1	2
Upper Holloway 2W, w. 2H - N.	33,978	23	25	4	8	-	-	-	1	-	-	-	-	2	15
Tollington W - N.	33,922	19	5	1	3	-	-	-	-	-	-	-	-	1	2
Lower Holloway - N.	41,424	31	11	1	3	-	1	-	-	-	-	-	-	2	1
Barnsbury - N.	54,478	32	17	3	6	-	-	-	-	-	-	-	-	1	1
Islington South-east F - N.	75,397	39	21	11	-	-	1	1	-	-	-	-	-	1	3
Highbury 2H - N.	63,797	33	19	8	-	-	-	-	-	-	-	-	-	1	1
Stoke Newington H - N.	51,247	26	16	9	-	-	1	-	-	-	-	-	-	-	-
North Hackney - E. & N.	50,560	22	11	5	-	-	-	-	-	-	-	-	-	1	-
Central Hackney 2w, F - E. & N.	50,536	34	10	4	-	-	1	-	-	-	-	-	-	3	-
South-west Hackney 3H E. & N.	59,921	37	19	6	-	-	-	-	-	-	1	-	-	1	4
South-east Hackney 2W, w, H E. & N.	58,255	38	28	4	10	-	-	-	-	-	-	-	-	1	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-letter, The Roman capitals signify the Water Districts in which the different Sub-districts are situated;—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

ADMINISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				Deaths of Age.	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

5. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 28th January, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1277	649	135	228	-	18	1	11	11	1	-	17	49	111	-
Carshalton <i>w, 2F, 2H</i>	12,228	32,997	13	11	1	5	-	-	-	-	2	-	-	-	-	1	3
Epsom, part of * <i>W, w, 2F, H</i>	10,423	15,548	12	6	3	2	-	-	-	-	-	-	-	-	-	-	2
Godstone, part of * <i>W, F</i>	2,754	2,692	3	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Coulsdon	11,069	8,166	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-
South Croydon <i>w</i>	4,200	49,309	19	9	1	2	-	-	-	-	-	-	-	-	-	-	-
West Croydon <i>3W, F, H</i>	2,168	42,888	30	29	3	13	-	-	-	-	-	-	-	1	1	17	-
North Croydon <i>H</i>	2,644	41,698	25	14	4	1	-	-	-	-	-	-	-	-	-	1	2
Penge <i>w</i>	770	22,465	1	9	-	4	-	-	-	-	-	-	-	-	-	1	-
Mitcham <i>w</i>	11,711	30,015	31	10	2	5	-	-	-	-	-	-	-	1	1	-	-
Wimbledon <i>F, 3H</i>	3,221	41,552	26	11	-	6	-	-	-	-	-	-	-	-	-	-	7
Kingston <i>2W, H</i>	6,224	42,168	26	25	3	13	-	-	-	-	-	-	-	1	2	1	-
Surbiton <i>F, H</i>	3,046	15,017	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of * <i>H</i>	5,402	13,100	6	7	2	3	-	-	-	-	-	-	-	-	1	1	-
Hampton <i>H, L</i>	4,564	23,456	15	8	2	3	-	-	-	1	-	-	-	1	-	-	-
Richmond <i>W, H</i>	2,162	28,865	12	9	1	1	-	-	-	-	-	1	-	-	-	-	-
Mortlake <i>F</i>	2,847	20,628	12	6	1	2	-	-	-	-	-	-	-	-	1	-	-
Bromley <i>F, 2H</i>	4,703	27,354	18	7	2	2	-	-	-	1	-	-	-	-	-	1	1
Beckenham <i>H</i>	7,825	28,497	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Orpington, part of * <i>W</i>	10,113	9,857	7	7	1	4	-	-	-	-	-	-	-	-	-	7	-
Chislehurst <i>2H</i>	7,333	16,446	11	5	1	3	-	-	-	-	-	-	-	1	1	2	-
Bexley <i>F, H</i>	8,678	21,151	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Erith <i>F, H</i>	3,854	25,296	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Dartford <i>W, F, part of *</i>	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Sunbury <i>w</i>	11,054	18,683	12	7	4	3	-	-	-	-	-	-	-	-	-	-	-
Staines <i>W, H</i>	13,277	15,178	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Hillingdon <i>W, F, H</i>	6,035	13,661	10	5	-	2	-	-	-	-	-	-	-	1	1	1	-
Uxbridge <i>H</i>	12,757	8,994	6	8	-	2	-	-	-	-	-	-	-	-	2	-	-
Hayes <i>w, F, H</i>	8,066	16,358	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W, 2F, H</i>	6,859	30,863	23	15	4	6	-	-	-	-	-	-	-	-	-	5	-
Twickenham <i>F, H</i>	2,421	20,991	19	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Brentford <i>2F, 2H, L</i>	4,319	48,289	30	13	-	9	-	-	-	1	-	-	-	-	-	2	-
Chiswick <i>H</i>	1,249	29,809	18	9	-	5	-	-	-	-	-	-	-	1	2	-	-
Acton <i>w, 3H</i>	6,132	48,914	42	14	7	1	-	-	-	-	-	-	-	1	1	2	-
Harrow <i>F, H</i>	13,809	25,523	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Edgware <i>F, 2H</i>	6,994	4,521	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden <i>W, F, 2H</i>	4,384	114,811	97	34	6	12	-	-	-	1	-	1	-	1	3	7	-
Hendon <i>W, F</i>	8,382	22,450	12	6	1	3	-	-	-	-	-	-	-	-	2	-	-
South Mimms <i>2F, H</i>	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet <i>W, 3H</i>	3,324	17,970	12	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Finchley <i>F, 2H</i>	4,688	33,692	22	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Hornsey <i>F, H</i>	2,875	72,056	23	15	1	10	-	-	-	-	-	-	-	-	-	-	-
Wood Green <i>H</i>	1,625	34,233	29	10	6	2	-	-	-	-	1	-	-	1	2	-	-
West Tottenham <i>F</i>	996	48,853	35	10	2	3	-	-	-	-	-	-	-	1	2	-	-
East Tottenham <i>F, H</i>	2,017	53,688	24	19	4	6	-	-	-	-	-	-	-	-	3	3	-
Edmonton <i>W, w, 2F</i>	7,491	61,892	38	22	5	7	-	-	-	-	-	-	-	-	1	5	-
Enfield <i>2W, F, H</i>	12,601	42,738	26	18	3	7	-	-	-	-	-	-	-	-	-	-	-
Waltham Abbey	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F, H</i>	8,479	12,292	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W, 2F, part of *</i>	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Stratford <i>H</i>	1,072	44,827	26	9	4	2	-	1	-	-	1	-	-	-	1	-	-
Plaistow <i>F, 2H</i>	1,249	90,921	75	24	9	3	-	2	-	1	-	-	-	-	1	3	-
Canning Town <i>H</i>	1,556	70,718	42	27	5	4	-	1	-	-	1	-	-	2	5	1	-
Forest Gate <i>w</i>	806	60,892	28	18	3	11	-	-	-	-	-	-	-	1	4	-	-
North East Ham <i>w</i>	1,333	58,676	42	21	7	6	-	1	-	-	-	-	-	-	-	-	-
South East Ham <i>2F</i>	1,993	37,342	41	21	13	1	-	5	-	-	2	-	-	-	-	-	-
Wanstead <i>F</i>	1,679	9,179	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	22	13	-	6	-	1	-	-	-	-	-	-	1	3	-
North Leyton <i>W, w, F</i>	1,963	48,445	36	33	2	12	-	3	-	2	-	-	-	1	1	17	-
Walthamstow <i>3H, L</i>	6,504	108,929	65	22	5	10	-	-	-	-	-	-	-	-	1	1	-
Chigwell, part of * <i>2F, 3H</i>	11,778	16,397	6	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Epping <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of * <i>W, 2F</i>	6,556	6,091	6	7	2	2	-	1	-	1	-	-	-	-	-	2	-
Ilford <i>F, L</i>	8,496	41,234	25	11	3	1	-	-	-	-	2	-	-	-	1	-	-
Barking Town <i>F</i>	3,803	21,547	21	9	2	2	-	3	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	1	3	-
City of London Asylum, Stone.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
North-Eastern Hosp., Tottenham.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chislefield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting on Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 13: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	January 28	2337	1700	18·9	1	30	9	18	38	1
CALCUTTA - -	847,796	December 10	-	666	40·8	12	-	-	1	1	17
BOMBAY - -	776,008	January 10	378	859	57·6	47	9	-	-	1	204
MADRAS - -	509,348	December 23	404	355	36·2	3	1	?	?	?	97
PARIS - -	2,660,559	January 21	1037	1208	23·5	3	6	-	3	8	8
BRUSSELS - -	586,936	" 21	216	214	18·9	-	4	-	3	2	-
ANTWERP - -	286,695	" 21	137	86	15·6	-	1	1	-	-	1
AMSTERDAM -	551,415	" 14	304	197	18·6	-	4	-	1	3	3
COPENHAGEN -	426,000	" 21	-	-	-	-	-	-	-	-	-
STOCKHOLM -	309,496	" 14	139	102	17·1	-	-	2	3	2	1
CHRISTIANIA -	223,649	" 21	143	64	14·9	1	1	-	7	1	-
ST. PETERSBURG	1,248,122	" 14	887	794	33·2	-	11	17	7	9	24
MOSCOW - -	1,092,360	" 7	-	709	33·8	-	7	13	14	6	2
		" 14	-	757	36·1	1	3	13	10	8	3
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,000,374	January 7	918	700	18·2	-	4	6	6	7	2
HAMBURG - -	772,852	" 21	-	189	18·8	-	1	1	5	2	-
BRESLAU - -	458,896	" 21	-	203	23·1	-	1	1	7	1	1
MUNICH - -	528,090	" 21	-	225	22·2	-	1	2	1	1	-
VIENNA - -	1,877,839	" 21	979	938	26·9	-	6	-	17	1	1
PRAGUE - -	430,569	" 14	174	221	26·7	-	2	-	2	-	3
BUDA-PESTH -	836,267	" 14	453	374	23·3	-	5	6	3	1	2
		" 21	384	360	22·4	-	4	9	8	-	-
TRIESTE - -	191,403	" 14	126	118	32·0	-	-	1	2	1	1
ROME - -	503,857	December 10	215	236	24·4	-	2	-	2	-	8
		" 17	267	202	20·8	-	1	-	-	-	1
VENICE - -	166,288	" 17	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	-	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,948,191	January 14	2117	1444	19·1	-	6	17	43	6	9
CHICAGO - -	1,932,315	" 7	-	542	14·2	-	3	3	14	7	4
PHILADELPHIA -	1,438,318	" 7	-	478	17·3	-	1	2	15	1	8
BOSTON - -	617,950	December 31	-	169	14·2	-	-	-	5	-	2
		January 7	-	220	18·5	-	-	1	3	-	-
RIO DE JANEIRO	850,000	" 1	-	282	17·3	23	-	-	4	-	12

* Excluding deaths from croup in the Indian Cities.

† Including 140 deaths from plague in Bombay, and 11 in Rio de Janeiro.

‡ Including 72 deaths from cholera.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th January, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inch.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	48·1	24·7	37·2	0·00	BRADFORD - -	48·0	31·2	38·9	0·0
BRIGHTON - -	47·0	29·1	39·3	0·04	LEEDS - - -	53·0	32·0	40·8	0·0
PORTSMOUTH -	47·0	26·5	38·5	0·02	HULL - - -	50·0	28·0	37·2	0·0
NORWICH - -	48·0	27·2	36·8	0·05	TYNEMOUTH -	50·0	27·0	38·0	0·1
PLYMOUTH - -	49·9	28·6	39·7	0·00					
BRISTOL - - -	50·6	23·0	36·1	0·02	EDINBURGH - -	48·4	27·8	38·3	0·0
BIRMINGHAM -	49·6	28·8	36·8	0·06	GLASGOW - - -	51·2	28·8	39·7	0·1
NOTTINGHAM -	50·9	22·7	36·0	0·02					
LIVERPOOL }	47·0	32·0	38·1	0·13	PHOENIX Park. }	49·0	23·0	40·4	0·2
OBSERVATORY. }					FITZ- william }	49·8	29·9	42·0	0·2
MANCHESTER -	46·7	24·9	36·4	0·17	Square. †				
PRESTON - -	46·0	30·5	37·1	0·21					
HUDDERSFIELD -	47·6	26·0	36·8	0·02	BELFAST - - -	46·9	29·5	39·0	0·1

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1903.

MONTH AND DAY		Phases of the Moon.	Of the Air.				Of the Dew point		Of the Air Temperature		Degree of Humidity (Saturation equals 100).	Of Radiation.		Of the Earth 3 feet below the surface.		Oiler's.		Pressure on the Square Foot.		Robinson's.		collected in Gauge when surface 5 inches above Average of Ground.			
			High-est.	Low-est.	Daily Range.	Mean daily value.	De-ferred from Average of 50 years.	Mean daily value.	Greatest value.	Least.		Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Greatest.	Least.	Mean hourly obs.	Horizontal Movement of the Air on each Day.	Departure from the 15 years.					
JANUARY.																									
SUNDAY	- 22	..	36°	33°	26	348	- 35	306	0	0	31	85	37°	324	4050	0	NNE. & NE.	08	00	1bs. 00	156	in. 000	000		
MONDAY	- 23	Perigee	40°	32°	83	356	- 28	348	08	37	03	97	451	320	4043	0	SW. & S.	00	00	00	94	000	000		
TUESDAY	- 24	..	43°	34°	96	392	+ 07	371	21	53	05	92	487	314	4038	0	S. & SSW. & S.	03	00	00	169	000	000		
WEDNESDAY	- 25	In Equator	45°	36°	84	415	+ 27	363	52	86	07	82	560	286	4046	0	SSW. & S.	19	00	02	293	000	000		
THURSDAY	- 26	..	41°	30°	110	351	- 39	289	62	108	33	78	616	240	4063	0	NNW. & N.	07	00	06	171	000	000		
FRIDAY	- 27	..	41°	24°	165	338	- 55	282	56	99	28	79	520	200	4064	0	W. & WSW.	11	00	01	234	000	000		
SATURDAY	- 28	Last Quarter.	48°	33°	150	416	+ 21	369	47	80	09	83	520	280	4044	0	WSW. & W.	13	00	01	327	000	000		
MEANS	-		42°3	321	102	374	- 15	333	41	74	17	85	503	282	4051	0	Variable	Sum 1336	Sum 900	0°0		
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.
 The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
 Observations were usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With this corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
 The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
 The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
 The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
 The reading of the barometer increased from 30° 11 in. at the beginning of the week to 30° 18 in. by 10h. A.M. on the 22nd; decreased to 30° 07 in. by 1h. A.M. on the 24th; and increased to 30° 78 in. by midnight on the 28th.
 With the exception of a reading of 30° 79 in. in 1882, January, no reading higher than 30° 75 in. had previously been obtained at Greenwich, since the commencement of systematic meteorological observations in 1840, November.

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.		Sun above Horizon, in hours.		GENERAL REMARKS.	
		0°	8°	0°	8°		
JANUARY.							
SUNDAY - 22	m. P. till 8h. A.M.; s. P. till 4h. P.M. Loss of Register afterwards.	0°	8°	0°	8°	Overcast; a little misty rain during evening.	
MONDAY - 23	Loss of Register.	0°	8°	0°	8°	Overcast; misty rain in forenoon.	
TUESDAY - 24	Loss of Register till 2h. P.M.; m. P. afterwards.	0°	8°	0°	8°	Generally overcast; fine in evening.	
WEDNESDAY - 25	w. F. generally till 9h. A.M.; m. P. afterwards.	1°	8°	1°	8°	Overcast till 1h. P.M.; very fine afterwards and cloudless at night.	
THURSDAY - 26	m. P. till 4h. A.M.; s. P. afterwards.	2°	8°	2°	8°	Cloudless with hoar frost in morning; fine with small amounts of cloud till evening; cloudless at night.	
FRIDAY - 27	s. P. throughout.	5°	8°	5°	8°	Generally cloudless, very fine; hoar frost in morning and at night.	
SATURDAY - 28	m. P. generally; occasional s. P.	0°	8°	0°	8°	Very fine; hoar frost in morning.	
Sum		101	61	101	61		
No. of Col.	-	28	29				

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 21st January 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	147,935	-	4	1	-	1	-	-	3	-	
Kensington - - - - -	180,083	-	3	1	-	1	-	-	1	-	
Hammersmith - - - - -	119,037	-	8	7	-	-	-	-	3	-	
Fulham - - - - -	157,210	-	7	6	-	1	-	-	4	1	
Chelsea - - - - -	74,496	-	6	4	-	-	-	-	3	-	
City of Westminster - - - - -	175,606	-	8	2	-	1	-	-	1	-	
NORTH.											
St. Marylebone - - - - -	129,453	-	4	1	-	1	-	-	3	-	
Hampstead - - - - -	88,142	-	2	2	-	-	-	-	1	1	
St. Pancras - - - - -	236,183	-	10	11	-	1	-	-	7	-	
Islington - - - - -	342,994	-	18	8	-	3	-	-	8	-	
Stoke Newington - - - - -	52,828	-	1	-	-	-	-	-	-	-	
Hackney - - - - -	228,479	-	14	13	-	1	-	-	8	-	
CENTRAL.											
Holborn - - - - -	56,481	-	2	1	-	-	-	-	2	-	
Finsbury - - - - -	98,207	-	2	1	-	-	-	-	3	-	
City of London - - - - -	22,425	-	-	-	-	-	-	-	-	-	
EAST.											
Shoreditch - - - - -	116,565	-	6	5	-	3	2	-	-	1	
Bethnal Green - - - - -	130,401	-	5	8	-	3	-	-	5	-	
Stepney - - - - -	305,466	-	16	24	-	1	-	-	10	-	
Poplar - - - - -	170,280	-	6	14	-	3	-	-	6	-	
SOUTH.											
Southwark - - - - -	208,528	-	5	5	-	-	-	-	4	-	
Bermondsey - - - - -	129,006	-	7	3	-	-	-	-	3	1	
Lambeth - - - - -	313,045	-	18	5	-	1	-	-	3	-	
Battersea - - - - -	177,532	-	15	4	-	-	-	-	6	-	
Wandsworth - - - - -	265,392	-	21	8	-	1	-	-	7	1	
Camberwell - - - - -	271,240	-	25	4	-	-	-	-	7	1	
Deptford - - - - -	114,495	-	7	2	-	-	-	-	3	-	
Greenwich - - - - -	103,493	-	8	4	-	-	-	-	2	-	
Lewisham - - - - -	144,420	-	14	4	-	1	-	-	2	-	
Woolwich - - - - -	125,372	1	10	12	-	-	-	-	3	1	
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	1	252	160	-	23	2	-	108	7
Ages											
0-1 - - - - -	-	-	1	6	-	-	-	-	5	-	
" 1-5 - - - - -	-	-	82	72	-	2	1	-	7	-	
" 5- - - - -	-	-	101	53	-	6	-	-	4	-	
" 10- - - - -	-	-	32	17	-	4	1	-	4	-	
" 15- - - - -	-	-	16	1	-	2	-	-	2	-	
" 20- - - - -	-	-	12	3	-	3	-	-	7	1	
" 25- - - - -	-	-	6	4	-	4	-	-	12	5	
" 35- - - - -	-	-	1	4	-	2	-	-	18	1	
" 45- - - - -	-	-	1	-	-	-	-	-	22	-	
" 55- - - - -	-	-	-	-	-	-	-	-	14	-	
" 65 and upwards - - - - -	-	-	-	-	-	-	-	-	13	-	
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, FL

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 5. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, FEB. 4. [Price 1½d.

*General Register Office, Somerset House,
February 6th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·6, 18·1, and 18·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 26·5 in Swansea, 28·1 in Norwich, 28·8 in Stockton on Tees, 31·3 in Middlesbrough, 31·7 in Rhondda, 33·1 in Hanley, and 33·2 in Merthyr Tydfil; from *measles*, 2·8 in Merthyr Tydfil, 2·9 in Nottingham, and 4·0 in Stockton on Tees; from *scarlet fever*, 1·6 in Hanley; from *diphtheria*, 1·6 in Bournemouth and in Middlesbrough; and from *whooping-cough*, 2·3 in Willesden and in Preston, 2·4 in Hanley, 2·6 in Barrow in Furness, and 3·1 in Hastings and in Grimsby. One death from *small-pox* was registered in each of the following towns:—Leeds, Hull, South Shields, and Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2676 BIRTHS and 1576 DEATHS were registered. Allowing for increase of population, the births were 3 and the deaths 122 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·8, 16·6, and 18·9 in the preceding three weeks, fell last week to 17·5. During the four weeks ended on Saturday last the death-rate averaged 17·2 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1576 deaths included 21 from measles, 10 from scarlet fever, 13 from diphtheria, 32 from whooping-cough, 5 from enteric fever, and 15 from diarrhoea, but not one death from small-pox, from typhus or from ill-defined pyrexia; thus, 96 deaths were referred to these diseases in the aggregate, being 67 below the corrected average weekly number.

The deaths from *measles*, which had been 25, 21, and 30 in the preceding three weeks, fell last week to 21, and were 13 below the corrected average; 5 deaths belonged to the Borough of Shoreditch, 4 to Stepney, and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 14, 7, and 9 in the preceding three weeks, were 10 last week, the corrected average being 11. The deaths from *diphtheria*, which had been 9, 11, and 18 in the preceding three weeks, fell last week to 13, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 23, 24, and 38 in the preceding three weeks, fell last week to 32, and were 19 below the corrected average; 5 deaths belonged to Shoreditch, 4 to Islington, and 3 each to Wandsworth and Camberwell. The fatal cases of *enteric fever*, which had been 5, 4, and 1 in the preceding three weeks, rose to 5 last week, but were 6 below the corrected average. The deaths from *diarrhoea*, which had been 11, 12, and 9 in the preceding three weeks, rose to 15 last week, and were equal to the corrected average; 4 deaths belonged to Stepney, and 3 each to Fulham and Bermondsey. Of the 15 deaths from diarrhoea, 11 were those of children under 1 year of age; the term *gastro-enteritis* was used to denote the cause of 1 more death at this age. The deaths attributed directly to *influenza* numbered 15, having been 22, 21, and 24 in the preceding three weeks. The death of a painter aged 72 years was certified as due to *lead colic*, and that of a groom aged 21 years was certified after inquest as due to *ptomaine poisoning through drinking impure water*.

Different forms of *violence* caused 66 deaths, concerning all of which inquests were held. Of these 66 deaths, 10 were cases of suicide, and 3 of homicide, while the remaining 53 were attributed to accident or negligence. Six of the latter were referred to vehicles in the streets, 13 to burns and scalds, 4 to drowning, and 15 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 13 cases of small-pox, 2070 of scarlet fever, 871 of diphtheria, and 135 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 1, and 0; of scarlet fever, 229 cases, against 194, 225, and 251; of diphtheria, 127 cases, against 101, 124, and 127; and of enteric fever, 27 cases, against 19, 13, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 28th.

GREATER LONDON.

In Greater London 4031 births and 2223 deaths were registered. Allowing for increase of population these numbers are 84 above and 90 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 3 from scarlet fever, 5 from diphtheria, 9 from whooping-cough, 1 from "fever," and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·18 inches, and that of the Thermometer 43°·1, the latter being 3°·4 above the week's average in the 50 years 1841–90. The general direction of the wind was Westerly, the horizontal movement of the air being 34 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 17·1 hours; the measured rainfall amounted to 0·03 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Population at the middle of the Year 1905.	Cause.				Diseases in Cols. 1-57.	Registered Deaths during the week ended 4th Feb'y, 1905.		Deaths of Persons aged 50 Years and upwards.		Deaths from								Inquest Cases.				Deaths in Public Institutions.		Cause of Death.	TOWNS.
		Week ended					Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 50 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	18.	19.	20.	21.				
		14th Jan., 1905.	21st Jan., 1905.	28th Jan., 1905.	4th Feb., 1905.																		Week ended 4th Feb., 1905.			
76 TOWNS	15,609,877	176	18'1	18'4	18'0	1'2	9190	5387	1143	1781	4	94	39	60	114	22	35	222	434	1336	69	76 TOWNS.				
LONDON -	4,684,794	15'8	16'6	18'9	17'5	1'1	2076	1576	283	569	-	21	10	13	32	5	15	66	163	582	5	LONDON.				
CROYDON -	147,704	14'1	15'2	16'2	15'9	0'4	90	45	5	20	-	-	-	1	-	-	-	2	2	14	-	CROYDON.				
WILLESDEN -	138,080	7'6	14'0	13'2	14'3	2'6	68	38	11	13	-	-	-	1	6	-	2	4	4	-	-	WILLESDEN.				
HORNEY -	84,070	8'1	12'4	10'5	12'4	-	30	20	2	9	-	-	-	-	-	-	-	1	1	1	-	HORNEY.				
TOTTENHAM -	116,232	12'1	14'4	14'4	16'1	3'1	76	36	5	10	-	-	2	3	3	1	1	1	2	13	-	TOTTENHAM.				
WEST HAM -	291,997	14'7	19'6	15'9	19'1	1'9	182	108	19	36	-	3	1	-	6	-	1	3	7	22	-	WEST HAM.				
EAST HAM -	153,381	13'5	13'1	18'2	14'4	1'3	82	34	8	8	-	1	-	1	1	-	2	4	2	2	-	EAST HAM.				
LEYTON -	114,555	10'5	11'8	13'7	13'2	1'8	63	29	3	9	-	2	-	-	1	-	-	1	1	7	1	LEYTON.				
WALTHAMSTOW -	116,297	11'2	11'2	9'0	12'1	0'4	77	27	2	10	-	-	-	-	1	-	-	-	-	7	-	WALTHAMSTOW.				
HASTINGS -	66,820	8'6	19'5	20'3	17'2	3'1	27	22	1	8	-	-	-	-	4	-	-	-	-	4	-	HASTINGS.				
BRIGHTON -	127,183	20'5	16'8	14'8	17'6	-	63	43	9	16	-	-	-	-	-	-	1	3	12	-	-	BRIGHTON.				
PORTSMOUTH†	201,975	15'2	18'6	13'7	20'4	1'5	127	79	11	28	-	2	1	2	1	-	-	2	2	14	-	PORTSMOUTH.†				
BOURNEMOUTH -	66,168	18'1	12'6	22'9	15'8	1'6	23	20	1	8	-	-	-	2	-	-	-	-	5	-	-	BOURNEMOUTH.				
SOUTHAMPTON -	114,897	14'1	13'6	12'3	12'3	-	52	27	7	12	-	-	-	-	-	-	-	1	3	-	-	SOUTHAMPTON.				
READING -	77,674	10'1	22'8	15'4	19'5	0'7	35	29	4	12	-	1	-	-	-	-	1	1	3	2	-	READING.				
NORTHAMPTON -	92,441	18'1	17'5	20'9	16'4	-	43	29	7	11	-	-	-	-	-	-	1	3	3	2	-	NORTHAMPTON.				
IPSWICH -	70,802	18'4	18'4	16'2	22'8	1'5	29	31	9	9	-	1	-	1	-	-	2	2	3	-	-	IPSWICH.				
GREAT YARMOUTH -	52,363	15'9	17'9	14'9	16'9	-	24	17	4	6	-	-	-	-	-	-	2	5	4	-	-	GREAT YARMOUTH.				
NORWICH -	116,741	18'8	18'3	17'9	28'1	0'4	62	63	25	18	-	-	-	-	-	1	-	7	7	9	-	NORWICH.				
PLYMOUTH -	116,000	21'1	22'0	21'6	28'8	1'3	50	53	6	25	-	1	1	1	-	-	1	3	10	-	-	PLYMOUTH.				
DEVONPORT -	76,864	14'2	15'6	21'0	20'4	3'4	50	30	8	10	-	2	1	-	2	-	-	-	-	-	-	DEVONPORT.				
BRISTOL†	338,515	18'8	19'3	18'5	16'3	1'3	209	112	24	49	-	1	1	2	4	-	1	5	9	22	1	BRISTOL.†				
HANLEY -	64,667	19'4	25'0	19'4	33'1	4'8	48	41	12	13	-	-	2	-	3	-	1	3	4	9	-	HANLEY.				
BURTON-ON-TRENT -	52,424	12'9	11'9	15'9	20'9	-	29	21	3	9	-	-	-	-	-	-	-	1	1	3	-	BURTON-ON-TRENT.				
WOLVERHAMPTON -	99,466	12'6	18'3	16'3	23'6	1'6	67	45	10	12	-	-	-	-	1	-	2	1	3	9	-	WOLVERHAMPTON.				
WALSALL -	92,998	21'3	25'8	18'6	12'9	-	55	23	8	4	-	-	-	-	-	-	-	1	2	2	-	WALSALL.				
HANDSWORTH -	61,721	11'0	14'4	9'3	11'8	-	32	14	-	5	-	-	-	-	-	-	-	-	1	1	-	HANDSWORTH.				
WEST BROMWICH -	67,823	17'7	18'5	20'8	20'8	1'5	54	27	10	11	-	-	-	-	-	-	-	1	1	7	-	WEST BROMWICH.				

* See note † on first page of this return.

† These towns are included within the area of Greater London.

†† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*
TOTAL Births -	2587	2461	2582	2603	2696	2498	2410	2448	2765	2748	2678.7
Males - -	1336	1262	1279	1306	1342	1263	1254	1203	1422	1397	1356.5
Females - -	1251	1199	1303	1297	1354	1235	1156	1245	1343	1351	1322.2
TOTAL Deaths -	1598	1516	1764	1861	1690	1722	1438	1652	1558	1554	1698.0
Males - -	828	759	884	939	875	854	709	806	797	792	856.1
Females - -	770	757	880	922	815	866	729	846	761	762	841.9

* The numbers in this column are the average weekly numbers in the fifth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.
TOTAL Births -	2476	2455	2356	2542	2185	2446	2122	2320	2720	2553	2408	2637	2676	2676
TOTAL Deaths -	1357	1505	1502	1932	1613	1696	1572	1868	1665	1424	1492	1700	1576	1576
Ages at Death -														
Under 1 year -	306	357	345	400	330	294	278	347	316	270	293	295	293	293
1-5 years -	137	153	144	197	157	164	140	173	144	126	121	156	159	159
5-20 " -	75	74	80	80	82	75	76	60	88	75	72	80	56	56
20-40 " -	175	196	181	234	154	202	191	230	179	177	171	205	182	182
40-60 " -	281	304	312	402	352	345	340	383	355	309	313	349	317	317
60 yrs. & upwds.	383	421	440	619	538	616	547	675	585	467	522	615	569	569
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Measles - -	15	15	14	32	22	32	26	44	32	25	21	30	21	21
Scarlet Fever -	9	8	19	5	9	6	3	15	9	14	7	9	10	10
Diphtheria - -	13	24	11	18	23	12	13	17	13	9	11	18	13	13
Whooping-cough -	4	12	10	15	19	20	17	25	16	23	24	38	32	32
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	11	10	3	8	11	4	7	8	9	5	4	1	5	5
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	27	25	18	16	16	16	12	15	12	11	12	9	15	15
All above Diseases -	79	94	75	94	100	90	78	124	91	88	79	106	96	96
Dis. of Resp. System -	171	175	228	357	268	272	236	358	275	174	238	283	280	280
Pneumonia - -	153	186	157	208	180	215	180	163	168	127	139	195	164	164
Phthisis - -	140	170	163	193	163	170	181	192	158	147	160	163	133	133
Dis. of Circ. System -	169	185	191	255	211	216	200	243	208	179	207	255	201	201
Violence - -	46	45	54	76	55	62	60	76	65	75	46	72	66	66
Inquest Cases - -	119	127	124	204	155	170	140	218	185	155	149	201	156	156
Deaths in Institutions	485	532	536	641	567	628	592	587	605	525	531	604	582	582
TEMPERATURE OF THE AIR.														
Mean - - -	48.8	42.2	33.7	40.5	42.3	43.4	34.1	45.6	41.0	40.5	33.1	37.4	43.1	43.1
Mean of Highest -	54.3	49.6	37.7	44.5	45.4	47.7	38.0	47.6	45.7	45.4	39.8	42.3	47.8	47.8
Mean of Lowest -	43.3	35.3	28.5	35.8	35.9	37.7	29.7	37.2	34.3	34.1	27.8	32.1	37.9	37.9
Mean Humidity of the Air.	83	94	82	87	88	87	97	85	83	79	78	85	79	79
Rain-fall (in inches) -	1.40	0.04	0.18	0.07	1.54	0.50	0.04	0.09	0.42	0.08	0.47	0.00	0.03	0.03
Registered Sunshine (in hours).	11.7	14.9	9.6	4.3	3.3	5.8	3.5	7.0	1.5	20.2	11.8	10.1	17.1	17.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	1	1	1	3	4	6	14	17	18	19	18	15	13	13
Scarlet Fever - -	2843	2774	2741	2825	2490	2403	2394	2390	2309	2192	2174	2096	2070	2070
Diphtheria - -	947	921	919	892	874	839	825	804	827	808	836	840	871	871
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	224	214	191	178	165	174	170	159	157	157	146	134	135	135

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholt, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. G. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M. Inst. C.E., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.I.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FIFTH Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

1905—Deaths of Persons of the Ages										1905—Deaths of Persons of the Ages									
CAUSES OF DEATH.	Deaths in the 5th week of the year 1904.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	CAUSES OF DEATH.	Deaths in the 5th week of the year 1904.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.					
ALL CAUSES	1554	1576	293	159	56	182	317	569	Meningitis (not tuberc.)	16	11	4	5	1	1	-			
									Insanity, Gen. Par. of	15	13	-	-	-	10	-			
									Insane - - -	5	4	-	-	1	-	3			
Small-pox ^a	-	-	-	-	-	-	-	-	Epilepsy - - -	22	18	14	4	-	-	-			
Cowpox	-	-	-	-	-	-	-	-	Convulsions - - -	3	-	-	-	-	-	-			
Measles (Morbilli)	31	21	4	16	1	-	-	-	Locomotor Ataxy -	7	4	-	-	-	-	4			
Scarlet Fever	3	10	-	9	1	-	-	-	Paraplegia, Dis. of Cord	37	17	1	-	-	6	10			
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	49	56	-	-	4	7	23			
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-Cerebr. Hæm. Thromb.	35	33	1	-	1	3	14			
Influenza	14	15	-	-	-	2	6	7	Apoplexy, Hemiplegia	20	17	-	-	3	2	12			
Whooping-cough	45	32	9	20	3	-	-	-	Aneurysm - - -	2	5	-	-	-	3	2			
Diphtheria	13	13	-	11	2	-	-	-	Embolism, Thrombosis (not cerebral)	1	-	-	-	-	-	-			
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	99	125	-	1	3	12	28			
Pyrexia,† (Origin un-}	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	1	-	-	-	-	-	-			
certain) - - -	-	-	-	-	-	-	-	-	Bronchitis - - -	166	244	28	7	-	4	43			
Enteric Fever	4	5	-	-	2	1	2	-	Asthma, Emphysema -	5	11	-	-	2	4	5			
Asiatic Cholera	-	-	-	-	-	-	-	-	Pleurisy - - -	7	8	1	3	-	-	4			
Epidemic Diarrhœa }	3	7	7	-	-	-	-	-	Respiratory Dis. (other)	14	17	5	3	1	3	5			
(Infective Enteritis) }	17	8	4	-	-	2	2	-	Tonsillitis, Quinsy -	1	-	-	-	-	-	-			
Diarrhœa, Dysentery	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	13	2	1	1	-	-	-			
Tetanus	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	6	2	-	-	1	-	-			
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	1	4	-	-	2	1	1			
Glanders	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	10	9	-	-	3	4	2			
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Liver Dis. (other) -	4	2	-	1	-	-	-			
Veneral Dis.	6	9	5	-	2	2	-	-	Digestive Dis., Other	39	35	9	1	1	6	12			
Puerperal Septicæmia	3	3	-	-	3	-	-	-	Nephritis, Acute - -	8	4	-	-	1	2	-			
Puerperal Pyæmia -	-	-	-	-	-	-	-	-	Bright's Dis., Albumin-uria	33	37	-	-	1	8	10			
Puerperal Fever	1	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	8	6	-	-	-	1	4			
Infective Endocarditis	4	3	-	-	1	1	1	-	Generative Organs Dis.-Childbirth (Accid. of)	6	5	-	1	-	2	-			
Lobar - - -	16	15	1	1	2	3	4	4	Old Age - - -	64	61	-	-	-	-	61			
Broncho - - -	85	64	20	22	-	4	4	14	Other Diseases - -	106	93	66	8	2	7	6			
Pneumonia { Epidemic -	56	85	11	11	4	15	25	19											
Not defined - - -	6	4	1	-	-	-	3	-	ACCIDENT.										
Erysipelas	6	4	1	-	-	-	-	3	By Railways - - -	1	1	-	-	-	1	-			
Septicæmia (not Puer-}	1	2	-	-	1	1	-	-	By Vehicles and Horses	4	6	-	2	-	1	-			
peral) - - -	-	3	2	-	-	1	-	-	In Ships, Boats, Docks, (exclusive of Drown- ing)	-	-	-	-	-	-	-			
Pyæmia (not Puerperal)	6	8	2	2	-	1	3	-	In Building Operations	-	-	-	-	-	-	-			
Other Infective Processes	84	79	-	-	5	33	32	9	In Conflagrations -	-	-	-	-	-	-	-			
" Phthisis" - - -	76	54	-	1	3	30	14	6	By Burns, Scalds, Ex- plosions - - -	6	13	1	8	1	2	-			
Tuberculous Phthisis -	16	30	13	10	5	2	-	-	By Drowning - - -	4	4	-	-	1	1	2			
Tuberculous Meningitis	10	8	4	2	1	-	1	-	By Suffocation in Bed	10	15	15	-	-	-	-			
Tuberculous Peritonitis	4	3	1	2	-	-	-	-	By Poisons or Poisonous Vapours - - -	3	-	-	-	-	-	-			
Tabs Mesenterica - -	19	17	3	5	4	2	3	1	Other Deaths by Acci- dent - - -	16	14	2	1	-	4	-			
Tuberculous Dis. (other)-	-	-	-	-	-	-	-	-											
Scrofula - - -	8	9	-	-	-	-	7	2											
Alcoholism - - -	2	4	-	1	1	1	1	-											
Rheumatic Fever - -	3	3	-	-	-	-	2	1											
Gout - - -	45	45	-	-	-	2	14	29											
Carcinoma - - -	7	5	-	-	1	1	2	1	VIOLENCE OTHER THAN ACCIDENTAL.										
Sarcoma - - -	37	37	-	-	-	1	14	22	Homicide - - -	1	3	2	-	-	1	-			
Cancer (undefined) -	11	9	-	-	-	1	4	4	Suicide - - -	14	10	-	-	-	4	6			
Diabetes Mellitus - -	52	55	55	-	-	-	-	-	Execution - - -	-	-	-	-	-	-	-			
Premature Birth - -	-	-	-	-	-	-	-	-											

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th February, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Deaths from														
					Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (or Origin un- certain).	Diarrhoea.	Violence.	Un- quest Cases.			
LONDON - - -	4,536,429	2676	1576	293	569	-	21	10	13	32	-	5	-	15	66	156	582		
WEST DISTRICTS - - -	805,311	380	238	39	101	-	2	1	2	7	-	-	-	4	10	20	81		
NORTH DISTRICTS - - -	1,056,070	584	340	65	134	-	4	3	4	7	-	1	-	15	30	30	108		
CENTRAL DISTRICTS - - -	209,485	129	78	13	21	-	-	-	-	-	-	-	-	1	4	10	43		
EAST DISTRICTS - - -	715,739	515	295	69	80	-	10	-	1	6	-	1	-	3	15	39	133		
SOUTH DISTRICTS - - -	1,749,844	1068	570	107	213	-	5	4	4	12	-	3	-	5	21	55	162		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	55	-	20	-	-	-	2	2	-	-	-	2	1	2	55		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	49	27	6	11	-	-	-	-	1	-	-	-	1	1	3	5		
W, 2H																			
St. John Paddington H - - G.	33,617	9	8	1	4	-	-	-	-	-	-	-	-	-	-	1	6		
North-West Paddington - - C.	17,181	13	5	1	3	-	-	-	-	1	-	-	-	-	-	-	-		
Kensington Town 2W, w, 2H G., W. & C.	128,037	58	50	9	23	-	-	-	-	1	-	-	-	-	-	-	24		
Brompton 2H - - W. & C.	48,591	8	6	-	2	-	-	-	-	-	-	-	-	-	1	2	-		
North Hammersmith W, w, H } W. & G.	49,192	39	10	1	6	-	-	-	-	-	-	-	-	-	-	1	-		
South Hammersmith w, 2H	63,047	39	26	3	15	-	-	-	-	1	-	-	-	-	1	-	3		
North-west Fulham W } W. & C.	45,180	49	25	11	5	-	-	-	-	2	-	-	-	-	3	2	13		
North-east Fulham F	46,405	24	14	-	3	-	-	1	1	-	-	-	-	-	-	1	4		
South Fulham W	45,704	33	9	-	2	-	2	-	-	-	-	-	-	-	-	-	-		
Chelsea North W, w, 3H - - C.	42,514	7	18	-	11	-	-	-	-	-	-	-	-	-	1	3	16		
Chelsea South W, 2H - - C.	31,328	12	12	2	7	-	-	-	-	-	-	-	-	-	2	3	1		
May Fair and Knightsbridge C. & G.	28,743	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W, 2H - - C.	55,815	15	14	1	7	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret & St. John 4H - - C.	43,698	23	11	4	1	-	-	-	-	1	-	-	-	-	2	2	4		
St. James Westminster } N. & G.	21,588	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
W, H																			
St. Anne Soho 5H - - - N.	11,493	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - W.	35,391	8	13	3	3	-	-	-	-	-	-	-	-	-	1	1	6		
Rectory Marylebone W G. & W.	19,849	11	7	2	4	-	-	-	-	-	-	-	-	-	-	1	2		
St. Mary Marylebone 4H G. & W.	18,099	42	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - - W.	39,536	22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 3H - - W.	20,426	10	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 3H - - N. & W.	81,942	26	40	5	15	-	-	3	-	1	-	-	-	-	3	4	18		
West St. Pancras 2H - - W.	60,562	35	11	2	6	-	-	-	-	-	-	-	-	-	-	2	1		
Tottenham-court w, 6H N. & W.	21,268	12	11	2	6	-	-	-	-	-	-	-	-	-	-	-	8		
Gray's Inn Lane 4H - - N.	34,449	29	13	2	5	-	-	-	-	1	-	-	-	-	2	2	3		
East St. Pancras W, 2H - - N.	60,320	38	28	5	15	-	-	-	-	-	-	-	-	-	1	1	9		
North St. Pancras 2W - - N.	68,728	37	27	7	14	-	1	-	-	-	-	-	-	-	-	1	13		
Tufnell W - - - N.	31,995	9	22	3	10	-	-	-	-	1	-	-	-	-	1	4	15		
Upper Holloway 2W, w, 3H - - N.	33,978	19	18	3	5	-	-	-	-	1	-	-	-	-	1	2	11		
Tollington W - - - N.	33,922	16	4	1	-	-	-	-	-	-	1	-	-	-	1	1	-		
Lower Holloway - - - N.	41,424	22	10	1	4	-	1	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - - N.	54,478	31	14	3	6	-	1	-	-	1	-	-	-	-	1	1	-		
Islington South-east F - - N.	75,397	36	19	4	5	-	-	-	-	-	-	-	-	-	-	-	-		
Highbury 2H - - - N.	63,797	38	11	2	3	-	-	-	-	1	-	-	-	-	-	1	-		
Stoke Newington H - - - N.	51,247	22	11	3	4	-	-	-	-	-	-	-	-	-	-	1	-		
North Hackney - - - E. & N.	50,560	20	12	2	7	-	1	-	-	-	-	-	-	-	-	2	3		
Central Hackney 2w, F - - E. & N.	50,536	29	12	2	-	-	-	-	3	1	-	-	-	-	-	2	3		
South-west Hackney 3H E. & N.	59,921	41	20	5	7	-	-	-	-	-	-	1	-	-	1	1	7		
South-east Hackney 2W, w, H E. & N.	68,255	31	25	5	9	-	-	-	-	-	-	-	-	-	2	2	12		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—*G*, signified Grand Junction; *W*, West Middlesex; *C*, Chelsea; *S*, Southwark and Vauxhall; *L*, Lambeth; *N*, New River &c. *E*, East London; and *K*, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

RATION SUB-DISTRICTS

RATIONS SUB-DISTRICTS	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of	Deaths from															
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																				
and Bloomsbury W, 2H N.	31,436	24	19	-	7	-	-	-	-	-	-	-	-	-	-	-	-	5	-	
W, 4H - - - N. & C. Union Workhouse, Edmonton -	21,674	3	9	1	-	-	-	-	-	-	-	-	-	-	-	1	1	8	-	
W, 6H - - - N. Erkenwell - - - N. Erkenwell H - - N. 3H, L - - - N. Union Workhouse, }	29,612 28,676 35,028 36,116	14 11 27 39	14 6 27 8	2 3 5 1	1 3 3 5	-	-	-	-	-	-	-	-	-	-	1 1 1 1	2 2 2 1	8 - - 2	- - - -	
ph H - - - N. & E. (Shre and Allhallows) } N. London Asylum, Stone	10,299 16,624	8 3	2 17	- 2	1 1	-	-	-	-	-	-	-	-	-	-	- 1	- 2	1 16	- -	
EAST DISTRICTS.																				
ch South H - E. & N. ch North-West W, w, H N. ch North-East - N. & E. Union Workhouse, Wood }	46,362 36,127 36,148	26 33 21	15 24 10	6 1 -	3 9 4	-	-	3	-	-	2 1 2	-	-	-	-	-	2 - 2	- 17 -	1 - -	
Green North 2H - E. Green South - - E. Green East 2W, H, L - E.	51,514 33,472 44,694	39 24 36	13 4 29	7 2 5	3 1 10	-	-	-	-	-	-	-	-	-	-	2 1 2	3 1 16	3 - -	- - -	
ld - - - E. & N. New Town W, H - E. n's Fields - - - E.	27,969 28,718 22,081	24 36 11	9 45 5	3 8 2	3 4 -	-	-	-	1	-	-	-	-	-	-	- 7 1	- 10 1	- 43 -	- - -	
ge and St. John 2W E. land Ratcliff W, H E. & N. se W - - - E.	49,068 25,568 32,369	48 4 17	16 20 2	5 7 2	3 4 -	-	-	-	-	-	1	-	-	-	1	1 - -	1 2 -	4 12 -	- - -	
d Old Town South- } n H - - - } E. d Old Town North- } n W, H - - - } E.	63,698 49,129	51 25	14 32	3 4	5 12	-	-	-	2	-	-	-	1	-	1	- 1	4 4	- 16	- -	
- - - E. 3w, H - - - E. W, w - - - E.	41,989 68,319 63,514	22 57 41	10 28 19	3 6 5	3 10 6	-	-	1	-	-	-	-	-	-	-	- 1 2	1 3 3	2 17 3	- - -	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., in each SUB-DISTRICT during the Week ended Saturday, 4th February, 1905—continued.

The DEATHS registered during the Week ending																	
REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from									
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Ptyphosis (Origin un- certain).	Diarrhoea.	Violence.
SOUTH DISTRICTS.																	
Christchurch Southwark W,HL&S.			11,263	8	4	1	2	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H - S.			12,056	11	14	1	1	-	-	-	-	-	-	-	-	2	
Kent-road - - - S. & L.			21,904	13	4	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr } S. & L.			39,094	23	9	3	2	-	-	-	-	-	-	-	-	1	
West W,2H,L - - - }																	
Newington North - - S. & L.			49,022	36	15	5	3	-	-	-	-	-	-	-	-	1	
Newington South W - S. & L.			72,841	49	25	9	6	-	-	-	1	-	-	-	-	2	
St. Olave 2W - - - S.			9,817	7	4	1	2	-	1	-	-	-	-	-	-	-	
Bermondsey W - - - S.			82,483	66	15	2	5	-	-	-	2	-	-	-	-	-	
Rotherhithe W,F - - S. & K.			38,460	28	19	4	6	-	1	-	-	-	-	-	1	1	
Waterloo-road 2H - - L. & S.			27,440	32	7	3	-	-	-	-	1	-	-	-	-	-	
Lambeth Church 1st H - L. & S.			18,423	9	13	2	1	-	-	-	-	-	-	-	-	-	
Lambeth Church 2nd 2W - L. & S.			39,818	31	27	2	16	-	-	1	-	-	-	-	-	1	
Kennington 1st H - - S. & L.			53,198	36	17	6	5	-	-	-	-	-	-	-	-	2	
Kennington 2nd H - - S. & L.			42,896	13	15	3	5	-	-	-	-	-	-	-	-	1	
Brixton F - - - L. & S.			84,232	39	26	4	7	-	-	2	1	1	-	-	-	2	
Norwood W,H - - - L.			35,888	12	4	-	3	-	-	-	-	-	-	-	-	-	
East Battersea H - - S.			72,203	46	25	6	10	-	-	-	-	-	-	-	-	-	
North-west Battersea - - S.			49,656	30	9	3	3	-	-	-	-	-	-	-	-	-	
South-west Battersea W,H - S.			47,048	11	28	3	12	-	-	-	1	-	-	-	-	1	
Clapham 2H - - - S.			51,361	35	10	3	6	-	-	-	-	-	-	-	-	-	
Streatham W,2w,2F,2L - L.			88,019	62	31	4	16	-	1	-	1	1	-	-	-	-	
Springfield 2W,L - - S.			27,959	31	5	-	1	-	1	-	-	-	-	-	-	-	
Southfields H - - - S.			40,444	27	9	-	2	-	-	-	-	-	-	-	-	-	
Putney - - - - - S.			24,139	19	10	1	7	-	-	-	-	-	-	-	-	-	
Dulwich - - - - L. & S.			13,359	3	5	-	3	-	-	-	-	-	-	-	-	-	
Camberwell South W,w - S. & L.			40,206	16	25	1	15	-	-	-	-	-	-	-	-	-	
Camberwell North W,2L - S. & L.			65,584	36	23	5	8	-	-	-	-	-	-	-	-	2	
St. George - - - - L. & S.			47,331	24	17	3	2	-	-	-	1	-	-	-	-	-	
Peckham 2W,w - - - S., L. & K.			92,859	46	20	3	7	-	-	-	1	-	-	-	-	-	
Deptford North - - - K.			37,613	33	12	3	4	-	-	-	-	-	-	-	1	1	
Deptford Central - - - K.			45,481	23	12	6	4	-	-	-	-	-	-	-	-	1	
Deptford South - - - K.			34,625	15	4	1	3	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - K.			23,456	11	12	4	4	-	-	-	-	-	-	-	1	1	
Greenwich East 2W,H - K.			43,859	30	20	4	9	-	-	-	1	-	-	-	-	-	
Eltham w,H - - - K.			7,226	6	1	-	1	-	-	-	-	-	-	-	-	-	
Lee w,H - - - K.			25,490	1	8	-	6	-	-	-	-	-	-	-	-	-	
Lewisham W,w,F - - K.			58,355	40	27	4	10	-	1	1	-	-	-	-	-	1	
Sydenham H - - - L.			43,653	31	9	2	6	-	-	-	-	-	-	-	-	-	
Charlton F,2H - - - K.			21,134	11	5	-	1	-	-	1	-	-	-	-	-	-	
Woolwich 4H - - - K.			41,625	29	9	1	3	-	-	-	-	-	-	-	-	-	
Plumstead West W - - K.			18,063	8	1	-	1	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - K.			50,264	23	15	3	5	-	-	-	-	-	-	-	-	1	
Workhouse :-																	
Central London Sick Asylum -					3	-	1	-	-	-	-	-	-	-	-	-	
(Westminster, St. Giles, and Strand Unions.)																	
M. A. B. Small-pox Hospitals :-																	
Joyce Green - - - -																	
Long Reach - - - -																	
M. A. B. Fever Hospitals :-																	
North-Eastern - - - -					6	-	-	-	2	2	-	-	-	-	-	1	
Northern - - - -																	
M. A. B. Imbecile Asylums :-																	
Caterham - - - -					6	-	4	-	-	-	-	-	-	-	-	-	
Darenth - - - -																	
Gore Farm (temporary) - -																	
Leavesden - - - -					2	-	2	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums :-																	
Eaststead - - - -					2	-	-	-	-	-	-	-	-	-	-	-	
Effwell (Epileptic Colony) -																	
Horton - - - -					5	-	2	-	-	-	-	-	-	-	-	-	
Manor - - - -																	
Cane Hill - - - -							1	-	-	-	-	-	-	-	-	-	
Dartford Heath - - - -					8	-	8	-	-	-	-	-	-	-	-	-	
Hanwell - - - -					11	-	4	-	-	-	-	-	-	-	-	-	
Colney Hatch - - - -					4	-	1	-	-	-	-	-	-	-	-	-	
Claybury - - - -					6	-	5	-	-	-	-	-	-	-	-	-	

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 4th February, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,602	2,044,973	1355	647	127	225	-	7	4	10	27	3	5	29	53	120	2		
1 Carshalton <i>w, 2F, 2H</i>	12,228	32,997	18	7	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-
2 Epsom, part of* <i>W, w, 2F, H</i>	10,423	15,548	5	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
1 Godstone, part of* <i>W, F</i>	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon <i>w</i>	4,200	49,309	39	12	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
3 West Croydon <i>3W, F, H</i>	2,168	42,888	23	29	3	15	-	-	-	1	-	-	-	1	1	17	-	-	-
4 North Croydon <i>H</i>	2,644	41,898	28	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Penge <i>w</i>	770	22,465	7	7	2	3	-	-	-	-	-	-	-	-	2	-	-	-	-
6 Mitcham <i>w</i>	11,711	30,015	27	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
0:1 Wimbledon <i>F, 3H</i>	3,221	41,652	13	7	1	2	-	-	-	-	-	1	-	-	-	-	2	-	-
2 Kingston <i>2W, H</i>	6,224	42,668	29	12	1	6	-	-	-	-	-	-	-	2	4	3	-	-	-
3 Surbiton <i>F, H</i>	3,046	15,017	10	6	1	3	-	-	-	-	-	-	-	1	1	1	-	-	-
4 Esher, part of* <i>H</i>	5,402	13,100	8	3	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
5 Hampton <i>H, L</i>	4,564	23,456	16	7	2	2	-	1	-	-	-	-	-	-	1	1	-	-	-
0:1 Richmond <i>W, H</i>	2,162	28,865	10	13	1	6	-	-	-	1	-	-	-	-	-	2	-	-	-
2 Mortlake <i>F</i>	2,847	20,628	21	8	2	4	-	-	-	-	-	-	-	-	1	1	-	-	-
1:1 Bromley <i>F, 2H</i>	4,703	27,354	14	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham <i>H</i>	7,825	28,497	14	5	-	4	-	-	-	-	-	-	-	-	-	1	1	-	-
3 Orpington, part of* <i>W</i>	10,113	9,857	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Chislehurst <i>2H</i>	7,333	16,446	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2:1 Bexley <i>F, H</i>	8,678	21,151	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Erith <i>F, H</i>	3,854	25,296	22	11	7	-	-	-	-	2	1	-	-	-	1	1	-	-	-
3 Dartford <i>W, F, part of*</i>	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
4:1 Sunbury <i>w</i>	11,054	18,683	18	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
2 Staines <i>W, H</i>	13,277	15,178	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5:1 Hillingdon <i>W, F, H</i>	6,035	13,661	12	4	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
2 Uxbridge <i>H</i>	12,767	8,984	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Hayes <i>w, F, H</i>	8,066	16,358	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6:1 Isleworth <i>3W, 2F, H</i>	6,859	30,863	28	17	1	11	-	-	-	-	-	-	-	-	1	1	5	-	-
2 Twickenham <i>F, H</i>	2,421	20,991	19	5	1	4	-	-	-	-	-	-	-	-	1	1	-	-	-
3 Brentford <i>2F, 2H, L</i>	4,319	48,288	23	12	3	2	-	-	1	-	-	-	-	-	-	1	2	-	-
4 Chiswick <i>H</i>	1,249	29,809	21	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Acton <i>w, 3H</i>	6,132	48,914	43	26	10	6	-	-	-	-	5	-	1	2	3	3	-	-	-
7:1 Harrow <i>F, H</i>	13,809	25,523	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Edgware <i>F, 2H</i>	6,994	4,521	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden <i>W, F, 2H</i>	4,384	114,811	68	37	11	13	-	-	-	1	6	-	-	2	4	3	-	-	-
4 Hendon <i>W, F</i>	8,382	22,450	9	9	1	4	-	-	-	-	1	-	-	1	2	4	-	-	-
8:1 South Mimms <i>2F, H</i>	17,755	7,308	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2 Barnet <i>W, 3H</i>	3,324	17,970	6	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
3 Finchley <i>F, 2H</i>	4,688	33,692	9	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1 Hornsey <i>F, H</i>	2,875	72,058	30	19	2	8	-	-	-	-	-	-	-	-	-	1	-	-	-
2 Wood Green <i>H</i>	1,825	34,233	23	9	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
3 West Tottenham <i>F</i>	996	48,853	37	14	2	3	-	-	-	1	3	-	-	1	-	7	-	-	-
4 East Tottenham <i>F, H</i>	2,017	53,688	39	16	4	3	-	-	-	-	-	-	-	-	1	1	7	-	-
5 Edmonton <i>W, w, 2F</i>	7,491	61,892	47	29	6	10	-	-	-	-	-	-	-	1	1	3	11	-	-
6 Enfield <i>2W, F, H</i>	12,601	42,738	24	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Waltham Abbey	11,017	8,549	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt <i>F, H</i>	8,479	12,292	7	3	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-
5:1 Hatfield, part of* <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1 Bushey <i>H</i>	9,333	9,173	7	3	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-
2 Watford <i>W, 2F part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8:1 Stratford <i>H</i>	1,072	44,827	29	14	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Plaistow <i>F, 2H</i>	1,249	90,921	63	32	11	5	-	-	1	-	-	-	-	-	3	3	3	-	-
3 Canning Town <i>H</i>	1,556	70,718	61	28	6	7	-	2	-	-	-	-	-	-	-	2	7	-	-
4 Forest Gate <i>w</i>	806	60,392	29	22	1	12	-	-	-	-	-	-	-	-	-	2	2	-	-
5 North East Ham <i>w</i>	1,333	58,676	45	17	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
6 South East Ham <i>2F</i>	1,993	37,342	37	17	4	3	-	1	-	1	1	-	-	1	1	2	2	-	-
7 Wanstead <i>F</i>	1,679	9,179	5	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
8 South Leyton <i>2W</i>	631	50,467	30	16	2	7	-	1	-	1	1	-	-	1	-	1	7	-	-
9 North Leyton <i>W, w, F</i>	1,963	48,445	33	33	2	12	-	1	-	-	-	-	-	-	-	-	20	-	-
10 Walthamstow <i>3H, L</i>	6,504	108,929	85	26	4	8	-	-	-	-	1	-	-	-	-	-	3	-	-
7:1 Chigwell, part of* <i>2F, 3H</i>	11,778	16,397	7	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2 Epping <i>W, F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1 Romford, part of* <i>W, 2F</i>	6,556	6,091	6	3	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-
2 Ilford <i>F, L</i>	8,496	41,234	40	8	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-
3 Barking Town <i>F</i>	3,803	21,547	25	6	2	1	-	-	-	-	-	-	-	-	1	1	1	-	-
North-Eastern Hosp., Tot- tenham.	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	2	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes, 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	February 4	2676	1576	17·5	-	21	10	13	32	5
CALCUTTA - -	847,796	December 17	-	616	37·7	-	1	-	1	-	177+
BOMBAY - -	776,008	" 24	-	640	39·2	1	-	-	-	1	184
MADRAS - -	509,346	January 17	408	896	60·0	62	10	-	-	3	267+
PARIS - -	2,660,550	December 30	329	331	33·6	-	-	?	?	?	89
BRUSSELS - -	586,936	January 6	347	343	35·0	2	1	?	?	?	92
ANTWERP - -	286,695	" 28	1004	1176	22·9	4	1	-	7	6	6
AMSTERDAM -	551,415	" 28	251	241	21·3	-	2	-	1	-	1
COPENHAGEN -	426,000	" 28	149	82	14·9	-	3	-	1	-	1
STOCKHOLM -	309,496	" 21	314	210	19·9	-	3	-	2	8	1
CHRISTIANIA -	223,649	" 21	217	120	14·7	-	3	-	1	1	-
ST. PETERSBURG	1,248,122	" 28	243	152	18·6	-	2	-	1	2	1
MOSCOW - -	1,092,360	" 21	173	116	19·5	-	-	3	2	3	1
WARSAW - -	-	" 28	138	86	20·0	-	1	-	6	3	-
BERLIN - -	2,000,137	January 21	702	806	33·6	2	8	16	15	2	28
HAMBURG - -	772,852	" 21	-	618	29·5	4	10	18	11	6	2
BRESLAU - -	458,896	" 14	-	-	-	-	-	-	-	-	-
MUNICH - -	528,000	" 28	921	676	17·6	-	14	9	5	10	1
VIENNA - -	1,877,839	" 28	-	275	18·5	-	-	-	2	3	1
PRAGUE - -	430,569	" 28	-	234	26·6	-	-	-	1	-	1
BUDA-PESTH -	836,267	" 28	-	268	26·4	-	2	2	-	4	-
TRIESTE - -	191,403	" 28	983	839	23·2	-	8	-	15	-	-
ROME - -	503,857	" 21	172	205	24·7	-	3	-	-	-	1
VENICE - -	166,288	" 28	196	216	26·1	-	3	-	-	-	1
BUCHAREST -	282,071	" 28	420	370	23·0	-	4	7	8	-	-
NEW YORK - -	3,948,191	" 21	118	123	33·4	-	-	-	-	1	-
CHICAGO - -	1,932,315	" 28	135	151	41·0	-	-	-	1	-	-
PHILADELPHIA -	1,438,318	December 24	239	213	22·0	-	4	-	-	1	2
BOSTON - -	617,950	" 17	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	850,000	" 8	-	286	17·5	15	1	-	1	-	11+

* Excluding deaths from croup in the Indian Cities

† Including 15 and 18 deaths from plague in Calcutta, 208 in Bombay, and 11 in Rio de Janeiro.

‡ Including 108 and 129 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th February, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	53·1	33·1	42·9	0·03	BRADFORD - -	50·0	35·4	43·1	0·37
BRIGHTON - -	49·4	29·9	41·8	0·01	LEEDS - - -	51·0	35·0	44·0	0·30
PORTSMOUTH - -	52·0	30·5	44·1	0·02	HULL - - -	52·0	34·0	43·3	0·11
NORWICH - -	52·0	32·6	42·3	0·06	TYNEMOUTH - -	52·0	32·0	42·1	0·07
PLYMOUTH - -	50·9	39·0	45·9	0·12					
BRISTOL - -	50·8	33·0	42·8	0·07	EDINBURGH - -	49·5	31·8	40·9	0·10
BIRMINGHAM - -	49·9	34·1	42·4	0·05	GLASGOW - -	51·4	33·2	43·3	0·06
NOTTINGHAM - -	51·9	33·2	42·8	0·07					
LIVERPOOL - -	51·0	37·0	43·8	0·23	PHOENIX Park.	52·4	35·0	43·9	0·10
OBSERVATORY, }					DUBLIN {	51·0	36·3	45·3	0·00
MANCHESTER - -	49·0	36·8	42·9	0·33	William Square,†				
PRESTON - -	48·6	38·2	43·4	0·13					
HUDDERSFIELD -	49·0	35·2	42·5	0·45	BELFAST - -	53·6	34·8	42·7	0·10

* These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1905. MONTH AND DAY	Phases of the Moon.	BARO-METER.		TEMPERATURE.				TEMPERATURE.		TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface 5 inches above the Ground.										
		Mean daily reading (cor- rected to 32° Fahren- heit).	Mean daily range.	Low- est.	High- est.	Of the Air.		Of the Air-Temperature and Dew Point Temperature.	Degree of Humid- ity (Satu- ration equal to 100).	Of Radiation.		Of the Earth 3 feet below the Surface.	Oiler's.		Robinson's.											
						Daily Range.	Mean value.			Mean Daily Value.	De- p. from Average of 50 years.		General Direction.		Pressure on the Square Foot.		Horizontal Movement of the Air on each hourly obs.	Depart- ure from Average of the 16 years. Day.								
													A.M.	P.M.	Great- est.				Least.	Miles.	lbs.					
JANUARY.																										
SUNDAY - 29	..	30722	44.0	33.1	10.9	38.9	- 0.8	34.7	4.2	7.0	1.9	85	55.0	27.0	40.25	WSW.	W. & WSW.	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MONDAY - 30	..	30300	47.3	34.1	13.2	42.5	+ 27	39.4	3.1	5.2	2.5	89	67.0	30.6	40.12	SW. & W.	W. & WSW.	7.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0
TUESDAY - 31	Greatest	30178	40.6	30.5	7.1	42.6	+ 28	34.0	8.6	13.2	5.5	72	60.3	33.6	40.16	NW. & W.	W. & WSW.	5.1	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0
WEDNESDAY - 1	Dec. S.	29861	53.1	40.5	12.6	46.5	+ 68	40.5	6.0	9.8	2.4	79	75.5	38.7	40.52	WSW. & W.	NW. & WSW.	12.8	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.5
THURSDAY - 2	..	29834	45.3	38.5	7.4	43.1	+ 24	31.2	10.9	15.4	5.1	65	70.8	38.1	40.70	W. & WSW.	WNW. & W.	7.8	0.0	1.4	0.0	0.0	0.0	0.0	0.0	3.5
FRIDAY - 3	..	30131	47.0	34.0	11.0	41.8	+ 21	35.3	6.5	10.5	4.3	78	64.3	30.2	41.05	NW. & WSW.	NW. & WSW.	2.9	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
SATURDAY - 4	New	30183	51.0	43.7	7.3	47.3	+ 7.5	43.7	3.6	6.3	0.0	87	63.3	39.5	41.13	WSW. & W.	WSW. & WSW.	4.2	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0
MEANS	-	30183	47.8	37.9	9.9	43.1	+ 3.4	37.0	6.1	9.6	3.1	79	65.1	33.7	40.56	W.	W.	Sum 3170	Sum + 737	Sum 0.03	0.6	
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	

GENERAL REMARKS.

DATE.	EL ECTRICITY (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sunshine above horizon, in hours.
JANUARY.			
SUNDAY - 29	m. P. generally.	37	8.9
MONDAY - 30	w. P. generally; occasional m. P.	0.9	9.0
TUESDAY - 31	w. P. till 7h. A.M.; m. P. generally after- wards.	0.9	9.0
FEBRUARY.			
WEDNESDAY - 1	w. P. generally; occasional m. P.	3.7	9.1
THURSDAY - 2	w. P. till 7h. A.M.; m. P. till 8h. P.M.; w. P. afterwards.	3.7	9.2
FRIDAY - 3	w. P. till 9h. A.M.; m. P. till 8h. P.M.; w. P. afterwards.	3.4	9.2
SATURDAY - 4	w. P. till 8h. P.M. Loss of Register afterwards.	0.8	9.3
No. of Col.	-	Sum 171	Sum 63.7
		28	29

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 139 feet above the mean level of the sea;
no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of
the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb
thermometer, are converted into mean daily values by the application of the corrections
deduced from a discussion of the photographic records made during the twenty years
ending 1873 for the barometer, and during the twenty years ending 1888 for the
thermometers. With the corrected mean readings of the dry bulb thermometer is
combined the corrected mean of the readings of the maximum and minimum
thermometers, forming the mean daily value of temperature of the air (column 8). The
mean daily dew point temperature and degree of humidity are deduced from the mean
daily values of the dry and wet bulb thermometers by Glaisher's Hygrometric Tables.
The average temperature of the air is that derived from a discussion of the observations
made at Greenwich during the 50 years ending 1890, and that of horizontal movement
of the air from a discussion of the anemometric records for the 16 years ending 1875.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and
- "lower," than the average.
The values given in column 17 are not corrected for the index error of the therm. meter,
which cannot be determined.
The record of Electricity is derived from Thomson's self-registering electrometer.
The symbols employed are:—P. positive; N. negative; w. weak; m. moderate;
s. strong; and v. variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument
show the aggregate duration of bright sunshine on each day, at the beginning of the week
to 30.12 in. by 3h. A.M. on January 31; increased to 30.22 in. by 1h. P.M. on the same day;
decreased to 29.71 in. by 2h. A.M. on February 2; increased to 30.23 in. by 6h. P.M. on
February 3; decreased to 30.17 in. by 3h. P.M. on February 4; and increased to 30.24 in.
by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 28th January 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	7	3	-	-	-	-	1	1
Kensington - - - -	180,083	-	13	4	-	1	-	-	2	-
Hammersmith - - - -	119,037	-	7	10	-	1	-	-	-	1
Fulham - - - -	157,210	-	8	8	-	1	-	-	2	-
Chelsea - - - -	74,496	-	5	-	-	-	-	-	1	-
City of Westminster - - - -	175,606	-	5	3	-	-	-	-	1	-
NORTH.										
St. Marylebone - - - -	129,453	-	2	-	-	-	-	-	4	-
Hampstead - - - -	88,142	-	4	-	-	1	-	-	-	-
St. Pancras - - - -	236,183	-	7	9	-	1	-	-	4	-
Islington - - - -	342,994	-	25	4	-	1	-	-	1	-
Stoke Newington - - - -	52,828	-	3	2	-	-	-	-	-	-
Hackney - - - -	228,479	-	7	11	-	3	-	-	5	-
CENTRAL.										
Holborn - - - -	56,481	-	2	1	-	-	-	-	-	-
Finsbury - - - -	98,207	-	2	3	-	-	-	-	4	-
City of London - - - -	22,425	-	-	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,585	1	6	6	-	-	-	-	1	-
Bethnal Green - - - -	130,401	-	13	5	-	3	-	-	2	-
Stepney - - - -	305,466	-	21	30	-	7	-	-	14	-
Poplar - - - -	170,280	-	11	15	-	1	-	-	4	-
SOUTH.										
Southwark - - - -	208,528	-	7	4	-	2	-	-	-	-
Bermondsey - - - -	128,006	-	7	3	-	1	-	-	1	-
Lambeth - - - -	313,045	-	10	4	-	1	-	-	4	1
Battersea - - - -	177,532	-	7	2	-	5	-	-	4	-
Wandsworth - - - -	265,392	-	47	7	-	2	-	-	5	-
Camberwell - - - -	271,240	-	17	5	-	-	-	-	4	-
Deptford - - - -	114,485	-	8	3	-	-	-	-	2	-
Greenwich - - - -	103,493	-	4	2	-	-	-	-	1	-
Lewisham - - - -	144,420	-	10	2	-	-	-	-	3	-
Woolwich - - - -	125,372	-	9	6	-	2	-	-	3	1
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		1	274	153	-	33	-	-	73	4
Ages										
0-1 - - - -	-	-	1	5	-	-	-	-	4	-
" 1-5 - - - -	-	1	101	66	-	3	-	-	5	-
" 5- - - - -	-	-	119	48	-	5	-	-	2	-
" 10- - - - -	-	-	26	11	-	9	-	-	3	-
" 15- - - - -	-	-	11	7	-	8	-	-	1	-
" 20- - - - -	-	-	9	5	-	-	-	-	6	1
" 25- - - - -	-	-	6	7	-	5	-	-	8	3
" 35- - - - -	-	-	1	4	-	1	-	-	13	-
" 45- - - - -	-	-	-	-	-	1	-	-	15	-
" 55- - - - -	-	-	-	-	-	1	-	-	7	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	9	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 6. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, FEB. 11. [Price 1½d.

*General Register Office, Somerset House,
February 13th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 18·1, 18·4, and 18·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·5 in Derby, 24·2 in Hastings and in Rhondda, 24·6 in Norwich, 24·9 in Middlesbrough, 28·2 in Merthyr Tydfil, 29·0 in Hanley, and 29·8 in Stockton on Tees; from *measles*, 2·0 in Reading, 2·1 in Merthyr Tydfil, 2·3 in Leyton and in Nottingham, and 3·0 in Stockton on Tees; from *diphtheria*, 1·3 in East Ham and in Birkenhead, 1·4 in Merthyr Tydfil, and 1·7 in Walsall; from *whooping-cough*, 1·3 in Rhondda, 1·9 in Willesden and in South Shields, 2·3 in Hastings, and 3·2 in Hanley; from "*fever*," 1·4 in Devonport; and from *diarrhœa*, 1·5 in Burnley. One death from *small-pox* was registered in each of the following towns:—Oldham, Burnley, and Bradford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2722 BIRTHS and 1580 DEATHS were registered. Allowing for increase of population, the births were 134 and the deaths 242 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·6, 18·9, and 17·5 in the preceding three weeks, was 17·6 last week. During the four weeks ended on Saturday last the death-rate averaged 17·7 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1580 deaths included 26 from measles, 9 from scarlet fever, 16 from diphtheria, 37 from whooping-cough, 5 from enteric fever, and 21 from diarrhœa, but not one death from small-pox, from typhus or from ill-defined pyrexia; thus, 114 deaths were referred to these diseases in the aggregate, being 65 below the corrected average weekly number.

The deaths from *measles*, which had been 21, 30, and 21 in the preceding three weeks, were 26 last week, but were 16 below the corrected average; 4 deaths belonged to the Borough of St. Pancras, 4 to Wandsworth, and 3 to Shoreditch. The deaths from *scarlet fever*, which had been 7, 9, and 10 in the preceding three weeks, were 9 last week, the corrected average being 12; 3 deaths belonged to Bethnal Green. The deaths from *diphtheria*, which had been 11, 18, and 13 in the preceding three weeks, were 16 last week, but were 23 below the corrected average; 3 deaths belonged to Islington and 3 to Southwark. The deaths from *whooping-cough*, which had been 24, 38, and 32 in the preceding three weeks, were 37 last week, but were 16 below the corrected average; 4 deaths belonged to Fulham, 4 to Southwark, and 3 each to Kensington, St. Pancras, Hackney, and Bermondsey. The fatal cases of *enteric fever*, which had been 4, 1, and 5 in the preceding three weeks, were again 5 last week, and were 6 below the corrected average. The deaths from *diarrhœa*, which had been 12, 9, and 15 in the preceding three weeks, rose last week to 21, and were 6 above the corrected average; 3 deaths belonged to Hackney, 3 to Poplar and 3 to Southwark. Of the 21 deaths from diarrhœa, 13 were those of children under 1 year of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 32, having been 21, 24, and 15 in the preceding three weeks.

Different forms of *violence* caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 35 were attributed to accident or negligence. Two of the latter were referred to vehicles in the streets, 5 to burns and scalds, 4 to drowning, 1 to poisoning by coal gas, 1 to the effects of an anæsthetic administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 9 cases of small-pox, 2077 of scarlet fever, 860 of diphtheria, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 0, and 1; of scarlet fever, 260 cases, against 225, 251, and 229; of diphtheria, 119 cases, against 124, 127, and 127; and of enteric fever, 6 cases, against 13, 17, and 27. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 4th.

GREATER LONDON.

In Greater London 4009 births and 2152 deaths were registered. Allowing for increase of population these numbers are 184 and 326 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 3 from scarlet fever, 6 from diphtheria, 4 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.24 inches, and that of the Thermometer 44.7, the latter being 5.7 above the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 11 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 11.1 hours; the measured rainfall amounted to 0.12 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated at the middle of the Year 1905.*	Week ended					Diseases during the Week ended 11th Feb., 1905.	Registered during the week ended 11th Feb., 1905.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		Causes.							Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
		21st Jan., 1905.	28th Jan., 1905.	4th Feb., 1905.	11th Feb., 1905.	18th Feb., 1905.																
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
76 TOWNS	15,609,377	18'1	18'4	18'0	17'4	1'3	9001	5220	1105	1656	3	100	45	72	110	24	47	192	425	1238	54	76 TOWNS.
LONDON	4,684,794	16'6	18'9	17'5	17'6	1'3	2722	1580	305	539	-	26	9	16	37	5	21	45	159	594	2	LONDON.
(CROYDON	147,704	15'2	16'2	15'9	10'9	1'1	69	31	8	13	-	-	1	-	5	-	2	1	3	5	-	(CROYDON.
WILLESDEN	138,080	14'0	13'2	14'3	14'3	2'3	76	38	10	10	-	-	-	1	-	-	-	-	2	5	-	WILLESDEN.
HORNSEY	84,070	12'4	10'5	12'4	8'1	-	26	13	2	5	-	-	-	-	-	-	-	-	4	1	-	HORNSEY.
TOTTENHAM	116,232	14'4	14'4	16'1	16'1	1'3	86	36	15	10	-	-	-	2	1	-	-	2	4	4	-	TOTTENHAM.
WEST HAM	291,997	19'6	15'9	19'1	17'5	2'7	173	99	18	26	-	3	1	3	7	1	-	1	2	4	18	WEST HAM.
EAST HAM	123,381	13'1	18'2	14'4	9'7	2'1	92	23	5	6	-	2	-	3	-	-	-	1	2	4	-	EAST HAM.
LEYTON	114,555	11'8	13'7	13'2	11'8	2'7	52	26	5	6	-	5	-	-	-	-	-	2	3	3	-	LEYTON.
(WALTHAMSTOW	116,297	11'2	9'0	12'1	8'5	0'4	76	19	3	2	-	-	1	-	-	-	-	-	1	3	-	(WALTHAMSTOW.
HASTINGS	66,820	19'5	20'3	17'2	24'2	2'3	33	31	7	14	-	-	-	-	3	-	-	3	5	6	-	HASTINGS.
BRIGHTON	127,183	16'8	14'8	17'6	20'1	-	58	49	9	30	-	-	-	-	-	-	-	2	4	14	-	BRIGHTON.
PORTSMOUTH†	201,975	18'6	13'7	20'4	17'3	1'5	116	67	21	17	-	5	-	1	-	-	-	3	11	11	-	PORTSMOUTH.†
BOURNEMOUTH	66,168	12'6	22'9	15'8	17'3	0'8	17	22	3	12	-	-	-	1	-	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON	114,897	13'6	12'3	12'3	19'1	3'2	53	42	6	14	-	4	2	-	1	-	-	2	6	9	-	SOUTHAMPTON.
READING	77,674	22'8	15'4	19'5	19'5	2'0	34	29	7	10	-	3	-	-	-	-	-	1	1	4	1	READING.
NORTHAMPTON	92,441	17'5	20'9	16'4	20'3	1'1	43	33	6	10	-	-	2	-	-	-	-	-	3	3	-	NORTHAMPTON.
IPSWICH	70,802	18'4	16'2	22'8	22'8	-	34	31	10	11	-	-	-	-	-	-	-	2	5	-	2	IPSWICH.
GREAT YARMOUTH	52,353	17'9	14'9	16'9	14'9	-	32	15	3	7	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH	116,741	18'3	17'9	28'1	24'6	0'9	70	55	17	21	-	-	-	-	1	1	-	-	1	7	-	NORWICH.
PLYMOUTH	116,000	22'0	21'6	23'8	18'9	0'9	59	42	10	16	-	-	1	-	-	-	1	1	3	3	-	PLYMOUTH.
DEVONPORT	76,864	15'6	21'0	20'4	17'0	2'0	33	26	4	9	-	-	-	-	-	2	-	1	2	5	-	DEVONPORT.
BRISTOL†	358,515	19'3	18'5	16'3	15'7	0'6	207	108	24	38	-	-	-	2	1	-	1	5	8	18	-	BRISTOL.†
HANLEY	64,667	25'0	19'4	33'1	29'0	4'0	59	36	12	11	-	-	1	-	4	-	-	2	2	5	-	HANLEY.
BURTON-ON-TRENT	52,424	11'9	15'9	20'9	15'9	-	26	16	3	4	-	-	-	-	-	-	-	-	2	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON	99,456	18'3	16'3	23'6	12'6	-	55	24	4	8	-	-	-	-	-	-	-	2	2	4	-	WOLVERHAMPTON.
WALSALL	92,988	25'8	19'6	12'9	16'8	2'2	43	30	8	7	-	-	-	-	-	-	1	-	-	4	-	WALSALL.
HANDSWORTH	61,721	14'4	9'3	11'8	9'3	-	33	11	3	5	-	-	-	-	-	-	-	-	2	-	-	HANDSWORTH.
WEST BROMWICH	67,823	18'5	20'8	20'8	19'2	0'8	49	25	7	11	-	1	-	-	-	-	-	1	2	-	-	WEST BROMWICH.

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 11th February, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Deaths from Diseases in Cols. 11-17:		Registered during the Week ended 11th Feb., 1906.		The DEATHS registered in the Week include											TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Week ended				11-17:		BIRTHS.	DEATHS.	Deaths of						Deaths from						Inquests Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		21st Jan., 1905.				11-17:				Persons aged and upwards.						Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		21st Jan., 1905.	28th Jan., 1905.	4th Feb., 1905.	11th Feb., 1905.	11-17:				Persons aged and upwards.						Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

TOWNS.	POPULATION estimated to the middle of 1905.	Week ended				in Cols. 11-17.		during the week ending 11th Feb., 1905.		Deaths from										Causes of Death.	TOWNS.		
		1905.		1906.		1905.		BIRTHS.	DEATHS.	Infants under 1 year of Age.	Persons 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.			Inquest Cases.	Deaths in Public Institutions.
		21st Jan. 1905.	28th Jan. 1905.	4th Feb. 1905.	11th Feb. 1905.	6.	7.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD	-	17'6	20'3	19'8	20'3	0'5	38	37	8	13	-	-	1	-	-	-	-	3	7	6	-	HUDDESFIELD.	
HALIFAX	-	21'6	19'7	13'5	14'9	-	40	31	5	11	-	-	-	-	-	-	-	2	3	8	-	HALIFAX.	
BRADFORD	-	21'8	17'6	16'9	14'4	2'2	110	79	14	26	1	1	2	5	3	1	3	4	4	17	1	BRADFORD.	
LEEDS	-	15'1	15'8	13'7	16'1	1'0	261	141	25	51	-	1	1	4	1	2	10	21	28	3	-	LEEDS.	
SHEFFIELD	-	21'0	18'9	16'5	18'5	1'5	257	139	26	46	-	-	5	1	4	3	7	9	30	3	-	SHEFFIELD.	
ROTHERHAM	-	17'4	15'7	12'2	18'3	1'7	34	21	2	4	-	-	-	-	1	-	1	1	4	-	-	ROTHERHAM.	
YORK	-	13'9	19'0	12'0	17'7	-	51	28	3	9	-	-	-	-	-	-	1	1	3	-	-	YORK.	
HULL	-	18'2	19'6	21'0	19'4	2'0	157	96	18	31	-	-	-	3	5	1	4	8	23	2	-	HULL.	
MIDDLESBROUGH	-	32'3	29'7	31'3	24'9	2'1	63	47	13	5	-	1	1	2	-	-	-	2	2	6	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES	-	20'9	24'9	28'8	28'8	5'0	31	30	4	9	-	3	2	-	-	-	-	2	2	4	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	-	27'8	24'1	22'7	20'5	2'9	35	28	7	8	-	2	1	-	1	-	1	1	2	1	-	WEST HARTLEPOOL.	
SUNDERLAND	-	19'5	20'5	19'8	16'4	1'4	98	48	12	18	-	-	-	-	3	-	1	2	3	10	2	SUNDERLAND.	
SOUTH SHIELDS	-	18'6	16'2	17'6	18'6	2'4	72	39	10	5	-	-	-	1	4	-	2	2	5	2	2	SOUTH SHIELDS.	
GATESHEAD	-	15'1	20'7	13'0	13'0	0'9	71	30	8	7	-	1	-	-	-	-	1	1	2	1	-	GATESHEAD.	
NEWCASTLE-ON-TYNE†	-	16'8	16'8	19'5	18'3	0'8	161	93	25	29	-	1	1	1	1	-	-	3	9	16	-	NEWCASTLE-ON-TYNE.†	
TYNEMOUTH	-	21'4	18'5	23'3	16'5	1'0	32	17	3	6	-	-	-	-	-	-	1	2	2	3	-	TYNEMOUTH.	
NEWPORT (MON.)	-	22'9	19'3	20'0	17'2	-	59	24	7	5	-	-	-	-	-	-	-	2	4	3	-	NEWPORT (MON.).	
CARDIFF	-	17'4	15'6	18'5	13'3	2'0	101	46	9	14	-	5	-	1	1	-	2	5	6	3	-	CARDIFF.	
RHONDDA	-	18'8	27'1	31'7	24'2	2'9	106	78	26	8	-	-	1	-	3	1	2	2	2	3	1	RHONDDA.	
MERTHYR TYDFIL	-	32'5	28'9	33'2	28'2	4'2	53	40	11	14	-	3	1	2	-	-	-	3	4	5	-	MERTHYR TYDFIL.	
SWANSEA	-	27'6	18'9	26'5	18'4	-	87	34	9	12	-	-	-	-	-	-	-	2	3	5	1	SWANSEA.	
GREATER LONDON	-	15'7	17'5	16'5	16'0	1'3	4009	2152	425	729	-	37	15	31	54	8	24	59	195	889	7	GREATER LONDON.	
OUTER RING	-	13'9	14'6	14'5	12'8	1'2	1287	572	120	181	-	11	6	15	17	3	3	14	36	95	5	OUTER RING.	
8 TOWNS IN OUTER RING	-	14'9	14'4	15'5	13'1	1'8	650	285	66	78	-	10	3	9	13	2	2	6	19	43	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	-	13'0	14'7	13'6	12'6	0'7	637	287	54	103	-	1	3	6	4	1	1	8	17	52	5	REMAINDER OF OUTER RING.	
EDINBURGH	-	16'7	21'2	22'3	18'1	0'8	169	117	22	34	-	-	1	-	3	1	-	7	?	30	7	EDINBURGH.	
GLASGOW	-	22'0	19'9	19'0	18'5	2'2	450	288	70	56	-	7	-	2	17	4	4	10	?	66	10	GLASGOW.	
DUBLIN†	-	21'2	25'5	24'2	25'2	1'0	214	183	27	45	-	-	2	-	-	2	3	5	9	60	4	DUBLIN.†	
BELFAST†	-	22'4	24'1	17'9	24'0	1'7	210	165	21	39	-	9	-	1	-	-	-	5	6	39	?	BELFAST.†	

* See note † on first page of this return.
† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904 *
TOTAL Births -	2736	2656	2917	2843	2802	2889	2687	2647	2696	2637	2856.5
Males -	1381	1370	1490	1488	1408	1516	1396	1359	1332	1290	1453.7
Females -	1355	1286	1427	1355	1394	1373	1321	1288	1364	1347	1402.8
TOTAL Deaths -	1768	1762	1588	1922	1991	1792	1668	1978	1504	1574	1822.0
Males -	880	936	816	954	989	905	843	1002	778	782	922.6
Females -	883	826	772	968	1002	887	825	976	726	792	899.4

* The numbers in this column are the average weekly numbers in the sixth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the LAST THIRTEEN WEEKS.

	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	1 Week
TOTAL Births -	2455	2356	2542	2185	2446	2122	2320	2720	2553	2408	2637	2676	2722	32
TOTAL Deaths -	1505	1502	1932	1613	1696	1572	1868	1665	1424	1492	1700	1576	1580	21
Under 1 year -	357	345	400	330	294	278	347	316	270	293	295	293	305	4
1-5 years -	153	144	197	157	164	140	173	144	126	121	156	159	141	10
5-20 " -	74	80	80	82	75	76	60	88	75	72	80	56	96	6
20-40 " -	196	181	234	154	202	191	230	179	177	171	205	182	163	2
40-60 " -	304	312	402	352	345	340	383	355	309	313	349	317	336	4
60 yrs. & upwards -	421	440	619	538	616	547	675	585	467	522	615	569	539	7
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Measles -	15	14	32	22	32	26	44	32	25	21	30	21	26	9
Scarlet Fever -	8	19	5	9	6	3	15	9	14	7	9	10	9	9
Diphtheria -	24	11	18	23	12	13	17	13	9	11	18	13	16	16
Whooping-cough -	12	10	15	19	20	17	25	16	23	24	38	32	37	2
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	10	3	8	11	4	7	8	9	5	4	1	5	5	4
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	25	18	16	16	16	12	15	12	11	12	9	15	21	1
All above Diseases -	94	75	94	100	90	78	124	91	88	79	106	96	114	1
Dis. of Resp. System -	175	238	357	268	272	236	358	275	174	238	283	280	229	3
Pneumonia -	186	157	208	180	215	180	163	168	127	139	195	164	171	3
Phthisis -	170	163	193	163	170	181	192	158	147	160	163	133	134	2
Dis. of Circ. System -	185	191	255	211	216	200	243	208	179	207	255	236	225	2
Violence -	45	54	76	55	62	60	76	85	75	46	72	66	45	4
Inquest Cases -	127	124	204	155	170	140	218	185	155	149	201	156	159	2
Deaths in Institutions -	532	536	641	567	628	592	587	605	525	531	604	582	594	7
TEMPERATURE OF THE AIR.														
Mean -	42.2	33.7	40.5	42.3	43.4	34.1	41.6	41.0	40.5	33.1	37.4	43.1	44.7	3
Mean of Highest -	49.6	37.7	44.5	46.4	47.7	38.0	45.6	47.0	45.4	39.8	42.3	47.8	48.7	4
Mean of Lowest -	35.3	28.5	35.8	35.9	37.7	29.7	37.2	34.3	34.1	27.8	32.1	37.9	40.6	3
Mean Humidity of the Air.	94	82	87	88	87	97	85	83	79	78	85	79	84	
Rain-fall (in inches) -	0.04	0.18	0.07	1.54	0.50	0.04	0.09	0.42	0.08	0.47	0.00	0.03	0.12	3
Registered Sunshine (in hours).	14.9	9.6	4.3	3.3	5.8	3.5	7.0	1.5	20.2	11.8	10.1	17.1	11.1	12
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	1	3	4	6	14	17	18	19	18	15	13	9	2	
Scarlet Fever -	274	241	2625	2490	2403	2394	2390	2309	2192	2174	2096	2070	2077	2
Diphtheria -	921	919	892	874	839	825	804	827	808	836	840	871	860	
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever -	214	191	178	165	174	170	159	157	157	146	134	135	123	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the result have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.I. Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the SIXTH Week of the Year 1905.

is printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

USES OF DEATH.	Deaths in the 6th week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 6th week of the year 1904.	1905—Deaths of Persons of the Ages								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.	5-20.		0-1.				1-5.	5-20.						
USES - - -	1574	1580	305	141	96	163	336	539										
Small-pox - - -	-	-	-	-	-	-	-	-	17	15	5	5	3	1	-	1		
Scarlatina - - -	-	-	-	-	-	-	-	-	26	21	-	-	-	5	9	-		
Erysipelas - - -	-	-	-	-	-	-	-	-	6	6	-	-	-	2	2	-		
Diphtheria - - -	-	-	-	-	-	-	-	-	31	21	17	4	-	-	-	-		
Whooping-cough - - -	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	2		
Paraplegia, Dis. of Cord - - -	-	-	-	-	-	-	-	-	2	6	-	1	-	-	-	4		
Nervous Sys. (other dis.) - - -	-	-	-	-	-	-	-	-	26	22	2	-	3	1	7	9		
Valv. Dis., Endocarditis - - -	-	-	-	-	-	-	-	-	53	53	-	-	8	9	17	25		
Cerebr. Hem. Thromb. - - -	-	-	-	-	-	-	-	-	31	37	-	1	1	4	9	22		
Apoplexy, Hemiplegia - - -	-	-	-	-	-	-	-	-	25	19	-	-	-	-	7	12		
Aneurysm - - -	-	-	-	-	-	-	-	-	9	4	-	-	-	-	2	2		
Embolism, Thrombosis (not cerebral) - - -	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	1		
Heart & Blood Vessel Dis. - - -	-	-	-	-	-	-	-	-	115	106	-	-	2	7	31	66		
Croup (not Spasm; nor Memb.) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bronchitis - - -	-	-	-	-	-	-	-	-	148	210	35	10	1	4	38	122		
Asthma, Emphysema - - -	-	-	-	-	-	-	-	-	9	4	-	-	-	-	-	4		
Pleurisy - - -	-	-	-	-	-	-	-	-	1	7	1	-	1	2	1	2		
Respiratory Dis. (other) - - -	-	-	-	-	-	-	-	-	7	8	-	3	1	1	-	5		
Tonsillitis, Quinsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Enteritis (not Epid.) - - -	-	-	-	-	-	-	-	-	12	4	1	-	-	1	2	-		
Gastro-Enteritis - - -	-	-	-	-	-	-	-	-	2	3	2	-	-	1	-	-		
Peritonitis (not Puerp.) - - -	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-		
Cirrhosis of Liver - - -	-	-	-	-	-	-	-	-	12	11	-	-	-	2	7	2		
Liver Dis. (other) - - -	-	-	-	-	-	-	-	-	5	8	-	-	-	-	3	5		
Digestive Dis., Other - - -	-	-	-	-	-	-	-	-	40	37	4	1	4	9	10	9		
Nephritis, Acute - - -	-	-	-	-	-	-	-	-	8	8	-	-	4	1	1	2		
Bright's Dis., Albuminuria - - -	-	-	-	-	-	-	-	-	42	45	-	-	-	5	13	27		
Urinary Sys., Other Dis. - - -	-	-	-	-	-	-	-	-	14	15	-	-	-	-	6	9		
Generative Organs Dis. - - -	-	-	-	-	-	-	-	-	8	5	-	-	-	-	4	1		
Childbirth (Accid. of) - - -	-	-	-	-	-	-	-	-	2	6	-	-	-	4	2	-		
Old Age - - -	-	-	-	-	-	-	-	-	67	53	-	-	-	-	-	53		
Other Diseases - - -	-	-	-	-	-	-	-	-	110	112	76	13	4	7	6	6		
ACCIDENT.																		
By Railways - - -	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-		
By Vehicles and Horses - - -	-	-	-	-	-	-	-	-	7	2	-	-	1	-	1	-		
In Ships, Boats, Docks, (exclusive of Drowning) - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-		
In Building Operations - - -	-	-	-	-	-	-	-	-	4	1	-	-	-	-	1	-		
In Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
By Burns, Scalds, Explosions - - -	-	-	-	-	-	-	-	-	7	5	-	3	1	-	1	-		
By Drowning - - -	-	-	-	-	-	-	-	-	6	4	-	-	-	-	4	-		
By Suffocation in Bed - - -	-	-	-	-	-	-	-	-	16	7	7	-	-	-	-	-		
By Poisons or Poisonous Vapours - - -	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	1		
Other Deaths by Accident - - -	-	-	-	-	-	-	-	-	24	12	4	1	-	1	2	4		
VIOLENCE OTHER THAN ACCIDENTAL.																		
Homicide - - -	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	8	9	-	-	-	-	2	3		
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4		

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty formerly in obtaining full particulars in time for publication in the successive weekly returns. Formerly described as "Simple Continued Fever."

40 *Population, Births, and Deaths in London Sub-Districts.*
TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th February, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												
				Deaths of		Deaths from										
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,536,429	2722	1580	305	539	-	26	9	16	37	-	5	-	21	45	159
WEST DISTRICTS - - -	805,311	398	282	42	110	-	1	1	2	7	-	2	-	2	7	18
NORTH DISTRICTS - - -	1,056,070	524	354	71	124	-	8	3	2	11	-	1	-	6	4	30
CENTRAL DISTRICTS - - -	209,465	131	90	13	24	-	2	-	1	1	-	-	-	7	15	40
EAST DISTRICTS - - -	715,739	507	238	65	65	-	8	-	2	4	-	-	-	4	6	40
SOUTH DISTRICTS - - -	1,749,844	1162	569	113	201	-	7	3	7	14	-	2	-	8	20	55
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	47	1	15	-	-	2	2	-	-	-	-	1	1	1
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	93,178	39	36	9	17	-	-	-	-	-	-	-	-	-	1	3
W,2H } - - -																
St. John Paddington H - - G.	33,617	13	11	1	7	-	-	-	-	-	-	-	-	-	1	1
North-West Paddington H - - C.	17,181	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2 W,w,2H G., W. & C.	128,037	69	54	3	23	-	-	-	-	2	-	-	-	1	1	3
Brompton 2H - - - W. & C.	48,591	12	18	3	4	-	1	-	-	-	-	-	-	1	4	4
North Hammersmith W,w,H } W. & G.	49,192	30	14	2	8	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith w,2H } - - -	63,047	27	14	1	4	-	-	-	-	-	-	-	-	-	-	2
North-west Fulham W } - - -	45,180	56	35	8	6	-	-	-	-	4	-	-	-	-	2	2
North-east Fulham F } W. & C.	46,405	24	15	2	6	-	-	1	2	-	-	-	-	-	-	-
South Fulham W } - - -	45,704	27	8	-	3	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - C.	42,514	13	20	5	14	-	-	-	-	1	-	-	-	1	-	1
Chelsea South W,2H - - C.	31,328	17	7	-	4	-	-	-	-	-	-	1	-	-	-	-
May Fair and Knightsbridge C. & G.	28,743	7	5	-	2	-	-	-	-	-	-	-	-	-	-	1
Belgrave W,2H - - - C.	55,815	30	18	5	3	-	-	-	-	-	-	1	-	-	1	1
St. Margaret & St. John 4H - - C.	43,998	21	15	3	6	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster } N. & G.	21,588	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
W,H } - - -																
St. Anne Soho 5H - - - N.	11,493	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone 8H - - W.	35,391	10	15	2	3	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone W G. & W.	19,849	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.	18,099	41	3	1	1	-	-	-	-	1	-	-	-	-	-	-
Christchurch Marylebone H-W.	39,536	16	12	2	4	-	1	-	-	1	-	-	-	1	4	1
St. John Marylebone 3H - - W.	20,426	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,6H - - N. & W.	81,042	37	20	4	8	-	-	-	1	1	-	-	-	-	-	-
West St. Pancras 2H - - W.	60,562	32	13	5	3	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway W,6H - - N. & W.	21,258	9	15	1	7	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane 4H - - N.	34,449	18	12	6	2	-	-	-	1	-	-	-	-	1	-	-
East St. Pancras W,2H - - N.	60,320	25	24	6	7	-	-	-	-	-	-	-	-	-	3	1
North St. Pancras 2W - - N.	58,728	33	20	8	7	-	4	-	-	3	-	-	-	-	-	-
Tufnell W - - - N.	31,995	13	34	2	12	-	-	-	-	-	-	-	-	1	1	3
Upper Holloway 2W,w,2H - - N.	33,978	20	21	4	6	-	-	-	-	-	-	-	-	-	-	2
Tollington W - - - N.	33,922	20	11	3	4	-	-	-	-	1	-	-	-	-	-	-
Lower Holloway - - - N.	41,424	16	13	2	7	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - N.	54,478	30	14	2	4	-	-	-	-	-	-	1	-	-	-	1
Islington South-east F - - N.	75,397	41	20	4	6	-	-	-	-	1	-	-	-	-	-	1
Highbury 2H - - - N.	63,797	23	18	1	9	-	1	1	-	1	-	-	-	1	-	3
Stoke Newington H - - N.	51,247	18	8	2	4	-	-	-	-	-	-	-	-	-	-	1
North Hackney - - - E. & N.	50,560	21	7	-	3	-	-	-	-	-	-	-	-	-	-	2
Central Hackney 2w,F - E. & N.	50,536	40	18	7	3	-	1	2	-	1	-	-	-	1	6	1
South-west Hackney 3H - E. & N.	59,921	27	18	5	4	-	-	-	-	1	-	-	-	-	-	-
South-east Hackney 2W,w,H E. & N.	58,255	27	31	4	17	-	1	-	-	1	-	-	-	3	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the
namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Dist-
than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a
district contains more than one institution of either kind, the number is indicated by a figure prefixed to
letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signi-
Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River
E. East London; and K. the Kent District.
* See also note * on first page of this return.
† Formerly described as "Simple Continued Fever"

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th February, 1905—continued.

STATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Es and Bloomsbury W, 2H N.	31,436	23	7	-	5	-	-	-	-	-	-	-	-	-	-	-	4	-
W, 4H - - - N. & C.	21,674	6	18	3	5	-	-	-	-	-	-	-	-	-	-	3	4	15
Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
rn W, 6H - - - N.	29,612	22	20	5	1	-	-	-	1	1	-	-	-	-	-	1	3	13
Clerkenwell - - - N.	28,676	18	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Clerkenwell H - - N.	35,028	21	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
ry 3H, L - - - N.	36,116	31	6	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-
n Union Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tolph H - - - N. & E.	10,299	7	4	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
plehre and Allhallows } N.	16,624	3	21	2	7	-	-	-	-	-	-	-	-	-	-	2	4	12
H - - - - - }	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South H - - E. & N.	46,362	44	6	2	1	-	2	-	-	-	-	-	-	-	-	-	1	-
ditch North-West W, w, H N.	36,127	24	27	1	11	-	1	-	-	-	-	-	-	-	-	1	3	23
ditch North-East - N. & E.	36,148	21	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
ditch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
al Green North 2H - - E.	51,514	34	15	3	6	-	-	-	-	1	-	-	-	-	-	-	1	2
al Green South - - - E.	33,472	21	6	5	-	-	1	-	-	-	-	-	-	-	-	-	1	-
al Green East 2W, H, L - E.	44,694	28	22	4	8	-	1	-	-	-	-	-	-	-	-	-	3	14
fields - - - - E. & N.	27,969	17	4	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
nd New Town W, H - - E.	28,718	35	29	9	5	-	-	-	2	-	-	-	-	-	-	2	8	25
nan's Fields - - - E.	22,081	14	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orge and St. John 2W E.	49,068	46	18	7	4	-	-	-	-	-	-	-	-	-	-	-	4	10
well and Ratcliff W, H E. & N.	25,568	17	9	3	1	-	-	-	-	-	-	-	-	-	-	1	1	2
ouse W - - - - E.	32,369	25	12	7	1	-	2	-	-	1	-	-	-	-	-	-	4	-
End Old Town South- }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
stern H - - - - }	63,698	49	11	3	2	-	-	-	-	-	-	-	-	-	-	-	3	-
End Old Town North- }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
stern W, w - - - }	49,129	33	12	1	2	-	-	-	-	-	-	-	-	-	-	-	1	3
L - - - - E.	41,989	26	10	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-
loy 3w, H - - - E.	68,319	49	40	8	18	-	-	-	-	1	-	-	-	-	-	1	1	21
r W, w - - - E.	58,514	26	11	5	1	-	1	-	-	-	-	-	-	-	-	1	3	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th February, 1905—*continued.*

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases.
		Infants under 1 Year of Age.				Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																		
Christchurch Southwark	W, H, & S.		11,263	7	6	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark	H - S.		12,056	14	31	8	5	-	-	-	-	-	-	-	-	3	1	
Kent-road	- S. & L.		21,904	16	6	3	-	-	-	-	1	-	-	-	1	-	-	
St. George the Martyr	- S. & L.		39,094	23	11	4	1	-	-	1	-	-	-	-	-	-	-	
West W, H, L	- - -		49,022	43	12	4	4	-	-	-	-	-	-	-	-	-	-	
Newington North	- S. & L.		72,841	57	23	7	5	-	-	-	3	-	-	-	2	1	3	
Newington South	W - S. & L.																	
St. Olave	2W - - - S.		9,817	14	3	1	1	-	-	-	-	-	-	-	-	1	1	
Bermondsey	W - - - S.		82,483	62	24	7	7	-	-	-	2	-	-	-	-	1	1	
Rotherhithe	W, F - - S. & K.		38,460	34	10	3	1	-	-	-	-	-	-	-	-	1	2	
Waterloo-road	2H - - L. & S.		27,440	37	7	2	2	-	-	-	-	-	-	-	-	-	-	
Lambeth Church 1st	H - L. & S.		18,423	14	23	2	6	-	-	1	-	-	-	-	-	1	3	
Lambeth Church 2nd	2W - L. & S.		39,813	31	24	2	13	-	-	-	-	-	-	-	-	1	1	
Kennington 1st	H - S. & L.		53,198	37	19	6	6	-	-	-	2	-	-	-	-	-	-	
Kennington 2nd	H - S. & L.		42,896	21	17	4	6	-	-	-	-	-	-	-	-	-	-	
Brixton	F - - L. & S.		84,232	57	19	3	7	-	1	-	3	-	-	-	-	-	-	
Norwood	W, H - - L.		35,888	16	6	1	1	-	-	-	-	-	-	-	-	-	-	
East Battersea	H - - S.		72,203	48	12	3	4	-	-	-	-	-	-	-	1	1	2	
North-west Battersea	- - - S.		49,656	39	12	3	1	-	2	-	-	-	-	-	-	-	-	
South-west Battersea	W, H - - S.		47,048	15	32	3	15	-	1	-	-	-	-	-	-	1	3	
Clapham	2H - - S.		51,381	25	13	2	4	-	-	-	1	-	-	-	1	1	1	
Streatham	W, 2w, 2F, 2L - - L.		88,019	62	39	5	20	-	1	1	1	1	-	-	1	5	1	
Springfield	2W, L - - S.		27,959	17	10	4	2	-	1	-	-	-	-	-	-	1	1	
Southfields	H - - S.		40,444	22	8	-	2	-	-	-	-	-	-	-	-	-	-	
Putney	- - - S.		24,139	9	3	2	1	-	-	-	-	-	-	-	-	-	-	
Dulwich	- - - L. & S.		13,359	3	7	2	3	-	-	-	-	-	-	-	-	-	-	
Camberwell South	W, w - S. & L.		40,206	20	22	2	15	-	-	-	-	-	-	-	-	-	-	
Camberwell North	W, 2L - S. & L.		65,584	39	27	4	10	-	-	-	2	-	-	-	-	1	-	
St. George	- - L. & S.		47,331	36	6	2	1	-	-	-	-	-	-	-	-	-	-	
Peckham	2W, w - S., L. & K.		92,859	44	14	4	5	-	-	-	-	-	-	-	-	1	-	
Deptford North	- - - K.		37,613	29	10	3	1	-	-	-	-	-	-	-	-	2	3	
Deptford Central	- - - K.		45,481	31	6	1	2	-	-	-	-	-	-	-	-	1	-	
Deptford South	- - - K.		34,825	11	9	2	5	-	-	-	-	-	-	-	-	-	-	
Greenwich West	2H - - K.		23,456	17	7	-	4	-	-	-	-	-	-	-	-	1	-	
Greenwich East	2W, H - - K.		43,859	29	21	-	10	-	-	-	-	-	-	-	-	-	3	
Eltham	w, H - - - K.		7,226	8	3	-	1	-	-	-	-	-	-	-	-	-	-	
Lee	w H - - - K.		25,490	14	6	2	2	-	1	-	-	-	-	-	-	1	1	
Lewisham	W, w, F - - K.		58,352	52	21	4	11	-	1	1	-	1	-	-	1	1	1	
Sydenham	H - - - L.		43,653	25	13	1	6	-	-	1	1	-	-	-	1	1	2	
Charlton	F, 2H - - - K.		21,134	11	3	1	-	-	-	-	-	-	-	-	-	1	1	
Woolwich	4H - - - K.		41,625	19	10	3	4	-	-	-	-	-	-	-	-	2	-	
Plumstead West	W - - - K.		18,063	13	6	2	1	-	-	-	-	-	-	-	-	1	-	
Plumstead East	2W, H - - K.		50,264	32	8	1	4	-	-	-	1	-	-	-	-	1	2	
Workhouse :—																		
Central London Sick Asylum	-		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals :—																		
Joyce Green	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals :—																		
North-Eastern	-		-	-	5	1	-	-	1	2	-	-	-	-	-	-	-	
Northern	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums :—																		
Caterham	-		-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	
Darenth	-		-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Gore Farm (temporary)	-		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden	-		-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums :—																		
Banstead	-		-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	
Ewell (Epileptic Colony)	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton	-		-	-	9	-	4	-	-	-	-	-	-	-	-	-	-	
Manor	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill	-		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Dartford Heath	-		-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	
Hanwell	-		-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	
Colney Hatch	-		-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	
Claybury	-		-	-	4	-	2	-	-	-	-	-	-	-	-	1	-	

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, ITALAS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week | Saturday, 11th February, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					1 Infants under Year of Age.	60 Persons aged Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
DON—OUTER RING	368,602	2,044,973	1287	572	120	181	-	11	6	15	17	3	3	14	36	95	5	
Carshalton <i>W, 2F, 2H</i>	12,228	32,997	18	6	-	4	-	-	-	1	-	-	-	-	-	-	1	
Epsom, part of * <i>W, W, 2F, H</i>	10,423	15,548	10	7	2	3	-	-	-	-	-	-	-	-	-	5	2	
Godstone, part of * <i>W, F</i>	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulson	11,069	8,166	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
South Croydon <i>W</i>	4,200	49,309	21	8	2	5	-	-	-	-	-	-	-	-	1	-	-	
West Croydon <i>3W, F, H</i>	2,168	42,888	31	20	5	9	-	1	-	-	-	-	2	1	2	9	-	
North Croydon <i>H</i>	2,644	41,698	17	7	1	2	-	-	-	-	-	-	-	-	-	-	-	
Penge <i>W</i>	770	22,465	10	6	-	4	-	-	-	-	-	-	-	-	-	1	-	
Mitcham <i>W</i>	11,711	30,015	19	6	3	1	-	-	-	1	-	-	-	-	1	-	-	
Wimbledon <i>F, 3H</i>	3,221	41,652	23	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
Kingston <i>2W, H</i>	6,224	42,068	21	13	1	6	-	-	-	-	-	-	-	-	-	6	-	
Surbiton <i>F, H</i>	3,046	15,017	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Esher, part of * <i>H</i>	5,402	13,100	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	
Hampton <i>H, L</i>	4,564	23,456	12	6	2	2	-	-	-	-	-	-	-	1	2	-	-	
Richmond <i>W, H</i>	2,162	28,865	12	10	2	6	-	-	-	-	1	1	-	-	-	3	-	
Mortlake <i>F</i>	2,847	20,628	17	4	1	-	-	-	-	1	1	-	-	-	-	1	-	
Bromley <i>F, 2H</i>	4,703	27,354	10	4	-	1	-	-	1	-	-	-	-	1	1	1	-	
Beckenham <i>H</i>	7,825	28,497	15	6	4	-	-	-	-	-	-	-	-	-	-	-	-	
Orpington, part of * <i>W</i>	10,113	9,857	2	3	-	1	-	-	-	-	-	-	-	-	-	2	-	
Chislehurst <i>2H</i>	7,333	16,446	12	4	-	1	-	-	-	-	-	-	-	-	1	1	-	
Bexley <i>F, H</i>	8,678	21,151	13	6	1	2	-	-	-	1	1	-	-	-	1	1	-	
Erith <i>F, H</i>	3,854	25,296	17	8	3	1	-	-	1	-	-	1	-	-	1	1	-	
Dartford <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sunbury <i>W</i>	11,054	18,683	19	5	1	1	-	-	-	-	-	-	-	1	1	-	-	
Staines <i>W, H</i>	13,277	15,178	7	7	2	3	-	-	-	-	-	-	-	-	-	2	-	
Hillingdon <i>W, F, H</i>	6,035	13,661	7	2	-	2	-	-	-	-	-	-	-	-	-	1	-	
Uxbridge <i>H</i>	12,757	8,984	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Hayes <i>W, F, H</i>	8,066	16,358	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
Isleworth <i>3W, 2F, H</i>	6,850	30,863	16	16	1	6	-	-	-	-	-	-	-	-	-	4	-	
Twickenham <i>F, H</i>	2,421	20,991	13	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
Brentford <i>2F, 2H, L</i>	4,319	48,289	32	13	2	6	-	-	-	-	1	-	-	-	1	2	1	
Chiswick <i>H</i>	1,249	29,809	19	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
Acton <i>W, 3H</i>	6,132	48,914	42	13	4	4	-	-	-	-	-	-	1	-	-	2	-	
Harrow <i>F, H</i>	13,809	25,523	7	3	-	1	-	-	-	-	-	-	-	1	-	-	1	
Edgware <i>F, 2H</i>	6,994	4,521	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W, F, 2H</i>	4,384	114,811	76	37	10	10	-	-	-	1	5	-	-	-	1	4	-	
Hendon <i>W, F</i>	8,382	22,450	20	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
South Mimms <i>2F, H</i>	17,755	7,308	4	3	1	-	-	-	-	1	-	-	-	-	-	1	-	
Barnet <i>W, 3H</i>	3,324	17,970	5	4	1	1	-	-	-	-	-	-	-	-	-	1	-	
Finchley <i>F, 2H</i>	4,688	33,692	25	7	2	1	-	-	-	-	-	-	-	-	1	-	-	
Hornsey <i>F, H</i>	2,875	72,066	26	12	2	5	-	-	-	-	-	-	-	-	-	-	-	
Wood Green <i>H</i>	1,625	34,233	24	12	1	4	-	-	-	-	-	-	-	-	2	-	-	
West Tottenham <i>F</i>	996	48,853	44	15	7	4	-	-	-	1	1	-	-	-	1	-	-	
East Tottenham <i>F, H</i>	2,017	53,688	42	23	9	4	-	-	-	1	-	-	-	-	1	4	6	
Edmonton <i>W, W, 2F</i>	7,491	61,892	50	19	6	7	-	-	-	-	1	-	-	-	1	1	4	
Enfield <i>2W, F, H</i>	12,601	42,738	30	12	2	4	-	-	-	-	-	-	-	1	1	2	-	
Waltham Abbey	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt <i>F, H</i>	8,479	12,292	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Hatfield, part of * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i>	9,333	9,173	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W, 2F part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i>	1,072	44,827	33	13	2	1	-	2	-	-	1	-	-	2	2	1	-	
Plaistow <i>F, 2H</i>	1,249	90,921	69	30	5	8	-	1	-	3	1	-	-	1	2	4	-	
Canning Town <i>H</i>	1,553	70,718	53	28	9	6	-	-	-	-	5	-	-	1	2	-	-	
Forest Gate <i>W</i>	806	60,892	18	16	2	7	-	-	-	-	-	-	-	-	-	-	-	
North East Ham <i>W</i>	1,333	58,676	48	12	3	4	-	-	-	-	-	-	-	1	1	-	-	
South East Ham <i>2F</i>	1,993	37,342	44	9	2	1	-	2	-	2	-	-	-	-	1	2	-	
Wanstead <i>F</i>	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
South Leyton <i>2W</i>	631	50,467	27	8	3	1	-	-	-	-	-	-	-	2	2	1	-	
North Leyton <i>W, W, F</i>	1,963	48,445	25	33	2	9	-	5	-	-	-	2	-	-	-	17	-	
Walthamstow <i>3H, L</i>	6,504	108,929	79	19	3	3	-	-	-	-	-	-	-	-	1	1	-	
Chigwell, part of * <i>2F, 3H</i>	11,778	16,397	7	6	-	4	-	-	-	1	-	-	-	-	-	1	-	
Epping <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, part of * <i>W, 2F</i>	6,556	6,091	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	
Ilford <i>F, L</i>	8,496	41,234	20	14	2	5	-	-	1	-	-	-	-	-	-	3	-	
Barking Town <i>F</i>	3,803	21,547	24	9	2	2	-	1	-	-	-	-	-	-	-	-	-	
Eastern Hosp., Hackney	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-	
London County Asylum, Carshalton.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	

parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	February 11	2722	1580	17·6	-	26	9	16	37	5
CALCUTTA - -	847,796	December 31	-	655	40·1	1	2	-	2	1	18
BOMBAY - -	776,003	January 24	425	1139	76·3	94	12	-	-	2	371
MADRAS - -	509,348	" 13	347	390	39·8	2	1	?	?	?	108
PARIS - -	2,680,551	February 4	1058	1096	21·4	-	2	1	7	6	5
BRUSSELS - -	586,936	" 4	223	209	18·5	-	2	-	2	1	-
ANTWERP - -	286,695	" 4	160	92	16·7	-	6	-	-	2	-
AMSTERDAM -	551,415	January 28	283	169	16·0	-	4	-	2	7	-
COPENHAGEN -	426,000	February 4	224	147	18·0	-	4	-	1	3	-
STOCKHOLM -	309,496	January 28	146	116	19·5	-	-	3	6	-	-
CHRISTIANIA -	223,649	February 4	128	86	20·0	-	1	-	3	3	-
ST. PETERSBURG	1,248,122	January 28	772	957	39·9	1	9	10	21	4	31
MOSCOW - -	1,092,360	" 28	-	625	29·8	2	5	14	10	6	2
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,000,891	January 21	933	658	17·1	1	14	7	6	6	-
HAMBURG - -	772,852	February 4	-	266	17·9	-	1	2	1	1	-
BRESLAU - -	458,896	" 4	-	-	-	-	-	-	-	-	-
MUNICH - -	528,000	" 4	-	234	23·0	-	1	1	3	-	1
VIENNA - -	1,877,839	" 4	1032	820	22·7	-	11	2	17	1	1
PRAGUE - -	430,569	" 4	209	194	23·4	-	1	-	2	-	1
BUDA-PESTH -	836,267	" 4	464	347	21·6	-	5	2	2	-	1
TRIESTE - -	191,403	" 4	142	138	34·5	-	-	-	1	1	1
ROME - -	503,857	December 31	-	-	-	-	-	-	-	-	-
VENICE - -	166,288	" 17	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	January 21	219	144	23·3	-	-	-	-	-	1
NEW YORK - -	3,948,191	" 28	1729	1437	19·0	-	7	13	40	6	14
CHICAGO - -	1,932,315	" 21	-	591	15·5	1	5	3	9	3	9
PHILADELPHIA -	1,438,318	" 21	-	519	18·8	-	1	2	10	2	12
BOSTON - -	617,950	" 14	-	232	19·5	-	-	2	8	2	1
RIO DE JANEIRO	850,000	" 15	-	278	17·0	23	2	-	3	3	4†

* Excluding deaths from croup in the Indian Cities.
† Including 18 deaths from plague in Calcutta, 301 in Bombay, and 4 in Rio de Janeiro.
‡ Including 101 deaths from cholera.
§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th February, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	51·0	34·1	44·7	0·12	BRADFORD - -	50·2	31·0	42·6	0·0
BRIGHTON - -	49·4	36·9	45·4	0·07	LEEDS - - -	56·0	30·0	43·5	0·0
PORTSMOUTH -	51·0	37·0	46·2	0·01	HULL - - -	51·0	28·0	40·8	0·0
NORWICH - -	53·8	26·8	41·7	0·17	TYNEMOUTH -	52·0	29·0	41·0	0·0
PLYMOUTH - -	52·7	38·4	47·0	0·06					
BRISTOL - -	51·4	34·0	45·1	0·07	EDINBURGH -	51·1	28·6	41·7	0·0
BIRMINGHAM -	56·3	31·6	42·8	0·14	GLASGOW - -	52·2	32·0	42·3	0·0
NOTTINGHAM -	52·9	28·0	41·1	0·14					
LIVERPOOL - -	52·0	33·0	42·8	0·27	DUBLIN { Phoenix Park. Fitz- william Square.†	52·8	30·5	44·4	0·0
MANCHESTER -	50·9	29·4	41·6	0·40		51·0	35·1	45·9	0·0
PRESTON - -	50·0	34·0	42·4	0·25					
HUDDERSFIELD -	50·2	27·0	41·2	0·16	BELFAST - -	52·8	31·0	43·9	0·0

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

[illegible]

The results apply to the civil day, or from midnight to midnight.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 139 feet above the mean level of the sea; the correction has been applied to the readings to reduce to sea level. The means of the observations were usually taken at 9h. A.M., noon, 3h. P.M. and 9h. P.M. The means of

Observations are usually taken at 9h, A.M. noon, 3h, P.M. and 9h, P.M. The means of the readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1968 for the thermometer. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean values of the dry and wet bulb thermometers by Glaisher's Hygro-thermical Tables.

The values of the dry and wet bulb instruments by Gausner, Simpson, and others, and the average temperature of the air that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876, will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, "lower," than the average.

which cannot be determined. Thomson's self-registering Electrometer. The record of Electricity is derived from
The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.24 in. at the beginning of the week 30.32 in. by 10h. P.M. on the 5th; decreased to 30.16 in. by 9h. P.M. on the 6th; increased 30.34 in. by 11h. A.M. on the 8th; decreased to 30.13 in. by 6h. P.M. on the 10th; and increased to 30.29 in. by midnight on the 11th.

GENERAL REMARKS.

DATE.		ELEVATIONS. (For explanation of symbols, see Note.)	Registered Sun above Sunline in hours.	Registered Sun above Sunline in hours.	GENERAL REMARKS.
SUNDAY	- 5	Loss of Register till 11h. A.M.; w. P. afterwards.	26	9.3	Fine and partially cloudy till 1h. P.M.; overcast afterwards; very mild.
MONDAY	- 6	w. P. generally; occasional m. P.	0.0	9.4	Overcast till 4h. P.M.; fine and partially cloudy afterwards; mild.
TUESDAY	- 7	w. P. throughout.	0.0	9.4	Overcast; frequent slight rain after 8h. A.M.
WEDNESDAY	- 8	w. P. generally.	2.6	9.5	Generally overcast; occasional fine intervals after 10h. A.M.; slight fog at and about 10h. P.M.
THURSDAY	- 9	w. P. generally; m. P. in evening.	0.0	9.5	Generally overcast.
FRIDAY	- 10	w. P. generally; occasional m. P.	0.8	9.6	Generally cloudy; occasional fine inter- vals; mild.
SATURDAY	- 11	w. P. generally till 9h. A.M.; s. P. after- wards.	5.1	9.7	Cloudless with slight hoar frost in morn- ing; very fine afterwards and partially cloudy in afternoon.
			Sum 11.1	Sum 66.4	
No. of Col.		-	28	29	

TABLE 10.--NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 4th February 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	6	1	-	-	-	-	1	1
Kensington - - - -	180,083	-	3	2	-	1	-	-	4	-
Hammersmith - - - -	119,037	-	7	2	-	-	-	-	1	-
Fulham - - - -	157,210	-	3	3	-	12	-	-	3	2
Chelsea - - - -	74,496	-	3	-	-	-	-	-	5	-
City of Westminster - - - -	175,606	-	5	1	-	1	-	-	1	1
NORTH.										
St. Marylebone - - - -	129,453	-	5	-	-	2	-	-	1	-
Hampstead - - - -	88,142	-	2	-	-	-	-	-	2	-
St. Pancras - - - -	236,183	-	10	6	-	1	-	-	2	-
Islington - - - -	342,994	-	14	10	-	2	-	-	3	-
Stoke Newington - - - -	52,828	-	2	2	-	-	-	-	-	-
Hackney - - - -	228,479	-	8	10	-	2	-	-	5	-
CENTRAL.										
Holborn - - - -	56,481	-	2	2	-	1	-	-	2	-
Finsbury - - - -	98,207	-	4	1	-	-	-	-	2	-
City of London - - - -	22,425	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	5	9	-	-	-	-	-	1
Bethnal Green - - - -	130,401	-	15	11	-	1	-	-	3	1
Stepney - - - -	305,466	-	31	18	1	2	-	-	9	1
Poplar - - - -	170,280	-	11	9	-	2	-	-	1	-
SOUTH.										
Southwark - - - -	208,528	-	8	2	-	-	-	-	4	1
Bermondsey - - - -	129,006	-	7	4	-	1	-	-	2	-
Lambeth - - - -	313,045	-	14	5	-	2	-	-	-	-
Battersea - - - -	177,532	-	7	6	-	2	-	-	4	2
Wandsworth - - - -	265,392	-	32	7	-	6	-	-	5	-
Camberwell - - - -	271,240	-	18	4	-	-	-	-	9	-
Deptford - - - -	114,495	-	11	1	-	3	-	-	1	-
Greenwich - - - -	103,493	-	1	2	-	1	-	-	4	-
Lewisham - - - -	144,420	-	13	5	-	-	-	-	1	-
Woolwich - - - -	125,372	-	2	13	-	-	-	-	-	1
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,684,794	252	144	1	32	-	-	76	11
AGES.										
Ages 0-1 - - - -	-	-	4	3	-	-	-	-	2	-
" 1-5 - - - -	-	-	84	60	-	1	-	-	3	-
" 5- - - - -	-	-	104	47	-	11	-	-	5	-
" 10- - - - -	-	-	28	10	1	7	-	-	2	-
" 15- - - - -	-	-	13	9	-	2	-	-	1	-
" 20- - - - -	-	-	10	7	-	4	-	-	8	2
" 25- - - - -	-	-	9	5	-	2	-	-	8	7
" 35- - - - -	-	-	-	2	-	3	-	-	16	1
" 45- - - - -	-	-	-	1	-	2	-	-	10	1
" 55- - - - -	-	-	-	-	-	-	-	-	11	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	10	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JANUARY, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
6th February, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of January.

Thirteen samples were taken in each of the eight districts, except in the cases of the Grand Junction and East London districts, in both of which fourteen samples were collected. The total number of analyses made during the month was 106.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ January 17th, Cab Rank, Victoria Street, near Christ Church. }	4·6	33·84	·207	·021	0	·314	·335	1·9	23·1
West Middlesex - -	{ January 17th, Cab Rank, Albert Road, N.W. }	4·3	31·88	·216	·022	0	·221	·243	1·85	22·2
Southwark - - - -	{ January 17th, Cab Rank, Southwark Street, by Hop Exchange. }	4·2	33·70	·180	·016	0	·278	·294	1·85	23·9
Grand Junction - -	{ January 18th, Cab Rank, Pickering Place, Westbourne Grove. }	5·0	33·06	·178	·016	0	·303	·319	1·8	23·1
Lambeth - - - -	{ January 17th, Cab Rank, Waterloo Road, opposite St. John's Church. }	4·3	33·42	·196	·022	0	·285	·307	1·85	22·8
LEA, WELLS, ETC.										
New River - - - -	{ January 16th, Government Labora- tory. }	6·0	35·40	·090	·011	0	·269	·280	1·95	22·8
East London - - - -	{ January 16th, Tap on main at Lea Bridge Works. }	3·0	40·56	·134	·018	0	·372	·390	2·1	26·9
DEEP WELLS.										
Kent- - - - -	{ January 16th, Police Station, Black- heath road. }	11·0	39·52	·041	·005	0	·522	·527	2·1	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 17th January, at the cab rank in Victoria Street, had a temperature of 4·6° C.; 100,000 lbs. of it contained 33·84 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·207 lb. of carbon and ·021 lb. of nitrogen. The above quantity of water also contained ·314 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·335 lb. The above weight of water also contained 1·9 lb. of chlorine and 23·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 16th and 17th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:— Kent 0·8, New River 1·7, East London 2·6, Grand Junction and Southwark 3·3, Lambeth 3·7, Chelsea 3·9, and West Middlesex 4·0.

The five supplies drawn from the River Thames contained only moderate amounts of organic impurity and were clear and of good quality.

The filtered Lea and well water distributed from the New River district works on the 16th January contained somewhat more organic matter than was found in the corresponding examination in December, but the actual amount was less than half that present in the Thames water and the supply was clear and of good quality. The filtered water collected at the East London district works at Lea Bridge on the same date contained, as usual, more organic impurity than the New River water, but was superior to the best of the Thames-derived supplies; the water was clear and of good quality.

The deep-well water collected in the Kent district was clear, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless and that from the New River works nearly colourless; the supplies from the remaining district works had a very pale yellow colour.

In addition to the above analytical examination, the 106 samples of water, collected during January at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."	
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)							
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.
THAMES.											
Chelsea	·114	·081	·095	·125	·090	·106	0	0	0	·009	·0075
West Middlesex	·115	·092	·101	·127	·102	·113	0	0	0	·010	·0085
Southwark	·109	·068	·083	·106	·073	·090	0	0	0	·0075	·0065
Grand Junction	·112	·075	·086	·123	·084	·095	0	0	0	·009	·007
Lambeth	·118	·088	·096	·125	·099	·107	0	0	0	·009	·0075
LEA AND WELLS.											
New River	·034	·025	·030	·039	·027	·033	0	0	0	·003	·0025
LEA, THAMES AND WELLS.											
East London	·089	·069	·077	·098	·076	·085	0	0	0	·003	·0065
DEEP WELLS.											
Kent	·008	·006	·007	·010	·007	·009	0	0	0	·0015	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With respect to the five supplies obtained from the Thames, the above results show that those from the Southwark and Grand Junction district works contained, on the average, the lowest proportions of organic matter. The mean amount of organic impurity in the whole of the Thames-derived supplies was slightly less than that recorded in December, and the general quality of the water was superior to that distributed in the month of January for several years past.

The New River district water was of uniform good quality throughout the month.

The East London district supply contained, on the average, less organic impurity than in the previous month, and was of good quality.

All the samples of deep-well water collected in the Kent district were, as usual, of high organic purity and excellent quality.

The whole of the samples examined in January were clear, except two of the Grand Junction supply, taken from the standpipe in the Haymarket near Charles Street on the 18th and 19th, and these were turbid with rust of iron evidently introduced through some disturbance in the mains.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of January, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 205 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	JANUARY, 1904.	JANUARY, 1905.	JANUARY, 1904.	JANUARY, 1905.
TOTAL SUPPLY - - -	980,231	1,020,476	199,871,405	209,654,368
From Thames - - - - -	465,290	474,516	103,178,850	109,359,881
From Lea and from other Sources	514,941	545,960	94,692,555	100,294,487
THAMES.				
Chelsea - - - - -	39,676	39,856	11,361,290	11,585,161
West Middlesex - - - - -	90,372	91,385	22,152,033	23,102,774
Southwark and Vauxhall - - -	128,915	130,121	27,666,983	29,195,000
Grand Junction - - - - -	75,288	78,184	16,153,750	16,421,572
Lambeth - - - - -	131,039	134,970	27,844,794	29,055,374
LEA AND OTHER SOURCES.				
New River - - - - -	179,259	203,650	37,242,850	39,026,659
East London - - - - -	226,672	230,814	39,574,000	43,275,000
Kent - - - - -	109,010	111,496	17,875,705	17,992,828

Note.—The Return for January, 1905, as compared with that for the corresponding month of 1904, shows an increase of 40,245 services, and of 9,782,963 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 7. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, FEB. 18. [Price 1½d.

*General Register Office, Somerset House,
February 20th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 18·0, and 17·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 24·1 in West Hartlepool, 24·7 in Merthyr Tydfil, 25·8 in Ipswich, 25·9 in Stockton on Tees, 26·1 in Preston, 28·2 in Hanley, 30·5 in Portsmouth, and 35·0 in Rhondda; from *measles*, 2·0 in Stockton on Tees, 2·1 in Merthyr Tydfil, 2·7 in Reading, 3·3 in Nottingham, and 3·6 in Portsmouth; from *scarlet fever*, 1·4 in Merthyr Tydfil; from *diphtheria*, 1·1 in Salford, 1·4 in Coventry, and 2·2 in Swansea; from *whooping-cough*, 1·9 in Halifax and in South Shields, 2·7 in Preston, and 3·2 in Hanley. One death from *small-pox* was registered in London, and 1 in Bradford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2612 BIRTHS and 1506 DEATHS were registered. Allowing for increase of population, the births were 129 and the deaths 406 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·9, 17·5, and 17·6 in the preceding three weeks, fell last week to 16·8. During the four weeks ended on Saturday last the death-rate averaged 17·7 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1506 deaths included 1 from small-pox, 28 from measles, 12 from scarlet fever, 11 from diphtheria, 33 from whooping-cough, 4 from enteric fever, and 7 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 96 deaths were referred to these diseases in the aggregate, being 78 below the corrected average weekly number.

One death from *small-pox*, belonging to the Borough of Islington, was registered last week; in the preceding three weeks the deaths had been 1, 0, and 0 respectively. The deaths from *measles*, which had been 30, 21, and 26 in the preceding three weeks, were 28 last week, and were 21 below the corrected average; 4 deaths belonged to Finsbury, 3 to Hackney, and 3 to Shoreditch. The deaths from *scarlet fever*, which had been 9, 10, and 9 in the preceding three weeks, were 12 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 18, 13, and 16 in the preceding three weeks, fell last week to 11, and were 22 below the corrected average; 4 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 38, 32, and 37 in the preceding three weeks, fell last week to 33, and were 18 below the corrected average; 5 deaths belonged to Southwark, 4 to Bethnal Green, and 3 each to Paddington, Hammersmith, and Lambeth. The fatal cases of *enteric fever*, which had been 1, 5, and 5 in the preceding three weeks, were 4 last week, the corrected average being 10. The deaths from *diarrhoea*, which had been 9, 15, and 21 in the preceding three weeks, fell last week to 7, and were 5 below the corrected average. Of the 7 deaths from diarrhoea, 6 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 40, having been 24, 15, and 32 in the preceding three weeks.

Different forms of *violence* caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 52 were attributed to accident or negligence. Eight of the latter were referred to vehicles in the streets, 7 to burns and scalds, 3 to drowning, 4 to the effects of anæsthetics administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 8 cases of small-pox, 2016 of scarlet fever, 866 of diphtheria, 2 of typhus, and 110 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 0, 1, and 1; of scarlet fever, 241 cases, against 251, 229, and 260; of diphtheria, 113 cases, against 127, 127, and 119; and of enteric fever, 12 cases, against 17, 27, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 11th.

GREATER LONDON.

In Greater London 3925 births and 2076 deaths were registered. Allowing for increase of population these numbers are 128 and 536 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from diphtheria, 9 from whooping-cough, 2 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·18 inches, and that of the Thermometer 44°·3, the latter being 4°·9 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 12·8 hours; the measured rainfall amounted to 0·12 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the year 1905.*	Week ended				In Colls.		Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Cause of Death.	TOWNS.				
		1905.				11-17.		Infants under 1 Year of Age.		Deaths from														
		28th Jan., 1905.	4th Feb., 1905.	11th Feb., 1905.	18th Feb., 1905.	Week ended 18th Feb., 1905.	6.	7.	8.	9.	10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.			Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
76 TOWNS	15,609,377	18'4	18'0	17'4	17'3	1'4	8809	5189	1147	1559	2	129	44	67	118	22	23	179	369	1199	57	76 TOWNS.		
LONDON -	-	18'9	17'5	17'6	16'8	1'1	2612	1506	284	497	1	28	12	11	33	4	7	62	136	549	4	LONDON.		
(CROYDON -	-	16'2	15'9	10'9	13'1	0'7	78	37	3	12	-	-	-	-	1	-	-	1	2	8	-	(CROYDON.		
WILLESDEN -	-	13'2	14'3	14'3	14'3	1'1	79	38	13	14	-	-	-	-	3	-	-	-	1	7	1	WILLESDEN.		
HORSEY -	-	10'5	12'4	8'1	9'3	1'2	29	15	2	4	-	-	-	-	1	1	-	-	1	1	-	HORSEY.		
(TOTTENHAM -	-	14'4	16'1	16'1	15'3	0'4	88	34	13	6	-	-	-	1	-	-	-	4	7	8	-	(TOTTENHAM.		
WEST HAM -	-	15'9	19'1	17'5	15'2	1'6	169	86	24	27	-	4	-	1	4	-	-	4	4	26	-	WEST HAM.		
EAST HAM -	-	18'2	14'4	9'7	11'0	1'3	66	26	6	6	-	2	-	1	-	-	-	-	1	1	-	EAST HAM.		
LEYTON -	-	13'7	13'2	11'8	10'5	2'7	62	23	2	9	-	4	-	1	1	-	-	-	2	1	-	LEYTON.		
(WALTHAMSTOW -	-	9'0	12'1	8'5	11'2	1'3	68	25	5	4	-	-	1	-	-	-	2	2	3	9	-	(WALTHAMSTOW.		
HASTINGS -	-	20'3	17'2	24'2	14'8	-	19	19	4	7	-	-	-	-	-	-	-	1	1	2	-	HASTINGS.		
BRIGHTON -	-	14'8	17'6	20'1	14'3	-	71	35	12	14	-	-	-	-	-	-	2	6	8	-	BRIGHTON.			
PORTSMOUTH†	-	13'7	20'4	17'3	30'5	4'9	112	118	25	31	-	14	1	-	3	-	1	4	9	19	-	PORTSMOUTH†		
BOURNEMOUTH -	-	22'9	15'8	17'3	17'3	-	19	22	1	11	-	-	-	-	-	-	-	-	1	3	-	BOURNEMOUTH.		
SOUTHAMPTON -	-	12'3	12'3	19'1	17'2	1'8	62	38	2	13	-	3	-	1	-	-	-	-	4	7	-	SOUTHAMPTON.		
READING -	-	15'4	19'5	19'5	13'4	3'4	37	20	9	9	-	4	-	-	-	-	1	-	1	3	-	READING.		
NORTHAMPTON -	-	20'9	16'4	20'3	17'5	2'3	34	31	7	11	-	-	1	1	2	-	-	-	1	4	1	NORTHAMPTON.		
IPSWICH -	-	16'2	22'8	22'8	25'8	0'7	34	35	9	7	-	1	-	-	-	-	-	2	4	6	-	IPSWICH.		
GREAT YARMOUTH -	-	14'9	16'9	14'9	22'9	-	25	23	6	13	-	-	-	-	-	-	-	2	2	2	-	GREAT YARMOUTH.		
NORWICH -	-	17'9	28'1	24'6	23'7	0'4	66	53	24	16	-	-	-	-	1	-	-	1	4	6	1	NORWICH.		
PLYMOUTH -	-	21'6	23'8	18'9	22'9	0'4	65	51	9	24	-	-	1	-	-	-	-	-	5	9	-	PLYMOUTH.		
DEVONPORT -	-	21'0	20'4	17'6	16'3	0'7	47	24	2	7	-	-	-	1	-	-	-	-	2	-	-	DEVONPORT.		
BRISTOL†	-	18'5	16'3	15'7	13'8	1'9	173	95	23	27	-	2	2	2	7	-	-	2	7	18	-	BRISTOL†		
HANLEY -	-	19'4	33'1	29'0	28'2	4'0	39	35	15	5	-	-	1	-	4	-	-	-	1	1	-	HANLEY.		
BURTON-ON-TRENT -	-	15'9	20'9	15'9	13'9	1'0	27	14	5	3	-	1	-	-	-	-	-	-	1	2	-	BURTON-ON-TRENT.		
WOLVERHAMPTON -	-	16'3	23'6	12'6	13'6	0'5	57	26	6	5	-	1	-	-	-	-	-	-	1	4	-	WOLVERHAMPTON.		
WALSALL -	-	19'6	12'9	16'8	16'3	-	48	29	9	10	-	-	-	-	-	-	-	2	4	3	-	WALSALL.		
HANDSWORTH -	-	9'3	11'8	9'3	7'6	-	32	9	2	4	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.		
WEST BROMWICH -	-	20'8	20'8	19'2	13'8	0'8	41	18	3	8	-	1	-	-	-	-	-	2	2	-	-	WEST BROMWICH.		

* See note on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1904.

Births, Deaths, and Rates of Mortality.

TOWNS	POPULATION estimated to the middle of the year 1905.	DEATH-RATES from all Causes.				Rate from Diseases in Colls. 11-17.		Registered during the week ending 18th Feb., 1905.		The DEATHS registered in the week include											Cols.
		Week ended				Week ended		Deaths of Persons aged under 1 Year of Age.	Deaths from						Inquest Cases.			Deaths in Public Institutions.	Uncertified Causes of Death.		
		1905.				1905.															
		28th Jan., 1905.	4th Feb., 1905.	11th Feb., 1905.	18th Feb., 1905.	28th Jan., 1905.	4th Feb., 1905.		Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoea.	Violence.						
BIRMINGHAM	542,959	16.9	17.2	16.5	15.5	0.9	323	161	28	41	-	4	1	2	1	1	5	10	40	3	BIRMINGHAM.
KINGS NORTON	49,630	12.0	9.0	14.2	7.5	1.5	45	10	1	7	-	-	1	-	1	-	-	3	3	-	KINGS NORTON.
SMETHWICK	62,605	12.5	15.0	9.2	10.8	-	33	13	2	1	-	-	-	-	-	-	1	2	-	-	SMETHWICK.
ASTON MANOR	61,320	18.6	16.7	13.5	7.1	-	38	11	5	2	-	-	-	-	-	-	-	-	1	-	ASTON MANOR.
COVENTRY	75,134	20.8	14.6	16.7	8.3	1.4	52	12	4	3	-	-	-	2	-	-	-	-	-	-	COVENTRY.
LEICESTER	228,132	14.4	16.5	12.3	13.9	1.1	112	61	18	26	-	3	1	-	1	-	2	6	10	1	LEICESTER.
GRIMSEY	68,153	20.7	20.7	15.3	14.5	0.8	34	19	5	6	-	-	-	1	-	-	-	2	1	-	GRIMSEY.
NOTTINGHAM	151,671	24.2	23.6	22.4	20.9	5.4	126	101	22	20	-	16	1	4	3	1	2	3	21	-	NOTTINGHAM.
DERBY	122,207	23.0	13.2	23.5	16.6	1.3	65	39	14	8	-	-	2	-	-	1	1	5	10	-	DERBY.
STOCKPORT	98,320	21.2	17.0	18.6	14.3	1.6	51	27	4	8	-	-	-	-	-	2	2	2	5	-	STOCKPORT.
BIRKENHEAD	116,085	14.4	14.8	18.9	18.4	0.4	89	41	10	12	-	-	-	1	-	-	3	9	5	-	BIRKENHEAD.
WALLASEY	62,460	14.2	13.4	15.0	11.7	0.8	35	14	2	6	-	-	1	-	-	-	3	3	1	-	WALLASEY.
LIVERPOOL	730,143	23.0	20.8	19.9	21.1	1.8	473	295	53	84	-	11	5	3	1	3	13	22	84	12	LIVERPOOL.
BOOTLE	62,768	23.3	16.6	17.4	17.4	0.8	35	21	6	5	-	-	-	1	-	-	-	-	4	-	BOOTLE.
ST. HELENS	88,843	16.3	22.6	16.8	18.6	1.7	53	32	5	12	-	1	-	1	-	1	2	3	8	-	ST. HELENS.
WIGAN†	83,581	19.9	17.5	18.7	12.6	2.4	71	21	6	3	-	-	-	-	2	1	1	-	1	-	WIGAN.†
WARRINGTON	88,301	15.3	13.7	13.0	13.7	0.8	44	18	3	4	-	1	-	-	-	-	-	-	1	-	WARRINGTON.
BOLTON	178,111	15.8	17.9	19.3	15.5	1.5	86	53	11	13	-	3	-	1	1	-	1	3	9	-	BOLTON.
BURY	58,594	15.1	11.6	15.1	20.5	1.8	22	23	4	6	-	-	-	-	-	2	1	2	3	-	BURY.
MANCHESTER†	631,185	16.4	17.6	18.3	19.0	1.2	383	230	45	65	-	1	2	5	5	2	6	13	48	3	MANCHESTER.†
SALFORD	231,514	17.6	17.8	16.4	17.6	1.6	158	78	15	19	-	-	-	5	-	-	2	4	27	1	SALFORD.
OLDHAM	140,225	19.7	13.8	15.6	17.6	1.1	50	51	7	13	-	1	1	1	-	-	2	1	5	-	OLDHAM.
ROCHDALE	86,390	25.4	17.5	14.5	21.7	0.6	37	36	3	13	-	-	-	1	-	-	-	-	3	-	ROCHDALE.
BLACKBURN	101,682	22.1	18.5	20.0	13.8	0.5	64	27	6	5	-	1	-	-	-	-	1	-	11	1	BLACKBURN.
PRESTON	133,067	16.1	18.0	20.8	16.5	0.8	53	42	9	13	-	1	1	-	-	-	-	1	6	3	PRESTON.
	115,721	23.0	22.1	22.1	26.1	3.2	75	58	13	21	-	-	-	1	6	-	-	2	3	3	

TOWNS.	POPULATION estimated in the middle of the Year 1905.*	Week ended				Week ended 11-17.		Deaths of		Deaths from										TOWNS.		
		1905.		1906.		1905.		Infants under 1 year of age.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.		
		29th Jan. 1905.	4th Feb. 1905.	11th Feb. 1905.	18th Feb. 1905.	Week ended 11-17.	Week ended 18th Feb. 1905.														Births.	Deaths.
Colts.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD -	94,888	20.3	19.8	20.3	13.7	0.5	37	25	4	6	-	-	1	-	-	-	-	3	3	2	1	HUDDESFIELD.
HALIFAX -	108,419	19.7	13.5	14.9	13.9	2.4	51	33	9	9	-	-	-	-	4	-	-	1	4	4	-	HALIFAX.
BRADFORD -	286,769	17.6	16.9	14.4	18.5	1.8	142	102	24	32	1	1	2	2	5	1	-	4	14	14	1	BRADFORD.
LEEDS -	456,787	15.8	13.7	16.1	15.6	1.0	237	137	33	45	-	3	3	1	1	3	1	4	21	27	2	LEEDS.
SHEFFIELD -	440,414	18.9	16.5	16.5	17.2	1.7	276	145	35	31	-	3	3	1	6	1	-	4	27	4	4	SHEFFIELD.
ROTHERHAM -	59,794	15.7	12.2	18.3	21.8	2.6	39	25	4	12	-	-	-	1	2	-	-	1	6	8	-	ROTHERHAM.
YORK -	82,362	19.0	12.0	17.7	20.9	0.6	37	33	7	13	-	-	-	1	-	-	-	1	8	-	-	YORK.
HULL -	258,127	19.6	21.0	19.4	17.8	1.6	162	88	24	25	-	1	-	1	6	-	5	8	14	1	1	HULL.
MIDDLESBROUGH -	98,369	29.7	31.3	24.9	22.8	2.7	69	43	13	6	-	1	-	-	-	1	1	2	4	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES -	52,425	24.9	28.8	29.8	25.9	3.0	37	26	10	2	-	2	-	1	-	-	-	2	1	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL -	71,313	24.1	22.7	20.5	24.1	0.7	41	33	9	9	-	-	-	1	-	-	-	2	7	-	-	WEST HARTLEPOOL.
SUNDERLAND -	152,701	20.5	19.8	16.4	15.4	0.7	101	45	9	12	-	-	-	-	1	1	-	3	8	3	3	SUNDERLAND.
SOUTH SHIELDS -	109,360	16.2	17.6	18.6	20.5	3.8	67	43	13	11	-	1	-	1	4	2	-	1	5	2	2	SOUTH SHIELDS.
GATESHEAD -	120,620	20.7	13.0	13.0	17.7	1.3	69	41	16	7	-	3	-	-	-	-	-	2	6	3	3	GATESHEAD.
NEWCASTLE-ON-TYNE† -	264,511	16.8	19.5	18.3	21.9	0.6	185	111	25	28	-	-	-	-	-	-	1	7	15	2	2	NEWCASTLE-ON-TYNE†.
TYNEMOUTH -	53,595	18.5	23.3	16.5	21.4	1.0	32	22	6	6	-	-	-	-	1	-	-	1	4	-	-	TYNEMOUTH.
NEWPORT (MON.) -	72,880	19.3	20.0	17.2	23.6	0.7	47	33	7	10	-	-	-	1	-	-	-	2	8	-	-	NEWPORT (MON.).
CARDIFF -	180,054	15.6	18.5	13.3	13.9	2.0	97	48	7	16	-	5	-	2	-	-	4	4	12	-	-	CARDIFF.
RHONDDA -	124,988	27.1	31.7	24.2	35.0	1.7	83	84	39	9	-	-	-	-	3	1	-	1	2	1	2	RHONDDA.
MERTHYR TYDFIL -	73,848	28.9	33.2	28.2	24.7	3.5	50	35	8	4	-	3	2	-	-	-	3	4	2	2	-	MERTHYR TYDFIL.
SWANSEA -	96,384	18.9	26.5	18.4	21.1	2.2	62	39	10	18	-	-	-	4	-	-	-	5	2	-	-	SWANSEA.
GREATER LONDON -	7,010,172	17.5	16.5	16.0	15.4	1.0	3925	2076	416	680	1	40	14	16	52	7	11	172	643	9	9	GREATER LONDON.
OUTER RING -	2,325,378	14.6	14.5	12.8	12.8	1.0	1313	570	132	193	-	12	2	5	19	3	4	21	33	91	5	OUTER RING.
8 TOWNS IN OUTER RING -	1,135,316	14.4	15.5	13.1	13.0	1.3	639	284	68	82	-	10	2	4	10	1	2	11	20	61	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING -	1,190,062	14.7	13.6	12.6	12.5	0.7	674	286	64	111	-	2	-	1	9	2	2	10	16	33	4	REMAINDER OF OUTER RING.
EDINBURGH -	335,577	21.2	22.3	18.1	16.3	0.9	128	105	15	36	-	-	-	1	4	-	1	?	?	6	6	EDINBURGH.
GLASGOW -	809,988	19.9	19.0	18.5	19.6	2.1	435	395	71	55	-	3	-	-	20	3	6	12	?	76	4	GLASGOW.
DUBLIN† -	378,994	25.5	24.2	25.2	23.5	1.1	182	171	27	39	-	2	-	1	1	3	1	1	6	64	7	DUBLIN†.
BELFAST† -	358,680	24.1	17.9	24.0	22.1	2.2	210	152	29	39	-	10	1	-	1	1	2	5	5	28	?	BELFAST†.

See a column on first page of this volume.

† As enlarged in 1904.

‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2737	2575	2621	2527	2862	2439	2690	2691	2515	2737	2740.6	2611
Males -	1402	1336	1319	1244	1405	1232	1373	1372	1306	1375	1393.9	1331
Females -	1335	1239	1302	1283	1397	1207	1317	1319	1209	1362	1346.7	1279
TOTAL Deaths -	2467	1727	1524	1856	1886	2013	1719	2277	1556	1589	1912.0	1501
Males -	1203	869	787	918	806	1015	833	1103	793	781	951.4	761
Females -	1264	858	737	938	880	998	886	1174	763	808	960.6	740

* The numbers in this column are the average weekly numbers in the seventh week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	13 Weeks
TOTAL Births -	2356	2542	2185	2446	2122	2320	2720	2553	2408	2637	2676	2722	2612	3229
TOTAL Deaths -	1502	1932	1613	1696	1572	1863	1665	1424	1492	1700	1576	1580	1506	2112
Ages at Death														
Under 1 year -	345	400	330	294	278	347	316	270	293	295	293	305	281	405
1–5 years -	144	197	157	164	140	173	144	126	121	156	159	141	160	198
5–20 " -	80	80	82	75	76	60	86	75	72	80	56	96	70	98
20–40 " -	181	234	154	202	191	230	179	177	171	205	182	163	192	246
40–60 " -	312	402	352	345	340	383	355	309	313	349	317	336	303	441
60 yrs. & upwds.	440	619	538	616	547	675	585	467	522	615	569	639	497	722
Deaths from—														
Small-pox -	-	-	-	-	-	-	1	-	1	-	-	-	1	35
Measles -	14	32	22	32	26	44	32	25	21	30	21	26	28	127
Scarlet Fever -	19	5	9	6	3	15	9	14	7	9	10	9	12	185
Diphtheria -	11	18	23	12	13	17	13	9	11	18	13	16	11	168
Whooping-cough -	10	15	19	20	17	25	16	23	24	38	32	37	33	506
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	8	11	4	7	8	9	5	4	1	5	5	4	74
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	18	16	16	16	12	15	12	11	12	9	15	21	7	180
All above Diseases -	75	94	100	90	78	124	91	88	79	106	96	114	96	1231
Dis. of Resp. System	228	357	268	272	236	358	275	174	238	283	280	229	211	3409
Pneumonia -	157	208	180	215	180	163	188	127	139	195	164	171	167	2254
Phthisis -	163	193	163	170	181	192	158	147	160	163	133	134	133	2090
Dis. of Circ. System -	191	255	211	216	200	243	208	179	207	255	236	225	195	2821
Violence -	54	76	55	62	60	76	65	75	46	72	66	45	62	814
Inquest Cases -	124	204	155	170	140	218	185	155	149	201	156	159	136	2062
Deaths in Institutions	536	641	567	628	592	587	605	525	531	604	582	594	549	7541
TEMPERATURE OF THE AIR.														
Mean -	33.7	40.5	42.3	43.4	34.1	41.6	41.0	40.5	33.1	37.4	43.1	44.7	44.3	40.0
Mean of Highest -	37.7	44.5	46.4	47.7	38.0	45.6	45.7	45.4	39.8	42.3	47.8	48.7	48.6	44.5
Mean of Lowest -	28.5	35.8	35.9	37.7	28.7	37.2	34.3	34.1	27.6	32.1	37.9	40.6	39.4	34.6
Mean Humidity of the Air.	82	87	88	87	97	85	83	79	78	85	79	84	76	84
Rain-fall (in inches) -	0.18	0.07	1.54	0.50	0.04	0.09	0.42	0.08	0.47	0.00	0.03	0.12	0.12	3.66
Registered Sunshine (in hours).	9.6	4.3	3.3	5.8	3.5	7.0	1.5	20.2	11.8	10.1	17.1	11.1	12.8	118.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	1	3	4	6	14	17	18	19	18	15	13	9	8	11
Scarlet Fever -	2741	2625	2490	2403	2394	2390	2192	2174	2096	2070	2077	2016	1866	2306
Diphtheria -	919	892	874	839	825	804	827	808	836	840	871	860	866	861
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	0
Enteric Fever -	191	178	165	174	170	159	157	167	146	134	135	123	110	154

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E. and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTH Week of the Year 1905.

ns printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

USES OF DEATH.		Deaths in the 7th week of the year 1904.	1905—Deaths of Persons of the Ages								CAUSES OF DEATH.	Deaths in the 7th week of the year 1904.	1905—Deaths of Persons of the Ages							
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
				0-1.	1-5.	5-20.							0-1.	1-5.	5-20.					
AUSES	- - -	1589	1506	284	160	70	192	303	497	Meningitis (not tuberc.)	16	14	4	9	-	1	-	-		
										Insanity, Gen. Par. of }	14	18	-	-	1	4	8	5		
										Insane - - - - - }	11	8	-	1	-	4	1	2		
										Epilepsy - - - - - }	22	19	18	1	-	-	-	-		
										Convulsions - - - - - }	3	-	-	-	-	-	-	-		
										Locomotor Ataxy - - }	5	4	-	-	1	-	-	3		
										Paraplegia, Dis. of Cord }	22	21	1	-	1	4	6	9		
										Nervous Sys. (other dis.) }	43	44	-	-	5	9	11	19		
										Valv. Dis., Endocarditis- }	42	31	-	-	-	3	10	18		
										Cerebr. Hem. Thromb. - }	21	14	-	-	-	-	6	8		
										Apoplexy, Hemiplegia - }	6	6	-	-	-	1	2	3		
										Aneurysm - - - - - }	2	1	-	-	-	-	-	1		
										Embolism, Thrombosis }	106	99	-	2	2	7	21	67		
										(not cerebral) - - - }	-	-	-	-	-	-	-	-		
										Heart & Blood Vessel Dis.	-	1	-	1	-	-	-	-		
										Croup (not Spasm : nor }	173	178	31	8	-	5	25	109		
										Memb. - - - - - }	7	10	-	-	1	-	4	6		
										Bronchitis - - - - - }	-	8	1	1	1	-	4	1		
										Asthma, Emphysema - }	15	14	2	2	2	2	2	4		
										Pleurisy - - - - - }	-	-	-	-	-	-	-	-		
										Respiratory Dis. (other)	-	-	-	-	-	-	-	-		
										Tonsillitis, Quinsy - - }	3	-	-	-	-	-	-	-		
										Enteritis (not Epid.) - }	6	3	2	-	-	-	-	1		
										Gastro-Enteritis - - - }	4	4	4	-	-	-	-	-		
										Peritonitis (not Puerp.) }	4	4	-	-	-	3	1	-		
										Cirrhosis of Liver - - }	19	12	-	-	-	2	7	3		
										Liver Dis. (other) - - }	7	3	-	-	-	1	1	1		
										Digestive Dis., Other - }	50	41	3	2	8	8	7	13		
										Nephritis, Acute - - - }	6	8	-	-	1	4	2	1		
										Bright's Dis., Albumin- }	34	47	-	-	1	6	21	19		
										uria - - - - - }	15	10	-	-	-	1	4	5		
										Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-		
										Generative Organs Dis. - }	3	2	-	-	-	1	1	-		
										Childbirth (Accid. of) - }	3	3	-	-	-	2	1	-		
										Old Age - - - - - }	60	53	-	-	-	-	-	53		
										Other Diseases - - - }	83	104	64	10	4	7	8	11		
										ACCIDENT.	-	-	-	-	-	-	-	-		
										By Railways - - - - }	2	3	-	-	-	3	-	-		
										By Vehicles and Horses - }	4	8	-	-	-	-	4	4		
										In Ships, Boats, Docks, }	-	-	-	-	-	-	-	-		
										(exclusive of Drown- }	-	2	-	-	-	2	-	-		
										ing) - - - - - }	2	1	-	-	-	-	1	-		
										In Building Operations - }	-	-	-	-	-	-	-	-		
										In Conflagrations - - }	4	7	-	5	1	-	1	-		
										By Burns, Scalds, Ex- }	3	3	1	-	1	-	1	-		
										plosions - - - - - }	11	10	10	-	-	-	-	-		
										By Drowning - - - - }	1	6	-	2	-	2	2	-		
										By Suffocation in Bed - }	-	-	-	-	-	-	-	-		
										By Poisons or Poisonous }	-	-	-	-	-	-	-	-		
										Vapours - - - - - }	15	12	2	1	-	-	1	8		
										Other Deaths by Acci- }	-	-	-	-	-	-	-	-		
										dent	-	-	-	-	-	-	-	-		
										VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-		
										ACCIDENTAL.	-	-	-	-	-	-	-	-		
										Homicide - - - - - }	1	1	1	-	-	-	-	-		
										Suicide - - - - - }	10	9	-	-	-	3	4	2		
										Execution - - - - - }	-	-	-	-	-	-	-	-		

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns. Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, M. SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., in each SUB-DISTRICT during the Week ended Saturday, 18th February, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include											
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from									
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.
LONDON - - -	4,536,429	2612	1506	284	497	1	28	12	11	33	-	4	-	7	62
WEST DISTRICTS - - -	805,311	371	291	44	109	-	2	4	3	12	-	-	-	11	21
NORTH DISTRICTS - - -	1,056,070	553	289	56	94	-	7	12	12	12	-	1	-	10	21
CENTRAL DISTRICTS - - -	209,465	120	89	13	28	-	5	1	1	1	-	1	-	9	11
EAST DISTRICTS - - -	715,739	520	248	59	72	-	9	12	12	8	-	1	-	16	44
SOUTH DISTRICTS - - -	1,749,844	1048	552	112	183	-	5	5	3	10	-	2	-	16	39
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	37	11	1	1	1	1	-	-	-	-	-	-	-
WEST DISTRICTS.															
St. Mary Paddington } G. & W.	93,178	43	26	6	8	-	-	-	-	2	-	-	-	2	3
W. 2H															
St. John Paddington H - G.	33,617	8	16	3	4	-	-	-	-	1	-	-	-	2	2
North-West Paddington - C.	17,181	10	2	-	1	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W W. 2A G. & W. & C.	128,037	70	59	11	25	-	-	-	-	1	-	-	-	2	3
Brompton 2H - W. & C.	48,591	9	15	1	8	-	-	-	-	1	-	-	-	1	2
North Hammer-smith W. W. H } W. & G.	49,192	27	14	7	5	-	-	-	-	-	-	-	-	2	3
South Hammer-smith W. 2H } W. & G.	63,047	29	21	2	10	-	1	-	-	3	-	-	-	2	2
North-west Fulham W } W. & C.	45,180	29	22	3	9	-	-	-	-	-	-	-	-	1	1
North-east Fulham F } W. & C.	46,405	27	15	-	5	-	-	4	3	1	-	-	-	1	1
South Fulham W } W. & C.	45,704	32	13	2	3	-	1	-	-	-	-	-	-	-	-
Chelsea North W. W. 3H - C.	42,514	15	25	1	11	-	-	-	-	1	-	-	-	1	1
Chelsea South W. 2H - C.	31,328	14	15	3	3	-	-	-	-	1	-	-	-	-	1
May Fair and Knightsbridge C. & G.	28,743	6	5	-	3	-	-	-	-	1	-	-	-	-	-
Belgrave W. 2H - C.	55,815	20	24	3	9	-	-	-	-	-	-	-	-	-	1
St. Margaret & St. John 4H - C.	43,698	20	15	-	4	-	-	-	-	-	-	-	-	1	1
St. James Westminster } N. & G.	21,588	9	3	2	1	-	-	-	-	-	-	-	-	-	-
W. H															
St. Anne Soho 5H - N.	11,493	3	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.															
All Souls Marylebone 8H - W.	35,391	9	12	2	1	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone W G. & W.	19,849	7	1	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.	18,099	37	7	2	2	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	19	10	2	3	-	1	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	7	5	-	2	-	-	-	-	-	-	-	-	-	-
Hampstead W. F. 3H - N. & W.	81,942	23	23	3	6	-	1	1	-	-	-	-	-	-	1
West St. Pancras 2H - W.	60,562	27	11	2	5	-	-	-	-	-	-	-	-	1	2
Tottenham-court W. 6H N. & W.	21,258	8	9	-	2	-	1	-	-	-	-	-	-	-	-
Gray's Inn Lane 4H - N.	34,449	16	8	1	1	-	-	-	-	-	-	-	-	-	1
East St. Pancras W. 2H - N.	60,320	35	23	4	11	-	-	-	-	-	-	-	-	-	1
North St. Pancras 2W - N.	58,728	33	19	6	6	-	-	-	-	1	-	-	-	-	1
Tufnell W - N.	31,995	14	17	1	11	-	-	-	-	-	-	-	-	-	-
Upper Holloway 2W. W. 2H - N.	33,978	14	18	3	5	-	-	-	-	-	-	-	-	4	4
Tollington W - N.	33,922	11	5	2	1	-	-	-	-	-	-	-	-	-	-
Lower Holloway - N.	41,424	20	9	3	2	-	-	-	-	-	-	-	-	1	-
Barnsbury - N.	54,478	32	9	3	3	-	-	1	-	-	-	-	-	-	3
Islington South-east F - N.	75,397	57	11	2	4	-	-	-	-	-	-	-	-	-	1
Highbury 2H - N.	63,797	34	15	4	4	-	1	-	-	-	-	-	-	-	1
Stoke Newington H - N.	51,247	15	6	1	2	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	50,560	20	11	1	6	-	-	-	-	-	-	-	-	-	-
Central Hackney 2W. F - E. & N.	50,536	34	19	7	3	-	-	-	2	1	-	1	-	3	3
South-west Hackney 3H E. & N.	58,921	39	20	2	5	-	-	-	-	-	-	-	-	2	2
South-east Hackney 2W. W. H E. & N.	58,265	42	21	4	10	-	3	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Dis- than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, sig Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New R E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 18th February, 1905—continued.

The DEATHS registered during the Week include																		
POPULATION SUB-DISTRICTS	Enumerated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
and Bloomsbury W,2H N.	31,436	24	5	1	3	-	-	-	-	-	-	-	-	-	2	2	2	-
W,4H - - - N. & C.	21,674	5	24	1	10	-	-	-	-	-	-	1	-	-	2	2	19	-
Union Workhouse, Edmonton-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
W,6H - - - N.	29,612	11	14	3	2	-	-	-	-	1	-	-	-	-	-	1	6	-
orkenwell - - - N.	28,676	14	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
orkenwell H - - - N.	35,028	29	4	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
y 3H,L - - - N.	36,116	28	10	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Union Workhouse, }	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Union - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lph H - - - N. & E.	10,299	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
debre and Allhallows } N.	16,824	6	17	1	3	-	-	-	-	-	-	-	-	-	4	4	14	-
London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
South H - - - E. & N.	46,362	31	11	3	2	-	1	-	-	2	-	-	-	-	1	2	-	-
North-West W,w,H N.	36,127	27	24	4	12	-	2	-	-	-	-	-	-	-	3	4	18	-
North-East - - - N. & E.	36,148	26	9	5	4	-	-	-	-	-	-	-	-	-	1	2	-	-
Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Green North 2H - - E.	51,514	28	15	2	2	-	1	-	-	3	-	-	-	-	-	-	3	-
Green South - - - E.	33,472	23	6	6	-	-	1	-	-	-	-	-	-	-	2	2	-	1
Green East 2W,H,L - E.	44,694	20	27	3	12	-	-	-	-	1	-	-	-	-	-	1	19	-
Fields - - - E. & N.	27,969	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d New Town W,H - - E.	28,718	24	44	4	5	-	-	-	-	2	1	-	-	-	6	11	38	-
in's Fields - - - E.	22,081	14	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ge and St. John 2W E.	49,068	54	10	3	2	-	-	-	-	-	-	-	-	1	-	2	3	-
ll and Ratcliff W,H,E. & N.	25,568	14	8	4	1	-	-	-	-	-	-	-	-	-	1	1	5	-
use W - - - E.	32,369	25	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ad Old Town South- }	63,698	66	11	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-
ad Old Town North- }	49,129	44	15	5	4	-	-	-	-	-	-	-	-	-	1	1	8	-
rn W,w - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y 3w,H - - - E.	41,989	29	7	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-
W,w - - - E.	48,319	44	34	7	11	-	1	-	-	-	-	-	-	-	1	10	22	-
W,w - - - E.	56,514	30	19	6	6	-	1	-	-	1	-	-	-	-	-	5	3	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLE, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., in each SUB-DISTRICT during the Week ended Saturday, 18th February, 1905.—continued.

			The DEATHS registered during the Week include														
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Violence.	Subsequent Cases.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.			
SOUTH DISTRICTS.																	
Christchurch Southwark W, H, L. & S.	11,263	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark H - S.	12,066	8	23	3	1	-	-	1	-	-	-	-	-	-	-	-	1
Kent-road - - - S. & L.	21,904	10	4	2	1	-	-	-	-	1	-	-	-	-	-	-	1
St. George the Martyr } S. & L.	39,094	26	11	4	2	-	-	-	-	-	1	-	-	-	-	-	1
West W, H, L. - - -	49,022	29	17	8	4	-	1	-	-	-	2	-	-	-	-	-	1
Newington North - S. & L.	72,841	51	26	6	4	-	-	-	-	-	-	-	-	-	-	-	1
Newington South W - S. & L.																	
St. Olave 2W - - - S.	9,817	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - S.	82,483	59	16	6	2	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe W, F - - S. & K.	38,460	25	19	2	4	-	-	-	-	-	-	-	-	-	-	-	1
Waterloo-road 2H - - L. & S.	27,440	39	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st H - L. & S.	18,423	14	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 2nd 2W - L. & S.	39,818	32	21	2	8	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 1st H - - S. & L.	53,198	39	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 2nd H - - S. & L.	42,896	16	7	3	1	-	-	-	-	-	2	-	-	-	-	-	1
Brixton F - - - L. & S.	84,232	57	31	5	9	-	-	-	-	-	-	-	-	-	-	-	1
Norwood W, H - - - L.	35,888	23	4	1	-	-	-	-	-	2	2	1	-	-	-	-	1
East Battersea H - - S.	72,203	49	18	6	6	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea - - S.	49,656	38	16	4	5	-	1	-	-	-	1	-	-	-	-	-	-
South-west Battersea W, H - S.	47,048	15	21	1	12	-	-	-	-	-	-	-	-	-	-	-	2
Clapham 2H - - - S.	51,361	22	15	2	6	-	-	-	-	-	-	-	-	-	-	-	1
Streatham W, 2w, 2F, 2L - L.	88,019	40	39	6	17	-	1	-	1	-	-	-	1	-	-	-	1
Springfield 2W, L - - S.	27,959	30	8	4	2	-	-	-	-	-	-	-	-	-	-	-	1
Southfields H - - - S.	40,444	21	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Putney - - - - S.	24,139	9	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w - S. & L.	40,206	21	25	2	11	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell North W, 2L - S. & L.	65,584	35	29	3	10	-	-	-	-	-	-	-	-	-	-	-	2
St. George - - - L. & S.	47,331	35	8	3	2	-	-	-	-	-	1	-	-	-	-	-	2
Peckham 2W, w - - - S., L. & K.	92,859	51	24	3	10	-	-	-	-	-	-	-	-	-	-	-	3
Deptford North - - - K.	37,613	20	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - K.	45,481	24	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Deptford South - - - K.	34,625	7	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	11	11	2	6	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich East 2W, H - K.	43,859	25	24	4	8	-	-	-	1	-	-	-	-	-	-	-	3
Eltham w, H - - - K.	7,226	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee w, H - - - K.	25,490	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W w, F - - K.	58,352	35	22	5	12	-	-	-	-	-	-	-	-	-	-	-	-
Sydenham H - - - L.	43,853	19	14	1	7	-	-	-	-	-	-	-	1	-	-	-	1
Charlton F, 2H - - - K.	21,134	14	7	2	3	-	-	-	2	-	-	-	-	-	-	-	-
Woolwich 4H - - - K.	41,825	19	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West W - - K.	18,063	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1
Plumstead East 2W, H - K.	50,264	37	17	1	8	-	-	-	-	-	-	-	-	-	-	-	1
Workhouse :-																	
Central London Sick Asylum -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small pox Hospitals :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green - - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - -	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Northern - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gore Farm (temporary) - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Banstead - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - -	-	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week d Saturday, 18th February, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
NDON—OUTER RING	368,602	2,044,973	1313	570	132	193	-	12	2	5	19	3	4	21	36	94	5	
Carshalton W,2F,2H	12,228	32,997	12	4	2	2	-	-	-	-	-	-	-	-	-	-	-	
Epsom, part of* W,w,2F,H	10,423	15,548	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
Godstone, part of* W,F	2,754	2,692	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	8,166	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
South Croydon W	4,200	49,309	20	10	-	3	-	-	-	-	-	-	-	-	-	-	-	
West Croydon 3W,F,H	2,168	42,888	23	13	1	8	-	-	1	-	1	-	-	1	1	9	-	
North Croydon H	2,644	21,698	35	10	2	2	-	-	-	-	-	-	-	1	1	-	-	
Penge W	770	22,465	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
Mitcham W	11,711	30,015	16	8	2	5	-	-	-	-	-	-	-	-	-	-	-	
Wimbledon F,3H	3,221	41,652	22	9	2	4	-	-	-	-	-	-	1	1	1	-	-	
Kingston 2W,H	6,224	42,068	27	10	2	4	-	-	-	-	-	-	-	-	-	3	-	
Surbiton F,H	3,046	15,017	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Esher, part of* H	5,402	13,100	4	5	1	3	-	-	-	-	-	-	-	1	1	-	-	
Hampton H,L	4,564	23,456	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
Richmond W,H	2,162	28,865	11	4	1	-	-	-	-	-	1	-	-	-	-	-	-	
Mortlake F	2,847	20,628	9	7	1	4	-	-	-	-	-	-	-	-	-	-	-	
Bromley F,2H	4,703	27,354	8	7	1	4	-	-	-	-	-	-	-	-	2	-	1	
Beckenham H	7,825	28,497	20	4	1	3	-	-	-	-	-	-	-	-	-	1	-	
Orpington, part of* W	10,113	9,857	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Chislehurst 3H	7,333	16,446	6	6	1	1	-	-	-	-	-	-	1	1	1	2	-	
Bexley F,H	8,678	21,151	14	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
Erith F,H	3,854	25,296	20	5	-	3	-	-	-	-	1	-	-	1	1	1	-	
Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Sunbury W	11,054	18,683	23	6	2	4	-	-	-	-	-	-	-	-	-	-	-	
Staines W,H	13,277	15,178	15	4	1	3	-	-	-	-	-	-	-	-	-	1	-	
Hillingdon W,F,H	6,035	13,661	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Uxbridge H	12,757	8,984	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
Hayes W,F,H	8,066	16,358	18	9	5	1	-	-	-	-	-	-	-	1	1	-	-	
Isleworth 3W,2F,H	6,850	30,863	15	18	4	4	-	-	-	-	-	-	-	-	-	9	-	
Twickenham F,H	2,421	20,991	11	7	-	3	-	-	-	-	-	-	-	-	-	-	-	
Brentford 2F,2H,L	4,319	48,289	42	15	5	2	-	-	-	-	1	1	-	1	2	-	1	
Chiswick H	1,249	29,809	24	11	4	3	-	-	-	-	1	1	-	-	1	1	-	
Acton W,3H	6,132	48,914	47	15	4	5	-	-	-	-	2	-	-	-	-	-	-	
Harrow F,H	13,809	25,523	17	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Edgware F,2H	6,994	4,521	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden W,F,2H	4,384	114,811	79	38	13	14	-	-	-	-	3	-	-	-	1	7	1	
Hendon W,F	8,382	22,450	14	7	-	2	-	-	-	-	-	-	-	1	1	3	-	
South Mimms 2F,H	17,755	7,308	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Barnet W,3H	3,324	17,970	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Finchley F,2H	4,888	33,692	20	8	1	4	-	-	-	-	-	-	-	-	-	-	-	
Hornsey F,H	2,875	72,056	29	14	2	4	-	-	-	-	1	1	-	-	-	-	-	
Wood Green H	1,625	34,233	23	9	2	4	-	-	-	-	2	-	-	-	1	-	-	
West Tottenham F	996	48,853	51	14	6	1	-	-	-	1	-	-	-	-	1	2	-	
East Tottenham F,H	2,017	53,688	37	15	7	3	-	-	-	-	-	-	-	-	2	4	3	
Edmonton W,w,2F	7,491	61,892	42	20	4	7	-	-	-	-	-	-	-	-	3	3	-	
Enfield 2W,F,H	12,601	42,738	21	11	2	5	-	-	-	-	1	-	-	-	-	1	-	
Waltham Abbey	11,017	6,549	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt F,H	8,479	12,292	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hatfield, part of* W	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey H	9,333	9,173	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford H	1,072	44,827	35	13	4	3	-	2	-	-	-	-	-	-	-	2	-	
Plaistow F,2H	1,249	90,921	54	20	11	4	-	-	-	1	2	-	-	1	1	4	-	
Canning Town H	1,556	70,718	60	21	6	2	-	1	-	-	2	-	-	-	-	-	-	
Forest Gate W	806	60,892	20	12	1	9	-	1	-	-	-	-	-	1	1	-	-	
North East Ham W	1,333	58,676	35	12	2	4	-	-	-	-	-	-	-	-	-	-	-	
South East Ham 2F	1,993	37,342	31	13	4	1	-	2	-	1	-	-	-	-	1	-	-	
Wanstead F	1,679	9,179	2	2	1	1	-	-	-	-	1	-	-	-	-	-	-	
South Leyton 2W	631	50,467	25	22	4	12	-	1	-	1	-	-	-	1	2	11	-	
North Leyton W,w,F	1,963	48,445	37	27	2	6	-	3	-	1	-	-	-	1	3	4	16	
Walthamstow 3H,L	6,504	108,929	78	22	5	5	-	-	1	-	-	-	-	1	1	1	1	
Chigwell, part of* 2F,3H	11,778	16,397	9	7	-	4	-	-	-	-	-	-	-	-	-	-	-	
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, part of* W,2F	6,556	6,091	8	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
Ilford F,L	8,496	41,234	42	16	2	5	-	-	-	-	-	1	-	-	-	3	-	
Barking Town F	3,803	21,547	21	9	4	3	-	2	-	-	-	-	-	-	1	-	-	
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
City of London Asylum, St. George.	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-	
London County Asylum, Hanwell.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	

parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,681,794	February 18	2812	1506	16·8	1	28	12	12	33	-
ALCOUTTA - -	847,798	January 7	-	681	41·7	3	-	-	1	1	230
BOMBAY - -	776,006	" 31	414	1327	88·9	109	13	-	-	2	458
MADRAS - -	509,346	" 20	432	399	40·7	2	-	-	-	-	97
PARIS - - -	2,660,559	February 11	1011	1005	19·5	1	8	-	6	3	6
BRUSSELS - -	586,936	" 11	257	183	16·2	-	-	-	-	-	1
ANTWERP - -	286,695	" 11	164	101	18·3	-	4	-	2	-	-
AMSTERDAM -	551,415	" 4	296	204	19·3	-	7	-	1	10	-
COPENHAGEN -	426,000	" 11	251	150	18·4	-	1	1	-	2	-
STOCKHOLM - -	309,496	" 4	137	130	21·8	-	-	4	2	1	-
CHRISTIANIA -	223,649	" 11	100	88	20·3	1	3	1	3	4	-
ST. PETERSBURG	1,248,122	" 1	772	793	33·1	2	13	13	19	5	23
MOSCOW - - -	1,092,360	" 4	-	605	28·9	1	4	17	14	4	5
WARSAW - - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,002,489	January 28	986	745	19·4	-	12	6	12	3	1
HAMBURG - -	772,852	February 11	-	261	17·6	-	3	-	-	3	-
BRESLAU - - -	458,896	" 1	-	216	24·5	-	1	-	2	1	3
MUNICH - - -	528,000	" 11	-	209	23·7	-	-	-	1	1	1
VIENNA - - -	1,877,839	" 11	-	243	23·9	-	4	-	2	3	-
PRAGUE - - -	430,569	" 11	948	751	20·8	-	9	1	11	1	2
BUDA-PESTH -	836,267	" 11	186	199	24·0	-	4	-	-	1	-
TRIESTE - - -	191,403	" 11	401	330	20·5	-	5	2	5	1	2
ROME - - -	503,857	December 31	104	127	34·0	-	-	-	-	1	2
VENICE - - -	166,288	January 28	186	199	20·5	-	-	-	1	-	1
BUCHAREST - -	282,071	" 28	79	117	36·4	-	-	-	1	-	-
NEW YORK - -	3,948,101	February 4	140	151	30·2	-	-	3	2	-	1
CHICAGO - - -	1,932,315	January 28	2199	1507	19·9	1	8	15	49	4	10
PHILADELPHIA -	1,438,318	" 28	-	568	14·6	1	5	-	10	9	7
BOSTON - - -	617,950	" 21	-	499	18·0	-	-	2	10	-	11
RIO DE JANEIRO	850,000	" 22	-	256	21·5	-	-	2	7	-	-
			-	289	17·7	17	-	-	1	2	12

* Excluding deaths from croup in the Indian Cities.

† Including 31 deaths from plague in Calcutta, 408 in Bombay, and 10 in Rio de Janeiro.

‡ Including 74 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th February, 1905

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	53°5	32°4	44°0	0°12	BRADFORD - -	53°0	27°6	44°2	0°10
BRIGHTON - -	53°0	32°5	44°7	0°10	LEEDS - - -	54°0	29°0	44°9	0°10
PORTSMOUTH - -	54°0	33°5	45°2	0°02	HULL - - -	55°0	28°0	42°9	0°05
NORWICH - -	53°0	28°0	41°3	0°46	TYNEMOUTH - -	57°0	25°0	42°3	0°05
PLYMOUTH - -	54°1	38°0	47°3	0°17					
BRISTOL - -	55°1	30°8	45°0	0°04	EDINBURGH - -	53°3	24°6	42°1	0°05
BIRMINGHAM - -	54°6	30°6	43°4	0°10	GLASGOW - -	52°8	24°4	44°0	0°05
NOTTINGHAM -	?	?	?	?					
LIVERPOOL }					Phoenix	54°5	31°4	45°5	0°05
OBSERVATORY. }	56°0	31°0	43°8	0°20	DUBLIN { Fitz-	55°8	34°1	46°9	0°05
MANCHESTER - -	55°9	27°8	43°5	0°40	william				
PRESTON - -	52°8	50°0	43°3	0°39	Square.†				
BUDDERSFIELD -	53°5	26°0	43°4	0°43	BELFAST - - -	53°0	32°5	43°6	0°05

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1802, for the corresponding period to the above was $0^{\circ} \cdot 4$ Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A.^h M.D. Dublin.

1905.		Phases of the Moon.	METEOR.		Of the Air.				Of the Dew point		Time and Dew Point Temperature.				Degree of humidity (Saturation 100).	Of Radiation.		Of the Earth 3 feet below Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.	Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
MONTH AND DAY	Mean daily reading (corrected and reduced to 32° Fahr-heit).		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average value.	Mean daily value.	Great-est.	Least.	Mean daily value.	High-est.	Lowest in Sun's Rays.	Highest on the Grass.		A.M.	P.M.	Great-est.	Least.	Mean hourly obs.	Miles.	Horizontal Movement of the Air on each day.	Depart-ure from the average on each day.			Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 133 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M. ; noon ; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 60 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates 'higher', and - 'lower', than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30°29 in. at the beginning of the week to 30°58 in. by 10h. A.M. on the 12th; decreased to 30°25 in. by 9h. P.M. on the 13th; increased to 30°40 in. by midnight on the 14th; decreased to 29°87 in. by 5h. A.M. on the 17th; increased to 30°12 in. by midnight on the 17th; decreased to 29°74 in. by 9h. P.M. on the 18th; and was 29°76 in. at midnight on the same day.

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sum above in hours.
FEBRUARY.			
SUNDAY - 12	m. P. generally till afternoon; s. P. afterwards.	55	97
MONDAY - 13	m. P. generally till 5h. P.M.; w. P. generally after wards with s. N. at 5h. 30m. P.M.	0°0	98
TUESDAY - 14	w. P. throughout.	0°0	99
WEDNESDAY - 15	w. P. generally; occasional m. P.	0°3	99
THURSDAY - 16	w. P. throughout.	1°0	100
FRIDAY - 17	w. P. and w. N. till 9h. A.M.; m. P. till 2h. P.M.; s. P. afterwards.	52	100
SATURDAY - 18	w. P. generally.	0°8	101
MEANS		Sum 128	Sum 694
No. of Col.	-	28	29

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 11th February 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	7	3	-	-	-	-	-	-
Kensington - - - -	130,083	-	2	5	-	1	-	-	2	-
Hammersmith - - - -	119,037	-	11	10	-	-	-	-	1	1
Fulham - - - -	157,210	-	7	-	-	2	-	-	1	-
Chelsea - - - -	74,496	-	1	-	-	-	-	-	-	-
City of Westminster - - - -	175,606	-	8	2	-	-	-	-	3	-
NORTH.										
St. Marylebone - - - -	129,453	-	6	1	-	2	-	-	5	-
Hampstead - - - -	88,142	-	2	1	-	-	-	-	-	-
St. Pancras - - - -	236,183	-	19	10	-	-	-	-	9	-
Islington - - - -	342,994	1	19	13	-	-	-	-	8	1
Stoke Newington - - - -	52,828	-	6	3	-	-	-	-	-	-
Hackney - - - -	228,479	-	13	5	-	1	-	-	4	-
CENTRAL.										
Holborn - - - -	56,481	-	3	-	-	-	-	-	-	-
Finsbury - - - -	98,207	-	8	4	-	-	-	-	2	-
City of London - - - -	22,425	-	2	1	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	116,565	-	7	2	-	-	-	-	3	-
Bethnal Green - - - -	130,401	-	13	10	-	-	-	-	4	1
Stepney - - - -	305,466	-	26	23	-	5	-	-	9	-
Poplar - - - -	170,280	-	11	12	-	3	-	-	6	-
SOUTH.										
Southwark - - - -	208,528	-	4	7	-	2	-	-	6	1
Bermondsey - - - -	129,006	-	13	2	-	-	-	-	-	-
Lambeth - - - -	313,045	-	8	8	-	-	-	-	4	-
Battersea - - - -	177,532	-	16	3	-	-	-	-	8	1
Wandsworth - - - -	265,392	-	38	9	-	1	-	-	4	-
Camberwell - - - -	271,240	-	11	7	-	1	-	-	5	1
Deptford - - - -	114,495	-	9	1	-	-	-	-	2	-
Greenwich - - - -	103,493	-	4	4	-	1	-	-	1	-
Lewisham - - - -	144,420	-	18	2	-	-	-	-	3	-
Woolwich - - - -	125,372	-	9	11	-	1	-	-	2	-
Port of London - - - -	-	-	1	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		1	302	159	-	20	-	-	94	6
Ages 0-1		-	2	8	-	-	-	-	3	-
" 1-5		-	92	69	-	1	-	-	8	-
" 5-		-	138	51	-	1	-	-	5	-
" 10-		-	37	11	-	7	-	-	4	-
" 15-		-	11	8	-	3	-	-	6	-
" 20-		-	9	6	-	3	-	-	7	2
" 25-		1	11	2	-	3	-	-	16	3
" 35-		-	2	3	-	1	-	-	14	1
" 45-		-	-	1	-	1	-	-	13	-
" 55-		-	-	-	-	-	-	-	12	-
" 65 and upwards		-	-	-	-	-	-	-	6	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board, under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 8. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, FEB. 25. [Price 1½d.

*General Register Office, Somerset House,
February 27th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 18·0, 17·4, and 17·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·0 in Hanley, 21·4 in Warrington and in Bury, 22·8 in Ipswich, 24·7 in Wigan, 26·3 in Portsmouth, and 29·8 in Stockton on Tees; from *measles*, 1·6 in Middlesbrough, 1·9 in South Shields, 3·2 in Southampton, 3·5 in Nottingham, and 4·6 in Portsmouth; and from *whooping-cough*, 1·2 in Nottingham, 1·4 in Preston, 1·6 in Hanley, and 2·3 in Hastings.

LONDON.*

In LONDON 2200 BIRTHS and 1436 DEATHS were registered. Allowing for increase of population, the births were 553 and the deaths 556 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 17·5, 17·6, and 16·8 in the preceding three weeks, fell last week to 16·0. During the four weeks ended on Saturday last the death-rate averaged 17·0 per 1000, being 3·7 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1436 deaths included 18 from measles, 10 from scarlet fever, 13 from diphtheria, 34 from whooping-cough, 2 from enteric fever, and 13 from diarrhoea, but not one death from small-pox, from typhus or from ill-defined pyrexia; thus, 90 deaths were referred to these diseases in the aggregate, being 92 below the corrected average weekly number.

The deaths from *measles*, which had been 21, 26, and 28 in the preceding three weeks, fell last week to 18, and were 37 below the corrected average; 4 deaths belonged to the Borough of Shoreditch and 3 to Stepney. The deaths from *scarlet fever*, which had been 10, 9, and 12 in the preceding three weeks, were 10 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 13, 16, and 11 in the preceding three weeks, were 13 last week, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 32, 37, and 33 in the preceding three weeks, were 34 last week, and were 18 below the corrected average; 5 deaths belonged to Camberwell, 4 each to Kensington and Westminster, and 3 each to Hackney and Lambeth. The fatal cases of *enteric fever*, which had been 5, 5, and 4 in the preceding three weeks, were 2 last week, and were 9 below the corrected average. The deaths from *diarrhoea*, which had been 15, 21, and 7 in the preceding three weeks, were 13 last week, and were equal to the average. Of the 13 deaths from diarrhoea, 11 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 33, having been 15, 32, and 40 in the preceding three weeks.

Different forms of *violence* caused 73 deaths, concerning all but 1 of which inquests were held. Of these 73 deaths, 10 were cases of suicide, and 4 of homicide, while the remaining 59 were attributed to accident or negligence. Seven of the latter were referred to vehicles in the streets, 10 to burns and scalds, 2 to drowning, 2 to the effects of anaesthetics administered for surgical purposes, and 12 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 15 cases of small-pox, 1987 of scarlet fever, 841 of diphtheria, 3 of typhus, and 105 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 7 cases, against 1, 1, and 3; of scarlet fever, 224 cases, against 229, 260, and 241; of diphtheria, 117 cases, against 127, 119, and 113; of typhus, 1 case, against 0, 0, and 2; and of enteric fever, 8 cases, against 27, 6, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 18th.

GREATER LONDON.

In Greater London 3310 births and 1956 deaths were registered. Allowing for increase of population these numbers are 749 and 733 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 1 from scarlet fever, 2 deaths from diphtheria, 9 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·92 inches, and that of the Thermometer 37·°6, the latter being 2°·1 below the week's average in the 50 years 1841-90. The general direction of the wind was North-Easterly, the horizontal movement of the air being 48 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 23·1 hours; the measured rainfall amounted to 0·25 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

THE DEATHS REGISTERED IN THE WEEK ENDING

DEATHS FROM ALL CAUSES.

DEATHS FROM ALL CAUSES.

POPULATION

TOWNS.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1905.*		Causes.				Registered Deaths. 11-17. Week ended 25th Feb., 1905.		Deaths of Persons aged under 1 year and upwards.		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		Week ended				6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.							
		4th Feb., 1905.	11th Feb., 1905.	18th Feb., 1905.	25th Feb., 1905.														Births.	Deaths.					
76 TOWNS	15,609,377	18'0	17'4	17'3	15'7	1'2	7826	4704	1039	1380	110	38	61	102	27	179	376	1110	62	7	7	76 TOWNS, LONDON.			
-	4,684,794	17'5	17'6	16'8	16'0	1'0	2200	1436	230	462	18	10	13	34	2	73	166	506	7	-	-	(CROYDON.			
-	147,704	15'9	10'9	13'1	12'0	0'4	71	34	6	14	-	-	-	-	-	1	3	7	-	-	-	WILLESDEN.			
-	138,080	14'3	14'3	14'3	14'3	1'5	60	38	8	9	-	-	1	2	1	1	2	4	-	-	-	HORNSEY.			
-	84,070	12'4	8'1	9'3	3'7	-	21	6	1	3	-	-	-	-	-	-	-	-	-	-	-	TOTTENHAM.			
-	116,282	16'1	16'1	15'3	16'6	0'4	78	37	10	11	-	-	-	-	-	-	4	3	-	-	-	WEST HAM.			
-	284,897	19'1	17'5	15'2	14'0	2'1	168	79	24	13	4	1	2	4	2	3	6	19	7	-	-	EAST HAM.			
-	123,381	14'4	9'7	11'0	10'1	3'0	52	24	4	5	3	1	2	1	-	1	2	7	-	-	-	LEYTON.			
-	114,555	13'2	11'8	10'5	14'6	0'5	44	32	12	7	-	-	-	1	-	-	1	4	1	-	-	(WALTHAMSTOW.			
-	116,297	12'1	8'5	11'2	9'9	0'4	59	22	6	8	-	-	-	-	-	1	2	3	-	-	-	HASTINGS.			
-	66,820	17'2	24'2	14'8	20'3	2'3	22	26	2	16	-	-	-	3	-	-	2	2	-	-	-	BRIGHTON.			
-	127,183	17'6	20'1	14'3	11'9	0'4	52	29	5	14	-	-	-	-	-	1	3	8	-	-	-	PORTSMOUTH†			
-	201,975	20'4	17'3	30'5	26'3	5'9	99	102	23	35	18	-	1	3	1	3	12	16	-	-	-	BOURNEMOUTH.			
-	66,168	15'8	17'3	17'3	10'2	-	23	13	1	5	-	-	-	-	-	-	-	2	-	-	-	SOUTHAMPTON.			
-	114,897	12'3	19'1	17'2	16'8	4'1	48	37	7	12	7	-	-	1	1	-	5	4	-	-	-	READING.			
-	77,674	19'5	18'5	13'4	16'8	1'3	39	25	9	6	1	-	1	-	-	-	1	6	-	-	-	NORTHAMPTON.			
-	92,441	16'4	20'3	17'5	12'4	0'6	38	22	2	6	-	-	-	1	-	-	2	9	-	-	-	IPSWICH.			
-	70,802	22'8	22'8	25'8	22'8	2'2	36	31	6	10	1	1	1	-	-	-	3	6	2	-	-	GREAT YARMOUTH.			
-	52,353	16'9	14'9	22'9	15'9	1'0	32	16	3	7	-	-	-	-	1	-	2	1	-	-	-	NORWICH.			
-	116,741	28'1	24'6	23'7	18'8	-	68	42	13	20	-	-	-	-	-	3	4	3	1	-	-	PLYMOUTH.			
-	116,000	23'8	18'9	22'9	14'8	0'9	41	33	1	15	-	2	-	-	-	-	2	2	-	-	-	DEVONPORT.			
-	76,864	20'4	17'6	16'3	11'5	0'7	45	17	3	6	-	1	-	-	-	1	3	1	-	-	-	BRISTOL.†			
-	353,515	16'3	15'7	13'8	14'7	1'0	182	101	20	36	1	-	1	5	-	-	16	23	-	-	-	HANLEY.			
-	64,667	33'1	29'0	28'2	21'0	2'4	50	26	10	4	-	1	-	2	-	-	-	4	-	-	-	BURTON-ON-TRENT.			
-	52,424	20'9	15'9	13'9	14'9	1'0	19	15	1	5	-	-	1	-	-	2	3	3	-	-	-	WOLVERHAMPTON.			
-	99,456	23'6	12'6	13'6	14'7	1'6	53	28	7	9	-	-	-	1	-	2	1	7	-	-	-	WALSALL.			
-	92,988	12'9	16'8	16'3	12'3	0'6	49	22	4	5	-	-	-	-	-	1	3	2	-	-	-	HANDSWORTH.			
-	61,721	11'8	9'3	7'6	9'3	-	28	11	2	6	-	-	-	-	-	-	-	-	-	-	-	WEST BROMWICH.			
-	67,823	20'8	19'2	13'8	12'3	3'1	41	16	6	4	-	-	1	-	-	-	-	2	-	-	-				

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 25th February, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in 1905.		Registered during the week ended 25th Feb., 1905.		The Deaths registered in the Week include												TOWNS.
		Week ended				11-17.		Deaths of Persons aged 60 Years and upwards.	Deaths from													
		4th Feb., 1905.	11th Feb., 1905.	18th Feb., 1905.	25th Feb., 1905.	Week ended 25th Feb., 1905.	Week ended 11-17.			Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	542,959	17.2	16.5	15.5	14.4	1.2	318	150	40	45	-	5	-	1	1	2	3	10	11	41	9	BIRMINGHAM.
KINGS NORTON	69,630	9.0	14.2	7.5	8.2	-	40	11	2	6	-	-	-	-	-	-	-	-	2	2	-	KINGS NORTON.
SMETHWICK	62,905	15.0	9.2	10.8	15.0	-	41	18	4	7	-	-	-	-	-	-	-	-	2	2	-	SMETHWICK.
ASTON MANOR	31,320	16.7	13.5	7.1	12.2	0.6	33	13	3	8	-	-	1	-	-	-	-	-	4	4	-	ASTON MANOR.
COVENTRY	75,134	14.6	16.7	8.3	11.1	-	33	16	6	5	-	-	-	-	-	-	-	1	1	2	-	COVENTRY.
LEICESTER	228,132	16.5	12.3	13.9	13.3	1.4	93	58	12	16	-	5	-	-	-	1	-	2	2	13	1	LEICESTER.
GRIMSBY	68,153	20.7	15.3	14.5	19.1	0.8	27	25	7	8	-	-	-	-	1	-	-	3	3	4	2	GRIMSBY.
NOTTINGHAM	251,671	23.6	22.4	20.9	18.9	5.4	111	91	15	28	-	17	-	3	6	-	-	3	3	14	-	NOTTINGHAM.
DERBY	122,207	13.2	23.5	16.6	15.4	1.3	47	36	6	8	-	-	-	1	2	-	-	1	1	7	-	DERBY.
STOCKPORT	98,320	17.0	18.6	14.3	15.4	1.1	50	29	5	8	-	2	-	-	-	-	-	-	-	6	-	STOCKPORT.
BIRKENHEAD	116,035	14.8	18.9	18.4	13.5	0.9	64	30	4	4	-	-	2	-	-	-	3	3	7	-	-	BIRKENHEAD.
WALLASEY	62,460	13.4	15.0	11.7	8.3	-	35	10	3	3	-	-	-	-	-	-	-	-	1	-	-	WALLASEY.
LIVERPOOL	790,143	20.8	19.9	21.1	16.6	1.1	449	232	49	57	-	2	6	4	1	3	-	10	16	73	7	LIVERPOOL.
BOOTLE	62,758	16.6	17.4	17.4	19.1	1.7	35	23	4	8	-	1	-	1	-	-	2	2	5	-	-	BOOTLE.
ST. HELENS	89,843	22.6	16.8	18.6	18.0	1.2	43	31	10	5	-	-	-	1	1	-	1	1	5	1	1	ST. HELENS.
WIGAN†	88,581	17.5	18.7	12.6	24.7	1.2	64	41	12	9	-	1	-	-	-	-	-	1	4	6	1	WIGAN†.
WARRINGTON	68,301	13.7	13.0	13.7	21.4	-	39	28	9	5	-	-	-	-	-	-	-	-	1	7	3	WARRINGTON.
BOLTON	178,111	17.9	19.3	15.5	13.8	0.6	73	47	11	16	-	1	-	1	-	-	2	5	5	-	-	BOLTON.
BURY	58,594	11.6	15.1	20.5	21.4	0.9	26	24	3	12	-	1	-	-	-	-	-	-	3	1	-	BURY.
MANCHESTER†	631,185	17.6	18.3	18.9	17.9	0.9	332	217	50	60	-	2	1	3	3	1	1	9	14	51	4	MANCHESTER†.
SALFORD	231,514	17.8	16.4	17.6	13.3	1.4	116	59	14	13	-	-	2	3	1	-	2	6	12	-	-	SALFORD.
OLDHAM	140,225	13.8	15.6	19.0	18.6	1.1	67	50	8	16	-	-	-	1	2	-	-	-	9	-	-	OLDHAM.
ROCHDALE	86,390	17.5	14.5	21.7	8.5	0.6	30	14	-	6	-	-	-	1	-	-	-	1	2	1	-	ROCHDALE.
BURNLEY	101,682	18.5	20.0	13.8	15.9	1.5	40	31	6	5	-	1	1	1	-	-	-	-	5	5	1	BURNLEY.
BLACKBURN	133,067	18.0	20.8	16.5	18.8	0.4	45	48	11	15	-	-	-	1	-	-	-	1	4	5	2	BLACKBURN.
PRESTON	115,721	22.1	22.1	26.1	19.8	2.3	54	44	5	13	-	-	-	-	-	-	-	-	-	4	2	PRESTON.
BARROW-IN-FURTH	60,306	19.9	13.0	16.4	15.6	-	39	18	8	9	-	-	-	-	3	1	-	-	-	-	-	BARROW-IN-FURTH.

TOWNS.	POPULATION estimated to the middle of 1905.*	CAUSES.				Increase in Col. 11-17.		Average the Week ended 23rd Feb., 1905.		Deaths from											Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		Week ended				11-17.		Average the Week ended 23rd Feb., 1905.		Deaths from													
		4th Feb., 1905.	11th Feb., 1905.	18th Feb., 1905.	25th Feb., 1905.	Week 23rd Feb., 1905.		Average the Week ended 23rd Feb., 1905.		Deaths from													
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	-	94,888	19'8	20'3	13'7	12'6	0'5	48	23	4	7	-	-	-	1	-	-	-	-	1	1	-	21.
HALIFAX.	-	108,419	13'5	14'9	15'9	13'9	1'0	29	29	6	6	-	-	-	1	1	-	1	1	1	3	-	HALIFAX.
BRADFORD.	-	286,719	16'9	14'4	18'5	16'2	1'6	120	89	15	22	-	-	1	1	5	2	-	1	4	17	-	BRADFORD.
LEEDS.	-	456,787	13'7	16'1	15'6	13'1	0'8	222	115	20	30	-	2	4	-	-	1	-	7	15	25	-	LEEDS.
SHEFFIELD.	-	440,414	16'5	16'5	17'2	14'2	0'9	237	126	30	29	-	1	1	1	1	3	-	5	6	23	3	SHEFFIELD.
ROTHERHAM.	-	59,794	12'2	18'3	21'8	14'8	0'9	41	17	3	5	-	1	-	-	1	-	-	1	1	2	-	ROTHERHAM.
YORK.	-	82,362	12'0	17'7	20'9	11'4	-	39	18	2	6	-	-	-	-	-	-	-	-	-	5	-	YORK.
HULL.	-	258,127	21'0	19'4	17'8	14'7	2'0	150	73	24	21	-	3	1	1	5	2	1	2	4	15	1	HULL.
MIDDLESBROUGH.	-	96,369	31'3	24'9	22'8	20'7	2'7	72	39	6	8	-	-	-	-	-	-	2	2	2	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	-	52,425	28'8	29'8	25'9	29'8	2'0	19	30	6	7	-	1	1	-	-	-	-	3	3	4	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	-	71,313	22'7	20'5	24'1	19'0	2'9	42	26	7	9	-	2	-	1	1	-	-	1	2	2	-	WEST HARTLEPOOL.
SUNDERLAND.	-	152,761	19'8	16'4	15'4	15'0	1'0	87	44	9	15	-	-	-	1	2	-	-	-	1	8	-	SUNDERLAND.
SOUTH SHIELDS.	-	109,360	17'6	18'6	20'5	17'2	2'9	66	36	16	6	-	4	-	-	1	1	-	1	2	22	1	SOUTH SHIELDS.
GATESHEAD.	-	120,620	13'0	13'0	17'7	16'0	0'9	73	37	8	12	-	-	-	2	-	-	-	3	4	5	3	GATESHEAD.
NEWCASTLE-ON-TYNE.†	-	264,511	19'5	18'3	21'9	17'7	0'6	160	90	20	22	-	-	-	2	1	-	-	3	4	13	2	NEWCASTLE-ON-TYNE.†
TYNEMOUTH.	-	53,595	23'3	16'5	21'4	19'5	1'9	26	20	7	3	-	-	-	1	1	-	-	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.).	-	72,880	20'0	17'2	23'6	17'2	0'7	37	24	3	6	-	-	-	1	-	-	-	1	1	2	-	NEWPORT (MON.).
CARDIFF.	-	180,054	18'5	13'3	13'9	13'0	1'4	81	45	12	7	-	4	-	-	1	-	-	-	4	3	-	CARDIFF.
RHONDDA.	-	124,988	31'7	24'2	35'0	20'0	1'7	86	48	25	4	-	-	1	-	1	2	-	-	-	2	1	RHONDDA.
MERTHYR TYDFIL.	-	73,848	33'2	28'2	24'7	19'8	0'7	57	28	11	5	-	-	-	-	-	-	1	-	1	1	1	MERTHYR TYDFIL.
SWANSEA.	-	96,384	26'5	18'4	21'1	17'9	-	61	33	12	9	-	-	-	-	-	-	-	-	2	3	1	SWANSEA.
GREATER LONDON.	-	7,010,172	16'5	16'0	15'4	14'5	1'0	3310	1956	418	634	-	26	12	21	52	5	15	93	198	587	11	GREATER LONDON.
OUTER RING.	-	2,325,378	14'5	12'8	12'8	11'7	0'9	1110	520	128	172	-	8	2	8	18	3	2	20	42	81	4	OUTER RING.
8 TOWNS IN OUTER RING.	-	1,135,316	15'5	13'1	13'0	12'5	1'2	553	272	71	70	-	-	1	6	9	3	1	7	20	47	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	-	1,190,062	13'6	12'6	12'5	10'9	0'6	557	248	57	102	-	1	1	2	9	-	1	13	22	34	3	REMAINDER OF OUTER RING.
EDINBURGH.	-	336,577	22'3	18'1	16'3	15'8	1'7	116	102	16	37	-	2	-	3	5	-	1	3	?	?	6	EDINBURGH.
GLASGOW.	-	809,986	19'0	18'5	19'6	17'8	2'0	450	276	53	51	-	4	2	-	16	4	5	11	?	?	9	GLASGOW.
DUBLIN.†	-	375,994	24'2	25'2	23'5	25'5	0'7	290	185	43	43	-	3	-	-	1	-	1	-	1	2	13	DUBLIN.†
BELFAST.†	-	356,680	17'9	24'0	22'1	24'7	1'9	222	170	32	31	-	8	1	1	-	2	1	-	1	41	?	BELFAST.†

† As enlarged in 1904.

See note † on first page of this return

TABLE 2. LONDON.—Births and Deaths Registered in the EIGHTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2787	2497	2727	2644	2752	2805	2673	2723	2449	2456	2752.9	2200
Males - -	1412	1345	1376	1345	1470	1379	1329	1391	1224	1213	1400.1	1081
Females - -	1375	1152	1351	1299	1282	1426	1344	1332	1225	1243	1352.8	1119
TOTAL Deaths -	2863	1705	1627	1889	1875	1894	1853	2569	1444	1467	1992.1	1436
Males - -	1384	858	821	942	976	992	916	1214	733	760	996.3	746
Females - -	1479	847	806	947	899	902	937	1355	711	707	995.8	690

* The numbers in this column are the average weekly numbers in the eighth week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	13 Weeks.
TOTAL Births -	2642	2185	2446	2122	2320	2720	2553	2408	2637	2676	2722	2612	2200	32143
TOTAL Deaths -	1932	1613	1696	1572	1868	1665	1424	1492	1700	1576	1580	1506	1436	21060
Under 1 year -	400	330	294	278	347	316	270	293	295	293	305	284	290	3995
1–5 years -	197	157	164	140	173	144	126	121	156	159	141	160	152	1880
5–20 " -	80	82	75	76	60	66	75	72	80	56	96	70	82	990
20–40 " -	234	154	202	191	230	179	177	171	205	182	163	192	154	2434
40–60 " -	402	352	345	340	383	355	309	313	349	317	336	303	296	4400
60 yrs. & upwds. -	619	538	616	547	675	585	467	522	615	569	539	497	462	7251
Deaths from—														
Small-pox†	-	-	-	-	-	1	-	1	-	-	-	1	-	3
Measles	32	22	32	26	44	32	25	21	30	21	26	28	18	357
Scarlet Fever	5	9	6	3	15	9	14	7	9	10	9	12	10	118
Diphtheria	18	23	12	13	17	13	9	11	18	13	16	11	13	157
Whooping-cough	15	19	20	17	25	16	23	24	38	32	37	33	34	533
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	8	11	4	7	8	9	5	4	1	5	5	4	2	73
Pyæmia (origin uncertain)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	16	16	16	12	15	12	11	12	9	15	21	7	13	175
All above Diseases -	94	100	90	78	124	91	88	79	106	96	114	96	90	1246
Dis. of Resp. System -	357	268	272	236	358	275	174	238	283	280	229	211	175	3356
Pneumonia	208	180	215	180	163	168	127	139	195	164	171	167	160	2257
Phthisis	193	163	170	181	192	158	147	160	163	133	134	133	135	2062
Dis. of Circ. System -	255	211	216	200	243	208	179	207	255	236	225	195	177	2807
Violence	76	55	62	60	76	65	75	46	72	66	45	62	73	835
Inquest Cases -	204	155	170	140	218	185	155	149	201	156	159	136	156	2181
Deaths in Institutions -	641	567	628	592	587	605	525	631	604	582	594	549	506	7511
TEMPERATURE OF THE AIR.														
Mean -	40.5	42.3	43.4	34.1	41.6	41.0	40.5	33.1	37.4	43.1	44.7	44.3	37.6	403
Mean of Highest	44.5	46.4	47.7	38.0	45.6	45.7	45.4	39.8	42.3	47.8	48.7	48.6	42.1	448
Mean of Lowest	35.8	35.9	37.7	28.7	37.2	34.3	34.1	27.8	32.1	37.9	40.6	39.4	34.3	351
Mean Humidity of the Air.	87	88	87	97	85	83	79	78	85	79	84	76	81	84
Rain-fall (in inches) -	0.07	1.54	0.50	0.04	0.09	0.42	0.08	0.47	0.00	0.03	0.12	0.12	0.25	3.73
Registered Sunshine (in hours).	4.3	3.3	5.8	3.5	7.0	1.5	20.2	11.8	10.1	17.1	11.1	12.8	23.1	131.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox	3	4	6	14	17	18	19	18	15	13	9	8	15	12
Scarlet Fever	2625	2490	2403	2394	2390	2309	2192	2174	2096	2070	2077	2017	1987	2248
Diphtheria	892	874	839	825	804	827	808	836	840	871	860	865	841	845
Typhus	-	-	-	-	-	-	-	-	-	-	-	2	3	0
Enteric Fever	178	165	174	170	159	157	157	146	134	135	123	110	105	147

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. O. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTH Week of the Year 1905.

ms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 8th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 8th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES - - -	1467	1436	290	152	82	154	296	462	Meningitis (not tuberc.)	8	14	8	3	2	-	1	-
									Insanity, Gen. Par. of	13	17	-	-	1	4	5	7
									Insane - - -	-	-	-	-	-	-	-	-
ill-pox ² - - -	1	-	-	-	-	-	-	-	Epilepsy - - -	7	8	-	-	-	4	-	4
pox - - -	-	-	-	-	-	-	-	-	Convulsions - - -	24	25	24	-	1	-	-	-
les (Morbilli) - -	32	18	6	11	1	-	-	-	Locomotor Ataxy -	1	1	-	-	-	-	1	3
let Fever - - -	5	10	1	6	3	-	-	-	Paraplegia, Dis. of Cord	6	6	-	-	-	-	3	3
us - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	20	18	1	1	1	1	5	9
ue - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	46	45	-	-	3	8	13	21
enza - - -	11	33	1	1	-	4	7	20	Cerebr. Hæm. Thromb.	35	29	-	-	-	-	8	21
oping-cough - -	41	34	19	15	-	-	-	-	Apoplexy, Hemiplegia	22	17	-	1	-	1	2	13
theria - - -	18	13	1	12	-	-	-	-	Aneurysm - - -	8	5	-	-	-	-	5	-
bro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	-	4	-	-	1	1	1	1
ria,† (Origin un- }	-	1	1	-	-	-	-	-	(not cerebral) }	-	-	-	-	-	-	-	-
tain) - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	94	77	-	1	5	2	22	47
ric Fever - - -	5	2	-	-	-	1	1	-	Croup (not Spasm : nor }	1	-	-	-	-	-	-	-
ic Cholera - - -	-	-	-	-	-	-	-	-	Memb.) - - -	160	164	28	15	-	3	21	97
lemic Diarrhœa }	9	6	5	1	-	-	-	-	Bronchitis - - -	7	3	-	-	-	-	1	2
fective Enteritis }	19	7	4	1	-	1	1	1	Asthma, Emphysema -	4	5	1	-	1	-	1	2
rhœa, Dysentery -	-	-	-	-	-	-	-	-	Pleurisy - - -	8	3	-	1	-	-	2	-
us - - -	1	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
es, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	1	-	-	-	-	-	-	-
iders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	8	3	3	-	-	-	-	-
rax (Splemic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis -	4	6	3	2	-	-	-	1
real Dis. - - -	8	3	2	-	1	-	-	-	Peritonitis (not Puerp.)	-	10	-	-	-	1	5	4
peral Septicæmia -	2	1	-	-	1	-	-	-	Cirrhosis of Liver -	13	2	-	-	-	1	1	-
peral Pyæmia - -	-	-	-	-	-	-	-	-	Liver Dis. (other) -	7	2	-	-	-	-	-	-
peral Fever - - -	-	2	-	-	1	1	-	-	Digestive Dis., Other	43	30	4	1	4	6	6	9
otive Endocarditis	4	2	-	-	-	2	-	-	Nephritis, Acute - -	6	4	-	-	-	1	3	-
Lobar - - -	11	23	-	2	-	8	7	6	Bright's Dis., Albumin- }	43	41	-	-	2	2	12	25
monia { Broncho- -	70	80	26	33	5	2	7	7	uria - - -	9	9	-	-	-	3	6	-
Epidemic - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-
Not defined	61	57	5	9	1	9	17	16	Generative Organs Dis. -	2	2	-	-	2	-	-	-
sipelas - - -	5	4	2	-	-	-	-	2	Childbirth (Accid. of) -	3	5	-	-	-	4	1	-
idæmia (not Puer- }	-	1	-	-	-	1	-	-	Old Age - - -	56	58	-	-	-	-	-	58
mia (not Puerperal)	2	-	-	-	-	-	-	-	Other Diseases - - -	88	101	69	9	9	5	6	3
er Infective Processes	13	7	-	2	1	1	1	2	ACCIDENT.								
erculous Phthisis -	68	78	2	3	7	24	37	5	By Railways - - -	1	3	-	-	-	1	2	-
thists" - - -	79	57	-	-	5	25	21	6	By Vehicles and Horses -	1	7	-	-	-	2	2	3
erculous Meningitis	16	20	2	9	8	1	-	-	In Ships, Boats, Docks, }	1	-	-	-	-	-	-	-
erculous Peritonitis	5	7	4	1	2	-	-	-	(exclusive of Drown- }	-	-	-	-	-	-	-	-
is Mesenterica - -	1	3	1	2	-	-	-	-	ing) - - -	-	2	-	-	-	-	-	-
erculous Dis. (other)-	17	19	1	4	7	3	3	1	In Building Operations -	1	-	-	-	-	1	-	1
fula - - -	-	-	-	-	-	-	-	-	In Conflagrations - -	-	-	-	-	-	-	-	-
holism - - -	10	8	-	-	-	3	3	2	By Burns, Scalds, Ex- }	6	10	-	5	2	-	1	2
umatic Fever - -	7	4	-	-	2	1	1	-	plosions - - -	-	-	-	-	-	-	-	-
t - - -	3	2	-	-	-	-	-	2	By Drowning - - -	4	2	-	-	1	1	-	-
inoma - - -	56	48	-	-	-	3	21	24	By Suffocation in Bed -	13	12	12	-	-	-	-	-
oma - - -	6	5	-	-	-	3	2	-	By Poisons or Poisonous }	1	4	-	1	1	-	2	-
er (undefined) - -	21	33	-	-	-	3	19	11	Vapours - - -	-	-	-	-	-	-	-	-
etes Mellitus - -	10	16	-	-	2	6	4	4	Other Deaths by Acci- }	15	19	5	-	1	-	3	10
nature Birth - -	52	47	47	-	-	-	-	-									
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - -	2	4	2	-	1	1	-	-
									Suicide - - -	6	10	-	-	-	2	4	4
									Execution - - -	-	-	-	-	-	-	-	-

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns. Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th February, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include											
				Deaths of		Deaths from									
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.
LONDON - - -	4,536,429	2200	1436	290	462	-	18	10	13	34	-	2	-	13	73
WEST DISTRICTS	805,311	331	251	41	84	-	1	2	2	12	-	1	-	3	13
NORTH DISTRICTS	1,056,070	473	335	66	111	-	4	5	5	5	-	-	-	1	24
CENTRAL DISTRICTS	209,465	95	67	19	16	-	1	-	-	1	-	-	-	-	3
EAST DISTRICTS	715,739	411	226	50	59	-	9	-	2	3	-	-	-	3	13
SOUTH DISTRICTS	1,749,844	890	513	114	173	-	3	3	4	13	-	1	-	5	20
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	44	-	19	-	-	-	-	-	-	-	-	-	47
WEST DISTRICTS.															
St. Mary Paddington } G. & W.	93,178	40	25	1	14	-	-	-	-	-	-	-	-	-	1
W, 2H															
St. John Paddington H	33,617	9	10	-	3	-	-	-	-	-	-	-	-	-	1
St. North-West Paddington	17,181	6	5	1	3	-	-	-	-	1	-	-	-	-	1
Kensington Town 2W w, 2H G. & W. & C.	128,037	53	41	8	14	-	-	-	-	4	-	-	-	1	3
Brompton 2H - - W. & C.	48,591	9	6	1	4	-	-	-	-	-	-	-	-	-	2
North Hammersmith W, w, H } W. & G.	49,192	27	14	8	-	-	-	-	-	-	-	-	-	-	3
South Hammersmith w, 2H } W. & G.	63,047	23	21	2	6	-	-	-	-	2	-	-	-	2	2
North-west Fulham W } W. & C.	45,180	26	17	3	3	-	-	-	2	-	-	-	-	-	2
North-east Fulham F } W. & C.	46,405	18	12	3	3	-	-	-	2	-	-	-	-	-	1
South Fulham W } W. & C.	45,704	30	12	4	3	-	-	-	-	1	-	-	-	-	1
Chelsea North W, w, 3H - - C.	42,514	9	25	3	10	-	-	-	-	-	-	-	-	-	1
Chelsea South W, 2H - - C.	31,328	17	6	-	2	-	-	-	-	-	-	-	-	-	-
May Fair and Knightsbridge C. & G.	28,743	4	4	-	4	-	-	-	-	-	-	-	-	-	-
Belgrave W, 2H - - C.	55,815	23	18	3	3	-	-	-	-	2	-	1	-	-	3
St. Margaret & St. John 4H - C.	43,698	30	18	2	5	-	-	-	-	2	-	-	-	1	1
St. James Westminster } N. & G.	21,588	2	14	2	4	-	1	-	-	-	-	-	-	-	1
W, H															
St. Anne Soho 5H - - N.	11,493	5	3	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.															
All Souls Marylebone 8H - W.	35,391	12	16	2	4	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone W G. & W.	19,849	2	3	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.	18,099	30	4	1	1	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone H- W.	39,536	25	12	4	-	-	1	-	-	-	-	-	-	1	1
St. John Marylebone 3H - W.	20,426	5	7	1	2	-	-	-	-	-	-	-	-	-	-
Hampstead W, F, 8H - N. & W.	81,942	32	21	8	3	-	-	1	2	-	-	-	-	-	1
West St. Pancras 2H - - W.	60,562	26	18	2	5	-	-	-	-	-	-	-	-	-	3
Tottenham-court w, 6H - N. & W.	21,258	4	14	3	3	-	-	-	-	-	-	-	-	-	6
Gray's Inn Lane 4H - - W.	34,449	14	14	1	6	-	-	-	-	1	-	-	-	1	3
East St. Pancras W, 2H - - N.	60,320	31	22	10	5	-	2	-	-	-	-	-	-	-	2
North St. Pancras 2W - - N.	58,728	39	21	3	7	-	-	-	-	-	-	-	-	-	2
Tufnell W - - - N.	31,995	11	25	2	15	-	-	-	-	-	-	-	-	-	1
Upper Holloway 2W, w, 2H - N.	33,978	28	22	-	9	-	-	-	-	-	-	-	-	-	3
Tollington W - - - N.	33,922	7	2	-	2	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,424	15	11	4	3	-	-	-	-	1	-	-	-	-	1
Barnsbury - - - N.	54,478	37	15	5	5	-	-	-	-	-	-	-	-	-	1
Islington South-east F - - N.	75,397	27	14	2	4	-	-	1	-	-	-	-	-	-	3
Highbury 2H - - - N.	63,797	18	9	-	4	-	1	-	-	-	-	-	-	-	-
Stoke Newington H - - N.	51,247	22	12	3	6	-	-	-	-	-	-	-	-	-	2
North Hackney - - E. & N.	50,560	16	8	1	4	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w, F - E. & N.	50,536	25	13	3	3	-	-	3	3	-	-	-	-	-	-
South-west Hackney 3H - E. & N.	59,921	21	19	4	4	-	-	-	-	-	-	-	-	-	2
South-east Hackney 2W, w, H E. & N.	58,255	26	33	5	16	-	-	-	-	3	-	-	-	6	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—Fever Hospital; H—Hospital; L—Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifying Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River. E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 25th February, 1905—continued.

POPULATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.						
CENTRAL DISTRICTS.																					
St. Pancras and Bloomsbury W, 2H N.	31,438	20	4	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-		
St. Pancras W, 4H - - - N. & C.	21,674	1	9	1	4	-	-	-	-	-	-	-	-	-	-	1	1	4	-		
St. Pancras Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras W, 6H - - - N.	29,612	10	16	4	3	-	-	-	-	-	-	-	-	-	1	-	-	9	-		
St. Pancras Clerkenwell - - - N.	28,676	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras Clerkenwell H - - - N.	35,028	18	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
St. Pancras W, 3H, L - - - N.	36,116	31	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras Union - Workhouse, } St. Pancras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras Alph H - - - N. & E.	10,299	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
St. Pancras Alchre and Allhallows } N.	16,824	3	21	6	3	-	-	-	-	1	-	-	-	-	-	1	6	16	-		
St. Pancras London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
EAST DISTRICTS.																					
St. Pancras St. Andrew South H - - E. & N.	46,362	21	7	2	2	-	1	-	-	1	-	-	-	-	-	-	1	1	-		
St. Pancras St. Andrew North-West W, w, H N.	36,127	29	24	6	7	-	3	-	-	1	-	-	-	-	-	2	5	13	-		
St. Pancras St. Andrew North-East - N. & E.	36,148	23	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
St. Pancras St. Andrew Union Workhouse, Wood } St. Pancras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras St. Andrew Green North 2H - - E.	51,514	28	9	3	1	-	-	-	1	-	-	-	-	-	-	1	2	2	-		
St. Pancras St. Andrew Green South - - E.	33,472	20	11	3	3	-	-	-	-	-	-	-	-	-	-	1	1	14	-		
St. Pancras St. Andrew Green East 2W, H, L - E.	44,694	23	20	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras St. Andrew Fields - - - E. & N.	27,969	16	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras St. Andrew and New Town W, H - E.	28,718	18	33	6	3	-	-	-	-	-	-	-	-	-	-	4	5	31	-		
St. Pancras St. Andrew Man's Fields - - - E.	22,081	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-		
St. Pancras St. Andrew George and St. John 2W E.	49,068	32	14	5	2	-	-	-	-	-	-	-	-	-	1	-	6	5	-		
St. Pancras St. Andrew Bell and Ratcliff W, H E. & N.	25,568	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
St. Pancras St. Andrew House W - - - E.	32,369	20	7	1	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-		
St. Pancras St. Andrew Old Town South- } St. Pancras St. Andrew - - - - -	63,698	49	11	5	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-		
St. Pancras St. Andrew Old Town North- } St. Pancras St. Andrew W, w - - -	49,129	22	13	2	4	-	-	-	-	-	-	-	-	-	-	1	1	7	-		
St. Pancras St. Andrew W, w - - - E.	41,989	25	10	1	3	-	-	-	1	-	-	-	-	-	-	-	-	3	3		
St. Pancras St. Andrew W, w - - - E.	68,319	36	34	6	13	-	2	-	-	-	-	-	-	-	-	2	8	18	-		
St. Pancras St. Andrew W, w - - - E.	68,514	23	13	4	4	-	-	-	-	-	-	-	-	-	-	2	3	1	-		

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA: POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 25th February, 1905.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
NDON—OUTER RING	368,602	2,044,973	1110	520	128	172	-	8	2	8	18	3	2	20	42	81	4		
Carshalton w, 2F, 2H	12,228	32,997	12	5	1	2	-	-	-	-	-	-	-	-	-	1	2		
Epsom, part of * W, w, 2F, H	10,423	15,548	5	7	-	5	-	-	-	-	-	-	-	-	-	-	-		
Godstone, part of * W, F	2,754	2,692	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Croydon w	4,200	49,309	20	10	2	5	-	-	-	-	-	-	-	-	1	-	-		
West Croydon 3W, F, H	2,168	42,888	27	18	3	7	-	-	-	1	-	-	-	-	1	6	-		
North Croydon H	2,644	41,688	24	5	1	3	-	-	-	-	-	-	-	-	1	-	-		
Penge w	770	22,465	5	2	2	2	-	-	-	-	-	-	-	-	-	-	-		
Mitcham w	11,711	50,015	28	6	1	1	-	-	-	-	-	-	-	-	1	-	-		
Wimbledon F, 3H	3,221	41,652	21	8	2	5	-	-	-	-	-	-	-	-	-	1	-		
Kingston 2W, H	6,224	42,768	17	11	3	2	-	1	-	-	-	-	-	-	4	2	-		
Surbiton F, H	3,046	15,017	1	5	1	3	-	-	-	-	-	-	-	-	1	1	-		
Esher, part of * H	5,402	13,100	4	5	1	2	-	-	-	-	-	-	-	-	1	1	-		
Hampton H, L	4,564	23,456	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-		
Richmond W, H	2,162	28,865	11	10	2	6	-	-	-	-	1	-	-	-	-	2	-		
Mortlake F	2,847	20,628	7	7	2	1	-	-	-	-	2	-	-	-	1	-	-		
Bromley F, 2H	4,703	27,354	13	5	-	3	-	-	-	-	-	-	-	-	-	1	-		
Beckenham H	7,825	28,497	12	8	2	4	-	-	-	-	-	-	-	1	1	1	-		
Orpington, part of * W	10,113	9,857	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chislehurst 2H	7,333	16,446	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
Bexley F, H	8,678	21,151	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Erith F, H	3,854	25,296	15	6	1	2	-	-	-	-	2	-	-	1	1	-	-		
Dartford W, F, part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sunbury w	11,054	18,683	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Staines W, H	13,277	15,178	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
Hillingdon W, F, H	6,035	13,661	10	3	1	1	-	-	-	-	-	-	-	-	-	1	1		
Uxbridge H	12,757	8,984	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hayes w, F, H	8,066	16,358	9	4	-	-	-	-	-	-	1	-	-	-	-	-	-		
Isleworth 3W, 2F, H	6,859	30,863	26	16	3	9	-	-	-	-	-	-	-	1	1	5	2		
Twickenham F, H	2,421	20,991	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
Brentford 2F, 2H, L	4,319	48,289	21	13	2	7	-	-	-	-	1	-	-	2	1	2	-		
Chiswick H	1,249	29,809	20	5	1	3	-	-	-	-	1	-	-	-	-	-	-		
Acton w, 3H	6,132	48,914	36	12	4	3	-	-	-	-	-	-	-	2	2	-	-		
Harrow F, H	13,809	25,523	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-		
Edgware F, 2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Willesden W, F, 2H	4,384	114,811	60	38	8	9	-	-	-	1	2	1	-	1	2	4	-		
Hendon W, F	8,382	22,450	14	6	2	3	-	-	-	-	-	-	-	1	-	1	-		
South Mimms 2F, H	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnet W, 3H	3,324	17,970	8	4	-	3	-	-	-	-	-	-	-	-	-	2	-		
Finchley F, 2H	4,688	33,692	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
Hornsey F, H	2,875	72,056	21	6	1	3	-	-	-	-	-	-	-	-	1	1	-		
Wood Green H	1,625	34,233	24	5	3	1	-	-	-	-	-	-	-	1	3	1	-		
West Tottenham F	996	48,853	40	20	7	4	-	-	-	-	1	-	-	-	-	-	-		
East Tottenham F, H	2,017	53,688	38	18	3	6	-	-	-	-	-	-	-	-	1	4	-		
Edmonton W, w, 2F	7,491	61,892	35	15	5	4	-	-	-	1	1	-	-	1	2	3	-		
Enfield 2W, F, H	12,601	42,738	24	7	-	6	-	-	-	1	-	-	-	-	-	2	-		
Waltham Abbey	11,017	6,549	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
Cheshunt F, H	8,479	12,292	5	5	2	2	-	-	-	-	-	-	-	-	-	-	-		
Hatfield, part of * W	3,305	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bushey H	9,333	9,173	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-		
Watford W, 2F, part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stratford H	1,072	44,827	28	17	7	1	-	2	-	-	1	-	-	2	4	1	-		
Plaistow F, 2H	1,249	90,921	64	22	8	2	-	-	-	-	2	-	-	1	1	7	-		
Canning Town H	1,556	70,718	56	18	3	2	-	2	-	-	3	-	-	-	1	-	-		
Forest Gate w	806	60,892	20	11	6	4	-	-	-	-	-	-	-	-	-	-	-		
North East Ham w	1,333	58,676	28	9	2	3	-	-	-	-	1	-	-	-	1	1	-		
South East Ham 2F	1,993	37,342	24	11	2	1	-	3	1	2	-	-	-	-	-	2	-		
Wanstead F	1,679	9,179	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Leyton 2W	631	50,467	18	17	4	7	-	-	-	-	-	-	-	-	1	2	-		
North Leyton W, w, F	1,963	48,445	26	29	8	8	-	-	-	-	1	-	-	-	1	2	-		
Walthamstow 3H, L	6,504	108,929	68	22	8	6	-	-	-	-	-	-	-	-	-	-	-		
Chigwell, part of * 2F, 3H	11,778	16,397	9	5	2	1	-	-	-	-	-	-	-	-	1	1	-		
Epping W, F, part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Romford, part of * W, 2F	6,556	6,091	11	7	2	2	-	-	-	-	-	-	-	-	-	-	1		
Ilford F, L	8,496	41,234	39	13	-	6	-	-	-	-	-	-	-	-	-	3	-		
Barking Town F	3,803	21,547	13	4	2	-	-	-	-	-	1	-	-	-	1	1	-		
Eastern Hosp., Hackney	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chislehurst, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting on Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	February 25	2200	1436	16'0	-	18	10	13	34	-
CALCUTTA - -	847,796	January 14	-	679	41'6	2	1	-	-	-	-
BOMBAY - -	776,006	February 7	358	1359	91'1	122	21	-	-	2	-
MADRAS - -	509,346	January 27	341	362	36'9	1	2	-	-	-	-
PARIS - -	2,660,559	February 18	1180	1008	19'6	2	3	1	3	8	-
BRUSSELS - -	586,936	" 18	269	178	15'8	-	1	-	-	-	-
ANTWERP - -	286,695	" 18	156	82	14'9	-	5	-	3	1	-
AMSTERDAM -	551,415	" 11	298	142	13'4	-	11	-	-	9	-
COPENHAGEN -	426,000	" 18	214	132	16'2	-	3	1	-	2	-
STOCKHOLM -	309,496	" 11	146	148	24'9	-	-	3	1	6	-
CHRISTIANIA -	223,649	" 18	131	88	20'5	-	1	1	3	3	-
ST. PETERSBURG	1,248,122	" 11	694	821	34'2	-	12	11	18	8	-
MOSCOW - -	1,092,360	" 11	-	648	30'9	2	9	22	15	2	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,002,489	February 4	996	662	17'2	-	3	11	5	6	-
HAMBURG - -	772,852	" 18	-	242	16'3	-	-	-	4	5	-
BRESLAU - -	458,896	" 18	-	203	23'1	-	-	-	1	2	-
MUNICH - -	528,000	" 18	-	190	18'7	-	-	2	1	4	-
VIENNA - -	1,877,839	" 18	952	767	21'2	-	14	1	12	-	-
PRAGUE - -	430,560	" 18	190	206	24'9	-	2	-	1	-	-
BUDA-PESTH -	836,267	" 18	475	349	21'7	-	4	3	4	-	-
TRIESTE - -	191,403	" 18	127	136	34'0	-	-	2	2	1	-
ROME - -	503,857	January 7	-	-	-	-	-	-	-	-	-
VENICE - -	166,288	February 4	82	101	31'4	-	-	-	1	1	-
		" 11	87	111	34'5	-	-	-	-	-	-
BUCHAREST -	282,071	" 4	180	159	23'3	-	-	2	1	-	-
NEW YORK - -	3,948,191	" 11	1879	1546	20'4	1	3	14	42	9	-
CHICAGO - -	1,932,315	" 4	-	530	13'9	6	5	1	13	7	-
PHILADELPHIA -	1,438,318	" 4	-	538	19'4	-	-	3	9	3	-
BOSTON - -	617,950	January 28	-	204	17'2	-	-	2	3	1	-
RIO DE JANEIRO	850,000	" 29	-	299	18'3	14	5	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 33 deaths from plague in Calcutta, 450 in Bombay, and one in Rio de Janeiro.

‡ Including 106 deaths from cholera in Calcutta and one in Bombay.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th February, 1900.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.		
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*
LONDON (Greenwich)	48'0	31'2	38'2	0'25	BRADFORD - -	42'0	30'0	37'2
BRIGHTON - -	48'8	32'3	39'8	0'23	LEEDS - - -	44'0	32'0	38'5
PORTSMOUTH -	47'5	34'5	40'3	0'26	HULL - - -	47'0	30'0	37'5
NORWICH - -	48'0	32'0	38'6	0'37	TYNEMOUTH -	45'0	30'0	37'5
PLYMOUTH - -	47'7	32'1	39'3	0'42				
BRISTOL - -	46'8	26'1	37'3	0'26	EDINBURGH - -	41'7	29'2	35'3
BIRMINGHAM -	47'0	29'4	36'1	0'28	GLASGOW - -	45'8	27'8	36'7
NOTTINGHAM -	44'3	30'6	37'4	0'23				
LIVERPOOL - -	44'0	30'0	37'1	0'20	DUBLIN { Phoenix Park, Fitz- william Square.†	46'3	28'9	36'3
OBSERVATORY.						46'0	32'0	38'8
MANCHESTER -	46'8	29'8	36'4	0'27				
PRESTON - -	43'0	29'2	36'9	0'24	BELFAST - -	51'8	26'5	37'1
HUDDERSFIELD -	42'3	30'0	35'7	0'21				

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'05 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		Phases of the Moon.	Mean daily reading and reduced to 32° Fahr. (Reid).	Of the Air.					Of the Dew point		and Dew Point Temperature.		Degree of dryness in midday (Saturation equals 100).	Of Radiation.		Of the Earth 3 feet below Surface.	General Direction.		Ozlers.		Pressure on the Square Foot.		Robinson's.	Gauge whose receiving tube is 6 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MONTH AND DAY	FEBRUARY.			High-est.	Low-est.	Daily Range.	Mean daily Average value.	De- parture from Average value, 50 years.	Mean daily value.	Mean daily value.	Great- est.	Least.		Highest in Sun's Rays.	Lowest on the Grass.		A.M.	P.M.	Great- est.	Least.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.			Depart- ure from Average of 15 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

DATE.		ELECTRICITY.		Registered Sunshine.		Sun above Horizon.		GENERAL REMARKS.	
FEBRUARY.		(For explanation of symbols, see Note.)		in hours.		in hours.			
SUNDAY	- 19	w. P. generally till 1h. P.M.; s. P. and s. N. till 5h. P.M.; m. P. generally afterwards.	55	5	5	10°2	10°2	Very fine and generally cloudless in morning; variable with gusty winds and occasional showers afterwards.	
MONDAY	- 20	m. P. generally till 8h. A.M.; s. P. and s. N. till 8h. P.M.; v. P. and w. P. afterwards.	32	6	7	10°2	10°2	Fine and partially cloudy with slight hoar frost in morning; generally cloudy with occasional showers of rain, snow and sleet afterwards. Brisk wind.	
TUESDAY	- 21	w. P. till 9h. A.M.; m. P. generally afterwards with s. N. at 3h. 30m. P.M.	65	7	8	10°3	10°3	Cloudy with occasional showers in morning; very fine generally with variable amounts of cloud afterwards; sharp snow shower at 4h. P.M.; brisk wind till evening.	
WEDNESDAY	- 22	w. P. till noon; m. P. generally afterwards with s. N. at 3h. 30m. P.M.	56	8	9	10°4	10°4	Cloudy in morning; very fine till evening; overcast at night; strong gusty wind prevalent after 8h. A.M.	
THURSDAY	- 23	w. P. throughout.	0°0	9	10	10°4	10°4	Overcast; frequent slight rain; occasional slight snow in forenoon; brisk wind till afternoon.	
FRIDAY	- 24	w. P. generally; occasional m. P.	0°0	10	11	10°5	10°5	Overcast; a very dull day; slight rain in early morning followed by great gloom at intervals; slight fog at night.	
SATURDAY	- 25	w. P. generally.	23	11	12	10°6	10°6	Overcast till 10h. A.M., with slight rain between 7h. 30m. and 9h. A.M.; fine and partially cloudy afterwards.	
MEANS	-		Sum 251	Sum 251	Sum 251	Sum 72°6	Sum 72°6		
No. of Col.	-		28	29	30	31	32		

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 133 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 8h. A.M.; noon; 3h. P.M. and 8h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1886 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the year (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate.

The numbers in column 23 derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30°76 in. at the beginning of the week to 29°65 in. by 3h. P.M. on the 19th; increased to 30°26 in. by 10h. P.M. on the 21st; decreased to 29°76 in. by 4h. P.M. on the 24th; increased to 29°83 in. by 10h. A.M. on the 25th; and decreased to 28°67 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th February 1905.*

BOROUGHES	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	147,935	-	5	1	-	-	-	-	4	-	
Kensington - - - -	180,083	-	8	2	-	-	-	-	3	-	
Hammersmith - - - -	119,037	-	7	7	-	-	-	-	2	-	
Fulham - - - -	157,210	-	8	8	-	1	-	-	4	-	
Onelsea - - - -	74,496	-	4	1	-	-	-	-	1	-	
City of Westminster - - - -	175,606	-	11	3	-	1	-	-	-	1	
NORTH.											
St. Marylebone - - - -	129,453	-	5	1	-	1	-	-	3	-	
Hampstead - - - -	88,142	-	2	-	-	3	-	-	1	-	
St. Pancras - - - -	236,183	1	15	7	-	-	-	-	7	-	
Islington - - - -	342,994	-	15	4	-	3	-	-	2	-	
Stoke Newington - - - -	52,828	-	1	-	-	-	-	-	-	-	
Hackney - - - -	228,479	-	18	9	-	2	-	-	2	-	
CENTRAL.											
Holborn - - - -	56,481	-	2	-	-	-	-	-	-	-	
Finsbury - - - -	98,207	-	4	3	-	-	-	-	2	1	
City of London - - - -	22,425	-	2	-	-	-	-	-	-	-	
EAST.											
Shoreditch - - - -	116,565	-	5	5	-	-	-	-	3	-	
Bethnal Green - - - -	130,401	-	6	9	-	-	1	-	3	-	
Stepney - - - -	305,466	-	29	20	2	5	-	-	6	1	
Poplar - - - -	170,280	-	8	11	-	-	-	-	3	-	
SOUTH.											
Southwark - - - -	208,528	-	10	3	-	-	-	-	5	-	
Bermondsey - - - -	129,006	-	12	4	-	1	-	-	2	-	
Lambeth - - - -	313,045	-	12	7	-	2	-	-	2	-	
Battersea - - - -	177,532	-	5	5	-	1	-	-	1	1	
Wandsworth - - - -	265,392	-	25	10	-	2	-	-	3	-	
Camberwell - - - -	271,240	2	12	7	-	-	-	-	4	-	
Deptford - - - -	114,495	-	4	1	-	-	-	-	3	-	
Greenwich - - - -	103,493	-	5	3	-	-	-	-	1	-	
Lewisham - - - -	144,420	-	14	1	-	1	-	-	4	1	
Woolwich - - - -	125,372	-	12	4	-	-	-	-	4	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	3	266	136	2	23	1	-	75	5
Ages											
0-1 - - - -	-	-	4	3	-	-	-	-	4	-	
" 1-5 - - - -	-	2	97	64	-	1	-	-	7	-	
" 5- - - - -	-	-	106	40	1	3	-	-	4	-	
" 10- - - - -	-	-	37	16	-	4	1	-	5	-	
" 15- - - - -	-	-	9	4	1	4	-	-	4	1	
" 20- - - - -	-	-	5	3	-	3	-	-	5	3	
" 25- - - - -	-	1	6	3	-	3	-	-	6	1	
" 35- - - - -	-	-	2	3	-	3	-	-	9	-	
" 45- - - - -	-	-	-	-	-	1	-	-	13	-	
" 55- - - - -	-	-	-	-	-	1	-	-	11	-	
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	7	-	
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

NO. 9. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAR. 4. [Price 1½d.

General Register Office, Somerset House,
March 6th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·4, 17·3, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·0 in Liverpool, 22·2 in Reading, 22·9 in Sunderland, 23·4 in Nottingham, 24·3 in Tynemouth, and 29·7 in Merthyr Tydfil; from *measles*, 2·1 in Newport (Mon.), 2·8 in Merthyr Tydfil, 3·0 in Stockton on Tees, 3·7 in Nottingham, 3·8 in West Bromwich, 4·7 in Reading, 6·5 in Portsmouth, and 6·8 in Southampton; from *diphtheria*, 2·2 in Ipswich; from *whooping-cough*, 1·3 in Bradford, 1·7 in Rotherham, 1·9 in Tynemouth, and 6·5 in Hanley; and from *diarrhœa*, 1·5 in West Bromwich. One death from *small-pox* was registered in Leeds, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2600 BIRTHS and 1535 DEATHS were registered. Allowing for increase of population, the births were 74 and the deaths 464 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 17·6, 16·8, and 16·0 in the preceding three weeks, was 17·1 last week. During the four weeks ended on Saturday last the death-rate averaged 16·9 per 1000, being 4·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1535 deaths included 34 from measles, 14 from scarlet fever, 20 from diphtheria, 34 from whooping-cough, 5 from enteric fever, and 8 from diarrhoea, but not one death from small-pox, from typhus or from ill-defined pyrexia; thus, 115 deaths were referred to these diseases in the aggregate, being 75 below the corrected average weekly number.

The deaths from *measles*, which had been 26, 28, and 18 in the preceding three weeks, rose last week to 34, but were 25 below the corrected average; 8 deaths belonged to the Borough of Wandsworth, 5 to Camberwell, and 3 each to St. Pancras, Islington, and Lewisham. The deaths from *scarlet fever*, which had been 9, 12, and 10 in the preceding three weeks, were 14 last week, and were 5 above the corrected average; 3 deaths belonged to Shoreditch. The deaths from *diphtheria*, which had been 16, 11, and 13 in the preceding three weeks, rose last week to 20, but were 15 below the corrected average; 4 deaths belonged to Islington. The deaths from *whooping-cough*, which had been 37, 33, and 34 in the preceding three weeks, were 34 last week, and were 21 below the corrected average; 4 deaths belonged to Camberwell, and 3 each to Fulham, Islington, Southwark, and Lambeth. The fatal cases of *enteric fever*, which had been 5, 4, and 2 in the preceding three weeks, were 5 last week, and were 4 below the corrected average. The deaths from *diarrhoea*, which had been 21, 7, and 13 in the preceding three weeks, fell last week to 8, and were 7 below the corrected average. Of the 8 deaths from diarrhoea, 7 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 25, having been 32, 40, and 33 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all but 1 of which inquests were held. Of these 56 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 46 were attributed to accident or negligence. Five of the latter were referred to vehicles in the streets, 10 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 13 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 15 cases of small-pox, 2002 of scarlet fever, 827 of diphtheria, 2 of typhus, and 88 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 4 cases, against 1, 3, and 7; of scarlet fever, 290 cases, against 260, 241, and 224; of diphtheria, 99 cases, against 119, 113, and 117; and of enteric fever, 6 cases, against 6, 12, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 25th.

GREATER LONDON.

In Greater London 3930 births and 2128 deaths were registered. Allowing for increase of population these numbers are 20 and 579 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 5 from whooping-cough, and 5 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·50 inches, and that of the Thermometer 38·4, the latter being 2° below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 10 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 15·3 hours; the measured rainfall amounted to 0·30 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated middle of the Year 1905.*	Causes.				Diseases in Cols. 11-17.		Registered during the Week ended 4th Mar., 1905.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Unrecorded Causes of Death.		TOWNS.
		Week ended				Week ended 4th Mar., 1905.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	18.	19.	20.	21.	Cols.			
		11th Feb., 1905.	18th Feb., 1905.	25th Feb., 1905.	4th Mar., 1905.																					
76 TOWNS	15,609,377	17'4	17'3	15'7	17'1	1'6	8746	5123	1135	1472	1	190	34	86	105	24	46	183	407	1225	75	76 TOWNS, LONDON.				
LONDON -	4,684,794	17'6	16'8	16'0	17'1	1'3	2600	1535	321	505	-	34	14	20	34	5	8	56	149	559	6	(CROYDON.				
WILLESDEN -	147,704	10'9	13'1	12'0	18'0	1'1	93	51	12	16	-	-	-	-	-	-	-	1	1	11	-	WILLESDEN.				
HORNSEY -	138,080	14'3	14'3	14'3	13'2	-	91	35	9	16	-	-	-	-	-	1	-	-	1	3	-	HORNSEY.				
TOTTENHAM -	84,070	8'1	9'3	8'7	10'5	0'6	42	17	1	8	-	-	-	-	-	-	-	-	4	6	-	TOTTENHAM.				
WEST HAM -	116,232	16'1	15'3	16'6	11'2	1'8	68	25	4	6	-	1	-	1	2	-	-	5	16	26	-	WEST HAM.				
EAST HAM -	294,897	17'5	15'2	14'0	16'8	2'1	179	95	18	26	-	2	-	6	3	1	-	-	1	4	-	EAST HAM.				
LEYTON -	123,381	9'7	11'0	10'1	11'8	1'7	77	28	6	9	-	3	1	-	-	-	-	-	2	3	-	LEYTON.				
WALTHAMSTOW -	114,555	11'8	10'5	14'6	11'4	0'5	62	25	8	8	-	-	-	1	-	-	-	2	4	4	-	(WALTHAMSTOW.				
HASTINGS -	118,297	8'5	11'2	9'9	10'3	1'3	60	23	8	7	-	-	2	-	1	-	-	2	4	4	-	HASTINGS.				
BRIGHTON -	66,820	24'2	14'8	20'3	16'4	1'6	20	21	3	6	-	-	-	-	1	1	-	-	3	2	-	BRIGHTON.				
PORTSMOUTH† -	127,183	20'1	14'3	11'9	15'2	0'4	58	37	2	21	-	-	-	-	-	-	1	-	1	12	-	PORTSMOUTH†.				
BOURNEMOUTH -	201,975	17'3	30'5	26'3	20'7	7'5	108	80	11	16	-	25	-	2	2	-	-	2	5	10	-	BOURNEMOUTH.				
SOUTHAMPTON -	66,168	17'3	17'3	10'2	16'5	-	20	21	1	9	-	-	-	-	-	-	-	1	3	5	-	SOUTHAMPTON.				
READING -	114,897	19'1	17'2	16'8	18'6	7'3	72	41	8	8	-	15	-	1	-	-	-	2	5	5	-	READING.				
NORTHAMPTON -	77,674	19'5	13'4	16'8	22'2	5'4	40	33	11	4	-	7	-	1	-	-	-	1	2	7	3	NORTHAMPTON.				
IPSWICH -	92,441	20'3	17'5	12'4	10'7	0'6	32	19	1	7	-	-	-	1	-	-	-	1	1	1	-	IPSWICH.				
GREAT YARMOUTH -	70,802	22'8	25'8	22'8	15'5	2'2	45	21	6	7	-	-	-	3	-	-	-	-	1	5	-	GREAT YARMOUTH.				
NORWICH -	52,353	14'9	22'9	15'9	15'9	-	26	16	1	10	-	-	-	-	-	-	-	-	1	2	-	NORWICH.				
PLYMOUTH -	116,741	24'6	23'7	18'8	15'2	-	54	34	14	9	-	-	-	-	-	-	-	-	1	3	-	PLYMOUTH.				
DEVONPORT -	116,000	18'9	22'9	14'8	18'4	0'9	56	41	7	15	-	-	1	1	-	-	-	2	4	11	-	DEVONPORT.				
BRISTOL† -	76,864	17'6	16'3	11'5	19'0	0'7	43	28	6	7	-	1	-	-	-	-	-	1	5	4	-	BRISTOL†.				
HANLEY -	358,515	15'7	13'8	14'7	16'9	1'9	172	116	27	32	-	4	-	1	5	-	3	4	9	22	-	HANLEY.				
BURTON-ON-TRENT -	64,667	29'0	28'2	21'0	21'0	6'5	39	26	7	4	-	-	-	-	8	-	-	-	1	1	-	BURTON-ON-TRENT.				
WOLVERHAMPTON -	52,424	15'9	13'9	14'9	13'9	1'0	33	14	2	6	-	1	-	-	-	-	1	1	2	2	-	WOLVERHAMPTON.				
WALSALL -	99,456	12'6	13'6	14'7	14'2	1'0	50	27	5	11	-	-	-	1	-	-	-	1	1	1	-	WALSALL.				
HANDSWORTH -	92,988	16'8	16'3	12'3	16'8	-	50	30	8	11	-	-	-	-	-	-	-	-	1	1	-	HANDSWORTH.				
WEST BROMWICH -	61,721	9'3	7'6	9'3	15'2	-	29	18	3	10	-	-	-	-	-	-	-	-	-	1	2	-	WEST BROMWICH.			
	67,823	19'2	13'8	12'3	16'9	5'4	57	22	6	5	-	5	-	-	-	-	2	1	2	3	-					

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

[illegible][illegible]

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1905.*				CAUSES.			DISEASES during the Week ended 4th Mar., 1906.		DEATHS OF		DEATHS FROM								Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		Week ended				11-17.			during the Week ended 4th Mar., 1906.		and upwards.		Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Rever.	Diarrhea.	Violence.				
		11th Feb., 1906.				11th Feb., 1906.			11th Feb., 1906.		Infants under 1 year of age.	Small-pox.											
		11th Feb., 1906.	18th Feb., 1906.	25th Feb., 1906.	4th Mar., 1906.	11th Feb., 1906.	18th Feb., 1906.	25th Feb., 1906.	4th Mar., 1906.	11th Feb., 1906.										18th Feb., 1906.			
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
HUDDESFIELD	-	94,888	20'3	13'7	12'6	14'8	1'1	35	27	4	7	-	2	-	-	-	-	-	2	2	1	1	HUDDESFIELD.
HALIFAX	-	108,419	14'9	15'9	13'9	12'5	1'4	34	26	3	9	-	-	1	1	-	1	1	1	1	4	3	HALIFAX.
BRADFORD	-	286,799	14'4	18'5	16'2	17'6	2'2	116	97	22	28	-	-	-	3	7	1	1	3	5	18	2	BRADFORD.
LEEDS	-	456,787	16'1	15'6	13'1	14'6	1'0	245	128	23	27	1	-	1	4	2	-	1	9	17	26	4	LEEDS.
SHEFFIELD	-	440,414	18'5	17'2	14'2	15'5	1'7	234	131	28	33	-	7	-	3	3	-	1	6	8	22	4	SHEFFIELD.
ROTHERHAM	-	59,794	18'3	21'8	14'8	10'5	2'6	45	12	6	2	-	-	-	1	2	-	-	1	1	2	-	ROTHERHAM.
YORK	-	82,362	17'7	20'9	11'4	19'0	1'9	48	30	5	8	-	2	-	1	-	-	-	2	5	5	-	YORK.
HULL	-	268,127	19'4	17'8	14'7	15'6	2'0	154	77	20	17	-	1	1	1	2	1	1	8	12	12	-	HULL.
MIDDLESBROUGH	-	98,369	24'9	22'8	20'7	21'2	2'1	65	40	13	8	-	2	-	1	-	-	1	-	3	9	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,425	29'8	25'9	23'8	21'9	4'0	34	22	8	4	-	3	-	1	-	-	-	-	-	1	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	71,313	20'5	24'1	19'0	16'1	2'9	36	22	4	4	-	2	-	2	-	-	-	2	1	3	-	WEST HARTLEPOOL.
SUNDERLAND	-	152,761	16'4	15'4	15'0	22'9	1'0	124	67	14	20	-	-	-	-	2	1	-	2	3	15	-	SUNDERLAND.
SOUTH SHIELDS	-	109,360	18'6	20'5	17'2	20'5	1'4	78	43	13	6	-	1	-	-	1	1	1	1	4	5	-	SOUTH SHIELDS.
GATESHEAD	-	120,620	13'0	17'7	16'0	16'9	0'9	81	39	14	10	-	1	-	-	-	-	-	-	-	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	264,511	18'3	21'9	17'7	19'3	1'0	173	98	24	26	-	-	-	2	2	-	1	6	12	8	2	NEWCASTLE-ON-TYNE.†
TYNEMOUTH	-	53,595	16'5	21'4	19'5	24'3	1'9	24	25	3	10	-	-	-	-	2	-	-	1	1	4	-	TYNEMOUTH.
NEWPORT (MON.)	-	72,880	17'2	23'6	17'2	20'0	5'7	39	28	7	4	-	3	-	2	-	1	2	-	1	4	-	NEWPORT (MON.).
CARDIFF	-	180,054	13'3	13'9	13'0	15'9	2'0	115	55	12	12	-	4	1	-	1	-	1	5	7	10	-	CARDIFF.
RHONDDA	-	124,988	24'2	35'0	20'0	21'3	2'5	77	51	19	7	-	4	-	-	1	-	1	2	3	2	-	RHONDDA.
MERTHYR TYDFIL	-	73,848	28'2	24'7	19'8	29'7	4'2	57	42	20	3	-	4	-	1	-	1	1	-	3	4	-	MERTHYR TYDFIL.
SWANSEA	-	96,384	18'4	21'1	17'9	19'5	1'1	72	36	11	8	-	-	-	-	-	1	1	2	3	4	-	SWANSEA.
GREATER LONDON	-	7,010,172	16'0	15'4	14'5	15'8	1'2	3930	2128	441	713	-	47	18	34	46	7	13	82	204	668	8	GREATER LONDON.
OUTER RING	-	2,325,378	12'8	12'8	11'7	13'3	1'1	1330	593	120	208	-	13	4	14	12	2	5	26	55	109	2	OUTER RING.
8 TOWNS IN OUTER RING	-	1,135,316	13'1	13'0	12'5	13'7	1'3	672	299	66	96	-	6	3	10	7	2	-	9	33	57	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,190,062	12'6	12'5	10'9	12'9	1'0	653	294	54	112	-	7	1	4	5	-	5	17	22	52	-	REMAINDER OF OUTER RING.
EDINBURGH	-	338,577	18'1	16'3	15'8	15'2	1'4	162	98	19	32	-	2	1	1	1	-	4	5	?	29	6	EDINBURGH.
GLASGOW	-	809,988	18'5	19'6	17'8	18'3	2'3	479	284	65	68	-	5	1	2	18	1	8	12	?	76	15	GLASGOW.
DUBLIN†	-	378,994	25'2	23'5	25'5	30'7	1'1	234	223	46	71	-	3	-	2	-	-	3	5	6	92	13	DUBLIN.†
BELFAST†	-	368,680	24'0	22'1	24'7	23'1	1'7	255	159	30	44	-	10	1	-	-	1	-	1	3	38	?	BELFAST.†

* See note † on first page of this return.
† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the NINTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2671	2628	2511	2585	2676	2561	2681	2587	2512	2364	2674.3	2600
Males -	1349	1343	1279	1356	1409	1335	1351	1308	1278	1237	1375.2	1368
Females -	1322	1285	1232	1229	1267	1226	1330	1279	1234	1127	1299.1	1235
TOTAL Deaths -	3246	1729	1493	1805	1925	1968	1835	2477	1450	1594	1993.0	1535
Males -	1562	868	768	925	934	865	918	1203	741	834	1003.9	794
Females -	1684	861	725	880	941	803	947	1274	709	760	995.1	741

* The numbers in this column are the average weekly numbers in the ninth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	13 Weeks.
TOTAL Births -	2185	2446	2122	2320	2720	2553	2408	2637	2676	2722	2612	2200	2600	32201
TOTAL Deaths -	1613	1696	1572	1868	1665	1424	1492	1700	1576	1580	1506	1436	1535	20663
Under 1 year -	330	294	278	347	316	270	293	295	293	305	284	290	321	3916
1-5 years -	157	164	140	173	144	123	121	156	150	141	180	152	183	1976
5-20 " -	82	75	76	60	86	75	72	80	56	96	70	82	77	987
20-40 " -	154	202	191	230	179	177	171	205	182	163	182	154	184	2384
40-65 " -	352	345	340	383	355	309	313	349	317	336	303	296	265	4263
(60 yrs. & upwds.	538	616	547	675	585	467	522	615	569	539	497	462	505	7137
Deaths from—														
Small-pox† -	-	-	-	-	-	1	-	1	-	-	1	-	-	3
Measles -	22	32	26	44	32	25	21	30	21	26	28	18	34	339
Scarlet Fever -	9	6	3	15	9	14	7	9	10	9	12	10	14	127
Diphtheria -	23	12	13	17	13	9	11	18	13	16	11	13	20	189
Whooping-cough -	19	20	17	25	16	23	24	38	32	37	33	34	34	352
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	11	4	7	8	9	5	4	1	5	5	4	2	5	70
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	16	16	12	15	12	11	12	9	15	21	7	13	8	167
All above Diseases -	100	90	78	124	91	88	79	106	96	114	96	90	115	1267
Dis. of Resp. System	268	272	236	358	275	174	238	283	280	229	211	175	204	3203
Pneumonia -	180	215	180	163	168	127	139	195	164	171	167	160	149	2178
Phthisis -	163	170	181	192	158	147	160	163	133	134	133	135	135	2004
Dis. of Circ. System	211	216	200	243	208	179	207	255	236	235	195	177	218	2770
Violence -	55	62	60	76	66	75	46	72	66	45	62	73	56	813
Inquest Cases -	155	170	140	218	185	165	149	201	156	159	136	156	149	2129
Deaths in Institutions	567	628	592	587	605	525	531	604	582	594	549	506	559	7429
TEMPERATURE OF THE AIR.														
Mean -	42.3	43.4	34.1	41.6	41.0	40.5	33.1	37.4	43.1	44.7	44.3	37.6	38.4	40.1
Mean of Highest -	48.4	47.7	38.0	45.6	45.7	45.4	39.8	42.3	47.8	48.7	48.6	42.1	44.7	44.8
Mean of Lowest -	35.9	37.7	28.7	37.2	34.3	34.1	27.8	34.1	37.9	40.6	39.4	34.3	32.2	34.8
Mean Humidity of the Air.	88	87	97	85	83	79	78	85	79	84	76	81	83	83
Rain-fall (in inches) -	1.54	0.50	0.04	0.09	0.42	0.08	0.47	0.00	0.03	0.12	0.12	0.25	0.30	3.36
Registered Sunshine (in hours)	3.3	5.8	3.5	7.0	1.5	20.2	11.8	10.1	17.1	11.1	12.8	23.1	15.3	142.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	4	26	14	17	18	19	18	15	13	9	8	15	15	13
Scarlet Fever -	2190	2403	2394	2390	2309	2192	2174	2096	2070	2077	2017	1987	2002	2200
Diphtheria -	874	839	825	804	847	808	836	840	871	860	865	841	827	840
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	165	174	170	159	157	157	146	134	135	123	110	105	88	140
Means.														

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Oann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the NINTH Week of the Year 1905.

as printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

USES OF DEATH.	Deaths in the 9th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 9th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
USES - - -	1594	1535	321	183	77	184	265	505	Meningitis (not tuberc.)	26	15	6	5	3	-	1	-
-pox ² - - -	-	-	-	-	-	-	-	-	Insanity, Gen. Par. of	16	18	-	-	-	4	7	7
Insane - - -	-	-	-	-	-	-	-	-	Epilepsy - - -	9	5	-	-	-	2	1	2
Convulsions - - -	-	-	-	-	-	-	-	-	Locomotor Ataxy -	24	22	21	1	-	-	-	-
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	3	2	-	-	-	2	2	1
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	5	5	-	-	-	1	2	1
Valv. Dis., Endocarditis-	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb. -	24	23	3	-	-	2	6	12
Cerebr. Hæm. Thromb. -	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	43	58	-	-	3	15	15	25
Apoplexy, Hemiplegia -	-	-	-	-	-	-	-	-	Aneurysm - - -	33	40	-	-	1	1	14	24
Aneurysm - - -	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	23	21	-	-	-	1	6	14
Embolism, Thrombosis }	-	-	-	-	-	-	-	-	(not cerebral) -	5	2	-	-	-	1	1	-
(not cerebral) -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	1	2	-	-	-	-	-	2
Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	92	95	-	-	4	8	19	64
Croup (not Spasm: nor	-	-	-	-	-	-	-	-	Memb.) - - -	-	1	-	1	-	-	-	-
Memb.) - - -	-	-	-	-	-	-	-	-	Bronchitis - - -	-	1	-	1	-	-	-	-
Bronchitis - - -	-	-	-	-	-	-	-	-	Asthma, Emphysema -	179	188	41	13	1	5	27	101
Asthma, Emphysema -	-	-	-	-	-	-	-	-	Pleurisy - - -	7	3	-	-	-	-	1	2
Pleurisy - - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	5	5	-	2	-	-	-	3
Respiratory Dis. (other)	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	11	7	-	-	1	-	-	-
Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	-	1	-	-	1	-	-	1
Enteritis (not Epid.) -	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	7	9	8	-	-	-	-	-
Gastro-Enteritis - -	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2	4	3	-	-	-	-	1
Peritonitis (not Puerp.)	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	3	1	-	1	-	-	-	-
Cirrhosis of Liver -	-	-	-	-	-	-	-	-	Liver Dis. (other) -	12	12	-	-	-	2	5	5
Liver Dis. (other) -	-	-	-	-	-	-	-	-	Digestive Dis., Other -	7	4	-	-	-	1	1	-
Digestive Dis., Other -	-	-	-	-	-	-	-	-	Nephritis, Acute - -	32	34	6	2	2	10	10	4
Nephritis, Acute - -	-	-	-	-	-	-	-	-	Bright's Dis., Albumin-	6	12	1	-	-	4	1	6
Bright's Dis., Albumin-	-	-	-	-	-	-	-	-	uria - - -	35	26	-	-	-	5	8	13
uria - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	18	11	-	-	-	2	1	8
Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-	Generative Organs Dis.-	1	3	1	-	-	-	1	1
Generative Organs Dis.-	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	2	6	-	-	1	4	1	-
Childbirth (Accid. of)	-	-	-	-	-	-	-	-	Old Age - - -	59	57	-	-	-	-	-	57
Old Age - - -	-	-	-	-	-	-	-	-	Other Diseases - -	109	106	70	8	5	6	6	11
Other Diseases - -	-	-	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	-
ACCIDENT.	-	-	-	-	-	-	-	-	By Railways - - -	1	1	-	-	-	-	1	-
By Railways - - -	-	-	-	-	-	-	-	-	By Vehicles and Horses-	3	5	-	-	-	2	1	-
By Vehicles and Horses-	-	-	-	-	-	-	-	-	In Ships, Boats, Docks,	1	1	-	-	-	1	-	-
In Ships, Boats, Docks,	-	-	-	-	-	-	-	-	(exclusive of Drown-	1	-	-	-	-	-	-	-
(exclusive of Drown-	-	-	-	-	-	-	-	-	ing) - - -	1	-	-	-	-	-	-	-
ing) - - -	-	-	-	-	-	-	-	-	In Building Operations-	1	-	-	-	-	-	-	-
In Building Operations-	-	-	-	-	-	-	-	-	In Conflagrations - -	9	-	-	-	-	-	-	-
In Conflagrations - -	-	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	2	1	-	-	-	1	-	-
By Burns, Scalds, Ex-	-	-	-	-	-	-	-	-	plosions - - -	13	13	13	-	-	-	-	-
plosions - - -	-	-	-	-	-	-	-	-	By Drowning - - -	3	2	-	-	1	-	-	1
By Drowning - - -	-	-	-	-	-	-	-	-	By Suffocation in Bed	13	13	13	-	-	-	-	-
By Suffocation in Bed	-	-	-	-	-	-	-	-	By Poisons or Poisonous	3	2	-	-	-	-	-	-
By Poisons or Poisonous	-	-	-	-	-	-	-	-	Vapours - - -	13	13	3	3	-	1	1	5
Vapours - - -	-	-	-	-	-	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Other Deaths by Acci-	-	-	-	-	-	-	-	-	VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-	ACCIDENTAL.	-	-	-	-	-	-	-	-
ACCIDENTAL.	-	-	-	-	-	-	-	-	Homicide - - -	-	2	-	-	-	1	-	1
Homicide - - -	-	-	-	-	-	-	-	-	Suicide - - -	11	8	-	-	-	3	2	3
Suicide - - -	-	-	-	-	-	-	-	-	Execution - - -	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th March, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														
				Deaths of Age.	Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.	
LONDON - - -	4,536,429	2600	1535	321	505	-	34	14	20	34	-	5	-	8	56	149	550	
WEST DISTRICTS - - -	805,311	416	255	53	85	-	1	-	2	8	-	2	-	-	3	18	87	
NORTH DISTRICTS - - -	1,056,070	569	308	63	109	-	9	3	3	7	-	1	-	-	12	34	95	
CENTRAL DISTRICTS - - -	209,465	102	69	16	17	-	-	-	-	-	-	-	-	-	3	5	32	
EAST DISTRICTS - - -	715,739	468	289	67	69	-	4	1	2	4	-	-	-	-	16	36	122	
SOUTH DISTRICTS - - -	1,749,844	1045	579	122	203	-	20	7	10	15	-	2	-	-	22	56	168	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	55	-	22	-	-	-	3	3	-	-	-	-	-	-	55	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	50	24	5	8	-	1	-	-	1	-	-	-	-	-	2	9	
W ² H } - - -																		
St. John Paddington H } G.	33,617	7	15	2	4	-	-	-	-	-	-	-	-	-	2	2	10	
North-West Paddington } - C.	17,181	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W } G. & W. & C.	128,037	59	55	9	24	-	-	-	-	1	-	1	-	-	-	4	22	
Brompton 2H } - W. & C.	48,591	10	7	-	3	-	-	-	-	-	-	-	-	-	-	1	1	
North Hammersmith W, wH } W. & G.	49,192	34	13	4	2	-	-	-	-	1	-	-	-	-	-	1	2	
South Hammersmith w2H } - - -	63,047	31	15	2	6	-	-	-	-	-	-	-	-	-	1	1	2	
North-west Fulham W } W. & C.	45,180	42	22	10	4	-	-	-	-	1	-	-	-	-	-	2	9	
North-east Fulham F } - - -	46,405	27	13	3	5	-	-	-	2	-	-	1	-	-	-	-	3	
South Fulham W } - - -	45,704	32	10	4	2	-	-	-	-	2	-	-	-	-	-	-	-	
Chelsea North W, w3H } - C.	42,514	25	25	2	10	-	-	-	-	-	-	-	-	-	-	3	14	
Chelsea South W2H } - C.	31,328	20	16	7	2	-	-	-	-	1	-	-	-	-	-	1	5	
May Fair and Knightsbridge C. & G.	28,743	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W2H } - C.	55,815	32	12	-	6	-	-	-	-	-	-	-	-	-	-	-	5	
St. Margaret & St. John 4H } - C.	43,698	23	12	3	-	-	-	-	-	1	-	-	-	-	-	-	4	
St. James Westminster } N. & G.	21,588	4	6	-	5	-	-	-	-	-	-	-	-	-	-	1	1	
W.H } - - -																		
St. Anne Soho 5H } - N.	11,493	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
NORTH DISTRICTS.																		
All Souls Marylebone 8H } - W.	35,391	11	16	1	2	-	-	-	-	-	-	-	-	-	1	1	10	
Rectory Marylebone W } G. & W.	19,849	7	9	-	6	-	-	-	-	-	-	-	-	-	-	-	3	
St. Mary Marylebone 4H } G. & W.	18,099	34	7	3	1	-	-	-	-	-	-	-	-	-	-	1	3	
Christchurch Marylebone H- } W.	39,536	19	11	5	2	-	-	-	-	-	1	-	-	-	-	-	-	
St. John Marylebone 3H } - W.	20,426	8	8	2	5	-	-	-	-	-	-	-	-	-	1	1	1	
Hampstead W, P, 6H } - N. & W.	81,942	23	20	5	3	-	2	2	-	1	-	1	-	-	-	-	7	
West St. Pancras 2H } - W.	60,562	36	16	2	8	-	1	-	-	-	-	-	-	-	-	3	2	
Tottenham-court w, 6H } N. & W.	21,258	8	8	2	2	-	-	-	-	-	-	-	-	-	1	3	6	
Gray's Inn Lane 4H } - N.	34,449	14	11	6	1	-	-	-	-	-	-	-	-	-	-	1	4	
East St. Pancras W2H } - N.	60,320	35	18	3	8	-	2	-	-	-	-	-	-	-	2	4	8	
North St. Pancras 2W } - N.	58,728	42	15	2	7	-	-	-	-	-	-	-	-	-	-	2	7	
Tufnell W } - N.	31,995	17	25	-	12	-	-	-	-	-	-	-	-	-	-	-	-	
Upper Holloway 2W, w2H } - N.	33,978	22	13	1	4	-	-	-	-	-	-	-	-	-	1	2	18	
Tollington W } - N.	33,922	18	4	2	2	-	-	-	-	2	-	-	-	-	1	1	10	
Lower Holloway } - N.	41,424	18	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury } - N.	54,478	42	21	5	5	-	2	-	-	1	-	-	-	-	-	1	-	
Islington South-east F } - N.	75,397	27	14	2	5	-	-	-	-	-	-	-	-	-	-	-	-	
Highbury 2H } - N.	63,797	29	14	4	6	-	1	-	-	-	-	-	-	-	-	-	1	
Stoke Newington H } - N.	51,247	30	11	3	5	-	-	-	-	1	-	-	-	-	-	3	-	
North Hackney } - E. & N.	50,560	19	10	2	4	-	-	-	-	-	-	-	-	-	-	2	-	
Central Hackney 2w, F } - E. & N.	50,536	27	17	5	4	-	1	1	1	-	-	-	-	-	1	1	2	
South-west Hackney 3H } - E. & N.	59,921	51	17	6	3	-	-	-	2	-	-	-	-	-	-	5	6	
South-east Hackney 2W, w, H E. & N.	58,255	32	18	2	10	-	-	-	-	-	-	-	-	-	1	1	7	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated thereon: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th March, 1905—continued.

POPULATION SUB-DISTRICTS		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
							Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).				Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 4th March, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
DON—OUTER RING	388,602	2,044,973	1330	593	120	208	-	13	4	14	12	2	5	26	55	109	2		
Marshallton W,2F,2H	12,228	32,997	14	8	1	4	-	-	-	1	-	-	-	-	1	1	1	-	-
Walsby, part of W,2F,H	10,423	15,548	15	5	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Wadstone, part of W,F	2,754	2,892	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth	11,069	8,166	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth Croydon W	4,200	49,309	27	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth Croydon 3W,F,H	2,168	42,888	33	20	5	10	-	-	-	2	-	-	-	-	-	1	14	-	-
Wandsworth Croydon H	2,644	41,698	33	15	4	3	-	-	-	-	1	-	-	-	1	1	-	-	-
Wandsworth W	770	22,465	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth W	11,711	30,015	21	9	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Wandsworth F,3H	3,221	41,652	21	7	-	3	-	-	-	-	-	-	1	-	-	1	-	-	-
Wandsworth 2W,H	6,224	42,068	25	12	5	3	-	-	2	-	-	-	-	-	-	1	-	-	-
Wandsworth F,H	3,046	15,017	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth, part of H	5,402	13,100	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth H,L	4,564	23,456	9	7	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-
Wandsworth W,H	2,162	28,865	9	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Wandsworth F	2,847	20,628	11	5	3	2	-	-	-	-	-	-	-	2	-	2	-	-	-
Wandsworth F,2H	4,703	27,354	14	4	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Wandsworth H	7,825	28,497	15	11	3	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Wandsworth, part of W	10,113	9,857	12	7	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Wandsworth 2H	7,333	16,446	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth F,H	8,678	21,151	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth F,H	3,854	25,296	20	8	2	2	-	-	-	-	-	-	-	2	3	1	-	-	-
Wandsworth W,F, part of	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Wandsworth W	11,054	18,683	14	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Wandsworth W	13,277	15,178	13	5	-	5	-	-	-	-	-	-	-	-	-	-	4	-	-
Wandsworth W,F,H	6,035	13,661	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth H	12,767	8,984	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth W,F,H	8,066	16,358	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth 3W,2F,H	6,859	30,863	27	22	-	16	-	-	-	-	-	-	-	-	1	1	16	-	-
Wandsworth F,H	2,421	20,991	14	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Wandsworth 2F,2H,L	4,319	48,289	28	16	1	6	-	-	1	1	-	-	-	-	-	1	3	-	-
Wandsworth H	1,249	29,809	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth W,3H	6,132	48,914	33	14	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Wandsworth F,H	13,809	25,523	16	5	1	3	-	-	-	-	-	-	-	2	1	1	-	-	-
Wandsworth F,2H	6,994	4,521	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth W,F,2H	4,384	114,811	91	35	9	16	-	-	-	-	-	-	-	-	1	4	3	1	-
Wandsworth W,F	8,382	22,450	20	8	1	4	-	-	-	-	-	-	-	-	-	3	-	-	-
Wandsworth Mims 2F,H	17,755	7,308	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Wandsworth W,3H	3,324	17,970	6	4	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Wandsworth F,2H	4,688	33,692	14	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth F,H	2,875	72,056	42	17	1	8	-	-	-	-	-	1	-	-	-	1	-	-	-
Wandsworth Green H	1,825	34,233	20	9	-	4	-	-	-	1	1	-	-	-	-	1	1	-	-
Wandsworth F	996	48,853	33	6	2	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Wandsworth F,H	2,017	53,688	35	17	2	2	-	1	-	-	2	-	-	-	-	2	4	-	-
Wandsworth W,2F	7,491	61,892	53	22	1	14	-	-	-	-	1	-	-	-	-	1	3	9	-
Wandsworth 2W,F,H	12,601	42,738	30	10	2	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Wandsworth Abbey	11,017	6,549	8	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Wandsworth F,H	8,479	12,292	6	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Wandsworth, part of W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth H	9,333	9,173	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth W,2F part of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth H	1,072	44,827	27	10	2	1	-	2	-	2	-	-	-	-	1	1	1	-	-
Wandsworth F,2H	1,249	90,921	67	38	9	8	-	-	-	4	-	-	-	-	3	6	6	-	-
Wandsworth Town H	1,556	70,718	60	17	5	2	-	-	-	-	3	-	-	-	-	8	2	-	-
Wandsworth Gate W	806	60,892	25	13	1	7	-	-	-	-	-	-	-	-	-	2	-	-	-
Wandsworth North East Ham W	1,333	58,676	41	16	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth South East Ham 2F	1,993	37,342	36	9	2	1	-	3	1	-	-	-	-	-	-	-	1	-	-
Wandsworth Wanstead F	1,379	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth Leyton 2W	631	50,467	32	18	6	6	-	-	-	-	-	-	-	-	-	2	8	1	-
Wandsworth North Leyton W,2F	1,963	48,445	30	26	3	14	-	-	-	1	-	1	-	-	-	1	14	-	-
Wandsworth Walthamstow 3H,L	6,504	108,929	68	27	8	7	-	-	1	-	1	-	-	-	2	4	1	-	-
Wandsworth Chigwell, part of 2F,3H	11,778	16,397	7	6	2	2	-	1	1	-	-	-	-	1	1	1	1	-	-
Wandsworth Epping W,F, part of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth Romford, part of W,2F	6,556	6,091	5	1	1	-	-	-	-	-	-	-	-	-	-	-	5	-	-
Wandsworth Ilford F,L	8,496	41,234	23	13	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Wandsworth Barking Town F	3,803	21,547	20	9	3	2	-	3	-	1	-	-	-	-	-	-	1	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-

parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	March 4	2600	1535	17'1	-	34	14	21	34	5
CALCUTTA - -	847,796	January 21	-	742	45'5	2	4	-	1	1	2
BOMBAY - -	776,006	February 14	323	1495	100'2	124	8	-	-	3	578
MADRAS - -	509,346	" 3	381	396	40'4	1	1	-	-	-	67
PARIS - -	2,860,559	" 25	1092	981	19'1	-	5	-	7	8	7
BRUSSELS - -	586,936	" 25	216	164	14'5	-	1	-	1	1	-
ANTWERP - -	286,695	" 25	151	90	16'4	-	3	-	-	-	-
AMSTERDAM -	551,415	" 18	335	177	16'7	-	4	-	3	9	1
COPENHAGEN -	426,000	" 25	275	139	17'0	-	4	-	2	2	-
STOCKHOLM -	309,496	" 18	151	134	22'5	-	3	6	3	1	-
CHRISTIANIA -	223,649	" 25	109	78	18'1	-	1	-	5	5	-
ST. PETERSBURG	1,248,122	" 18	984	748	31'2	1	17	10	20	5	34
MOSCOW - -	1,092,360	" 18	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,004,044	February 11	988	693	18'0	-	6	10	4	9	1
HAMBURG - -	772,852	" 25	-	228	15'3	-	1	1	3	3	2
BRESLAU - -	458,896	" 25	-	-	-	-	-	-	-	-	-
MUNICH - -	528,000	" 25	-	205	20'2	-	-	1	2	3	-
VIENNA - -	1,877,839	" 25	1054	789	21'8	-	19	2	11	2	1
PRAGUE - -	430,569	" 25	198	228	27'5	-	4	-	-	2	-
BUDA-PESTH -	836,267	" 25	512	322	20'0	-	7	1	2	-	1
TRIESTE - -	191,403	" 25	140	130	35'3	-	-	1	1	-	1
ROME - -	503,867	January 7	-	-	-	-	-	-	-	-	-
VENICE - -	166,288	February 18	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	" 11	194	172	31'8	-	-	-	2	3	-
NEW YORK - -	3,948,191	" 18	-	-	-	-	-	-	-	-	-
CHICAGO - -	1,932,315	" 11	-	554	14'5	2	8	3	11	10	4
PHILADELPHIA -	1,438,318	" 11	-	612	22'1	-	1	1	14	2	8
BOSTON - -	617,950	" 4	-	213	17'9	-	-	2	3	1	3
RIO DE JANEIRO	850,000	" 5	-	246	15'1	13	3	-	-	1	1

* Excluding deaths from croup in the Indian Cities.

† Including 64 deaths from plague in Calcutta, 537 in Bombay, and 3 in Rio de Janeiro.

‡ Including 169 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th March, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.		
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*
LONDON (Greenwich) }	47'4	27'1	38'5	0'30	BRADFORD - -	45'2	30'4	38'7
BRIGHTON - -	45'8	29'3	39'6	0'34	LEEDS - - -	49'0	33'0	40'5
PORTSMOUTH -	47'6	28'5	40'6	0'26	HULL - - -	47'0	33'0	39'4
NORWICH - -	47'0	24'0	38'2	0'46	TYNEMOUTH -	51'0	32'0	39'1
PLYMOUTH - -	49'9	30'0	40'8	0'48				
BRISTOL - -	48'8	26'8	39'3	0'49	EDINBURGH -	49'7	33'1	38'9
BIRMINGHAM -	52'5	29'2	38'5	0'24	GLASGOW - -	50'5	31'8	41'3
NOTTINGHAM -	48'0	31'1	38'4	0'43				
LIVERPOOL }	49'0	33'0	39'7	0'26	DUBLIN { Phoenix Park. Fitz- william Square.†	54'7	22'9	39'2
MANCHESTER -	47'1	27'7	38'1	1'08		54'9	29'7	41'0
PRESTON - -	48'0	29'0	38'9	0'83				
HUDDERSFIELD	46'8	29'0	38'0	1'05	BELFAST - -	46'9	27'0	39'1

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'6 Fahr. to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

145

1905.		Phases of the Moon.		Mean daily reading (corrected to 32° Fahr. heat).		Of the Air.				Of the Dew Point		The Air Temperature and Dew Point Temperature.		Degrees of Humidity (Saturated equals 100).		Of Radiation.		Of the 3 feet below the Surface.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Gauge receiving surfaces 5 inches above Average of Ground.
		High-est.	Low-est.	Daily Range.	Mean daily value.	Mean from Average value. 50 years.	De-parture	Mean daily value.	Great-est.	Least.	Highest on the Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	General Direction.	Great-est.	Least.	Mean of 24 hours obs.	Horizontal Movement on each day.	Miles. on Day.	Miles. +229	Depar-ture from each day. 16 years.	Sum of 254	Sum of 16 years.	Ozone	
FEBRUARY.																										
SUNDAY	- 26	in.	446	349	97	395	- 06	358	37	55	22	87	554	304	479	°	185	00	16	547	110	+229	016	in.		
MONDAY	- 27	Last Quarter.	474	331	143	405	+ 04	344	61	88	39	79	794	296	490	°	110	00	12	531	55	+209	006	55		
TUESDAY	- 28	Greatest MARCH.	457	330	127	385	- 17	310	75	133	42	75	796	285	473	°	32	00	07	439	00	+113	000	00		
WEDNESDAY	- 1	Dec. S.	420	301	119	366	- 36	332	34	62	16	57	520	238	468	°	18	00	01	161	00	-138	002	00		
THURSDAY	- 2	"	441	346	95	384	- 20	337	47	84	15	83	790	286	451	°	42	00	06	390	40	+ 59	005	40		
FRIDAY	- 3	"	448	328	118	377	- 28	327	50	112	22	82	758	252	432	°	17	00	01	226	20	-107	000	20		
SATURDAY	- 4	"	445	271	174	373	- 34	332	41	106	13	85	730	180	436	°	10	00	00	200	20	-135	001	20		
MEANS	-		447	325	125	384	- 20	334	49	91	24	83	766	256	461	°	Sum 254	Sum +230	Sum 16 years	Sum 030	35		
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight. The height of the diurnal of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer the thermometers forming the mean daily value of temperature of the air (column 8). The mean daily value of point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The mean temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1875. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.67 in. at the beginning of the week to 29.01 in. by 4h. P.M. on February 26th; increased to 30.15 in. by 6h. A.M. on March 4th; and decreased to 29.98 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 25th February 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	147,935	-	1	1	-	-	-	-	5	-	
Kensington - - - -	180,083	-	2	2	-	1	-	-	4	-	
Hammersmith - - - -	119,037	-	8	3	-	1	-	-	2	-	
Fulham - - - -	157,210	-	5	9	-	-	-	-	3	-	
Chelsea - - - -	74,496	-	1	2	-	-	-	-	1	-	
City of Westminster - - -	175,606	-	4	1	-	-	-	-	1	-	
NORTH.											
St. Marylebone - - - -	129,453	-	3	3	-	1	-	-	1	1	
Hampstead - - - -	88,142	-	4	2	-	1	-	-	1	-	
St. Pancras - - - -	236,183	-	14	7	1	2	-	-	5	-	
Islington - - - -	342,994	1	15	3	-	2	-	-	2	-	
Stoke Newington - - - -	52,828	-	2	2	-	1	-	-	-	-	
Hackney - - - -	228,479	-	13	8	-	4	-	-	8	-	
CENTRAL.											
Holborn - - - -	56,481	-	1	1	-	-	-	-	-	-	
Finsbury - - - -	98,207	-	6	2	-	1	-	-	3	-	
City of London - - - -	22,425	-	1	-	-	-	-	-	1	-	
EAST.											
Shoreditch - - - -	116,565	-	8	6	-	-	-	-	4	-	
Bethnal Green - - - -	130,401	-	16	10	-	1	1	-	3	-	
Stepney - - - -	305,466	-	32	18	1	1	-	-	9	-	
Poplar - - - -	170,280	-	12	6	-	-	-	-	4	-	
SOUTH.											
Southwark - - - -	208,528	-	5	5	-	-	-	-	3	-	
Bermondsey - - - -	129,006	-	13	7	-	1	-	-	1	-	
Lambeth - - - -	313,045	-	10	7	-	1	-	-	9	-	
Battersea - - - -	177,532	-	9	4	-	-	-	-	4	-	
Wandsworth - - - -	265,392	-	30	4	-	2	-	-	7	-	
Camberwell - - - -	271,240	-	16	7	-	-	-	-	6	2	
Deptford - - - -	114,495	-	7	1	-	-	-	-	4	-	
Greenwich - - - -	103,493	-	3	5	-	-	-	-	4	-	
Lewisham - - - -	144,420	-	8	2	-	1	-	-	2	-	
Woolwich - - - -	125,372	-	16	1	-	-	-	-	3	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	1	265	129	2	21	1	-	100	3
AGES.											
Ages 0-1 - - - -	-	-	3	2	-	-	-	-	2	-	
" 1-5 - - - -	-	-	93	65	-	1	-	-	6	-	
" 5- - - - -	-	-	104	46	1	1	-	-	5	-	
" 10- - - - -	-	-	32	3	1	2	1	-	5	-	
" 15- - - - -	-	-	14	6	-	3	-	-	9	1	
" 20- - - - -	-	-	13	4	-	3	-	-	6	1	
" 25- - - - -	-	1	6	1	-	5	-	-	17	1	
" 35- - - - -	-	-	-	-	-	4	-	-	20	-	
" 45- - - - -	-	-	-	1	-	2	-	-	12	-	
" 55- - - - -	-	-	-	-	-	-	-	-	11	-	
" 65 and upwards - - -	-	-	-	1	-	-	-	-	7	-	
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.
1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 10. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAR. 11. [Price 1½d.

*General Register Office, Somerset House,
March 13th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·2 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 15·7, and 17·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·2 in Portsmouth, 23·4 in Hanley and in Nottingham, 23·5 in Reading, 24·9 in Middlesbrough, 27·7 in Wigan, and 28·9 in Merthyr Tydfil; from *measles*, 2·0 in Bolton, 2·1 in Merthyr Tydfil, 2·4 in Wigan, 3·7 in West Hartlepool, 5·0 in Southampton and in Nottingham, 6·0 in Reading, and 8·5 in Portsmouth; from *scarlet fever*, 1·3 in York and 1·7 in Handsworth (Staffs.); from *diphtheria*, 1·1 in Middlesbrough, 1·2 in Rochdale, and 1·7 in Barrow in Furness; from *whooping-cough*, 1·3 in Tottenham, 1·7 in Smethwick and in Rhondda, 1·9 in Willesden, 2·4 in Hanley, and 3·1 in Hastings; and from *diarrhœa*, 1·4 in Devonport and 1·6 in Hanley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2412 BIRTHS and 1543 DEATHS were registered. Allowing for increase of population, the births were 344 and the deaths 479 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·8, 16·0, and 17·1 in the preceding three weeks, was 17·2 last week. During the four weeks ended on Saturday last the death-rate averaged 16·8 per 1000, being 5·3 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by a similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period

The 1543 deaths included 32 from measles, 11 from scarlet fever, 13 from diphtheria, 53 from whooping-cough, 4 from enteric fever, and 11 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 124 deaths were referred to these diseases in the aggregate, being 66 below the corrected average weekly number.

The deaths from *measles*, which had been 28, 18, and 34 in the preceding three weeks, were 32 last week, and were 34 below the corrected average; 7 deaths belonged to the Borough of Hackney, 7 to Stepney 4 to Wandsworth, and 3 to Poplar. The deaths from *scarlet fever*, which had been 12, 10, and 14 in the preceding three weeks, were 11 last week, the corrected average being 9; 3 deaths belonged to Stepney. The deaths from *diphtheria*, which had been 11, 13, and 20 in the preceding three weeks, fell last week to 13, and were 21 below the corrected average; 4 deaths belonged to Southwark. The deaths from *whooping-cough*, which had been 33, 34, and 34 in the preceding three weeks, rose last week to 53, and were equal to the corrected average; 6 deaths belonged to Camberwell, 5 to Islington, and 4 to Hammersmith. The fatal cases of *enteric fever*, which had been 4, 2, and 5 in the preceding three weeks, were 4 last week, the corrected average being 8. The deaths from *diarrhoea*, which had been 7, 13, and 8 in the preceding three weeks, were 11 last week, the corrected average being 12. The 11 deaths from diarrhoea were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 31, having been 40, 33, and 25 in the preceding three weeks. The death of a house-decorator, aged 32 years, was certified as due to *lead poisoning*.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 8 were cases of suicide, 1 of homicide, and 1 was due to execution, while the remaining 49 were attributed to accident or negligence. Three of the latter were referred to vehicles in the streets, 3 to building operations, 6 to drowning, 7 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 16 cases of small-pox, 2036 of scarlet fever, 840 of diphtheria, 2 of typhus, and 84 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 3, 7, and 4; of scarlet fever, 303 cases, against 241, 224, and 290; of diphtheria, 99 cases, against 113, 117, and 99; and of enteric fever, 14 cases, against 12, 8, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 4th.

GREATER LONDON.

In Greater London 3648 births and 2158 deaths were registered. Allowing for increase of population these numbers are 448 and 582 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 6 from whooping-cough, and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.56 inches, and that of the Thermometer 44.3, the latter being 3.4 above the week's average in the 50 years 1841-90. The direction of the wind was South-Westerly the horizontal movement of the air being 44 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 7.3 hours; the measured rainfall amounted to 1.08 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Deaths in Col.		Registered Deaths during the Week ended 11th Mar., 1905.		The DEATHS registered in the Week include										TOWNS.		
		Week ended				11-17.		Week ended 11th Mar., 1905.		Deaths of Persons aged 60 Years and upwards.		Deaths from						Deaths in Public Institutions.			Causes of Death.	
		18th Feb., 1905.	25th Feb., 1905.	4th Mar., 1905.	11th Mar., 1905.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,609,377	17.3	15.7	17.1	17.2	1.6	8513	5145	1156	1502	-	178	37	58	132	22	44	185	490	1135	59	76 TOWNS.
LONDON -	4,684,794	16.8	16.0	17.1	17.2	1.4	2412	1543	326	480	-	32	11	13	53	4	11	59	152	539	6	LONDON.
(CROYDON -	147,704	13.1	12.0	18.0	18.0	1.1	85	51	15	19	-	-	-	-	2	-	-	-	1	4	-	(CROYDON.
WILLESDEN -	138,080	14.3	13.2	15.9	15.9	2.3	75	42	11	9	-	1	-	1	5	-	-	1	4	2	-	WILLESDEN.
HORNSEY -	84,070	9.3	3.7	10.5	9.3	0.6	28	15	1	8	-	-	-	1	-	-	-	-	-	1	-	HORNSEY.
TOTTENHAM -	116,232	15.3	16.6	11.2	13.9	1.8	76	31	5	7	-	-	1	-	3	-	-	2	6	6	-	TOTTENHAM.
WEST HAM -	294,997	15.2	14.0	16.8	15.9	2.3	194	90	23	18	-	5	2	2	3	-	1	2	6	22	-	WEST HAM.
EAST HAM -	123,381	11.0	10.1	11.8	9.3	2.5	63	22	4	5	-	2	2	1	1	-	-	-	5	-	-	EAST HAM.
LEYTON -	114,555	10.5	14.6	11.4	10.5	1.8	83	23	4	5	-	-	-	1	2	2	-	1	2	4	1	LEYTON.
(WALTHAMSTOW -	116,297	11.2	9.9	10.3	14.3	1.3	61	32	10	9	-	-	-	1	-	-	2	-	1	6	1	(WALTHAMSTOW.
HASTINGS -	66,820	14.8	20.3	16.4	21.1	3.9	39	27	5	14	-	-	-	1	4	-	-	-	1	2	-	HASTINGS.
BRIGHTON -	127,183	14.3	11.9	15.2	13.9	-	53	34	8	14	-	-	-	-	-	-	-	1	5	8	1	BRIGHTON.
PORTSMOUTH†	201,975	30.5	26.3	20.7	23.2	10.1	115	90	20	18	-	33	-	2	3	-	1	2	4	9	3	PORTSMOUTH.†
BOURNEMOUTH -	66,168	17.3	10.2	16.5	15.0	0.8	25	19	1	10	-	1	-	-	-	-	-	-	2	-	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	17.2	16.8	18.6	19.5	5.4	62	43	10	10	-	11	-	-	1	-	-	2	9	8	-	SOUTHAMPTON.
READING -	77,674	13.4	16.8	22.2	23.5	6.0	40	35	9	8	-	9	-	-	-	-	-	-	-	4	-	READING.
NORTHAMPTON -	92,441	17.5	12.4	10.7	9.6	1.1	38	17	4	4	-	-	-	-	2	-	-	-	-	3	1	NORTHAMPTON.
IPSWICH -	70,802	25.8	22.8	15.5	16.9	0.7	43	23	6	8	-	1	-	-	-	-	-	1	2	1	-	IPSWICH.
GREAT YARMOUTH -	52,353	22.9	15.9	15.9	13.9	1.0	32	14	3	7	-	-	-	-	-	1	-	-	1	3	-	GREAT YARMOUTH.
NORWICH -	116,741	23.7	18.8	15.2	13.1	0.4	48	27	4	10	-	-	-	-	1	-	-	1	4	4	-	NORWICH.
PLYMOUTH -	116,000	22.9	14.8	18.4	16.2	0.4	57	36	3	19	-	-	-	1	-	-	-	-	3	5	-	PLYMOUTH.
DEVONPORT -	76,864	16.3	11.5	19.0	19.7	1.4	44	29	5	12	-	-	-	-	-	-	2	-	-	3	-	DEVONPORT.
BRISTOL†	358,515	13.8	14.7	16.9	15.7	1.3	148	108	23	42	-	4	-	-	2	-	3	7	13	15	-	BRISTOL.†
HANLEY -	64,667	28.2	21.0	21.0	23.4	4.0	49	29	5	8	-	-	-	-	3	-	2	-	-	4	-	HANLEY.
BURTON-ON-TRENT -	52,424	13.9	14.9	13.9	13.9	1.0	28	14	1	6	-	-	-	1	-	-	-	3	3	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	13.6	14.7	14.2	15.2	1.6	45	29	9	13	-	-	-	1	1	-	1	1	1	5	-	WOLVERHAMPTON.
WALSALL -	92,998	16.3	12.3	16.8	13.5	0.6	42	24	5	7	-	-	-	1	-	-	-	1	3	4	-	WALSALL.
HANDSWORTH -	61,721	7.6	9.3	15.2	14.4	1.7	30	17	2	2	-	-	-	-	-	-	-	1	1	3	-	HANDSWORTH.
WEST BROMWICH -	67,823	13.8	12.3	16.9	20.8	1.5	29	27	6	12	-	-	-	-	-	1	1	2	2	5	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 11th March, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	COLS.	POPULATION estimated middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Colls. 11-17.		Registered Deaths during the week ended 11th Mar., 1905.		The DEATHS registered in the Week include												TOWNS.		
			Week ended				Week ended 11th Mar., 1905.		11th Mar., 1905.		Deaths of														
			18th Feb. 1905.	25th Mar., 1905.	4th Mar., 1905.	11th Mar., 1905.	Deaths of Persons aged under 1 Year and upwards.	Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.							
																			BIRTHS.	DEATHS.					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.				
BIRMINGHAM -	542,959	15'5	14'4	16'3	16'7	337	174	38	47	-	2	-	1	3	2	1	13	15	42	10	BIRMINGHAM.				
KINGS NORTON -	69,630	7'5	8'2	15'7	15'0	25	20	4	6	-	-	-	1	-	-	-	1	1	-	-	KINGS NORTON.				
SMETHWICK -	42,605	10'8	15'0	10'0	20'0	30	24	8	6	-	-	-	-	2	-	-	-	1	2	1	SMETHWICK.				
ASTON MANOR -	81,320	7'1	12'2	9'6	12'2	23	19	4	7	-	-	-	-	-	-	-	-	1	1	-	ASTON MANOR.				
COVENTRY -	75,134	8'3	11'1	11'8	16'7	40	24	5	10	-	-	-	-	-	1	-	1	2	2	-	COVENTRY.				
LEICESTER -	228,132	13'9	13'3	17'4	11'9	100	52	17	16	-	5	-	-	1	-	1	4	5	5	-	LEICESTER.				
GRIMSBY -	68,153	14'5	19'1	8'4	15'3	39	20	4	7	-	-	-	-	-	1	-	-	5	5	-	GRIMSBY.				
NOTTINGHAM -	251,671	20'9	18'9	23'4	23'4	149	113	26	24	-	24	-	2	3	-	-	4	6	15	1	NOTTINGHAM.				
DERBY -	122,207	16'6	15'4	16'2	19'2	60	45	16	13	-	1	-	-	1	-	-	2	8	13	-	DERBY.				
STOCKPORT -	98,320	14'3	15'4	21'2	12'2	39	23	2	10	-	-	-	-	-	-	-	-	1	4	-	STOCKPORT.				
BIRKENHEAD -	116,035	18'4	13'5	13'9	8'1	68	18	4	5	-	-	1	1	-	-	-	-	5	-	-	BIRKENHEAD.				
WALLASEY -	62,460	11'7	8'3	20'9	7'5	45	9	-	2	-	-	-	1	-	-	-	1	2	1	-	WALLASEY.				
LIVERPOOL -	730,143	21'1	16'6	22'0	20'4	513	285	60	80	-	3	2	4	1	1	5	11	14	75	5	LIVERPOOL.				
BOOTLE -	62,758	17'4	19'1	17'4	19'1	50	23	4	4	-	-	1	-	-	-	-	1	2	4	-	BOOTLE.				
ST. HELENS -	89,843	18'6	18'0	20'3	17'4	64	30	10	3	-	-	-	-	1	-	-	1	1	5	1	ST. HELENS.				
WIGAN† -	83,581	12'6	24'7	18'1	27'7	59	46	11	6	-	4	1	-	-	-	-	1	2	4	1	WIGAN†.				
WARRINGTON -	68,301	13'7	21'4	13'0	17'6	50	23	6	6	-	1	-	-	-	-	1	2	2	2	2	WARRINGTON.				
BOLTON -	178,111	15'5	13'8	14'1	17'0	94	53	8	15	-	7	-	-	-	-	-	1	3	8	-	BOLTON.				
BURY -	58,594	20'5	21'4	14'2	15'1	19	17	-	9	-	-	-	-	-	-	-	-	-	4	-	BURY.				
MANCHESTER† -	631,185	18'9	17'8	18'4	19'0	371	230	58	49	-	2	1	5	7	1	2	13	16	44	2	MANCHESTER†.				
SALFORD -	231,514	17'6	13'3	18'7	17'8	140	79	25	12	-	1	3	2	-	-	4	2	5	18	-	SALFORD.				
OLDHAM -	140,225	19'0	18'6	17'1	17'1	70	46	4	13	-	-	-	2	-	-	1	2	2	5	-	OLDHAM.				
ROCHDALE -	86,390	21'7	8'5	16'9	18'1	29	30	3	11	-	-	-	2	-	-	1	1	1	4	1	ROCHDALE.				
BURNLEY -	101,682	13'8	15'9	17'9	11'8	53	23	5	9	-	-	1	-	-	-	-	2	2	3	-	BURNLEY.				
BLACKBURN -	133,067	16'5	18'8	15'3	20'4	70	52	10	20	-	-	-	-	1	1	-	3	4	10	3	BLACKBURN.				
PRESTON -	115,721	23'1	19'8	15'3	16'7	61	37	10	8	-	-	-	-	2	-	-	2	3	4	1	PRESTON.				
BARROW-IN-FURNESS.	60,206	16'4	15'6	13'8	18'2	29	21	5	5	-	-	-	-	2	1	-	1	1	2	-	BARROW-IN-FURNESS.				

TOWNS	Population estimated in the middle of the Year 1905.*	Causes.				Diseases in Cols. 11-17.		Registered during the Year ending 11th Mar., 1905.		Deaths of		Deaths from							Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.
		Week ended				11-17.		Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	19.	20.	21.	Cols.		
		18th Feb., 1905.	25th Feb., 1905.	4th Mar., 1905.	11th Mar., 1905.	Week ended 11-17.	Week ended 11th Mar., 1905.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
HUDDESFIELD	-	13.7	12.6	14.8	15.9	1.1	50	29	5	12	-	-	-	1	-	1	-	-	1	3	-	HUDDESFIELD.			
HALIFAX	-	15.9	13.9	12.5	15.4	1.0	32	32	3	15	-	-	-	-	2	-	-	1	2	3	-	HALIFAX.			
BRADFORD	-	18.5	16.2	17.6	14.5	0.7	111	80	15	25	-	-	1	1	2	-	-	3	6	14	2	BRADFORD.			
LEEDS	-	15.6	13.1	14.6	15.9	0.9	231	139	36	41	-	2	-	1	2	3	-	4	16	28	-	LEEDS.			
SHEFFIELD	-	17.2	14.2	15.6	16.8	1.5	285	142	38	40	-	6	2	2	3	-	-	5	9	26	6	SHEFFIELD.			
ROTHERHAM	-	21.8	14.8	10.5	11.3	0.9	37	13	2	4	-	-	1	-	-	-	-	-	3	-	-	ROTHERHAM.			
YORK	-	20.9	11.4	19.0	17.1	2.5	49	27	6	12	-	2	2	-	-	-	-	1	4	6	-	YORK.			
HULL	-	17.8	14.7	15.6	20.4	1.2	149	101	22	43	-	-	-	1	5	-	-	3	7	23	1	HULL.			
MIDDLESBROUGH	-	22.8	20.7	21.2	24.9	3.7	87	47	14	9	-	3	-	2	1	-	1	3	4	7	-	MIDDLESBROUGH.			
STOCKTON-ON-TEES	-	25.9	29.8	21.9	19.9	1.0	26	20	6	4	-	1	-	-	-	-	-	1	1	1	-	STOCKTON-ON-TEES.			
WEST HARTLEPOOL	-	24.1	19.0	16.1	20.5	4.4	28	28	9	4	-	5	-	1	-	-	-	-	-	2	1	WEST HARTLEPOOL.			
SUNDERLAND	-	15.4	15.0	22.9	18.4	0.3	95	54	12	15	-	1	-	-	-	-	-	3	6	8	1	SUNDERLAND.			
SOUTH SHIELDS	-	20.5	17.2	20.5	18.1	-	82	38	10	8	-	-	-	-	-	-	-	1	3	4	3	SOUTH SHIELDS.			
GATESHEAD	-	17.7	16.0	16.9	16.9	0.9	66	39	11	6	-	1	-	-	-	-	1	-	1	10	2	GATESHEAD.			
NEWCASTLE-ON-TYNE†	-	21.9	17.7	19.3	20.5	1.2	148	104	23	18	-	-	2	1	3	-	-	-	2	19	1	NEWCASTLE-ON-TYNE.†			
TYNEMOUTH	-	21.4	19.5	24.3	18.5	-	31	19	4	6	-	-	-	-	-	-	-	-	-	2	-	TYNEMOUTH.			
NEWPORT (MON.)	-	23.6	17.2	20.0	15.7	-	41	22	2	7	-	-	-	-	-	-	-	-	-	-	-	NEWPORT (MON.).			
CARDIFF	-	13.9	13.0	15.9	17.1	1.7	89	59	14	16	-	4	-	-	-	-	2	2	8	7	-	CARDIFF.			
RHONDDA	-	35.0	20.0	21.3	16.7	2.1	95	40	16	5	-	-	-	-	4	-	-	1	1	-	1	RHONDDA.			
MERTHYR TYDFIL	-	24.7	19.8	29.7	28.9	2.1	50	41	18	8	-	3	-	-	-	-	-	2	2	1	-	MERTHYR TYDFIL.			
SWANSEA	-	21.1	17.9	19.5	21.1	1.1	47	39	9	17	-	-	-	1	1	-	-	-	2	4	-	SWANSEA.			
GREATER LONDON	-	15.4	14.5	15.8	16.1	1.3	3648	2158	474	671	-	44	17	23	75	6	16	73	189	638	10	GREATER LONDON.			
OUTER RING	-	12.8	11.7	13.3	13.8	1.3	1236	615	148	191	-	12	6	10	22	2	5	14	37	99	4	OUTER RING.			
8 TOWNS IN OUTER RING	-	13.0	12.5	13.7	14.1	1.8	665	306	73	80	-	8	5	6	16	2	3	6	20	50	2	8 TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING	-	12.5	10.9	12.9	13.5	0.7	571	309	75	111	-	4	1	4	6	-	2	8	17	49	2	REMAINDER OF OUTER RING.			
EDINBURGH	-	16.3	15.8	15.2	14.4	0.8	136	93	14	34	-	-	-	-	2	-	3	3	?	27	5	EDINBURGH.			
GLASGOW	-	19.6	17.8	18.3	17.8	2.6	437	276	57	58	-	6	1	1	22	-	10	10	?	72	8	GLASGOW.			
DUBLIN†	-	23.5	25.5	30.7	25.2	0.3	228	183	37	55	-	1	-	-	-	1	-	2	3	65	10	DUBLIN.†			
BELFAST†	-	22.1	24.7	23.1	25.4	2.0	214	175	29	50	-	10	-	1	-	3	-	4	8	54	?	BELFAST.†			

† See note † on first page of this return

‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the Tenth Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2681	2534	2654	2736	2627	2841	2496	2680	2584	2712	2756.3	2841
Males - -	1354	1241	1341	1362	1312	1458	1286	1382	1328	1376	1395.6	1458
Females - -	1327	1293	1313	1374	1315	1383	1210	1298	1256	1336	1360.7	1383
TOTAL Deaths -	3471	1846	1571	1854	1954	1652	1723	2159	1443	1796	2021.5	1652
Males - -	1600	948	808	946	943	884	893	1063	720	897	1007.7	884
Females - -	1871	898	763	908	1011	768	830	1093	723	899	1013.8	768

* The numbers in this column are the average weekly numbers in the tenth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	13 Week
TOTAL Births -	2446	2122	2320	2720	2553	2408	2637	2676	2722	2612	2200	2600	2412	324
TOTAL Deaths -	1696	1572	1868	1665	1424	1492	1700	1576	1580	1506	1436	1535	1543	205
Ages at Death -														
Under 1 year -	294	278	347	316	270	293	295	293	305	284	290	321	326	39
1-5 years -	164	140	173	144	126	121	156	159	141	160	152	183	194	20
5-20 " -	75	76	60	86	75	72	80	56	96	70	82	77	68	27
20-40 " -	202	191	230	179	177	171	205	182	163	192	154	144	188	94
40-60 " -	345	340	383	355	309	313	349	317	336	303	296	265	287	41
60 yrs. & upwds.	616	547	675	585	467	522	615	569	539	497	462	505	480	70
Deaths from—														
Small-pox - -	-	-	-	1	-	-	1	-	-	1	-	-	-	-
Measles - -	32	26	44	32	25	21	30	21	26	28	18	34	32	36
Scarlet Fever - -	6	3	15	9	14	7	9	10	9	12	10	14	11	12
Diphtheria - -	12	13	17	13	9	11	18	13	16	11	13	20	13	17
Whooping-cough -	20	17	25	16	23	24	38	32	37	33	34	53	38	38
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	7	8	9	5	4	1	5	5	4	2	5	4	6
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	16	12	15	12	11	12	9	15	21	7	13	8	11	16
All above Diseases -	90	78	124	91	88	79	106	96	114	96	90	115	124	120
Dis. of Resp. System -	272	236	358	275	174	238	283	280	229	211	175	204	187	312
Pneumonia - -	215	180	163	168	127	139	195	164	171	167	160	149	174	217
Phthisis - -	170	181	192	158	147	160	163	133	134	133	135	135	151	199
Dis. of Circ. System -	218	200	243	208	179	207	255	236	225	195	177	218	216	277
Violence - -	62	60	76	65	75	46	72	66	45	62	73	56	59	81
Inquest Cases -	170	140	218	185	155	149	201	156	159	136	156	149	152	212
Deaths in Institutions	628	592	687	605	525	531	604	582	594	550	506	559	539	740
TEMPERATURE OF THE AIR.														
Mean - -	43.4	34.1	41.6	41.0	40.5	33.1	37.4	43.1	44.7	44.3	37.6	38.4	44.3	40.7
Mean of Highest -	47.7	38.0	45.6	45.7	45.4	39.8	42.3	47.8	48.7	48.6	42.1	44.7	50.6	45.2
Mean of Lowest -	37.7	28.7	37.2	34.1	34.1	27.8	32.1	37.9	40.6	39.4	34.3	32.2	39.3	35.0
Mean Humidity of the Air.	87	97	85	83	79	78	85	79	84	76	81	83	80	83
Rain-fall (in inches) -	0.50	0.04	0.09	0.42	0.08	0.47	0.00	0.03	0.12	0.12	0.25	0.30	1.08	3.50
Registered Sunshine (in hours) -	5.8	3.5	7.0	1.5	20.2	11.8	10.1	17.1	11.1	12.8	23.1	15.3	7.3	146.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	6	14	17	18	19	18	15	13	9	8	15	15	16	14
Scarlet Fever - -	2403	2391	2390	2309	2192	2174	2096	2070	2077	2017	1987	2002	2036	2165
Diphtheria - -	839	825	804	827	808	836	840	871	860	865	842	828	840	837
Typhus - -	-	-	-	-	-	-	-	-	-	2	2	2	2	1
Enteric Fever - -	174	170	159	157	146	134	135	123	110	104	87	84	84	134

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Meares Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TENTH Week of the Year 1905.

ms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

		Deaths in the 10th week of the year 1904.	1905—Deaths of Persons of the Ages									Deaths in the 10th week of the year 1904.	1905—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.								0-1.	1-5.	5-20.			
CAUSES OF DEATH.									CAUSES OF DEATH.										
CAUSES		1796	1543	326	194	68	188	287	480	Meningitis (not tuberc.)	17	20	9	9	-	-	-	2	
										Insanity, Gen. Par. of	24	18	-	-	-	5	4	-	
										Insane - - -	11	5	1	-	-	-	-	-	
										Epilepsy - - -	30	25	23	2	1	2	1	-	
										Convulsions - - -	6	4	-	-	-	-	1	1	
										Locomotor Ataxy - -	27	18	-	1	2	1	5	9	
										Paraplegia, Dis. of Cord	48	45	-	-	4	10	16	15	
										Nervous Sys. (other dis.)	44	35	-	-	-	1	9	25	
										Valv. Dis., Endocarditis-	18	16	-	-	-	-	2	14	
										Cerebr. Hem. Thromb.-	3	6	-	-	-	2	2	2	
										Apoplexy, Hemiplegia -	3	3	-	-	-	1	2	-	
										Aneurysm - - -	105	111	-	-	4	10	28	69	
										Embolism, Thrombosis }									
										(not cerebral)									
										Heart & Blood Vessel Dis.									
										Croup (not Spasm: nor	1	1	1	-	-	-	-	-	
										Memb.) - - -	212	153	26	11	2	8	21	88	
										Bronchitis - - -	10	6	-	-	-	1	2	3	
										Asthma, Emphysema - -	1	7	-	1	-	1	1	4	
										Pleurisy - - -	11	17	3	3	-	1	6	4	
										Respiratory Dis. (other)	-	1	-	-	-	-	1	-	
										Tonsillitis, Quinsy - -	5	7	4	-	1	-	-	2	
										Enteritis (not Epid.) -	9	3	2	-	-	-	-	1	
										Gastro-Enteritis - - -	-	1	-	-	-	-	-	1	
										Peritonitis (not Puerp.)	15	6	-	-	-	1	3	2	
										Cirrhosis of Liver - - -	4	9	-	-	-	3	3	3	
										Liver Dis. (other) - - -	44	49	11	4	2	9	15	8	
										Digestive Dis., Other - -	8	6	-	-	2	1	3	-	
										Nephritis, Acute - - -	46	36	-	-	2	4	16	14	
										Bright's Dis., Albumin-	16	6	-	-	-	-	1	5	
										uria - - -	-	-	-	-	-	-	-	-	
										Urinary Sys., Other Dis.	7	7	2	-	-	2	2	1	
										Generative Organs Dis.-	2	3	-	-	-	3	-	-	
										Childbirth (Accid. of) -	72	51	-	-	-	-	-	51	
										Old Age - - -	118	109	78	12	5	3	5	6	
										Other Diseases - - -	ACCIDENT.								
										By Railways - - -	2	1	-	-	-	-	-	1	
										By Vehicles and Horses -	6	3	-	-	1	1	-	1	
										In Ships, Boats, Docks, }	-	-	-	-	-	-	-	-	
										(exclusive of Drown-	-	-	-	-	-	-	-	-	
										ing) - - -	1	3	-	-	-	2	1	-	
										In Building Operations -	7	1	-	-	-	-	-	1	
										In Conflagrations - - -	10	7	-	3	1	-	2	1	
										By Burns, Scalds, Ex-	-	6	-	-	-	5	-	1	
										plosions - - -	18	10	10	-	-	-	-	-	
										By Drowning - - -	1	2	-	-	-	2	-	-	
										By Suffocation in Bed -	-	-	-	-	-	-	-	-	
										By Poisons or Poisonous	15	16	3	1	-	2	2	8	
										Vapours - - -									
										Other Deaths by Acci-									
										dent - - -									
VIOLENCE OTHER THAN ACCIDENTAL.																			
										Homicide - - -	1	1	-	-	-	-	1	-	
										Suicide - - -	7	8	-	-	-	2	4	2	
										Execution - - -	-	1	-	-	-	-	1	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th March, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
LONDON - - -		4,536,429	2412	1543	326	480	-	32	11	13	53	-	4	-	11	59	152	538
WEST DISTRICTS - - -		805,311	393	260	54	92	-	3	-	1	14	-	1	-	2	7	19	89
NORTH DISTRICTS - - -		1,056,070	464	329	48	120	-	9	2	1	12	-	1	-	-	12	35	92
CENTRAL DISTRICTS - - -		209,465	103	83	18	21	-	1	-	1	6	-	-	-	1	7	10	38
EAST DISTRICTS - - -		715,739	540	272	80	67	-	10	-	-	5	-	-	-	4	15	45	122
SOUTH DISTRICTS - - -		1,749,844	912	565	126	175	-	9	6	10	16	-	1	-	4	18	43	164
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	34	-	5	-	-	3	-	-	-	1	-	-	-	-	34
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.		93,178	62	24	3	13	-	-	-	-	-	-	-	-	-	1	2	6
W ² H }																		
St. John Paddington H } - G.		33,617	5	13	2	4	-	1	-	-	-	-	-	-	-	2	2	5
North-West Paddington } - C.		17,181	8	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Kensington Town 2W } W. & C.		128,037	50	62	13	23	-	-	-	1	2	-	1	-	-	-	2	26
Brompton 2H } - W. & C.		48,591	11	11	-	7	-	-	-	-	1	-	-	-	-	-	-	-
North Hammersmith W } W. & G.		49,192	31	4	1	1	-	-	-	-	-	-	-	-	-	1	1	1
South Hammersmith w ² H }		63,047	41	18	6	4	-	1	-	-	2	-	-	-	1	-	1	1
North-west Fulham W }		45,180	50	22	6	7	-	1	-	-	1	-	-	-	-	1	3	10
North-east Fulham F }		46,405	23	11	2	6	-	-	-	-	2	-	-	-	-	1	2	1
South Fulham W }		45,704	23	15	10	2	-	-	-	-	1	-	-	-	1	1	-	-
Chelsea North W, w ³ H } - C.		42,514	20	21	1	7	-	-	-	-	1	-	-	-	-	-	-	14
Chelsea South W ² H } - C.		51,328	16	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2
May Fair and Knightsbridge C. & G.		28,743	6	2	-	1	-	-	-	-	-	-	-	-	-	1	1	7
Belgrave W ² H } - C.		55,815	17	19	3	7	-	-	-	-	-	-	-	-	-	1	3	7
St. Margaret & St. John 4H } - C.		43,698	18	23	5	6	-	-	-	-	2	-	-	-	-	-	-	14
St. James Westminster } N. & G.		21,588	4	5	-	3	-	-	-	-	-	-	-	-	-	-	1	1
W ² H }																		
St. Anne Soho 5H } - N.		11,493	8	4	1	-	-	-	-	-	-	-	-	-	1	-	-	3
NORTH DISTRICTS.																		
All Souls Marylebone 8H } - W.		35,391	10	11	2	1	-	-	-	-	-	1	-	-	1	1	6	1
Rectory Marylebone W } G. & W.		19,849	5	2	-	2	-	-	-	-	-	-	-	-	1	1	1	1
St. Mary Marylebone 4H } G. & W.		18,099	30	3	-	1	-	-	-	-	-	-	-	-	1	1	1	1
Christchurch Marylebone H- } W.		39,536	16	13	3	3	-	-	-	-	-	-	-	-	1	1	1	1
St. John Marylebone 3H } - W.		20,426	4	7	2	4	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead W, F, 8H } - N. & W.		81,942	24	28	2	11	-	-	1	-	-	-	-	-	-	2	9	9
West St. Pancras 2H } - W.		60,562	22	17	1	8	-	-	-	-	-	-	-	-	-	-	1	3
Tottenham-court w, 6H } N. & W.		21,258	5	15	4	3	-	-	-	-	-	-	-	-	-	-	7	7
Gray's Inn Lane 4H } - N.		34,449	24	9	-	1	-	-	-	-	2	-	-	-	-	1	2	5
East St. Pancras W ² H } - N.		60,320	29	21	7	7	-	2	-	-	-	-	-	-	-	1	1	7
North St. Pancras 2W } - N.		58,728	15	18	-	7	-	-	-	-	-	-	-	-	1	3	10	10
Tufnell W } - N.		31,995	16	16	1	10	-	-	-	-	-	-	-	-	-	-	-	12
Upper Holloway 2W, w ² H } - N.		33,978	14	18	3	3	-	-	-	-	-	-	-	-	-	1	12	12
Tollington W } - N.		33,922	20	10	1	3	-	-	-	-	1	-	-	-	-	-	-	-
Lower Holloway } - N.		41,424	21	9	2	4	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury } - N.		54,478	35	15	3	3	-	-	-	-	2	-	-	-	-	2	-	-
Islington South-east F } - N.		75,397	42	13	1	8	-	-	-	-	-	-	-	-	-	3	-	-
Highbury 2H } - N.		63,797	23	16	2	9	-	-	-	-	1	-	-	-	1	3	2	1
Stoke Newington H } - N.		51,247	17	15	1	7	-	-	-	-	2	-	-	-	1	1	-	-
North Hackney } - E. & N.		50,560	17	10	-	7	-	1	-	-	-	-	-	-	1	2	-	-
Central Hackney 2w, F } - E. & N.		50,536	22	21	6	4	-	3	1	1	3	-	-	-	1	4	2	4
South-west Hackney 3H } - E. & N.		59,921	25	16	3	3	-	2	-	-	-	-	-	-	1	1	4	4
South-east Hackney 2W, w, H E. & N.		58,255	28	26	4	11	-	1	-	-	-	-	-	-	2	4	13	13

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies the Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS

1896

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 11th March, 1905—continued.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include													
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																		
Christchurch Southwark W, H, L. & S.		11,263	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Saviour Southwark H - S.		12,066	13	17	4	1	-	-	-	-	-	-	-	-	-	1	1	13
Kent-road - S. & L.		21,904	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West W, 2H, L - - -	S. & L.	39,094	23	9	5	1	-	-	-	1	-	-	-	-	-	1	1	4
Newington North - S. & L.		49,022	30	13	3	2	-	-	-	-	-	-	-	-	-	1	2	-
Newington South W - S. & L.		72,841	44	26	8	7	-	-	-	1	-	-	-	-	-	1	2	1
St. Olave 2W - - - S.		9,817	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - S.		82,483	41	14	4	2	-	-	1	-	-	-	-	-	-	-	-	-
Rotherhithe W, F - - S. & K.		38,460	21	14	-	6	-	-	-	-	-	-	-	-	-	-	-	10
Waterloo-road 2H - - L. & S.		27,440	26	7	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st H - L. & S.		18,423	10	24	1	2	-	-	1	-	-	-	-	-	-	2	5	20
Lambeth Church 2nd 2W - L. & S.		39,818	33	21	3	9	-	-	-	-	2	-	-	-	-	2	1	15
Kennington 1st H - S. & L.		53,198	24	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd H - S. & L.		42,896	11	15	5	3	-	-	-	1	1	-	-	-	-	2	2	3
Brixton F - L. & S.		84,232	35	22	7	8	-	-	2	1	1	-	-	-	-	1	2	3
Norwood W, H - - - L.		35,888	9	9	1	3	-	-	-	-	-	-	-	-	-	2	1	-
East Battersea H - - S.		72,203	42	20	5	4	-	-	-	-	1	-	-	-	-	-	1	-
North-west Battersea - S.		49,656	34	12	1	3	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea W, H - S.		47,048	16	21	2	11	-	-	-	-	1	-	-	-	-	1	1	-
Clapham 2H - S.		51,361	22	14	7	3	-	-	-	-	-	-	-	-	-	-	2	13
Streatham W, 2W, 2F, 2L - L.		88,019	48	36	7	3	-	-	1	-	1	-	-	-	-	2	2	16
Springfield 2W, L - - S.		27,959	11	11	3	4	-	-	-	-	-	-	-	-	-	1	2	1
Southfields H - - S.		40,444	27	9	1	5	-	-	-	1	-	-	-	-	-	-	1	3
Putney - - - S.		24,139	5	7	3	-	-	-	4	-	-	-	-	-	-	-	1	-
Dulwich - - - L. & S.		13,359	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, W - S. & L.		40,206	22	23	6	8	-	-	-	-	1	-	-	-	-	1	-	14
Camberwell North W, 2L - S. & L.		65,584	35	27	4	11	-	-	-	-	1	-	-	-	-	-	-	-
St. George - - - L. & S.		47,331	32	9	3	4	-	-	-	-	3	-	-	-	-	1	1	12
Peckham 2W, W - S., L. & K.		92,859	46	27	8	7	-	-	2	-	1	-	-	-	-	-	2	1
Deptford North - - - K.		37,613	21	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - K.		45,481	21	10	5	2	-	-	-	1	-	-	-	-	-	-	-	-
Deptford South - - - K.		34,625	11	10	1	6	-	-	-	-	1	-	-	-	-	1	1	-
Greenwich West 2H - - K.		23,456	6	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W, H - K.		43,859	17	15	3	5	-	-	-	-	-	-	-	-	-	1	2	7
Eltham W, H - - - K.		7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee W, H - - - K.		25,490	14	6	-	4	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham W, W, F - - K.		58,352	40	21	4	9	-	-	1	2	-	-	-	-	-	-	-	-
Sydenham H - - - L.		43,653	14	9	1	4	-	-	-	-	-	-	-	-	-	-	2	10
Charlton F, 2H - - - K.		21,134	10	17	4	3	-	-	1	3	-	-	-	-	-	-	2	9
Woolwich 4H - - - K.		41,625	19	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West W - - K.		18,063	11	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead East 2W, H - K.		50,264	30	21	6	9	-	-	-	1	-	-	-	-	-	-	-	8
Workhouse:—																		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) - - -																		
M. A. B. Small-pox Hospitals:—																		
Joyce Green - - - - -																		
Long Reach - - - - -																		
M. A. B. Fever Hospitals:—																		
North-Eastern - - - - -																		
Northern - - - - -																		
M. A. B. Imbecile Asylums:—																		
Caterham - - - - -																		
Darenth - - - - -																		
Gore Farm (temporary) - - -																		
Leavesden - - - - -																		
London County Lunatic Asylums:—																		
Banstead - - - - -																		
Ewell (Epileptic Colony) - -																		
Horton - - - - -																		
Manor - - - - -																		
Cane Hill - - - - -																		
Dartford Heath - - - - -																		
Hanwell - - - - -																		
Colney Hatch - - - - -																		
Claybury - - - - -																		

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th March, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1236	615	148	191	-	12	6	10	22	2	5	14	37	99	4
Carshalton <i>w,2F,2H</i>	12,228	32,997	15	7	4	3	-	-	-	-	-	-	-	-	-	1	-
Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,892	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon <i>w</i>	4,200	49,303	31	16	5	6	-	-	-	-	1	-	-	-	1	-	-
West Croydon <i>3W,F,H</i>	2,168	42,888	20	25	8	10	-	1	-	1	-	-	-	-	-	6	-
North Croydon <i>H</i>	2,644	41,698	34	13	3	4	-	-	-	-	1	-	-	-	1	1	-
Penge <i>w,H</i>	770	22,465	5	4	2	2	-	-	-	-	1	-	-	-	-	-	-
Mitcham <i>w</i>	11,711	30,015	23	5	2	1	-	-	-	-	-	-	-	-	1	-	1
Wimbledon <i>F,3H</i>	3,221	41,652	17	11	2	2	-	-	-	1	-	-	-	-	-	-	2
Kingston <i>2W,H</i>	6,224	42,068	27	13	1	6	-	-	-	-	-	-	-	-	-	6	-
Surbiton <i>F,H</i>	3,046	15,017	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	7	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Hampton <i>H,L</i>	4,564	23,456	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-
Richmond <i>W,H</i>	2,162	28,865	10	9	1	2	-	-	-	-	1	-	-	1	2	1	-
Mortlake <i>F</i>	2,847	20,638	14	11	3	5	-	-	-	-	-	-	-	-	-	-	-
Bromley <i>F,2H</i>	4,703	27,354	15	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Beckenham <i>H</i>	7,825	28,497	7	6	1	4	-	-	-	-	-	-	-	-	-	-	-
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Chislehurst <i>2H</i>	7,333	16,446	5	4	-	2	-	-	-	-	-	-	-	-	1	-	-
Bexley <i>F,H</i>	8,678	21,151	13	6	-	4	-	-	-	-	-	-	-	-	1	1	-
Erith <i>F,H</i>	3,854	25,296	7	7	1	3	-	-	-	-	-	-	-	-	-	-	1
Dartford <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury <i>w</i>	11,054	18,683	12	8	3	-	-	-	-	-	-	-	-	-	-	-	-
Staines <i>W,H</i>	13,277	15,178	8	7	-	5	-	-	-	-	-	-	-	-	-	4	-
Hillingdon <i>W,F,H</i>	6,035	13,661	6	7	3	3	-	-	-	-	-	-	-	1	1	3	-
Uxbridge <i>H</i>	12,757	8,984	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Hayes <i>w,F,H</i>	8,066	16,358	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W,2F,H</i>	6,859	30,863	22	15	5	4	-	-	-	-	1	-	-	-	-	1	-
Twickenham <i>F,H</i>	2,421	20,991	16	9	1	5	-	-	-	-	-	-	-	-	1	1	-
Brentford <i>2F,2H,L</i>	4,319	48,289	26	15	3	6	-	-	1	-	1	-	-	-	-	1	-
Chiswick <i>H</i>	1,249	29,809	14	6	2	1	-	-	1	-	1	-	1	-	-	-	-
Acton <i>w,3H</i>	6,132	48,914	41	11	3	5	-	-	-	-	-	-	-	-	-	-	-
Harrow <i>F,H</i>	13,809	25,523	14	6	1	1	-	-	-	-	-	-	-	-	1	1	-
Edgware <i>F,2H</i>	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden <i>W,F,2H</i>	4,384	114,811	75	41	11	9	-	1	-	-	5	-	-	-	1	4	1
Hendon <i>W,F</i>	8,382	22,450	9	7	1	2	-	-	-	-	-	-	-	-	1	1	-
South Mimms <i>2F,H</i>	17,755	7,308	10	2	1	-	-	-	-	1	-	-	-	-	-	-	1
Barnet <i>W,3H</i>	3,324	17,970	7	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Finchley <i>F,2H</i>	4,688	53,692	14	5	1	2	-	-	-	-	1	-	-	-	-	-	-
Hornsey <i>F,H</i>	2,875	72,056	28	15	1	7	-	-	-	-	-	-	-	-	-	1	-
Wood Green <i>H</i>	1,825	34,233	16	12	3	3	-	-	3	-	-	-	-	-	-	1	-
West Tottenham <i>F</i>	996	48,853	38	11	1	1	-	-	1	-	1	-	-	-	-	4	-
East Tottenham <i>F,H</i>	2,017	53,688	38	24	4	7	-	-	-	-	-	-	-	2	2	10	-
Edmonton <i>W,w,2F</i>	7,491	61,892	44	19	6	8	-	-	-	-	1	-	-	-	-	1	5
Enfield <i>2W,F,H</i>	12,801	42,738	23	14	6	5	-	-	-	-	-	-	-	-	-	1	1
Waltham Abbey	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F,H</i>	8,479	12,292	6	5	-	3	-	-	-	-	-	-	-	-	-	-	1
Hatfield, <i>part of</i> * <i>W</i>	3,305	864	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford <i>H</i>	1,072	44,827	29	13	4	1	-	-	3	-	-	-	-	-	1	2	3
Plaistow <i>F,2H</i>	1,249	90,921	68	41	11	10	-	-	2	2	2	-	-	-	1	2	5
Canning Town <i>H</i>	1,556	70,718	64	14	6	1	-	-	2	-	1	-	-	-	1	3	-
Forest Gate <i>w</i>	806	60,892	33	8	1	3	-	-	-	-	-	-	-	-	-	-	-
North East Ham <i>w</i>	1,333	58,676	32	7	2	2	-	-	-	-	1	-	-	-	-	-	1
South East Ham <i>2F</i>	1,993	37,342	31	14	2	2	-	-	2	2	1	-	-	-	-	3	-
Wanstead <i>F</i>	1,679	9,179	3	3	1	2	-	-	-	-	-	-	-	1	1	-	-
South Leyton <i>2W</i>	631	50,467	41	12	4	4	-	-	-	-	2	-	1	-	-	4	1
North Leyton <i>W,w,F</i>	1,963	48,445	42	30	1	5	-	-	-	-	-	2	-	1	2	19	-
Walthamstow <i>3H,L</i>	6,504	108,929	68	32	10	10	-	-	-	-	-	-	3	-	1	1	1
Chigwell, <i>part of</i> * <i>2F,3H</i>	11,778	16,397	8	7	2	-	-	-	-	-	2	-	-	1	1	2	-
Epping <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	2	7	1	2	-	-	1	-	-	-	-	-	-	5	-
Ilford <i>F,L</i>	8,496	41,234	21	15	4	7	-	-	1	-	-	-	-	-	-	-	3
Barking Town <i>F</i>	3,803	21,547	20	6	3	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Friern Barnet.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

3 parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting on Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 12: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	March 11	2412	1543	17·2	-	32	11	14	53	4
CALCUTTA - -	847,796	January 28	-	624	38·2	2	-	-	-	1	108†
BOMBAY - -	776,006	February 21	365	1653	110·8	164	16	-	-	-	719†
MADRAS - -	509,346	" 10	364	367	37·4	2	3	-	-	-	62
PARIS - -	2,660,559	March 4	943	992	19·3	1	9	1	6	7	6
BRUSSELS - -	586,936	" 4	227	177	15·7	-	2	-	-	1	1
ANTWERP - -	286,695	" 4	145	80	14·5	-	5	-	-	2	-
AMSTERDAM -	551,415	February 25	294	158	14·9	-	5	-	-	5	-
COPENHAGEN -	426,000	March 4	224	124	15·2	-	2	-	1	-	-
STOCKHOLM -	309,496	February 25	128	131	22·0	-	-	1	2	3	1
CHRISTIANIA -	223,649	March 4	103	98	22·8	-	-	1	5	9	-
ST. PETERSBURG	1,243,122	February 25	730	744	31·0	6	15	10	13	3	47
MOSCOW - -	1,092,360	" 25	-	566	27·0	1	8	10	9	6	1
WARSAW - -	"	"	-	-	-	-	-	-	-	-	-
BERLIN - -	2,005,919	February 18	969	683	17·8	-	10	9	7	8	1
HAMBURG - -	772,852	March 4	-	240	16·1	-	2	-	3	1	-
BRESLAU - -	458,896	February 25	-	187	21·2	-	-	-	5	2	-
MUNICH - -	528,000	March 4	-	214	24·3	-	1	1	2	2	1
VIENNA - -	1,877,839	" 4	-	200	19·7	-	1	2	-	3	-
PRAGUE - -	430,569	" 4	1027	690	19·1	-	13	1	8	2	1
BUDA-PESTH -	836,267	" 4	211	215	26·0	-	7	-	2	1	-
TRIESTE - -	191,403	" 4	432	360	24·4	-	2	3	6	1	2
ROME - -	503,857	" 4	107	142	38·6	-	-	1	2	-	-
VENICE - -	166,288	January 7	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	February 18	72	95	29·5	-	-	-	1	1	-
		" 25	92	111	34·5	-	1	-	-	4	-
NEW YORK - -	3,948,191	" 18	178	145	23·8	-	-	-	3	1	-
		" 25	1855	1521	20·1	1	8	20	47	8	4
CHICAGO - -	1,932,315	" 18	2049	1559	20·6	1	5	14	45	8	10
PHILADELPHIA -	1,438,318	" 18	-	630	16·5	4	1	3	6	3	2
BOSTON - -	617,950	" 18	-	599	21·7	-	2	6	12	4	13
		" 11	-	233	19·6	-	-	2	5	-	1
RIO DE JANEIRO	850,000	" 12	-	268	16·4	9	2	-	-	-	3†

* Excluding deaths from croup in the Indian Cities.

† Including 58 deaths from plague in Calcutta, 666 in Bombay, and 3 in Rio de Janeiro.

‡ Including 103 deaths from cholera.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th March, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	52·9	35·5	45·0	1·08	BRADFORD - -	51·6	34·0	43·0	0·75
BRIGHTON - -	48·2	34·7	43·6	1·66	LEEDS - - -	52·0	34·0	43·9	0·58
PORTSMOUTH - -	52·0	38·0	44·7	1·77	HULL - - -	53·0	35·0	43·0	0·15
NORWICH - -	53·6	33·8	44·5	0·55	TYNEMOUTH - -	52·0	33·0	41·9	0·16
PLYMOUTH - -	54·3	28·6	45·3	2·25					
BRISTOL - -	51·2	34·0	44·0	1·80	EDINBURGH - -	48·7	33·7	41·0	0·61
BIRMINGHAM - -	50·0	33·8	42·2	1·00	GLASGOW - -	51·2	33·4	41·8	0·92
NOTTINGHAM - -	51·9	34·2	43·3	0·74					
LIVERPOOL - -	50·0	36·0	43·5	0·95	DUBLIN } Phoenix Park.	53·6	32·9	42·4	0·51
MANCHESTER - -	49·8	34·8	42·0	0·93	} Fitzwilliam Square.†	54·0	34·9	44·1	0·56
PRESTON - -	?	?	?	?					
HUDDERSFIELD - -	50·5	34·2	42·1	0·61	BELFAST - -	53·8	31·5	42·3	0·82

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·3° Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		TEMPERATURE.										TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE	
-------	--	--------------	--	--	--	--	--	--	--	--	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	-------------	--

DATE.		EXPLANATION OF SYMBOLS.		Registered Sunshine in hours.		GENERAL REMARKS.	
MARCH.							
SUNDAY - 5		w. P. till 4h. P.M.; w. P. & V. N. afterwards.	00	11.1		Generally overcast; frequent slight rain after 4h. P.M.	
MONDAY - 6		w. P. generally till 3h. P.M.; w. P. & V. N. till 8h. P.M.; w. P. afterwards.	09	11.1		Generally overcast; occasional showers. Partial solar halo in forenoon.	
TUESDAY - 7		w. P. generally; occasional V. N. after 7h. P.M.	00	11.2		Generally overcast; occasional showers of rain and hail after 3h. P.M. Partial solar halo in afternoon; gusty wind at night.	
WEDNESDAY - 8		s. P. till 11h. A.M.; w. P. till 6h. P.M.; w. P. afterwards.	14	11.3		Fine generally in morning; overcast with slight exceptions after 9h. A.M. Faint solar halo observed in afternoon; continuous slight rain after 6h. P.M.	
THURSDAY - 9		w. P. with occasional w. N. till 3h. P.M.; m. P. afterwards.	01	11.3		Generally overcast with occasional rain till evening; cloudless and very fine at night.	
FRIDAY - 10		6h. P.M.; V. N. till 10h. P.M.; w. P. afterwards.	46	11.4		Solar halo in afternoon; brisk wind at times. Very fine generally but partially cloudy till evening; overcast afterwards with continuous rain after 6h. P.M. Solar halo with partial eclipse observed in afternoon; strong gusty wind prevalent at times.	
SATURDAY - 11		w. P. and w. N. till 2h. P.M.; w. P. till 10h. P.M.; s. P. and s. N. afterwards.	03	11.5		Overcast with frequent rain and strong gusty wind till afternoon; fine and partially cloudy afterwards with sharp shower followed by gusty wind at 10h. 30m. P.M. Solar halo observed in afternoon.	
No. of Col. -			Sum 73	Sum 75.9			29

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the bar is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876. - "Lower" than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electric meter. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased to 29.86 in. by 11h. A.M. on the 6th; decreased to 29.73 in. by 3h. P.M. on the 5th; increased to 29.86 in. by 11h. A.M. on the 8th; decreased to 29.62 in. by 5h. P.M. on the 7th; increased to 29.47 in. by 11h. A.M. on the 8th; decreased to 29.35 in. by noon on the 9th; increased to 29.46 in. by 4h. P.M. on the same day; decreased to 29.45 in. by noon on the 11th; increased to 29.06 in. by 7h. P.M. on the same day; and was 29.02 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 4th March 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	12	-	-	1	-	-	2	-
Kensington - - - -	180,083	-	7	-	-	1	-	-	3	-
Hammersmith - - - -	119,037	-	4	5	-	-	-	-	1	-
Fulham - - - -	157,210	-	8	5	-	-	-	-	1	-
C Chelsea - - - -	74,496	-	2	1	-	-	-	-	1	1
City of Westminster - -	175,606	-	13	2	-	-	-	-	1	1
NORTH.										
St. Marylebone - - - -	129,453	-	1	2	-	-	-	-	7	-
Hampstead - - - -	88,142	-	13	1	-	-	-	-	2	-
St. Pancras - - - -	236,183	-	15	5	-	-	-	-	2	-
Islington - - - -	342,994	-	12	5	-	1	-	-	4	-
Stoke Newington - - - -	52,828	-	2	2	-	-	-	-	1	-
Hackney - - - -	228,479	-	5	13	-	-	-	-	3	-
CENTRAL.										
Holborn - - - -	56,481	-	4	1	-	-	-	-	-	-
Finsbury - - - -	98,207	-	1	-	-	-	-	-	-	-
City of London - - - -	22,425	-	3	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	116,565	-	12	3	-	-	-	-	2	-
Bethnal Green - - - -	130,401	-	7	8	-	1	-	-	3	-
Stepney - - - -	305,466	2	30	24	-	7	-	-	4	-
Poplar - - - -	170,280	-	6	13	-	-	-	-	3	-
SOUTH.										
Southwark - - - -	208,528	-	6	8	-	-	-	-	4	-
Bermondsey - - - -	129,006	-	13	1	-	-	-	-	4	-
Lambeth - - - -	313,045	-	16	4	-	-	-	-	3	1
Battersea - - - -	177,532	-	10	2	-	-	-	-	2	-
Wandsworth - - - -	265,392	-	24	11	-	1	-	-	4	-
Camden Town - - - -	271,240	6	23	11	-	-	-	-	4	-
Deptford - - - -	114,495	-	4	2	-	-	-	-	5	-
Greenwich - - - -	103,493	-	4	2	-	-	-	-	1	-
Lewisham - - - -	144,420	-	26	5	-	-	-	-	1	-
Woolwich - - - -	125,372	-	26	4	-	-	-	-	1	-
Port of London - - - -	-	1	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794										
		9	309	138	-	12	-	-	70	3
Ages 0-1 - - - -	-	-	7	5	-	-	-	-	2	-
" 1-5 - - - -	-	-	103	62	-	1	-	-	1	-
" 5- - - - -	-	2	137	34	-	3	-	-	2	-
" 10- - - - -	-	3	37	18	-	2	-	-	1	-
" 15- - - - -	-	-	4	5	-	4	-	-	2	-
" 20- - - - -	-	-	11	3	-	-	-	-	2	1
" 25- - - - -	-	2	8	9	-	2	-	-	10	-
" 35- - - - -	-	1	1	2	-	-	-	-	10	2
" 45- - - - -	-	1	1	-	-	-	-	-	10	-
" 55- - - - -	-	-	-	-	-	-	-	-	16	-
" 65 and upwards -	-	-	-	-	-	-	-	-	14	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING FEBRUARY, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th March, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of February.

Twelve samples were taken in each of the eight districts, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	February 6th, Cab Rank, Fulham Road, near Hospital for Women. }	4.9	32.82	.173	.017	0	.304	.321	1.9	22.2
West Middlesex - -	February 6th, Cab Rank, Earl's Court Gardens. }	6.0	30.96	.195	.019	0	.236	.255	1.8	21.8
Southwark - - - -	February 6th, Cab Rank, Stockwell Road, near The Swan P.H. }	7.0	32.78	.149	.017	0	.301	.318	1.85	22.2
Grand Junction - -	February 6th, Cab Rank, Portman Street, Oxford Street. }	5.6	32.16	.151	.013	0	.297	.310	1.8	21.9
Lambeth - - - -	February 6th, Cab Rank, St. George's Road, Southwark. }	4.9	32.90	.163	.017	0	.290	.307	1.85	22.5
LEA, WELLS, ETC.										
New River - - - -	February 6th, Cab Rank, near St. Clement Danes Church. }	7.0	33.66	.071	.005	0	.294	.299	1.80	22.4
LEA, THAMES, AND HAN- WORTH WELLS.										
East London - - - -	February 6th, Cab Rank, High Street, Shoreditch. }	7.3	34.70	.143	.014	0	.445	.459	2.0	24.2
DEEP WELLS										
Kent - - - -	February 6th, Cab Rank, near Wool- wich Arsenal Station. }	10.5	40.06	.051	.007	0	.526	.533	2.9	28.4
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 6th February, at the cab rank in Fulham Road, had a temperature of 4.9° C.; 100,000 lbs. of it contained 32.82 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .173 lb. of carbon and .017 lb. of nitrogen. The above quantity of water also contained .304 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .321 lb. The above weight of water also contained 1.9 lb. of chlorine and 22.2 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 6th February were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:—Kent 1·0, New River 1·3, East London 2·7, Southwark and Grand Junction 2·8, Lambeth 3·1, Chelsea 3·2, and West Middlesex 3·6.

The five supplies distributed by the district works which draw their water from the Thames contained less organic impurity than in January, and all were clear and of good quality.

The New River district supply, consisting of filtered Lea and well water, also contained less organic matter than in the previous month and was of very good quality. The East London water, drawn in the area partly supplied with filtered water abstracted from the Thames at Sunbury and gravel wells at Hanworth, was clear and in general chemical quality resembled the supplies obtained exclusively from the Thames.

The Kent district deep-well water, collected near Woolwich Arsenal station, contained less total solid matter and was of a slightly smaller degree of hardness than has hitherto been observed in samples collected at the same place, and the supply evidently contained a smaller proportion than usual of the Plumstead well water; it was of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless and the New River supply nearly colourless; the samples representing the supplies distributed from the remaining district works had a very pale yellow colour.

In addition to the above analytical examination, the 96 samples of water, collected during February at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·084	·057	·070	·092	·067	·078	0	0	0	·007	·0055	·006
West Middlesex	·094	·062	·075	·104	·071	·084	0	0	0	·008	·006	·007
Southwark	·074	·049	·062	·079	·054	·068	0	0	0	·006	·005	·0055
Grand Junction	·076	·055	·062	·082	·063	·069	0	0	0	·0065	·0055	·006
Lambeth	·089	·064	·074	·095	·071	·081	0	0	0	·0075	·006	·0065
LEA AND WELLS.												
New River	·027	·018	·022	·030	·023	·025	0	0	0	·0025	·002	·0025
LEA, THAMES AND WELLS.												
East London	·077	·056	·066	·087	·064	·073	0	0	0	·006	·0055	·0055
DEEP WELLS.												
Kent	·009	·005	·007	·010	·007	·008	0	0	0	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The supplies distributed by the Water Board's five district works which draw their water from the River Thames were all of good quality throughout the month. The proportion of organic impurity in this portion of the Metropolitan water supply has been steadily decreasing since the commencement of the year, and at the end of February the mean amount present was little more than that usually found in the summer when the Thames is in its best condition.

All the samples of the New River district water examined were found to be of very good quality.

The twelve samples of the East London district supply analysed during the month were all of good quality.

The Kent district deep-well water maintained its usual high degree of organic purity throughout the month.

The whole of the samples of water examined during February were clear.

I am, Sir,

Your obedient Servant,

T. E. THORPE

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of February, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 201 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	FEBRUARY, 1904.	FEBRUARY, 1905.	FEBRUARY, 1904.	FEBRUARY, 1905.
TOTAL SUPPLY - - -	981,323	1,021,885	195,792,114	205,269,511
From Thames - - - - -	465,825	475,238	103,444,749	107,836,382
From Lea and from other Sources -	515,498	546,647	92,347,365	97,433,129
THAMES.				
Chelsea - - - - -	39,700	39,871	11,088,276	11,433,929
West Middlesex - - - - -	90,421	91,467	21,827,164	22,607,500
Southwark and Vauxhall - - -	128,994	130,221	27,551,894	28,825,000
Grand Junction - - - - -	75,435	78,374	15,680,757	16,047,723
Lambeth - - - - -	131,275	135,305	27,286,658	28,922,225
LEA AND OTHER SOURCES.				
New River - - - - -	179,357	203,824	36,687,494	38,160,633
East London - - - - -	227,003	231,154	37,962,000	41,583,321
Kent - - - - -	109,138	111,669	17,697,871	17,689,175

Note.—The Return for February, 1905, as compared with that for the corresponding month of 1904, shows an increase of 40,562 services, and of 9,477,397 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 11. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAR. 18. [Price 1½d.

*General Register Office, Somerset House,
March 20th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·8 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 17·1, and 17·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·3 in Rochdale, 22·7 in Southampton, 22·8 in Middlesbrough, 23·9 in Stockton on Tees, 25·1 in Barrow in Furness, and 27·4 in Portsmouth; from *measles*, 3·9 in Nottingham, 4·0 in Stockton on Tees, 4·4 in West Hartlepool, 6·2 in Portsmouth, and 9·1 in Southampton; from *whooping-cough*, 1·3 in Tottenham, 1·5 in Willesden, 1·6 in Hanley, and 2·3 in Preston; and from "*fever*," 1·1 in Middlesbrough and 1·5 in West Bromwich. One death from *small-pox* was registered in South Shields, and one in Tynemouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2535 BIRTHS and 1399 DEATHS were registered. Allowing for increase of population, the births were 207 and the deaths 515 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·0, 17·1, and 17·2 in the preceding three weeks, fell last week to 15·6. During the four weeks ended on Saturday last the death-rate averaged 16·5 per 1000, being 5·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1399 deaths included 28 from measles, 7 from scarlet fever, 7 from diphtheria, 39 from whooping-cough, and 12 from diarrhœa, but not one death from small-pox, from enteric fever, from typhus fever, or from ill-defined pyrexia; thus, 93 deaths were referred to these diseases in the aggregate, being 105 below the corrected average weekly number.

The deaths from *measles*, which had been 18, 34, and 32 in the preceding three weeks, fell last week to 28, and were 38 below the corrected average; 5 deaths belonged to the Borough of Lewisham, and 3 each to Shoreditch and Bermondsey. The deaths from *scarlet fever*, which had been 10, 14, and 11 in the preceding three weeks, fell last week to 7, the corrected average being 9. The deaths from *diphtheria*, which had been 13, 20, and 13 in the preceding three weeks, fell last week to 7, and were 26 below the corrected average. The deaths from *whooping-cough*, which had been 34, 34, and 53 in the preceding three weeks, fell last week to 39, and were 20 below the corrected average; 6 deaths belonged to Camberwell, 4 to Southwark, and 3 each to Chelsea and Wandsworth. The deaths from *diarrhœa*, which had been 13, 8, and 11 in the preceding three weeks, were 12 last week, the corrected average being 14. Of the 12 deaths from diarrhœa 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 32, having been 33, 25, and 31 in the preceding three weeks. The death of a horse-keeper, aged 32 years, was certified as due to *glanders*.

Different forms of *violence* caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 9 were cases of suicide, while the remaining 44 were attributed to accident or negligence. Seven of the latter were referred to vehicles in the streets, 11 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 12 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 23 cases of small-pox, 2042 of scarlet fever, 830 of diphtheria, and 83 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 9 cases, against 7, 4, and 3; of scarlet fever, 262 cases, against 224, 290, and 303; of diphtheria, 92 cases, against 117, 99, and 99; and of enteric fever, 13 cases, against 8, 6, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 11th.

GREATER LONDON.

In Greater London 3812 births and 1940 deaths were registered. Allowing for increase of population these numbers are 251 and 684 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 2 from diphtheria, 6 from whooping-cough, and 4 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.19 inches, and that of the Thermometer 46.2, the latter being 5.0 above the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 49 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 33.9 hours; the measured rainfall amounted to 2.25 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS,	DEATH-RATES FROM ALL CAUSES.		Rate from all causes during the Week ended 18th Mar., 1905.		Registered during the Week ended 18th Mar., 1905.		The DEATHS registered in the Week include											TOWNS		
	Week ended		Rate from all causes during the Week ended 18th Mar., 1905.		BIRTHS, DEATHS.		Deaths from						Deaths from			Cause of Death.				
	23rd Feb., 1905.	4th Mar., 1905.	11th Mar., 1905.	18th Mar., 1905.	Week ended 18th Mar., 1905.	Infants under 1 Year of Age.	Persons aged 1 to 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.		Inquest Cases.		Deaths in Public Institutions.	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
76 TOWNS	15,609,377	15.7	17.1	17.2	15.8	8.9	4.7	10.5	13.6	2	18.1	3.6	4.5	10.8	1.7	4.1	15.8	3.4	11.3	6.3
LONDON -	4,684,794	16.0	17.1	17.2	15.6	2.3	1.9	4.1	12.2	-	28	7	7	39	-	12	53	129	532	2
(CROYDON -	147,704	12.0	18.0	18.0	12.4	0.7	4.3	3.5	12	-	-	-	2	-	-	-	1	5	8	-
WILLESDEN -	138,080	14.3	13.2	15.9	15.5	7.6	4.1	13	12	-	1	-	-	4	-	-	1	2	9	-
HORNSEY -	84,070	9.7	10.5	9.3	8.1	2.5	1.3	1	5	-	2	1	-	-	-	1	1	1	2	-
TOTTENHAM -	116,232	16.6	11.2	13.9	14.4	7.6	3.2	4	14	-	-	-	-	3	-	-	1	4	5	-
WEST HAM -	294,997	14.0	16.8	15.9	14.3	17.5	8.1	18	25	-	4	-	1	1	-	2	5	6	21	-
EAST HAM -	123,381	10.1	11.8	9.3	13.1	7.1	3.1	9	6	-	1	1	1	-	1	-	1	1	7	1
LEYTON -	114,555	14.6	11.4	10.5	10.9	6.5	2.4	4	10	-	-	1	-	-	-	-	3	3	4	-
(WALTHAMSTOW -	116,297	9.9	10.3	14.3	8.5	6.2	1.9	4	5	-	-	-	-	-	-	-	-	-	5	-
HASTINGS -	66,820	20.3	16.4	21.1	17.2	-	2.6	4	10	-	-	-	-	-	-	-	1	1	3	-
BRIGHTON -	127,183	11.9	15.2	13.9	15.6	0.4	6.1	6	15	-	-	-	-	-	-	1	-	3	8	-
PORTSMOUTH†	201,975	26.3	20.7	23.2	27.4	7.5	12.2	106	23	36	24	-	1	2	-	2	4	7	17	2
BOURNEMOUTH -	66,168	10.2	16.5	15.0	3.9	-	1.6	5	1	3	-	-	-	-	-	-	-	-	-	-
SOUTHAMPTON -	114,897	16.8	18.6	19.5	22.7	10.0	6.3	50	14	9	20	-	-	2	-	-	-	5	1	-
READING -	77,674	16.8	22.2	23.5	18.1	2.0	5.3	27	6	8	1	-	1	1	-	-	-	-	8	1
NORTHAMPTON -	92,441	12.4	10.7	9.6	12.4	1.1	5.0	22	5	9	-	1	-	1	-	-	-	-	7	-
IPSWICH -	70,802	22.8	15.5	16.9	18.4	0.7	3.2	25	3	10	1	-	-	-	-	-	1	1	2	2
GREAT YARMOUTH -	52,353	15.9	15.9	13.9	12.9	1.0	1.2	13	4	4	-	-	-	1	-	-	2	2	2	-
NORWICH -	116,741	18.8	15.2	12.1	15.6	0.4	8.0	35	13	9	-	-	-	-	-	1	-	4	8	-
PLYMOUTH -	116,000	14.8	18.4	16.2	13.5	0.4	5.9	30	6	15	1	-	-	-	-	-	-	1	6	-
DEVONPORT -	76,864	11.5	19.0	19.7	14.9	1.4	4.2	22	6	8	-	-	-	1	-	1	2	4	2	-
BRISTOL† -	358,515	14.7	16.9	15.7	15.0	0.6	17.9	18	35	-	3	-	-	1	-	-	3	7	17	2
HANLEY -	64,667	21.0	21.0	23.4	16.9	1.6	4.0	21	1	3	-	-	-	2	-	-	-	2	-	1
BURTON-ON-TRENT -	92,424	14.9	13.9	13.9	13.9	1.0	3.0	14	2	3	1	-	-	-	-	-	1	2	1	-
WOLVERHAMPTON -	90,456	14.7	14.2	15.2	12.6	1.6	5.8	24	3	11	-	1	2	-	-	-	-	3	6	-
WALSALL -	82,988	12.3	16.8	13.5	7.8	-	6.1	14	3	4	-	-	-	-	-	-	-	-	2	-
HANDSWORTH -	61,721	9.3	15.2	14.4	11.0	-	3.4	13	2	8	-	-	-	-	-	-	1	1	2	-
WEST BROMWICH -	67,823	12.3	16.9	20.8	20.8	3.8	4.4	27	5	8	2	-	-	-	2	-	2	2	4	-

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As entered in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 18th March, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 18th Mar., 1905.		The DEATHS registered in the week include											TOWNS.			
		Week ended				In Cols.		BIRTHS.	DEATHS.	Deaths of Persons aged under 1 Year of Age.						Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		Week ended				In Cols.				Deaths of Persons aged under 1 Year of Age.						Deaths from								
		25th Feb., 1905.	4th Mar., 1905.	11th Mar., 1905.	18th Mar., 1905.	11-17.	18th Mar., 1905.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM -	542,959	14'4	16'3	16'7	16'1	1'3	346	168	47	45	-	5	-	1	2	1	5	2	3	50	4	BIRMINGHAM.		
KINGS NORTON -	69,630	8'2	15'7	15'0	9'0	-	42	12	3	6	-	-	-	-	-	-	-	-	-	1	-	KINGS NORTON.		
SMETHWICK -	62,605	15'0	10'0	20'0	10'8	0'8	31	13	6	4	-	-	1	-	-	-	-	-	-	1	-	SMETHWICK.		
ASTON MANOR -	31,320	12'2	9'6	12'2	17'3	0'6	48	27	6	7	-	-	1	-	-	-	-	-	-	4	-	ASTON MANOR.		
COVENTRY -	75,134	11'1	11'8	16'7	13'2	-	43	19	3	7	-	-	-	-	-	-	-	-	3	2	2	COVENTRY.		
LEICESTER -	228,132	13'3	17'4	11'9	12'8	1'8	117	56	15	13	-	6	-	-	-	-	2	-	1	11	1	LEICESTER.		
GRIMSBY -	68,153	19'1	8'4	15'3	8'4	1'5	37	11	4	1	-	-	-	1	1	-	-	1	1	-	-	GRIMSBY.		
NOTTINGHAM -	251,671	18'9	23'4	23'4	19'9	5'6	120	96	22	22	-	19	-	3	5	-	-	4	6	16	1	NOTTINGHAM.		
DERBY -	122,207	15'4	16'2	19'2	12'4	0'9	67	29	7	13	-	1	-	1	-	-	-	-	-	3	-	DERBY.		
STOCKPORT -	98,320	15'4	21'2	12'2	15'4	0'5	74	29	6	8	-	-	-	-	1	-	-	2	2	7	-	STOCKPORT.		
BIRKENHEAD -	116,035	13'5	13'9	8'1	13'9	0'9	85	31	3	13	-	1	1	-	-	-	-	1	1	8	-	BIRKENHEAD.		
WALLASEY -	62,460	8'3	20'9	7'5	10'9	0'8	37	13	3	4	-	-	-	-	-	-	1	1	2	1	-	WALLASEY.		
LIVERPOOL -	730,143	16'6	22'0	20'4	20'2	1'1	458	283	62	75	-	5	5	4	1	1	10	16	16	91	10	LIVERPOOL.		
BOOTLE -	62,758	19'1	17'4	19'1	15'0	0'8	37	18	7	2	-	-	-	1	-	-	-	-	-	4	1	BOOTLE.		
ST. HELENS -	89,843	18'0	20'3	17'4	18'8	4'6	84	29	7	6	-	3	1	1	2	-	1	1	1	5	3	ST. HELENS.		
WIGAN† -	86,581	24'7	18'1	27'7	15'1	1'8	64	25	6	6	-	1	1	-	-	1	-	-	1	3	-	WIGAN†.		
WARRINGTON -	68,301	21'4	13'0	17'6	10'7	0'8	46	14	3	-	-	-	-	1	-	-	-	-	-	-	1	WARRINGTON.		
BOLTON -	178,111	13'8	14'1	17'0	17'3	2'3	95	59	18	13	-	6	-	-	-	2	-	-	4	7	2	BOLTON.		
BURY -	58,594	21'4	14'2	15'1	20'5	-	23	23	3	5	-	-	-	-	-	-	-	1	3	4	-	BURY.		
MANCHESTER† -	631,185	17'8	18'4	19'0	14'6	1'2	398	177	29	51	-	2	2	2	5	1	2	7	12	52	5	MANCHESTER.†		
SALFORD -	231,514	13'3	18'7	17'8	13'5	0'9	198	69	8	17	-	1	-	2	-	-	1	1	2	14	1	SALFORD.		
OLDHAM -	140,225	18'6	17'1	17'1	15'2	0'4	77	41	5	13	-	-	-	-	-	-	-	1	2	3	-	OLDHAM.		
ROCHDALE -	86,390	8'5	16'9	18'1	22'3	1'2	33	37	5	11	-	-	-	2	-	-	3	-	3	7	1	ROCHDALE.		
BURNLEY -	101,682	15'9	17'9	11'8	15'4	1'5	50	30	7	10	-	-	-	1	1	1	1	1	2	3	1	BURNLEY.		
BLACKBURN -	133,067	18'8	15'3	20'4	17'6	1'6	56	45	6	11	-	-	-	-	2	-	-	1	4	4	2	BLACKBURN.		
PRESTON -	115,721	19'8	15'3	16'7	20'3	3'2	76	45	14	10	-	-	2	-	5	-	1	1	2	3	-	PRESTON.		
BARROW-IN-FURNESS.	60,306	15'6	13'8	18'2	25'1	0'9	46	29	11	7	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURNESS.		

TOWNS.	Population estimated to the middle of the year 1905.*	Causes.				Diseases occurring during the week ended 11-17.		Deaths of persons aged 60 years and upwards.		Deaths from										TOWNS.		
		Week ended				Week ended Mar., 1905.	Deaths of persons aged 60 years and upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
		25th Feb., 1905.	4th Mar., 1905.	11th Mar., 1905.	18th Mar., 1905.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	-	12'6	14'8	15'9	15'4	-	41	28	2	12	-	-	-	-	-	-	-	1	1	3	-	HUDDESFIELD.
HALEFAX	-	13'9	12'5	15'4	14'9	0'5	48	31	5	10	-	-	-	1	-	-	-	3	6	4	-	HALEFAX.
BRADFORD	-	16'2	17'6	14'5	15'8	1'5	130	87	15	25	-	-	1	2	4	-	1	1	2	13	1	BRADFORD.
LEEDS	-	13'1	14'6	15'9	15'9	0'8	260	139	41	35	-	2	1	-	3	1	-	5	15	21	-	LEEDS.
SHEFFIELD	-	14'2	15'6	18'8	18'4	2'5	248	155	34	45	-	13	2	1	2	2	1	7	9	29	5	SHEFFIELD.
ROTHERHAM	-	14'8	10'5	11'3	13'1	0'9	39	15	3	5	-	-	1	-	-	-	1	1	1	1	-	ROTHERHAM.
YORK	-	11'4	19'0	17'1	14'6	1'9	48	23	6	6	-	3	-	-	-	-	-	1	1	1	-	YORK.
HULL	-	14'7	15'6	20'4	14'5	1'4	163	72	14	31	-	-	-	2	4	-	1	2	7	12	-	HULL.
MIDDLESBROUGH	-	20'7	21'2	24'9	22'8	4'2	70	43	8	9	-	3	-	2	1	2	-	-	2	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	29'8	21'9	19'9	23'9	5'0	31	24	4	4	-	4	1	-	-	-	-	-	1	5	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	19'0	16'1	20'5	11'0	4'4	42	15	3	1	-	6	-	1	-	-	-	1	1	-	-	WEST HARTLEPOOL.
SUNDERLAND	-	15'0	22'9	18'4	13'7	0'7	102	40	12	10	-	-	-	1	-	1	-	1	1	5	4	SUNDERLAND.
SOUTH SHIELDS	-	17'2	20'5	18'1	18'1	1'4	66	38	12	10	1	-	-	-	2	-	-	3	3	2	1	SOUTH SHIELDS.
GATESHEAD	-	16'0	16'9	16'9	10'8	1'7	75	25	6	5	-	2	-	-	2	-	-	-	-	3	2	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	17'7	19'3	20'5	21'7	0'6	182	110	33	30	-	-	-	1	2	-	-	4	13	17	1	NEWCASTLE-ON-TYNE.†
TYNEMOUTH	-	19'5	24'3	18'5	21'4	1'9	38	22	3	6	1	-	-	-	1	-	-	1	2	1	-	TYNEMOUTH.
NEWPORT (MON.).	-	17'2	20'0	15'7	15'0	0'7	46	21	7	6	-	1	-	-	-	-	-	1	2	6	-	NEWPORT (MON.).
CARDIFF	-	13'0	15'9	17'1	11'9	2'3	91	41	12	6	-	4	-	-	3	-	1	2	4	3	1	CARDIFF.
RHONDDA	-	20'0	21'3	16'7	21'3	2'1	97	51	21	7	-	2	-	-	1	1	1	2	2	3	1	RHONDDA.
MERTHYR TYDFIL	-	19'8	29'7	28'9	18'4	2'8	51	26	10	4	-	2	1	-	-	1	1	1	2	4	-	MERTHYR TYDFIL.
SWANSEA	-	17'9	19'5	21'1	15'7	0'5	84	29	7	12	-	-	-	-	-	-	1	2	4	6	-	SWANSEA.
GREATER LONDON	-	14'5	15'8	16'1	14'4	1'0	3812	1940	412	597	-	38	10	13	53	1	19	76	174	624	4	GREATER LONDON.
OUTER RING	-	11'7	13'3	13'8	12'1	0'9	1277	541	118	186	-	10	3	6	14	1	7	23	45	92	2	OUTER RING.
8 TOWNS IN OUTER RING	-	12'5	13'7	14'1	12'7	1'2	643	276	62	89	-	8	3	4	8	1	3	13	22	61	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	10'9	12'9	13'5	11'6	0'6	634	265	56	97	-	2	-	2	6	-	4	10	23	31	1	REMAINDER OF OUTER RING.
EDINBURGH	-	15'8	15'2	14'4	17'4	1'7	145	112	21	34	-	-	-	4	1	-	3	3	?	?	6	EDINBURGH.
GLASGOW	-	17'8	18'3	17'8	19'2	1'8	498	298	65	70	-	7	-	2	13	1	5	10	?	80	5	GLASGOW.
DUBLIN†	-	25'5	30'7	25'2	23'8	1'1	232	173	26	47	-	4	1	1	-	1	1	2	2	62	11	DUBLIN.†
BELFAST†	-	24'7	23'1	25'4	22'2	1'6	234	153	25	41	-	6	2	-	-	1	2	5	9	25	?	BELFAST.†

* See note † on first page of this return.
† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the ELEVENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2821	2806	2551	2576	2613	2628	2607	2628	2596	2577	2741·5	2535
Males - -	1451	1435	1288	1332	1326	1315	1290	1352	1324	1301	1392·8	1293
Females - -	1370	1371	1263	1244	1287	1313	1317	1276	1272	1276	1348·7	1242
TOTAL Deaths -	2817	1752	1531	1869	2099	1659	1571	1936	1521	1680	1914·2	1399
Males - -	1310	898	806	934	1030	851	799	937	773	846	953·6	684
Females - -	1507	854	725	935	1069	808	772	999	748	834	960·6	715

* The numbers in this column are the average weekly numbers in the eleventh week of the ten years 1895-1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	13 Weeks.
TOTAL Births -	2122	2320	2720	2553	2408	2637	2676	2722	2612	2200	2600	2412	2535	32517
TOTAL Deaths -	1572	1868	1665	1424	1492	1700	1576	1580	1506	1436	1535	1543	1399	20296
Under 1 year -	278	347	316	270	293	205	293	305	284	290	321	326	294	3912
1-5 years -	140	173	144	126	121	156	159	141	160	152	183	194	148	1997
5-20 " -	76	60	86	75	72	80	56	96	70	82	77	68	86	984
20-40 " -	191	230	179	177	171	205	182	163	192	154	184	188	179	2395
40-60 " -	340	383	355	309	313	349	317	336	303	296	285	287	281	4134
60 yrs. & upwds.	547	675	585	467	522	615	569	539	497	462	505	480	411	6874
Deaths from—														
Small-pox† - -	-	-	-	1	-	1	-	-	1	-	-	-	-	3
Measles - -	26	44	32	25	21	30	21	26	28	18	34	32	28	365
Scarlet Fever - -	3	15	9	14	7	9	10	9	12	10	14	11	7	130
Diphtheria - -	13	17	13	9	11	18	13	16	11	13	20	13	7	174
Whooping-cough -	17	25	16	23	24	38	32	37	33	34	34	53	39	405
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	8	9	5	4	1	5	5	4	2	5	4	-	59
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	12	15	12	11	12	9	15	21	7	13	8	11	12	158
All above Diseases -	78	124	91	88	79	106	96	114	96	90	115	124	93	1294
Dis. of Resp. System	236	358	275	174	238	283	280	229	211	175	204	187	158	3008
Pneumonia - -	180	163	168	127	139	195	164	171	167	160	149	174	146	2103
Phthisis - -	181	192	158	147	160	163	133	134	133	135	135	151	150	1972
Dis. of Circ. System -	200	243	208	179	207	255	236	225	195	177	218	216	178	2737
Violence - -	60	76	65	75	46	72	66	45	62	73	56	59	53	808
Inquest Cases - -	140	218	185	155	149	201	156	159	136	156	149	152	129	2085
Deaths in Institutions	592	587	605	525	531	604	582	594	550	506	559	539	532	7306
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - -	34·1	41·6	41·0	40·5	33·1	37·4	43·1	44·7	44·3	37·6	38·4	44·3	46·2	40·5
Mean of Highest - -	38·0	45·6	45·7	45·4	39·8	42·3	47·8	48·7	48·6	42·1	44·7	50·6	53·2	45·6
Mean of Lowest - -	28·7	37·2	34·3	34·1	27·8	32·1	37·9	40·6	39·4	34·3	32·2	39·3	40·9	35·3
Mean Humidity of the Air.	97	85	83	79	78	85	79	84	76	81	83	80	81	82
Rain-fall (in inches) -	0·04	0·09	0·42	0·08	0·47	0·00	0·03	0·12	0·12	0·25	0·30	1·08	2·25	5·25
Registered Sunshine (in hours)	3·5	7·0	1·5	20·2	11·8	10·1	17·1	11·1	12·8	23·1	15·3	7·3	33·9	174·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	14	17	18	19	18	15	13	9	8	15	15	16	23	15
Scarlet Fever - -	2394	2390	2309	2192	2174	2096	2070	2077	1987	2002	2036	2042	2137	
Diphtheria - -	825	804	827	808	836	840	871	860	865	842	828	840	830	837
Typhus - -	-	-	-	-	-	-	-	-	2	2	2	2	-	1
Enteric Fever - -	170	159	157	157	146	134	135	123	110	104	87	84	83	127

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the ELEVENTH Week of the Year 1905.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

1905—Deaths of Persons of the Ages										1905—Deaths of Persons of the Ages									
ALL AGES.										ALL AGES.									
Under 20.										Under 20.									
0-1. 1-5. 5-20. 20 and under 40. 40 and under 60. 60 years and upwards.										0-1. 1-5. 5-20. 20 and under 40. 40 and under 60. 60 years and upwards.									
CAUSES OF DEATH.										CAUSES OF DEATH.									
CAUSES										CAUSES									
1680										1680									
1399										1399									
294										294									
148										148									
86										86									
179										179									
281										281									
411										411									
Meningitis (not tuberc.)										Meningitis (not tuberc.)									
Insanity, Gen. Par. of										Insanity, Gen. Par. of									
Insane										Insane									
Epilepsy										Epilepsy									
Convulsions										Convulsions									
Locomotor Ataxy										Locomotor Ataxy									
Paraplegia, Dis. of Cord										Paraplegia, Dis. of Cord									
Nervous Sys. (other dis.)										Nervous Sys. (other dis.)									
Valv. Dis., Endocarditis										Valv. Dis., Endocarditis									
Cerebr. Hæm. Thromb.										Cerebr. Hæm. Thromb.									
Apoplexy, Hemiplegia										Apoplexy, Hemiplegia									
Aneurysm										Aneurysm									
Embolism, Thrombosis										Embolism, Thrombosis									
(not cerebral)										(not cerebral)									
Heart & Blood Vessel Dis.										Heart & Blood Vessel Dis.									
Croup (not Spasm: nor										Croup (not Spasm: nor									
Membr.)										Membr.)									
Bronchitis										Bronchitis									
Asthma, Emphysema										Asthma, Emphysema									
Pleurisy										Pleurisy									
Respiratory Dis. (other)										Respiratory Dis. (other)									
Tonsillitis, Quinsy										Tonsillitis, Quinsy									
Enteritis (not Epid.)										Enteritis (not Epid.)									
Gastro-Enteritis										Gastro-Enteritis									
Peritonitis (not Puerp.)										Peritonitis (not Puerp.)									
Cirrhosis of Liver										Cirrhosis of Liver									
Liver Dis. (other)										Liver Dis. (other)									
Digestive Dis., Other										Digestive Dis., Other									
Nephritis, Acute										Nephritis, Acute									
Bright's Dis., Albumin-										Bright's Dis., Albumin-									
uria										uria									
Urinary Sys., Other Dis.										Urinary Sys., Other Dis.									
Generative Organs Dis.										Generative Organs Dis.									
Childbirth (Accid. of)										Childbirth (Accid. of)									
Old Age										Old Age									
Other Diseases										Other Diseases									
ACCIDENT.										ACCIDENT.									
By Railways										By Railways									
By Vehicles and Horses										By Vehicles and Horses									
In Ships, Boats, Docks,										In Ships, Boats, Docks,									
(exclusive of Drown-										(exclusive of Drown-									
ing)										ing)									
In Building Operations										In Building Operations									
In Conflagrations										In Conflagrations									
By Burns, Scalds, Ex-										By Burns, Scalds, Ex-									
plosions										plosions									
By Drowning										By Drowning									
By Suffocation in Bed										By Suffocation in Bed									
By Poisons or Poisonous										By Poisons or Poisonous									
Vapours										Vapours									
Other Deaths by Acci-										Other Deaths by Acci-									
dent										dent									
VIOLENCE OTHER THAN										VIOLENCE OTHER THAN									
ACCIDENTAL.										ACCIDENTAL.									
Homicide										Homicide									
Suicide										Suicide									
Execution										Execution									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th March, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	4,536,429	2535	1399	294	411	-	28	7	7	39	-	-	-	12	53	129	53		
WEST DISTRICTS	805,311	367	261	58	88	-	5	-	-	7	-	-	-	4	15	26	10		
NORTH DISTRICTS	1,056,070	524	291	51	78	-	2	2	1	8	-	-	-	2	5	21	9		
CENTRAL DISTRICTS	209,465	111	67	13	17	-	1	-	-	-	-	-	-	-	2	6	3		
EAST DISTRICTS -	716,739	490	232	61	58	-	7	-	1	5	-	-	-	3	13	34	11		
SOUTH DISTRICTS	1,749,844	1043	505	111	155	-	13	5	5	17	-	-	-	2	17	41	14		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	43	-	15	-	-	-	-	-	-	-	-	1	1	1	4		
WEST DISTRICTS.																			
St. Mary Paddington } W ₂ H	G. & W.	93,178	55	25	8	9	-	1	-	-	-	-	-	-	-	1	10		
St. John Paddington } H	- G.	33,617	5	19	3	4	-	-	-	-	-	-	-	-	2	2	17		
North-West Paddington } C.	- C.	17,181	12	8	3	1	-	-	-	1	-	-	-	-	-	-	-		
Kensington Town 2W Brompton 2H	w, 2H G. & W. & C. - W. & C.	128,037 48,591	53 7	51	13	21	-	-	-	2	-	-	-	1	-	2	21		
North Hammersmith W, w ₂ H South Hammersmith w, 2H North-west Fulham W North-east Fulham F South Fulham W	W. & G. W. & C. W. & C. W. & C.	49,192 63,047 45,180 46,405 45,704	22 29 50 26 31	11 13 27 9 6	4 3 4 3 2	3 5 8 3 2	-	1	-	-	-	-	-	-	1 1 1 1 2	3 4 13 1 2			
Chelsea North W, w, 3H Chelsea South W ₂ H	- - C. - - C.	42,514 31,328	14 20	25 11	2 5	13 1	-	-	-	1 2	-	-	-	1	1	2	20		
May Fair and Knightsbridge C. & G. Belgrave W ₂ H St. Margaret & St. John 4H	- - C. - - C. - C.	28,743 55,815 43,698	4 14 17	3 20 15	1 3 3	- 3 5	-	-	-	-	-	-	-	-	1 5 5	1 8 6			
St. James Westminster } W, H	N. & G.	21,588	5	6	1	3	-	-	-	-	-	-	-	-	-	-	2		
St. Anne Soho 5H -	- - N.	11,493	3	3	-	-	-	1	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H Rectory Marylebone W St. Mary Marylebone 4H Christchurch Marylebone H- St. John Marylebone 3H	- W. G. & W. G. & W. - W. - W.	35,391 19,849 18,099 39,536 20,426	9 10 27 18 6	18 6 4 7 5	- 2 1 1 -	4 - - 1 3	-	-	-	-	-	-	-	-	-	1 - - - -			
Hampstead W, F, 3H West St. Pancras 2H Tottenham-court w, 6H Gray's Inn Lane 4H East St. Pancras W, 2H North St. Pancras 2W	- N. & W. - - W. N. & W. - N. - N. - N.	81,942 60,562 21,268 34,449 60,320 58,728	28 34 8 14 39 25	17 14 11 14 17 13	2 6 - 4 2 1	4 2 3 1 6 4	-	-	-	1	-	-	-	1	-	5			
Tufnell W Upper Holloway 2W, w, 2H Tollington W Lower Holloway Barnsbury Islington South-east F Highbury 2H	- N. - N. - N. - N. - N. - N. - N.	31,905 33,978 33,922 41,424 54,478 75,397 63,797	10 22 16 17 49 27 19	13 18 11 7 23 11 8	1 1 2 2 9 3 2	4 4 3 2 6 4 2	-	-	-	-	-	-	-	-	1 1 1 1 1 3 4	9 16 - - - - -			
Stoke Newington H North Hackney Central Hackney 2w, F South-west Hackney 3H South-east Hackney 2W, w, H	- - N. - E. & N. - E. & N. - E. & N. E. & N.	51,247 50,560 50,536 59,921 58,255	24 18 30 34 40	9 8 14 19 28	1 1 3 4 5	6 2 4 4 8	-	-	-	2	-	2	-	-	2 4 4 1	- - 4 7 13			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated;—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

STATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarthra.	Violence.				
CENTRAL DISTRICTS.																			
and Bloomsbury W,2H N.	31,436	15	7	2	2	-	1	-	-	-	-	-	-	-	1	1	4	-	-
W,4H - - - N. & C.	21,674	6	10	1	3	-	-	-	-	-	-	-	-	-	-	-	8	-	-
Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
n W,6H - - - N.	29,612	15	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	9	-
Clerkenwell - - - N.	28,676	12	5	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Clerkenwell H - - - N.	35,023	20	3	2	2	-	-	-	-	1	-	-	-	-	1	1	-	-	-
ry 3H,L - - - N.	36,116	39	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
am Union Workhouse, }	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-
am - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olph H - - - N. & E.	10,299	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ulchre and Alhallowes } N.	16,624	2	17	-	1	-	-	-	-	-	-	-	-	-	-	3	10	-	-
London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
EAST DISTRICTS.																			
itch South H - - E. & N.	46,362	22	10	2	1	-	3	-	-	1	-	-	-	-	-	3	1	-	-
itch North-West W,w,H N.	36,127	27	15	4	6	-	-	-	-	-	-	-	-	-	-	1	8	-	-
itch North-East - N. & E.	36,148	24	6	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-
itch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Green North 2H - - E.	51,514	33	18	6	-	-	1	-	-	1	-	-	-	-	-	2	4	-	-
l Green South - - - E.	33,472	22	5	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-
l Green East 2W,H,L - E.	44,694	32	20	3	5	-	-	-	-	1	-	-	-	-	-	-	12	-	-
elds - - - E. & N.	27,969	13	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
nd New Town W,H - - E.	28,718	30	37	7	6	-	1	-	1	-	-	-	-	1	5	8	37	-	-
an's Fields - - - E.	22,081	8	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
rges and St. John 2W E.	49,068	46	13	5	2	-	1	-	-	1	-	-	-	-	3	4	2	-	-
ell and Ratcliff W,H E. & N.	25,568	16	8	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-
ouse W - - - E.	32,369	22	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
nd Old Town South																			

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th March, 1905.—continued.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include											Inquest Cases.	
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.		Violence.
SOUTH DISTRICTS.																	
Christchurch Southwark	W, HL, & S.	11,283	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark	H - S.	12,056	6	15	3	1	-	-	-	-	-	-	-	-	-	3	5
Kent-road	- S. & L.	21,904	15	3	2	-	-	-	-	-	-	-	-	-	-	1	2
St. George the Martyr	} S. & L.	39,094	19	13	5	3	-	-	-	-	1	-	-	-	-	-	2
West W, 2H, L		- }															
Newington South	- S. & L.	49,022	21	14	5	2	-	-	-	-	4	-	-	-	-	1	2
Newington North	W - S. & L.	72,841	46	13	3	2	-	-	-	-	-	-	-	-	-	-	1
St. Olave 2W	- - S.	9,817	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W	- - S.	82,483	60	20	9	2	-	-	-	-	1	-	-	-	-	1	3
Rotherhithe W, F	- S. & K.	38,460	24	12	6	4	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2H	- L. & S.	27,440	23	7	4	3	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st	H L. & S.	18,423	10	10	2	1	-	-	-	-	2	-	-	-	-	1	3
Lambeth Church 2nd	2W L. & S.	39,818	29	18	1	9	-	-	-	-	-	-	-	-	-	-	1
Kennington 1st	H - S. & L.	53,198	30	9	1	2	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd	H - S. & L.	42,896	20	9	5	1	-	-	-	-	-	-	-	-	-	-	-
Brixton F	- - L. & S.	84,232	47	18	4	5	-	-	-	-	2	-	-	-	-	-	-
Norwood W, H	- - L.	35,888	18	7	-	2	-	-	-	-	-	-	-	-	-	-	-
East Battersea H	- - S.	72,203	36	15	-	8	-	-	-	-	-	-	-	-	-	-	1
North-west Battersea	- - S.	49,656	32	17	1	6	-	-	-	-	2	-	-	-	-	1	3
South-west Battersea W, H	- - S.	47,048	22	17	-	7	-	-	1	-	-	-	-	-	-	1	2
Clapham 2H	- - S.	51,361	20	12	3	3	-	-	-	-	-	-	-	-	-	2	3
Streatham W, 2w, 2F, 2L	- - L.	88,019	54	35	7	12	-	-	4	1	3	-	-	-	-	-	1
Springfield 2W, L	- - S.	27,959	26	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Southfields H	- - S.	40,444	28	8	3	2	-	-	-	-	-	-	-	-	-	-	-
Putney -	- - S.	24,139	11	4	-	-	-	1	-	1	-	-	-	-	-	-	1
Dulwich	- - L. & S.	13,359	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Camberwell South	W, w S. & L.	40,206	30	32	4	10	-	-	-	-	-	-	-	-	-	1	2
Camberwell North	W, 2L S. & L.	65,584	38	24	4	8	-	-	-	-	2	-	-	-	-	-	-
St. George	- - L. & S.	47,331	31	12	3	4	-	-	-	-	-	-	-	-	-	-	-
Peckham 2W, w	- S., L. & K.	92,859	61	18	6	3	-	-	-	1	1	-	-	-	-	-	-
Deptford North	- - K.	37,613	27	12	4	3	-	-	-	-	-	-	-	-	-	2	4
Deptford Central	- - K.	45,481	37	13	4	6	-	1	-	-	-	-	-	-	-	-	-
Deptford South	- - K.	34,625	17	6	2	1	-	1	-	-	-	-	-	-	-	1	1
Greenwich West 2H	- - K.	23,456	10	4	1	-	-	-	-	-	1	-	-	-	-	1	1
Greenwich East 2W, H	- - K.	43,859	29	16	1	4	-	1	-	-	-	-	-	-	-	1	2
Eltham w, H	- - K.	7,226	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w, H	- - K.	25,490	12	9	1	6	-	-	-	-	-	-	-	-	-	-	-
Lewisham W, w, F	- - K.	58,352	41	28	6	12	-	4	-	-	-	-	-	-	-	1	2
Sydenham H	- - L.	43,653	16	6	-	1	-	1	-	-	-	-	-	-	-	-	-
Charlton F, 2H	- - K.	21,134	6	5	-	2	-	-	1	-	-	-	-	-	-	-	-
Woolwich 4H	- - K.	41,625	33	9	2	2	-	-	-	-	-	-	-	-	-	1	2
Plumstead West W	- - K.	18,063	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H	- - K.	50,264	36	15	4	6	-	-	-	-	-	-	-	-	-	-	-
Workhouse :-																	
Central London Sick Asylum																	
(Westminster, St. Giles, and Strand Unions.)																	
M. A. B. Small-pox Hospitals :-																	
Joyce Green																	
Long Reach																	
M. A. B. Fever Hospitals :-																	
North-Eastern				1	-	-											
Northern				-	-	-											
M. A. B. Imbecile Asylums :-																	
Caterham				4	-	1	-	-	-	-	-	-	-	-	-	1	-
Darenth				-	-	-		-	-	-	-	-	-	-	-	-	-
Gore Farm (temporary)				1	-	-		-	-	-	-	-	-	-	-	-	-
Leavesden				5	-	2		-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums :-																	
Banstead				7	-	4	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)				-	-	-		-	-	-	-	-	-	-	-	-	-
Horton				-	-	-		-	-	-	-	-	-	-	-	-	-
Manor				-	-	-		-	-	-	-	-	-	-	-	-	-
Cane Hill				3	-	-		-	-	-	-	-	-	-	-	-	-
Dartford Heath				-	-	-		-	-	-	-	-	-	-	-	-	-
Hanwell				4	-	-		-	-	-	-	-	-	-	-	-	-
Colney Hatch				7	-	-		-	-	-	-	-	-	-	-	-	-
Claybury				4	-	-		-	-	-	-	-	-	-	-	-	-

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 18th March, 1905.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
NDON—OUTER RING	368,602	2,044,973	1277	541	118	186	-	10	3	6	14	1	7	23	45	92	2		
Carshalton w,2F,3H	12,228	32,997	17	9	2	6	-	-	-	-	-	-	-	-	-	-	-		
Epsom, part of* W,w,2F,H	10,423	15,548	8	5	2	2	-	-	-	-	-	-	-	-	-	1	-		
Godstone, part of* W,F	2,764	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Croydon w	4,200	49,309	24	7	-	1	-	-	-	-	-	-	-	-	2	-	-		
West Croydon 3W,F,H	2,168	42,888	35	21	1	6	-	-	-	-	2	-	-	-	1	14	-		
North Croydon H	2,644	41,898	34	13	4	7	-	-	-	-	-	-	-	1	2	-	-		
Penge w,H	770	22,465	14	5	1	3	-	-	-	-	-	-	-	-	-	-	-		
Mitcham w	11,711	30,015	19	8	1	4	-	-	-	-	-	-	-	-	-	-	-		
Wimbledon F,3H	3,221	41,652	31	13	5	4	-	-	-	-	-	-	1	1	2	1	-		
Kingston 2W,H	6,224	42,068	28	13	1	5	-	-	-	-	-	-	-	-	1	1	-		
Surbiton F,H	3,046	15,017	4	4	-	2	-	-	-	-	-	-	-	-	-	1	-		
Esher, part of* H	5,402	13,100	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
Hampton H,L	4,564	23,456	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
Richmond W,H	2,162	28,865	9	8	1	5	-	-	-	-	-	-	-	-	-	1	-		
Mortlake F	2,847	20,628	13	9	4	2	-	-	-	-	-	-	-	2	2	-	-		
Bromley F,2H	4,703	27,354	18	5	-	1	-	-	-	-	-	-	-	1	1	-	-		
Beckenham H	7,825	28,497	17	8	1	3	-	-	-	-	-	-	-	-	1	-	-		
Orpington, part of* W	10,113	9,857	7	8	1	3	-	-	-	-	-	-	-	-	-	3	-		
Chislehurst 2H	7,333	16,446	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
Bexley F,H	8,678	21,151	13	2	1	1	-	-	-	-	-	-	-	1	-	-	1		
Erith F,H	3,854	25,296	17	6	-	1	-	-	-	-	-	-	-	-	1	1	-		
Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sunbury w	11,054	18,683	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
Staines W,H	13,277	15,178	12	9	4	1	-	-	-	-	1	-	-	-	1	-	-		
Hillingdon W,F,H	6,035	13,661	6	7	2	2	-	-	-	-	-	-	-	-	-	3	-		
Uxbridge H	12,757	8,984	7	2	-	-	-	-	-	-	-	1	-	-	-	-	-		
Hayes w,F,H	8,066	16,353	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
Isleworth 3W,2F,H	6,859	30,863	16	11	1	7	-	-	-	-	-	-	-	-	-	5	-		
Twickenham F,H	2,421	20,991	13	7	2	3	-	-	-	-	-	-	1	-	-	-	-		
Brentford 2F,2H,L	4,319	48,289	21	12	2	7	-	-	-	-	-	-	-	-	1	-	-		
Chiswick H	1,249	28,809	15	5	3	-	-	-	-	-	1	-	-	-	-	-	-		
Acton w,3H	6,132	48,914	30	13	2	2	-	-	-	-	-	-	-	1	2	1	-		
Harrow F,H	13,809	25,523	17	5	2	-	-	-	-	-	-	-	-	-	1	-	-		
Edgware F,2H	6,994	4,521	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Willesden W,F,2H	4,384	114,811	76	39	13	11	-	1	-	-	4	-	-	1	2	7	-		
Hendon W,F	8,382	22,450	12	7	1	1	-	-	-	-	1	-	-	-	1	1	-		
South Mimms 2F,H	17,755	7,308	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-		
Barnet W,3H	3,324	17,970	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Finchley F,2H	4,688	33,692	20	12	1	5	-	-	-	-	-	-	-	-	1	1	-		
Hornsey F,H	2,875	72,056	25	11	1	4	-	2	-	-	-	-	-	1	1	1	-		
Wood Green H	1,625	34,233	20	4	-	2	-	-	-	-	-	1	-	-	-	-	-		
West Tottenham F	996	48,853	32	11	2	2	-	-	-	-	-	3	-	-	2	-	-		
East Tottenham F,H	2,017	53,688	44	18	2	10	-	-	-	-	-	-	-	-	1	2	2		
Edmonton W,w,2F	7,491	61,892	42	13	3	4	-	1	-	1	-	-	-	-	1	2	3		
Enfield 2W,F,H	12,601	42,738	23	10	2	5	-	-	-	-	-	-	-	-	1	2	2		
Waltham Abbey	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cheshunt F,H	8,479	12,292	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bushey H	9,333	9,173	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stratford H	1,072	44,827	28	13	1	4	-	4	-	-	-	-	-	-	1	2	-		
Plaistow F,2H	1,249	90,921	64	20	7	5	-	-	-	1	-	-	1	1	1	2	-		
Canning Town H	1,556	70,718	53	17	7	3	-	-	-	-	1	-	1	3	3	-	-		
Forest Gate w	806	60,892	30	14	3	7	-	-	-	-	-	-	-	-	1	1	-		
North East Ham w	1,333	58,676	36	16	4	3	-	-	1	-	-	-	-	-	1	1	1		
South East Ham 2F	1,993	37,342	35	10	4	2	-	1	-	1	-	1	-	-	-	1	-		
Wanstead F	1,679	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Leyton 2W	631	50,467	31	16	4	8	-	-	-	-	-	-	-	-	1	1	5		
North Leyton W,w,F	1,963	48,445	34	29	6	9	-	-	-	-	-	-	-	-	2	2	20		
Walthamstow 3H,L	6,504	108,929	64	15	5	2	-	-	-	-	-	-	-	-	-	-	-		
Chigwell, part of* 2F,3H	11,778	16,397	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Romford, part of* W,2F	6,556	6,091	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Ilford F,L	8,496	41,234	28	13	2	6	-	1	-	-	1	-	-	-	2	4	-		
Barking Town F	3,893	21,547	19	5	1	3	-	-	-	-	-	-	1	-	-	-	-		
N.W. Hospital, Hampstead	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-		
Eastern Hosp., Hackney	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-		
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-		
London County Asylum, Friern Barnet.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		

* Parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	March 18	2535	1399	15·6	-	28	7	8	39	-
CALCUTTA - -	847,796	February 4	-	581	35·6	-	1	-	-	-	208
BOMBAY - -	776,006	" 28	383	1726	115·6	148	33	-	-	-	837
MADRAS - -	509,946	" 17	383	403	41·1	1	1	?	?	?	56
PARIS - -	2,660,559	March 11	1182	1043	20·3	1	10	-	4	9	5
BRUSSELS - -	586,936	" 11	256	178	15·8	-	-	-	-	3	-
ANTWERP - -	286,695	" 11	141	98	17·8	-	5	-	-	1	-
AMSTERDAM -	551,415	" 4	285	161	15·2	-	7	-	-	4	1
COPENHAGEN -	426,000	" 11	264	146	17·9	-	1	-	-	2	-
STOCKHOLM -	309,496	" 4	167	124	20·8	-	-	3	1	3	-
CHRISTIANIA -	223,649	" 11	138	98	22·8	-	2	-	3	11	-
ST. PETERSBURG	1,248,122	" 4	681	742	27·7	2	21	7	15	5	47
MOSCOW - -	1,092,360	" 4	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,005,919	February 25	975	642	16·7	-	7	11	12	9	-
HAMBURG - -	772,852	March 11	-	241	16·2	-	3	-	1	1	1
BRESLAU - -	458,896	" 11	-	188	21·4	-	2	-	1	1	1
MUNICH - -	528,000	" 11	-	215	21·2	-	4	1	-	4	-
VIENNA - -	1,877,839	" 11	1110	731	20·2	-	13	2	8	1	-
PRAGUE - -	430,569	" 11	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	836,267	" 4	432	360	22·4	-	2	3	6	1	2
TRIESTE - -	191,403	" 11	117	106	28·8	-	-	-	1	-	-
ROME - -	503,857	January 7	351	277	28·6	-	1	-	2	1	58
VENICE - -	166,288	March 4	71	103	32·0	-	-	-	-	5	1
BUCHAREST -	282,071	February 25	177	178	32·9	-	-	2	1	1	-
NEW YORK - -	3,948,191	March 4	-	-	-	-	-	-	-	-	-
CHICAGO - -	1,932,315	February 25	-	637	16·7	2	3	-	8	7	6
PHILADELPHIA -	1,438,318	" 25	-	579	20·9	-	-	-	16	-	10
BOSTON - -	617,956	" 18	-	223	18·8	-	1	-	3	1	2
RIO DE JANEIRO	850,000	" 19	-	278	17·0	13	4	-	-	1	3†

* Excluding deaths from croup in the Indian Cities.

† Including 84 deaths from plague in Calcutta, 769 in Bombay, 1 in Madras, and 3 in Rio de Janeiro.

‡ Including 41 deaths from cholera.

§ Including 2 deaths from malarial fever.

¶ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th March, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	55·7	38·5	47·1	2·25	BRADFORD - -	54·0	38·8	45·3	1
BRIGHTON - -	52·4	40·1	47·0	1·95	LEEDS - -	55·0	39·0	46·9	0
PORTSMOUTH - -	57·5	39·5	48·2	1·99	HULL - -	58·0	39·0	46·7	0
NORWICH - -	56·4	39·0	47·2	0·89	TYNEMOUTH - -	56·0	36·0	45·2	0
PLYMOUTH - -	57·5	38·2	47·8	1·72					
BRISTOL - -	55·0	37·0	46·1	1·52	EDINBURGH - -	51·9	34·9	42·6	0
BIRMINGHAM - -	55·8	35·9	44·6	1·18	GLASGOW - -	53·8	35·8	44·3	1
NOTTINGHAM -	56·9	38·0	46·0	1·08					
LIVERPOOL }	53·0	38·0	44·9	1·33					
OBSERVATORY.	53·7	38·7	45·3	0·91	DUBLIN { Phoenix Park. Fitz- william Square.†	54·0	31·2	43·5	0
MANCHESTER -	51·0	39·0	44·8	0·93		55·0	34·9	45·1	0
PRESTON - -	52·1	37·8	44·8	1·20	BELFAST - -	52·0	32·5	41·9	0
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		Phases of the Moon.		Mean daily reading (corrected and reduced to 32° Fahr. height).		Of the Air.				Of the Dew Point		the Air Temperature and Dew Point Temperature.		Degree of Humidity (Saturation equals 100).		Of Radiation.		Of the Earth 3 feet below Surface.		Oster's.		Pressure on the Square Foot.		Robinson's.		In gauges whose receiving funnels are 5 inches above the Ground.							
MONTH AND DAY						Low-est.		Daily Range.		Mean from Average value.		Mean daily value.		Great-est.		Least.		Highest in Sun's Rays.		Lowest on the Surface.		General Direction.		Greatest.		Mean of 24 hours.		Horizontal Movement of the Air on each Day.		Miles.		in.	
MARCH.																																	
SUNDAY	- 12	..	in.	28-954	49-0	40-0	9-0	44-6	+ 3-9	37-9	6-7	9-4	0	2-5	7-7	88-0	35-8	42-86	0	SW. & SSW.	SW.	SW.	SW. & S.	18-0	0-0	0-0	20	705	+381	0-33	157		
MONDAY	- 13	..	28-227	55-4	40-4	40-4	15-0	47-4	+ 6-5	40-9	6-5	11-1	1-7	7-8	78	101-0	35-3	42-82	0	SW. & SSW.	SW.	SW.	SW. & S.	18-0	0-0	0-0	0-0	455	+133	0-10	48		
TUESDAY	- 14	First Quarter.	29-149	52-8	43-0	43-0	9-8	46-5	+ 5-3	39-9	6-6	11-4	2-3	7-8	78	99-3	38-0	42-89	0	SSW. & S.	SSW.	SSW.	SSW. & S.	18-0	0-0	0-0	0-0	529	+210	0-27	25		
WEDNESDAY	- 15	Greatest Dec. N.	28-885	50-6	38-5	38-5	12-1	43-2	+ 1-8	39-2	4-0	7-6	0-0	8-6	86	94-3	38-8	43-23	0	SSW. & S.	SSW.	SSW.	SSW. & S.	19-8	0-0	1-6	1-6	613	+296	0-93	50		
THURSDAY	- 16	..	29-124	54-2	39-2	39-2	15-0	46-1	+ 4-6	40-7	5-4	11-8	0-0	8-1	81	100-0	34-5	43-50	0	SSW.	SSW.	SSW.	SSW. & S.	7-0	0-0	0-8	0-8	445	+130	0-04	80		
FRIDAY	- 17	..	29-455	55-7	43-1	43-1	12-6	47-7	+ 6-1	43-3	4-4	10-7	1-3	8-5	85	105-0	37-9	43-44	0	SW.	SSW.	SSW.	SSW. & S.	4-4	0-0	0-5	0-5	353	+ 40	0-40	30		
SATURDAY	- 18	..	29-551	55-0	42-2	42-2	12-8	48-2	+ 6-6	42-7	5-5	12-8	1-7	8-1	81	81-0	34-5	43-63	0	SSE. & Variable.	NNW. & WSW.	SSW.	SSW. & S.	2-1	0-0	0-1	0-1	211	-101	0-18	45		
MEANS	-		29-192	53-2	40-9	40-9	12-3	46-2	+ 5-0	40-7	5-6	10-7	1-4	8-1	81	95-5	35-7	43-20	0	SW.	SW.	SW.	SW.	Sum 3311	Sum +1089	Sum 2-25	62		
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26								

GENERAL REMARKS.

DATE.		ELECTRICITY.		Registered Sunshine.		Sunshine.		Horizon.		Remarks.	
MARCH.		(For explanation of symbols, see Note.)		in hours.		in hours.					
SUNDAY	- 12	W. P. and W. N. till 10h. A.M. Loss of Register afterwards.		54		11-6		Variable; showery; strong gusty wind.			
MONDAY	- 13	4h. P.M.; W. P. and W. N. afterwards till 7h. P.M.; S. P. and S. N. afterwards till 7h. P.M.; W. P. afterwards till 11h. A.M.; m. P. generally with occasional s. P. and s. N. afterwards.		78		11-6		Very fine generally but partially cloudy till evening; overcast afterwards with continuous rain after 6h. P.M.; brisk wind at times.			
TUESDAY	- 14	9h. A.M.; W. P. and W. N. afterwards till 11h. A.M.; m. P. generally with occasional s. P. and s. N. afterwards.		41		11-7		Overcast with slight rain in morning; variable with heavy showers of rain and hail afterwards; strong gusty wind at times. Lunar halo in evening.			
WEDNESDAY	- 15	W. P. and W. N. till 11h. A.M.; m. P. generally with occasional s. P. and s. N. afterwards.		29		11-7		Overcast with slight rain in morning; variable with showers of rain and hail afterwards; strong wind prevalent till evening; lightning and thunder at and about 11h. P.M.			
THURSDAY	- 16	S. P. and S. N. till 2h. A.M.; W. P. generally afterwards.		55		11-8		Fine and partially cloudy generally; occasional showers. Lunar halo observed at 10h. P.M.			
FRIDAY	- 17	P. and S. N. principally till 6h. P.M.; m. P. generally afterwards.		64		11-9		Variable; frequent heavy showers of rain and hail.			
SATURDAY	- 18	W. P. and W. N. till 10h. A.M.; m. P. generally afterwards.		18		12-0		Overcast with rain in morning; cloudy and gloomy in forenoon; fine afterwards.			
No. of Col.	-			Sum 339		Sum 823					

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 153 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; W, weak; m, moderate; s, strong; and v, variable. The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.02 in. at the beginning of the week to 28.89 in. by 3h. P.M. on the 12th; increased to 29.29 in. by 11h. A.M. on the 13th; decreased to 28.90 in. by 4h. P.M. on the 14th; increased to 29.24 in. by 6h. P.M. on the same day; decreased to 28.77 in. by 1h. P.M. on the 15th; and increased to 29.74 in. by midnight on the 18th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 11th March 1905.*

BOROUGHES	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	4	2	-	-	-	-	2	-
Kensington - - - - -	180,083	-	8	1	-	-	-	-	6	-
Hammersmith - - - - -	119,037	-	4	5	-	1	-	-	-	1
Fulham - - - - -	157,210	-	9	6	-	-	-	-	4	1
Chelsea - - - - -	74,496	-	1	1	-	1	-	-	1	-
City of Westminster - - -	175,606	-	2	1	-	-	-	-	-	-
NORTH.										
St. Marylebone - - - - -	129,453	-	4	6	-	-	-	-	2	-
Hampstead - - - - -	88,142	-	6	3	-	-	-	-	1	-
St. Pancras - - - - -	236,183	-	22	1	-	-	-	-	5	-
Islington - - - - -	342,994	-	26	8	-	1	-	-	3	2
Stoke Newington - - - - -	52,828	-	7	3	-	-	-	-	1	1
Hackney - - - - -	228,479	-	17	7	-	2	-	-	7	1
CENTRAL.										
Holborn - - - - -	56,481	-	1	-	-	1	-	-	1	-
Finsbury - - - - -	98,207	-	11	4	-	-	-	-	1	1
City of London - - - - -	22,435	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	12	2	-	-	-	-	4	1
Bethnal Green - - - - -	130,401	1	13	6	-	-	-	-	6	-
Stepney - - - - -	305,466	-	21	14	-	2	-	-	6	-
Poplar - - - - -	170,280	-	12	7	-	-	-	-	5	-
SOUTH.										
Southwark - - - - -	208,528	-	3	6	-	-	-	-	3	-
Bermondsey - - - - -	129,006	-	9	1	-	-	-	-	2	-
Lambeth - - - - -	313,045	-	16	3	-	1	-	-	4	1
Battersea - - - - -	177,532	-	17	4	-	-	-	-	3	-
Wandsworth - - - - -	265,392	-	24	4	-	3	-	-	2	1
Camberwell - - - - -	271,240	-	19	3	-	3	-	-	11	-
Deptford - - - - -	114,495	-	13	3	-	1	-	-	1	-
Greenwich - - - - -	103,493	-	4	-	-	1	-	-	4	-
Lewisham - - - - -	144,420	-	27	4	-	1	-	-	1	-
Woolwich - - - - -	125,372	-	22	12	-	-	-	-	1	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		1	334	116	-	18	-	-	87	10
Ages 0-1 - - - - -		-	6	7	-	-	-	-	5	-
" 1-5 - - - - -		-	96	46	-	1	-	-	5	-
" 5- - - - -		-	138	38	-	1	-	-	1	-
" 10- - - - -		-	44	11	-	5	-	-	5	-
" 15- - - - -		-	23	1	-	-	-	-	3	-
" 20- - - - -		-	13	7	-	1	-	-	6	3
" 25- - - - -		1	11	2	-	5	-	-	11	5
" 35- - - - -		-	3	4	-	5	-	-	7	2
" 45- - - - -		-	-	-	-	-	-	-	18	-
" 55- - - - -		-	-	-	-	-	-	-	12	-
" 65 and upwards - - -		-	-	-	-	-	-	-	13	-
Age not stated - - - - -		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 12. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAR. 25. [Price 1½d.

General Register Office, Somerset House,
March 27th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·1, 17·2, and 15·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·7 in Southampton, 22·9 in Stockton on Tees, 23·0 in Nottingham, 23·8 in Plymouth, 25·8 in Hanley, 27·6 in Portsmouth, and 28·9 in Merthyr Tydfil; from *measles*, 3·1 in Warrington, 3·7 in Nottingham, 5·4 in Reading, 6·5 in Portsmouth, 7·7 in Southampton, and 12·9 in Stockton on Tees; from *scarlet fever*, 1·2 in Rochdale and 1·4 in Merthyr Tydfil; from *diphtheria*, 1·6 in Hanley and 2·0 in Burton on Trent; from *whooping-cough*, 1·4 in Preston, 1·7 in Rotherham, 2·9 in Tynemouth, and 3·2 in Hanley; and from "*fever*," 1·5 in West Bromwich. Two deaths from *small-pox* were registered in London and one in Bury, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2611 BIRTHS and 1376 DEATHS were registered. Allowing for increase of population, the births were 6 and the deaths 414 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 17·1, 17·2, and 15·6 in the preceding three weeks, fell last week to 15·3. During the four weeks ended on Saturday last the death-rate averaged 16·3 per 1000, being 5·3 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1376 deaths included 2 from small-pox, 30 from measles, 18 from scarlet fever, 10 from diphtheria, 33 from whooping-cough, 3 from enteric fever, and 11 from diarrhoea, but not one death from typhus, or from ill-defined pyrexia; thus, 107 deaths were referred to these diseases in the aggregate, being 89 below the corrected average weekly number.

Two deaths from *small-pox* were registered last week belonging to the Boroughs of Hackney and Stepney respectively. The deaths from *measles*, which had been 34, 32, and 28 in the preceding three weeks, were 30 last week, and were 35 below the corrected average; 6 deaths belonged to the Borough of Stepney, 4 to Hackney, and 3 to Southwark. The deaths from *scarlet fever*, which had been 14, 11, and 7 in the preceding three weeks, rose last week to 18, and were 8 above the corrected average; 3 deaths belonged to Islington and 3 to Stepney. The deaths from *diphtheria*, which had been 20, 13, and 7, in the preceding three weeks, were 10 last week, and were 24 below the corrected average. The deaths from *whooping-cough*, which had been 34, 53, and 39 in the preceding three weeks, fell last week to 33, and were 29 below the corrected average; 5 deaths belonged to Southwark, 4 to Kensington, and 3 each to Fulham, Hackney, and Bethnal Green. The fatal cases of *enteric fever*, which had been 5, 4, and 0 in the preceding three weeks, were 3 last week, the corrected average being 6. The deaths from *diarrhoea*, which had been 8, 11, and 12 in the preceding three weeks, were 11 last week, the corrected average being 14. Of the 11 deaths from diarrhoea, 7 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 1 more death at this age. The deaths attributed directly to *influenza* numbered 31, having been 25, 31, and 32 in the preceding three weeks. The death of a wheelwright's painter, aged 63 years, was certified as due to *lead poisoning*.

Different forms of *violence* caused 47 deaths, concerning all but one of which inquests were held. Of these 47 deaths, 4 were cases of suicide, while the remaining 43 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 6 to burns and scalds, 5 to drowning, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 20 cases of small-pox, 2034 of scarlet fever, 807 of diphtheria, and 69 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 4, 3, and 9; of scarlet fever, 274 cases, against 290, 303, and 262; of diphtheria, 90 cases, against 99, 99, and 92; and of enteric fever, 6 cases, against 6, 14, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 18th.

GREATER LONDON.

In Greater London 3979 births and 1966 deaths were registered. Allowing for increase of population these numbers are 87 above and 491 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 1 from scarlet fever, 1 from diphtheria, 7 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 46·5, the latter being 4·07 above the week's average in the 50 years 1841–90. The general direction of the wind was variable, the horizontal movement of the air being 35 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 42·0 hours; the measured rainfall amounted to 0·09 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION to the middle of the year 1906.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 25th Mar., 1905.		The DEATHS registered in the Week include											Deaths of		Deaths from										TOWNS	
		Week ended				11-17.		Week ended 25th Mar., 1905.		Causes of Death.								Infants under 1 Year of Age.		Causes of Death.										TOWNS				
		4th Mar., 1905.	11th Mar., 1905.	18th Mar., 1905.	25th Mar., 1905.	Week ended 11-17.	Week ended 18-24 Mar., 1905.	7.	8.	Causes of Death.								Persons aged 1 Year and upwards.		Causes of Death.										TOWNS				
		2.	3.	4.	5.	6.		7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.											
76 TOWNS	15,609,377	17'1	17'2	15'8	15'9	1'7	3985	4752	1036	1312	3	210	54	70	97	17	43	156	363	1115	44	76 TOWNS.												
LONDON -	4,684,794	17'1	17'2	15'6	15'3	1'2	2611	1376	284	404	2	30	18	10	33	3	11	47	137	502	3	LONDON.												
(CROYDON -	147,704	18'0	18'0	12'4	12'4	0'7	82	35	6	7	-	-	-	2	-	-	-	1	4	5	-	(CROYDON.												
WILLESDEN -	138,080	13'2	15'9	15'5	12'5	1'9	91	33	7	8	-	-	1	-	3	1	-	1	2	6	-	WILLESDEN.												
HORNSEY -	84,070	10'5	9'3	8'1	8'7	0'6	30	14	2	6	-	1	-	-	-	-	-	-	1	2	-	HORNSEY.												
TOTTENHAM -	116,232	11'2	13'9	14'4	17'0	1'8	72	38	11	11	-	-	-	-	3	-	1	1	3	8	-	TOTTENHAM.												
WEST HAM -	294,997	16'8	15'9	14'3	15'6	1'9	208	88	21	22	-	5	-	1	4	-	1	3	7	19	-	WEST HAM.												
EAST HAM -	123,381	11'8	9'3	13'1	10'6	1'7	84	25	11	1	-	1	-	-	2	1	-	-	2	4	-	EAST HAM.												
LEYTON -	114,555	11'4	10'5	10'9	12'7	-	70	28	6	17	-	-	-	-	-	-	-	-	1	5	1	LEYTON.												
(WALTHAMSTOW -	116,297	10'3	14'3	8'5	8'5	0'9	67	19	4	7	-	1	-	-	1	-	2	-	2	4	-	(WALTHAMSTOW.												
HASTINGS -	66,820	16'4	21'1	17'2	17'2	1'6	23	22	3	9	-	-	-	-	1	-	1	-	-	1	-	HASTINGS.												
BRIGHTON -	127,183	15'2	13'9	15'6	10'7	0'4	46	26	3	12	-	-	-	-	-	-	1	2	2	5	-	BRIGHTON.												
PORTSMOUTH†	201,975	20'7	23'2	27'4	27'6	7'5	99	107	23	26	-	25	1	2	1	-	-	1	6	15	1	PORTSMOUTH†												
BOURNEMOUTH -	66,168	16'5	15'0	3'9	11'0	-	25	14	1	7	-	-	-	-	-	-	-	-	1	1	-	BOURNEMOUTH.												
SOUTHAMPTON -	114,897	18'6	19'5	22'7	22'7	9'1	55	50	8	12	-	17	-	-	2	-	1	-	4	2	-	SOUTHAMPTON.												
READING -	77,674	22'2	23'5	18'1	19'5	5'4	40	29	5	7	-	8	-	-	-	-	-	-	-	5	2	READING.												
NORTHAMPTON -	92,441	10'7	9'6	12'4	13'0	0'6	36	23	1	11	-	-	-	-	1	-	-	-	1	5	-	NORTHAMPTON.												
IPSWICH -	70,802	15'5	16'9	18'4	13'3	-	34	18	2	8	-	-	-	-	-	-	-	-	1	2	-	IPSWICH.												
GREAT YARMOUTH -	52,353	15'9	13'9	12'9	10'0	-	26	10	6	2	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.												
NORWICH -	116,741	15'2	12'1	15'6	12'5	0'4	74	28	8	9	-	-	-	1	-	-	-	-	2	7	-	NORWICH.												
PLYMOUTH -	118,000	18'4	16'2	13'5	23'8	0'4	64	53	13	20	-	-	1	-	-	-	-	3	4	16	-	PLYMOUTH.												
DEVONPORT -	76,884	19'0	19'7	14'9	14'2	-	49	21	5	6	-	-	-	-	-	-	-	-	1	2	-	DEVONPORT.												
BRISTOL† -	368,515	16'9	15'7	15'0	14'4	1'6	207	99	15	32	-	4	2	1	4	-	-	6	9	30	-	BRISTOL.												
HANLEY -	64,667	21'0	23'4	16'9	25'8	4'8	49	32	6	9	-	-	-	2	4	-	-	1	2	3	-	HANLEY.												
BURTON-ON-TRENT -	52,424	13'9	13'9	13'9	12'9	2'0	34	13	3	4	-	-	-	2	-	-	-	-	-	-	-	BURTON-ON-TRENT.												
WOLVERHAMPTON -	99,456	14'2	15'2	12'6	18'3	1'0	52	35	10	8	-	-	-	1	-	-	1	2	4	6	-	WOLVERHAMPTON.												
WALSALL -	92,998	16'8	13'5	7'8	14'0	-	59	25	7	2	-	-	-	-	-	-	-	-	1	1	-	WALSALL.												
HANDSWORTH -	61,721	15'2	14'4	11'0	7'6	0'8	28	9	-	5	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH.												
WEST BROMWICH -	67,823	16'9	20'8	20'8	17'7	1'5	49	23	5	7	-	-	-	-	-	-	-	1	1	1	-	WEST BROMWICH.												

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 25th March, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS	Cols.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 25th Mar., 1906.		The DEATHS registered in the Week include						TOWNS,									
			Week ended				Infa nts under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.						
			1905.																							
			4th Mar., 1905.	11th Mar., 1905.	18th Mar., 1905.	25th Mar., 1905.															7.	8.	9.	10.	11.	12.
BIRMINGHAM	-	542,859	16.3	16.7	16.1	14.4	5.	6.	371	150	38	44	-	4	1	5	1	-	-	1	9	15	39	6	BIRMINGHAM.	
KINGS NORTON	-	69,630	15.7	15.0	9.0	10.5	1.5	1.2	36	14	3	6	-	1	1	-	-	-	-	-	-	1	2	-	KINGS NORTON.	
SMETHWICK	-	62,605	10.0	20.0	10.8	7.5	1.7	1.5	41	9	2	2	-	1	-	-	-	-	-	-	-	1	1	1	SMETHWICK.	
ASTON MANOR	-	81,320	9.6	12.2	17.3	12.8	1.3	1.3	41	20	3	6	-	2	-	-	-	-	-	-	-	-	1	1	1	ASTON MANOR.
COVENTRY	-	75,134	11.8	16.7	13.2	13.2	2.1	2.1	44	19	1	7	-	1	1	1	-	-	-	-	-	1	4	-	COVENTRY.	
LEICESTER	-	228,132	17.4	11.9	12.8	11.7	1.1	1.1	136	51	16	15	-	2	1	1	-	-	-	1	1	2	9	-	LEICESTER.	
GRIMSBY	-	68,153	8.4	15.3	8.4	11.5	0.8	0.8	36	15	3	2	-	-	-	-	1	-	-	2	2	2	3	-	GRIMSBY.	
NOTTINGHAM	-	251,671	23.4	23.4	19.9	23.0	5.0	5.0	139	111	27	29	-	18	-	1	3	-	-	2	1	3	13	-	NOTTINGHAM.	
DERBY	-	122,207	16.2	19.2	12.4	12.8	1.7	1.7	73	30	5	11	-	1	-	3	-	-	-	-	-	-	2	-	DERBY.	
STOCKPORT	-	98,320	21.2	12.2	15.4	18.0	1.1	1.1	46	34	10	10	-	-	1	-	-	-	-	1	-	2	5	1	STOCKPORT.	
BIRKENHEAD	-	116,035	13.9	8.1	13.9	13.0	0.4	0.4	74	29	5	10	-	-	-	1	-	-	-	-	-	6	-	-	BIRKENHEAD.	
WALLASEY	-	62,460	20.9	7.5	10.9	7.5	0.8	0.8	22	9	1	1	-	-	-	-	-	-	-	1	1	1	1	-	WALLASEY.	
LIVERPOOL	-	730,143	22.0	20.4	20.2	18.2	1.9	1.9	474	255	43	60	-	6	8	7	2	-	4	12	21	87	7	-	LIVERPOOL.	
BOOTLE	-	62,768	17.4	19.1	15.0	14.1	0.8	0.8	35	17	4	2	-	-	-	-	-	-	-	2	2	2	4	-	BOOTLE.	
ST. HELENS	-	89,843	20.3	17.4	18.8	21.5	4.1	4.1	62	37	13	5	-	4	-	-	1	1	1	1	1	1	5	-	ST. HELENS.	
WIGAN†	-	88,581	18.1	27.7	15.1	16.9	1.8	1.8	70	28	12	2	-	3	-	-	-	-	-	-	1	1	-	-	WIGAN†.	
WARRINGTON	-	68,301	13.0	17.6	10.7	17.6	3.1	3.1	61	23	3	5	-	4	-	-	-	-	-	-	-	3	3	-	WARRINGTON.	
BOLTON	-	178,111	14.1	17.0	17.3	16.4	2.3	2.3	96	56	15	10	-	4	1	1	1	1	1	-	3	4	5	-	BOLTON.	
BURY	-	58,594	14.2	15.1	20.5	16.0	0.9	0.9	19	18	-	5	1	-	-	-	-	-	-	-	1	1	2	1	BURY.	
MANCHESTER†	-	631,185	18.4	19.0	14.6	17.7	1.3	1.3	359	214	46	51	-	7	1	1	5	1	1	1	6	10	52	6	MANCHESTER.†	
SALFORD	-	231,514	18.7	17.8	13.5	14.9	1.6	1.6	162	66	20	14	-	3	1	2	-	-	-	-	2	6	15	1	SALFORD.	
OLDHAM	-	140,225	17.1	17.1	15.2	20.8	1.9	1.9	61	56	8	18	-	1	2	1	-	-	-	-	-	1	5	-	OLDHAM.	
ROCHDALE	-	86,390	16.9	18.1	22.3	15.7	1.8	1.8	44	26	3	10	-	-	2	1	-	-	-	-	-	-	5	-	ROCHDALE.	
BURNLEY	-	101,682	17.9	11.8	15.4	19.5	3.6	3.6	64	38	11	8	-	1	2	2	-	-	-	2	-	-	10	-	BURNLEY.	
BLACKBURN	-	133,067	15.3	20.4	17.6	18.8	1.2	1.2	70	48	8	17	-	-	-	2	-	-	-	-	1	5	6	2	BLACKBURN.	
PRESTON	-	115,721	15.3	16.7	20.3	15.3	1.8	1.8	63	34	8	12	-	-	-	-	-	-	-	-	-	3	5	1	PRESTON.	
BARROW-IN-F.	-	60,306	13.8	18.2	25.1	14.7	0.9	0.9	39	17	6	12	-	-	-	1	3	-	-	-	2	3	5	-	BARROW-IN-F.	

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1905.*				Week ended		Week ended 23rd Mar., 1905.		Deaths or		Deaths from										TOWNS,		
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.	
								BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diphtheria.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
HUDDESFIELD	-	94,888	14'8	15'9	15'4	15'4	1'1	38	28	4	10	-	-	-	-	-	1	1	1	3	5	-	HUDDESFIELD.	
HALIFAX	-	108,419	12'5	15'4	14'9	15'9	0'5	51	33	2	13	-	-	-	-	-	-	-	-	1	1	1	HALIFAX.	
BRADFORD	-	286,789	17'6	14'5	15'8	15'3	0'9	124	84	13	26	-	1	2	2	1	1	-	7	9	20	-	BRADFORD.	
LEEDS	-	456,787	14'6	15'9	15'9	15'1	0'8	243	132	38	35	-	-	1	3	3	-	-	3	15	22	-	LEEDS.	
SHEFFIELD	-	440,414	15'6	16'8	18'4	18'1	2'6	283	153	43	33	-	17	-	1	1	1	3	5	9	32	2	SHEFFIELD.	
ROTHERHAM	-	59,794	10'5	11'3	13'1	10'5	2'6	35	12	5	3	-	-	-	-	2	-	-	-	-	-	-	ROTHERHAM.	
YORK	-	82,362	19'0	17'1	14'6	13'9	1'3	52	22	5	11	-	-	1	-	-	-	1	-	1	4	-	YORK.	
HULL	-	258,127	15'6	20'4	14'5	18'2	1'4	160	90	14	28	-	-	2	4	-	-	1	7	11	22	-	HULL.	
MIDDLESBROUGH	-	98,369	21'2	24'9	22'8	18'6	4'2	52	35	10	5	-	5	1	2	-	-	-	1	1	4	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES	-	52,425	21'9	19'9	23'9	22'9	12'9	32	23	6	4	-	13	-	-	-	-	-	1	1	1	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	-	71,313	16'1	20'5	11'0	14'6	2'2	38	20	3	5	-	2	1	-	-	-	-	1	2	2	-	WEST HARTLEPOOL.	
SUNDERLAND	-	152,761	22'9	18'4	13'7	18'8	1'0	98	55	16	16	-	-	-	1	2	-	-	1	1	7	1	SUNDERLAND.	
SOUTH SHIELDS	-	109,360	20'5	18'1	18'1	18'1	3'3	66	38	8	6	-	4	-	1	1	1	-	1	1	8	-	SOUTH SHIELDS.	
GATESHEAD	-	120,620	16'9	16'9	10'8	13'8	0'9	63	32	8	7	-	1	-	1	-	-	-	3	3	6	1	GATESHEAD.	
NEWCASTLE-ON-TYNE†	-	264,511	19'3	20'5	21'7	18'9	1'2	173	96	16	28	-	1	2	-	2	-	1	4	10	17	1	NEWCASTLE-ON-TYNE†.	
TYNEMOUTH	-	53,595	24'3	18'5	21'4	20'4	3'9	35	21	8	2	-	1	-	-	3	-	-	-	1	1	-	TYNEMOUTH.	
NEWPORT (MON.)	-	72,880	20'0	15'7	15'0	11'4	1'4	40	16	6	7	-	1	-	-	-	-	1	1	1	-	-	NEWPORT (MON.).	
CARDIFF	-	180,054	15'9	17'1	11'9	10'4	0'9	94	36	11	7	-	3	-	-	-	-	-	-	3	2	-	CARDIFF.	
RHONDDA	-	124,988	21'3	16'7	21'3	14'6	1'7	91	35	12	5	-	2	-	1	-	1	-	-	1	1	-	RHONDDA.	
MERTHYR TYDFIL	-	73,848	29'7	28'9	18'4	28'9	5'6	65	41	13	8	-	3	2	1	-	1	1	1	2	4	-	MERTHYR TYDFIL.	
SWANSEA	-	96,384	19'5	21'1	15'7	17'9	1'6	50	33	5	10	-	-	1	1	-	-	1	3	5	3	-	SWANSEA.	
GREATER LONDON	-	7,010,172	15'8	16'1	14'4	14'6	1'1	3979	1966	417	597	2	46	20	14	53	5	14	66	180	605	4	GREATER LONDON.	
OUTER RING	-	2,925,378	13'3	13'8	12'1	13'2	1'1	1368	590	133	193	-	16	2	4	20	2	3	19	43	103	1	OUTER RING.	
8 TOWNS IN OUTER RING	-	1,135,316	13'7	14'1	12'7	12'9	1'3	704	280	68	79	-	8	1	3	13	2	2	8	22	53	1	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	-	1,190,062	12'9	13'5	11'6	13'6	0'8	664	310	65	114	-	8	1	1	7	-	1	11	21	50	-	REMAINDER OF OUTER RING.	
EDINBURGH	-	336,577	15'2	14'4	17'4	18'0	1'9	169	116	18	46	-	2	-	4	5	1	-	3	?	37	-	EDINBURGH.	
GLASGOW	-	809,986	18'3	17'8	19'2	17'2	1'9	552	267	57	62	-	3	1	4	16	-	5	10	?	65	6	GLASGOW.	
DUBLIN†	-	378,994	30'7	25'2	23'8	22'4	1'0	206	163	25	49	-	4	-	-	1	1	1	3	4	58	9	DUBLIN†.	
BELFAST†	-	368,680	23'1	25'4	22'2	23'1	1'9	213	159	32	35	-	4	1	-	1	4	3	5	10	39	?	BELFAST†.	

* See note † on first page of this return

† As enlarged in 1904.

‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWELFTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2650	2483	2707	2218	2480	2675	2424	2556	2585	2423	2616·7	2611
Males - -	1340	1258	1393	1123	1249	1378	1233	1271	1276	1243	1325·3	1321
Females - -	1310	1225	1314	1095	1231	1297	1191	1285	1309	1180	1291·4	1290
TOTAL Deaths -	2190	1603	1534	1731	2025	1817	1588	1649	1461	1645	1790·4	1376
Males - -	1099	825	802	873	981	973	813	838	714	837	911·1	699
Females - -	1091	778	732	858	1044	844	775	811	747	788	879·3	677

* The numbers in this column are the average weekly numbers in the twelfth week of the ten years 1895–1904, raised by 3·633 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	13 Weeks.
TOTAL Births -	2320	2720	2553	2408	2637	2676	2722	2612	2200	2600	2412	2535	2611	33006
TOTAL Deaths -	1868	1665	1424	1492	1700	1576	1580	1506	1436	1535	1543	1398	1376	20099
Ages at Death {														
Under 1 year -	347	316	270	293	295	293	305	284	290	321	326	293	284	3917
1–5 years -	173	144	126	121	156	159	141	160	152	183	194	148	157	2014
5–20 " -	60	86	75	72	80	56	96	70	82	77	68	86	68	976
20–40 " -	230	179	177	171	205	182	163	192	154	184	188	179	167	2371
40–60 " -	383	355	309	313	349	317	336	303	296	265	237	281	296	4090
60 yrs. & upwds.	675	585	467	522	615	569	539	497	462	505	480	411	404	6731
Deaths from—														
Small-pox - -	-	-	1	21	1	-	26	1	-	34	-	-	2	5
Measles - -	44	32	25	21	30	21	26	28	18	34	32	28	30	369
Scarlet Fever -	15	9	14	7	9	10	9	12	10	14	11	7	18	145
Diphtheria -	17	13	9	11	18	13	16	11	13	20	13	7	10	171
Whooping-cough -	25	16	23	24	38	32	37	33	34	34	53	39	33	421
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	8	9	5	4	1	5	5	4	2	5	4	-	3	55
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	15	12	11	12	9	15	21	7	13	8	11	12	11	157
All above Diseases -	124	91	88	79	106	96	114	96	90	115	124	93	107	1323
Dis. of Resp. System														
Pneumonia - -	358	275	174	238	283	280	229	211	175	204	187	158	156	2928
Phthisis - -	163	168	127	139	195	164	171	167	160	149	174	146	148	2071
Dis. of Circ. System -	192	158	147	160	163	133	134	133	135	135	151	150	131	1922
Violence - -	243	208	179	207	255	236	225	195	177	218	216	178	188	2725
Inquest Cases - -	76	65	75	46	72	66	45	62	73	56	59	53	47	795
Deaths in Institutions	218	185	155	149	201	156	159	136	156	149	152	129	137	2082
TEMPERATURE OF THE AIR.	587	605	525	531	604	582	594	550	506	559	539	532	502	7216
Mean - - -	41·6	41·0	40·5	33·1	37·4	43·1	44·7	44·3	37·6	38·4	44·3	46·2	46·5	41·4
Mean of Highest -	45·6	45·7	45·4	39·8	42·3	47·8	48·7	48·6	42·1	44·7	50·6	53·2	56·9	47·0
Mean of Lowest -	37·2	34·3	34·1	27·8	32·1	37·9	40·6	39·4	34·3	32·2	39·3	40·9	36·7	35·9
Mean Humidity of the Air.	85	83	79	78	85	79	84	76	81	83	80	81	79	81
Rain-fall (in inches) -	0·09	0·42	0·08	0·47	0·00	0·03	0·12	0·12	0·25	0·30	1·08	2·25	0·09	5·30
Registered Sunshine (in hours)	7·0	1·5	20·2	11·8	10·1	17·1	11·1	12·8	23·1	15·3	7·3	33·9	42·0	213·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	17	18	19	18	15	13	9	8	15	15	16	23	20	16
Scarlet Fever - -	2390	2309	2192	2174	2096	2070	2077	2017	1987	2002	2036	2042	2034	2110
Diphtheria - -	804	827	808	836	840	871	860	865	842	828	840	830	807	835
Typhus - -	-	-	-	-	-	-	2	2	2	2	2	2	2	1
Enteric Fever -	159	157	157	146	134	135	123	110	104	87	84	83	69	119

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWELFTH Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 12th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 12th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1645	1376	284	157	68	167	296	404	Meningitis (not tuberc.)	16	23	5	10	2	1	3	2
									Insanity, Gen. Par. of	16	10	1	-	-	1	5	-
									Insane -	1	7	-	-	-	-	-	-
									Epilepsy -	1	-	-	-	1	2	3	1
									Convulsions -	25	21	20	1	-	-	-	-
									Locomotor Ataxy -	3	3	-	-	-	1	-	2
									Paraplegia, Dis. of Cord	5	3	-	-	-	1	1	1
									Nervous Sys. (other dis.)	25	22	-	2	1	-	1	18
									Valv. Dis., Endocarditis	44	40	-	-	3	8	15	14
									Cerebr. Hæm. Thromb.	45	39	-	-	1	2	18	18
									Apoplexy, Hemiplegia	21	10	-	-	-	1	3	6
									Aneurysm -	7	7	-	-	-	1	3	3
									Embolism, Thrombosis	1	2	-	-	-	-	2	-
									(not cerebral) -	105	90	-	-	4	5	32	49
									Heart & Blood Vessel Dis.	2	-	-	-	-	-	-	-
									Croup (not Spasm: nor Memb.)	163	134	34	15	2	1	20	62
									Bronchitis -	9	6	-	-	1	1	1	3
									Asthma, Emphysema	1	4	-	-	-	1	3	-
									Pleurisy -	20	12	1	2	-	2	3	4
									Respiratory Dis. (other)	1	-	-	-	-	-	-	-
									Tonsillitis, Quinsy -	4	8	6	-	-	1	1	-
									Enteritis (not Epid.)	2	2	1	-	-	-	-	-
									Gastro-Enteritis	4	-	-	-	-	-	-	-
									Peritonitis (not Puerp.)	11	15	-	-	-	-	-	-
									Cirrhosis of Liver -	8	3	-	-	1	1	7	6
									Liver Dis. (other) -	42	35	3	2	4	6	9	11
									Digestive Dis., Other	9	11	-	-	1	3	4	3
									Nephritis, Acute -	39	37	-	-	-	5	18	14
									Bright's Dis., Albumin-uria	8	7	-	-	-	1	3	3
									Urinary Sys., Other Dis.	4	4	-	-	-	-	1	3
									Generative Organs Dis.	3	2	-	-	-	1	1	-
									Childbirth (Accid. of)	58	56	60	9	-	-	56	6
									Old Age -	95	88	-	7	2	4	-	-
									Other Diseases -	-	-	-	-	-	-	-	-
									ACCIDENT.	-	-	-	-	-	-	-	-
									By Railways -	1	2	-	-	1	-	-	1
									By Vehicles and Horses	1	1	-	-	-	-	1	-
									In Ships, Boats, Docks, (exclusive of Drown- ing)	1	1	-	-	-	-	1	-
									In Building Operations	1	1	1	-	-	-	1	-
									In Conflagrations -	8	6	1	3	-	1	-	1
									By Burns, Scalds, Ex- plosions -	4	5	-	-	1	1	2	1
									By Drowning -	11	10	10	-	-	-	-	-
									By Suffocation in Bed	5	-	-	-	-	-	-	-
									By Poisons or Poisonous Vapours	12	17	2	1	2	2	2	8
									Other Deaths by Acci- dent -	-	-	-	-	-	-	-	-
									VIOLENCE OTHER THAN ACCIDENTAL.	1	-	-	-	-	-	-	-
									Homicide -	4	4	-	-	-	3	1	-
									Suicide -	-	-	-	-	-	-	-	-
									Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th March, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include												
				Deaths of Year of Age.	Deaths from										Inquest Cases.	Deaths from Violence.
					Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.		
LONDON - - -	4,536,429	2611	1376	284	404	2	30	18	10	33	-	3	-	11	47	137
WEST DISTRICTS	805,311	382	231	51	63	-	1	3	3	9	-	-	-	4	6	17
NORTH DISTRICTS	1,056,070	562	311	53	110	-	8	8	1	6	-	1	-	1	11	29
CENTRAL DISTRICTS	209,465	107	68	12	11	-	-	-	-	1	-	1	-	1	7	14
EAST DISTRICTS	715,739	517	239	56	57	-	11	-	3	7	-	1	-	2	10	38
SOUTH DISTRICTS	1,749,844	1043	487	111	152	-	10	5	3	10	-	-	-	2	13	39
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	40	1	11	2	-	2	-	-	-	-	-	1	-	40
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	93,178	43	30	9	4	-	-	-	-	1	-	-	-	-	2	5
W,2H																
St. John Paddington H	33,617	11	14	1	6	-	-	-	-	1	-	-	-	1	1	2
North-West Paddington	17,181	9	2	1	1	-	-	-	-	-	-	-	-	-	1	7
Kensington Town 2W	128,037	64	42	17	13	-	-	-	-	3	-	-	-	2	1	17
Brompton 2H	48,591	10	12	-	5	-	-	-	-	-	-	-	-	-	1	4
North Hammersmith W,w,H	49,192	27	13	1	4	-	-	-	1	-	-	-	-	-	2	1
South Hammersmith w,2H	63,047	28	13	4	2	-	-	-	-	-	-	-	-	-	1	6
North-west Fulham W	45,180	33	16	4	1	-	-	-	-	1	-	-	-	-	1	12
North-east Fulham F	46,405	17	12	2	3	-	-	3	2	-	-	-	-	-	1	2
South Fulham W	45,704	36	7	2	3	-	1	-	-	2	-	-	-	-	1	6
Chelsea North W,w,3H	42,514	23	19	2	7	-	-	-	-	-	-	-	-	-	-	13
Chelsea South W,2H	31,323	16	13	3	4	-	-	-	-	1	-	-	-	-	-	2
May Fair and Knightsbridge C. & G.	28,743	5	3	2	3	-	-	-	-	-	-	-	-	-	-	6
Belgrave W,2H	55,815	23	14	-	-	-	-	-	-	-	-	-	-	-	-	6
St. Margaret & St. John 4H	43,698	29	14	3	4	-	-	-	-	-	-	-	-	1	1	6
St. James Westminster } N. & G.	21,588	7	5	-	3	-	-	-	-	-	-	-	-	-	-	1
W,H																
St. Anne Soho 5H	11,493	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																
All Souls Marylebone 8H	35,391	11	14	1	6	-	-	-	-	-	-	-	-	-	1	10
Rectory Marylebone W	19,849	6	5	1	2	-	-	-	-	-	-	-	-	-	1	2
St. Mary Marylebone 4H	18,099	61	3	1	-	-	-	-	-	-	-	-	-	-	2	9
Christchurch Marylebone H-	39,536	13	13	-	6	-	-	-	-	-	-	-	-	-	-	7
St. John Marylebone 3H	20,426	4	2	-	1	-	-	-	-	-	-	-	-	-	-	13
Hampstead W,F,3H	81,942	33	29	5	10	-	-	5	-	-	-	-	-	-	1	2
West St. Pancras 2H	60,562	20	12	1	3	-	-	-	-	-	-	-	-	-	1	2
Tottenham-court w,6H	21,268	11	4	2	1	-	-	-	-	-	-	-	-	-	-	2
Gray's Inn Lane 4H	34,449	16	13	2	2	-	-	-	-	1	-	-	-	1	-	3
East St. Pancras W,2H	60,320	23	20	2	9	-	1	-	-	-	-	-	-	-	1	9
North St. Pancras 2W	58,728	25	19	6	3	-	-	-	-	1	-	-	-	-	-	7
Tufnell W	31,995	16	18	2	8	-	-	-	-	-	-	-	-	-	2	14
Upper Holloway 2W,w,2H	33,978	30	27	2	15	-	-	-	-	1	-	-	-	-	1	16
Tollington W	33,922	15	7	2	3	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway	41,424	24	8	3	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury	54,478	31	8	3	1	-	-	-	-	-	-	-	-	-	1	2
Islington South-east F	75,397	36	9	2	3	-	1	-	-	-	-	-	-	-	1	1
Highbury 2H	63,797	18	18	1	12	-	1	-	-	-	-	-	-	-	1	1
Stoke Newington H	51,247	21	10	1	4	-	1	-	-	-	-	-	-	-	2	2
North Hackney	50,560	30	12	3	1	-	-	-	-	-	-	-	-	-	-	4
Central Hackney 2w,F	50,536	28	16	5	3	-	1	3	1	2	-	1	-	-	1	6
South-west Hackney 3H	59,921	36	13	5	6	-	-	-	-	-	-	-	-	-	1	2
South-east Hackney 2W,w,H E. & N.	58,255	44	31	5	11	-	2	-	-	1	-	-	-	-	4	17

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 25th March, 1905—continued.

The DEATHS registered during the Week include																				
STATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
St. Pancras and Bloomsbury W, 2H N.	31,436	15	8	-	4	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-
St. Pancras W, 4H - - - N. & C.	21,674	1	18	1	2	-	-	-	-	-	-	-	-	-	-	1	1	3	14	-
Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Pancras W, 6H - - - N.	29,612	9	14	3	1	-	-	-	-	-	1	-	-	-	-	-	2	4	9	-
Merkenwell - - - N.	28,676	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Merkenwell H - - - N.	35,028	17	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ry 3H, L - - - N.	36,116	35	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
am - Union - Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancrasolph H - - - N. & E.	10,299	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancrasnlabre and Allhallows } N.	16,624	6	10	1	1	-	-	-	-	-	-	-	-	-	-	-	3	4	7	-
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																				
St. Pancras South H - - E. & N.	46,362	28	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Pancras North-West W, W, H N.	36,127	22	17	3	3	-	-	1	-	-	1	-	-	-	-	-	-	2	10	-
St. Pancras North-East - N. & E.	36,148	25	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Pancras Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Green North 2H - - E.	51,514	45	11	5	1	-	-	-	-	1	-	-	-	-	-	-	2	2	6	-
St. Pancras Green South - - E.	33,472	26	7	5	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
St. Pancras Green East 2W, H, L - E.	44,694	19	20	2	6	-	2	-	-	-	1	-	-	-	-	-	2	11	-	-
St. Pancras Fields - - - E. & N.	27,969	20	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Pancras New Town W, H - - E.	28,718	21	41	6	5	-	1	-	-	-	-	-	1	-	-	-	1	7	37	-
St. Pancras an's Fields - - - E.	22,081	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Pancras rge and St. John 2W E.	49,068	31	17	6	3	-	2	-	-	-	1	-	-	-	-	-	1	5	3	-
St. Pancras ell and Ratcliff W, H E. & N.	25,568	14	10	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-
St. Pancras ouse W - - - E.	32,369	20	10	2	2	-	3	-	-	-	1	-	-	-	-	-	1	2	-	-
St. Pancras nd Old Town South-ern H - - - E.	63,698	56	15	5	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Pancras nd Old Town North-ern W, H - - - E.	49,129	38	19	2	6	-	1	-	-	-	-	-	-	-	-	-	-	3	2	-
St. Pancras y - - - - E.	41,989	37	8	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Pancras y 3W, H - - - E.	68,319	51	32	7	9	-	-	-	-	2	1	-	-	-	-	-	1	4	15	-
St. Pancras W, W - - - E.	58,514	52	15	5	3	-	-	-	-	-	1	-	-	-	-	1	3	4	2	-

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th March, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un- certified Causes of Death.		
LONDON—OUTER RING	368,602	2,044,973	1368	590	133	193	-	16	2	4	20	2	3	19	43	103	1		
Carshalton <i>w,2F,2H</i>	12,228	32,997	13	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Epsom, <i>part of* W,w,2F,H</i>	10,423	15,548	10	7	2	4	-	-	-	-	-	-	-	-	-	-	4	-	-
Godstone, <i>part of* W,F</i>	2,754	2,892	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon <i>w</i>	4,200	49,309	25	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
West Croydon <i>3W,F,H</i>	2,168	42,888	34	11	2	1	-	-	-	2	-	-	-	-	1	3	4	-	-
North Croydon <i>H</i>	2,644	41,698	23	14	3	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Penge <i>w,H</i>	770	22,465	9	8	1	3	-	-	-	-	-	-	-	-	1	1	-	-	-
Mitcham <i>w</i>	11,711	30,015	30	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wimbledon <i>F,3H</i>	3,221	41,652	19	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingston <i>2W,H</i>	6,224	42,068	27	9	1	4	-	3	-	-	-	-	-	-	-	-	4	-	-
Surbiton <i>F,H</i>	3,046	15,017	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, <i>part of* H</i>	5,402	13,100	9	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Hampton <i>H,L</i>	4,664	23,456	26	8	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Richmond <i>W,H</i>	2,162	28,865	6	10	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Mortlake <i>F</i>	2,847	20,628	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley <i>F,2H</i>	4,703	27,354	14	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Beckenham <i>H</i>	7,825	28,497	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Orpington, <i>part of* W</i>	10,113	9,857	3	5	1	4	-	-	-	-	-	-	-	-	-	-	3	-	-
Chislehurst <i>2H</i>	7,333	16,446	6	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Bexley <i>F,H</i>	8,678	21,151	17	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Erith <i>F,H</i>	3,854	25,296	12	5	1	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Dartford <i>W,F, part of*</i>	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Sunbury <i>w</i>	11,054	18,683	12	4	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-
Staines <i>W,H</i>	13,277	15,178	8	7	1	5	-	-	-	-	-	-	-	-	-	-	6	-	-
Hillingdon <i>W,F,H</i>	8,035	13,661	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge <i>H</i>	12,757	8,984	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes <i>w,F,H</i>	8,066	16,358	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W,2F,H</i>	6,859	30,863	25	14	4	5	-	-	-	-	-	-	-	-	-	1	7	-	-
Twickenham <i>F,H</i>	2,421	20,991	13	9	1	4	-	-	-	-	-	-	-	1	1	1	-	-	-
Brentford <i>2F,2H,L</i>	4,319	48,289	27	17	5	3	-	3	-	-	-	-	-	1	1	1	-	-	-
Chiswick <i>H</i>	1,249	29,809	16	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Acton <i>w,3H</i>	6,132	48,914	34	14	4	5	-	-	-	-	1	-	-	1	1	1	-	-	-
Harrow <i>F,H</i>	13,809	25,523	17	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgware <i>F,2H</i>	6,994	4,521	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden <i>W,F,2H</i>	4,384	114,811	91	32	7	8	-	1	-	3	1	-	-	2	3	5	-	-	-
Hendon <i>W,F</i>	8,382	12,406	12	14	4	4	-	-	-	-	2	-	-	1	1	2	-	-	-
South Mimms <i>2F,H</i>	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet <i>W,3H</i>	3,324	17,970	9	7	1	3	-	-	-	-	-	-	-	-	-	2	-	-	-
Finchley <i>F,2H</i>	4,688	33,692	23	13	2	6	-	-	-	-	1	-	-	-	1	-	-	-	-
Hornsey <i>F,H</i>	2,875	72,066	30	12	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Wood Green <i>H</i>	1,626	34,233	35	15	2	7	-	1	-	-	-	-	-	-	-	1	-	-	-
West Tottenham <i>F</i>	996	48,853	38	14	6	2	-	-	-	1	-	-	-	1	1	2	-	-	-
East Tottenham <i>F,H</i>	2,017	53,688	34	19	5	6	-	-	-	2	-	-	-	-	-	1	3	-	-
Edmonton <i>W,w,2F</i>	7,491	61,892	45	22	5	9	-	-	-	1	-	-	-	-	1	3	10	-	-
Enfield <i>2W,F,H</i>	12,601	42,738	27	12	5	5	-	-	-	1	-	-	-	-	2	2	2	-	-
Waltham Abbey	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F,H</i>	8,479	12,202	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, <i>part of* W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W,2F part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford <i>H</i>	1,072	44,827	32	12	3	4	-	2	-	1	1	-	-	-	-	1	2	-	-
Plaistow <i>F,2H</i>	1,249	90,921	86	29	6	7	-	-	-	1	1	-	-	-	1	3	5	6	-
Canning Town <i>H</i>	1,556	70,718	63	28	7	3	-	3	-	-	3	-	-	-	-	-	-	-	-
Forest Gate <i>w</i>	806	60,892	27	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Ham <i>w</i>	1,333	58,676	40	12	6	-	-	-	-	-	2	1	-	-	-	-	-	-	-
South East Ham <i>2F</i>	1,993	37,342	44	9	4	1	-	1	-	-	-	-	-	-	2	-	-	-	-
Wanstead <i>F</i>	1,679	9,179	1	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	41	21	4	13	-	-	-	-	-	-	-	-	-	1	5	-	-
North Leyton <i>W,w,F</i>	1,963	48,445	29	27	4	10	-	-	-	-	-	-	-	-	-	20	1	-	-
Walthamstow <i>3H,L</i>	6,504	108,929	75	23	4	10	-	1	-	1	-	-	-	2	2	1	-	-	-
Chigwell, <i>part of* 2F,3H</i>	11,778	16,397	14	4	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Epping <i>W,F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, <i>part of* W,2F</i>	6,556	6,091	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ilford <i>F,L</i>	8,496	41,234	38	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Barking Town <i>F</i>	3,803	21,547	13	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	9	-	4	-	-	-	-	-	-	-	-	-	-	9	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Area, are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Don Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	March 25	2611	1376	15'3	2	30	18	10	33	3
CALCUTTA - -	847,796	February 11	-	635	38'9	4	1	-	-	1	238†
BOMBAY - -	776,006	March 7	329	1812	121'4	186	25	-	-	5	924†
MADRAS - -	509,346	February 24	393	409	41'7	2	3	?	?	?	73†
PARIS - - -	2,660,559	March 18	1078	985	19'2	1	8	1	6	9	6
BRUSSELS - -	586,936	" 18	245	192	17'0	-	3	-	1	-	1
ANTWERP - -	286,895	" 18	158	93	16'9	-	4	1	3	3	1
AMSTERDAM -	551,415	" 11	280	155	14'6	-	3	-	2	1	1
COPENHAGEN -	426,000	" 18	219	137	16'6	-	1	1	-	4	-
STOCKHOLM -	309,496	" 11	162	94	15'8	-	-	3	1	2	-
CHRISTIANIA -	223,649	" 18	152	78	18'1	-	-	1	2	6	-
ST. PETERSBURG	1,248,122	" 11	1103	755	28'2	1	11	9	7	3	40
MOSCOW - -	1,092,360	" 11	-	625	29'8	2	10	15	6	8	5
WARSAW - - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,009,157	March 4	953	653	16'9	-	8	14	15	4	1
HAMBURG - -	772,852	" 18	-	250	16'8	-	6	-	2	3	1
BRESLAU - -	453,896	" 18	-	198	22'5	-	2	-	3	2	-
MUNICH - - -	528,000	" 18	-	215	21'2	-	2	-	1	4	-
VIENNA - - -	1,877,839	" 18	1000	735	20'3	-	24	2	11	-	-
PRAGUE - - -	430,569	" 11	181	221	26'7	-	3	-	-	1	1
		" 18	206	224	27'0	-	2	1	2	1	-
BUDA-PESTH -	836,267	" 11	530	320	19'9	-	9	4	4	1	-
TRIESTE - - -	191,403	" 18	113	110	29'9	-	-	1	-	-	-
ROME - - -	503,857	January 14	269	340	35'1	-	-	-	1	2	3
VENICE - - -	166,288	March 11	93	80	24'9	-	1	-	-	-	1
BUCHAREST - -	282,071	" 4	212	139	25'7	-	-	-	1	1	-
NEW YORK - -	3,948,191	" 4	2166	1540	20'3	-	6	22	30	5	10
		" 11	1989	1541	20'4	-	10	19	26	5	9
CHICAGO - - -	1,932,315	" 4	-	627	16'4	3	1	3	9	7	3
PHILADELPHIA -	1,438,318	" 4	-	559	20'2	-	-	1	7	2	11
BOSTON - - -	617,956	February 25	-	217	18'3	-	-	-	3	1	3
RIO DE JANEIRO	850,000	" 26	-	256	14'7	6	-	-	1	1	3†

* Excluding deaths from croup in the Indian Cities.

† Including 106 deaths from plague in Calcutta, 860 in Bombay, 3 in Madras, and 3 in Rio de Janeiro.

‡ Including 57 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th March, 1905.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	61'4	31'9	46'8	0'09	BRADFORD - -	56'0	33'6	45'5	0'1
BRIGHTON - -	60'6	41'9	49'7	0'35	LEEDS - - -	58'0	35'0	47'2	0'1
PORTSMOUTH - -	57'0	39'5	48'3	0'40	HULL - - -	55'0	30'0	43'1	0'3
NORWICH - - -	?	?	?	?	TYNEMOUTH - -	54'0	33'0	43'2	0'5
PLYMOUTH - - -	60'7	37'3	48'3	0'53					
BRISTOL - - -	61'0	33'7	46'5	0'46	EDINBURGH - -	61'1	35'7	45'7	1'1
BIRMINGHAM - -	59'1	34'0	46'2	0'45	GLASGOW - - -	63'8	35'0	46'2	0'6
NOTTINGHAM - -	59'5	35'0	46'8	0'11					
LIVERPOOL - - -	57'0	36'0	46'2	0'49	PHOENIX PARK. }	61'8	30'4	43'8	0'8
MANCHESTER - -	59'3	35'8	46'6	0'41	DUBLIN { Fitz- william Square.† }	61'4	32'9	45'4	0'9
PRESTON - - -	57'0	36'3	46'1	0'19					
HUDDERSFIELD -	56'2	30'2	44'4	0'10	BELFAST - - -	56'8	33'5	44'7	0'8

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905. MONTH AND DAY		Phases of the Moon.	TEMPERATURE.										WIND as deduced from Anemometers.										Rain collected in a Gauge whose surface 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			Mean daily reading (corrected and reduced to 32° Fahrten-heit).		Of the Air.				Difference between the Air Temperature and Dew Point Temperature.				Of the Radiation.		Of the Earth 3 feet below Surface.		Oster's.				Pressure on the Square foot.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					High-est.		Low-est.		Daily Range.		Mean daily value.						De-ferred from Average value, 50 years.		Mean daily value.							Great-est.		Least.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.			TEMPERATURE.		Of the Air.		Mean		Of the		Difference between the Air Temperature and Dew Point.		Mean		Of the		Mean		Of the Radiation.				Pressure on the Square Foot.		Robinson's.		Ozon e.
			High-est.	Low-est.	Daily Range.	Mean daily value.	De-ferred from Average value.	De-ferred from Average value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
SUNDAY	- 19	m. P. till 2h. A.M.; w. P. generally afterwards.	87	120	87	120	87	120	87	120	87	120	87	120	87	120	87	120	87	120	87	120	87	120	87	120	21
MONDAY	- 20	w. P. generally; occasional m. P.	87	121	87	121	87	121	87	121	87	121	87	121	87	121	87	121	87	121	87	121	87	121	87	121	20
TUESDAY	- 21	w. P. generally; occasional m. P.	63	121	63	121	63	121	63	121	63	121	63	121	63	121	63	121	63	121	63	121	63	121	63	121	23
WEDNESDAY	- 22	w. P. generally.	65	122	65	122	65	122	65	122	65	122	65	122	65	122	65	122	65	122	65	122	65	122	65	122	20
THURSDAY	- 23	w. P. till 5h. p.m.; m. P. till 1h. p.m.; w. P. and s. N. afterwards.	57	123	57	123	57	123	57	123	57	123	57	123	57	123	57	123	57	123	57	123	57	123	57	123	20
FRIDAY	- 24	w. P. and v. N. till 2h. A.M.; m. P. generally afterwards.	61	123	61	123	61	123	61	123	61	123	61	123	61	123	61	123	61	123	61	123	61	123	61	123	21
SATURDAY	- 25	v. N. till 6h. p.m.; w. P. principally afterwards.	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	0.0	124	21
No. of Columns	-	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52

GENERAL REMARKS.

A very fine day; the amount of cloud was usually very small. Solar halo in afternoon; slight hoar frost at night.

Very fine generally; partially cloudy; hoar frost in morning. Solar halo observed in forenoon and lunar halo at night.

Fine but cloudy in morning; very fine with small amounts of thin cloud principally afterwards. Solar halo in forenoon.

Partially cloudy with fog and hoar frost in morning; very fine after 10h. A.M.

Fine and partially cloudy till 10h. P.M.; overcast afterwards with rain shortly before midnight.

Overcast till 10h. A.M. with slight rain until 1h. 30m. A.M.; very fine generally afterwards.

Generally overcast; fine in early morning; slight rain after 6h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the forty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Gladstone's Hygrothermical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28 derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.74 in. at the beginning of the week to 29.92 in. by 10h. P.M. by the 19th; decreased to 29.61 in. by 6h. A.M. on the 21st; increased to 29.73 in. by 9h. A.M. on the 22nd; decreased to 29.46 in. by 4h. A.M. on the 24th; increased to 29.74 in. by midnight on the same day; and decreased to 29.62 in. by the end of the week.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 18th March 1905.*

(BOROUGHs	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	147,935	-	8	2	-	3	-	-	1	-	
Kensington - - - -	180,083	-	11	1	-	-	-	-	4	-	
Hammersmith - - - -	119,037	-	7	7	-	-	-	-	1	-	
Fulham - - - -	157,210	-	5	3	-	-	-	-	2	1	
C Chelsea - - - -	74,496	-	2	1	-	-	-	-	2	-	
City of Westminster - -	175,606	-	8	2	-	1	-	-	3	1	
NORTH.											
St. Marylebone - - - -	129,453	-	5	1	-	2	-	-	-	-	
Hampstead - - - -	88,142	-	8	3	-	-	-	-	2	-	
St. Pancras - - - -	236,183	1	11	4	-	1	-	-	10	-	
Islington - - - -	342,994	-	15	10	-	2	-	-	2	1	
Stoke Newington - - - -	52,828	-	4	2	-	-	-	-	-	-	
Hackney - - - -	228,479	1	19	9	1	-	-	-	4	-	
CENTRAL.											
Holborn - - - -	56,481	-	1	2	-	-	-	-	-	-	
Finsbury - - - -	98,207	-	10	3	-	-	-	-	2	-	
City of London - - - -	22,425	-	1	-	-	1	-	-	2	-	
EAST.											
Shoreditch - - - -	116,565	-	9	1	-	-	-	-	4	-	
Bethnal Green - - - -	130,401	-	10	2	-	-	-	-	2	-	
Stepney - - - -	305,466	8	27	14	-	-	-	-	8	-	
Poplar - - - -	170,280	-	8	3	-	-	-	-	-	-	
SOUTH.											
Southwark - - - -	208,528	-	7	4	-	1	-	-	5	-	
Bermondsey - - - -	129,006	-	9	1	-	2	-	-	1	-	
Lambeth - - - -	313,045	-	16	2	-	1	-	-	7	-	
Battersea - - - -	177,532	-	15	4	-	-	-	-	2	1	
Wandsworth - - - -	265,392	-	32	12	-	1	-	-	3	1	
Camberwell - - - -	271,240	-	18	7	-	2	-	-	14	1	
Deptford - - - -	114,495	-	8	4	-	-	-	-	3	-	
Greenwich - - - -	103,493	1	3	2	-	-	-	-	2	-	
Lewisham - - - -	144,420	-	10	9	-	1	-	-	5	-	
Woolwich - - - -	125,372	-	16	9	-	-	-	-	3	-	
Port of London - - - -	-	-	1	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	11	304	124	1	18	-	-	94	6
Ages											
0-1 - - - -	-	-	2	1	-	-	-	-	5	-	
" 1-5 - - - -	-	-	129	53	-	1	-	-	-	-	
" 5- - - - -	-	2	100	38	-	1	-	-	3	-	
" 10- - - - -	-	1	33	13	-	1	-	-	4	-	
" 15- - - - -	-	2	17	7	-	5	-	-	5	1	
" 20- - - - -	-	2	12	5	-	2	-	-	5	-	
" 25- - - - -	-	4	8	4	1	6	-	-	15	3	
" 35- - - - -	-	-	1	1	-	1	-	-	15	2	
" 45- - - - -	-	-	-	1	-	1	-	-	16	-	
" 55- - - - -	-	-	2	1	-	-	-	-	13	-	
" 65 and upwards - -	-	-	-	-	-	-	-	-	13	-	
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 13. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, APRIL 1. [Price 1½d.

*General Register Office, Somerset House,
April 3rd, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·2, 15·8, and 15·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·3 in Middlesbrough, 24·3 in Coventry and in Tynemouth, 24·6 in Sunderland, 24·7 in Wigan, 25·8 in Hanley, and 27·5 in Merthyr Tydfil; from *measles*, 3·1 in West Bromwich, 3·9 in Portsmouth, 4·7 in Reading, 4·8 in Middlesbrough, 6·0 in Wigan and in Stockton on Tees, 7·1 in Merthyr Tydfil, and 7·3 in Southampton; from *scarlet fever*, 1·0 in Burnley and 1·1 in Northampton and in Oldham; from *diphtheria*, 1·1 in Stockport and in Middlesbrough; from *whooping-cough*, 1·4 in Preston, 1·8 in Tottenham, and 4·0 in Hanley; and from *diarrhoea*, 1·5 in Oldham. One death from *small-pox* was registered in Burnley and one in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2619 BIRTHS and 1357 DEATHS were registered. Allowing for increase of population, the births were 50 and the deaths 379 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 17·2, 15·6, and 15·3 in the preceding three weeks, fell last week to 15·1. During the four weeks ended on Saturday last the death-rate averaged 15·8 per 1000, being 5·0 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1357 deaths included 29 from measles, 4 from scarlet fever, 8 from diphtheria, 40 from whooping-cough, 4 from enteric fever, and 11 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 96 deaths were referred to these diseases in the aggregate, being 102 below the corrected average weekly number.

The deaths from *measles*, which had been 32, 28, and 30 in the preceding three weeks, were 29 last week, and were 39 below the corrected average; 4 deaths belonged to the Borough of Hackney, 4 to Battersea, 3 to St. Marylebone, and 3 to Lewisham. The deaths from *scarlet fever*, which had been 11, 7, and 18 in the preceding three weeks, fell last week to 4, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 13, 7, and 10 in the preceding three weeks, were 8 last week, and were 24 below the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 53, 39, and 33 in the preceding three weeks, rose last week to 40, but were 21 below the corrected average; 6 deaths belonged to Fulham, 5 to Hackney, 5 to Shoreditch, and 3 to Southwark. The fatal cases of *enteric fever*, which had been 4, 0, and 3 in the preceding three weeks, were 4 last week, the corrected average being 6. The deaths from *diarrhoea*, which had been 11, 12, and 11 in the preceding three weeks, were 11 last week, the corrected average being 13. Of the 11 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 22, having been 31, 32, and 31 in the preceding three weeks. The death of a compositor, aged 50 years, was certified as due to *chronic plumbism*.

Different forms of *violence* caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 7 were cases of suicide, and 4 of homicide, while the remaining 47 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 10 to burns and scalds, 5 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 20 cases of small-pox, 2032 of scarlet fever, 794 of diphtheria, and 68 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 3, 9, and 3; of scarlet fever, 254 cases, against 303, 262, and 274; of diphtheria, 116 cases, against 99, 92, and 90; and of enteric fever, 14 cases, against 14, 13, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 25th.

GREATER LONDON.

In Greater London 3922 births and 1925 deaths were registered. Allowing for increase of population these numbers are 6 and 451 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 6 from diphtheria, 9 from whooping-cough, and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 47·°3, the latter being 3·°2 above the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 36·3 hours; the measured rainfall amounted to 0·06 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	1.	DEATH-RATES from all Causes.					Rate from Diseases in Colls. 11-17.		Registered during the week ending 1st April, 1905.		The DEATHS registered in the Week include										Deaths in Public Institutions.	Inquest Cases.	Causes of Death.	TOWNS
			Week ended					Week ended		Deaths of Persons aged 15 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
			11th Mar., 1905.	18th Mar., 1905.	25th April, 1905.	1st April, 1905.	Week ended 1st April, 1905.	Births.	Deaths.																
76 TOWNS		15,609,377	17'2	15'8	15'9	15'7	1'6	8860	4711	1060	1282	2	214	33	51	106	31	46	169	334	1084	58	21.	Cols.	76 TOWNS.
LONDON -	-	4,684,794	17'2	15'6	15'3	15'1	1'1	2619	1357	286	416	-	29	4	8	40	4	11	58	116	518	1	58	LONDON.	
(CROYDON.	-	147,704	18'0	12'4	12'4	16'9	0'7	78	48	9	19	-	-	-	-	2	-	-	-	1	9	-	1	(CROYDON.	
WILLESDEN -	-	138,080	15'9	12'5	12'5	18'5	0'8	88	49	12	17	-	-	-	-	1	-	-	-	3	5	-	5	WILLESDEN.	
HORNSEY -	-	84,070	9'3	8'1	8'7	7'4	0'6	32	12	2	6	-	-	-	-	1	-	-	-	-	2	-	2	HORNSEY.	
TOTTENHAM -	-	116,232	13'9	14'4	17'0	15'3	2'7	65	34	10	9	-	-	-	1	4	-	1	-	2	4	-	4	TOTTENHAM.	
WEST HAM -	-	294,997	15'9	14'3	15'6	17'5	1'6	173	99	25	26	-	5	-	1	2	-	1	5	8	20	-	20	WEST HAM.	
EAST HAM -	-	123,381	9'3	13'1	10'6	8'0	1'3	86	19	4	6	-	2	-	1	1	-	-	-	1	1	-	1	EAST HAM.	
LEYTON -	-	114,555	10'5	10'9	12'7	10'5	2'3	61	23	5	7	-	2	1	1	1	-	-	-	6	-	-	6	LEYTON.	
(WALTHAMSTOW.	-	116,297	14'3	8'5	8'5	11'7	1'3	62	26	7	7	-	1	-	-	1	-	1	-	1	5	-	5	(WALTHAMSTOW.	
HASTINGS -	-	66,820	21'1	17'2	17'2	12'5	1'6	25	16	4	4	-	-	1	-	1	-	-	-	1	2	-	2	HASTINGS.	
BRIGHTON -	-	127,183	13'9	15'6	10'7	14'8	0'4	52	36	5	14	-	-	-	-	-	1	-	1	3	5	1	5	BRIGHTON.	
PORTSMOUTH†	-	201,975	23'2	27'4	27'6	16'8	3'9	99	65	17	20	-	15	-	-	-	-	1	1	1	8	1	8	PORTSMOUTH.†	
BOURNEMOUTH -	-	66,168	15'0	3'9	11'0	15'0	-	21	19	4	7	-	-	-	-	-	-	-	-	-	1	-	1	BOURNEMOUTH.	
SOUTHAMPTON -	-	114,897	19'5	22'7	22'7	19'5	8'6	66	43	8	6	-	16	1	2	-	-	-	3	6	4	-	4	SOUTHAMPTON.	
READING -	-	77,674	23'5	18'1	19'5	18'1	4'7	44	27	5	5	-	7	-	-	-	-	-	-	1	3	-	3	READING.	
NORTHAMPTON -	-	92,441	9'6	12'4	13'0	13'0	1'7	55	23	8	4	-	1	2	-	-	-	-	-	1	3	-	3	NORTHAMPTON.	
IPSWICH -	-	70,802	16'9	18'4	13'3	14'0	0'7	40	19	6	5	-	-	-	-	1	-	1	1	1	1	1	1	IPSWICH.	
GREAT YARMOUTH -	-	52,353	13'9	12'9	10'0	18'9	-	30	19	1	7	-	-	-	-	-	-	-	1	2	4	-	4	GREAT YARMOUTH.	
NORWICH -	-	116,741	12'1	15'6	12'5	16'1	1'3	61	36	11	9	-	-	-	1	1	-	1	2	4	6	-	6	NORWICH.	
PLYMOUTH -	-	116,000	16'2	13'5	23'8	14'8	0'4	59	33	7	14	-	-	1	-	-	-	-	1	1	6	-	6	PLYMOUTH.	
DEVONPORT -	-	76,864	19'7	14'9	14'2	11'5	1'4	39	17	3	6	-	-	1	-	-	-	-	-	-	2	-	2	DEVONPORT.	
BRISTOL† -	-	358,515	15'7	15'0	14'4	17'3	1'9	223	119	33	26	-	10	1	-	1	1	-	-	10	16	-	16	BRISTOL.	
HANLEY -	-	64,067	23'4	16'9	25'8	25'8	4'8	50	32	12	7	-	-	-	1	5	-	-	-	-	2	1	2	HANLEY.	
BURTON-ON-TRENT -	-	52,424	13'9	13'9	12'9	10'9	1'0	34	11	2	4	-	-	1	-	-	-	-	-	-	5	1	5	BURTON-ON-TRENT.	
WOLVERHAMPTON -	-	99,456	15'2	12'6	18'3	13'1	0'5	44	25	6	6	-	-	-	1	-	-	-	-	-	6	-	6	WOLVERHAMPTON.	
WALSALL -	-	82,998	13'5	7'8	14'0	15'7	0'6	56	28	4	9	-	-	-	-	-	-	-	1	1	2	3	3	WALSALL.	
HANDSWORTH -	-	61,721	14'4	11'0	7'6	6'8	0'8	35	8	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	-	67,823	20'8	20'8	17'7	12'3	3'8	43	16	3	4	-	4	-	-	-	-	-	-	2	1	-	1	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ is enlarged in 1904.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1904.

TABLE 1 (cont.)—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 1st April, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS	POPULATION to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in 11-17.		Registered Deaths in the Week ended 1st April, 1905.		The DEATHS registered in the Week include										TOWNS,						
		Week ended					11th Mar., 1905.	25th Mar., 1905.	1st Apr., 1905.	Infants under 1 Year of Age.	Deaths from						Measles.	Scarlet-Fever.	Diphtheria.	Whooping- cough.		Fever.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		11th Mar., 1905.	25th Mar., 1905.	1st Apr., 1905.	Week ended 1st Apr., 1905.	Small-pox.					Measles.	Scarlet-Fever.	Diphtheria.	Whooping- cough.	Fever.	Diphtheria.											Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.					
BIRMINGHAM -	-	542,959	16'7	16'1	14'4	15'8	1'2	346	165	43	40	-	5	1	3	-	2	5	6	54	6	BIRMINGHAM.					
KINGS NORTON -	-	69,630	15'0	9'0	10'5	12'0	1'5	21	16	4	5	-	1	-	-	-	-	2	1	1	2	KINGS NORTON.					
SMETHWICK -	-	42,605	20'0	10'8	7'5	15'0	1'7	50	18	3	7	-	2	-	-	-	-	1	1	2	2	SMETHWICK.					
ASTON MANOR -	-	81,320	12'2	17'3	12'8	18'6	1'9	62	29	7	7	-	3	-	-	-	-	-	1	3	1	2	ASTON MANOR.				
COVENTRY -	-	75,134	16'7	13'2	13'2	24'3	0'7	46	35	8	11	-	1	-	-	-	-	1	3	1	1	COVENTRY.					
LEICESTER -	-	228,132	11'9	12'8	11'7	12'8	0'9	122	56	21	13	-	1	-	1	1	-	1	2	14	2	LEICESTER.					
GRIMSEY -	-	68,153	15'3	8'4	11'5	10'7	2'3	39	14	3	2	-	-	1	1	-	1	1	3	1	-	GRIMSEY.					
NOTTINGHAM -	-	251,671	23'4	19'9	23'0	20'3	3'5	143	98	25	26	-	10	-	3	1	1	6	9	13	-	NOTTINGHAM.					
DERBY -	-	122,207	19'2	12'4	12'8	15'8	0'9	63	37	6	15	-	2	-	-	-	-	1	6	6	-	DERBY.					
STOCKPORT -	-	98,320	12'2	15'4	18'0	15'9	3'2	63	30	7	9	-	-	2	2	1	1	1	3	3	-	STOCKPORT.					
BIRKENHEAD -	-	116,035	8'1	13'9	13'0	13'9	0'9	64	31	5	14	-	-	-	-	-	1	-	3	6	-	BIRKENHEAD.					
WALLASEY -	-	62,460	7'5	10'9	7'5	12'5	-	35	15	2	3	-	-	-	-	-	-	1	1	4	-	WALLASEY.					
LIVERPOOL -	-	730,143	20'4	20'2	18'4	17'3	1'6	462	242	59	58	-	6	4	4	2	4	5	11	73	8	LIVERPOOL.					
BOOTLE -	-	62,758	19'1	15'0	14'1	17'4	0'8	45	21	5	4	-	-	1	-	-	-	1	1	4	-	BOOTLE.					
ST. HELENS -	-	89,843	17'4	16'8	21'5	20'3	2'9	64	35	12	-	-	4	-	-	-	1	-	1	5	4	ST. HELENS.					
WIGAN† -	-	83,581	27'7	15'1	16'9	24'7	6'0	66	41	7	6	-	10	-	-	-	-	2	3	3	-	WIGAN†.					
WARRINGTON -	-	68,301	17'6	10'7	17'6	18'3	0'8	44	24	8	6	-	1	-	-	-	-	-	-	3	-	WARRINGTON.					
BOLTON -	-	178,111	17'0	17'3	16'4	15'5	4'1	89	53	9	13	-	10	-	2	-	1	1	4	7	-	BOLTON.					
BURY -	-	58,564	15'1	20'5	16'0	9'8	0'9	27	11	4	3	-	-	-	-	1	-	1	1	1	-	BURY.					
MANCHESTER† -	-	631,185	19'0	14'6	17'7	17'9	2'1	347	217	43	53	-	-	-	-	-	4	16	20	60	2	MANCHESTER.†					
SALFORD -	-	231,514	17'8	13'5	14'9	14'0	1'8	136	62	9	21	-	4	3	2	2	2	2	2	16	-	SALFORD.					
OLDHAM -	-	140,225	17'1	15'2	20'8	19'3	3'7	65	52	10	15	-	-	3	1	-	-	1	2	11	-	OLDHAM.					
ROCHDALE -	-	86,390	18'1	22'3	15'7	15'1	1'2	43	25	3	6	-	-	1	1	-	-	1	2	2	1	ROCHDALE.					
BURNLEY -	-	101,682	11'8	15'4	19'5	14'4	2'1	33	28	5	6	1	-	2	1	-	-	2	2	8	-	BURNLEY.					
BLACKBURN -	-	133,067	20'4	17'6	18'8	18'0	0'8	50	46	8	12	-	-	1	-	-	-	2	2	8	1	BLACKBURN.					
PRESTON -	-	115,721	16'7	20'3	15'3	11'3	2'7	51	25	7	8	-	-	-	3	2	1	2	3	2	2	PRESTON.					
BARROW-IN-FURNESS.	-	60,306	18'2	25'1	14'7	12'1	0'9	38	14	3	2	-	-	-	-	-	-	1	1	3	-	BARROW-IN-FURNESS.					

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES FROM ALL CAUSES.				Week ended 11-17. 1905.	Registered during the week ended 1st April, 1906.		Deaths of										Deaths from		Deaths in Public Institutions.		Causes of Death.	TOWNS.								
		Week ended					BIRTHS.	DEATHS.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.											
		11th MAY, 1905.	18th MAY, 1905.	25th MAY, 1905.	1st JUNE, 1906.																	Persons aged under 1 Year of Age.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.										
HUDDESFIELD -	94,888	15'9	15'4	15'4	14'8	-	51	27	5	11	-	-	-	-	-	-	-	-	1	3	1	HUDDESFIELD.										
HALIFAX -	108,419	15'4	14'9	15'9	17'8	0'5	53	37	6	10	-	-	1	-	-	-	-	-	1	7	1	HALIFAX.										
BRADFORD -	286,769	14'5	15'8	15'3	14'7	0'7	115	81	14	30	-	-	2	2	1	1	-	2	5	8	1	BRADFORD.										
LEEDS -	456,787	15'9	15'9	15'1	12'7	0'8	248	111	32	32	-	1	1	1	3	1	1	2	8	14	-	LEEDS.										
SHEFFIELD -	440,414	18'8	18'4	18'1	16'7	3'1	243	141	27	29	-	23	2	1	-	-	-	4	10	18	5	SHEFFIELD.										
ROTHERHAM -	59,794	11'3	13'1	10'5	11'3	-	42	13	5	4	-	-	-	-	-	-	-	-	-	1	1	ROTHERHAM.										
YORK -	82,362	17'1	14'6	13'9	17'1	-	53	27	9	9	-	-	-	-	-	-	-	2	5	6	1	YORK.										
HULL -	258,127	20'4	14'5	18'2	13'3	0'8	157	66	16	14	1	-	-	2	1	1	2	6	11	10	-	HULL.										
MIDDLESBROUGH -	63,369	24'9	22'8	18'6	23'3	8'0	65	44	6	2	-	9	-	2	2	1	1	1	1	4	-	MIDDLESBROUGH.										
STOCKTON-ON-TREES	52,425	19'9	23'9	22'9	22'9	6'0	26	23	3	5	-	6	-	-	-	-	-	1	2	3	-	STOCKTON-ON-TREES.										
WEST HARTLEPOOL	71,313	20'5	11'0	14'6	13'9	2'2	56	19	4	2	-	1	-	1	-	1	1	1	1	2	-	WEST HARTLEPOOL.										
SUNDERLAND -	162,761	18'4	13'7	18'8	24'6	2'0	108	72	14	25	-	-	-	2	1	1	1	1	1	11	4	SUNDERLAND.										
SOUTH SHIELDS -	109,360	18'1	18'1	18'1	15'7	2'9	65	33	10	6	-	3	-	-	2	1	-	-	-	4	3	SOUTH SHIELDS.										
GATESHEAD -	120,620	16'9	10'8	13'8	13'4	1'3	83	31	12	6	-	1	-	1	1	-	1	1	1	2	-	GATESHEAD.										
NEWCASTLE-ON- TYNE†	264,511	20'5	21'7	18'9	19'7	1'2	166	100	23	26	-	-	2	1	2	-	1	6	9	11	-	NEWCASTLE-ON- TYNE.†										
TYNEMOUTH -	53,595	18'5	21'4	20'4	24'3	1'0	36	25	6	7	-	-	-	-	1	-	-	-	-	2	-	TYNEMOUTH.										
NEWPORT (MON.) -	72,880	15'7	15'0	11'4	13'6	0'7	40	19	4	5	-	-	1	-	-	-	-	1	1	6	-	NEWPORT (MON.).										
CARDIFF -	180,054	17'1	11'9	10'4	12'2	0'9	90	42	8	7	-	1	-	1	-	1	-	2	7	8	-	CARDIFF.										
RHONDDA -	124,988	16'7	21'3	14'6	17'1	1'3	93	41	14	4	-	2	-	-	1	-	-	2	3	-	1	RHONDDA.										
MERTHYR TYDFIL -	73,848	28'9	18'4	28'9	27'5	7'8	57	39	10	5	-	10	-	-	1	-	-	4	1	1	-	MERTHYR TYDFIL.										
SWANSEA -	96,334	21'1	15'7	17'9	11'4	0'5	59	21	5	7	-	-	-	1	-	-	-	1	1	4	-	SWANSEA.										
GREATER LONDON -	7,010,172	16'1	14'4	14'6	14'3	1'1	3922	1925	415	602	-	43	6	18	62	4	17	78	161	604	2	GREATER LONDON.										
OUTER RING -	2,325,378	13'8	12'1	13'2	12'7	1'2	1303	568	129	186	-	14	2	10	22	-	6	20	45	86	1	OUTER RING.										
8 TOWNS IN OUTER RING	1,135,316	14'1	12'7	12'9	14'2	1'4	645	310	74	97	-	10	1	4	13	-	3	6	16	52	-	8 TOWNS IN OUTER RING.										
REMAINDER OF OUTER RING	1,190,062	13'5	11'6	13'6	11'3	1'0	658	258	55	89	-	4	1	6	9	-	3	14	23	34	1	REMAINDER OF OUTER RING.										
EDINBURGH -	336,577	14'4	17'4	18'0	17'8	0'5	153	115	23	38	-	-	-	-	2	-	1	4	?	25	5	EDINBURGH.										
GLASGOW -	809,986	17'8	19'2	17'2	16'6	1'9	518	258	59	44	-	5	-	3	14	2	5	12	?	79	8	GLASGOW.										
DUBLIN† -	378,494	25'2	23'8	22'4	24'9	1'1	259	181	26	47	-	4	1	1	-	-	2	2	3	57	11	DUBLIN.†										
BELFAST† -	368,680	25'4	22'2	23'1	22'1	1'2	271	152	26	37	-	6	-	-	1	1	-	6	9	45	?	BELFAST.†										

† See note † on first page of this return.

† As enlarged in 1904.

† As enlarged in 1904.

See note on first page of this return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTEENTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2466	2780	2533	2860	2609	2736	2634	2383	2465	2240	2669.1	2619
Males - -	1227	1401	1320	1458	1333	1407	1349	1234	1287	1134	1365.9	1330
Females - -	1239	1379	1213	1402	1271	1329	1285	1149	1178	1106	1303.2	1289
TOTAL Deaths -	1781	1526	1505	1883	1922	1785	1645	1614	1386	1672	1736.0	1357
Males - -	927	778	778	948	936	933	846	836	763	828	890.2	706
Females - -	854	748	727	935	986	852	799	778	623	844	845.8	651

* The numbers in this column are the average weekly numbers in the thirteenth week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	13 Weeks.
TOTAL Births -	2720	2553	2408	2637	2676	2722	2612	2200	2600	2412	2535	2611	2619	33305
TOTAL Deaths -	1665	1424	1492	1700	1576	1580	1506	1436	1535	1543	1398	1376	1357	19588
Ages at Death {														
Under 1 year -	316	270	293	295	293	305	284	290	321	326	293	284	286	3856
1–5 years -	144	126	121	156	159	141	180	152	183	194	148	157	164	2005
5–20 " -	88	75	72	80	56	96	70	82	77	68	86	68	65	931
20–40 " -	179	177	171	205	182	163	192	154	184	188	179	167	153	2294
40–60 " -	355	309	313	349	317	336	303	296	285	287	281	296	273	3980
60 yrs. & upwds.	585	467	522	615	569	539	497	462	505	480	411	404	416	6472
Deaths from—														
Small-pox - -	-	1	-	1	-	-	1	-	-	-	-	2	-	5
Measles - -	32	25	21	30	21	26	28	18	34	32	28	30	29	354
Scarlet Fever -	9	14	7	9	10	9	12	10	14	11	7	18	4	134
Diphtheria - -	13	9	11	13	13	16	11	13	20	13	7	10	8	162
Whooping-cough -	16	23	24	38	32	37	33	34	34	53	39	33	40	436
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	9	5	4	1	5	5	4	2	5	4	-	3	4	51
Pyæmia (origin uncertain),	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	12	11	12	9	15	21	7	13	8	11	12	11	11	153
All above Diseases -	91	88	79	106	96	114	96	90	115	124	93	107	96	1295
Dis. of Resp. System														
Pneumonia - -	275	174	238	283	280	229	211	175	204	187	153	156	119	2689
Phthisis - -	168	127	139	195	164	171	167	160	149	174	146	148	154	2062
Dis. of Circ. System -	158	147	160	163	133	134	133	135	135	151	150	131	139	1869
Violence - -	208	179	207	255	236	225	195	177	218	216	178	188	165	2647
Inquest Cases - -	65	75	46	72	66	45	62	73	56	59	53	47	58	777
Deaths in Institutions	189	155	149	201	156	159	136	156	149	152	129	137	116	1980
TEMPERATURE OF THE AIR.														
Mean - -	41.0	40.5	33.1	37.4	43.1	44.7	44.3	37.6	38.4	44.3	46.2	46.5	47.3	41.9
Mean of Highest -	45.7	45.4	39.8	42.3	47.8	48.7	48.6	42.1	41.7	50.6	53.2	56.9	55.8	47.8
Mean of Lowest -	34.3	34.1	27.8	32.1	37.9	40.6	39.4	34.3	32.2	39.3	40.9	36.7	40.2	36.1
Mean Humidity of the Air.	83	79	78	85	79	84	76	81	83	80	81	79	74	80
Rain-fall (in inches) -	0.42	0.08	0.47	0.00	0.03	0.12	0.12	0.25	0.30	1.08	2.25	0.09	0.06	5.27
Registered Sunshine (in hours)	1.5	20.2	11.8	10.1	17.1	11.1	12.8	23.1	15.3	7.3	33.9	42.0	36.3	242.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	18	19	18	15	13	9	8	15	15	16	23	20	20	16
Scarlet Fever - -	2309	2192	2174	2096	2070	2017	1987	2002	2036	2042	2035	2032	2032	2062
Diphtheria - -	827	808	836	840	871	860	865	842	828	840	830	807	794	834
Typhus - -	-	-	-	-	-	-	2	2	2	2	-	-	-	1
Enteric Fever: - -	157	157	146	134	135	123	110	104	87	84	83	68	68	112

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office.—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTEENTH Week of the Year 1905.

is printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

USES OF DEATH.	Deaths in the 13th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 13th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
USES - - -	1672	1357	286	164	65	153	273	416	Meningitis (not tuberc.)	20	14	6	4	3	1	-	-
- - -	-	-	-	-	-	-	-	-	Insanity, Gen. Par. of }	14	20	-	-	-	1	5	6
- - -	-	-	-	-	-	-	-	-	Insane - - -	13	8	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Epilepsy - - -	32	20	19	-	1	-	-	-
- - -	-	-	-	-	-	-	-	-	Convulsions - - -	-	2	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Locomotor Ataxy - -	8	13	-	-	-	1	5	7
- - -	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	26	15	1	-	1	1	4	8
- - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	42	34	-	-	3	4	13	14
- - -	-	-	-	-	-	-	-	-	Cerebr. Hem. Thromb. -	41	29	-	-	-	-	13	16
- - -	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	24	12	-	-	-	-	1	11
- - -	-	-	-	-	-	-	-	-	Aneurysm - - -	4	5	-	-	-	1	3	1
- - -	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	2	1	-	-	1	-	-	-
- - -	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	94	84	-	-	3	5	21	55
- - -	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	2	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Membr.) - - -	185	97	16	11	1	5	16	48
- - -	-	-	-	-	-	-	-	-	Bronchitis - - -	5	6	-	-	-	-	2	4
- - -	-	-	-	-	-	-	-	-	Asthma, Emphysema - -	4	7	-	-	1	1	1	4
- - -	-	-	-	-	-	-	-	-	Pleurisy - - -	16	9	1	-	-	-	-	8
- - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	7	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	6	3	1	2	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Gastro-Enteritis - - -	5	2	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	17	12	-	-	-	1	9	2
- - -	-	-	-	-	-	-	-	-	Cirrhosis of Liver - -	7	7	-	-	-	1	2	4
- - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	39	32	10	2	1	5	6	8
- - -	-	-	-	-	-	-	-	-	Digestive Dis., Other -	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Nephritis, Acute - - -	13	6	-	1	2	1	1	1
- - -	-	-	-	-	-	-	-	-	Bright's Dis., Albumin- }	33	31	-	-	2	4	14	11
- - -	-	-	-	-	-	-	-	-	uria - - -	12	11	-	-	2	1	4	4
- - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Generative Organs Dis.-	5	6	-	-	-	3	3	-
- - -	-	-	-	-	-	-	-	-	Childbirth (Accid. of) -	2	3	-	-	-	3	-	-
- - -	-	-	-	-	-	-	-	-	Old Age - - -	63	57	-	-	-	-	-	57
- - -	-	-	-	-	-	-	-	-	Other Diseases - - -	97	108	77	13	4	3	6	5
ACCIDENT.																	
- - -	-	-	-	-	-	-	-	-	By Railways - - -	4	2	-	-	-	1	1	-
- - -	-	-	-	-	-	-	-	-	By Vehicles and Horses-	7	7	-	1	2	-	3	1
- - -	-	-	-	-	-	-	-	-	In Ships, Boats, Docks, }	-	1	-	-	-	-	-	1
- - -	-	-	-	-	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	ing) - - -	3	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	In Building Operations -	-	1	-	-	-	-	1	-
- - -	-	-	-	-	-	-	-	-	In Conflagrations - - -	8	10	-	9	1	-	-	-
- - -	-	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	plosions - - -	2	5	-	-	1	-	3	1
- - -	-	-	-	-	-	-	-	-	By Drowning - - -	14	10	10	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	By Suffocation in Bed -	3	2	-	1	-	-	1	-
- - -	-	-	-	-	-	-	-	-	By Poisons or Poisonous }	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	Vapours - - -	8	9	2	-	1	1	1	4
- - -	-	-	-	-	-	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	dent - - -	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																	
- - -	-	-	-	-	-	-	-	-	Homicide - - -	-	4	3	-	-	1	-	-
- - -	-	-	-	-	-	-	-	-	Suicide - - -	9	7	-	-	-	1	2	2
- - -	-	-	-	-	-	-	-	-	Execution - - -	-	-	-	-	-	-	-	-

Tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns. Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st April, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												
				Deaths of		Deaths from										
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,536,429	2619	1357	286	416	-	29	4	8	40	-	4	-	11	58	116
WEST DISTRICTS - - -	805,311	404	256	54	89	-	1	1	-	12	-	-	-	3	8	20
NORTH DISTRICTS - - -	1,058,070	544	298	59	97	-	12	1	3	7	-	-	-	-	12	29
CENTRAL DISTRICTS - - -	209,465	107	73	20	12	-	1	-	-	3	-	1	-	-	2	5
EAST DISTRICTS - - -	715,739	504	234	57	58	-	5	-	1	9	-	-	-	3	16	33
SOUTH DISTRICTS - - -	1,749,844	1060	468	96	154	-	10	1	4	9	-	2	-	4	20	29
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	28	-	6	-	-	1	-	-	-	-	-	1	-	-
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	99,178	43	34	8	11	-	-	-	-	2	-	-	-	1	-	2
W,2H } - G.	39,617	11	17	1	2	-	-	-	-	-	-	-	-	-	2	2
St. John Paddington H } - G.	17,181	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1
North-West Paddington } - C.																
Kensington Town 2W } G., W. & C.	128,037	70	54	10	25	-	-	-	-	1	-	-	-	-	-	5
Brompton 2H } - W. & C.	48,591	13	15	2	5	-	-	-	-	1	-	-	-	-	-	-
North Hammersmith W,wH } W. & G.	49,192	33	12	6	5	-	-	-	-	1	-	-	-	-	-	-
South Hammersmith w,2H } - W. & G.	63,047	36	17	5	5	-	1	-	-	-	-	-	-	-	1	3
North-west Fulham W } W. & C.	45,180	55	22	8	3	-	-	-	-	3	-	-	-	1	-	-
North-east Fulham F } - W. & C.	46,405	22	10	3	2	-	-	1	-	1	-	-	-	1	2	2
South Fulham W } - W. & C.	45,704	32	7	3	2	-	-	-	-	1	-	-	-	-	-	-
Chelsea North W,w,3H } - C.	42,514	22	21	2	10	-	-	-	-	1	-	-	-	-	-	-
Chelsea South W,2H } - C.	31,328	9	9	-	5	-	-	-	-	1	-	-	-	-	-	1
May Fair and Knightsbridge C. & G.	28,743	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H } - C.	55,815	19	16	2	8	-	-	-	-	-	-	-	-	-	2	2
St. Margaret & St. John 4H } - C.	43,698	21	15	3	5	-	-	-	-	-	-	-	-	-	1	1
St. James Westminster } N. & G.	21,588	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
W,H } - N.	11,493	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho 5H } - N.																
NORTH DISTRICTS.																
All Souls Marylebone 8H } - W.	35,391	7	13	3	1	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone W } G. & W.	19,849	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H } G. & W.	18,099	36	6	3	3	-	1	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H } - W.	39,536	20	12	3	3	-	-	-	-	-	-	-	-	1	2	-
St. John Marylebone 3H } - W.	20,426	4	3	-	1	-	2	-	-	-	-	-	-	-	-	-
Hampstead W,F,6H } - N. & W.	81,942	26	20	5	7	-	-	1	1	1	-	-	-	-	2	3
West St. Pancras 2H } - W.	60,562	40	12	5	3	-	-	-	-	-	-	-	-	-	-	1
Tottenham-court w,6H } N. & W.	21,258	4	7	-	2	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane 4H } - N.	34,449	15	9	2	-	-	-	-	1	-	-	-	-	-	2	2
East St. Pancras W,2H } - N.	60,320	28	16	2	7	-	-	-	-	-	-	-	-	1	4	1
North St. Pancras 2W } - N.	58,728	27	20	4	9	-	-	-	-	1	-	-	-	-	1	-
Tufnell W } - N.	31,995	14	20	4	9	-	3	-	-	-	-	-	-	-	-	-
Upper Holloway 2W,w,2H } - N.	33,978	28	23	1	10	-	-	-	-	-	-	-	-	-	3	1
Tollington W } - N.	33,922	15	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway } - N.	41,424	17	9	2	1	-	-	-	-	-	-	-	-	-	1	-
Barnsbury } - N.	54,478	34	10	2	1	-	1	-	-	-	-	-	-	-	1	-
Islington South-east F } - N.	75,397	45	15	4	2	-	-	-	-	1	-	-	-	-	3	-
Highbury 2H } - N.	63,797	24	6	2	2	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington H } - N.	51,247	30	15	2	9	-	1	-	-	-	-	-	-	-	1	-
North Hackney } - E. & N.	50,560	15	8	1	5	-	-	-	-	-	-	-	-	-	1	-
Central Hackney 2w,F } - E. & N.	50,538	42	15	4	4	-	-	1	-	-	-	1	-	-	-	-
South-west Hackney 3H } E. & N.	59,921	35	14	3	5	-	1	-	-	2	-	-	-	2	2	4
South-east Hackney 2W,w,H E. & N.	58,255	30	38	7	12	-	3	-	-	2	-	-	-	1	1	18

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st April, 1905—continued.

REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				Deaths of	Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhea.				Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, TALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week Saturday, 1st April, 1905.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from													
					Deaths of		Deaths from										Inquest Cases. Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
DOON—OUTER RING	368,602	2,044,973	1303	568	129	186	-	14	2	10	22	-	6	20	45	86	1	
Marshallton w, 2F, 2H	12,228	32,997	16	8	2	5	-	-	-	-	-	-	-	-	-	1	-	
psom, part of* W, w, 2F, H	10,423	15,548	7	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
odstone, part of* W, F	2,754	2,692	3	2	-	-	-	-	-	1	-	-	-	1	1	2	-	
ouldson	11,069	8,166	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
outh Croydon w	4,200	49,309	31	11	3	6	-	-	-	1	-	-	-	-	-	-	-	
est Croydon 3W, F, H	2,168	42,888	24	20	3	7	-	-	-	1	-	-	-	-	-	9	-	
orth Croydon H	2,644	41,698	23	17	4	6	-	-	-	-	-	-	-	-	1	-	-	
enge w, H	770	22,465	8	9	3	3	-	-	-	-	-	-	-	-	3	-	-	
itcham w	11,711	30,015	16	13	2	3	-	-	-	1	-	-	-	-	-	-	-	
imbleton F, 3H	3,221	41,652	18	9	3	4	-	-	-	-	-	-	-	1	1	1	-	
ington 2W, H	6,224	42,068	23	3	1	2	-	1	-	-	-	-	-	-	-	2	-	
urbiton F, H	3,046	15,017	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
sher, part of* H	5,402	13,100	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
ampton H, L	4,564	23,456	9	7	1	2	-	-	-	1	-	-	-	-	1	1	-	
ichmond W, H	2,162	28,865	9	6	1	-	-	-	-	2	-	-	-	2	2	2	-	
ortlake F	2,847	20,628	11	8	3	1	-	-	-	1	-	-	1	-	1	-	-	
romley F, 2H	4,703	27,354	21	12	5	2	-	-	-	1	-	-	-	1	2	2	-	
eckenham H	7,825	28,497	13	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
rpington, part of* W	10,113	9,857	4	6	1	3	-	-	-	-	-	-	-	1	1	-	-	
hislehurst 2H	7,333	16,446	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
exley F, H	8,678	21,151	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
rith F, H	3,854	25,296	14	7	2	3	-	-	-	-	-	-	-	-	1	-	-	
artford W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
anbury w	11,054	18,683	11	4	-	3	-	-	-	1	-	-	-	-	-	-	-	
aines W, H	13,277	15,178	16	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
illingdon W, F, H	6,035	13,661	9	2	-	-	-	-	-	1	-	-	-	1	1	1	-	
xbridge H	12,757	8,984	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ayes w, F, H	8,066	16,368	19	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
leworth 3W, 2F, H	6,859	30,863	18	13	3	4	-	-	-	-	1	-	-	-	1	5	-	
wickham F, H	2,421	20,991	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
rentford 2F, 2H, L	4,319	48,289	40	11	2	5	-	2	-	-	-	-	-	1	1	1	-	
hiswick H	1,249	29,809	24	6	-	4	-	-	-	-	-	-	-	-	-	-	-	
oton w, 3H	6,132	48,014	40	12	1	4	-	-	-	-	-	-	1	1	2	1	-	
arrow F, H	13,809	25,523	23	4	2	1	-	-	-	1	-	-	-	-	-	-	-	
dgware F, 2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Villesden W, F, 2H	4,384	114,811	88	48	12	17	-	-	-	1	1	-	-	1	3	4	-	
endon W, F	8,382	22,460	17	6	2	1	-	-	-	-	-	-	-	-	-	1	-	
outh Mimms 2F, H	17,755	7,308	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
arnet W, 3H	3,324	17,970	20	4	-	2	-	-	-	-	-	-	-	1	1	1	-	
inchley F, 2H	4,688	33,692	25	5	-	3	-	-	-	-	-	-	-	-	-	1	-	
ornsey F, H	2,875	72,056	32	10	2	4	-	-	-	-	1	-	-	1	-	-	-	
ood Green H	1,625	34,293	22	6	1	2	-	-	-	-	-	-	-	-	-	-	-	
est Tottenham F	996	48,853	42	18	3	6	-	-	-	-	2	-	-	1	-	2	-	
ast Tottenham F, H	2,017	53,888	23	14	7	3	-	-	-	-	2	-	-	-	1	2	-	
admonton W, w, 2F	7,491	61,892	48	18	5	6	-	-	-	-	2	-	-	1	2	9	-	
infield 2W, F, H	12,601	42,738	27	13	3	2	-	-	-	1	-	-	-	-	-	1	-	
Valtham Abbey	11,017	6,549	3	3	1	1	-	-	-	-	-	-	-	1	1	-	-	
heshunt F, H	8,479	12,292	6	2	1	1	-	-	-	-	-	-	-	-	-	-	1	
atfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ushey H	9,333	9,173	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford W, 2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford H	1,072	44,827	25	18	8	2	-	2	-	1	-	-	1	1	3	1	-	
Walslow F, 2H	1,249	90,921	64	26	7	5	-	1	-	-	-	-	-	-	1	2	-	
Wanning Town H	1,556	70,718	50	24	6	5	-	2	-	-	-	-	-	-	2	3	-	
West Gate w	806	60,892	34	14	2	3	-	-	-	-	-	-	-	1	1	-	-	
North East Ham w	1,333	58,676	42	7	1	2	-	-	-	-	-	-	-	-	-	-	-	
outh East Ham 2F	1,993	37,342	44	11	3	3	-	2	-	-	1	-	-	-	1	-	-	
Vanstead F	1,379	9,179	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
outh Leyton 2W	631	50,467	28	9	4	3	-	2	1	-	1	-	-	-	-	4	-	
North Leyton W, w, F	1,963	48,445	33	31	4	13	-	-	-	1	-	-	-	-	-	19	-	
Valthamstow 3H, L	6,504	108,929	72	22	6	5	-	1	-	1	-	-	1	-	1	1	-	
Whigwell, part of* 2F, 3H	11,778	16,397	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wapping W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Womford, part of* W, 2F	6,556	6,091	3	2	1	1	-	1	-	-	-	-	-	-	-	1	-	
Worfd F, L	8,496	41,234	27	17	2	8	-	-	1	-	-	-	-	1	2	6	-	
Woking Town F	3,803	21,547	16	2	2	-	-	-	-	1	-	-	-	-	-	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-	
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	

Parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	April 1	2619	1357	15'1	-	29	4	8	40	4
CALCUTTA - -	847,796	February 18	-	546	33'4	3	2	-	-	1	186
BOMBAY - -	776,006	March 14	282	1565	104'9	172	22	-	-	-	745
MADRAS - -	509,346	" 3	405	382	38'9	3	4	?	?	?	87
PARIS - -	2,660,559	" 25	1033	933	18'1	5	12	-	4	7	1
BRUSSELS - -	586,936	" 25	254	157	13'9	-	1	-	1	-	2
ANTWERP - -	286,695	" 25	139	73	13'2	-	8	-	-	-	1
AMSTERDAM -	551,415	" 18	307	156	14'7	-	6	-	-	4	-
COPENHAGEN -	426,000	" 25	205	152	18'4	-	-	2	-	-	-
STOCKHOLM -	309,496	" 18	142	102	17'1	-	1	1	3	3	-
CHRISTIANIA -	223,649	" 25	115	82	19'1	-	3	-	1	6	-
ST. PETERSBURG	1,248,122	" 18	545	766	28'6	1	24	6	12	6	49
MOSCOW - -	1,092,360	" 18	-	580	27'7	3	12	17	10	9	4
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,008,580	March 11	949	664	17'2	-	5	11	9	7	1
HAMBURG - -	772,852	" 25	-	226	15'2	-	2	1	2	1	1
BRESLAU - -	458,896	" 25	-	206	23'4	-	1	-	5	-	-
MUNICH - -	528,000	" 25	-	234	23'0	-	2	-	1	5	-
VIENNA - -	1,877,839	" 25	1215	705	19'5	-	16	2	9	-	3
PRAGUE - -	430,569	" 25	214	212	25'6	-	1	2	2	2	1
BUDA-PESTH -	836,267	" 25	433	323	20'1	-	7	9	4	2	1
TRIESTE - -	191,403	" 25	111	104	28'3	-	-	-	-	1	2
ROME - -	503,857	January 21	300	353	36'4	1	2	-	3	1	28
VENICE - -	146,288	March 18	-	-	-	-	-	-	-	-	-
BUCHAREST -	232,071	" 11	228	162	29'9	-	-	1	1	-	1
		" 18	148	162	29'9	-	-	-	4	-	-
NEW YORK -	3,948,191	" 18	1930	1526	20'2	1	9	25	34	5	7
CHICAGO - -	1,932,315	" 11	-	627	16'4	8	10	1	2	6	8
PHILADELPHIA -	1,438,318	" 11	-	599	21'7	-	-	1	11	3	12
BOSTON - -	617,956	" 4	-	230	19'3	-	-	1	2	1	1
RIO DE JANEIRO	850,000	" 5	-	268	15'4	7	2	-	1	-	1

* Excluding deaths from croup in the Indian Cities

† Including 88 deaths from plague in Calcutta, and 683 in Bombay.

‡ Including 24 deaths from cholera.

§ Including one death from malarial fever.

¶ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st April, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	60'0	37'3	48'0	0'06	BRADFORD - -	55'0	40'0	46'4	0'0
BRIGHTON - -	53'0	37'3	47'1	0'27	LEEDS - - -	55'0	41'0	47'1	0'0
PORTSMOUTH - -	55'5	39'5	48'4	0'23	HULL - - -	58'0	36'0	46'9	0'0
NORWICH - -	57'0	33'8	47'4	0'16	TYNEMOUTH - -	54'0	35'0	44'6	0'0
PLYMOUTH - -	54'9	35'2	47'6	0'45					
BRISTOL - -	55'0	38'0	47'5	0'42	EDINBURGH - -	50'7	34'8	43'6	0'0
BIRMINGHAM - -	55'8	37'0	46'3	0'79	GLASGOW - -	54'2	36'2	45'3	0'0
NOTTINGHAM - -	55'1	35'0	45'6	0'42					
LIVERPOOL - -	53'0	39'0	46'4	0'55					
MANCHESTER - -	53'8	35'4	45'1	1'68	DUBLIN { Phoenix Park.	54'8	30'9	44'8	0'0
PRESTON - -	53'0	38'5	45'7	0'58	Fitz-William Square.†	55'8	38'1	46'9	0'0
HUDDERSFIELD -	54'2	37'5	45'2	1'36	BELFAST - -	54'5	30'4	44'5	0'0

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1'92 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

1905.		Phases of the Moon.		Of the Air.				Of the Dew Point and Air Temperature.				Of Radiation.		Of the North or South of the Surface.		Of the Direction.				Pressure on the Square Foot.		Robinson's.		In a Gauge when receiving surface 5 inches above the Ground.						
MONTH AND DAY		Mean daily reading (corrected due to 32° Fahrenheit).		High-est.		Low-est.		Daily Range.		Mean from Average of 50 years.		Of the Day point.		Mean daily value.		Greatest daily value.		Mean of the day.		Greatest.		Least.		Mean of the Air on each DAY.		Horizontal Movement of the Air on each DAY.		Vertical Movement of the Air on each DAY.		
MARCH.		in.		°		°		°		°		°		°		°		°		°		°		°		°		°		
SUNDAY	- 26	..	59.756	56.8	39.2	17.6	47.0	+ 4.1	38.8	10.2	19.0	2.1	67	103.0	33.9	44.61	W.	W. WSW.	4.3	0.0	0.6	433	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MONDAY	- 27	Gr. Dec S Last Qr.	29.509	46.3	40.8	5.5	43.1	- 0.2	39.4	3.7	6.2	2.1	87	62.6	36.7	44.70	N. W. & S. WSW.	1.1	0.0	0.1	217	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
TUESDAY	- 28	..	29.778	56.4	38.6	17.8	47.7	+ 4.0	39.9	7.8	14.2	1.2	74	102.5	34.7	44.82	WSW.	6.3	0.0	0.9	510	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
WEDNESDAY	29	..	29.732	57.4	44.0	13.4	49.5	+ 5.4	43.3	6.2	13.3	3.2	79	97.2	38.8	44.80	SW. & WSW.	5.5	0.0	0.5	395	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
THURSDAY	- 30	..	29.698	57.9	42.8	15.1	48.9	+ 4.3	40.0	8.9	16.3	2.0	71	99.6	35.5	45.10	SW. & WSW.	2.1	0.0	0.2	280	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
FRIDAY	- 31	..	29.852	56.1	37.3	18.8	46.4	+ 1.4	34.9	11.5	18.8	0.7	64	110.0	31.9	45.22	W. & WSW.	3.7	0.0	0.3	361	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
APRIL.		..	30.070	60.0	38.9	21.1	48.7	+ 3.3	42.0	6.7	15.0	4.0	78	105.5	30.4	45.39	WSW. & SW.	2.0	0.0	0.2	298	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
SAFURDAY	- 1	..	29.785	55.8	40.2	15.6	47.3	+ 3.2	39.5	7.9	14.7	2.2	74	97.2	34.6	44.95	WSW.	Sum 2494	Sum 402	Sum 0.06	Sum 0.00	Sum 0.00	Sum 0.00	
MEANS	-																													
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; the results apply to the ordinary, or normal, height of the barometer.

no correction has been applied to the readings to reflect the change in temperature.

Observations are usually taken at 9h. A.M.; noon; 3 P.M.; and 9 P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, and the daily values of the photographic records by the application of corrections according to a question of the photographic records made during the twenty years preceding 1873 in a question of the barometer and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer the thermometers forming the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygroscrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement usually values of the dry and wet bulb thermometers by Glaisher's geometrical factors. The discussion of the neomometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate;

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument

The aggregate duration of bright sunshine on each day, the reading of the barometer increased from 29.02 in. at the beginning of the week to 29.32 in. at the end of the week.

GENERAL REMARKS.


DATE.	Electricity (Continuation of symbols see Note.	Registered Sun Chart Sunshine in hours.
SUNDAY - 26	m. P. till 11h. A.M.; w. P. till 7h. P.M.; m. P. afterwards.	10'9
MONDAY - 27	w. P. till 10h. A.M.; s. N. till 1h. P.M.; s. P. generally after- wards.	0'0
TUESDAY - 28	m. P. generally.	5'9
WEDNESDAY 29	w. P. till 1h. P.M.; w. P. and v. N. till 5h. P.M.; m. P. after- wards.	3'4
THURSDAY- 30	w. P. till 10h. A.M.; m. P. till 5h. P.M.; s. P. afterwards.	3'6
FRIDAY - 31	m. P. till 9h. A.M.; s. P. afterwards.	8'2
APRIL, SATURDAY- 1	m. P. generally.	4'3
		Sum 36'3
No. of Col.-	27	28

Registered Sun & Bar. Sunshine in hours.	Horizon in hours.	GENERAL REMARKS.
109	125	Very fine with small amounts of cloud generally till evening; overcast at night.
00	125	Overcast with frequent slight rain till 6h. P.M.; generally cloudless afterwards.
59	126	Very fine generally till evening; cloudy at night; a few drops of rain at times. Solar halo observed in afternoon.
34	127	Generally cloudy; fine in forenoon. Solar halo observed at 4h. A.M.; slight showers in afternoon.
36	127	Cloudy with occasional small rain in morning; fine and partially cloudy till evening; cloudless at night. Solar halo in afternoon.
82	128	Cloudless in morning; very fine with variable amounts of cloud generally afterwards.
43	129	Generally cloudy; fine in afternoon.
Sum 363	Sum 887	
28	29	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 25th March, 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	3	2	-	-	-	-	1	1
Kensington - - - -	180,083	-	8	1	-	1	-	-	1	-
Hammersmith - - - -	119,037	-	8	1	-	-	-	-	5	-
Fulham - - - -	157,210	-	8	4	-	-	-	-	1	-
Chelsea - - - -	74,496	-	12	-	-	-	-	-	-	-
City of Westminster - -	175,606	-	6	2	-	-	-	-	4	-
NORTH.										
St. Marylebone - - -	129,453	-	7	2	-	1	-	-	1	-
Hampstead - - - -	88,142	-	3	3	-	-	-	-	1	-
St. Pancras - - - -	236,183	-	10	5	-	-	-	-	4	-
Islington - - - -	342,994	-	27	4	-	-	-	-	5	-
Stoke Newington - - -	52,828	-	5	3	-	-	-	-	-	-
Hackney - - - -	228,479	1	10	8	-	1	-	-	4	-
CENTRAL.										
Holborn - - - -	58,481	-	5	-	-	2	-	-	-	-
Finsbury - - - -	98,207	-	8	4	-	-	-	-	-	-
City of London - - - -	22,425	-	3	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	10	5	-	-	-	-	2	1
Bethnal Green - - - -	130,401	-	14	7	-	1	-	-	5	-
Stepney - - - -	305,486	2	7	11	-	1	-	-	3	-
Poplar - - - -	170,280	-	5	10	-	-	-	-	1	-
SOUTH.										
Southwark - - - -	208,528	-	3	3	-	2	-	-	3	-
Bermondsey - - - -	129,006	-	9	3	-	-	-	-	2	-
Lambeth - - - -	313,045	-	17	2	-	-	-	-	6	-
Battersea - - - -	177,532	-	12	4	-	-	-	-	6	-
Wandsworth - - - -	265,392	-	33	8	-	1	-	-	6	-
Camberwell - - - -	271,240	-	22	3	-	1	-	-	3	-
Deptford - - - -	114,495	-	6	3	-	1	-	-	4	-
Greenwich - - - -	103,493	-	8	6	-	-	-	-	2	-
Lewisham - - - -	144,420	-	16	2	-	3	-	-	1	-
Woolwich - - - -	125,372	-	12	3	-	-	-	-	1	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794										
		3	287	110	-	15	-	-	75	2
Ages										
0-1 - - - -	-	1	1	4	-	-	-	-	2	-
" 1-5 - - - -	-	-	94	57	-	1	-	-	4	-
" 5- - - - -	-	1	121	31	-	1	-	-	4	-
" 10- - - - -	-	-	45	5	-	3	-	-	1	-
" 15- - - - -	-	-	8	5	-	2	-	-	6	2
" 20- - - - -	-	-	3	3	-	1	-	-	4	-
" 25- - - - -	-	1	11	5	-	4	-	-	7	-
" 35- - - - -	-	-	3	-	-	1	-	-	14	-
" 45- - - - -	-	-	-	-	-	1	-	-	10	-
" 55- - - - -	-	-	1	-	-	1	-	-	8	-
" 65 and upwards -	-	-	-	-	-	-	-	-	15	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 14. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, APRIL 8. [Price 1½d.

*General Register Office, Somerset House,
April 10th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·8, 15·9, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 19·5 in Burnley and in Sheffield, 20·1 in Oldham, 21·1 in Wigan, 24·2 in Hanley, and 26·1 in Merthyr Tydfil; from *measles*, 2·0 in Bolton, 2·7 in Reading and in Middlesbrough, 3·0 in Wigan and in Sheffield, 3·4 in Portsmouth, 4·1 in Southampton, 4·6 in West Bromwich, 6·0 in Stockton on Tees, and 8·5 in Merthyr Tydfil; from *diphtheria*, 1·0 in Sunderland and 1·6 in Hanley; from *whooping-cough*, 1·3 in Tottenham, 1·5 in Willesden, 1·6 in Hanley, and 1·9 in Tynemouth. One death from *small-pox* was registered in London, 1 in Bradford, and 1 in South Shields, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2310 BIRTHS and 1419 DEATHS were registered. Allowing for increase of population, the births were 349 and the deaths 264 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·5, 15·3, and 15·1 in the preceding three weeks, rose last week to 15·8. During the four weeks ended on Saturday last the death-rate averaged 15·4 per 1000, being 4·5 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1419 deaths included 1 from small-pox, 41 from measles, 10 from scarlet fever, 15 from diphtheria, 40 from whooping-cough, 3 from enteric fever, and 8 from diarrhoea, but not one death from typhus, or from ill-defined pyrexia; thus, 118 deaths were referred to these diseases in the aggregate, being 71 below the corrected average weekly number.

One death from *small-pox*, belonging to the Borough of Hackney, was registered last week. The deaths from *measles*, which had been 28, 30, and 29 in the preceding three weeks, rose last week to 41, but were 22 below the corrected average; 8 deaths belonged to Shoreditch, 6 to Stepney, and 4 each to Islington and Poplar. The deaths from *scarlet fever*, which had been 7, 18, and 4 in the preceding three weeks, were 10 last week, the corrected average being 12. The deaths from *diphtheria*, which had been 7, 10, and 8 in the preceding three weeks, rose last week to 15, but were 12 below the corrected average; 3 deaths belonged to Bethnal Green. The deaths from *whooping-cough*, which had been 39, 33, and 40 in the preceding three weeks, were 40 last week, and were 20 below the corrected average; 7 deaths belonged to Wandsworth, 6 to Islington, and 4 each to Hackney and Bethnal Green. The fatal cases of *enteric fever*, which had been 0, 3, and 4 in the preceding three weeks, were 3 last week, and were 5 below the corrected average. The deaths from *diarrhoea*, which had been 12, 11, and 11 in the preceding three weeks, were 8 last week, and were 6 below the corrected average. Of the 8 deaths from diarrhoea, 5 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 24, having been 31, 31, and 22 in the preceding three weeks. The death of a china repairer, aged 65 years, was certified as due to *lead paralysis*.

Different forms of *violence* caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 6 were cases of suicide, while the remaining 51 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns and scalds, 4 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 10 (including 9 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 21 cases of small-pox, 2086 of scarlet fever, 769 of diphtheria, 1 of typhus, and 66 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 4 cases, against 9, 3, and 2; of scarlet fever, 292 cases, against 262, 274, and 254; of diphtheria, 93 cases, against 92, 90, and 116; and of enteric fever, 9 cases, against 13, 6, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 1st.

GREATER LONDON.

In Greater London 3555 births and 1956 deaths were registered. Allowing for increase of population these numbers are 382 and 355 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 9 from whooping-cough, 1 from "fever," and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 43·2, the latter being 2·9 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 11 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 24·9 hours; the measured rainfall amounted to 0·27 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION: estimated to the middle of the Year 1905.*		DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 8th April, 1905.		The Deaths registered in the Week include											TOWNS	
		Week ended				Week ended		Week ended		BIRTHS. DEATHS.		Deaths from												
		1st April, 1905.				1st April, 1905.		8th April, 1905.		BIRTHS. DEATHS.		Deaths from												
		18th Mar., 1905.	25th Mar., 1905.	1st April, 1905.	8th April, 1905.	1st April, 1905.	8th April, 1905.	1st April, 1905.	8th April, 1905.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
76 TOWNS		15,609,377	15'8	15'9	15'7	15'7	1'4	8301	4688	1032	1248	3	189	26	51	111	18	32	165	374	1035	48	76 TOWNS.	
LONDON -	-	4,684,794	15'5	15'3	15'1	15'8	1'3	2310	1419	276	406	1	41	10	15	40	3	8	57	146	508	1	LONDON.	
(CROYDON -	-	147,701	12'4	12'4	16'9	14'1	0'7	73	40	6	14	-	-	-	-	2	-	-	2	4	7	-	(CROYDON.	
WILLESDEN -	-	138,080	15'5	12'5	18'5	14'0	2'3	72	37	11	8	-	-	-	-	4	-	1	2	4	7	-	WILLESDEN.	
HORNSEY -	-	84,070	8'1	8'7	7'4	7'4	0'6	21	12	-	7	-	-	-	1	-	-	-	-	-	-	-	HORNSEY.	
TOTTENHAM -	-	116,232	14'4	17'0	15'3	12'6	1'3	69	28	6	7	-	-	-	-	-	-	-	4	7	8	-	TOTTENHAM.	
WEST HAM -	-	284,997	14'3	15'6	17'5	15'2	0'7	100	86	31	20	-	-	-	-	1	1	7	12	15	-	-	WEST HAM.	
EAST HAM -	-	123,381	13'1	10'6	8'0	8'5	0'8	77	20	5	4	-	-	-	-	1	-	-	1	1	1	-	EAST HAM.	
LEYTON -	-	114,555	10'9	12'7	10'5	9'6	0'5	62	21	2	6	-	-	-	-	-	-	-	1	1	2	1	LEYTON.	
(WALTHAMSTOW -	-	116,297	8'5	8'5	11'7	10'3	0'4	64	23	9	5	-	-	-	-	-	-	1	-	1	2	3	-	(WALTHAMSTOW.
HASTINGS -	-	66,820	17'2	17'2	12'5	17'2	0'8	18	22	4	12	-	-	-	-	-	-	-	-	-	-	-	-	HASTINGS.
BRIGHTON -	-	127,183	15'6	10'7	14'8	19'3	-	57	47	7	21	-	-	-	-	-	-	3	8	11	-	1	-	BRIGHTON.
PORTSMOUTH†	-	201,975	27'4	27'6	16'8	16'3	4'1	105	63	5	16	-	13	-	2	1	-	-	3	4	7	2	-	PORTSMOUTH.†
BOURNEMOUTH -	-	66,168	3'9	11'0	15'0	11'0	-	23	14	2	5	-	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	-	114,897	22'7	22'7	19'5	16'8	5'0	55	37	6	9	-	-	-	1	-	-	-	1	4	7	-	-	SOUTHAMPTON.
READING -	-	77,674	18'1	19'5	18'1	12'1	2'7	34	18	5	5	-	4	-	-	-	-	-	-	1	4	1	-	READING.
NORTHAMPTON -	-	92,441	12'4	13'0	13'0	13'0	0'6	29	23	4	8	-	-	-	-	-	-	1	-	2	3	1	-	NORTHAMPTON.
IPSWICH -	-	70,802	18'4	13'3	14'0	14'0	-	36	19	7	6	-	-	-	-	-	-	1	1	1	3	-	-	IPSWICH.
GREAT YARMOUTH -	-	52,363	12'9	10'0	18'9	11'0	-	27	11	1	5	-	-	-	-	-	-	-	-	-	-	-	-	GREAT YARMOUTH.
NORWICH -	-	116,741	15'6	12'5	16'1	14'3	0'9	46	32	4	12	-	-	-	-	2	-	-	-	2	6	-	-	NORWICH.
PLYMOUTH -	-	116,000	13'5	23'8	14'8	8'5	-	71	19	3	8	-	-	-	-	-	-	-	1	1	3	-	-	PLYMOUTH.
DEVONPORT -	-	76,864	14'9	14'2	11'5	12'9	1'4	37	19	6	8	-	-	-	-	1	-	-	1	3	1	-	-	DEVONPORT.
BRISTOL.†	-	338,515	15'0	14'4	17'3	12'1	0'9	165	83	23	24	-	-	-	-	5	-	-	4	7	17	-	-	BRISTOL.
HANLEY -	-	64,067	16'9	25'8	25'8	24'2	3'2	35	30	9	10	-	-	-	2	-	-	1	1	2	4	-	-	HANLEY.
BURTON-ON-TRENT -	-	52,424	13'9	12'9	10'9	11'9	-	24	12	1	3	-	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	99,456	12'6	18'3	13'1	11'5	0'5	68	22	8	6	-	-	-	1	-	-	-	1	2	4	-	-	WOLVERHAMPTON.
WALSALL -	-	62,998	7'8	14'0	15'7	11'2	-	56	20	5	5	-	-	-	-	-	-	-	-	2	3	2	1	WALSALL.
HANDSWORTH -	-	61,721	11'0	7'6	6'8	13'5	-	20	16	4	8	-	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	-	67,623	20'8	17'7	12'3	13'8	4'6	50	18	5	2	-	-	-	-	-	-	-	-	1	1	3	-	WEST BROMWICH.

See note on first page of this return.

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.). -76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 8th April, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS	POPULATION estimated to the end of the Year 1906.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 8th April, 1906.		The DEATHS registered in the Week include										TOWNS,		
		Week ended				In Cols. 11-17.		BIRTHS.	DEATHS.	Deaths of												
		18th Mar., 1906.	20th Mar., 1906.	1st April, 1906.	8th April, 1906.	Week ended 8th April, 1906.	Persons aged under 1 Year of Age.															
							and upwards.															
1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	-	16'1	14'4	15'8	17'5	1'4	317	182	54	48	-	5	-	1	5	2	2	2	5	38	3	BIRMINGHAM.
KINGS NORTON	-	9'0	10'5	12'0	9'7	0'7	49	13	2	5	-	1	-	-	-	-	-	-	1	-	-	KINGS NORTON.
SMETHWICK	-	10'8	7'5	15'0	12'5	2'5	49	15	4	1	2	-	-	-	1	-	-	1	1	-	1	SMETHWICK.
ASTON MANOR	-	17'3	12'8	18'6	14'1	1'3	46	22	6	4	-	-	-	1	1	-	-	-	2	-	-	ASTON MANOR.
COVENTRY	-	13'2	13'2	24'3	13'2	1'4	43	19	8	4	-	2	-	-	-	-	-	1	1	-	1	COVENTRY.
LEICESTER	-	12'8	11'7	12'8	13'3	0'9	111	58	17	17	-	3	-	-	-	-	1	2	4	9	-	LEICESTER.
GRIMSBY	-	8'4	11'5	10'7	14'5	-	56	19	4	6	-	-	-	-	-	-	-	2	2	4	1	GRIMSBY.
NOTTINGHAM	-	19'9	23'0	20'3	17'4	2'3	132	84	21	24	7	7	-	1	2	-	1	1	4	14	1	NOTTINGHAM.
DERBY	-	12'4	12'8	15'8	19'2	1'3	68	45	14	13	-	-	-	1	1	-	1	3	11	9	-	DERBY.
STOCKPORT	-	15'4	18'0	15'9	15'9	1'1	38	30	4	8	-	-	-	-	2	-	-	-	-	1	-	STOCKPORT.
BIRKENHEAD	-	13'9	13'0	13'9	18'0	0'9	70	40	10	11	-	1	1	-	-	-	-	1	3	7	-	BIRKENHEAD.
WALLASEY	-	10'9	7'5	12'5	10'0	-	31	12	-	7	-	-	-	-	-	-	-	-	1	-	-	WALLASEY.
LIVERPOOL	-	20'2	18'4	17'3	17'9	1'4	452	251	53	36	6	6	4	2	2	2	4	4	13	68	8	LIVERPOOL.
BOOTLE	-	15'0	14'1	17'4	13'3	-	37	16	4	5	-	-	-	-	-	-	-	3	3	5	-	BOOTLE.
ST. HELENS	-	16'8	21'5	20'3	16'8	1'2	62	29	4	6	1	1	-	-	1	-	-	2	2	9	1	ST. HELENS.
WIGAN†	-	15'1	16'9	24'7	21'1	4'8	57	35	8	11	-	5	1	-	1	-	1	-	-	5	-	WIGAN†.
WARRINGTON	-	10'7	17'6	18'3	15'3	0'8	50	20	5	1	-	1	-	1	-	-	-	-	-	3	2	WARRINGTON.
BOLTON	-	17'3	16'4	15'5	15'5	2'9	85	53	9	8	-	7	-	1	-	-	1	6	9	9	-	BOLTON.
BURY	-	20'5	16'0	9'8	11'6	-	17	13	3	3	-	-	-	-	-	-	-	-	-	1	-	BURY.
MANCHESTER†	-	14'6	17'7	17'9	17'2	1'2	388	208	44	59	-	-	-	-	6	1	2	6	13	50	2	MANCHESTER†.
SALFORD	-	13'5	14'9	14'0	17'6	0'9	140	78	26	16	-	-	-	3	-	-	1	4	7	11	-	SALFORD.
OLDHAM	-	15'2	20'8	19'3	20'1	2'2	56	54	10	15	-	-	3	-	-	-	1	2	5	4	-	OLDHAM.
ROCHDALE	-	22'3	15'7	15'1	18'1	1'2	36	30	2	12	-	-	1	-	-	-	1	2	5	-	-	ROCHDALE.
BURNLEY	-	15'4	19'5	14'4	19'5	2'6	66	38	9	11	-	2	-	1	-	-	1	1	3	1	-	BURNLEY.
BLACKBURN	-	17'6	18'8	18'0	12'9	0'8	53	33	5	5	-	-	-	1	-	-	1	2	5	5	1	BLACKBURN.
PRESTON	-	20'3	15'3	11'3	14'9	0'5	57	33	12	5	-	-	-	-	-	-	1	1	1	2	1	PRESTON.
BARROW-IN-FENES	-	25'1	14'7	12'1	16'4	1'7	35	19	4	5	-	-	-	-	1	-	1	1	1	-	-	BARROW-IN-FENES.

TOWNS.	POPULATION estimated middle of the year 1905.*	Calendar.				during the week ended 8th April, 1905.		Deaths of under 1 Year and upwards.		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	TOWNS.	
		Week ended				in Colls. 11-17.		BIRTHS.	DEATHS.													
		18th Mar., 1905.	25th Mar., 1905.	1st Apr., 1905.	8th Apr., 1905.	Week ended 8th Apr., 1905.	7.		8.	Deaths from												
										small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,888	15'4	15'4	14'8	15'4	0'5	40	28	4	11	-	-	-	1	-	-	-	-	-	5	-	HUDDESFIELD.
HALIFAX.	108,419	14'9	15'9	17'8	16'8	1'0	33	35	9	10	-	-	-	-	1	1	-	1	3	8	-	HALIFAX.
BRADFORD.	286,799	15'8	15'3	14'7	15'5	1'1	122	85	12	30	1	-	1	1	3	-	-	5	10	16	1	BRADFORD.
LEEDS.	486,787	15'9	15'1	12'7	16'0	0'2	229	140	27	33	-	-	1	-	-	1	-	1	5	20	-	LEEDS.
SHEFFIELD.	440,414	18'4	18'1	16'7	19'5	4'4	263	165	34	33	-	25	1	2	6	2	1	3	6	34	4	SHEFFIELD.
ROTHERHAM.	59,794	13'1	10'5	11'3	15'7	0'9	44	18	6	5	-	-	-	-	1	-	-	-	2	2	2	ROTHERHAM.
YORK.	82,362	14'6	13'9	17'1	17'1	1'3	38	27	11	6	-	1	1	-	-	-	1	2	4	-	-	YORK.
HULL.	258,127	14'5	18'2	13'3	14'1	2'0	117	70	20	15	-	-	1	3	5	-	1	2	5	6	1	HULL.
MIDDLESBROUGH.	98,369	22'8	18'6	23'3	19'1	3'7	56	36	12	5	-	5	-	1	1	-	-	1	3	2	2	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,425	23'9	22'9	22'9	16'9	6'0	21	17	2	4	-	6	-	-	-	-	-	1	1	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	71,313	11'0	14'6	13'9	13'2	0'7	39	18	4	7	-	-	-	-	1	-	-	1	3	1	-	WEST HARTLEPOOL.
SUNDERLAND.	152,761	13'7	18'8	24'6	17'4	1'4	95	51	10	17	-	-	-	3	1	-	-	1	5	-	-	SUNDERLAND.
SOUTH SHIELDS.	109,360	18'1	18'1	15'7	17'6	3'3	57	37	9	11	1	4	-	-	2	-	-	2	2	6	1	SOUTH SHIELDS.
GATESHEAD.	120,620	10'8	13'8	13'4	16'4	0'4	92	38	9	10	-	-	-	-	1	-	-	1	2	1	5	GATESHEAD.
NEWCASTLE-ON-TYNE†	264,511	21'7	18'9	19'7	17'2	0'8	151	87	14	21	-	1	-	1	1	-	1	4	6	12	-	NEWCASTLE-ON-TYNE†
TYNEMOUTH.	53,595	21'4	20'4	24'3	14'6	1'9	34	15	2	4	-	-	-	-	2	-	-	-	-	-	-	TYNEMOUTH.
NEWPORT (MON.).	72,880	15'0	11'4	13'6	19'3	0'7	42	27	13	4	-	1	-	-	-	-	-	1	3	3	1	NEWPORT (MON.).
CARDIFF.	180,054	11'9	10'4	12'2	12'7	2'0	84	44	14	11	-	5	-	-	1	-	-	2	7	6	-	CARDIFF.
RHONDDA.	124,988	21'3	14'6	17'1	12'5	0'4	118	30	7	4	-	-	-	-	1	-	-	1	1	1	-	RHONDDA.
MERTHYR TYDFIL.	73,843	18'4	28'9	27'5	26'1	9'2	58	37	8	7	-	-	-	-	-	1	-	3	3	2	1	MERTHYR TYDFIL.
SWANSEA.	96,384	15'7	17'9	11'4	12'4	0'5	60	23	8	4	-	-	1	-	-	-	-	1	2	4	-	SWANSEA.
GREATER LONDON.	7,010,172	14'4	14'6	14'3	14'5	1'2	3555	1956	408	558	1	47	12	21	60	6	12	84	195	590	4	GREATER LONDON.
OUTER RING.	2,325,378	12'1	13'2	12'7	12'0	0'9	1245	537	132	152	-	6	2	6	20	3	4	27	49	82	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,135,316	12'7	12'9	14'2	12'3	0'9	628	267	70	71	-	2	-	2	11	2	3	17	31	43	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,190,062	11'6	13'6	11'3	11'8	0'9	617	270	62	81	-	4	2	4	9	1	1	10	18	39	2	REMAINDER OF OUTER RING.
EDINBURGH.	336,577	17'4	18'0	17'8	13'9	1'5	160	90	20	20	-	4	-	2	1	-	3	2	?	29	6	EDINBURGH.
GLASGOW.	809,986	19'2	17'2	16'6	17'5	2'7	513	272	61	48	-	8	1	2	19	2	10	16	?	70	7	GLASGOW.
DUBLIN†	378,994	23'8	22'4	24'9	25'5	0'7	175	185	31	57	-	-	-	1	1	1	2	2	7	73	10	DUBLIN†
BELFAST†	358,680	22'2	23'1	22'1	21'7	2'3	240	149	25	20	-	11	1	-	-	2	2	6	8	34	?	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ As changed in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTEENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2731	2629	2577	2415	2554	2580	2538	2611	2439	2539	2659.5	2310
Males - -	1390	1322	1259	1230	1289	1289	1307	1334	1240	1304	1346.1	1151
Females - -	1341	1307	1318	1185	1265	1291	1231	1277	1199	1235	1313.4	1159
TOTAL Deaths -	1597	1522	1501	1691	1816	1932	1573	1571	1345	1659	1682.8	1419
Males - -	868	767	787	881	908	1006	836	852	710	845	878.4	730
Females - -	729	755	714	810	908	926	737	719	635	814	804.4	689

* The numbers in this column are the average weekly numbers in the fourteenth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	13 Weeks.
TOTAL Births -	2553	2408	2637	2676	2722	2612	2200	2600	2412	2535	2611	2618	2310	32894
TOTAL Deaths -	1424	1492	1700	1576	1580	1506	1436	1535	1543	1397	1376	1357	1419	19341
Ages at Death -														
Under 1 year -	270	293	295	293	305	284	290	321	326	293	284	286	276	3816
1-5 years -	126	121	156	159	141	160	152	183	194	148	157	164	195	2056
5-20 " -	75	72	80	56	96	70	82	77	68	86	68	65	56	951
20-40 " -	177	171	205	182	163	192	154	184	188	179	167	153	195	2310
40-60 " -	309	313	349	317	336	303	296	265	287	281	298	273	291	3916
60 yrs. & upwds.	467	522	615	599	539	497	462	505	480	410	404	416	406	6292
Deaths from—														
Small-pox† - -	1	-	1	-	-	1	-	-	-	-	2	-	1	6
Measles - -	25	21	30	21	26	28	18	34	32	28	30	29	41	363
Scarlet Fever - -	14	7	9	10	9	12	10	14	11	7	18	4	10	135
Diphtheria - -	9	11	18	13	16	11	13	20	13	7	10	8	15	164
Whooping-cough -	23	24	38	32	37	33	34	34	53	39	33	40	40	460
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	4	1	5	5	4	2	5	4	-	3	4	3	45
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	11	12	9	15	21	7	13	8	11	12	11	11	8	149
All above Diseases -	88	79	106	96	114	96	90	115	124	93	107	96	118	1322
Dis. of Resp. System														
Pneumonia - -	174	238	283	280	229	211	175	204	187	158	156	119	148	2562
Phthisis - -	127	139	195	164	171	167	160	149	174	146	148	154	160	2054
Dis. of Circ. System -	147	160	163	133	134	133	135	135	151	150	131	139	134	1845
Violence - -	179	207	255	236	225	195	177	218	216	178	188	165	175	2614
Inquest Cases - -	75	46	72	86	45	62	73	56	59	53	47	58	67	769
Deaths in Institutions	155	149	201	156	159	136	156	149	152	129	137	116	146	1941
	525	531	604	582	594	550	556	559	539	532	502	517	508	7049
TEMPERATURE OF THE AIR.														
Mean - -	40.5	33.1	37.4	43.1	44.7	44.3	37.6	38.4	44.3	46.2	46.5	47.3	43.2	42.0
Mean of Highest - -	45.4	39.8	42.3	47.8	48.7	48.6	42.1	44.7	50.6	53.2	56.9	55.8	51.7	48.3
Mean of Lowest - -	34.1	27.6	32.1	37.9	40.6	39.4	34.3	32.2	39.3	40.9	36.7	40.2	35.7	36.2
Mean Humidity of the Air.	79	78	85	79	84	76	81	83	80	81	79	74	76	80
Rain-fall (in inches) -	0.08	0.47	0.00	0.03	0.12	0.12	0.25	0.30	1.08	2.25	0.09	0.06	0.27	5.12
Registered Sunshine (in hours).	20.2	11.8	10.1	17.1	11.1	12.8	23.1	15.3	7.3	33.9	42.0	36.3	24.9	265.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
														Means
Small-pox - -	19	18	15	13	9	8	15	15	16	23	20	20	21	16
Scarlet Fever - -	2192	2174	2096	2070	2077	2017	1987	2002	2036	2042	2035	2032	2066	2065
Diphtheria - -	808	836	840	871	860	865	842	828	840	830	807	794	769	830
Typhus - -	-	-	-	-	-	2	2	2	2	-	-	-	1	1
Enteric Fever - -	157	146	134	135	123	110	104	87	84	83	68	68	66	105

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwick, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq., Hull; and W. E. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 8th April, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.		
					Deaths of		Deaths from															
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.						
LONDON	- - -	4,536,429	2310	1419	276	406	1	41	10	15	40	-	3	-	8	57	146	508				
WEST DISTRICTS	- - -	805,311	384	249	38	80	-	2	1	1	5	-	-	-	1	11	20	82				
NORTH DISTRICTS	- - -	1,056,070	504	304	46	105	-	12	3	2	11	-	1	-	-	6	24	101				
CENTRAL DISTRICTS	- - -	209,465	106	73	14	19	-	2	-	1	-	-	-	-	-	8	15	41				
EAST DISTRICTS	- - -	715,739	445	273	85	51	-	20	1	4	8	-	1	-	3	16	38	107				
SOUTH DISTRICTS	- - -	1,749,844	871	483	92	146	-	5	5	7	16	-	1	-	3	16	48	140				
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	37	1	5	1	-	-	-	-	-	-	-	1	-	1	37				
WEST DISTRICTS.																						
St. Mary Paddington } W,2H	G. & W.	93,178	51	34	4	15	-	1	-	-	-	-	-	-	-	-	1	5				
St. John Paddington } H	- G.	33,617	8	12	2	3	-	-	-	-	-	-	-	-	-	-	-	5				
North-West Paddington	- C.	17,181	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
Kensington Town 2W Brompton 2H	W,2H G.,W.&C. - W. & C.	128,037 48,591	61 15	47 7	7 1	22 3	-	1	-	-	1	-	-	-	-	3	5	19				
North Hammersmith W,wH South Hammersmith w,2H	W.&G.	49,192 63,047	22 34	11 13	3 3	3 5	-	-	-	-	1	-	-	-	-	-	2	1				
North-west Fulham W North-east Fulham F	W. & C.	45,180 46,405	32 24	23 14	5 1	5 2	-	-	-	1	1	-	-	-	-	1	1	12				
South Fulham W		45,704	29	11	2	3	-	-	-	-	-	-	-	-	1	1	1	2				
Chelsea North W,w,3H Chelsea South W,2H	- - C. - - C.	42,514 31,328	20 16	25 10	- 3	9 3	-	-	-	-	-	1	-	-	-	1	3	19				
May Fair and Knightsbridge Belgrave W,2H	C. & G. - - C.	28,743 55,815	3 21	5 10	1 -	2 2	-	-	-	-	-	-	-	-	-	1	1	8				
St. Margaret & St. John St. James Westminster } W,H	4H - C. N. & G.	43,698 21,588	15 10	15 6	2 2	1 1	-	-	-	-	-	-	-	-	-	1	1	-				
St. Anne Soho 5H	- - N.	11,493	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1				
NORTH DISTRICTS.																						
All Souls Marylebone 8H Rectory Marylebone W	- W. G. & W.	35,391 19,849	13 4	19 4	1 2	7 1	-	-	-	-	-	-	-	-	-	-	-	12				
St. Mary Marylebone 4H Christchurch Marylebone H-	G. & W. - W.	18,099 39,536	20 15	6 7	3 -	1 4	-	-	-	-	-	-	-	-	-	-	1	4				
St. John Marylebone 3H	- W.	20,426	4	6	1	1	-	1	-	3	-	-	-	-	-	-	-	1				
Hampstead W,F,6H	- N. & W.	81,942	32	24	3	7	-	-	1	1	-	-	-	-	-	-	-	10				
West St. Pancras 2H Tottenham-court w,6H	- - W. N. & W.	60,562 21,258	29 5	16 5	6 1	1 2	-	-	-	1	-	-	-	-	-	1	2	3				
Gray's Inn Lane 4H East St. Pancras W,2H	- - N. - - N.	34,449 60,320	14 30	7 11	1 1	3 8	-	-	1	-	-	-	-	-	-	-	1	2				
North St. Pancras 2W	- - N.	58,728	21	13	1	6	-	-	-	-	1	-	-	-	-	-	1	6				
Tufnell W Upper Holloway 2W,w,2H	- - N. - - N.	31,995 33,978	16 21	24 21	2 2	11 8	-	1	-	-	-	-	-	-	-	-	1	19				
Tollington W Lower Holloway	- - N. - - N.	33,922 41,424	17 24	6 8	3 3	2 1	-	-	-	-	2	-	-	-	-	-	-	4				
Barnsbury Islington South-east F	- - N. - - N.	54,478 75,397	32 39	7 14	2 2	1 3	-	-	-	-	-	-	-	-	-	-	1	2				
Highbury 2H	- - N.	63,797	27	17	2	8	-	3	-	-	2	-	-	-	-	1	1	-				
Stoke Newington H North Hackney	- - N. - - E. & N.	51,247 50,560	18 23	11 13	1 1	4 6	-	1	-	-	-	-	-	-	-	-	1	-				
Central Hackney 2w,F South-west Hackney 3H	- E. & N. E. & N.	50,536 59,921	29 33	14 20	4 1	4 3	-	1	2	-	-	1	-	-	-	-	5	5				
South-east Hackney 2W,w,H	E. & N.	58,255	38	31	3	12	-	1	-	-	1	-	-	-	-	1	5	15				

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifying Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th April, 1905—continued.

STATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Un- certified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.						
CENTRAL DISTRICTS.																					
and Bloomsbury W, 2H N.	31,436	26	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1	2	-		
W, 4H - - - N. & C.	21,874	3	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	5	-		
Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
W, 6H - - - N.	29,612	11	14	4	2	-	-	-	-	1	-	-	-	-	-	-	2	2	11		
Merkenwell - - - N.	28,676	17	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
Merkenwell H - - - N.	35,028	13	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
y 3H, L - - - N.	36,116	31	5	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
Union Workhouse, }	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
lph H - - - N. & E.	10,299	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
debre and Allhallows } N.	16,624	1	23	1	5	-	1	-	-	-	-	-	-	-	-	5	7	19	-		
London Asylum, Stone	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
EAST DISTRICTS.																					
toth South H - E. & N.	46,362	26	16	4	2	-	7	-	-	2	-	-	-	-	-	-	2	-	-		
toth North-West W, w, H N.	36,127	22	25	4	9	-	-	-	-	-	-	-	-	-	-	1	3	13	-		
toth North-East - N. & E.	36,148	14	5	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
ch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
l Green North 2H - E.	51,514	33	14	6	2	-	-	-	1	3	-	-	-	-	-	-	-	2	-		
l Green South - E.	33,472	20	8	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
l Green East 2W, H, L - E.	44,694	33	32	10	7	-	3	-	1	-	-	-	-	-	-	3	3	10	-		
elds - - - E. & N.	27,969	21	5	3	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-		
nd New Town W, H - E.	28,718	13	34	5	3	-	1	-	1	1	-	-	-	-	-	-	1	6	31		
an's Fields - - - E.	22,081	7	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
rges and St. John 2W E.	40,068	49	15	5	1	-	-	-	-	-	-	-	-	-	1	-	1	7	-		
ell and Ratcliff W, H E. & N.	25,568	19	19	10	-	-	1	-	-	-	-	-	-	-	-	1	-	2	12		
use W - - - E.	32,369	20	12	4	1	-	3	-	-	-	-	-	-	-	-	-	2	3	-		
nd Old Town South- }	63,698	61	11	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
ern H - - - E.																					
nd Old Town North- }	49,129	25	7	2	4	-	-	-	-	-	-	-	-	-	-	-	1	4	-		
ern W, w - - - E.																					
L - - - E.	41,989	19	9	4	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-		
y 3w, H - - - E.	68,319	36	46	9	12	-	2	-	1	1	-	-	-	-	-	3	7	27	-		
W, w - - - E.	68,514	27	12	2	3	-	1	-	-	1	-	-	-	-	-	1	4	1	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th April, 1905.—*continued.*

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 50 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																		
Christchurch Southwark W,HL.&S.		11,263	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	6
St. Saviour Southwark H - S.		12,056	8	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - S. & L.		21,904	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.		39,094	17	13	4	4	-	-	-	1	-	-	-	-	-	-	-	-
West W,2H,L - - - S. & L.		49,022	24	13	5	5	-	-	-	1	-	-	-	-	-	-	-	-
Newington North - - S. & L.		72,841	37	11	3	4	-	-	-	-	-	-	-	-	-	1	3	3
Newington South W - S. & L.																		
St. Olave 2W - - - S.		9,817	5	5	-	1	-	1	-	1	-	-	-	-	-	1	2	2
Bermondsey W - - - S.		82,483	40	21	7	3	-	1	-	-	-	-	-	-	-	-	3	3
Rotherhithe W,F - - S. & K.		38,460	16	19	3	8	-	-	-	-	-	-	-	-	-	1	3	3
Waterloo-road 2H - - L. & S.		27,440	25	9	3	2	-	-	-	-	1	-	-	-	-	-	-	-
Lambeth Church 1st H L. & S.		18,423	7	15	3	2	-	-	-	-	-	-	-	-	-	1	3	3
Lambeth Church 2nd 2W L. & S.		39,818	19	27	1	11	-	-	-	-	-	-	-	-	-	-	3	10
Kennington 1st H - - S. & L.		53,188	32	12	3	3	-	-	-	-	-	-	-	-	-	-	1	2
Kennington 2nd H - - S. & L.		42,896	14	10	1	3	-	-	-	-	-	-	-	-	-	1	1	1
Brixton F - - - L. & S.		84,332	47	26	7	8	-	-	2	2	-	-	-	-	-	-	3	3
Norwood W,H - - - L.		35,888	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H - - S.		72,203	42	8	5	1	-	-	-	1	-	-	-	-	-	-	-	-
North-west Battersea - - S.		49,656	27	6	2	-	-	1	-	-	-	-	-	-	-	1	1	1
South-west Battersea W,H - S.		47,045	14	20	-	9	-	-	-	1	-	-	-	-	-	2	2	1
Clapham 2H - - - S.		51,591	20	7	1	4	-	-	-	-	-	-	-	-	-	-	1	1
Streatham W,2w,2F,2L - L.		68,019	37	29	4	11	-	2	1	4	-	-	-	-	-	-	1	1
Springfield 2W,L - - - S.		27,959	16	2	1	1	-	-	-	-	-	-	-	-	-	-	1	1
Southfields H - - - S.		40,444	27	12	4	4	-	-	-	2	-	1	-	-	-	-	-	-
Putney - - - S.		24,139	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.		13,359	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w S. & L.		40,208	17	23	4	8	-	-	-	1	-	-	-	-	-	-	1	1
Camberwell North W,2L S. & L.		65,584	32	21	3	7	-	1	-	-	-	-	-	-	-	-	-	-
St. George - - - L. & S.		47,331	12	6	1	1	-	-	-	1	-	-	-	-	-	1	1	2
Peckham 2W,w - - S., L. & K.		92,859	45	22	8	4	-	1	1	-	-	-	-	-	-	1	1	2
Deptford North - - - K.		37,613	25	13	2	5	-	-	-	-	-	-	-	-	-	-	1	2
Deptford Central - - - K.		45,481	28	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1
Deptford South - - - K.		34,626	14	9	1	5	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich West 2H - - - K.		23,456	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H - - K.		43,859	27	18	2	5	-	-	-	-	-	-	-	-	-	-	1	1
Eltham w,H - - - K.		7,226	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w,H - - - K.		25,490	14	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1
Lewisham W,w,F - - - K.		58,352	34	17	3	5	-	1	-	-	-	-	-	-	-	-	1	1
Sydenham H - - - L.		43,653	22	15	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H - - - K.		21,134	13	9	-	-	-	-	1	3	-	-	-	-	-	-	-	-
Woolwich 4H - - - K.		41,626	20	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Plumstead West W - - - K.		18,063	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H - - K.		50,264	34	16	3	5	-	-	-	-	-	-	-	-	-	-	1	1
Workhouse :-																		
Central London Sick Asylum -		-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals :-																		
Joyce Green - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - -		-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals :-																		
North-Eastern - - -		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums :-																		
Caterham - - -		-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Darenth - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gore Farm (temporary) - - -		-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - -		-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums :-																		
Banstead - - -		-	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - -		-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - -		-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath - - -		-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - -		-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - -		-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury - - -		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 8th April, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
DON—OUTER RING	368,602	2,044,973	1245	537	132	152	-	6	2	6	20	3	4	27	49	82	3		
Marshalton 2F,2H	12,228	32,997	13	8	-	-	-	1	-	-	-	-	-	1	1	1	-		
Wipsom, part of* W,w,2F,H	10,423	15,548	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Wodstone, part of* W,F	2,754	2,692	5	2	1	1	-	-	-	-	-	-	1	-	-	1	-		
Woulston	11,069	8,166	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Wouth Croydon w	4,200	49,309	16	16	2	7	-	-	-	-	1	-	-	-	-	1	-		
West Croydon 3W,F,H	2,168	42,883	29	19	4	5	-	-	-	-	1	-	-	2	2	8	-		
North Croydon H	2,644	41,698	28	7	-	3	-	-	-	-	1	-	-	-	1	1	-		
Wenge w,H	770	22,465	8	5	1	1	-	-	-	-	-	-	-	-	-	1	-		
Witcham w	11,711	30,015	18	9	4	1	-	-	-	-	-	-	-	1	1	-	-		
Wimbledon F,3H	3,221	41,652	23	14	3	5	-	-	-	-	4	-	-	-	-	-	-		
Wingston 2W,H	6,224	42,068	21	15	1	8	-	-	-	-	-	-	-	-	-	8	-		
Wurbiton F,H	3,046	15,017	7	3	1	-	-	-	1	-	-	-	-	-	-	1	-		
Wisher, part of* H	5,402	13,100	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
Wimpton H,F,L	4,564	23,456	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
Wichmond W,H	2,162	28,865	9	10	3	4	-	-	-	-	-	-	-	1	2	2	-		
Wortlake F	2,847	20,628	11	8	3	-	-	-	-	-	-	-	-	-	1	-	-		
Wormley F,2H	4,703	27,354	15	3	-	1	-	-	-	-	-	-	-	-	2	-	-		
Workeham H	7,825	28,497	11	8	-	4	-	-	-	-	-	-	-	-	1	-	-		
Worpton, part of* W	10,113	9,857	3	10	-	7	-	-	-	-	-	-	-	-	-	4	-		
Wislehurst 2H	7,333	16,446	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-		
Witley w,F,H	8,678	21,151	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
Writth F,H	3,854	25,296	16	6	2	1	-	1	-	1	-	-	-	-	-	2	-		
Writth W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Wunbury w	11,054	18,683	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
Wainsay W,H	13,277	16,178	3	6	1	3	-	-	-	-	-	-	-	-	1	1	-		
Willingdon W,F,H	6,035	13,661	9	6	1	2	-	-	-	-	-	-	-	1	1	2	-		
Wixbridge H	12,757	8,984	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Wives w,F,H	8,086	16,358	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Wideworth 3W,2F,H	6,859	30,863	19	9	4	2	-	-	-	1	-	-	-	1	1	2	-		
Wickenham F,H	2,421	20,991	8	7	3	3	-	-	-	-	1	-	-	-	-	-	-		
Widford 3F,2H,L	4,319	48,289	30	20	5	5	-	2	1	-	-	1	-	-	1	1	-		
Widwick H	1,249	29,809	24	6	1	2	-	-	-	-	-	-	-	-	1	-	-		
Widton w,3H	6,132	48,914	31	9	3	1	-	-	-	-	1	-	-	-	-	-	-		
Widford F,H	13,809	25,523	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
Widware F,2H	6,994	4,521	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Willesden W,2F,2H	4,384	114,811	72	36	10	8	-	-	-	1	4	-	1	2	4	6	-		
Widford W,F	8,382	22,460	5	4	-	1	-	-	-	-	1	-	-	-	-	2	-		
Widford Mimms 2F,H	17,755	7,308	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Widford W,2H	3,324	17,970	14	6	-	4	-	-	-	-	-	-	-	-	-	1	-		
Widford F,2H	4,688	33,692	28	12	6	1	-	-	-	-	-	-	-	-	-	-	-		
Widford F,H	2,875	72,056	21	12	-	7	-	-	-	1	-	-	-	-	-	-	-		
Widford Green H	1,625	34,233	18	8	2	-	-	-	-	1	-	-	-	-	-	-	-		
Widford Tottenham F	996	48,853	26	9	4	-	-	-	-	-	3	-	-	2	4	3	-		
Widford Tottenham 2H	2,017	53,688	13	17	2	5	-	-	-	-	-	-	-	2	4	6	-		
Widford W,w,2F	7,491	61,892	54	18	3	5	-	-	-	-	2	-	-	2	2	6	-		
Widford 2W,F,H	12,601	42,738	19	12	1	6	-	-	-	-	-	-	-	1	1	-	-		
Widford Abbey F	11,017	6,549	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Widford F,H	8,479	12,292	9	2	2	-	-	-	-	-	-	-	-	-	-	-	1		
Widford, part of* W	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Widford H	9,333	9,173	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Widford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Widford H	1,072	44,827	34	18	10	2	-	-	-	-	-	-	1	3	5	1	-		
Widford F,2H	1,249	90,921	66	26	11	4	-	1	-	-	1	1	-	2	2	3	-		
Widford Totten Town H	1,556	70,718	71	20	8	2	-	-	-	-	-	-	-	2	4	-	-		
Widford Gate w	806	60,892	19	11	3	5	-	-	-	-	-	-	-	-	1	-	-		
Widford East Ham w,H	1,333	58,676	47	13	4	3	-	-	-	1	-	-	-	-	-	-	-		
Widford East Ham 2F	1,993	37,342	30	6	1	1	-	1	-	-	-	-	-	-	-	-	-		
Widford F	1,579	9,179	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Widford Leyton 2W	631	50,467	32	13	1	6	-	-	-	-	-	1	1	1	2	2	-		
Widford Leyton 2W,w,F	1,963	48,445	30	20	2	6	-	-	-	-	-	-	-	-	-	1	-		
Widford Walthamstow 3H,L	6,504	108,929	72	22	8	6	-	-	-	-	-	-	-	1	1	-	-		
Widford, part of* 2F,3H	11,778	16,397	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Widford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Widford, part of* W,2F	6,556	6,091	10	3	2	1	-	-	-	-	-	-	-	-	-	-	1		
Widford F,L	8,496	41,234	26	11	2	3	-	-	-	1	-	-	-	-	-	-	4		
Widford Barking Town F	3,803	21,547	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
N.W. Hospital, Hampstead	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-		

parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	April 8	2310	1419	15·8	1	41	10	16	40	3
CALCUTTA - -	847,796	February 25	-	623	38·2	7	2	-	-	-	248†
BOMBAY - -	776,008	March 21	265	1473	98·7	143	28	-	-	-	706†
MADRAS - -	509,346	" 10	-	-	-	-	-	-	-	-	-
PARIS - -	2,660,559	April 1	989	943	18·3	4	12	1	6	7	5
BRUSSELS - -	586,936	" 1	196	154	13·4	1	-	-	1	1	1
ANTWERP - -	286,695	" 1	136	81	14·7	-	4	-	1	-	1
AMSTERDAM -	551,415	March 25	265	139	13·1	-	3	1	1	5	1
COPENHAGEN -	426,000	April 1	269	139	16·9	-	5	2	1	1	1
STOCKHOLM -	309,196	March 25	148	103	17·3	-	1	3	2	3	-
CHRISTIANIA -	223,649	April 1	139	90	20·9	-	1	-	3	7	-
ST. PETERSBURG	1,248,122	March 25	-	840	31·1	2	17	11	14	5	53
MOSCOW - -	1,092,360	" 25	-	637	30·4	4	12	15	11	5	6
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,009,418	March 18	947	651	16·9	-	6	5	7	6	-
HAMBURG - -	772,852	April 1	-	231	15·5	-	7	-	5	3	-
BRESLAU - -	458,896	" 1	-	185	21·0	-	-	1	-	-	1
MUNICH - -	528,000	" 1	-	219	21·6	-	2	-	3	3	1
VIENNA - -	1,877,839	" 1	835	719	19·9	-	18	3	11	2	1
PRAGUE - -	430,569	" 1	192	220	26·6	-	1	-	-	5	-
BUDA-PESTH -	836,267	" 1	465	343	21·3	-	9	5	1	1	-
TRIESTE - -	191,403	" 1	103	97	26·4	-	-	-	-	1	1
ROME - -	503,857	January 28	246	359	37·0	-	1	-	1	-	1
VENICE - -	166,288	March 18	74	79	26·4	-	-	-	-	2	-
BUCHAREST -	282,071	" 25	145	169	31·2	-	-	1	1	1	-
NEW YORK - -	3,948,191	" 25	1889	1522	20·1	-	9	14	37	12	6
CHICAGO - -	1,932,315	" 18	-	557	14·6	3	8	2	11	11	4
PHILADELPHIA -	1,438,318	" 18	-	589	21·4	-	-	2	12	2	19
BOSTON - -	617,956	" 11	-	214	18·0	-	-	1	2	-	1
RIO DE JANEIRO	850,000	" 12	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities

† Including 130 deaths from plague in Calcutta, and 648 in Bombay.

‡ Including 15 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th April, 1905

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	56·0	32·6	43·7	0·27	BRADFORD - -	54·0	26·2	42·5	0·4
BRIGHTON - -	57·8	34·1	45·9	0·26	LEEDS - - -	57·0	29·0	44·2	0·5
PORTSMOUTH - -	57·5	34·4	46·9	0·25	HULL - - -	55·0	27·0	41·7	0·4
NORWICH - -	?	?	?	?	TYNEMOUTH - -	56·0	24·0	40·9	0·1
PLYMOUTH - -	55·9	35·6	48·4	0·16					
BRISTOL - -	54·0	32·4	45·0	0·31	EDINBURGH - -	53·9	25·5	40·3	0·1
BIRMINGHAM - -	52·5	28·0	42·0	0·87	GLASGOW - -	60·0	26·5	41·8	0·5
NOTTINGHAM - -	?	?	?	?					
LIVERPOOL - -	53·0	32·0	42·4	0·90	DUBLIN { Phoenix Park.	55·2	24·7	44·2	0·3
OBSERVATORY.					{ Fitz- william Square.†	56·4	30·0	45·2	0·1
MANCHESTER - -	53·2	27·0	41·1	1·15					
PRESTON - -	51·5	29·3	41·9	0·87	BELFAST - -	54·0	30·0	42·4	1·0
HUDDERSFIELD -	54·5	25·0	40·6	0·87					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		Phases of the Moon.	Of the Air.				Of the Dew point				Difference between the Air and Dew Point and Daily Temperature.				Degree of Hu- midity (Sat- urated 100).	Of Radiation.			Of the Earth 3 feet below the Surface.	Oscil'n.		Pressure on the Square Foot.		Robinson's.		In- crease whose surface 5 inches above of 24 Average Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MEAN.	Mean daily reading (cor- rected due to 32° Fahr- heit)		High- est.	Low- est.	Daily Range.	Mean daily value.	De- par- ture from Average 30 years.	Mean daily value.	Great- est.	Least.	Mean Great- est.	Least.	Highest in Sun's Ray's.	Lowest on the Grass.		°	°	°		°	°	°	°	°	°		°	°	°	°																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																															°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The heights apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 23 derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day. On the 1st day of the barometer decreased from 39.94 in. at the beginning of the week to 29.77 in. by 1h. P.M. on the 2nd; increased to 29.97 in. by 9h. A.M. on the 3rd; decreased to 29.40 in. by 7h. A.M. on the 5th; increased to 29.96 in. by 9h. P.M. on the 6th; decreased to 29.46 in. by 3h. P.M. on the 7th; increased to 29.88 in. by 1h. P.M. on the 8th; and decreased to 29.83 by midnight on the same day.

GENERAL REMARKS.	
Generally overcast till evening; cloudless at night; gloomy in afternoon with slight shower at 4h. P.M.	00
Slight fog prevalent in morning; very fine till afternoon; cloudy afterwards. Solar halo observed in forenoon.	37
Generally overcast; slight shower at 1h. 30m. P.M. Solar halo observed in afternoon.	131
Generally overcast; occasional showers. Gusts wind prevalent after 3h. P.M. Solar halo observed in afternoon.	131
Cloudy in early morning; very fine with small amounts of cloud generally afterwards. Generally overcast; frequent rain till 4h. P.M. Snow between 5h. and 7h. A.M. Brisk wind between 8h. A.M. and 3h. P.M.	13.2
Overcast in morning; very fine afterwards. Hoar frost at night.	05
Sum 249	9.0
Sum 91.8	Sum
2.0	2.0
No. of Col.	-

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 1st April, 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	2	2	-	2	-	-	2	-
Kensington - - - - -	180,083	-	4	9	-	1	-	-	1	-
Hammersmith - - - - -	119,037	-	15	1	-	2	-	-	7	1
Fulham - - - - -	157,210	-	8	3	-	2	-	-	7	1
Chelsea - - - - -	74,496	-	3	2	-	1	-	-	-	-
City of Westminster - - -	175,606	-	9	-	-	3	-	-	3	-
NORTH.										
St. Marylebone - - - - -	129,453	-	4	7	-	-	-	-	1	-
Hampstead - - - - -	88,142	-	5	5	-	1	-	-	1	1
St. Pancras - - - - -	236,133	-	5	2	-	4	-	-	1	-
Islington - - - - -	342,994	-	20	6	-	-	-	-	3	-
Stoke Newington - - - - -	52,828	-	5	1	-	-	-	-	1	-
Hackney - - - - -	228,479	-	18	12	-	-	-	-	6	-
CENTRAL.										
Holborn - - - - -	56,481	-	7	-	-	-	-	-	1	-
Finsbury - - - - -	98,207	-	3	2	-	-	-	-	1	-
City of London - - - - -	22,425	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	5	7	-	-	-	-	3	-
Bethnal Green - - - - -	130,401	-	9	11	-	-	-	-	3	-
Stepney - - - - -	305,466	-	23	18	-	1	-	-	13	-
Poplar - - - - -	170,280	-	9	9	-	-	-	-	3	-
SOUTH.										
Southwark - - - - -	208,528	-	4	7	-	-	-	-	4	-
Bermondsey - - - - -	129,006	-	10	3	-	-	-	-	3	-
Lambeth - - - - -	313,045	-	17	4	-	-	-	-	5	-
Battersea - - - - -	177,532	-	9	4	-	1	-	-	2	1
Wandsworth - - - - -	265,392	-	28	9	-	1	-	-	3	-
Camberwell - - - - -	271,240	-	16	6	-	2	-	-	6	-
Deptford - - - - -	114,495	-	9	2	-	-	-	-	4	-
Greenwich - - - - -	103,493	1	5	2	-	1	-	-	1	-
Lewisham - - - - -	144,420	-	14	1	-	3	-	-	5	-
Woolwich - - - - -	125,372	-	14	6	-	1	-	-	2	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,684,794	1	280	141	-	24	-	88	4
Ages										
0-1 - - - - -	-	-	4	3	-	-	-	-	1	-
" 1-5 - - - - -	-	-	88	62	-	2	-	-	6	-
" 5- - - - -	-	-	116	49	-	2	-	-	4	-
" 10- - - - -	-	-	42	10	-	4	-	-	5	-
" 15- - - - -	-	-	8	4	-	6	-	-	4	-
" 20- - - - -	-	-	12	4	-	1	-	-	6	-
" 25- - - - -	-	-	1	9	6	6	-	-	10	1
" 35- - - - -	-	-	-	3	-	2	-	-	13	3
" 45- - - - -	-	-	1	-	-	1	-	-	16	-
" 55- - - - -	-	-	-	-	-	-	-	-	15	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	8	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS OF PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 1st APRIL, 1905.

BOROUGHs.	Deaths from										Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.	
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	<i>Pyæmia</i> *(origin uncertain).	Diarrhoea.			Phthisis.
COUNTY OF LONDON -	18,968	5	352	134	162	433	-	49	-	151	1,816	3,793	114
West.													
PADDINGTON -	530	-	2	2	-	16	-	-	-	4	41	91	113
KENSINGTON -	743	-	2	3	3	26	-	4	-	7	52	140	153
HAMMERSMITH -	436	-	6	1	9	18	-	-	-	1	29	88	111
FULHAM -	601	-	14	7	7	31	-	1	-	10	50	154	122
CHELSEA -	314	-	1	4	-	12	-	1	-	2	27	49	118
CITY OF WESTMINSTER -	674	-	2	2	1	10	-	1	-	5	69	85	106
North.													
ST. MARYLEBONE -	575	-	8	5	2	9	-	2	-	-	59	90	89
HAMPSTEAD -	222	-	3	1	-	6	-	-	-	1	18	42	116
ST. PANCRAS -	1,049	-	20	4	7	18	-	2	-	6	104	201	129
ISLINGTON -	1,318	1	26	10	11	24	-	3	-	9	125	227	101
STOKE NEWINGTON -	178	-	3	2	1	3	-	-	-	-	13	31	108
HACKNEY -	849	1	34	7	5	24	-	2	-	5	83	166	109
Central.													
HOLBORN -	296	-	2	1	1	4	-	2	-	-	44	40	96
FINSBURY -	495	-	16	6	1	7	-	2	-	4	51	111	125
CITY OF LONDON -	128	-	1	-	1	1	-	-	-	1	11	14	159
East.													
SHOREDITCH -	570	1	30	9	6	24	-	1	-	2	63	131	127
BETHNAL GREEN -	629	-	10	10	9	16	-	-	-	5	76	150	135
STEPNEY -	1,394	1	40	11	26	20	-	7	-	21	139	342	121
POPLAR -	781	-	25	4	15	12	-	1	-	10	69	200	136
South.													
SOUTHWARK -	1,050	-	5	8	17	40	-	-	-	8	121	227	137
BERMONDSEY -	620	-	18	5	4	13	-	2	-	7	63	132	115
LAMBETH -	1,188	-	1	10	5	18	-	1	-	13	116	218	93
BATTERSEA -	671	-	11	4	3	10	-	3	-	4	78	110	89
WANDSWORTH -	876	-	41	8	10	15	-	5	-	7	67	181	102
CAMBERWELL -	1,027	-	10	3	5	36	-	1	-	9	98	208	111
DEPTFORD -	442	-	3	-	3	4	-	3	-	2	34	103	123
GREENWICH -	370	-	2	3	2	8	-	1	-	3	32	73	102
LEWISHAM -	516	1	14	2	1	4	-	2	-	2	35	95	96
WOOLWICH -	426	-	2	2	7	4	-	2	-	3	49	94	105

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 617 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 619 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 15. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, APRIL 15. [Price 1½d.

General Register Office, Somerset House,
April 17th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·6 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·9, 15·7, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·9 in Stockton on Tees, 23·8 in St. Helens, 26·3 in Tynemouth, 26·7 in Rhondda, and 31·1 in Merthyr Tydfil; from *measles*, 3·0 in Wigan, 3·1 in Portsmouth and in Sheffield, 3·5 in Coventry, 4·5 in Southampton, 4·9 in Merthyr Tydfil, 5·0 in Stockton on Tees and in Newport (Mon.), and 5·4 in West Bromwich; from *scarlet fever*, 1·2 in Blackburn and 1·4 in Merthyr Tydfil; from *whooping-cough*, 1·4 in West Ham, 1·6 in Hanley, 1·8 in Tottenham, and 2·3 in Hastings; and from *diarrhœa*, 1·7 in St. Helens. Two deaths from *small-pox* were registered in Southampton, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2469 BIRTHS and 1443 DEATHS were registered. Allowing for increase of population, the births were 151 and the deaths 213 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·3, 15·1, and 15·8 in the preceding three weeks, rose last week to 16·1. During the four weeks ended on Saturday last the death-rate averaged 15·6 per 1000, being 3·5 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1443 deaths included 47 from measles, 13 from scarlet fever, 14 from diphtheria, 64 from whooping-cough, 6 from enteric fever, and 14 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 158 deaths were referred to these diseases in the aggregate, being 34 below the corrected average weekly number.

The deaths from *measles*, which had been 30, 29, and 41 in the preceding three weeks, rose to 47 last week, but were 24 below the corrected average; 9 deaths belonged to the Borough of Battersea, and 4 each to Fulham, St. Marylebone, and Bermondsey. The deaths from *scarlet fever*, which had been 18, 4, and 10 in the preceding three weeks, were 13 last week and were 4 above the corrected average. The deaths from *diphtheria*, which had been 10, 8, and 15 in the preceding three weeks, were 14 last week, and were 12 below the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 33, 40, and 40 in the preceding three weeks, rose last week to 64, and were 3 above the corrected average; 7 deaths belonged to Shoreditch, 7 to Stepney, 5 each to Hammer-smith and Lambeth, and 4 each to Islington, Hackney, and Wandsworth. The fatal cases of *enteric fever*, which had been 3, 4, and 3 in the preceding three weeks, were 6 last week, and were equal to the corrected average. The deaths from *diarrhoea*, which had been 11, 11, and 8 in the preceding three weeks, rose last week to 14, the corrected average being 12; 5 deaths belonged to Poplar. Of the 14 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 31, 22, and 24 in the preceding three weeks.

Different forms of *violence* caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 44 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 5 to burns and scalds, 3 to building operations, 3 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 15 cases of small-pox, 2133 of scarlet fever, 738 of diphtheria, 1 of typhus, and 63 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 3, 2, and 4; of scarlet fever, 290 cases, against 274, 254, and 292; of diphtheria, 85 cases, against 90, 116, and 93; and of enteric fever, 12 cases, against 6, 14, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 8th.

GREATER LONDON.

In Greater London 3741 births and 1971 deaths were registered. Allowing for increase of population these numbers are 139 and 297 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 14 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.48 inches, and that of the Thermometer 49.5, the latter being 3.6 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 30 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 22.7 hours; the measured rainfall amounted to 0.83 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the Week include

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Col. 6.		Registered Deaths 15th April, 1905.		Deaths of Persons aged under 1 Year and upwards.		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS	
			Week ended				6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.						
			2.	3.	4.	5.																			
																				15th April, 1905.					18th April, 1905.
76 TOWNS		15,609,377	15'9	15'7	15'7	16'6	1'8	8560	4958	1112	1369	2	231	52	53	148	20	42	215	398	1133	52			76 TOWNS.
LONDON -	-	4,684,794	15'3	15'1	15'8	16'1	1'8	2469	1443	275	444	-	47	13	14	64	6	14	58	139	507	-	-	-	LONDON.
CROYDON -	-	147,701	12'4	16'9	14'1	17'3	1'1	79	49	5	17	-	-	-	-	-	-	-	1	1	12	-	-	-	CROYDON.
WILLESDEN -	-	138,060	12'5	18'5	14'0	12'5	1'1	97	33	6	8	-	-	-	-	-	-	-	-	3	7	-	-	-	WILLESDEN.
HORNSEY -	-	84,070	8'7	7'4	7'4	9'9	1'2	42	16	2	9	-	-	-	-	-	-	-	-	-	1	-	-	-	HORNSEY.
TOTTENHAM -	-	116,232	17'0	15'3	12'6	13'9	2'2	67	31	10	5	-	-	-	-	-	-	-	-	3	3	-	-	-	TOTTENHAM.
WEST HAM -	-	294,997	15'6	17'5	15'2	13'4	2'7	197	76	22	17	-	-	-	-	-	-	-	2	3	19	-	-	-	WEST HAM.
EAST HAM -	-	123,381	10'6	8'0	8'5	10'6	0'8	61	25	7	3	-	-	-	-	-	-	-	-	1	1	-	-	-	EAST HAM.
LEYTON -	-	114,555	12'7	10'5	9'6	9'6	0'5	65	21	6	7	-	-	-	-	-	-	-	-	-	3	-	-	-	LEYTON.
WALTHAMSTOW -	-	116,297	8'5	11'7	10'3	10'3	0'9	70	23	6	7	-	-	-	-	-	-	-	-	2	4	-	-	-	WALTHAMSTOW.
HASTINGS -	-	66,820	17'2	12'5	17'2	14'0	2'3	20	18	3	6	-	-	-	-	-	-	-	2	2	3	-	-	-	HASTINGS.
BRIGHTON -	-	127,183	10'7	14'8	19'3	13'1	0'4	54	32	5	8	-	-	-	-	-	-	-	1	-	8	-	-	-	BRIGHTON.
PORTSMOUTH†	-	201,375	27'6	16'8	16'3	15'5	3'4	94	60	14	12	-	12	-	-	-	-	-	2	7	9	-	-	-	PORTSMOUTH.
BOURNEMOUTH -	-	66,168	11'0	15'0	11'0	20'5	0'8	21	26	3	11	-	-	-	-	-	-	-	-	1	3	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	-	114,897	22'7	19'5	16'8	16'3	6'4	56	36	11	7	-	10	-	-	-	-	-	1	1	6	-	-	-	SOUTHAMPTON.
READING -	-	77,674	19'5	18'1	12'1	17'5	3'4	35	26	8	10	-	3	-	-	-	-	-	1	1	6	-	-	-	READING.
NORTHAMPTON -	-	92,441	13'0	13'0	13'0	14'7	-	44	26	2	12	-	-	-	-	-	-	-	-	-	2	-	-	-	NORTHAMPTON.
IPSWICH -	-	70,802	13'3	14'0	14'0	21'4	2'9	30	29	6	11	-	-	-	-	-	-	-	1	2	2	-	-	-	IPSWICH.
GREAT YARMOUTH -	-	52,353	10'0	18'9	11'0	16'9	-	30	17	5	10	-	-	-	-	-	-	-	-	-	3	-	-	-	GREAT YARMOUTH.
NORWICH -	-	116,741	12'5	16'1	14'3	16'1	0'4	72	36	8	16	-	-	-	-	-	-	-	3	3	9	-	-	-	NORWICH.
PLYMOUTH -	-	116,000	23'8	14'8	8'5	16'2	0'9	47	36	3	21	-	-	-	-	-	-	-	2	4	7	-	-	-	PLYMOUTH.
DEVONPORT -	-	76,884	14'2	11'5	12'9	16'3	2'0	54	24	7	6	-	2	-	-	-	-	-	1	2	3	-	-	-	DEVONPORT.
BRISTOL† -	-	358,515	14'4	17'3	12'1	16'3	1'0	184	112	29	38	-	3	1	-	-	-	-	5	7	18	-	-	-	BRISTOL.
HANLEY -	-	64,067	25'8	25'8	24'2	21'0	1'6	47	26	11	2	-	-	-	-	-	-	-	1	6	1	-	-	-	HANLEY.
BURTON-ON-TRENT -	-	52,424	12'9	10'9	11'9	9'9	-	20	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	99,456	18'3	13'1	11'5	14'2	-	63	27	4	12	-	-	-	-	-	-	-	-	-	-	-	-	-	WOLVERHAMPTON.
WALSALL -	-	82,998	14'0	15'7	11'2	12'9	0'6	57	23	10	2	-	-	-	-	-	-	-	5	6	1	-	-	-	WALSALL.
HANDSWORTH -	-	61,721	7'6	6'8	13'5	9'3	-	33	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	-	67,823	17'7	12'3	13'8	20'8	6'2	44	27	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	WEST BROMWICH.

* see note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As entered in 1904.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 15th April, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the year 1905.	DEATH-RATES from all Causes.				Registered during the week ended 15th April, 1905.		The DEATHS registered in the Week include												Cols.		
			Week ended			16th April, 1905.	BIRTHS.	DEATHS.	Deaths of			Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
			25th April, 1905.	1st April, 1905.	8th April, 1905.				Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
																						Persons aged 10 Years and upwards.	
BIRMINGHAM	-	542,959	14.4	15.8	17.5	19.5	2.4	316	203	54	47	-	14	2	2	3	1	3	5	6	46	5	21.
KINGS NORTON	-	69,630	10.5	12.0	9.7	9.0	5	18	12	1	5	-	-	-	-	-	-	-	-	-	2	1	20.
SMETHWICK	-	62,805	7.5	15.0	12.5	11.7	4.2	49	14	2	2	-	2	1	-	1	-	-	-	-	2	1	20.
ASTON MANOR	-	91,320	12.8	18.6	14.1	12.2	1.9	45	19	5	5	-	1	1	1	-	-	-	-	2	3	-	20.
COVENTRY	-	75,134	13.2	24.3	13.2	13.2	4.2	41	19	3	3	-	5	-	-	-	-	-	-	-	5	-	20.
LEICESTER	-	228,132	11.7	12.8	13.3	11.4	0.7	111	50	9	22	-	-	1	2	-	-	-	1	5	11	2	21.
GRIMSBY	-	68,153	11.5	10.7	14.5	19.1	1.5	46	25	5	11	-	-	-	-	1	-	1	1	5	-	-	20.
NOTTINGHAM	-	251,471	23.0	20.3	17.4	19.9	3.9	108	96	31	20	-	14	1	-	1	-	3	4	16	-	-	20.
DERBY	-	122,207	12.8	15.8	19.2	17.5	1.7	69	41	6	10	-	4	-	-	-	-	-	3	7	-	-	20.
STOCKPORT	-	98,320	18.0	15.9	15.9	13.8	1.1	52	26	6	6	-	-	-	-	-	-	-	2	2	8	-	20.
BIRKENHEAD	-	116,035	13.0	13.9	18.0	16.2	1.3	83	36	8	6	-	1	-	2	-	-	-	5	7	-	-	20.
WALLASEY	-	62,460	7.5	12.5	10.0	14.2	-	20	17	4	7	-	-	-	-	-	-	2	2	1	-	-	20.
LIVERPOOL	-	730,143	18.4	17.3	17.9	18.7	1.4	487	262	61	64	-	7	4	3	2	1	2	14	81	9	21.	20.
BOOTLE	-	62,758	14.1	17.4	13.3	15.8	-	33	19	6	7	-	-	-	-	-	-	-	3	3	1	-	20.
ST. HELENS	-	89,843	21.5	20.3	16.8	23.8	4.6	48	41	14	11	-	3	-	-	1	1	3	3	8	3	-	20.
WIGAN†	-	88,581	16.9	24.7	21.1	16.3	3.6	55	27	8	5	-	5	-	-	-	-	1	-	-	3	-	20.
WARRINGTON	-	68,301	17.6	18.3	15.3	13.7	3.8	49	18	6	4	-	3	1	-	-	1	-	1	3	1	-	20.
BOLTON	-	178,111	16.4	15.5	15.5	16.1	2.6	96	55	12	17	-	6	-	1	1	1	1	4	6	-	-	20.
BURY	-	53,594	16.0	9.8	11.6	18.7	0.9	22	21	3	6	-	-	-	-	-	-	1	-	5	1	-	20.
MANCHESTER†	-	631,185	17.7	17.9	17.2	21.3	2.1	355	258	68	61	-	3	4	5	11	1	1	18	50	4	-	20.
SALE†	-	331,514	14.9	14.0	17.6	16.7	1.4	135	74	19	14	-	-	-	1	-	-	1	6	23	-	-	20.
OLDHAM	-	140,225	20.8	19.3	20.1	19.3	3.3	57	52	11	11	-	5	1	-	3	-	2	3	11	-	-	20.
ROCHDALE	-	86,390	15.7	15.1	18.1	15.1	1.5	38	25	3	8	-	-	-	-	-	-	2	3	6	2	-	20.
BURNLEY	-	101,682	19.5	14.4	19.5	15.4	1.5	57	30	2	14	-	-	-	1	2	-	-	3	8	-	-	20.
BLACKBURN	-	133,067	18.8	18.0	12.9	16.5	2.4	57	42	9	10	-	-	3	2	-	-	1	3	3	1	-	20.
PRESTON	-	115,721	15.3	11.3	14.9	15.3	-	64	34	8	14	-	-	-	-	-	-	-	2	7	1	-	20.
BARROW-IN-FURNESS.	-	60,306	14.7	12.1	16.4	13.8	-	31	16	2	8	-	-	-	-	-	-	-	-	-	1	-	20.

TOWNS.										TOWNS.																																																																					
POPULATION estimated to the end of the Year 1905.*					Causes.					Registered during the week ended 15th April, 1905.					Deaths of					Deaths from					Deaths in Public Institutions.					Unidentified Causes of Death.																																																	
Week ended					Diseases 11-17.					Births, Deaths.					Infants under 1 Year of Age.					Persons aged 60 Years and upwards.					Small-pox.					Measles.					Scarlet Fever.					Diphtheria.					Whooping-cough.					Rever.					Diarrhoea.					Violence.					Inquest Cases.					Deaths in Public Institutions.					Unidentified Causes of Death.				
1st 8th 15th					11-17.					7. 8.					9. 10.					11. 12.					13. 14.					15. 16.					17. 18.					19. 20.					21.					Cols.																													
25th Mar., 1905.					1st April, 1905.					8th April, 1905.					15th April, 1905.					Week ended April, 1905.					11-17.					7. 8.					9. 10.					11. 12.					13. 14.					15. 16.					17. 18.					19. 20.					21.					Cols.									
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000. 1001. 1002. 1003. 1004. 1005. 1006. 1007. 1008. 1009. 1010. 1011. 1012. 1013. 1014. 1015. 1016. 1017. 1018. 1019. 1020. 1021. 1022. 1023. 1024. 1025. 1026. 1027. 1028. 1029. 1030. 1031. 1032. 1033. 1034. 1035. 1036. 1037. 1038. 1039. 1040. 1041. 1042. 1043. 1044. 1045. 1046. 1047. 1048. 1049. 1050. 1051. 1052. 1053. 1054. 1055. 1056. 1057. 1058. 1059. 1060. 1061. 1062. 1063. 1064. 1065. 1066. 1067. 1068. 1069. 1070. 1071. 1072. 1073. 1074. 1075. 1076. 1077. 1078. 1079. 1080. 1081. 1082. 1083. 1084. 1085. 1086. 1087. 1088. 1089. 1090. 1091. 1092. 1093. 1094. 1095. 1096. 1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1108. 1109. 1110. 1111. 1112. 1113. 1114. 1115. 1116. 1117. 1118. 1119. 1120. 1121. 1122. 1123. 1124. 1125. 1126. 1127. 1128. 1129. 1130. 1131. 1132. 1133. 1134. 1135. 1136. 1137. 1138. 1139. 1140. 1141. 1142. 1143. 1144. 1145. 1146. 1147. 1148. 1149. 1150. 1151. 1152. 1153. 1154. 1155. 1156. 1157. 1158. 1159. 1160. 1161. 1162. 1163. 1164. 1165. 1166. 1167. 1168. 1169. 1170. 1171. 1172. 1173. 1174. 1175. 1176. 1177. 1178. 1179. 1180. 1181. 1182. 1183. 1184. 1185. 1186. 1187. 1188. 1189. 1190. 1191. 1192. 1193. 1194. 1195. 1196. 1197. 1198. 1199. 1200. 1201. 1202. 1203. 1204. 1205. 1206. 1207. 1208. 1209. 1210. 1211. 1212. 1213. 1214. 1215. 1216. 1217. 1218. 1219. 1220. 1221. 1222. 1223. 1224. 1225. 1226. 1227. 1228. 1229. 1230. 1231. 1232. 1233. 1234. 1235. 1236. 1237. 1238. 1239. 1240. 1241. 1242. 1243. 1244. 1245. 1246. 1247. 1248. 1249. 1250. 1251. 1252. 1253. 1254. 1255. 1256. 1257. 1258. 1259. 1260. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1269. 1270. 1271. 1272. 1273. 1274. 1275. 1276. 1277. 1278. 1279. 1280. 1281. 1282. 1283. 1284. 1285. 1286. 1287. 1288. 1289. 1290. 1291. 1292. 1293. 1294. 1295. 1296. 1297. 1298. 1299. 1300. 1301. 1302. 1303. 1304. 1305. 1306. 1307. 1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1330. 1331. 1332. 1333. 1334. 1335. 1336. 1337. 1338. 1339. 1340. 1341. 1342. 1343. 1344. 1345. 1346. 1347. 1348. 1349. 1350. 1351. 1352. 1353. 1354. 1355. 1356. 1357. 1358. 1359. 1360. 1361. 1362. 1363. 1364. 1365. 1366. 1367. 1368. 1369. 1370. 1371. 1372. 1373. 1374. 1375. 1376. 1377. 1378. 1379. 1380. 1381. 1382. 1383. 1384. 1385. 1386. 1387. 1388. 1389. 1390. 1391. 1392. 1393. 1394. 1395. 1396. 1397. 1398. 1399. 1400. 1401. 1402. 1403. 1404. 1405. 1406. 1407. 1408. 1409. 1410. 1411. 1412. 1413. 1414. 1415. 1416. 1417. 1418. 1419. 1420. 1421. 1422. 1423. 1424. 1425. 1426. 1427. 1428. 1429. 1430. 1431. 1432. 1433. 1434. 1435. 1436. 1437. 1438. 1439. 1440. 1441. 1442. 1443. 1444. 1445. 1446. 1447. 1448. 1449. 1450. 1451. 1452. 1453. 1454. 1455. 1456. 1457. 1458. 1459. 1460. 1461. 1462. 1463. 1464. 1465. 1466. 1467. 1468. 1469. 1470. 1471. 1472. 1473. 1474. 1475. 1476. 1477. 1478. 1479. 1480. 1481. 1482. 1483. 1484. 1485. 1486. 1487. 1488. 1489. 1490. 1491. 1492. 1493. 1494. 1495. 1496. 1497. 1498. 1499. 1500. 1501. 1502. 1503. 1504. 1505. 1506. 1507. 1508. 1509. 1510. 1511. 1512. 1513. 1514. 1515. 1516. 1517. 1518. 1519. 1520. 1521. 1522. 1523. 1524. 1525. 1526. 1527. 1528. 1529. 1530. 1531. 1532. 1533. 1534. 1535. 1536. 1537. 1538. 1539. 1540. 1541. 1542. 1543. 1544. 1545. 1546. 1547. 1548. 1549. 1550. 1551. 1552. 1553. 1554. 1555. 1556. 1557. 1558. 1559. 1560. 1561. 1562. 1563. 1564. 1565. 1566. 1567. 1568. 1569. 1570. 1571. 1572. 1573. 1574. 1575. 1576. 1577. 1578. 1579. 1580. 1581. 1582. 1583. 1584. 1585. 1586. 1587. 1588. 1589. 1590. 1591. 1592. 1593. 1594. 1595. 1596. 1597. 1598. 1599. 1600. 1601. 1602. 1603. 1604. 1605. 1606. 1607. 1608. 1609. 1610. 1611. 1612. 1613. 1614. 1615. 1616. 1617. 1618. 1619. 1620. 1621. 1622. 1623. 1624. 1625. 1626. 1627. 1628. 1629. 1630. 1631. 1632. 1633. 1634. 1635. 1636. 1637. 1638. 1639. 1640. 1641. 1642. 1643. 1644. 1645. 1646. 1647. 1648. 1649. 1650. 1651. 1652. 1653. 1654. 1655. 1656. 1657. 1658. 1659. 1660. 1661. 1662. 1663. 1664. 1665. 1666. 1667. 1668. 1669. 1670. 1671. 1672. 1673. 1674. 1675. 1676. 1677. 1678. 1679. 1680. 1681. 1682. 1683. 1684. 1685. 1686. 1687. 1688. 1689. 1690. 1691. 1692. 1693. 1694. 1695. 1696. 1697. 1698. 1699. 1700. 1701. 1702. 1703. 1704. 1705. 1706. 1707. 1708. 1709. 1710. 1711. 1712. 1713. 1714. 1715. 1716. 1717. 1718. 1719. 1720. 1721. 1722. 1723. 1724. 1725. 1726. 1727. 1728. 1729. 1730. 1731. 1732. 1733. 1734. 1735. 1736. 1737. 1738. 1739. 1740. 1741. 1742. 1743. 1744. 1745. 1746. 1747. 1748. 1749. 1750. 1751. 1752. 1753. 1754. 1755. 1756. 1757. 1758. 1759. 1760. 1761. 1762. 1763. 1764. 1765. 1766. 1767. 1768. 1769. 1770. 1771. 1772. 1773. 1774. 1775. 1776. 1777. 1778. 1779. 1780. 1781. 1782. 1783. 1784. 1785. 1786. 1787. 1788. 1789. 1790. 1791. 1792. 1793. 1794. 1795. 1796. 1797. 1798. 1799. 1800. 1801. 1802. 1803. 1804. 1805. 1806. 1807. 1808. 1809. 1810. 1811. 1812. 1813. 1814. 1815. 1816. 1817. 1818. 1819. 1820. 1821. 1822. 1823. 1824. 1825. 1826. 1827. 1828. 1829. 1830. 1831. 1832. 1833. 1834. 1835. 1836. 1837. 1838. 1839. 1840. 1841. 1842. 1843. 1844. 1845. 1846. 1847. 1848. 1849. 1850. 1851. 1852. 1853. 1854. 1855. 1856. 1857. 1858. 1859. 1860. 1861. 1862. 1863. 1864. 1865. 1866. 1867. 1868. 1869. 1870. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1888. 1889. 1890. 1891. 1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918. 1919. 1920. 1921. 1922. 1923. 1924. 1925. 1926. 1927. 1928. 1929. 1930. 1931. 1932. 1933. 1934. 1935. 1936. 1937. 1938. 1939. 1940. 1941. 1942. 1943. 1944. 1945. 1946. 1947. 1948. 1949. 1950. 1951. 1952. 1953. 1954. 1955. 1956. 1957. 1958. 1959. 1960. 1961. 1962. 1963. 1964. 1965. 1966. 1967. 1968. 1969. 1970. 1971. 1972. 1973. 1974. 1975. 1976. 1977. 1978. 1979. 1980. 1981. 1982. 1983. 1984. 1985. 1986. 1987. 1988. 1989. 1990. 1991. 1992. 1993. 1994. 1995. 1996. 1997. 1998. 1999. 2000. 2001. 2002. 2003. 2004. 2005. 2006. 2007. 2008. 2009. 2010. 2011. 2012. 2013. 2014. 2015. 2016. 2017. 2018. 2019. 2020. 2021. 2022. 2023. 2024. 2025. 2026. 2027. 2028. 2029. 2030. 2031. 2032. 2033. 2034. 2035. 2036. 2037. 2038. 2039. 2040. 2041. 2042. 2043. 2044. 2045. 2046. 2047. 2048. 2049. 2050. 2051. 2052. 2053. 2054. 2055. 2056. 2057. 2058. 2059. 2060. 2061. 2062. 2063. 2064. 2065. 2066. 2067. 2068. 2069. 2070. 2071. 2072. 2073. 2074. 2075. 2076. 2077. 2078. 2079. 2080. 2081. 2082. 2083. 2084. 2085. 2086. 2087. 2088. 2089. 2090. 2091. 2092. 2093. 2094. 2095. 2096. 2097. 2098. 2099. 2100. 2101. 2102. 2103. 2104. 2105. 2106. 2107. 2108. 2109. 2110. 2111. 2112. 2113. 2114. 2115. 2116. 2117. 2118. 2119. 2120. 2121. 2122. 2123. 2124. 2125. 2126. 2127. 2128. 2129. 2130. 21																																																																															

* See note † on first page of this return.
† As enlarged in 1904.
‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTEENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2380	2682	2250	2623	2875	2292	2358	2624	2468	2676	2619.5	2469
Males - -	1233	1414	1144	1336	1526	1131	1223	1322	1252	1405	1348.4	125
Females - -	1147	1268	1106	1287	1349	1161	1135	1302	1216	1271	1271.1	121
TOTAL Deaths -	1622	1727	1418	1618	1624	1844	1633	1523	1422	1490	1656.2	1413
Males - -	817	888	752	863	865	932	847	782	749	746	855.6	736
Females - -	805	839	666	785	759	912	786	741	673	744	800.6	707

* The numbers in this column are the average weekly numbers in the fifteenth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	13 Weeks.
TOTAL Births -	2408	2637	2676	2722	2612	2200	2600	2412	2535	2611	2618	2310	2469	32810
TOTAL Deaths -	1492	1700	1576	1580	1506	1436	1535	1543	1397	1376	1357	1419	1443	19360
Ages at Death														
Under 1 year -	293	295	293	305	281	200	321	326	293	284	286	276	275	3921
1-5 years -	121	156	159	141	160	152	183	194	148	137	161	195	203	2133
5-20 " -	72	80	56	96	70	82	77	68	86	68	65	56	67	943
20-40 " -	171	205	182	163	192	154	181	188	179	167	153	195	184	2317
40-60 " -	313	349	317	336	303	296	265	287	281	296	273	291	270	3677
60 yrs. & upwds.	522	615	569	539	497	462	505	480	410	404	416	405	444	6269
Deaths from—														
Small-pox - -	-	1	-	-	1	-	-	-	-	2	-	1	-	5
Measles - -	21	30	21	26	28	18	34	32	28	30	29	41	47	385
Scarlet Fever - -	7	9	10	9	12	10	14	11	7	18	4	10	13	134
Diphtheria - -	11	18	13	16	11	13	20	13	7	10	8	15	14	169
Whooping-cough - -	24	38	32	37	33	34	34	53	39	33	40	40	84	501
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	1	5	5	4	2	5	4	-	3	4	3	6	46
Pyrexia (origin uncertain). - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - -	12	9	15	21	7	13	8	11	12	11	11	8	14	152
All above Diseases -	79	106	96	114	96	90	115	124	93	107	96	118	158	1392
Dis. of Resp. System - -	238	283	280	229	211	175	204	187	158	156	119	148	147	2535
Pneumonia - -	139	195	164	171	167	160	149	174	146	143	154	160	157	2084
Phthisis - -	160	163	133	134	133	135	135	151	150	131	139	134	141	1839
Dis. of Circ. System - -	207	255	236	225	195	177	218	216	178	188	165	175	196	2631
Violence - -	46	72	66	45	62	73	56	59	53	47	58	57	58	752
Inquest Cases - -	149	201	156	159	136	156	119	152	129	137	116	146	139	1925
Deaths in Institutions - -	531	604	582	594	550	506	559	539	532	502	517	509	507	703
TEMPERATURE OF THE AIR.														
Mean - -	33.1	37.4	43.1	44.7	44.3	37.6	38.1	44.3	46.2	46.5	47.3	43.2	49.5	42.7
Mean of Highest - -	39.8	42.3	47.8	48.7	48.6	42.1	44.7	50.6	53.2	56.9	55.8	51.7	58.7	49.3
Mean of Lowest - -	27.8	32.1	37.9	40.6	39.4	34.3	32.2	39.3	40.9	36.7	40.2	35.7	42.0	36.9
Mean Humidity of the Air.	78	85	79	84	76	81	83	80	81	79	74	76	81	80
Rain-fall (in inches) -	0.47	0.00	0.03	0.12	0.12	0.25	0.30	1.08	2.25	0.09	0.06	0.27	0.83	5.87
Registered Sunshine (in hours).	11.8	10.1	17.1	11.1	12.8	23.1	15.3	7.3	33.9	42.0	36.3	24.9	22.7	268.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	18	15	13	9	8	15	15	16	23	20	20	21	15	16
Scarlet Fever - -	2174	2096	2070	2077	2017	1987	2002	2036	2042	2035	2032	2086	2133	2061
Diphtheria - -	836	840	871	860	865	842	828	840	830	807	794	769	738	825
Typhus - -	-	-	-	-	2	2	2	2	-	-	-	1	1	1
Enteric Fever - -	146	134	135	123	110	104	87	84	83	68	68	66	63	98

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Means Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FIFTEENTH Week of the Year 1905.
ms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

1905—Deaths of Persons of the Ages										1905—Deaths of Persons of the Ages									
ALL AGES.										ALL AGES.									
Under 20.										Under 20.									
0-1.										0-1.									
1-5.										1-5.									
5-20.										5-20.									
20 and under 40.										20 and under 40.									
40 and under 60.										40 and under 60.									
60 years and upwards.										60 years and upwards.									
CAUSES OF DEATH.										CAUSES OF DEATH.									
1490										1443									
275										203									
67										184									
270										444									
Meningitis (not tuberc.)										8									
Insanity, Gen. Par. of										15									
Insane - - -										7									
Epilepsy - - -										24									
Convulsions - - -										1									
Locomotor Ataxy - - -										7									
Paraplegia, Dis. of Cord										14									
Nervous Sys. (other dis.)										34									
Valv. Dis., Endocarditis-										38									
Cerebr. Hæm. Thromb.-										12									
Apoplexy, Hemiplegia -										4									
Aneurysm - - -										80									
Embolism, Thrombosis }										90									
(not cerebral) - - -										3									
Heart & Blood Vessel Dis.										7									
Croup (not Spasm: nor }										1									
Memb.) - - -										133									
Bronchitis - - -										4									
Asthma, Emphysema - -										4									
Pleurisy - - -										14									
Respiratory Dis. (other)										7									
Tonsillitis, Quinsy - -										4									
Enteritis (not Epid.) -										5									
Gastro-Enteritis - - -										1									
Peritonitis (not Puerp.)										16									
Cirrhosis of Liver - -										5									
Liver Dis. (other) - -										32									
Digestive Dis., Other -										4									
Nephritis, Acute - - -										6									
Bright's Dis., Albumin-										39									
uria - - -										3									
Urinary Sys., Other Dis.										8									
Generative Organs Dis.-										2									
Childbirth (Accid. of) -										5									
Old Age - - -										70									
Other Diseases - - -										112									
ACCIDENT.										42									
By Railways - - -										1									
By Vehicles and Horses-										4									
In Ships, Boats, Docks, }										1									
(exclusive of Drown-										1									
ing) - - -										1									
In Building Operations -										1									
In Conflagrations - - -										1									
By Burns, Scalds, Ex-										6									
plosions - - -										5									
By Drowning - - -										3									
By Suffocation in Bed -										5									
By Poisons or Poisonous }										2									
Vapours - - -										2									
Other Deaths by Acci-										13									
dent - - -										19									
VIOLENCE OTHER THAN										2									
ACCIDENTAL.										1									
Homicide - - -										1									
Suicide - - -										19									
Execution - - -										12									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 15th April, 1905.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Deaths from Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (or certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2469	1443	275	444	-	47	13	14	64	-	6	-	14	58	139	507	
WEST DISTRICTS - - -	805,311	320	244	36	73	-	9	2	-	15	-	1	-	2	9	20	77	
NORTH DISTRICTS - - -	1,056,070	498	290	49	106	-	8	3	6	12	-	2	-	2	7	20	88	
CENTRAL DISTRICTS - - -	209,465	117	81	18	19	-	3	-	1	3	-	-	-	-	3	9	39	
EAST DISTRICTS - - -	715,739	521	281	78	63	-	8	-	-	14	-	1	-	6	21	48	113	
SOUTH DISTRICTS - - -	1,749,844	1013	516	91	169	-	19	8	7	20	-	2	-	4	18	42	150	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	31	11	-	-	-	-	-	-	-	-	-	-	-	-	31	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	48	25	6	9	-	3	-	-	2	-	1	-	1	1	2	4	
W ² H																		
St. John Paddington H - G.	33,617	5	14	-	3	-	-	-	-	-	-	-	-	-	1	2	9	
North-West Paddington - C.	17,181	5	4	3	1	-	-	-	-	1	-	-	-	-	-	-	-	
Kensington Town 2W w ² H G. & W. & C.	128,037	38	53	5	23	-	1	-	-	3	-	-	-	1	1	3	21	
Brompton 2H - - W. & C.	48,591	8	12	-	7	-	-	-	-	-	-	-	-	-	-	-	2	
North Hammersmith W,w ² H } W. & G.	49,192	30	9	1	1	-	-	-	-	3	-	-	-	-	2	2	1	
South Hammersmith w ² H	63,047	24	21	3	6	-	1	-	-	2	-	-	-	-	1	1	4	
North-west Fulham W } W. & C.	45,180	38	15	4	3	-	-	-	-	2	-	-	-	-	1	2	6	
North-east Fulham F	46,405	16	10	-	2	-	-	2	-	-	-	-	-	-	2	2	3	
South Fulham W	45,704	32	15	4	2	-	4	-	-	1	-	-	-	-	-	-	-	
Chelsea North W,w ³ H - - C.	42,514	21	22	3	4	-	-	-	-	-	-	-	-	-	2	3	13	
Chelsea South W ² H - - C.	31,328	17	10	2	4	-	-	-	-	-	-	-	-	-	-	-	3	
May Fair and Knightsbridge C. & G.	28,743	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W ² H - - C.	55,815	16	15	-	5	-	-	-	-	-	-	-	-	-	-	1	5	
St. Margaret & St. John 4H - C.	43,608	13	14	2	1	-	-	-	-	1	-	-	-	-	-	-	6	
St. James Westminster } N. & G.	21,588	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
W,H																		
St. Anne Soho 5H - - N.	11,493	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	10	15	1	5	-	-	-	-	-	-	-	-	-	-	-	7	
Rectory Marylebone W G. & W.	19,849	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary Marylebone 4H G. & W.	18,099	37	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
Christchurch Marylebone H-W	39,536	20	11	3	3	-	2	-	-	1	-	1	-	-	1	1	-	
St. John Marylebone 3H - W.	20,426	11	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,6H - N. & W.	81,942	33	24	1	6	-	-	3	4	1	-	1	-	-	-	2	11	
West St. Pancras 2H - - W.	60,562	24	15	7	4	-	-	-	-	1	-	-	-	-	-	1	1	
Tottenham-court w,6H N. & W.	21,258	7	9	2	2	-	-	-	-	-	-	-	-	-	-	-	5	
Gray's Inn Lane 4H - - N.	34,449	11	10	1	3	-	1	-	-	-	-	-	-	-	-	1	5	
East St. Pancras W ² H - - N.	60,320	25	17	2	5	-	-	-	-	-	-	-	-	-	-	-	8	
North St. Pancras 2W - - N.	58,728	24	18	2	7	-	-	-	-	1	-	-	-	-	1	3	8	
Tufnell W - - N.	31,995	13	23	1	17	-	-	-	-	-	-	-	-	-	-	2	14	
Upper Holloway 2W,w ² H - N.	33,978	21	21	2	7	-	-	-	-	-	-	-	-	-	2	2	15	
Tollington W - - N.	33,922	18	7	-	4	-	-	-	-	1	-	-	-	-	-	-	-	
Lower Holloway - - N.	41,424	17	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - N.	54,478	31	14	2	2	-	-	-	-	1	-	-	-	-	1	1	-	
Islington South-east F - - N.	75,397	43	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-	
Highbury 2H - - N.	63,707	23	13	5	4	-	-	-	-	2	-	-	-	-	1	2	1	
Stoke Newington H - - N.	51,247	15	9	2	4	-	1	-	-	-	-	-	-	-	1	2	-	
North Hackney - - E. & N.	50,560	23	12	1	7	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w,F - E. & N.	50,536	28	14	3	4	-	-	-	2	1	-	-	-	-	-	1	3	
South-west Hackney 3H E. & N.	59,921	30	15	2	6	-	2	-	-	2	-	-	-	-	-	1	4	
South-east Hackney 2W,w,H E. & N.	58,255	29	21	6	5	-	1	-	-	1	-	-	-	-	1	-	9	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different sub-districts are situated:—G, signed Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River E. East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th April, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				Deaths of	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

TABLE 5. (contd.) LONDON. POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., regist-
ed in each SUB-DISTRICT during the Week ended Saturday, 15th April, 1905—*continued.*

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include											Inquest Cases.	Deaths in Public Institutions.	
				Total DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										
							Small-pox.	Measles.	Scarlet Fev..	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fev.	Ptyeisia (Origin un- certain).			Diarrhoea.
SOUTH DISTRICTS.																	
Christchurch Southwark W.H.L.&S.		11,263	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H - S.		12,056	17	17	15	1	1	-	-	-	1	-	-	-	1	13	
Kent-road - S. & L.		21,904	15	4	1	1	-	-	-	-	1	-	-	-	-	-	
St. George the Martyr } S. & L.		39,094	28	11	6	2	-	-	-	-	-	-	-	-	-	5	
West W.2H.L. - - -																	
Newington North - S. & L.		49,022	21	11	1	2	-	1	-	-	1	-	-	1	1	-	
Newington South W - S. & L.		72,841	36	9	2	-	-	-	-	-	-	-	-	-	2	-	
St. Olave 2W - - - S.		9,817	10	2	1	-	-	1	-	-	-	-	-	-	-	-	
Bermondsey W - - - S.		82,483	57	22	7	6	-	2	-	-	1	-	-	-	3	-	
Rotherhithe W.F. - S. & K.		38,460	26	15	2	3	-	-	-	-	-	-	-	1	1	9	
Waterloo-road 2H - L. & S.		27,440	30	5	1	2	-	1	-	-	-	-	-	-	1	2	
Lambeth Church 1st H - L. & S.		18,423	8	14	1	5	-	-	-	-	-	-	-	-	2	13	
Lambeth Church 2nd 2W - L. & S.		39,818	23	22	3	9	-	-	-	-	-	-	-	-	1	15	
Kennington 1st H - S. & L.		53,198	38	16	4	3	-	-	-	-	-	-	-	-	3	-	
Kennington 2nd H - S. & L.		42,896	16	9	3	1	-	-	-	1	-	-	-	-	4	3	
Brixton F - - - L. & S.		84,232	38	23	4	9	-	-	1	4	-	-	-	-	-	1	
Norwood W.H. - - - S.		35,888	19	5	-	5	-	-	-	-	-	-	-	-	-	-	
East Battersea H - - S.		72,203	44	17	3	8	-	-	-	1	-	-	-	1	1	-	
North-west Battersea - S.		49,656	29	20	5	2	-	9	-	1	-	-	-	-	-	-	
South-west Battersea W.H. - S.		47,048	18	27	2	9	-	-	1	-	-	-	-	3	4	21	
Clapham 2H - - - S.		51,361	37	13	3	4	-	-	-	-	-	-	-	-	-	2	
Streatham W.2w2F.2L - L.		88,019	55	32	5	11	-	3	1	2	-	-	-	-	-	14	
Springfield 2W.L - - S.		27,959	31	5	2	1	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - S.		40,444	25	7	-	3	-	-	-	1	-	-	-	1	1	-	
Putney - - - S.		24,139	8	6	1	2	-	-	-	1	-	-	-	-	-	-	
Dulwich - - - L. & S.		13,359	8	4	1	1	-	-	-	-	-	-	-	-	-	-	
Camberwell South Ww - S. & L.		40,206	21	25	-	15	-	1	-	-	-	-	-	1	1	16	
Camberwell North W.2L - S. & L.		65,584	41	18	1	8	-	1	-	2	-	1	-	1	1	6	
St. George - - - L. & S.		47,331	36	8	3	2	-	-	-	-	-	-	-	-	1	-	
Peckham 2W.w - S., L. & K.		82,859	35	10	2	3	-	1	-	1	-	-	-	-	-	1	
Deptford North - - - K.		37,613	20	10	3	4	-	-	-	-	-	-	-	-	-	-	
Deptford Central - - - K.		45,481	32	7	4	1	-	-	-	-	-	-	-	2	2	-	
Deptford South - - - K.		34,625	9	7	-	2	-	-	-	-	-	-	-	-	1	-	
Greenwich West 2H - - K.		23,458	15	4	-	2	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W.H - K.		43,859	24	27	5	11	-	1	-	-	-	-	-	2	3	14	
Eltham w.H. - - - K.		7,226	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
Lee w.H. - - - K.		25,490	5	3	-	2	-	-	-	-	-	-	-	-	-	-	
Lewisham Ww.F - - K.		58,352	31	32	7	9	-	1	1	2	1	-	-	1	4	13	
Sydenham H - - - L.		43,653	24	6	2	3	-	-	-	-	-	-	-	1	1	-	
Charlton F.2H - - - K.		21,134	7	10	1	1	-	-	4	1	-	1	-	-	-	8	
Woolwich 4H - - - K.		41,625	20	6	1	3	-	-	-	-	-	-	-	-	-	-	
Plumstead West W - - K.		18,063	7	4	1	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W.H - K.		50,264	37	19	3	7	-	-	-	1	1	-	-	1	2	5	
Workhouse:-																	
Central London Sick Asylum				2	-	1	-	-	-	-	-	-	-	-	-	2	
(Westminster, St. Giles, and Strand Unions.)																	
M. A. B. Small-pox Hospitals:-																	
Joyce Green																	
Long Reach																	
M. A. B. Fever Hospitals:-																	
North-Eastern																	
Northern																	
M. A. B. Imbecile Asylums:-																	
Caterham				2	-	2	-	-	-	-	-	-	-	-	-	2	
Darenth				2	-	-	-	-	-	-	-	-	-	-	-	2	
Gore Farm (temporary)				1	-	-	-	-	-	-	-	-	-	-	-	1	
Leavesden				3	-	3	-	-	-	-	-	-	-	-	-	3	
London County Lunatic Asylums:-																	
Banstead				5	-	2	-	-	-	-	-	-	-	-	-	5	
Ewell (Epileptic Colony)				1	-	-	-	-	-	-	-	-	-	-	-	1	
Horton				3	-	2	-	-	-	-	-	-	-	-	-	3	
Manor																	
Cane Hill				2	-	1	-	-	-	-	-	-	-	-	-	2	
Dartford Heath																	
Hanwell				3	-	1	-	-	-	-	-	-	-	-	-	3	
Colney Hatch				2	-	1	-	-	-	-	-	-	-	-	-	2	
Claybury				3	-	1	-	-	-	-	-	-	-	-	-	3	

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th April, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1272	528	120	155	-	11	6	8	31	1	4	13	30	82	6
1 Carshalton 2F,2H	12,228	32,997	15	6	-	2	-	-	-	1	-	-	-	-	-	-	1
2 Epsom, part of* W,w,2F,H	10,423	15,548	12	9	2	4	-	-	-	-	-	-	-	-	-	5	-
1 Godstone, part of* W,F	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,509	22	10	1	5	-	-	-	-	-	-	-	-	1	-	-
3 West Croydon 3W,F,H	2,168	42,888	25	22	3	9	-	1	-	1	-	-	1	-	-	8	-
4 North Croydon H	2,644	41,998	32	13	1	2	-	-	-	-	-	-	-	-	-	-	-
5 Penze w,H	770	22,465	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham w	11,711	30,015	17	5	-	4	-	-	-	-	-	-	-	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	17	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2 Kingston 2W,H	6,224	42,668	26	11	2	3	-	12	-	-	-	-	-	-	2	1	-
3 Surbiton F,H	3,046	15,017	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4 Esher, part of* H	5,402	13,100	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Hampton H,F,L	4,564	23,456	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Richmond W,H	2,162	28,865	18	6	-	2	-	-	-	-	-	-	-	-	-	-	-
2 Mortlake F	2,847	20,628	10	8	2	2	-	-	-	1	-	-	-	1	1	-	-
1 Bromley F,2H	4,703	27,354	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham H	7,825	28,497	19	8	2	6	-	-	-	1	-	-	-	-	-	-	-
3 Orpington, part of* W	10,113	9,857	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Chislehurst 2H	7,333	16,446	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Bexley w,F,H	8,678	21,151	18	5	2	-	-	-	-	-	-	-	-	-	-	-	-
2 Erith F,H	3,854	25,296	11	7	1	1	-	-	-	-	-	-	-	2	2	1	-
3 Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury w	11,054	18,683	7	5	-	4	-	-	-	1	-	-	-	-	-	-	-
2 Staines W,H	13,277	15,178	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-
1 Hillingdon W,F,H	6,035	13,661	9	3	-	1	-	-	-	-	-	-	-	-	-	1	-
2 Uxbridge H	12,757	8,984	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w,F,H	8,066	16,358	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Isleworth 3W,2F,H	6,859	30,863	16	19	3	2	-	-	-	1	1	-	-	2	3	3	1
2 Twickenham F,H	2,421	20,991	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-
3 Brentford 3F,2H,L	4,319	48,289	24	11	4	2	-	2	-	-	-	-	-	-	1	-	-
4 Chiswick H	1,249	29,809	16	10	3	3	-	-	-	-	-	-	-	-	-	-	-
5 Acton w,3H	6,132	48,914	39	14	6	5	-	1	-	-	-	-	-	-	-	1	1
1 Harrow F,H	13,806	25,523	15	6	2	2	-	-	-	-	1	-	-	-	-	2	-
2 Edgware F,2H	6,994	4,621	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W,2F,2H	4,384	14,611	97	33	6	8	-	-	-	2	1	1	-	1	3	7	-
4 Hendon W,F	8,582	22,450	10	8	1	3	-	1	-	1	1	1	1	-	3	3	-
1 South Mimms 2F,H	17,755	7,308	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	14	3	-	2	-	-	-	-	-	-	-	-	-	2	-
3 Finchley F,2H	4,988	33,692	24	6	2	1	-	-	-	-	1	-	-	-	-	-	-
1 Hornsey F,H	2,875	72,056	42	16	2	9	-	-	1	-	-	-	1	-	-	1	-
2 Wood Green H	1,825	34,233	14	8	3	1	-	1	-	-	2	-	-	1	2	1	-
3 West Tottenham F	996	48,853	28	14	5	3	-	-	-	-	3	-	-	-	-	-	-
4 East Tottenham 2H	2,017	53,688	39	18	6	2	-	-	-	-	1	-	-	2	4	4	-
5 Edmonton W,w,2F	7,491	61,892	44	21	5	6	-	-	-	-	4	-	-	-	2	2	-
6 Enfield 2W,F,H	12,601	42,738	35	10	-	1	-	1	-	-	-	-	-	-	1	3	-
7 Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford H	1,072	44,827	27	8	2	-	-	-	-	-	1	-	-	-	-	1	-
2 Plaistow F,2H	1,249	90,921	72	27	10	4	-	1	1	2	2	1	-	-	2	5	1
3 Canning Town H	1,556	70,718	70	21	9	2	-	3	-	-	-	-	-	-	-	-	-
4 Forest Gate w	806	60,892	28	7	1	5	-	-	-	-	-	-	-	-	-	-	-
5 North East Ham w,H	1,333	58,676	36	18	6	3	-	-	-	-	-	-	-	-	-	-	-
6 South East Ham 2F	1,993	37,342	25	6	1	-	-	-	-	-	-	-	-	-	1	-	-
7 Wanstead F	1,679	9,179	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-
8 South Leyton 2W	631	50,467	34	13	3	7	-	-	-	1	-	-	-	-	-	4	-
9 North Leyton 2W,w,F	1,963	48,445	31	22	3	6	-	-	-	-	-	-	-	1	1	13	1
10 Walthamstow 3H,L	6,504	108,929	77	22	6	5	-	-	1	1	-	1	-	-	2	1	-
1 Chigwell, part of* 2F,3H	11,778	16,397	5	4	1	-	-	-	-	-	-	-	-	-	-	-	2
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* W,2F	6,556	6,091	2	6	1	1	-	1	-	-	1	-	-	-	-	2	-
2 Ilford F,L	8,496	41,234	33	13	4	7	-	-	-	-	-	-	-	-	-	3	-
3 Barking Town F	3,803	21,547	10	7	1	2	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Asstead parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Croydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,791	April 15	2469	1443	16'1	-	47	13	14	64	6	14
CALCUTTA - -	847,796	March 4	-	707	43'3	12	8	-	1	-	344†	12
BOMBAY - -	776,008	" 28	318	1424	95'4	127	25	-	-	1	699†	72
MADRAS - -	509,344	" 10	405	400	40'8	6	4	-	-	-	67	84
PARIS - - -	2,660,559	April 8	1037	894	17'4	4	7	-	4	9	2	17
BRUSSELS - -	586,936	" 8	-	-	-	-	-	-	-	-	-	-
ANTWERP - -	286,695	" 8	-	-	-	-	-	-	-	-	-	-
AMSTERDAM -	551,415	" 1	313	155	14'6	-	5	-	1	2	1	6
COPENHAGEN -	426,000	" 8	244	143	17'3	-	3	1	-	3	-	-
STOCKHOLM -	309,196	" 1	163	114	18'6	-	1	4	2	5	-	-
CHRISTIANIA -	223,649	" 8	153	75	17'5	-	1	-	2	5	-	-
ST. PETERSBURG	1,248,122	" 1	776	776	19'0	3	24	8	9	2	48	10
MOSCOW - -	1,092,360	" 1	-	619	29'5	2	10	8	11	4	6	4
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,009,137	March 25	894	587	15'2	-	6	15	5	4	2	2
HAMBURG - -	772,852	April 8	-	151	16'9	-	6	-	2	1	-	1
BRESLAU - -	458,896	" 8	-	214	24'3	-	-	-	4	1	-	-
MUNICH - - -	528,000	" 8	-	242	23'8	-	2	-	1	7	1	2
VIENNA - - -	1,877,839	" 8	1043	730	20'0	-	14	-	10	-	1	4
PRAGUE - - -	430,569	" 8	211	188	21'8	-	2	-	2	-	2	1
BUDA-PESTH -	836,267	" 8	429	387	24'1	-	8	6	8	1	3	1
TRIESTE - - -	191,403	" 8	104	94	25'3	-	-	1	-	1	-	-
ROME - - - -	503,857	February 4	292	351	36'2	-	2	-	3	2	1	-
VENICE - - -	166,288	March 25	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	April 1	169	177	32'7	-	-	-	2	-	-	-
NEW YORK - -	3,948,191	" 1	2096	1633	21'6	-	21	20	31	12	6	5
CHICAGO - - -	1,932,315	March 25	-	581	15'2	2	2	-	4	9	5	2
PHILADELPHIA-	1,438,318	" 25	-	531	19'2	-	1	1	10	3	17	3
BOSTON - - -	617,956	" 18	-	233	19'6	-	1	2	6	-	2	?
RIO DE JANEIRO	850,000	" 12	-	255	14'7	2	-	-	-	1	1†	?
		" 19	-	266	15'3	4	-	-	1	-	-	?

* Excluding deaths from croup in the Indian Cities.

† Including 213 deaths from plague in Calcutta, 652 in Bombay, and 1 in Rio de Janeiro.

‡ Including 39 deaths from cholera in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th April, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	64'9	31'1	50'3	0'83	BRADFORD - -	60'0	33'4	46'6	0'11
BRIGHTON - -	58'0	39'9	49'5	0'97	LEEDS - - -	61'0	35'0	48'2	0'31
PORTSMOUTH -	58'2	39'7	49'1	0'79	HULL - - - -	58'0	28'0	46'8	0'20
NORWICH - - -	64'0	33'4	48'1	0'52	TYNEMOUTH -	54'0	29'0	42'0	0'55
PLYMOUTH - -	57'7	42'3	50'6	1'78					
BRISTOL - - -	60'0	36'5	48'4	1'43	EDINBURGH -	59'7	31'0	43'3	0'16
BIRMINGHAM -	57'8	35'2	46'8	0'90	GLASGOW - -	61'4	29'0	44'7	0'13
NOTTINGHAM -	61'5	35'4	48'1	0'29					
LIVERPOOL }	59'0	35'0	47'4	0'07	DUBLIN { Phoenix Park.	57'8	26'9	43'1	0'31
OBSERVATORY.	58'8	29'8	47'1	0'23	DUPLICATE { Fitz- william Square.†	59'1	34'0	46'1	0'53
MANCHESTER -	57'6	32'5	46'2	0'18					
PRESTON - - -	61'0	30'0	46'4	0'17	BELFAST - -	?	?	?	?
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTH AND

1905.		TEMPERATURE.										TEMPERATURE.										WIND as deduced from Anemometers.										Rain collected gauge whose surface is above the Ground.
MONTH AND DAY	Phases of the Moon.	BAROMETER.		Of the Air.				Of the Dew point		Difference between the Air Temperature and Dew Point.			Degree of Saturation (Satm. equals 100).		Of Radiation.		Of the Earth 3 feet below the Surface.		Oiler's.		Pressure on the Square Foot.		Robinson's.									
		Mean daily reading	Mean daily reading reduced to 32° Fahr. (alt.).	High-est.	Low-est.	Daily Range.	Mean from Average value.	De-pature from Average value.	Mean daily value.	Mean dew point value.	Great-est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great-est.	Least.	Mean hourly obs.	Horizontal of 24 hours.	Departure from Average of the Air on each day.	Miles.	Miles.	lbs.	lbs.	in.						
APRIL.																																
SUNDAY - 9	..	29.506	50.3	31.1	19.2	41.7	0	37.4	0	4.3	10.5	0	1.1	85	75.0	21.8	0	SW. SSW. & W.S.W.	WSW. & N.	2.3	0.0	0.1	234	- 56	3.8	0.23						
MONDAY - 10	..	29.171	52.1	40.7	11.4	45.6	+ 0.1	45.2	0.4	4.0	0	0.0	99	77.8	40.0	45.05	0	ESE. E. & NNE.	1.2	0.0	0.1	172	- 117	2.0	0.55							
TUESDAY - 11	Greatest Dec. N. First Quarter.	29.233	57.4	44.7	12.7	50.2	+ 4.7	48.3	3.9	8.0	0.9	8.7	82	90.0	42.2	45.01	0	N. N. E. & S.E.	0.3	0.0	0.0	128	- 160	0.0	0.01							
WEDNESDAY - 12	..	29.087	61.1	43.5	17.6	50.0	+ 4.3	44.6	5.4	15.4	0.7	8.2	72	93.8	34.7	45.30	0	N. E. S.W. & S.	1.3	0.0	0.1	176	- 112	0.0	0.00							
THURSDAY - 13	..	29.066	64.0	41.8	22.2	53.9	+ 7.9	45.0	8.9	16.0	1.5	7.2	114.0	39.4	45.77	45.77	0	S. S.S.E. & S.E.	2.6	0.0	0.3	277	- 11	0.0	0.00							
FRIDAY - 14	..	29.539	64.9	47.1	17.8	53.8	+ 7.4	47.9	5.9	14.4	0.8	8.0	80	118.0	40.8	46.27	0	SSW. & S.W.	1.5	0.0	0.1	216	- 73	6.0	0.04							
SATURDAY - 15	..	29.557	61.1	45.1	16.0	51.6	+ 4.7	38.2	13.4	19.8	2.5	6.0	60	121.2	36.6	46.76	0	SSW. & S.W. & S.E.	1.2	0.0	0.1	205	- 85	0.0	0.05							
MEANS	-	29.477	58.7	42.0	16.7	49.5	+ 3.6	43.5	6.0	12.6	1.1	8.1	81	98.5	35.6	45.63	0	Variable	Sum 1408	Sum - 614	1.8	Sum 0.83							
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26								

The results apply to the civil day, or from midnight to midnight.

The results apply to the ordinary type of instrument manufactured by the Bureau of Standards. The height of the cistern of the barometer is 159 feet above the mean level of the sea; a correction has been applied to the readings to reduce to sea level.

O observations are usually taken at 9 h, noon, 3 p.m., and 9 h, P.M. The means of the observations are used as the basis for computing the mean daily values. The wet bulb thermometer readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections from the psychrometer. The mean daily values of the temperature of the air deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometer is combined with the corrected mean reading of the dry bulb thermometer to form the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of their is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876. In reading columns 8 and 24 it will be borne in mind that + indicates "higher, and - lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, lower, than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; strong; and V. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregated duration of bright sunshine on each day.

Now one aggregate addition of 0.1 mg. was made. The reading of the barometer decreased from 29.83 in. at the beginning of the week to 29.08 in. by 10h. P.M. on the 10th; increased to 29.72 in. by 11h. P.M. on the 12th; decreased to 29.51 in. by 3h. P.M. on the 14th; increased to 29.58 in. by 9h. A.M. on the 15th; and was 29.54 in. at midnight on the same day.

GENERAL REMARKS.

DATE.		EL EPHIGRAPH. (For symbols, see Note.)	Registered Sunshine in hours.	Unregistered Sunshine in hours.	GENERAL REMARKS.
SUNDAY	- 9	m. P. till 3h. A.M.; w. P. till 8h. A.M.; w. P. and v. N. after- wards.	0'0	13'4	(Generally) overcast; nearly continuous rain after 8h. A.M.
MONDAY	- 10	w. P. and v. N. generally till 10h. P.M.; m. P. after- wards.	0'0	13'4	Overcast; nearly continuous rain.
TUESDAY	- 11	m. P. till 10h. A.M.; w. P. afterwards.	0'2	13'5	Generally overcast; occasional slight rain. Solar halo observed at 9h. A.M.
WEDNESDAY	- 12	w. P. till 9h. A.M.; m. P. generally after- wards.	5'1	13'6	Overcast in morning; fine and partially cloudy till evening; nearly cloudless at night. Solar halo observed at 8h. 35m. A.M.
THURSDAY	- 13	w. P. generally.	5'3	13'6	Cloudless till 3h. A.M.; fine with large amounts of cloud generally afterwards. Solar halo in forenoon.
FRIDAY	- 14	w. P. generally till 6h. P.M.; m. P. after- wards.	1'3	13'7	Generally cloudy; occasional slight rain. Solar halo observed at 1h. P.M.
SATURDAY	- 15	w. P. generally.	10'8	13'8	Cloudy till 7h. A.M.; very fine and warm with small amounts of cloud generally afterwards.
			Sum 22'7	Sum 95'0	
No. of Col.-		27	28	29	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th April, 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	147,935	2	7	2	-	-	-	-	3	-	
Kensington - - - -	180,083	-	3	3	-	1	-	-	2	-	
Hammersmith - - - -	119,037	-	16	7	-	-	-	-	1	1	
Fulham - - - -	157,210	-	10	6	-	2	-	-	-	-	
Chelsea - - - -	74,496	-	3	2	-	-	-	-	-	-	
City of Westminster - - - -	175,606	-	6	4	-	-	-	-	2	-	
NORTH.											
St. Marylebone - - - -	129,453	-	10	3	-	-	-	-	2	-	
Hampstead - - - -	88,142	-	5	3	-	-	1	-	-	-	
St. Pancras - - - -	236,183	-	9	4	-	-	-	-	1	-	
Islington - - - -	342,994	-	18	9	-	2	-	-	3	-	
Stoke Newington - - - -	52,828	-	3	1	-	-	-	-	-	-	
Hackney - - - -	228,479	-	17	4	-	4	-	-	3	-	
CENTRAL.											
Holborn - - - -	56,481	-	4	1	-	1	-	-	-	-	
Finsbury - - - -	98,207	-	3	4	-	-	-	-	1	-	
City of London - - - -	22,425	-	2	-	-	1	-	-	-	-	
EAST.											
Shoreditch - - - -	116,565	-	11	5	-	-	-	-	4	-	
Bethnal Green - - - -	130,401	-	10	9	-	-	-	-	4	-	
Stepney - - - -	305,466	1	22	12	1	2	-	-	11	1	
Poplar - - - -	170,280	-	10	13	-	1	-	-	3	1	
SOUTH.											
Southwark - - - -	208,528	-	6	1	-	2	-	-	5	-	
Bermondsey - - - -	129,006	-	13	1	-	-	-	-	3	-	
Lambeth - - - -	313,045	-	16	3	-	1	-	-	5	-	
Battersea - - - -	177,532	-	7	6	-	-	-	-	3	-	
Wandsworth - - - -	265,392	-	33	3	-	1	-	-	2	-	
Camberwell - - - -	271,240	-	36	4	-	-	-	-	5	-	
Deptford - - - -	114,495	-	13	4	-	2	-	-	-	-	
Greenwich - - - -	103,493	1	13	4	-	-	-	-	1	-	
Lewisham - - - -	144,420	-	16	3	-	1	-	-	2	1	
Woolwich - - - -	125,372	-	13	5	-	1	-	-	-	1	
Port of London - - - -	-	1	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	5	335	125	1	22	1	-	66	5
AGES.											
Ages 0-1 - - - -	-	1	6	3	-	-	-	-	3	-	
" 1-5 - - - -	-	-	111	55	1	1	-	-	5	-	
" 5- - - - -	-	-	132	31	-	7	-	-	1	-	
" 10- - - - -	-	-	50	17	-	2	-	-	1	-	
" 15- - - - -	-	-	13	7	-	3	-	-	2	-	
" 20- - - - -	-	-	7	6	-	3	-	-	2	1	
" 25- - - - -	-	3	12	3	-	4	1	-	7	3	
" 35- - - - -	-	1	3	2	-	2	-	-	19	1	
" 45- - - - -	-	-	-	1	-	-	-	-	12	-	
" 55- - - - -	-	-	1	-	-	-	-	-	6	-	
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	8	-	
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MARCH, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th April, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of March.

Sixteen samples were taken in the East London district, fifteen in the Grand Junction, and fourteen in each of the remaining districts, and, including two samples of unfiltered water, the total number examined during the month was 117.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrates.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ March 13th, Cab Rank, Horse Guard, Whitehall. }	6·9	29·06	·142	·014	0	·263	·277	1·8	20·0
West Middlesex - -	{ March 13th, Cab Rank, Maida Vale, by St. John's Wood Road. }	7·0	28·20	·141	·015	0	·239	·254	1·8	20·0
Southwark - - - -	{ March 13th, Cab Rank, Bricklayers Arms, Old Kent Road. }	8·3	29·70	·167	·016	0	·223	·239	1·8	20·7
Grand Junction - -	{ March 13th, Cab Rank, Haymarket, near Charles Street. }	6·9	28·08	·137	·014	0	·246	·260	1·8	19·7
Lambeth - - - -	{ March 13th, Cab Rank, Westminster Bridge Road. }	6·8	30·20	·146	·012	0	·270	·282	1·85	20·9
LEA, WELLS, ETC.										
New River - - - -	{ March 13th, Cab Rank, Old Street, near City Road. }	7·8	31·36	·085	·008	0	·250	·258	1·75	21·9
East London - - - -	{ March 13th, Police Station, Poplar. }	7·0	39·68	·154	·014	0	·353	·367	2·15	25·7
DEEP WELLS.										
Kent- - - - -	{ March 13th, Cab Rank, Amersham Road, near New Cross Station. }	11·5	37·84	·049	·005	0	·496	·501	2·0	27·7
Thames water, unfiltered.	{ March 17th, Outside West Middlesex intake, at Hampton. }	—	30·56	·809	·080	·014	·220	·312	1·85	17·4
Staines reservoirs water, unfiltered.	{ March 17th, At gauge house; water passing to Grand Junction Works. }	—	21·32	·348	·037	·002	·007	·046	1·7	14·3
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 13th March at the Horse Guards cab-rank, had a temperature of 6·9° C.; 100,000 lbs. of it contained 29·06 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·142 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·263 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·277 lb. The above weight of water also contained 1·8 lb. of chlorine and 20·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 13th March were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was :— Kent 0·9, New River 1·7, Chelsea, West Middlesex and Grand Junction 2·6, Lambeth 2·7, East London 2·8, and Southwark 3·1.

The samples collected on the 13th March and representing the supplies from the five district works dealing with Thames water contained, on the average, slightly less organic impurity than was found in the corresponding samples taken in February, and all were clear and of good quality.

The New River district supply, consisting of filtered Lea and deep-well water, contained a little more organic matter than in the previous month, but the amount was not excessive, and the supply was clear and of good quality. The East London district filtered Lea water, taken on March 13th, was also clear and of good quality, the proportion of organic impurity being practically the same as that found in the Thames supplies on the same date.

The deep-well water drawn in the Kent district was of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and the supplies from the seven other districts had a very pale yellow colour.

In addition to the above analytical examination, the 115 samples of water, collected during March at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	“Oxygen consumed.”						“Albuminoid Ammonia.”		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)			Max.	Min.	Mean.
	Max.	Min.	Mean.	Max.	Min.	Mean.			
THAMES.									
Chelsea	·107	·055	·065	·118	·062	·074	·0075	·006	·0065
West Middlesex	·069	·061	·065	·075	·067	·072	·007	·0065	·007
Southwark	·132	·058	·081	·141	·061	·087	·011	·007	·008
Grand Junction	·144	·061	·092	·149	·069	·101	·013	·0065	·009
Lambeth	·129	·060	·080	·141	·067	·087	·011	·0065	·008
LEA, WELLS, ETC.									
New River	·085	·022	·048	·093	·023	·052	·0075	·0025	·005
East London	·294	·061	·103	·322	·066	·113	·024	·0065	·011
DEEP WELLS.									
Kent	·009	·005	·007	·011	·006	·009	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

Owing to floods in the River, the past month was not favourable to the operations of the district works which abstract water from the Thames. Of the five supplies, that distributed from the West Middlesex works was the best, and maintained a uniform good quality throughout the month; the Chelsea district water was of very good quality until nearly the end of the month, when the proportion of organic impurity in it rose a little. The Southwark, Grand Junction and Lambeth supplies were also of good quality during the greater part of the month, but towards the end the organic matter increased to a somewhat greater extent than in the Chelsea water.

It is interesting to note that two of the district works, viz., West Middlesex and Grand Junction, were drawing considerable fractions of their supplies from the Staines reservoirs during the time of flood, and in order to illustrate the great advantage which follows from the utilization of the stored water, I have this month appended to the analytical table the results of analysis of two samples of unfiltered water, taken on the 17th March and representing, respectively, the raw Thames and the Staines stored water. The raw river water was exceedingly turbid and contained a very large proportion of soluble organic impurity, whilst the Staines stored water was almost clear and contained less than half the amount of organic matter present in the raw river water. In the case of the Grand Junction works in particular it is quite certain that the Staines water was of great assistance in keeping down the colour and the proportion of organic impurity in the supply.

The quality of the New River filtered Lea and deep-well water was not quite so good as usual; the proportion of organic impurity in it rose steadily from the commencement of the month and reached a maximum on the 24th, but even then the amount was not excessive and, on the average, the supply was of better quality than any of the Thames-derived supplies.

With regard to the East London supply all the samples taken in the districts supplied with filtered Lea water were of good quality; but in the relatively small area partly supplied with water taken from the Thames at Sunbury, certain samples, taken on the 20th and 21st, were found to contain excessive quantities of organic impurity and were of very bad quality. The inferior character of the samples mentioned evidently resulted from the want of adequate storage at the Sunbury works.

The Kent district deep-well water was, as usual, of high organic purity and excellent quality during the month.

All the samples examined were clear, except one drawn in the Grand Junction district, and four taken in the East London area; the latter were all collected in the district partly supplied from the Sunbury works, and were opalescent owing to imperfect subsidence and filtration.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of March, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 20 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	MARCH, 1904.	MARCH, 1905.	MARCH, 1904.	MARCH, 1905.
TOTAL SUPPLY - - -	983,219	1,021,007	198,223,009	204,647,123
From Thames - - - -	466,916	476,349	104,203,953	106,913,878
From Lea and from other Sources - -	516,303	544,658	94,019,056	97,727,245
THAMES.				
Chelsea - - - - -	39,726	39,889	11,146,451	11,578,065
West Middlesex - - - - -	90,690	91,575	21,881,900	22,615,516
Southwark and Vauxhall - - - -	129,135	130,440	28,255,859	28,800,000
Grand Junction - - - - -	75,709	78,677	15,879,120	16,000,881
Lambeth - - - - -	131,656	135,768	27,040,623	27,925,416
LEA AND OTHER SOURCES.				
New River - - - - -	179,499	204,308	37,084,374	38,262,837
East London - - - - -	227,545	231,535	38,955,000	41,919,097
Kent - - - - -	109,259	111,815	17,979,682	17,545,311

Note.—The Return for March, 1905, as compared with that for the corresponding month of 1904, shows an increase of 40,788 services, and of 6,424,114 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, BACON STREET, E.
1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 16. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, APRIL 22. [Price 1½d.

General Register Office, Somerset House,
April 25th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·6 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 15·7, and 16·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·0 in Hull, 22·3 in West Bromwich, 22·8 in Middlesbrough, 24·1 in Wigan, 24·3 in Tynemouth, 26·4 in Huddersfield, and 28·9 in Merthyr Tydfil; from *measles*, 3·3 in Oldham, 3·6 in Wigan, 3·7 in Sheffield, 3·8 in West Bromwich, 4·5 in Southampton, 6·9 in Warrington, and 7·1 in Merthyr Tydfil; from *scarlet fever*, 1·3 in Plymouth; from *whooping-cough*, 1·1 in West Ham and in Middlesbrough, 1·5 in Ipswich, 1·6 in Hanley, and 1·7 in Smethwick; and from "*fever*," 1·6 in Huddersfield. Two deaths from *small-pox* were registered in Southampton and one in Oldham, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2129 BIRTHS and 1342 DEATHS were registered. Allowing for increase of population, the births were 652 and the deaths 284 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·1, 15·8, and 16·1 in the preceding three weeks, fell last week to 14·9. During the four weeks ended on Saturday last the death-rate averaged 15·5 per 1000, being 3·2 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1342 deaths included 42 from measles, 13 from scarlet fever, 4 from diphtheria, 39 from whooping-cough, 3 from enteric fever, and 13 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 114 deaths were referred to these diseases in the aggregate, being 73 below the corrected average weekly number.

The deaths from *measles*, which had been 29, 41, and 47 in the preceding three weeks, were 42 last week, and were 31 below the corrected average; 7 deaths belonged to the Borough of St. Pancras, 7 to Battersea, and 4 each to Fulham, Hackney, and Stepney. The deaths from *scarlet fever*, which had been 4, 10, and 13 in the preceding three weeks, were again 13 last week, and were 5 above the corrected average; 3 deaths belonged to Stepney. The deaths from *diphtheria*, which had been 8, 15, and 14 in the preceding three weeks, fell last week to 4, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 40, 40, and 64 in the preceding three weeks, fell last week to 39, and were 19 below the corrected average; 5 deaths each belonged to Fulham, Shore-ditch, and Stepney, and 4 each to Hammersmith and Southwark. The fatal cases of *enteric fever*, which had been 4, 3, and 6 in the preceding three weeks, were 3 last week, the corrected average being 5. The deaths from *diarrhoea*, which had been 11, 8, and 14 in the preceding three weeks, were 13 last week, the corrected average being 12. Of the 13 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 19, having been 22, 24, and 10 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all but one of which inquests were held. Of these 59 deaths, 13 were cases of suicide, and 2 of homicide, while the remaining 44 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 4 to building operations, 3 to burns and scalds, 9 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 5 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 17 cases of small-pox, 2128 of scarlet fever, 731 of diphtheria, 1 of typhus, and 58 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 6 cases, against 2, 4, and 0; of scarlet fever, 253 cases, against 254, 292, and 290; of diphtheria, 81 cases, against 116, 93, and 85; and of enteric fever, 7 cases, against 14, 9, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 15th.

GREATER LONDON.

In Greater London 3272 births and 1849 deaths were registered. Allowing for increase of population these numbers are 883 and 389 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from scarlet fever, 7 from whooping-cough, 1 from "fever," and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.76 inches, and that of the Thermometer 43.°1, the latter being 5.°0 below the week's average in the 50 years 1841-90. The general direction of the wind was North-Easterly, the horizontal movement of the air being 25 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 16.5 hours; the measured rainfall amounted to 0.25 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.						Rates from Diseases in Cols. 11-17.		Registered during the Week ended 22nd April, 1906.		The DEATHS registered in the Week include										Deaths of		Deaths from										Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Week ended						Week ended 22nd April, 1905.		Week ended 22nd April, 1906.		1.	2.	3.	4.	5.	6.	7.	8.	Persons aged 60 Years and upwards.		9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		1st, 8th, 15th, 22nd April, 1905.						1st, 8th, 15th, 22nd April, 1905.		1st, 8th, 15th, 22nd April, 1906.			2.	3.	4.	5.	6.	7.	8.	Infants under 1 Year of Age.			10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		1st, 8th, 15th, 22nd April, 1905.						1st, 8th, 15th, 22nd April, 1905.		1st, 8th, 15th, 22nd April, 1906.										Under 1 Year of Age.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
76 TOWNS	15,609,377	157	157	156	156	15	7916	4684	997	1260	3	203	50	38	100	21	38	177	324	1089	69	76 TOWNS.	LONDON.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 22nd April, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 22nd April, 1905.		The DEATHS registered in the Week include										TOWNS.			
			Week ended				6.	7.	8.	9.	10.	Deaths from						19.	20.	21.				
			1st. April, 1905.	8th April, 1905.	15th April, 1905.	22nd April, 1905.						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.					Diarrhoea.	Violence.	
																								Deaths of
BIRTHS.		DEATHS.		Infants under 1 Year of Age.		Persons aged 60 Years and upwards.																		
BIRMINGHAM	-	542,959	15.8	17.5	19.5	18.3	1.6	250	191	42	43	-	8	1	3	3	1	1	6	8	44	12	BIRMINGHAM.	
KINGS NORTON	-	69,630	12.0	9.7	9.0	6.7	-	33	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK	-	62,605	15.0	12.5	11.7	17.5	3.3	24	21	8	3	-	2	-	-	-	-	1	1	1	2	2	2	SMETHWICK.
ASTON MANOR	-	31,320	18.6	14.1	12.2	10.9	1.3	34	17	3	3	-	1	-	-	-	-	1	1	3	1	2	2	ASTON MANOR.
COVENTRY	-	75,134	24.3	13.2	13.2	14.6	2.8	52	21	4	7	-	3	-	-	-	-	-	-	-	-	-	-	COVENTRY.
LEICESTER	-	228,132	12.8	13.3	11.4	13.3	0.5	103	58	10	18	-	1	-	-	-	-	1	1	1	13	-	-	LEICESTER.
GRIMSBY	-	88,153	10.7	14.5	19.1	11.5	-	38	15	4	6	-	-	-	-	-	-	-	-	2	1	1	1	GRIMSBY.
NOTTINGHAM	-	251,671	20.3	17.4	19.9	17.8	1.9	120	86	15	32	-	6	1	-	1	1	5	5	8	11	-	-	NOTTINGHAM.
DERBY	-	122,207	15.8	19.2	17.5	14.1	1.7	49	33	8	15	-	1	1	-	-	-	3	3	4	5	-	-	DERBY.
STOCKPORT	-	98,320	15.9	15.9	13.8	11.1	1.6	48	21	7	4	-	1	-	1	-	-	-	-	1	1	-	-	STOCKPORT.
BIRKENHEAD	-	116,035	13.9	18.0	16.2	15.3	-	71	34	10	10	-	-	-	-	-	-	2	2	2	7	-	-	BIRKENHEAD.
WALLASEY	-	62,460	12.5	10.0	14.2	14.2	0.8	26	17	4	6	-	-	-	1	-	-	-	-	-	3	1	-	WALLASEY.
LIVERPOOL	-	730,143	17.3	17.9	18.7	18.9	1.5	419	264	62	61	-	7	6	2	2	2	-	11	20	76	16	-	LIVERPOOL.
BOOTLE	-	62,758	17.4	13.3	15.8	14.1	1.7	27	17	7	6	-	-	-	-	-	-	-	-	-	2	-	-	BOOTLE.
ST. HELENS	-	89,843	20.3	16.8	23.8	18.0	3.5	58	31	8	9	-	4	1	1	-	-	-	-	-	6	4	-	ST. HELENS.
WIGAN†	-	88,581	24.7	21.1	16.3	24.1	3.6	76	40	11	8	-	6	-	-	-	-	-	-	1	2	4	-	WIGAN†.
WARRINGTON	-	68,301	18.3	15.3	13.7	19.8	7.6	41	26	7	2	-	9	1	-	-	-	2	2	2	4	1	-	WARRINGTON.
BOLTON	-	178,111	15.5	15.5	16.1	10.5	1.2	73	36	10	9	-	3	-	-	-	-	-	1	4	6	-	-	BOLTON.
BURY	-	58,594	9.8	11.6	18.7	16.0	1.8	25	18	1	8	-	-	-	-	-	-	-	-	1	1	-	-	BURY.
MANCHESTER†	-	631,185	17.9	17.2	21.3	18.7	1.6	323	226	40	54	-	5	2	3	3	6	-	3	9	15	67	3	MANCHESTER†.
SALFORD	-	231,514	14.0	17.6	16.7	14.4	1.6	122	64	16	11	-	2	1	2	2	2	-	3	8	15	1	-	SALFORD.
OLDHAM	-	140,225	19.3	20.1	19.3	18.6	5.6	46	50	9	9	-	1	9	1	1	-	1	2	1	1	6	-	OLDHAM.
ROCHDALE	-	86,390	15.1	18.1	15.1	10.9	-	37	18	3	8	-	-	-	-	-	-	-	-	-	2	-	-	ROCHDALE.
BURNLEY	-	101,682	14.4	19.5	15.4	9.2	0.5	44	18	4	2	-	-	-	-	-	-	-	-	-	-	-	-	BURNLEY.
BLACKBURN	-	133,067	18.0	12.9	16.5	13.2	1.2	67	49	7	14	-	-	1	-	-	1	1	1	2	4	16	1	BLACKBURN.
PRESTON	-	115,721	11.3	14.9	15.3	17.1	1.4	61	38	5	11	-	-	-	-	-	-	-	-	-	-	3	2	PRESTON.
BARROW-IN-FURNESS.	-	60,306	12.1	16.4	13.8	13.8	0.9	39	16	5	4	-	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated at middle of the Year 1905.*	Week ended			Deaths from Diseases during the Week ended 22nd April, 1906.	Deaths of		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS.			
		Causes.				Infants under 1 Year	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.						
		1st. April, 1906.	15th April, 1906.	22nd April, 1906.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,888	14'8	15'4	17'0	26'4	3'3	47	48	7	15	-	-	1	-	1	3	1	1	4	7	-	HUDDESFIELD.
HALIFAX.	108,419	17'8	16'8	15'4	11'5	0'5	48	24	1	14	-	-	-	-	1	-	-	-	-	4	-	HALIFAX.
BRADFORD.	286,769	14'7	15'5	17'8	13'8	0'7	100	76	8	30	-	-	1	1	1	-	1	2	5	16	-	BRADFORD.
LEEDS.	466,787	12'7	16'0	14'8	16'7	0'5	260	146	33	36	-	-	1	1	1	-	12	17	15	2	2	LEEDS.
SHEFFIELD.	440,414	16'7	19'5	19'7	18'4	4'9	243	164	36	26	-	31	6	1	3	-	1	8	33	5	5	SHEFFIELD.
ROTHERHAM.	68,794	11'3	15'7	12'2	15'7	-	35	18	6	4	-	-	-	-	-	-	-	2	3	1	-	ROTHERHAM.
YORK.	82,362	17'1	17'1	13'9	20'3	-	45	32	8	14	-	-	-	-	-	-	-	-	-	3	-	YORK.
HULL.	268,127	13'3	14'1	15'2	21'0	1'2	148	104	23	33	-	-	2	-	4	-	1	4	22	3	3	HULL.
MIDDLESBROUGH.	65,363	23'3	19'1	21'2	22'8	2'7	59	43	10	10	-	2	-	-	2	-	1	3	3	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,425	22'9	16'9	21'9	17'9	2'0	29	18	3	8	-	1	1	-	-	-	-	-	-	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	71,313	13'9	13'2	11'7	10'2	2'2	36	14	3	4	-	1	-	2	-	-	-	-	2	2	-	WEST HARTLEPOOL.
SUNDERLAND.	162,761	24'6	17'4	16'7	19'1	1'0	84	56	13	10	-	1	-	-	2	-	-	2	5	16	1	SUNDERLAND.
SOUTH SHIELDS.	109,380	15'7	17'6	20'0	17'6	-	76	37	10	5	-	-	-	-	-	-	1	1	1	5	-	SOUTH SHIELDS.
GATESHEAD.	120,620	13'4	16'4	12'5	11'7	0'9	72	27	8	7	-	-	-	-	-	-	-	-	-	3	3	GATESHEAD.
NEWCASTLE-ON-TYNE†	264,511	19'7	17'2	17'5	17'5	0'4	171	89	22	22	-	-	-	1	-	1	-	7	9	11	1	NEWCASTLE-ON-TYNE.†
TYNEMOUTH.	55,595	24'3	14'6	26'3	24'3	1'0	50	25	8	5	-	-	-	-	1	-	-	1	3	4	-	TYNEMOUTH.
NEWPORT (MON.).	72,680	13'6	19'3	16'5	7'2	1'4	37	10	2	1	-	2	-	-	-	-	-	-	-	-	-	NEWPORT (MON.).
CARDIFF.	180,054	12'2	12'7	19'1	13'0	0'9	106	45	11	12	-	1	1	-	1	-	1	1	8	-	-	CARDIFF.
RHONDDA.	124,988	17'1	12'5	26'7	20'0	2'9	100	48	16	8	-	3	1	1	1	1	6	5	2	2	-	RHONDDA.
MERTHYR TYDFIL.	73,848	27'5	26'1	31'1	28'9	7'8	48	41	12	3	-	10	-	-	-	1	-	2	1	3	-	MERTHYR TYDFIL.
SWANSEA.	96,384	11'4	12'4	15'1	16'8	0'5	42	31	8	7	-	-	-	1	-	-	-	1	2	6	-	SWANSEA.
GREATER LONDON.	7,010,172	14'3	14'5	14'7	13'8	1'2	3272	1849	371	542	-	54	16	6	57	4	18	70	149	587	3	GREATER LONDON.
OUTER RING.	2,925,378	12'7	12'0	11'3	11'4	0'9	1143	507	120	156	-	12	3	2	18	1	5	11	32	84	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,135,316	14'2	12'3	12'6	11'1	1'2	603	241	65	58	-	10	2	2	11	-	2	6	18	49	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,190,062	11'3	11'8	11'1	11'7	0'6	540	266	53	96	-	2	1	-	7	1	3	5	14	35	2	REMAINDER OF OUTER RING.
EDINBURGH.	336,577	17'8	13'9	16'0	17'2	2'2	181	111	20	39	-	-	-	3	1	-	4	3	?	?	8	EDINBURGH.
GLASGOW.	809,886	16'6	17'5	18'6	18'7	2'4	448	240	58	68	-	17	-	-	15	3	3	11	?	83	2	GLASGOW.
DUBLIN†	378,994	24'9	25'5	21'6	23'4	1'7	280	170	34	48	-	4	-	1	4	-	3	4	8	66	9	DUBLIN.†
BELFAST†	368,680	22'1	21'7	26'7	20'9	2'3	191	144	22	37	-	9	1	2	-	3	1	-	3	24	?	BELFAST.†

ote † on first page of this return.

* See note † on first page of this return.

† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTEENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2677	2836	2499	2769	2759	2610	2835	2557	2753	2489	2781.1	2129
Males -	1355	1430	1255	1425	1388	1298	1415	1277	1425	1229	1401.5	1027
Females -	1322	1406	1244	1344	1371	1312	1420	1280	1328	1260	1379.6	1102
TOTAL Deaths -	1585	1653	1500	1546	1499	1811	1564	1537	1483	1429	1625.7	1342
Males -	854	900	790	805	789	985	812	841	766	752	861.2	697
Females -	731	753	710	741	710	826	752	746	717	677	764.5	645

* The numbers in this column are the average weekly numbers in the sixteenth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	13 Weeks.
TOTAL Births -	2637	2676	2722	2612	2200	2600	2412	2535	2611	2618	2310	2469	2129	32531
TOTAL Deaths -	1700	1576	1580	1506	1436	1535	1543	1397	1376	1357	1419	1443	1342	19210
Ages at Death -														
Under 1 year -	295	293	305	284	290	321	326	293	284	286	276	275	251	3779
1-5 years -	156	159	141	160	152	183	194	148	157	164	195	203	181	2193
5-20 " -	80	56	96	70	82	77	68	86	68	65	56	67	79	950
20-40 " -	205	182	163	192	154	184	188	179	167	153	195	184	190	2336
40-80 " -	349	317	336	303	296	265	287	281	296	273	291	270	255	3819
60 yrs. & upwds.	615	569	539	497	462	505	480	410	404	416	406	444	386	6133
Deaths from—														
Small-pox† -	1	-	-	1	-	34	32	28	30	29	41	47	42	5
Measles -	30	21	26	28	18	34	32	28	30	29	41	47	42	406
Scarlet Fever -	9	10	9	12	10	14	11	7	18	4	10	13	13	140
Diphtheria -	18	13	16	11	13	20	13	7	10	8	15	14	4	162
Whooping-cough -	38	32	37	33	34	34	53	39	33	40	40	64	39	516
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	5	5	4	2	5	4	-	3	4	3	6	3	45
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	9	15	21	7	13	8	11	12	11	11	8	14	13	153
All above Diseases -	106	96	114	96	90	115	124	93	107	96	118	158	114	1427
Dis. of Resp. System -	283	280	229	211	175	204	187	158	156	119	148	147	119	2416
Pneumonia -	195	184	171	167	160	149	174	146	143	154	160	157	153	2098
Phthisis -	163	133	134	133	135	135	151	150	131	139	134	141	131	1810
Dis. of Circ. System -	255	236	225	195	177	218	216	178	188	165	175	196	145	2569
Violence -	72	66	45	62	73	56	59	53	47	58	57	58	69	765
Inquest Cases -	201	156	159	136	153	149	152	129	137	116	148	139	117	1893
Deaths in Institutions -	604	582	594	550	506	559	539	532	502	517	509	507	503	7004
TEMPERATURE OF THE AIR.														
Mean -	37.4	43.1	44.7	44.3	37.6	38.4	44.3	46.2	46.5	47.3	43.2	49.5	43.1	43.5
Mean of Highest -	42.3	47.8	48.7	48.6	42.1	44.7	50.6	53.2	56.9	55.8	51.7	58.7	50.6	50.1
Mean of Lowest -	32.1	37.9	40.6	39.4	34.3	32.2	39.3	40.9	36.7	40.2	35.7	42.0	38.2	37.7
Mean Humidity of the Air.	85	79	84	76	81	83	80	81	79	74	76	81	74	79
Rain-fall (in inches) -	0.00	0.03	0.12	0.12	0.25	0.30	1.08	2.25	0.09	0.06	0.27	0.83	0.25	5.65
Registered Sunshine (in hours) -	10.1	17.1	11.1	12.8	23.1	15.3	7.3	33.9	42.0	36.3	24.9	22.7	16.5	273.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox -	15	13	9	8	15	15	16	23	20	20	21	15	17	16
Scarlet Fever -	2098	2070	2077	2017	1987	2002	2036	2042	2036	2032	2086	2133	2128	2057
Diphtheria -	840	871	880	865	842	828	840	830	807	794	769	738	731	817
Typhus -	-	-	-	2	2	2	2	-	-	-	1	1	1	1
Enteric Fever -	134	135	123	110	104	87	84	68	68	68	66	63	58	91

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council

TABLE 4. LONDON.—DEATHS Registered in the SIXTEENTH Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 16th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 16th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1429	1342	251	181	79	190	255	386	Meningitis (not tuberc.)	12	20	5	5	7	1	2	-
									Insanity, Gen. Par. of	20	18	-	-	-	4	7	7
									Insane	14	11	-	-	2	6	2	1
									Epilepsy	23	20	16	4	-	-	-	-
									Convulsions	-	2	-	-	-	-	-	-
									Locomotor Ataxy	4	3	-	-	-	-	-	-
									Paraplegia, Dis. of Cord	17	11	-	-	1	1	2	7
									Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-
									Valv. Dis., Endocarditis	44	41	-	-	3	11	14	13
									Cerebr. Hem. Thromb.	32	35	-	-	-	-	12	23
									Apoplexy, Hemiplegia	16	14	-	-	-	-	3	11
									Aneurysm	2	3	-	-	1	1	1	-
									Embolism, Thrombosis	-	-	-	-	-	-	-	-
									(not cerebral)	-	-	-	-	-	-	-	-
									Heart & Blood Vessel Dis.	82	52	-	-	3	10	16	23
									Croup (not Spasm: nor	-	-	-	-	-	-	-	-
									Memb.)	109	102	20	12	1	2	17	50
									Bronchitis	4	6	-	-	-	1	1	4
									Asthma, Emphysema	5	3	-	-	1	1	1	-
									Pleurisy	9	8	1	1	1	1	-	4
									Respiratory Dis. (other)	-	-	-	-	-	-	-	-
									Tonsillitis, Quinsy	-	-	7	5	1	-	-	-
									Enteritis (not Epid.)	4	4	2	2	-	-	-	-
									Gastro-Enteritis	1	4	-	-	-	-	-	-
									Peritonitis (not Puerp.)	5	4	-	-	1	2	-	1
									Cirrhosis of Liver	10	15	-	-	-	4	4	7
									Liver Dis. (other)	3	8	-	-	-	2	-	6
									Digestive Dis., Other	38	31	2	3	2	8	6	10
									Nephritis, Acute	4	6	-	-	1	3	1	1
									Bright's Dis., Albumin-	45	37	-	-	-	4	17	16
									uria	18	9	-	-	-	-	2	7
									Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-
									Generative Organs Dis.	3	4	-	-	-	1	1	2
									Childbirth (Accid. of)	5	4	-	-	1	3	-	-
									Old Age	50	55	64	15	3	8	1	55
									Other Diseases	97	96	64	15	3	8	1	5
									ACCIDENT.								
									By Railways	2	2	-	-	-	-	2	-
									By Vehicles and Horses	6	6	-	1	2	-	2	1
									In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
									(exclusive of Drown-	-	-	-	-	-	-	-	-
									ing)	-	-	-	-	-	-	-	-
									In Building Operations	-	4	-	-	-	2	2	-
									In Conflagrations	-	-	-	-	-	-	-	-
									By Burns, Scalds, Ex-	4	3	-	3	-	-	-	-
									plosions	-	-	-	-	-	-	-	-
									By Drowning	7	9	-	-	3	5	-	1
									By Suffocation in Bed	3	5	5	-	-	-	-	-
									By Poisons or Poisonous	3	1	-	1	-	-	-	-
									Vapours	-	-	-	-	-	-	-	-
									Other Deaths by Acci-	13	14	-	1	1	1	3	8
									dent	-	-	-	-	-	-	-	-
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide	-	2	-	-	-	-	-	2
									Suicide	11	13	-	-	-	9	3	1
									Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 22nd April, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include														Deaths in Public Institutions.	
				Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexial Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -		4,536,429	2129	1342	251	386	-	42	13	4	39	-	3	-	13	59	117	503	
WEST DISTRICTS		805,311	313	238	38	80	-	6	2	1	15	-	-	-	1	7	10	87	
NORTH DISTRICTS		1,056,070	494	287	53	83	-	14	12	1	5	-	1	-	1	13	30	87	
CENTRAL DISTRICTS		209,465	100	64	13	11	-	2	-	-	1	-	-	-	1	4	8	38	
EAST DISTRICTS -		715,739	391	243	47	55	-	8	-	-	10	-	-	-	2	14	27	112	
SOUTH DISTRICTS		1,749,844	831	470	99	149	-	12	4	2	8	-	1	-	2	21	42	139	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	40	1	8	-	-	5	-	-	-	-	-	2	-	-	40	
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.		93,178	38	24	3	9	-	2	-	-	1	-	-	-	-	-	-	5	
W ² H - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Paddington H - G.		33,617	4	15	2	1	-	-	-	-	1	-	-	-	-	-	-	7	
North-West Paddington - C.		17,181	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W w ² H G., W. & C.		128,037	33	48	5	20	-	-	-	-	2	-	-	-	-	1	2	19	
Brompton 2H - - W. & C.		48,591	11	16	1	7	-	-	-	-	-	-	-	-	-	1	1	2	
North Hammersmith W w ² H } W. & G.		49,192	24	11	3	2	-	-	-	-	3	-	-	-	-	-	-	-	
South Hammersmith w ² H - -		63,047	23	9	1	5	-	-	-	-	1	-	-	-	-	2	2	1	
North-west Fulham W - -		45,180	50	19	3	6	-	1	-	-	2	-	-	-	-	1	2	10	
North-east Fulham F } W. & C.		46,405	24	9	3	3	-	-	2	1	1	-	-	-	-	-	-	4	
South Fulham W - -		45,704	21	17	6	4	-	2	-	-	2	-	-	-	-	-	-	-	
Chelsea North W w ³ H - - C.		42,514	12	25	1	15	-	-	-	-	-	-	-	-	-	-	1	20	
Chelsea South W ² H - - C.		31,328	9	7	2	3	-	-	-	-	-	-	-	-	-	-	-	2	
May Fair and Knightsbridge C. & G.		28,743	3	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
Belgrave W ² H - - C.		55,815	25	15	1	5	-	-	-	-	-	-	-	-	-	-	-	11	
St. Margaret & St. John 4H - C.		43,698	23	12	3	2	-	-	-	-	1	-	-	-	1	1	1	5	
St. James Westminster } N. & G.		21,588	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
W ² H - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho 5H - - N.		11,493	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.		35,391	9	16	-	2	-	-	-	-	-	-	-	-	-	2	2	9	
Rectory Marylebone W G. & W.		19,849	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary Marylebone 4H G. & W.		18,099	52	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H- W.		39,536	22	13	6	-	-	-	-	-	1	-	-	-	1	1	2	-	
St. John Marylebone 3H - W.		20,426	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, F, 6H - N. & W.		81,942	29	20	1	7	-	-	1	-	1	-	1	-	-	-	-	7	
West St. Pancras 2H - - W.		60,562	20	13	4	2	-	-	-	-	-	-	-	-	-	-	1	7	
Tottenham-court w, 6H - N. & W.		21,258	4	9	-	6	-	-	-	-	-	-	-	-	-	2	2	4	
Gray's Inn Lane 4H - - N.		34,449	14	16	3	6	-	-	3	-	1	-	-	-	-	1	2	4	
East St. Pancras W ² H - - N.		60,320	34	19	2	7	-	-	4	-	-	-	-	-	-	-	3	10	
North St. Pancras 2W - - N.		58,728	22	21	5	5	-	-	-	-	-	-	-	-	-	2	3	7	
Tufnell W - - - N.		31,995	12	18	1	5	-	-	-	-	-	-	-	-	-	-	-	11	
Upper Holloway 2W, w ² H - N.		33,978	27	19	2	7	-	-	2	-	-	-	-	-	-	-	1	12	
Tollington W - - - N.		33,922	7	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - - N.		41,424	17	13	3	4	-	-	1	-	-	-	-	-	-	-	-	-	
Barnsbury - - - N.		54,478	23	13	5	3	-	-	-	-	1	-	-	-	-	-	1	-	
Islington South-east F - - N.		75,397	42	14	3	7	-	-	-	-	-	-	-	-	-	-	-	-	
Highbury 2H - - - N.		63,797	23	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - N.		51,247	22	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - - E. & N.		50,560	19	10	1	5	-	-	-	-	-	-	-	-	-	2	3	-	
Central Hackney 2w, F - E. & N.		50,536	28	8	2	2	-	-	1	1	-	-	-	-	-	1	2	2	
South-west Hackney 3H - E. & N.		59,921	34	12	2	2	-	-	-	-	-	-	-	-	-	1	4	6	
South-east Hackney 2W, w, H E. & N.		58,255	23	20	5	4	-	3	-	-	1	1	-	1	-	2	10	10	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 22nd April, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																
				Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
Essex and Bloomsbury W, 2H N.	31,436	19	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-		
St. Mary W, 4H - - - N. & O.	21,674	4	10	3	2	-	-	-	-	-	-	-	-	-	1	3	9	-		
St. Mary Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin W, 6H - - - N.	29,612	10	15	4	1	-	-	-	-	-	-	-	-	-	1	2	8	-		
Clerkenwell - - - N.	28,676	18	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Clerkenwell H - - - N.	35,028	19	12	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-		
St. Mary 3H, L - - - N.	36,116	21	5	3	-	-	1	-	-	-	-	-	-	1	-	1	1	-		
St. Mary Union Workhouse, } St. Maryham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul H - - - N. & E.	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul's Church and Allhallows } St. Paul's London Asylum, Stone - }	16,624	5	18	-	2	-	-	-	-	-	-	-	-	-	2	2	17	-		
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
EAST DISTRICTS.																				
St. Andrew South H - - E. & N.	46,362	31	16	6	2	-	-	-	-	-	4	-	-	-	-	1	1	-		
St. Andrew North-West W, w, H N.	36,127	23	26	3	10	-	1	-	-	-	1	-	-	-	4	5	20	-		
St. Andrew North-East - N. & E.	36,148	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Union Workhouse, Wood } St. Andrew - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George North 2H - - E.	51,514	36	17	5	3	-	-	-	-	-	-	-	-	-	1	1	8	-		
St. George South - - - E.	33,472	15	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
St. George East 2W, H, L - E.	44,694	26	22	1	8	-	-	-	-	-	-	-	-	-	-	-	12	-		
St. James Fields - - - E. & N.	27,969	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James New Town W, H - - E.	28,718	13	36	4	5	-	-	-	-	-	-	-	-	-	2	3	32	-		
St. James St. James's Fields - - E.	22,081	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James St. James's and St. John 2W E.	40,068	17	15	4	3	-	1	-	-	2	-	-	-	-	2	5	6	-		
St. James St. James's and Ratcliff W, H E. & N.	25,568	13	9	3	-	-	-	-	-	-	-	-	-	-	3	3	6	-		
St. James St. James's and Ratcliff W - - E.	32,369	21	11	2	3	-	3	-	-	1	-	-	-	1	-	1	-	-		
St. James St. James's and Old Town South- } St. James St. James's and Old Town North- } St. James St. James's and Old Town North- }	63,698	43	6	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-		
St. James St. James's and Old Town North- } St. James St. James's and Old Town North- }	40,129	22	15	3	6	-	-	-	-	1	-	-	-	-	-	-	7	-		
St. James St. James's and Old Town North- } St. James St. James's and Old Town North- }	41,989	24	7	-	1	-	1	-	-	-	-	-	-	-	1	1	2	-		
St. James St. James's and Old Town North- } St. James St. James's and Old Town North- }	68,319	41	30	6	7	-	1	-	-	-	-	-	-	-	1	4	18	-		
St. James St. James's and Old Town North- } St. James St. James's and Old Town North- }	58,514	28	15	4	3	-	1	-	-	-	-	-	-	-	1	1	-	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd April, 1905—continued.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.
					Year	Deaths of Infants under 60 Years and upwards.	Deaths from										Inquest Causes.	
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																		
Christchurch Southwark	W, H, & S.	11,283	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1
St Saviour Southwark	H - S.	12,056	7	11	2	1	-	-	-	-	-	-	-	-	-	1	1	2
Kent-road	- S. & L.	21,904	13	7	1	1	-	1	-	-	1	-	-	-	-	-	1	1
St. George the Martyr	} S. & L.	39,094	24	18	4	5	-	-	-	-	2	-	-	-	-	-	-	5
West W, H, L	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington North	- S. & L.	49,022	37	9	3	1	-	-	-	-	1	-	-	-	-	-	1	1
Newington South	W - S. & L.	72,841	33	10	3	2	-	-	-	-	-	-	-	-	-	1	1	1
St. Olave	2W - - - S.	9,817	10	4	1	-	-	-	-	-	-	-	-	-	-	1	1	2
Bermondsey	W - - - S.	82,483	27	11	2	3	-	-	-	-	-	-	-	-	-	-	2	1
Rotherhithe	W, F - S. & K.	38,460	12	10	3	5	-	-	-	-	-	-	-	-	-	-	-	4
Waterloo-road	2H - L. & S.	27,440	20	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st	H W L. & S.	18,423	15	13	4	1	-	-	-	-	-	-	-	-	-	2	4	7
Lambeth Church 2nd	2W L. & S.	39,818	27	27	5	12	-	-	-	-	-	-	-	-	-	1	2	19
Kennington 1st	H - S. & L.	53,198	19	15	2	6	-	-	-	-	1	-	-	-	-	-	-	2
Kennington 2nd	H - S. & L.	42,896	12	17	6	6	-	-	-	-	1	-	-	-	-	-	-	1
Brixton	F - - - L. & S.	84,232	30	15	4	3	-	1	1	1	-	-	-	-	-	1	1	2
Norwood	W, H - - - L.	35,888	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea	H - - - S.	72,203	50	11	3	3	-	-	-	-	-	-	-	-	-	-	2	-
North-west Battersea	- - - S.	49,656	29	16	5	3	-	7	-	-	-	-	-	-	-	-	-	-
South-west Battersea	W, H - S.	47,048	19	12	3	3	-	-	-	-	-	-	-	-	-	-	-	8
Clapham	2H - - - S.	51,391	19	6	1	1	-	-	-	-	-	-	-	-	-	-	1	10
Streatham	W, 2W, 2F, 2L - L.	85,019	43	30	3	11	-	1	-	-	-	-	-	-	-	2	1	10
Springfield	2W, L - - - S.	27,956	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Southfields	H - - - S.	40,444	19	12	4	3	-	-	-	-	-	-	-	-	-	1	-	1
Putney	- - - S.	24,139	9	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-
Dulwich	- - - L. & S.	13,359	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South	W, W L. & S.	40,206	17	27	2	11	-	-	-	-	-	-	-	-	-	1	-	19
Camberwell North	W, 2L S. & L.	65,584	32	26	2	13	-	-	-	-	-	-	-	-	-	3	3	9
St. George	- - - L. & S.	47,331	23	13	3	4	-	1	-	-	1	-	-	-	-	1	1	-
Peckham	2W, W - S., L. & K.	92,850	47	19	6	9	-	1	-	-	-	-	-	-	-	-	1	-
Deptford North	- - - K.	37,613	17	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central	- - - K.	45,481	22	13	3	3	-	-	-	-	-	-	-	-	-	1	1	2
Deptford South	- - - K.	34,625	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West	2H - - - K.	23,456	6	4	1	1	-	-	-	-	-	-	-	-	-	1	1	2
Greenwich East	2W, H - K.	43,859	25	16	5	5	-	-	-	1	-	-	-	-	-	2	4	12
Eltham	W, H - - - K.	7,226	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	W, H - - - K.	25,490	8	3	-	1	-	-	-	-	-	-	-	-	-	-	2	1
Lewisham	W, W, F - - - K.	58,352	31	26	3	12	-	-	2	-	-	-	-	-	-	1	3	15
Sydenham	H - - - L.	13,653	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Charlton	F, 2H - - - K.	21,134	7	6	1	-	-	-	-	-	1	-	-	-	-	-	1	3
Woolwich	4H - - - K.	41,625	19	10	2	3	-	-	-	-	-	-	-	-	-	-	1	2
Plumstead West	W - - - K.	18,063	7	5	-	2	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East	2W, H - K.	50,264	36	18	6	8	-	-	-	-	-	-	-	-	-	1	2	4
Workhouse :-																		
Central London Sick Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Strand Unions.)																		
M. A. B. Small-pox Hospitals :-																		
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leach Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals :-																		
North-Eastern	-	-	-	5	1	-	-	-	-	4	-	-	-	-	-	-	-	5
Northern	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
M. A. B. Imbecile Asylums :-																		
Caterham	-	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6
Darenth	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Gore Farm (temporary)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
London County Lunatic Asylums :-																		
Banstead	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Ewell (Epileptic Colony)	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Horton	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Manor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Colney Hatch	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Claybury	-	-	-	6	-	4	-	-	-	-	-	-	-	-	-	1	-	-

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, PITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 22nd April, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
NDON—OUTER RING	368,602	2,044,973	1143	507	120	156	-	12	3	2	18	1	5	11	32	84	2	
Carshalton 2F,3H	12,228	32,997	10	8	5	1	-	-	-	-	-	-	-	-	-	-	1	-
Epsom, part of* W,w,2F,H-	10,423	15,548	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Godstone, part of* W,F	2,754	2,692	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Conisdon	11,069	8,106	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	20	10	4	2	-	-	-	-	2	-	-	-	2	-	-	-
West Croydon 3W,F,H	2,168	42,888	26	13	-	7	-	-	-	1	-	-	-	-	-	8	-	-
North Croydon H	2,644	41,698	26	7	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Penge w,H-	770	22,465	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham w	11,711	30,015	16	6	-	2	-	-	-	-	-	-	-	-	1	-	-	-
Wimbledon F,3H	3,221	41,652	13	7	1	1	-	-	-	-	-	1	-	-	-	1	-	-
Kingston 2W,H	6,224	42,068	22	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Surbiton F,H	3,046	15,017	13	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Esher, part of* H	5,402	13,100	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L-	4,564	23,456	3	7	1	1	-	-	-	-	-	1	-	-	1	1	-	-
Richmond W,H	2,162	28,865	3	6	-	4	-	-	-	-	-	-	-	1	1	4	-	-
Mortlake F	2,847	20,628	13	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Bromley F,3H	4,703	27,354	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Beckenham H	7,825	28,497	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Orpington, part of* W	10,113	9,857	4	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-
Chislehurst 2H	7,333	16,446	4	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Bexley w,F,H	8,678	21,151	14	8	-	3	-	-	-	-	-	-	-	1	1	-	-	-
Erith F,H	3,854	25,296	16	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury w	11,054	18,683	13	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Staines W,H	13,277	15,178	13	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	8	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Uxbridge H	12,757	8,984	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w,F,H	8,066	16,358	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	17	16	3	7	-	-	-	-	1	-	-	1	1	6	-	-
Twickenham F,H	2,421	20,991	9	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Brentford 3F,2H,L	4,319	48,289	39	18	4	6	-	-	-	-	-	-	-	1	1	2	1	-
Chislewick H-	1,249	29,809	14	8	1	3	-	-	-	-	1	1	-	-	-	-	-	-
Acton w,3H	6,132	48,914	21	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Harrow F,H	13,809	25,523	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Edgware F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	70	23	7	6	-	-	1	2	-	-	-	-	-	4	-	-
Hendon W,F	8,382	22,450	8	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-
South Mimms 2F,H	17,755	7,308	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	7	7	-	5	-	-	-	-	-	-	-	-	-	2	-	-
Finchley F,2H	4,688	33,692	18	7	-	3	-	-	-	-	-	-	-	-	1	-	-	-
Hornsey F,H	2,875	72,056	31	16	5	5	-	2	-	-	-	-	-	-	-	-	-	-
Wood Green H	1,625	34,233	14	7	3	1	-	-	-	-	2	-	-	-	-	-	-	-
West Tottenham F	996	48,853	33	12	6	3	-	-	-	-	-	-	-	-	-	-	-	-
East Tottenham 2H	2,017	53,688	23	15	5	3	-	-	-	-	-	-	-	1	3	5	-	-
Edmonton W,w,2F	7,491	61,892	45	24	8	8	-	1	-	-	-	-	-	1	3	9	-	-
Enfield 2W,F,H	12,601	42,738	20	9	1	3	-	1	-	-	1	-	-	1	1	2	-	-
Waltham Abbey F	11,017	6,549	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hatfield, part of* W	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	16	5	1	2	-	1	-	-	-	-	-	1	1	-	-	-
Pleatow F,2H	1,249	90,921	71	23	10	6	-	1	1	-	1	-	-	-	-	4	-	-
Canning Town H	1,556	70,718	49	19	8	-	-	2	-	-	5	-	-	-	3	4	1	-
Forest Gate w	806	60,892	28	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
North East Ham w,H	1,333	58,676	41	10	2	3	-	-	-	-	-	-	-	-	1	-	-	-
South East Ham 2F	1,993	37,342	41	10	2	1	-	2	-	-	1	-	-	-	-	-	-	-
Wanstead F	1,679	9,179	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	38	13	3	5	-	-	-	-	-	-	-	-	-	-	5	-
North Leyton 2W,w,F	1,963	48,445	30	24	4	7	-	-	-	-	-	1	-	-	-	13	-	-
Walthamstow 3H,L	6,504	108,929	62	24	7	3	-	2	-	-	-	-	-	1	1	5	-	-
Chigwell, part of* 2F,3H	11,778	16,397	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epping W,F, part of*	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Romford, part of* W,2F	6,556	6,091	2	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Ilford F,L	8,496	41,234	30	18	4	6	-	-	-	-	1	-	-	-	-	-	4	-
Barking Town F	3,803	21,547	26	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-	-

parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 12: 5, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	April 22	2120	1342	14·9	-	42	13	4	39	3
CALCUTTA - -	847,798	March 11	-	821	50·3	10	3	-	1	1	434†
BOMBAY - -	776,008	April 4	377	1506	100·9	118	23	-	-	1	733†
MADRAS - -	509,346	March 17	422	418	42·6	5	3	?	?	?	67
PARIS - -	2,660,559	April 15	1092	991	19·3	1	11	3	3	9	2
BRUSSELS - -	586,936	" 15	217	158	13·7	-	3	1	-	1	1
ANTWERP - -	286,695	" 15	133	81	14·7	-	1	-	-	-	-
AMSTERDAM -	551,415	" 8	298	157	14·8	-	3	-	2	4	2
COPENHAGEN -	426,000	" 15	250	157	19·0	-	4	1	1	2	-
STOCKHOLM -	309,496	" 8	138	97	15·8	-	1	6	-	3	-
CHRISTIANIA -	223,619	" 15	100	86	20·1	-	2	1	1	8	1
ST. PETERSBURG	1,248,122	" 8	888	857	32·0	2	30	11	16	8	41
MOSCOW - -	1,092,360	" 8	-	564	26·9	1	9	7	6	4	2
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,007,996	April 1	891	630	16·4	-	8	16	3	3	-
HAMBURG - -	772,852	" 15	-	155	17·2	-	5	-	4	1	-
BRESLAU - -	453,896	" 15	-	188	21·4	-	1	-	1	1	2
MUNICH - -	528,090	" 15	-	212	20·9	-	-	-	1	6	-
VIENNA - -	1,877,839	" 15	965	801	21·9	-	16	2	13	5	-
PRAGUE - -	430,569	" 15	233	254	29·5	-	3	1	1	2	1
BUDA-PESTH -	836,267	" 15	413	154	22·0	-	6	4	4	1	1
TRIESTE - -	191,403	" 15	110	90	24·2	-	-	1	-	1	-
ROME - -	503,857	February 11	318	302	31·1	-	2	-	2	-	6
VENICE - -	166,288	March 25	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	April 8	145	160	29·6	-	-	1	2	1	-
NEW YORK - -	3,948,191	" 8	2092	1522	20·1	-	13	7	27	14	13
CHICAGO - -	1,932,315	" 1	-	577	15·1	1	11	1	6	12	6
PHILADELPHIA -	1,438,318	" 1	-	545	19·7	-	1	2	3	1	32
BOSTON - -	617,956	March 25	-	209	17·6	-	-	-	4	-	?
RIO DE JANEIRO	850,000	" 26	-	268	15·4	5	1	-	-	-	2†

* Excluding deaths from croup in the Indian Cities.

† Including 315 deaths from plague in Calcutta, 681 in Bombay, and 1 in Rio de Janeiro.

‡ Including 32 deaths from cholera.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd April, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	59·0	35·4	44·4	0·25	BRADFORD - -	55·2	31·6	41·4	0·0
BRIGHTON - -	-	-	-	-	LEEDS - - -	54·0	35·0	43·0	0·0
PORTSMOUTH - -	54·5	37·0	45·5	0·01	HULL - - -	53·0	35·0	42·1	0·0
NORWICH - -	51·4	36·4	42·8	0·40	TYNEMOUTH - -	52·0	34·0	49·8	0·0
PLYMOUTH - -	-	-	-	-					
BRISTOL - -	61·2	31·0	44·2	0·15	EDINBURGH - -	52·8	32·8	40·3	0·0
BIRMINGHAM - -	54·9	34·0	41·8	0·13	GLASGOW - - -	53·8	29·9	41·9	0·0
NOTTINGHAM - -	-	-	-	-					
LIVERPOOL }	50·0	34·0	42·8	0·03	DUBLIN { Phoenix Park. Fitz- william Square.†	51·8	33·9	44·0	0·0
OBSERVATORY. }	51·0	30·8	41·2	0·13		51·8	36·3	45·5	0·0
MANCHESTER - -	51·0	32·5	42·8	0·06		-	-	-	-
PRESTON - -	51·0	32·5	42·8	0·06	BELFAST - - -	?	?	?	-
HUDDERSFIELD -	50·2	33·5	40·3	0·30					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·0° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

DATE.	ELONGITY, (Correlation of symbols, see Note.	Registered Sunshine in hours.	Sanborn Horizon in hours.	GENERAL REMARKS.
SUNDAY - 16	w. P. generally till 2h. P.M.; s. P. and N. till 4h. P.M.; w. P. and w. N. generally afterwards.	49	138	Very fine till 1h. P.M.; generally overcast afterwards, with frequent rain till evening. Thunder and lightning between 2h. 30m. and 3h. P.M.
MONDAY - 17	w. P. till 7h. A.M.; m. P. till 7h. A.M.; w. P. till 5h. A.M.; m. P. till 9h. A.M.; w. P. with occasional w. N. afterwards.	33	139	Generally cloudy; brisk wind between 9h. A.M. and 3h. P.M.
TUESDAY - 18	w. P. till 5h. A.M.; m. P. till 9h. A.M.; w. P. with occasional w. N. afterwards.	34	140	Generally cloudy; fine at times. Frequent slight rain with occasional slight sleet, snow and hail in afternoon.
WEDNESDAY - 19	m. P. till 6h. A.M.; s. P. generally afterwards, with s. N. between 10h. 30m. A.M. and 2h. P.M.	00	140	Generally overcast; frequent slight rain.
THURSDAY - 20	m. P. generally till 9h. A.M.; s. P. generally afterwards	11	141	Generally overcast; occasional slight showers.
FRIDAY - 21	m. P. with occasional w. N. generally.	22	141	Overcast, with frequent slight rain in morning; variable with light showers till evening; generally cloudy at night.
SATURDAY - 22	m. P. till 9h. A.M.; s. P. till 7h. P.M.; v. P. afterwards.	16	142	Generally overcast; fine in afternoon.
		Sum 165	Sum 981	
No. of Col.	27	28	29	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th April, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	9	4	-	-	-	-	2	-
Kensington - - - -	180,083	-	2	-	-	-	-	-	1	-
Hammer-smith - - -	119,037	-	4	3	-	-	-	-	3	-
Fulham - - - - -	157,210	-	9	4	-	-	-	-	2	-
Or-nelsea - - - - -	74,496	-	3	1	-	1	-	-	2	-
City of Westmin-ster -	175,606	-	4	3	-	1	-	-	1	-
NORTH.										
St. Marylebone - - -	129,453	-	11	4	-	1	-	-	3	-
Hampstead - - - - -	88,142	-	7	2	-	-	-	-	1	-
St. Pancras - - - -	236,183	-	15	9	-	1	-	-	1	-
Islington - - - - -	342,994	-	15	6	-	2	-	-	2	-
Stoke Newington - - -	52,828	-	2	1	-	-	-	-	-	-
Hackney - - - - -	228,479	-	23	9	-	2	-	-	4	1
CENTRAL.										
Holborn - - - - -	56,481	-	3	-	-	-	-	-	-	-
Finsbury - - - - -	98,207	-	4	1	-	-	-	-	-	-
City of London - - -	22,425	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - - -	116,565	-	9	2	-	1	-	-	1	-
Bethnal Green - - - -	130,401	-	13	4	-	-	-	-	3	-
Stepney - - - - -	305,466	-	22	9	-	1	-	-	5	-
Poplar - - - - -	170,280	-	11	4	-	2	-	-	7	-
SOUTH.										
Southwark - - - - -	208,528	-	1	5	-	-	-	-	3	-
Bermondsey - - - - -	129,006	-	7	2	-	-	-	-	4	-
Lambeth - - - - -	313,045	-	18	7	-	1	-	-	2	-
Battersea - - - - -	177,532	-	6	6	-	-	-	-	1	-
Wandsworth - - - - -	265,392	-	53	6	-	-	-	-	4	-
Camberwell - - - - -	271,240	-	30	1	-	-	-	-	3	1
Deptford - - - - -	114,495	-	8	1	-	1	-	-	1	-
Greenwich - - - - -	103,493	-	3	2	-	-	-	-	1	-
Lewisham - - - - -	144,420	-	19	4	-	1	-	-	1	-
Woolwich - - - - -	125,372	-	11	5	-	1	-	-	2	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	322	105	-	17	-	-	62	2
Ages 0-1		-	5	5	-	-	-	-	1	-
" 1-5		-	106	38	-	1	-	-	3	-
" 5-		-	125	36	-	4	-	-	1	-
" 10-		-	40	16	-	-	-	-	-	-
" 15-		-	16	4	-	1	-	-	6	-
" 20-		-	10	2	-	2	-	-	3	1
" 25-		-	19	3	-	1	-	-	13	-
" 35-		-	1	1	-	2	-	-	7	1
" 45-		-	-	-	-	2	-	-	9	-
" 55-		-	-	-	-	3	-	-	8	-
" 65 and upwards		-	-	-	-	1	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

NO. 17. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, APRIL 29. [Price 1½d.

General Register Office, Somerset House,
May 1st, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·5 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 16·6, and 15·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·1 in St. Helens, 22·8 in Stockport, 22·9 in Wigan, 24·2 in Sunderland, 25·4 in Merthyr Tydfil, 25·8 in Newport (Mon.), and 27·0 in Middlesbrough; from *measles*, 2·8 in Coventry, 2·9 in St. Helens and in Newport (Mon.), 3·1 in Warrington, 3·8 in Sheffield, 6·4 in Merthyr Tydfil, and 6·9 in West Bromwich; from *diphtheria*, 1·2 in St. Helens; from *whooping-cough*, 1·1 in Middlesbrough, 1·5 in Willesden, 1·6 in West Ham, and 2·2 in Tottenham; and from *diarrhoea*, 1·0 in Burnley. One death from *small-pox* was registered in London, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2576 BIRTHS and 1426 DEATHS were registered. Allowing for increase of population, the births were 172 and the deaths 161 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·8, 16·1, and 14·9 in the preceding three weeks, rose last week to 15·9. During the four weeks ended on Saturday last the death-rate averaged 15·7 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1426 deaths included 1 from small-pox, 37 from measles, 9 from scarlet fever, 14 from diphtheria, 50 from whooping-cough, 6 from enteric fever, and 15 from diarrhoea, but not one death from typhus, or from ill-defined pyrexia; thus, 132 deaths were referred to these diseases in the aggregate, being 60 below the corrected average weekly number.

One death from *small-pox*, belonging to the Borough of Lewisham, was registered last week. The deaths from *measles*, which had been 41, 47, and 42 in the preceding three weeks, were 37 last week, and were 34 below the corrected average; 5 deaths belonged to Stepney, 5 to Poplar, and 4 each to Islington, Battersea, and Camberwell. The deaths from *scarlet fever*, which had been 10, 13, and 13 in the preceding three weeks, were 9 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 15, 14, and 4 in the preceding three weeks, rose last week to 14, but were 14 below the corrected average. The deaths from *whooping-cough*, which had been 40, 64, and 39 in the preceding three weeks, rose last week to 50, but were 10 below the corrected average; 5 deaths belonged to Shoreditch, and 4 each to Kensington, Fulham, and Camberwell. The fatal cases of *enteric fever*, which had been 3, 6, and 3 in the preceding three weeks, were 6 last week, and were equal to the average. The deaths from *diarrhoea*, which had been 8, 14, and 13 in the preceding three weeks, were 15 last week, the corrected average being 13. Of the 15 deaths from diarrhoea, 9 were those of children under 5 years of age. The deaths attributed directly to *influenza* numbered 16, having been 24, 10, and 19 in the preceding three weeks. The death of a dock labourer, aged 42 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 14 were cases of suicide, and 1 of execution, while the remaining 45 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 4 to conflagrations due to the upsetting of paraffin lamps, 4 to burns and scalds, 3 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 18 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 16 cases of small-pox, 2182 of scarlet fever, 725 of diphtheria, and 65 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 4 cases, against 4, 0, and 6; of scarlet fever, 255 cases, against 292, 290, and 253; of diphtheria, 75 cases, against 93, 85, and 81; and of enteric fever, 17 cases, against 9, 12, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 22nd.

GREATER LONDON.

In Greater London 3833 births and 2002 deaths were registered. Allowing for increase of population these numbers are 251 and 183 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 8 from whooping-cough, and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the Thermometer 48°·5, the latter being equal to the week's average in the 50 years 1841–90. The general direction of the wind was variable, the horizontal movement of the air being 35 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 24·8 hours; the measured rainfall amounted to 0·15 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	POPULATION estimated middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Births and Deaths during the week ended 20th April, 1906.		The DEATHS registered in the Week include											TOWNS		
		Week ended				BIRTHS.	DEATHS.	Deaths of													
		Week ended						Deaths from							Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.				
		8th April, 1905.	15th April, 1905.	22nd April, 1905.	29th April, 1905.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.				Violence.			
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
76 TOWNS	15,609,377	157	166	156	165	15	8434	4954	1131	1380	1	203	32	42	122	20	40	213	404	1157	72
LONDON -	4,884,794	15'8	16'1	14'9	15'9	1'5	2576	1426	309	413	1	37	9	14	50	6	15	60	143	520	3
(CROYDON -	147,704	14'1	17'3	11'3	13'1	1'1	67	37	8	18	-	-	-	-	2	-	1	1	1	11	-
WILLESDEN -	138,080	14'0	12'5	9'1	10'6	1'5	96	28	7	5	-	-	-	-	4	-	-	1	1	4	1
HORNSEY -	84,070	7'4	9'9	9'9	8'1	-	26	13	5	5	-	-	-	-	-	-	-	1	1	1	-
(TOTTENHAM -	116,282	12'6	13'9	13'5	15'7	2'7	62	35	8	15	-	-	-	-	5	-	1	-	3	4	-
WEST HAM -	294,987	15'2	13'4	12'2	17'1	2'7	174	97	24	20	4	-	2	9	-	-	4	7	26	-	
EAST HAM -	123,381	8'5	10'6	10'1	8'9	0'8	72	21	7	5	-	-	-	2	-	-	3	7	1	-	
LEYTON -	114,555	9'6	9'6	9'6	10'5	-	42	23	4	12	-	-	-	-	-	-	2	2	5	-	
(WALTHAMSTOW -	116,297	10'3	10'3	11'2	14'3	2'7	68	32	10	6	-	5	-	-	1	-	1	2	2	7	-
HASTINGS -	66,820	17'2	14'0	10'1	17'2	0'8	26	22	4	10	-	-	-	1	-	-	1	1	3	-	
BRIGHTON -	127,183	19'3	13'1	12'3	13'1	0'8	57	32	3	9	-	-	-	-	2	-	2	3	7	-	
PORTSMOUTH†	201,975	16'3	15'5	18'1	17'8	1'8	107	69	12	19	-	3	-	2	1	-	1	3	8	11	-
BOURNEMOUTH	66,168	11'0	20'5	11'8	8'7	-	12	11	1	5	-	-	-	-	-	-	-	1	-	2	-
SOUTHAMPTON	114,897	16'8	16'3	19'1	18'6	2'3	48	41	10	14	-	4	1	-	-	-	-	-	3	10	-
READING -	77,674	12'8	18'1	16'1	17'5	2'7	37	26	6	12	-	2	-	-	1	-	1	-	-	5	3
NORTHAMPTON	92,441	13'0	14'7	10'2	9'6	1'1	43	17	3	7	-	-	1	1	-	-	1	1	3	1	-
IPSWICH -	70,802	14'0	21'4	12'5	13'3	0'7	44	18	3	10	-	-	-	-	1	-	1	2	3	-	-
GREAT YARMOUTH -	52,353	11'0	16'9	15'9	18'9	-	37	19	4	7	-	-	-	-	-	-	-	-	4	-	-
NORWICH -	116,741	14'3	16'1	13'4	16'1	-	59	36	10	12	-	-	-	-	-	-	-	1	1	4	2
PLYMOUTH -	116,000	8'5	16'2	15'3	13'9	-	56	31	3	15	-	-	-	-	-	-	-	1	7	-	-
DEVONPORT -	76,864	12'9	16'3	12'9	16'3	1'4	43	24	7	6	-	1	-	-	-	-	1	3	2	-	-
BRISTOL† -	358,515	12'1	16'3	13'7	16'0	0'9	166	110	26	32	-	3	-	1	1	-	1	7	18	-	-
HANLEY -	64,667	24'2	21'0	18'5	21'0	1'6	36	26	10	6	-	1	-	1	-	-	2	3	1	-	-
BURTON-ON-TRENT	52,424	11'9	9'9	11'9	10'9	1'0	24	11	2	4	-	1	-	-	-	-	1	3	-	-	-
WOLVERHAMPTON -	99,456	11'5	14'2	13'6	14'7	-	54	28	9	5	-	-	-	-	-	-	-	3	6	-	-
WALSALL -	82,998	11'2	12'9	15'7	16'3	1'1	38	29	7	8	-	-	-	-	-	-	2	3	1	-	-
HANDSWORTH -	61,721	13'5	9'3	9'3	10'1	0'8	32	12	3	4	-	-	-	-	-	-	1	1	7	-	-
WEST BROMWICH -	67,823	13'8	20'8	22'3	20'0	7'7	39	26	5	4	-	9	-	-	-	-	2	3	4	-	-

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTCH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in each of the preceding three weeks, ended Saturday, 29th April, 1905, and DEATH-RATES in the Week

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Registered during the Week ended 29th April, 1905.		The DEATHS registered in the Week include										Cols.		
		Week ended					Rate from 11-17.	Deaths during the week ended 29th April, 1905.	Deaths from						Deaths in Public Institutions.						
		22nd April, 1905.							Measles.						Unidentified Causes of Death.						
		8th April, 1905.	15th April, 1905.	22nd April, 1905.	29th April, 1905.	Week ended 29th April, 1905.			Small-pox.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.			
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
BIRMINGHAM -	542,859	17.5	19.5	18.3	16.9	1.3	290	176	46	39	-	4	2	3	-	1	10	17	36	10	BIRMINGHAM.
KINGS NORTON -	69,030	9.7	9.0	6.7	8.2	0.7	26	11	3	2	-	-	1	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK -	62,805	12.5	11.7	17.5	12.5	1.7	45	15	1	5	-	2	-	-	-	-	-	-	3	-	SMETHWICK.
ASTON MANOR -	81,320	14.1	12.2	10.9	12.2	1.3	42	19	5	2	-	1	-	-	-	1	-	-	1	1	ASTON MANOR.
COVENTRY -	75,134	13.2	13.2	14.6	18.0	3.5	42	26	5	6	-	4	-	-	1	-	2	2	5	-	COVENTRY.
LEICESTER -	228,132	13.3	11.4	13.3	15.1	0.7	122	66	14	15	-	2	-	-	-	1	2	3	6	1	LEICESTER.
GRIMSBY -	68,163	14.5	19.1	11.5	15.3	-	41	20	5	7	-	-	-	-	-	-	4	4	-	-	GRIMSBY.
NOTTINGHAM -	251,671	17.4	19.9	17.8	16.8	1.0	112	81	16	26	-	1	-	2	1	1	3	4	20	1	NOTTINGHAM.
DERBY -	122,207	19.2	17.5	14.1	11.5	0.4	56	27	4	13	-	-	-	-	-	1	-	3	3	-	DERBY.
STOCKPORT -	98,320	15.9	13.8	11.1	22.8	2.1	65	43	9	11	-	2	-	-	1	1	2	5	3	-	STOCKPORT.
BIRKENHEAD -	116,035	18.0	16.2	15.3	18.9	0.4	72	42	9	17	-	-	1	-	-	-	2	4	9	-	BIRKENHEAD.
WALLASEY -	62,460	10.0	14.2	14.2	8.3	-	42	10	-	6	-	-	-	-	-	-	1	1	3	-	WALLASEY.
LIVERPOOL -	730,143	17.9	18.7	18.9	21.4	1.6	449	289	79	79	-	10	6	1	2	1	3	15	24	100	LIVERPOOL.
BOOTLE -	62,758	13.3	15.8	14.1	13.3	-	47	16	6	3	-	-	-	-	-	-	2	2	6	-	BOOTLE.
ST. HELENS -	89,843	16.8	23.8	18.0	22.1	5.2	54	38	10	3	-	5	1	2	1	-	2	3	5	2	ST. HELENS.
WIGAN† -	83,581	21.1	16.3	24.1	22.9	3.0	44	38	11	5	-	4	-	-	1	-	3	4	3	-	WIGAN.†
WARRINGTON -	68,301	15.3	13.7	19.8	18.3	3.1	48	24	7	5	-	4	-	-	-	-	1	1	1	2	WARRINGTON.
BOLTON -	178,111	15.5	16.1	10.5	17.6	2.0	78	60	13	21	-	7	-	-	-	-	5	5	6	-	BOLTON.
BURY -	58,594	11.6	13.7	16.0	14.3	-	27	16	3	4	-	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER† -	631,185	17.2	21.3	18.7	16.5	0.7	364	200	47	54	-	3	1	2	2	1	-	20	49	4	MANCHESTER.†
SALFORD -	231,514	17.6	16.7	14.4	14.6	2.0	140	65	14	14	-	5	1	2	1	-	4	6	14	1	SALFORD.
OLDHAM -	140,225	20.1	19.3	18.6	19.3	3.3	61	52	9	14	-	6	-	-	1	1	2	2	4	4	OLDHAM.
ROCHDALE -	86,390	18.1	15.1	10.9	16.9	-	42	28	4	15	-	-	-	-	-	-	1	4	5	1	ROCHDALE.
BURNLEY -	101,682	19.5	15.4	9.2	20.0	1.5	57	39	9	14	-	-	-	-	-	2	-	4	7	-	BURNLEY.
BLACKBURN -	133,067	12.9	16.5	19.2	19.2	1.2	49	49	10	14	-	-	-	-	-	-	3	3	3	-	BLACKBURN.
PRESTON -	115,721	14.9	15.3	17.1	14.9	0.9	61	33	12	12	-	-	1	-	-	1	3	3	2	1	PRESTON.

TOWNS.	Population estimated to the middle of the year 1905.*	Week ended				11-17.	Week ended 29th April, 1905.		Deaths of		Deaths from							TOWNS,					
		8th April, 1905.	15th April, 1905.	22nd April, 1905.	29th April, 1905.		Births.	Deaths.	Infants under 1 Year.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.		Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD	-	94,888	15'4	17'0	26'4	19'2	0'5	47	35	4	14	-	-	1	-	-	-	2	3	6	-	HUDDESFIELD.	
HALIFAX	-	108,419	16'8	15'4	11'5	14'9	0'5	32	31	7	11	-	-	-	1	-	-	3	4	3	1	HALIFAX.	
BRADFORD	-	286,789	15'5	17'8	13'8	18'7	1'5	110	103	20	27	-	1	3	2	1	1	1	1	24	1	BRADFORD.	
LEEDS	-	456,787	16'0	14'8	16'7	15'2	0'2	233	133	33	42	-	-	-	1	1	-	3	11	21	-	LEEDS.	
SHEFFIELD	-	440,414	19'5	19'7	19'4	21'5	4'7	275	182	43	34	-	32	1	2	4	1	7	7	30	6	SHEFFIELD.	
ROTHERHAM	-	59,794	15'7	12'2	15'7	10'5	0'9	26	12	5	-	-	-	-	-	-	1	1	1	-	-	ROTHERHAM.	
YORK	-	82,362	17'1	13'9	20'3	13'9	1'3	42	22	6	5	-	1	-	-	-	1	1	2	4	-	YORK.	
HULL	-	253,127	14'1	15'2	21'0	18'6	2'2	161	92	32	22	-	1	3	5	-	1	2	7	16	1	HULL.	
MIDDLESBROUGH	-	98,969	19'1	21'2	22'8	27'0	2'7	38	51	18	9	-	3	-	2	-	-	1	2	6	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES	-	52,425	16'9	21'9	17'9	15'9	2'0	26	16	1	-	-	2	-	-	-	-	1	1	1	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	-	71,313	13'2	11'7	10'2	20'5	2'2	37	28	3	6	-	3	-	-	-	-	2	3	2	-	WEST HARTLEPOOL.	
SUNDERLAND	-	152,761	17'4	16'7	19'1	24'2	3'1	121	71	17	16	-	7	-	2	-	-	5	7	13	3	SUNDERLAND.	
SOUTH SHIELDS	-	109,360	17'6	20'0	17'6	13'8	1'4	65	29	5	7	-	-	1	1	1	-	-	-	5	2	SOUTH SHIELDS.	
GATESHEAD	-	120,620	16'4	12'5	11'7	10'8	0'4	70	25	6	3	-	-	-	-	-	-	1	1	6	4	GATESHEAD.	
NEWCASTLE-ON-TYNE†	-	264,511	17'2	17'5	17'5	19'1	1'4	167	97	16	26	-	4	-	1	2	-	4	7	15	-	NEWCASTLE-ON-TYNE.†	
TYNEMOUTH	-	53,595	14'6	26'3	24'3	16'5	1'0	31	17	1	9	-	-	-	1	-	-	1	1	3	-	TYNEMOUTH.	
NEWPORT (MON.)	-	72,880	19'3	16'5	7'2	25'8	2'9	46	36	7	13	-	4	-	-	-	-	2	3	18	-	NEWPORT (MON.).	
CARDIFF	-	180,054	12'7	19'1	13'0	14'5	2'3	73	50	9	14	-	6	-	1	1	-	1	2	7	-	CARDIFF.	
RHONDDA	-	124,988	12'5	26'7	20'0	18'4	1'7	81	44	14	12	-	2	-	2	-	-	2	2	1	1	RHONDDA.	
MERTHYR TYDFIL	-	73,848	26'1	31'1	28'9	25'4	7'1	55	36	10	4	-	9	-	-	1	-	3	3	1	-	MERTHYR TYDFIL.	
SWANSEA	-	96,384	12'4	15'1	16'8	19'5	1'1	49	36	6	8	-	-	-	-	1	1	2	2	2	-	SWANSEA.	
GREATER LONDON	-	7,010,172	14'5	14'7	13'8	14'9	1'4	3833	2002	434	591	1	51	11	20	81	20	79	188	623	7	GREATER LONDON.	
OUTER RING	-	2,325,378	12'0	11'8	11'4	12'9	1'3	1257	576	125	178	-	14	2	6	31	5	19	45	103	4	OUTER RING.	
8 TOWNS IN OUTER RING	-	1,135,316	12'3	12'6	11'1	13'1	1'7	607	286	68	86	-	9	-	2	23	-	2	24	59	1	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	-	1,190,062	11'8	11'1	11'7	12'7	1'0	650	290	57	92	-	5	2	4	8	-	3	7	21	44	3	REMAINDER OF OUTER RING.
EDINBURGH	-	338,577	13'9	16'0	17'2	17'0	1'4	188	110	19	34	-	5	-	-	2	1	2	?	?	2	EDINBURGH.	
GLASGOW	-	809,986	17'5	18'6	18'7	21'1	2'6	547	328	84	66	-	15	1	18	-	6	12	?	?	12	GLASGOW.	
DUBLIN†	-	378,994	25'5	21'6	23'4	21'9	1'1	203	159	23	48	-	2	-	1	1	2	3	4	63	10	DUBLIN.†	
BELFAST†	-	358,680	21'7	26'7	20'9	23'7	1'9	246	163	36	40	-	9	-	-	2	1	2	5	35	?	BELFAST.†	

* See note † on first page of this return.
† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTEENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2691	2743	2750	2522	2693	2697	2585	2443	2611	2733	2748.3	2576
Males - -	1380	1374	1379	1260	1402	1361	1320	1273	1312	1341	1391.6	1325
Females - -	1311	1369	1371	1262	1291	1336	1265	1170	1299	1392	1356.7	1251
TOTAL Deaths -	1508	1641	1442	1485	1478	1721	1552	1523	1533	1392	1586.6	1426
Males - -	802	831	766	778	733	927	788	809	807	754	830.2	749
Females - -	706	810	676	707	745	794	764	719	726	638	756.4	677

* The numbers in this column are the average weekly numbers in the seventeenth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	13 Weeks.
TOTAL Births -	2676	2722	2612	2200	2600	2412	2535	2611	2618	2310	2469	2129	2576	32470
TOTAL Deaths -	1576	1580	1506	1436	1535	1543	1397	1376	1357	1419	1443	1342	1426	18936
Ages at Death {														
Under 1 year -	293	305	284	290	331	326	293	284	286	276	275	251	309	3793
1-5 years -	159	141	160	152	183	194	148	157	164	195	203	181	163	2200
5-20 " -	56	96	70	82	77	68	86	68	65	66	67	79	76	946
20-40 " -	182	163	192	154	184	188	179	167	153	195	184	190	159	2290
40-60 " -	317	336	303	296	265	267	281	296	273	291	270	255	306	3776
(60 yrs. & upwds.	569	539	497	462	505	480	410	404	416	406	444	386	413	5931
Deaths from—														
Small-pox†	-	-	1	-	-	-	-	2	-	1	-	-	1	5
Measles - -	21	26	28	18	34	32	30	29	41	47	42	37	413	413
Scarlet Fever -	10	9	12	10	14	11	7	18	4	10	13	13	9	140
Diphtheria - -	13	16	11	13	20	13	7	10	8	15	14	4	14	158
Whooping-cough -	32	37	33	34	34	53	39	33	40	40	64	39	50	528
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	5	4	2	5	-	-	3	4	3	6	3	6	50
Pyæmia (origin uncertain).	-	-	-	-	-	4	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	15	21	7	13	8	11	12	11	11	8	14	13	15	159
All above Diseases -	96	114	96	90	115	124	93	107	96	118	158	114	132	1453
Dis. of Resp. System														
Pneumonia - -	280	229	211	175	204	187	158	156	119	148	147	119	138	2271
Phthisis - -	164	171	167	160	149	174	146	143	154	160	157	153	168	2071
Dis. of Circ. System -	133	134	133	135	135	151	150	131	139	134	141	131	125	1772
Violence - -	236	225	195	177	218	216	178	188	165	175	196	145	185	2499
Inquest Cases - -	66	45	62	73	56	59	53	47	58	57	58	59	60	753
Deaths in Institutions	156	159	138	155	149	152	129	137	116	146	139	117	143	1835
	582	594	550	506	559	539	532	502	517	509	507	504	520	6921
TEMPERATURE OF THE AIR.														
Mean - -	43.1	44.7	44.3	37.6	38.4	44.3	46.2	48.5	47.3	43.2	49.5	43.1	48.5	44.4
Mean of Highest -	47.8	48.7	48.6	42.1	44.7	50.6	53.2	56.9	55.8	51.7	58.7	50.6	56.1	51.2
Mean of Lowest -	37.9	40.6	39.4	34.3	32.2	39.3	40.9	36.7	40.2	35.7	42.0	38.2	42.8	38.5
Mean Humidity of the Air.	79	84	76	81	83	80	81	79	74	76	81	74	74	79
Rain-fall (in inches) -	0.03	0.12	0.12	0.25	0.30	1.08	2.25	0.09	0.06	0.27	0.83	0.25	0.15	5.80
Registered Sunshine (in hours).	17.1	11.1	12.8	23.1	15.3	7.3	33.9	42.0	36.3	24.9	22.7	16.5	24.8	287.8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	13	9	8	15	15	16	23	20	20	21	15	17	16	16
Scarlet Fever - -	2070	2077	2017	1987	2002	2036	2042	2036	2032	2086	2133	2128	2182	2064
Diphtheria - -	871	860	865	842	828	840	830	807	794	769	738	731	725	808
Typhus - -	-	-	2	2	2	2	-	-	-	1	1	1	-	1
Enteric Fever - -	135	123	110	104	87	84	83	68	68	66	63	58	65	86

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowthorpe, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 29th April, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON - - -	4,530,429	2576	1426	309	413	1	37	9	14	50	-	6	-	15	60	143	520	3	
WEST DISTRICTS - - -	805,311	382	263	65	82	-	4	1	2	16	-	2	-	4	12	28	88	-	
NORTH DISTRICTS - - -	1,056,070	579	282	54	96	-	6	4	3	11	-	2	-	2	7	20	100	-	
CENTRAL DISTRICTS - - -	209,465	137	70	11	14	-	1	-	-	-	-	-	-	1	2	10	41	-	
EAST DISTRICTS - - -	715,739	474	257	66	65	-	13	-	2	12	-	3	-	3	10	36	107	-	
SOUTH DISTRICTS - - -	1,749,844	1004	506	113	146	-	13	2	4	11	-	2	-	4	28	48	136	3	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	48	-	10	1	-	2	3	-	-	-	-	1	1	1	48	-	
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	53	29	11	5	-	2	-	-	2	-	-	-	-	3	6	7	-	
W,2H																			
St. John Paddington H - G.	33,017	11	15	2	5	-	-	-	-	-	-	-	-	-	1	1	8	-	
North-West Paddington - C.	17,181	9	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Kensington Town 2W W,2H G.W. & C.	128,037	59	49	12	24	-	-	-	1	4	-	-	-	2	-	2	24	-	
Brompton 2H - W. & C.	48,591	17	12	2	1	-	-	-	-	-	-	-	-	-	1	1	3	-	
North Hammersmith W,w,H } W. & G.	49,192	32	16	4	6	-	-	-	-	2	-	-	-	-	-	4	1	-	
South Hammersmith W,2H	63,047	34	26	11	8	-	-	-	-	1	-	-	-	-	3	3	3	-	
North-west Fulham W } W. & C.	45,180	39	25	8	13	-	-	-	-	3	-	-	-	2	1	1	12	-	
North-east Fulham F	46,405	20	10	1	-	-	-	1	1	-	-	2	-	-	-	-	3	-	
South Fulham W	45,704	28	12	5	1	-	1	-	-	1	-	-	-	-	-	1	-	-	
Chelsea North W,w,3H - - C.	42,514	16	20	1	7	-	-	-	-	-	-	-	-	-	-	3	14	-	
Chelsea South W,2H - - C.	31,328	16	11	2	5	-	-	-	-	1	-	-	-	-	-	2	-	-	
May Fair and Knightsbridge C. & G.	28,743	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - C.	55,815	19	14	1	3	-	1	-	-	-	-	-	-	-	-	1	8	-	
St. Margaret & St. John 4H - C.	43,698	19	13	4	2	-	-	-	-	1	-	-	-	-	1	1	3	-	
St. James Westminster } N. & G.	21,588	7	4	1	2	-	-	-	-	-	-	-	-	-	1	1	1	-	
W,H																			
St. Anne Soho 5H - - N.	11,493	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.	35,391	9	12	1	5	-	-	-	-	-	-	2	-	-	1	1	8	-	
Rectory Marylebone W G. & W.	19,849	2	6	1	5	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Mary Marylebone 4H G. & W.	18,099	40	5	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
Christchurch Marylebone H-W.	30,536	21	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.	20,428	9	6	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
Hampstead W,F,6H - N. & W.	81,942	28	29	4	10	-	-	3	2	2	-	-	-	-	2	2	13	-	
West St. Pancras 2H - - W.	60,562	35	9	2	1	-	1	-	-	-	-	-	-	-	-	2	1	-	
Tottenham-court W,6H - N. & W.	21,258	6	17	3	5	-	-	-	-	-	-	-	-	-	-	-	12	-	
Gray's Inn Lane 4H - - N.	34,449	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-	4	-	
East St. Pancras W,2H - - N.	60,320	33	14	-	7	-	-	-	-	1	-	-	-	1	-	1	6	-	
North St. Pancras 2W - - N.	58,728	31	13	1	5	-	-	-	-	-	-	-	-	-	1	2	8	-	
Tufnell W - - N.	31,995	15	12	2	7	-	-	-	-	-	-	-	-	-	-	1	6	-	
Upper Holloway 2W,w,2H - N.	33,978	22	22	1	11	-	1	-	-	1	-	-	-	-	-	2	14	-	
Tollington W - - N.	33,922	13	8	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
Lower Holloway - - N.	41,424	25	6	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	
Barnsbury - - N.	54,478	44	11	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-	
Islington South-east F - - N.	75,397	36	15	5	2	-	4	-	-	-	-	-	-	-	-	1	-	-	
Highbury 2H - - N.	63,797	35	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
Stoke Newington H - - N.	51,247	29	8	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
North Hackney - - E. & N.	50,560	20	14	3	8	-	-	-	-	-	-	-	-	-	-	2	-	-	
Central Hackney 2w,F - E. & N.	50,536	30	12	1	3	-	-	1	1	-	-	-	-	1	-	-	3	-	
South-west Hackney 3H E. & N.	59,921	47	19	7	2	-	-	-	-	-	-	-	-	-	-	-	8	-	
South-east Hackney 2W,w,H E. & N.	58,255	33	24	7	8	-	-	-	-	2	-	-	-	-	-	1	14	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies, the Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th April, 1905—continued.

STATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					Deaths of		Deaths from										Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 29th April, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1257	576	125	178	-	14	2	6	31	-	5	19	45	103	4
1 Carshalton 2F,3H	12,228	32,997	19	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, part of* W,w,2F,H	10,423	15,548	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Godstone, part of* W,F	2,754	2,692	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	20	10	4	1	-	-	-	-	3	-	-	-	-	-	-
3 West Croydon 3W,F,H	2,168	42,888	26	24	3	14	-	-	-	-	-	-	1	1	1	13	-
4 North Croydon H	2,644	41,698	21	5	1	3	-	-	-	-	-	-	-	-	-	-	-
5 Penge w,H	770	22,465	7	6	1	4	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham w	11,711	30,015	28	7	4	1	-	-	-	-	-	-	-	-	1	-	-
1 Wimbledon F,3H	3,221	41,652	23	15	2	8	-	-	-	1	-	-	-	-	-	-	-
2 Kingston 2W,H	6,224	42,068	27	13	3	5	-	2	-	-	-	-	-	-	2	7	2
3 Surbiton F,H	3,046	15,017	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-
4 Esher, part of* H	5,402	13,100	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-
5 Hampton H,F,L	4,664	23,456	12	7	1	2	-	-	-	1	-	-	-	1	1	2	-
1 Richmond W,H	2,162	28,865	14	12	3	5	-	-	-	1	-	-	1	-	-	1	-
2 Mortlake F	2,847	20,628	22	3	1	1	-	-	-	-	-	-	-	-	-	-	-
1 Bromley F,2H	4,703	27,354	13	3	-	1	-	-	-	1	-	-	-	-	-	1	-
2 Beckenham H	7,825	28,497	14	7	1	-	-	-	-	-	-	-	1	1	2	-	-
3 Orpington, part of* W	10,113	9,857	4	5	1	1	-	-	-	-	-	-	-	-	-	-	1
4 Chislehurst 2H	7,333	16,446	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-
1 Bexley w,F,H	8,678	21,151	9	6	-	3	-	-	-	-	-	-	1	-	-	-	1
2 Erith F,H	3,854	25,296	16	4	-	1	-	-	-	-	-	-	-	-	-	-	-
3 Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury w	11,054	18,683	11	5	1	3	-	-	-	-	1	-	-	-	-	-	-
2 Staines W,H	13,277	15,178	6	3	-	1	-	-	-	-	-	-	-	1	1	1	-
1 Hillingdon W,F,H	6,035	13,661	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Uxbridge H	12,757	8,984	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w,F,H	8,066	16,358	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-
1 Isleworth 3W,2F,H	6,859	30,863	17	12	1	6	-	-	-	-	1	-	-	-	1	5	-
2 Twickenham F,H	2,421	20,991	9	7	1	3	-	-	-	-	-	-	-	-	-	1	-
3 Brentford 3F,2H,L	4,319	48,289	24	10	1	5	-	1	1	-	-	-	-	-	-	1	-
4 Chiswick H	1,249	29,809	19	10	1	5	-	-	-	1	-	-	-	-	-	-	-
5 Acton w,3H	6,132	48,914	36	17	2	3	-	-	1	-	1	-	-	-	-	2	-
1 Harrow F,H	13,809	25,523	19	7	2	1	-	-	-	-	-	-	-	-	-	-	-
2 Edgware F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W,2F,2H	4,384	114,811	96	28	7	5	-	-	-	-	4	-	-	-	1	4	1
4 Hendon W,F	8,382	22,450	14	4	2	-	-	1	-	-	-	-	-	-	-	1	-
1 South Mimms 2F,H	17,755	7,308	4	5	1	-	-	-	-	1	-	-	-	-	1	1	-
2 Barnet W,2H	3,324	17,970	8	4	-	4	-	-	-	-	-	-	-	-	1	-	-
3 Finchley F,2H	4,688	33,692	13	7	2	3	-	-	-	-	-	-	-	-	2	-	-
1 Hornsey F,H	2,875	72,056	26	12	-	4	-	-	-	-	-	-	-	1	1	-	-
2 Wood Green H	1,625	34,233	31	6	2	1	-	-	-	-	-	-	-	-	-	-	-
3 West Tottenham F	996	48,853	27	18	6	7	-	-	-	-	2	-	-	-	2	-	-
4 East Tottenham 2H	2,017	53,688	35	15	2	6	-	-	-	-	3	-	1	-	1	2	5
5 Edmonton W,w,2F	7,491	61,892	47	22	5	8	-	1	-	-	1	-	-	-	2	5	-
6 Enfield 2W,F,H	12,601	42,738	33	13	4	2	-	-	-	-	-	-	-	-	-	1	-
7 Waltham Abbey F	11,017	6,549	7	1	-	1	-	-	-	-	-	-	-	-	1	-	-
8 Cheshunt F,H	8,479	12,292	9	3	1	2	-	-	-	-	-	-	-	-	-	-	1
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford H	1,072	44,827	30	14	2	1	-	1	-	-	-	-	-	-	1	2	1
2 Plaistow F,2H	1,249	90,921	79	29	6	9	-	1	-	1	2	-	-	-	2	4	3
3 Canning Town H	1,556	70,718	42	23	10	2	-	2	-	-	-	-	-	-	-	-	-
4 Forest Gate w	806	60,892	23	9	2	2	-	-	-	1	5	2	-	-	-	-	-
5 North East Ham w,H	1,333	58,676	39	13	5	4	-	-	-	-	2	-	-	-	1	4	-
6 South East Ham 2F	1,993	37,342	33	7	2	1	-	-	-	-	-	-	-	-	2	3	-
7 Wanstead F	1,679	9,179	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	27	13	2	7	-	-	-	-	-	-	-	-	-	7	-
9 North Leyton 2W,w,F	1,963	48,445	15	34	3	11	-	-	-	-	-	-	-	-	2	2	22
10 Walthamstow 3H,L	6,504	108,929	76	29	11	4	-	5	-	1	-	-	-	-	1	2	2
1 Chigwell, part of* 2F,3H	11,778	16,397	3	4	-	1	-	-	-	-	1	-	-	-	2	2	1
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* W,2F	6,556	6,091	6	5	2	-	-	-	-	-	-	-	-	-	-	-	5
2 Ilford F,L	8,496	41,234	37	21	3	6	-	-	-	-	1	-	-	-	1	1	6
3 Barking Town F	3,808	21,547	15	7	3	1	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	5	-	2	-	-	-	-	-	-	-	-	-	5	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Sydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious cases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea Discharges
LONDON - -	4,684,794	April 29	2576	1426	15'9	1	37	9	14	50	6	15
CALCUTTA - -	847,796	March 18	-	865	53'0	9	3	-	-	1	546†	8
BOMBAY - -	776,006	April 11	285	1488	99'7	86	30	-	-	-	809†	60
MADRAS - -	509,346	March 24	446	403	41'1	9	3	-	-	-	67†	84
PARIS - - -	2,660,559	April 22	999	979	19'0	-	6	1	5	10	3	20
BRUSSELS - -	586,936	" 22	242	170	14'8	-	2	-	1	-	-	5
ANTWERP - -	286,695	" 22	130	75	13'6	-	4	-	2	-	-	2
AMSTERDAM -	551,415	" 15	326	164	15'4	-	5	1	3	6	1	7
COPENHAGEN -	426,000	" 22	201	156	18'9	-	2	1	1	1	1	9
STOCKHOLM -	309,496	" 15	128	100	16'3	-	1	1	3	1	-	-
CHRISTIANIA -	223,649	" 22	120	53	12'4	-	-	-	3	6	-	-
ST. PETERSBURG	1,248,122	" 15	643	807	30'2	3	41	12	15	11	37	94
MOSCOW - -	1,092,360	" 15	-	590	28'2	-	10	9	8	4	5	67
WARSAW - - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,003,827	April 8	921	686	17'9	-	9	10	7	5	2	43
HAMBURG - -	772,852	" 22	-	223	15'0	-	2	1	2	1	-	11
BRESLAU - -	458,896	" 22	-	203	23'1	-	-	1	2	1	1	13
MUNICH - - -	538,000	" 22	-	201	19'8	-	1	2	2	3	-	18
VIENNA - - -	1,877,839	" 22	941	765	21'0	-	19	6	1	3	3	39
PRAGUE - - -	430,569	" 22	222	219	25'4	-	2	-	1	1	-	17
BUDA-PESTH -	836,267	" 22	432	380	23'6	-	13	5	4	1	1	12
TRIESTE - - -	191,403	" 22	105	92	24'7	-	1	-	1	-	2	-
ROME - - -	503,857	February 18	320	291	29'9	-	5	-	1	-	1	3
		" 25	253	303	31'2	-	9	-	2	1	1	6
VENICE - - -	166,288	April 8	83	85	28'5	-	-	-	-	-	-	8
BUCHAREST - -	282,071	" 15	140	203	37'5	-	-	-	1	2	-	6
NEW YORK - -	3,948,191	" 15	1921	1529	20'2	1	9	11	31	8	6	45
CHICAGO - - -	1,932,315	" 8	-	512	13'4	2	16	1	9	13	4	22
PHILADELPHIA -	1,438,318	" 8	-	503	18'2	-	1	3	16	5	23	25
BOSTON - - -	617,956	" 1	-	246	20'7	-	-	3	3	-	?	?
RIO DE JANEIRO	850,000	" 2	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 405 deaths from plague in Calcutta, 765 in Bombay, and 1 in Madras.

‡ Including 30 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th April, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	59'3	36'3	49'5	0'15	BRADFORD - -	55'6	36'0	47'8	0'51
BRIGHTON - -	54'4	37'3	48'5	0'24	LEEDS - - -	58'0	36'0	48'3	0'88
PORTSMOUTH - -	56'6	38'0	49'3	0'36	HULL - - -	60'0	35'0	48'6	1'01
NORWICH - - -	60'6	31'8	48'4	0'29	TYNEMOUTH - -	58'0	34'0	45'8	0'61
PLYMOUTH - -	58'5	39'1	50'0	0'67					
BRISTOL - - -	58'0	36'0	48'3	0'57	EDINBURGH - -	54'1	32'8	44'5	0'67
BIRMINGHAM - -	54'9	35'3	46'3	0'36	GLASGOW - - -	53'2	32'6	46'0	0'76
NOTTINGHAM - -	56'7	34'1	46'9	0'22					
LIVERPOOL - -	57'0	38'0	47'1	0'79	DUBLIN { Phoenix Park.	57'4	32'9	46'8	0'55
MANCHESTER - -	56'7	33'8	45'9	1'22	{ Fitzwilliam Square.†	59'1	36'1	49'1	0'52
PRESTON - - -	55'0	37'5	46'7	0'90					
HUDDERSFIELD -	55'6	34'4	46'3	0'50	BELFAST - - -	57'0	31'5	45'4	1'07

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1903, for the corresponding period to the above was 1°8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

Under the Superintendence of the Astronomer Royal.

1905.		MONTH AND DAY		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		WINDS deduced from Anemometers.		Rain collected in a Gauge whose receiving surface is above the Average of the Ground.		Oscor.								
Phases of the Moon.	BAROMETER.	Of the Air.				Of the Dew point		Difference between the Air Temperature and Dew Point Temperature.		Degree of Humidity (Saturation equals 100).		Of Radiation.		Of the Earth 3 feet below the Surface.		Oiler's.		Robinson's.		Oscor.				
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average value, 50 years.	Mean	Greatest.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Miles.	Miles.						
													Great-est.	Least.										
APRIL.																								
SUNDAY - 23	..	29.782	52.6	36.5	161	44.0	0	33.3	107	15.6	0	66	967	29.9	46.31	0	93	0.5	385	+ 98	0.0			
MONDAY - 24	Greatest Dec. S.	29.783	52.1	36.3	158	44.4	- 4.0	307	137	18.2	3.2	59	964	30.4	46.19	3.8	0.0	0.4	348	+ 65	0.0			
TUESDAY - 25	..	29.830	54.0	36.8	172	45.5	- 2.9	403	5.2	12.0	1.5	82	1031	30.7	46.04	2.3	0.0	0.3	328	+ 49	0.0			
WEDNESDAY - 26	Last Quarter.	29.851	57.9	47.3	106	50.8	+ 2.4	44.1	67	12.9	1.5	78	91.0	41.4	46.22	2.3	0.0	0.2	283	+ 8	0.0			
THURSDAY - 27	..	29.728	58.9	48.1	108	51.9	+ 3.4	45.6	6.3	11.2	2.7	79	87.0	42.0	46.51	4.0	0.0	0.4	354	+ 82	0.0			
FRIDAY - 28	..	29.436	58.1	47.5	106	51.1	+ 2.5	44.4	6.7	12.0	4.6	78	107.1	40.7	46.76	9.0	0.0	0.9	481	+212	0.0			
SATURDAY - 29	..	29.370	59.3	47.3	120	52.1	+ 3.3	44.6	7.5	11.8	4.0	76	110.0	41.6	47.17	5.7	0.0	0.7	423	+157	0.6			
MEANS	-	29.683	56.1	42.8	133	48.5	- 0.0	40.4	8.1	13.4	3.2	74	98.8	36.7	46.46	Sum 2602	Sum +671	0.3			
No. of Column -	3		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

GENERAL REMARKS.

DATE.	APRIL.	Registered Sunshine in hours.	Sun above Horizon, in hours.	ELONGITUDE. (For explanation of symbols, see Note.)	REMARKS.
SUNDAY - 23	..	57	14.3	m. p. generally till 7h. p.m.; s. p. and s. N. afterwards.	Very fine in morning; generally cloudy with occasional light showers afterwards.
MONDAY - 24	..	6.0	14.3	m. p. till 10h. A.M.; s. p. afterwards.	Very fine in morning; fine with large amounts of cloud after 9h. A.M.
TUESDAY - 25	..	2.6	14.4	m. p. till 11h. A.M.; w. p. and v. N. till 4h. p.m.; m. p. generally afterwards.	Generally overcast; fine in forenoon; frequent slight rain after 11h. A.M.
WEDNESDAY - 26	..	0.2	14.4	w. p. till 5h. A.M.; s. p. till 8h. p.m.; m. p. afterwards.	Generally overcast with occasional slight rain; fine and partially cloudy in evening.
THURSDAY - 27	..	0.4	14.5	w. p. till 5h. p.m.; m. p. till 6h. p.m.; loss of Register afterwards.	Faint solar halo observed at 5h. p.m. Generally overcast.
FRIDAY - 28	..	2.0	14.6	Loss of Register till 3h. p.m.; w. p. till 5h. p.m.; m. p. afterwards.	Generally cloudy; fine in evening; slight shower at 11h. p.m.; brisk wind between 10h. A.M. and 8h. p.m.
SATURDAY - 29	..	7.9	14.6	w. p. generally with occasional s. N. till 10h. p.m.; m. p. afterwards.	Fine and partially cloudy; occasional showers; brisk wind in forenoon. Solar halo with parhelia observed at 4h. p.m.
No. of Col. -	-	Sum 24.8	Sum 101.1		

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. p.m. and 9h. p.m. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from it. The daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; W. weak; M. moderate; S. strong; and V. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of this meter decreased from 2992 in. at the beginning of the week to 2973 in. on the 24th; increased to 2989 in. by 9h. p.m. on the 26th; decreased to 2934 in. by 6h. p.m. on the 26th; and was 2939 in. at midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 22nd April, 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	3	2	-	-	-	-	2	-
Kensington - - - -	180,083	-	6	1	-	-	-	-	1	1
Hammersmith - - - -	119,037	-	5	2	-	-	-	-	3	-
Fulham - - - -	157,210	-	9	5	-	3	-	-	4	-
Chelsea - - - -	74,496	-	2	-	-	1	-	-	1	-
City of Westminster - - - -	175,606	-	2	3	-	-	-	-	1	-
NORTH.										
St. Marylebone - - - -	129,453	-	3	3	-	-	-	-	1	-
Hampstead - - - -	88,142	-	6	1	-	1	-	-	-	-
St. Pancras - - - -	236,183	-	9	7	-	-	-	-	2	-
Islington - - - -	342,994	-	5	-	-	1	-	-	1	2
Stoke Newington - - - -	52,828	-	7	3	-	-	-	-	1	-
Hackney - - - -	228,479	-	18	6	-	-	-	-	7	-
CENTRAL.										
Holborn - - - -	56,481	1	5	-	-	1	-	-	-	-
Finsbury - - - -	98,207	-	2	1	-	-	-	-	2	1
City of London - - - -	22,425	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	7	5	-	1	-	-	2	-
Bethnal Green - - - -	130,401	-	6	2	-	-	-	-	5	-
Stepney - - - -	305,466	-	27	9	-	1	-	-	4	-
Poplar - - - -	170,280	-	18	10	-	1	-	-	6	-
SOUTH.										
Southwark - - - -	208,528	-	8	4	-	2	-	-	4	-
Bermondsey - - - -	129,006	-	4	2	-	-	-	-	1	-
Lambeth - - - -	313,045	-	10	3	-	2	-	-	4	-
Battersea - - - -	177,532	-	7	-	-	1	-	-	1	-
Wandsworth - - - -	265,392	-	21	7	-	1	-	-	5	2
Camden Town - - - -	271,240	-	26	2	-	-	-	-	7	-
Deptford - - - -	114,495	-	5	3	-	-	-	-	2	-
Greenwich - - - -	103,493	-	6	1	-	-	-	-	-	1
Lewisham - - - -	144,420	5	10	1	-	-	-	-	4	1
Woolwich - - - -	125,372	-	6	13	-	1	-	-	1	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,684,794	6	244	98	-	17	-	71	8
AGES.										
Ages 0-1 - - - -	-	-	8	-	-	-	-	-	6	-
" 1-5 - - - -	-	-	81	33	-	2	-	-	4	-
" 5- - - - -	-	-	92	35	-	2	-	-	-	-
" 10- - - - -	-	-	29	16	-	2	-	-	2	-
" 15- - - - -	1	13	5	-	2	-	-	-	7	-
" 20- - - - -	-	14	-	-	4	-	-	-	3	1
" 25- - - - -	1	5	9	-	3	-	-	-	9	2
" 35- - - - -	1	2	-	-	1	-	-	-	11	5
" 45- - - - -	1	-	-	-	1	-	-	-	8	-
" 55- - - - -	-	-	-	-	-	-	-	-	14	-
" 65 and upwards - - - -	-	2	-	-	-	-	-	-	7	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 31-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 18. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAY 6. [Price 1½d.

*General Register Office, Somerset House,
May 8th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 16·6, 15·6, and 16·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·3 in Rhondda, 21·8 in Sunderland, 22·4 in Bootle, 24·0 in Merthyr Tydfil, 24·2 in Smethwick, 24·9 in Middlesbrough, and 26·8 in Oldham; from *measles*, 2·6 in Oldham, 2·8 in Sheffield, 3·1 in Warrington, 3·3 in Smethwick, 3·5 in Coventry, 4·9 in Merthyr Tydfil, and 5·4 in West Bromwich; from *scarlet fever*, 1·5 in Burnley; from *diphtheria*, 1·3 in East Ham; from *whooping-cough*, 1·4 in Leyton, in Preston, and in South Shields, 1·8 in West Ham, 2·5 in Smethwick, 3·2 in Hanley, and 3·4 in Halifax. One death from *small-pox* was registered in London, and 1 each in Nottingham, Oldham, and Bradford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2122 BIRTHS and 1304 DEATHS were registered. Allowing for increase of population, the births were 41 above and the deaths 188 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·1, 14·9, and 15·9 in the preceding three weeks, fell last week to 14·5. During the four weeks ended on Saturday last the death-rate averaged 15·4 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1304 deaths included 1 from small-pox, 44 from measles, 5 from scarlet fever, 11 from diphtheria, 54 from whooping-cough, 5 from enteric fever, and 19 from diarrhoea, but not one death from typhus, or from ill-defined pyrexia; thus, 139 deaths were referred to these diseases in the aggregate, being 40 below the corrected average weekly number.

One death from *small-pox*, belonging to the Borough of Lewisham, was registered last week. The deaths from *measles*, which had been 47, 42, and 37 in the preceding three weeks, were 44 last week, and were 20 below the corrected average; 8 deaths belonged to Paddington, 8 to Battersea, and 4 to Stepney. The deaths from *scarlet fever*, which had been 13, 13, and 9 in the preceding three weeks, fell to 5 last week, the corrected average being 9; 3 deaths belonged to Stepney. The deaths from *diphtheria*, which had been 14, 4, and 14 in the preceding three weeks, were 11 last week, and were 14 below the corrected average. The deaths from *whooping-cough*, which had been 64, 39, and 50 in the preceding three weeks, were 54 last week, the corrected average being 55; 5 deaths belonged to Islington, 5 to Shoreditch, and 4 each to Fulham and Wandsworth. The fatal cases of *enteric fever*, which had been 6, 3, and 6 in the preceding three weeks, were 5 last week, and were equal to the corrected average. The deaths from *diarrhoea*, which had been 14, 13, and 15 in the preceding three weeks, rose to 19 last week, and were 4 above the corrected average; 3 deaths belonged to Finsbury. Of the 19 deaths from diarrhoea, 15 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 18, having been 10, 19, and 16 in the preceding three weeks. The death of a child was certified after inquest as due to *ptomaine poisoning* set up by eating fish.

Different forms of *violence* caused 47 deaths, concerning all of which inquests were held. Of these 47 deaths, 11 were cases of suicide, and 2 of homicide, while the remaining 34 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 4 to burns and scalds, 5 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 17 cases of small-pox, 2152 of scarlet fever, 691 of diphtheria, and 72 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 4 cases, against 0, 6, and 4; of scarlet fever, 235 cases, against 290, 253, and 255; of diphtheria, 79 cases, against 85, 81, and 75; and of enteric fever, 10 cases, against 12, 7, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 29th.

GREATER LONDON.

In Greater London 4158 births and 1850 deaths were registered. Allowing for increase of population these numbers are 171 above and 179 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 14 from whooping-cough, 2 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.75 inches, and that of the Thermometer 49°4, the latter being 0.3 below to the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 59 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 54.7 hours; the measured rainfall amounted to 0.85 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Base from Diseases in Coln. 11-17.		Registered Deaths during the Week ended 6th May, 1905.		The DEATHS registered in the Week include										TOWNS.											
		Week ended					1.	2.	3.	4.	5.	6.	7.	8.	Deaths of Persons aged under 1 Year and upwards.					Deaths from					Inquest Cases.					Deaths in Public Institutions.	Uncertified Causes of Death.	
		15th April, 1905.	22nd April, 1905.	29th April, 1905.	6th May, 1905.	Week ended 6th May, 1905.									Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- Cough.	Rever.		Diarthrea	Violence.	Unquest Cases.								
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.										
76 TOWNS	15,609,377	16 ⁶	15 ⁶	16 ⁵	15 ⁴	1 ⁶	9533	4621	1017	1286	4	186	29	47	132	24	47	172	350	1106	48	76 TOWNS.										
LONDON -	4,684,794	16 ¹	14 ⁹	15 ⁹	14 ⁵	1 ⁵	2722	1304	280	424	1	44	5	11	54	5	19	47	112	503	4	LONDON.										
CROYDON -	147,704	17 ³	11 ³	13 ¹	12 ⁷	1 ⁴	90	36	6	15	-	-	-	-	3	-	-	-	1	4	-	CROYDON.										
WILLESDEN -	138,080	12 ⁵	9 ¹	10 ⁶	11 ³	1 ⁵	103	30	8	9	-	-	-	-	3	-	1	-	-	6	-	WILLESDEN.										
HORNSEY -	84,070	9 ⁹	9 ⁹	8 ¹	6 ²	-	25	10	-	4	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.										
TOTTENHAM -	116,232	13 ⁹	13 ⁵	15 ⁷	15 ⁷	1 ³	76	35	5	10	-	-	-	-	3	-	-	2	5	5	-	TOTTENHAM.										
WEST HAM -	294,997	13 ⁴	12 ²	17 ¹	14 ⁷	3 ⁰	198	83	22	23	-	3	-	2	10	-	2	1	3	27	-	WEST HAM.										
EAST HAM -	128,381	10 ⁶	10 ¹	8 ⁹	14 ⁸	1 ⁷	76	35	12	7	-	-	-	3	-	-	-	-	2	5	-	EAST HAM.										
LEYTON -	114,555	9 ⁶	9 ⁶	10 ⁵	9 ⁶	1 ⁸	63	21	7	5	-	1	-	-	3	-	-	-	1	5	-	LEYTON.										
WALTHAMSTOW -	116,297	10 ³	11 ²	14 ³	12 ¹	3 ¹	71	27	9	6	-	4	-	-	2	-	1	-	2	3	-	WALTHAMSTOW.										
HASTINGS -	66,820	14 ⁰	10 ¹	17 ²	16 ⁴	1 ⁶	25	21	3	7	-	-	-	-	1	-	1	-	2	3	-	HASTINGS.										
BRIGHTON -	127,183	13 ¹	12 ³	13 ¹	13 ⁵	0 ⁴	64	33	5	11	-	-	-	1	-	-	-	2	4	7	-	BRIGHTON.										
PORTSMOUTH†	201,975	15 ⁵	18 ¹	17 ⁸	18 ⁵	2 ¹	130	64	15	22	-	6	-	2	-	-	-	3	7	12	-	PORTSMOUTH.†										
BOURNEMOUTH -	66,168	20 ⁵	11 ⁸	8 ⁷	20 ⁵	-	28	26	5	11	-	-	-	-	-	-	-	-	2	2	-	BOURNEMOUTH.										
SOUTHAMPTON -	114,897	16 ³	19 ¹	18 ⁶	14 ¹	0 ⁵	64	31	7	12	-	1	-	-	-	-	-	2	5	3	-	SOUTHAMPTON.										
READING -	77,674	18 ¹	16 ¹	17 ⁵	11 ⁴	1 ³	47	17	4	5	-	2	-	-	-	-	-	1	1	1	-	READING.										
NORTHAMPTON -	92,441	14 ⁷	10 ²	9 ⁶	14 ¹	1 ¹	27	25	5	12	-	1	-	-	-	-	1	2	3	5	-	NORTHAMPTON.										
IPSWICH -	70,802	21 ⁴	12 ⁵	13 ³	14 ⁷	-	43	20	4	6	-	-	-	-	-	-	-	2	2	4	-	IPSWICH.										
GREAT YARMOUTH -	52,853	16 ⁹	15 ⁹	18 ⁹	12 ⁰	-	36	12	2	3	-	-	-	-	-	-	-	1	1	2	-	GREAT YARMOUTH.										
NORWICH -	116,741	16 ¹	13 ⁴	16 ¹	17 ⁰	0 ⁹	64	38	5	14	-	-	-	-	-	-	1	1	1	5	-	NORWICH.										
PLYMOUTH -	116,000	16 ²	15 ³	13 ⁹	15 ³	1 ³	57	34	7	6	-	-	1	1	1	-	-	-	1	8	-	PLYMOUTH.										
DEVONPORT -	76,864	16 ³	12 ⁹	16 ³	18 ³	0 ⁷	41	27	5	12	-	-	-	-	1	-	-	2	5	4	-	DEVONPORT.										
BRISTOL† -	358,515	16 ³	13 ⁷	16 ⁰	14 ⁵	1 ⁰	222	100	21	31	-	4	1	2	-	-	-	5	11	15	-	BRISTOL.										
HANLEY -	64,067	21 ⁰	18 ⁵	21 ⁰	20 ²	4 ⁸	48	25	8	4	-	-	-	-	4	1	1	-	-	3	2	HANLEY.										
BURTON-ON-TRENT -	52,424	9 ⁹	11 ⁹	10 ⁹	6 ⁰	-	31	6	3	2	-	-	-	-	-	-	-	-	-	2	-	BURTON-ON-TRENT.										
WOLVERHAMPTON -	99,456	14 ²	13 ⁶	14 ⁷	13 ¹	-	68	25	6	10	-	-	-	-	-	-	-	2	5	2	-	WOLVERHAMPTON.										
WALSALL -	32,968	12 ⁹	15 ⁷	16 ³	14 ⁶	-	67	26	8	3	-	-	-	-	-	-	-	2	2	5	-	WALSALL.										
HANDSWORTH -	61,721	9 ³	9 ³	10 ¹	8 ⁴	0 ⁸	30	10	2	5	-	-	-	-	-	-	1	-	1	-	-	HANDSWORTH.†										
WEST BROMWICH -	67,823	20 ⁸	22 ³	20 ⁰	16 ⁹	6 ²	52	22	6	3	-	7	-	1	-	-	-	2	2	1	-	WEST BROMWICH.										

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 6th May, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 6th May, 1906.		The Deaths registered in the Week include											TOWNS,		
		Week ended				Week ended		BIRTHS.	DEATHS.														
		6th May, 1906.				6th May, 1906.			Deaths of Persons aged 1 Year and upwards.	Deaths from													
		15th April, 1905.	22nd April, 1905.	29th April, 1905.	6th May, 1905.	11th April, 1905.	18th May, 1905.	Small-pox.		Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
BIRMINGHAM	-	542,859	19'5	18'3	16'9	16'7	319	174	46	44	-	4	1	2	-	-	2	6	10	41	5	BIRMINGHAM.	
KINGS NORTON	-	69,630	9'0	6'7	8'2	10'5	52	14	5	5	-	1	-	-	1	-	-	1	1	-	-	KINGS NORTON.	
SMETHWICK	-	62,605	11'7	17'5	12'5	24'2	46	29	11	4	-	4	-	-	3	-	1	1	1	1	-	SMETHWICK.	
ASTON MANOR	-	31,320	12'2	10'9	12'2	9'6	39	15	2	5	-	-	1	-	1	-	-	-	-	3	-	ASTON MANOR.	
COVENTRY	-	75,134	13'2	14'6	18'0	20'1	47	29	4	8	-	5	-	1	-	-	1	3	3	7	-	COVENTRY.	
LEICESTER	-	228,132	11'4	13'3	15'1	12'6	131	55	17	9	-	-	-	-	-	-	-	2	3	8	3	LEICESTER.	
GRIMSBY	-	68,153	19'1	11'5	15'3	9'9	52	13	4	6	-	1	-	-	-	-	-	1	1	2	-	GRIMSBY.	
NOTTINGHAM	-	251,671	19'9	17'8	16'8	15'7	144	76	14	24	1	1	1	-	-	-	-	3	5	17	-	NOTTINGHAM.	
DERBY	-	122,207	17'5	14'1	11'5	11'1	51	26	9	9	-	1	-	-	1	-	-	1	5	6	-	DERBY.	
STOCKPORT	-	88,320	13'8	11'1	22'8	18'0	47	34	7	8	-	-	-	-	2	1	1	2	2	1	-	STOCKPORT.	
BIRKENHEAD	-	116,035	16'2	15'3	18'9	13'9	87	31	5	7	-	1	-	-	-	-	-	2	4	9	-	BIRKENHEAD.	
WALLASEY	-	82,460	14'2	14'2	8'3	13'4	41	16	4	5	-	-	-	-	-	1	-	-	1	1	-	WALLASEY.	
LIVERPOOL	-	730,143	18'7	18'9	21'4	18'9	508	264	56	70	-	9	2	3	2	2	3	7	15	78	11	LIVERPOOL.	
BOOTLE	-	62,768	15'8	14'1	13'3	22'4	57	27	5	6	-	1	-	-	-	-	-	-	-	2	2	BOOTLE.	
ST. HELENS	-	89,843	23'8	18'0	22'1	17'4	80	30	6	6	-	2	1	2	-	2	-	2	2	4	-	ST. HELENS.	
WIGAN†	-	88,581	16'3	24'1	22'9	15'7	81	26	7	5	-	-	2	-	-	-	-	-	1	7	-	WIGAN.†	
WARRINGTON	-	68,301	13'7	19'8	18'3	17'3	40	23	3	3	-	4	-	-	-	-	-	1	1	1	1	WARRINGTON.	
BOLTON	-	178,111	16'1	10'5	17'6	14'9	106	51	12	12	-	6	-	-	-	-	-	-	2	7	1	BOLTON.	
BURY	-	58,594	18'7	16'0	14'2	16'0	18	18	3	5	-	-	-	-	-	-	-	-	2	4	-	BURY.	
MANCHESTER†	-	631,185	21'3	18'7	16'5	17'4	428	211	41	53	-	10	-	4	5	2	5	10	12	53	3	MANCHESTER.†	
SALFORD	-	231,514	16'7	14'4	14'6	15'3	162	68	10	17	-	3	1	2	-	3	-	1	2	20	-	SALFORD.	
OLDHAM	-	140,225	19'3	18'6	19'3	26'8	75	72	14	20	1	7	2	1	2	1	-	1	3	14	-	OLDHAM.	
ROCHDALE	-	86,390	15'1	10'9	16'9	15'7	28	26	5	8	-	-	-	-	1	-	-	2	4	1	-	ROCHDALE.	
BURNLEY	-	101,682	15'4	9'2	20'0	16'4	47	32	12	4	-	-	-	-	-	-	-	1	1	2	1	BURNLEY.	
BLACKBURN	-	133,067	16'5	19'2	19'2	14'9	69	38	6	9	-	-	3	-	-	-	-	1	1	6	3	BLACKBURN.	
PRESTON	-	115,721	15'3	17'1	14'9	10'8	71	24	12	5	-	-	3	-	-	-	-	1	1	2	1	PRESTON.	
BARROW-IN-FURNESS.	-	60,306	13'8	13'8	13'0	13'0	37	15	5	2	-	-	-	-	3	-	1	-	1	1	1	BARROW-IN-FURNESS.	

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	Week ended				11-17.		Deaths of Persons aged 60 Years and upwards.		Deaths from										TOWNS,		
										Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unexplained Causes of Death.			
		15th April, 1905.	22nd April, 1905.	29th April, 1905.	6th May, 1905.	Week ended 6th May, 1905.	Births.	Deaths.	Infants under 1 Year.												Persons aged 60 Years and upwards.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	-	94,888	17'0	26'4	19'2	19'8	65	36	3	13	-	-	-	-	-	-	-	3	4	2	-	HUDDESFIELD.
HALIFAX	-	108,419	15'4	11'5	14'9	11'5	42	24	1	7	-	-	-	-	7	-	-	1	2	3	-	HALIFAX.
BRADFORD	-	286,769	17'8	13'8	18'7	20'7	147	114	18	37	1	1	1	1	3	-	1	5	8	29	4	BRADFORD.
LEEDS	-	466,787	14'8	16'7	15'2	16'9	264	148	34	41	-	1	1	-	2	-	-	6	21	23	-	LEEDS.
SHEFFIELD	-	440,414	19'7	19'4	21'5	18'2	286	154	41	32	-	24	1	3	3	2	2	2	4	30	3	SHEFFIELD.
ROTHERHAM	-	58,794	12'2	15'7	10'5	9'6	40	11	1	1	-	-	-	1	-	-	-	1	1	1	-	ROTHERHAM.
YORK	-	82,362	13'9	20'3	13'9	13'3	43	21	4	5	-	-	1	-	-	-	-	1	1	3	-	YORK.
HULL	-	258,127	15'2	21'0	18'6	12'1	161	60	17	16	-	-	-	-	-	-	-	2	4	11	-	HULL.
MIDDLESBROUGH	-	98,369	21'2	22'8	27'0	24'9	84	47	9	9	-	1	-	-	1	1	-	5	6	7	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,425	21'9	17'9	15'9	15'9	29	16	3	3	-	2	-	1	-	-	-	1	2	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	71,313	11'7	10'2	20'5	10'2	51	14	3	4	-	2	-	1	-	-	-	-	1	1	-	WEST HARTLEPOOL.
SUNDERLAND	-	152,761	16'7	19'1	24'2	21'8	103	64	21	12	-	6	-	-	1	1	-	1	1	3	2	SUNDERLAND.
SOUTH SHIELDS	-	109,360	20'0	17'6	13'8	19'5	100	41	14	7	-	-	-	-	3	-	-	1	2	10	1	SOUTH SHIELDS.
GATESHEAD	-	120,620	12'5	11'7	10'8	11'2	79	26	5	4	-	-	1	-	-	-	-	-	-	1	-	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	264,511	17'5	17'5	19'1	12'2	165	62	13	17	-	-	-	-	1	-	-	2	8	19	-	NEWCASTLE-ON-TYNE.†
TYNEMOUTH	-	53,595	26'3	24'3	16'5	20'4	29	21	7	4	-	-	-	-	1	-	-	1	1	2	-	TYNEMOUTH.
NEWPORT (MON.)	-	72,880	16'5	7'2	25'8	12'2	39	17	3	5	-	3	-	-	-	1	-	-	-	1	-	NEWPORT (MON.).
CARDIFF	-	180,054	19'1	13'0	14'5	15'6	126	54	15	10	-	4	-	-	-	1	2	6	10	9	-	CARDIFF.
RHONDDA	-	124,988	26'7	20'0	18'4	21'3	115	51	17	6	-	2	-	1	2	-	-	4	4	-	-	RHONDDA.
MERTHYR TYDFIL	-	73,848	31'1	28'9	25'4	24'0	53	34	5	5	-	7	-	-	-	1	-	1	3	1	-	MERTHYR TYDFIL.
SWANSEA	-	96,384	15'1	16'8	19'5	14'1	81	26	8	4	-	-	-	-	-	-	-	1	2	6	-	SWANSEA.
GREATER LONDON	-	7,010,172	14'7	13'8	14'9	13'8	4158	1850	390	581	1	56	6	19	93	7	25	61	151	602	5	GREATER LONDON.
OUTER RING	-	2,325,378	11'8	11'4	12'9	12'2	1436	546	130	157	-	12	1	8	39	2	6	14	39	99	1	OUTER RING.
8 TOWNS IN OUTER RING	-	1,135,316	12'6	11'1	13'1	12'7	702	277	69	79	-	8	-	6	25	-	4	3	14	55	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,190,062	11'1	11'7	12'7	11'8	734	269	61	78	-	4	1	2	14	2	2	11	25	44	1	REMAINDER OF OUTER RING.
EDINBURGH	-	338,577	16'0	17'2	17'0	18'3	170	118	16	38	-	1	1	1	2	-	1	-	?	32	9	EDINBURGH.
GLASGOW	-	809,986	18'6	18'7	21'1	18'9	572	294	73	56	-	15	2	2	16	3	5	7	?	61	11	GLASGOW.
DUBLIN†	-	378,994	21'6	23'4	21'9	22'0	283	160	28	44	-	3	-	-	1	3	1	2	2	61	7	DUBLIN.†
BELFAST†	-	358,680	26'7	20'9	23'7	19'2	275	132	21	21	-	8	-	-	-	2	1	3	8	20	?	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the EIGHTEENTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2837	2565	2638	2449	2623	2737	2562	2474	2537	2403	2681.5	2722
Males - -	1421	1322	1365	1232	1314	1364	1278	1271	1332	1175	1357.5	1362
Females - -	1416	1243	1273	1217	1309	1373	1284	1203	1205	1228	1324.0	1360
TOTAL Deaths -	1395	1570	1323	1464	1397	1675	1454	1381	1388	1325	1492.3	1304
Males - -	729	815	720	761	705	889	777	733	708	681	781.1	683
Females - -	666	755	603	703	692	785	677	643	680	644	711.2	621

* The numbers in this column are the average weekly numbers in the eighteenth week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	13 Weeks.
TOTAL Births -	2722	2612	2200	2600	2412	2535	2611	2618	2310	2469	2129	2568	2722	32508
TOTAL Deaths -	1580	1506	1436	1535	1543	1397	1376	1357	1419	1443	1342	1426	1304	18664
Ages at Death														
Under 1 year -	305	281	290	331	326	293	284	286	276	275	251	309	260	3760
1–5 years -	141	160	152	183	194	148	157	164	195	203	181	163	154	2195
5–20 " -	96	70	82	77	68	86	68	65	56	67	79	76	67	957
20–40 " -	163	192	154	184	188	179	167	153	195	184	190	159	147	2235
40–60 " -	336	303	296	265	287	281	296	273	291	270	255	306	252	3711
60 yrs. & upwards	539	497	462	505	480	410	404	416	405	444	386	413	424	5786
Deaths from—														
Small-pox - -	-	1	-	-	-	-	2	-	1	-	-	1	1	6
Measles - -	26	28	18	34	32	28	30	29	41	47	42	37	44	436
Scarlet Fever - -	9	12	10	14	11	7	18	4	10	13	13	9	5	135
Diphtheria - -	16	11	13	20	13	7	10	8	15	14	4	14	11	156
Whooping-cough -	37	33	34	34	53	39	33	40	40	64	39	50	54	550
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	4	2	5	4	-	3	4	3	6	3	6	5	50
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	21	7	13	8	11	12	11	11	8	14	13	15	19	163
All above Diseases -	114	96	90	115	124	93	107	96	118	158	114	132	139	1496
Dis. of Resp. System	229	211	175	204	187	158	156	119	148	147	119	138	122	2113
Pneumonia - -	171	167	160	149	174	146	148	154	160	157	153	168	134	2011
Phthisis - -	134	133	135	135	151	150	131	139	134	141	131	125	121	1760
Dis. of Circ. System	225	195	177	218	216	178	188	165	175	196	145	185	168	2431
Violence - -	45	62	73	56	59	53	47	58	57	58	59	60	47	734
Inquest Cases -	159	136	156	149	152	129	137	116	146	139	117	143	112	1791
Deaths in Institutions	591	550	506	559	539	532	502	517	509	507	504	520	503	6342
TEMPERATURE OF THE AIR.														
Mean - -	41.7	44.3	37.6	38.1	44.3	46.2	46.5	47.3	43.2	49.5	43.1	48.5	49.1	44.8
Mean of Highest -	48.7	48.6	42.1	41.7	50.6	53.2	56.9	55.8	51.7	58.7	50.6	56.1	60.1	52.1
Mean of Lowest -	40.6	39.4	34.3	32.2	39.3	40.9	36.7	40.2	35.7	42.0	38.2	42.8	41.9	38.8
Mean Humidity of the Air.	84	76	81	83	80	81	79	74	76	81	74	74	71	78
Rain-fall (in inches) -	0.12	0.12	0.25	0.30	1.08	2.25	0.09	0.06	0.27	0.83	0.25	0.15	0.85	6.62
Registered Sunshine (in hours).	11.1	12.8	23.1	15.3	7.3	33.9	42.0	36.3	24.9	22.7	16.5	24.8	54.7	325.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	9	8	15	15	16	23	20	20	21	15	17	16	17	16
Scarlet Fever - -	2077	2017	1987	2002	2036	2042	2036	2032	2066	2133	2128	2182	2152	2070
Diphtheria - -	860	865	842	828	840	830	807	794	769	738	731	725	691	794
Typhus - -	-	2	2	2	2	-	-	-	1	1	1	-	-	1
Enteric Fever - -	123	110	104	87	84	83	68	68	66	63	58	65	72	81

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTEENTH Week of the Year 1905.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 18th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 18th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1325	1304	260	154	67	147	252	424	Meningitis (not tuberc.)	19	14	5	7	1	1	-	-
									Insanity, Gen. Par. of	8	19	-	-	1	4	9	5
									Insane	-	-	-	-	2	1	2	4
Il-pox	1	1	-	-	-	-	-	1	Epilepsy	7	9	-	-	-	-	-	-
pox	-	-	-	-	-	-	-	-	Convulsions	29	14	13	1	-	-	-	-
ies (Morbilli)	62	44	12	31	1	-	-	-	Locomotor Ataxy	2	1	-	-	-	-	-	1
let Fever	3	5	-	2	2	1	-	-	Paraplegia, Dis. of Cord	4	5	-	-	-	-	1	4
hus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	21	16	1	3	2	1	3	6
ue	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	36	38	-	-	3	7	11	17
enza	9	18	-	2	-	3	3	10	Cerebr. Hæm. Thromb.	31	32	-	-	-	3	7	22
oping-cough	48	54	26	26	2	-	-	-	Apoplexy, Hemiplegia	18	14	-	-	-	-	5	9
theria	19	11	1	9	1	-	-	-	Aneurysm	2	4	-	-	-	1	1	2
bro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis	-	-	-	-	-	-	-	-
ia,† (Origin un-}	1	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	-
tain)	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	80	80	-	1	3	5	17	54
ric Fever	4	5	-	2	1	1	1	1	Croup (not Spasm: nor	-	-	-	-	-	-	-	-
tic Cholera	-	-	-	-	-	-	-	-	Memb.)	-	-	-	-	-	-	-	-
lemic Diarrhœa	8	5	3	2	-	-	-	-	Bronchitis	65	104	21	9	-	3	6	65
fective Enteritis	15	14	9	1	1	1	1	1	Asthma, Emphysema	6	5	-	-	-	-	1	4
rhæa, Dysentery	-	-	-	-	-	-	-	-	Pleurisy	4	4	1	-	-	1	1	1
nus	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	8	9	2	-	1	-	-	6
ies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	1	-	1	-	-	-	-
iders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	9	4	-	1	-	-	1	2
arax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-Enteritis	5	7	4	-	1	-	-	2
areal Dis.	7	11	8	1	-	-	2	-	Peritonitis (not Puerp.)	4	2	1	-	1	-	-	-
rperal Septicæmia	-	-	-	-	-	-	-	-	Cirrhosis of Liver	17	9	-	-	1	-	5	3
rperal Pyæmia	1	-	-	-	-	-	-	-	Liver Dis. (other)	5	4	-	-	-	-	3	1
peral Fever	-	1	-	-	-	1	-	-	Digestive Dis., Other	28	31	3	-	6	3	9	10
otive Endocarditis	1	1	-	-	1	-	-	-	Nephritis, Acute	3	7	1	-	2	-	2	2
Lobar	11	21	1	2	2	4	6	6	Bright's Dis., Albumin-	41	39	1	-	-	1	19	18
umonia	50	49	18	16	2	7	6	6	uria	8	12	-	-	-	-	2	10
Broncho-	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-
Epidemic	-	-	-	-	-	-	-	-	Generative Organs Dis.	4	1	-	-	-	-	-	1
Not defined	49	64	9	5	5	15	11	19	Childbirth (Accid. of)	4	3	-	-	3	-	-	-
sipelas	5	3	-	-	-	-	1	2	Old Age	44	55	-	-	-	-	-	55
ticæmia (not Puer-	1	-	-	-	-	-	-	-	Other Diseases	87	76	52	8	3	1	3	9
ral)	-	1	-	-	-	-	1	-	ACCIDENT.								
mia (not Puerperal)	-	-	-	-	-	-	-	-	By Railways	2	-	-	-	-	-	-	-
er Infective Processes	9	7	-	1	1	2	2	1	By Vehicles and Horses	4	4	-	-	2	1	-	1
erulous Phthisis	95	79	2	5	5	29	33	5	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
thitis"	60	42	-	-	2	24	13	3	(exclusive of Drown-	-	-	-	-	-	-	-	-
erulous Meningitis	27	19	5	6	6	1	1	-	ing)	-	-	-	-	-	-	-	-
erulous Peritonitis	9	9	4	2	-	1	2	-	In Building Operations	2	-	-	-	-	-	-	-
Mesenterica	3	1	1	-	-	-	-	-	In Conflagrations	-	-	-	-	-	-	-	-
erulous Dis. (other)	20	18	5	5	2	3	1	2	By Burns, Scalds, Ex-	5	4	-	3	-	-	-	1
fula	-	-	-	-	-	-	-	-	plosions	6	5	-	-	-	1	1	2
holism	9	9	-	-	-	2	3	4	By Drowning	7	8	8	-	-	-	-	-
umatic Fever	4	5	-	1	4	-	-	-	By Suffocation in Bed	3	2	-	1	-	1	-	-
it	3	3	-	-	-	1	2	-	By Poisons or Poisonous	11	11	1	2	1	2	-	5
cinoma	35	53	-	-	-	3	29	21	Vapours	-	-	-	-	-	-	-	-
oma	6	8	-	1	-	1	4	2	Other Deaths by Acci-	-	-	-	-	-	-	-	-
cer (undefined)	28	29	-	-	-	2	11	16	dent	-	-	-	-	-	-	-	-
etes Mellitus	18	6	-	1	1	1	3	-	VIOLENCE OTHER THAN								
nature Birth	43	42	-	-	-	-	-	-	ACCIDENTAL.								
									Homicide	1	2	-	-	-	1	1	-
									Suicide	21	11	-	-	-	5	6	-
									Execution	-	-	-	-	-	-	-	-

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th May, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																	
					Deaths of		Deaths from															
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin uncertain.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.				
LONDON - - -					4,530,429	2722	1304	260	424	1	44	5	11	54	-	5	-	19	47	112	503	
WEST DISTRICTS					805,311	419	236	39	85	-	12	-	2	11	-	1	-	2	5	19	84	
NORTH DISTRICTS					1,066,070	546	279	61	111	-	4	2	2	11	-	-	-	3	7	19	106	
CENTRAL DISTRICTS					209,465	120	84	21	15	-	3	-	-	4	-	-	-	4	5	11	41	
EAST DISTRICTS -					715,739	593	229	53	55	-	10	-	2	12	-	1	-	6	13	29	107	
SOUTH DISTRICTS					1,749,844	1094	433	81	146	-	15	-	5	16	-	3	-	3	17	34	122	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*					-	-	43	-	12	1	-	3	-	-	-	-	-	1	-	-	43	
WEST DISTRICTS.																						
St. Mary Paddington } G. & W.					93,178	67	34	10	9	-	8	-	1	3	-	-	-	1	-	1	10	
W ² H																						
St. John Paddington H - G.					33,617	8	9	-	3	-	-	-	-	-	-	-	-	-	-	-	5	
North-West Paddington - C.					17,181	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Tw ⁿ 2W w ² H G., W. & C.					128,087	75	47	6	20	-	1	-	-	3	-	1	-	1	-	21	1	
Brompton 2H - - W. & C.					48,591	8	11	-	8	-	-	-	-	-	-	-	-	-	-	-	-	
North Hammersmith W, w ² H } W. & G.					49,192	25	13	1	3	-	-	-	-	-	-	-	-	1	6	-	-	
South Hammersmith w ² H					63,047	40	13	3	6	-	-	-	-	-	-	-	-	1	1	3	3	
North-west Fulham W					45,180	33	30	6	9	-	2	-	-	2	-	-	-	-	-	17	-	
North-east Fulham F } W. & C.					46,405	30	11	2	1	-	1	-	1	2	-	-	-	-	-	1	-	
South Fulham W					45,704	28	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W, w ² H - - C.					42,514	20	19	4	9	-	-	-	-	-	-	-	-	-	1	13	-	
Chelsea South W ² H - - C.					31,328	13	4	1	1	-	-	-	-	-	-	-	-	-	2	-	-	
May Fair and Knightsbridge C. & G.					28,743	6	6	1	4	-	-	-	1	-	-	-	-	-	-	-	-	
Belgrave W ² H - - C.					55,815	23	15	4	4	-	-	-	-	-	-	-	-	2	3	6	6	
St. Margaret & St. John 4H - C.					43,698	26	13	-	3	-	-	-	-	-	-	-	-	1	2	6	6	
St. James Westminster } N. & G.					21,588	7	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
W ² H																						
St. Anne Soho 5H - - N.					11,493	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
NORTH DISTRICTS.																						
All Souls Marylebone 8H - W.					35,391	15	11	4	2	-	-	-	-	-	-	-	-	-	-	6	-	
Rectory Marylebone W G. & W.					19,849	14	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-	
St. Mary Marylebone 4H G. & W.					18,099	42	3	1	2	-	-	-	-	2	-	-	-	1	-	-	-	
Christchurch Marylebone H- W.					39,536	19	13	4	6	-	1	-	-	-	-	-	-	-	1	-	-	
St. John Marylebone 3H - W.					20,426	5	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
Hampstead W, F, 6H - N. & W.					81,942	44	13	4	5	-	-	1	-	1	-	-	-	1	-	-	5	
West St. Pancras 2H - - W.					60,562	28	13	4	3	-	-	-	-	-	-	-	-	-	1	1	1	
Tottenham-court w, 6H N. & W.					21,268	7	9	1	2	-	-	-	-	-	-	-	-	1	1	3	3	
Gray's Inn Lane 4H - - N.					34,449	12	9	4	2	-	-	-	-	-	-	-	-	1	-	-	-	
East St. Pancras W ² H - - N.					60,320	30	20	2	11	-	-	-	-	-	-	-	-	3	3	11	1	
North St. Pancras 2W - - N.					58,728	26	20	2	11	-	-	-	-	-	-	-	-	-	-	8	-	
Tufnell W - - N.					31,995	19	23	4	10	-	1	-	-	-	-	-	-	1	-	11	-	
Upper Holloway 2W, w ² H - N.					33,978	19	24	3	8	-	-	-	-	-	-	-	-	1	1	18	-	
Tollington W - - N.					33,922	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - N.					41,424	20	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Barnesbury - - N.					54,478	38	12	6	2	-	-	-	-	2	-	-	-	-	-	-	-	
Islington South-east F - - N.					75,397	35	12	3	7	-	-	-	-	-	-	-	1	2	-	-	-	
Highbury 2H - - N.					63,797	37	15	5	4	-	-	-	-	2	-	-	-	1	1	1	-	
Stoke Newington H - - N.					51,247	21	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - E. & N.					50,560	17	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w, F - E. & N.					50,536	25	18	5	7	-	-	1	1	-	-	-	-	1	3	2	2	
South-west Hackney 3H E. & N.					59,921	26	10	3	3	-	-	-	-	1	-	-	-	-	-	2	-	
South-east Hackney 2W, w, H E. & N.					58,255	32	33	4	13	-	2	-	1	2	-	-	-	4	22	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

‡ By an error on the part of the Registrar, the number of births registered during the week ended 29th April in Kensington Town Sub-district was stated to be 50 instead of 51.

STRATION SUB-DISTRICTS.

STATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
				Deaths of Infants under 1 Year of Age.	Deaths from Persons aged 60 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarthra.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-
MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist-
in each SUB-DISTRICT during the Week ended Saturday, 6th May, 1905—continued.

REGISTRATION SUB-DISTRICTS;	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from													
				Infants under Year of Age.	Persons aged 6 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W,H,L.&S.	11,283	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark H - S.	12,056	8	16	5	1	-	-	-	-	-	-	-	-	-	-	2	3		
Kent-road - - - S. & L.	21,904	18	11	3	-	-	1	-	-	-	-	-	-	-	-	-	-		
St. George the Martyr } S. & L.	39,094	29	5	1	-	-	-	-	-	1	-	-	-	-	-	-	2		
West W ² H,L - - - } S. & L.	49,022	41	15	4	3	-	-	-	-	-	-	-	-	-	-	-	1		
Newington North - - S. & L.	72,841	40	12	5	5	-	-	-	-	-	-	-	-	-	-	1	2		
Newington South W - S. & L.																	1		
St. Olave 2W - - - S.	9,817	6	5	1	1	-	-	-	-	-	-	-	-	-	-	2	3		
Bermondsey W - - - S.	82,483	63	12	5	3	-	1	-	-	-	-	-	-	-	-	-	-		
Rotherhithe W,F - - S. & K.	38,460	23	9	1	4	-	-	-	-	1	-	-	-	-	-	-	1		
Waterloo-road 2H - L. & S.	27,440	29	7	4	3	-	-	-	-	-	-	-	-	-	-	-	1		
Lambeth Church 1st H - L. & S.	18,423	18	20	2	6	-	-	-	-	-	-	-	-	-	-	2	3		
Lambeth Church 2nd 2W L. & S.	39,818	38	18	2	5	-	-	-	-	-	-	-	-	-	-	1	2		
Kennington 1st H - - S. & L.	53,198	32	9	-	6	-	-	-	-	-	-	-	-	-	-	-	-		
Kennington 2nd H - - S. & L.	42,896	19	10	-	4	-	1	-	-	-	-	-	-	-	-	1	1		
Brixton F - - - L. & S.	84,232	48	15	3	2	-	-	-	-	2	-	-	-	-	-	1	1		
Norwood W,H - - - L.	35,888	17	4	-	3	-	-	-	-	1	-	-	-	-	-	-	-		
East Battersea H - - S.	72,203	41	16	1	6	-	3	-	-	-	-	-	-	-	-	-	1		
North-west Battersea - S.	49,656	35	14	7	1	-	5	-	-	-	-	-	-	-	-	-	-		
South-west Battersea W,H - S.	47,048	18	19	2	10	-	-	-	-	-	-	-	-	-	-	1	1		
Clapham 2H - - - S.	51,361	34	7	2	1	-	-	-	-	2	-	-	-	-	-	-	-		
Streatham W ² w,2F,2L - L.	88,019	57	26	1	16	-	-	-	2	-	-	-	-	-	-	-	-		
Springfield 2W,L - - S.	27,959	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Southfields H - - - S.	40,444	30	10	2	4	-	-	-	-	2	-	-	-	-	-	-	-		
Putney - - - - S.	24,139	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Dulwich - - - L. & S.	13,359	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W,w S. & L.	40,206	21	18	2	6	-	1	-	-	-	-	-	-	-	-	-	1		
Camberwell North W,2L S. & L.	65,584	37	23	5	11	-	-	-	-	-	-	-	-	-	-	-	1		
St. George - - - L. & S.	47,331	33	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-		
Peckham 2W,w - - S., L. & K.	92,859	61	23	5	5	-	1	-	1	1	-	-	-	-	-	1	2		
Deptford North - - - K.	37,613	20	12	3	2	-	2	-	-	-	-	-	-	-	-	1	1		
Deptford Central - - - K.	45,481	26	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Deptford South - - - K.	34,625	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West 2H - - K.	23,456	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich East 2W,H - K.	43,859	28	16	-	8	-	-	-	-	-	-	-	-	-	-	1	1		
Eltham w,H - - - K.	7,226	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lee w,H - - - K.	25,490	14	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham W w,F - - K.	58,352	42	12	1	4	-	-	-	-	-	-	-	-	-	-	2	3		
Sydenham H - - - L.	43,653	34	5	2	2	-	-	-	-	2	-	-	-	-	-	-	-		
Charlton 1,2H - - - K.	21,134	10	7	2	1	-	-	-	2	-	-	-	-	-	-	1	1		
Woolwich 4H - - - K.	41,625	26	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead West W - - K.	18,063	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - K.	50,264	29	13	2	6	-	-	-	-	-	-	-	-	-	-	-	5		
Workhouse:—																			
Central London Sick Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(Westminster, St. Giles, and Strand Unions.)																			
M. A. B. Small-pox Hospitals:—																			
Joyce Green - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach - - - -	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1		
M. A. B. Fever Hospitals:—																			
North-Eastern - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3		
Northern - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Imbecile Asylums:—																			
Caterham - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4		
Darenth - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
Gore Farm (temporary) -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Leavesden - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
London County Lunatic Asylums:—																			
Banstead - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Ewell (Epileptic Colony) -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Horton - - - -	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7		
Manor - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Cane Hill - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Dartford Heath - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7		
Hanwell - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
Colney Hatch - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3		
Claybury - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-		

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 6th May, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of	Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1436	546	130	157	-	-	12	1	8	39	2	6	14	39	99	1
Carshalton 2F,2H	12,228	32,997	26	9	3	2	-	-	1	-	-	-	-	-	-	-	2	-
Epsom, part of* W,w,2F,H	10,423	15,548	6	8	-	4	-	-	-	-	-	-	-	-	-	-	5	-
Godstone, part of* W,F	2,764	2,692	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Conisdon	11,069	8,160	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	22	11	1	4	-	-	-	-	-	1	1	-	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	41	18	1	8	-	-	-	-	1	1	-	-	-	1	10	-
North Croydon H	2,644	41,668	27	10	4	4	-	-	-	-	-	1	1	-	-	-	1	-
Penge w,H	770	22,465	15	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Mitcham w	11,711	30,015	28	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F,3H	3,221	41,652	27	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingston 2W,H	6,224	42,068	27	14	4	6	-	2	-	-	-	-	-	-	-	3	4	-
Surbiton F,H	3,046	15,017	8	3	-	12	-	-	-	-	-	1	-	-	-	-	-	-
Esher, part of* H	5,402	13,100	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Hampton H,F,L	4,564	23,458	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Richmond W,H	2,162	28,865	13	4	-	1	-	-	-	-	-	-	-	-	-	1	2	-
Mortlake F	2,847	20,628	23	7	3	2	-	-	-	-	-	2	-	-	2	2	-	-
Bromley F,2H	4,703	27,354	16	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Beckenham H	7,825	28,497	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Orpington, part of* W	10,113	9,857	10	3	1	1	-	-	-	-	-	-	-	-	1	1	1	-
Chislehurst 2H	7,333	16,446	14	4	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Bexley w,F,H	8,678	21,151	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	25,296	17	5	-	3	-	-	-	-	-	-	-	-	-	1	1	-
Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Sunbury w	11,054	18,683	15	7	1	2	-	-	-	-	-	-	-	-	1	1	2	-
Staines W,H	13,277	15,178	18	5	-	2	-	-	-	-	-	-	-	-	-	1	1	-
Hillingdon W,F,H	6,035	13,661	6	7	1	4	-	-	-	-	-	-	-	-	-	-	2	-
Uxbridge H	12,757	8,984	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Hayes w,F,H	8,066	16,358	11	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Isleworth 3W,2F,H	6,859	30,863	18	11	2	7	-	-	-	-	1	-	-	-	-	-	7	-
Twickenham F,H	2,421	20,991	12	7	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Brentford 3F,2H,L	4,319	48,289	29	7	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Chiswick H	1,249	29,809	20	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Acton w,3H	6,132	48,914	44	10	4	1	-	-	-	-	-	1	-	-	-	-	-	-
Harrow F,H	13,800	25,523	18	3	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Edgware F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	103	30	8	9	-	-	-	-	-	3	-	1	-	-	6	-
Hendon W,F	8,382	22,450	12	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-
South Mimms 2F,H	17,755	7,308	13	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	11	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-
Finchley F,2H	4,688	33,692	23	10	2	2	-	-	-	-	-	2	-	-	-	1	-	-
Hornsey F,H	2,875	72,056	25	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Wood Green H	1,625	34,233	27	8	3	1	-	-	-	-	-	1	-	-	-	-	1	-
West Tottenham F	996	48,853	46	11	3	1	-	-	-	-	-	-	-	-	1	2	-	-
East Tottenham 2H	2,017	53,688	30	22	2	7	-	-	-	-	-	3	-	-	1	3	3	-
Edmonton W,w,2F	7,491	61,892	53	19	5	7	-	-	-	-	-	1	1	-	1	3	4	-
Enfield 2W,F,H	12,601	42,738	27	9	4	2	-	-	-	-	-	-	-	-	-	2	-	-
Waltham Abbey F	11,017	6,549	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	24	14	3	6	-	3	-	-	-	2	-	-	-	-	1	-
Plaistow F,2H	1,249	90,921	85	24	6	3	-	-	-	-	2	2	-	2	1	3	3	-
Canning Town H	1,566	70,718	56	20	9	1	-	-	-	-	-	6	-	-	-	-	-	-
Forest Gate w	806	60,892	33	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Ham w,H	1,333	58,676	48	18	9	3	-	-	-	-	-	1	-	-	-	2	-	-
South East Ham 2F	1,993	37,342	28	14	3	3	-	-	-	3	-	-	-	-	-	-	2	-
Wanstead F	1,679	9,179	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	28	20	7	7	-	-	1	-	-	1	-	1	-	1	9	-
North Leyton 2W,w,F	1,963	48,445	35	23	2	9	-	-	-	-	-	2	-	-	-	-	18	-
Walthamstow 3H,L	6,504	108,929	86	27	9	5	-	4	-	-	-	2	-	-	1	3	1	-
Chigwell, part of* 2F,3H	11,778	16,397	9	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	6,091	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Ilford F,L	8,496	41,234	28	18	-	8	-	-	1	1	-	1	-	-	-	-	8	-
Barking Town F	3,803	21,547	17	11	4	2	-	-	-	-	1	1	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Ilford.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Wydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrheal Diseases.
LONDON - -	4,684,794	May 5	2723	1304	14·5	1	44	5	11	54	5	19
CALCUTTA - -	847,796	March 25	-	1077	66·0	7	3	-	-	2	672†	12
BOMBAY - -	776,006	April 18	312	1734	116·2	95	21	-	-	-	1021†	50
MADRAS - -	509,346	March 31	426	435	44·4	7	5	?	?	?	84	89
PARIS - -	2,660,559	April 29	1124	995	19·3	2	10	-	6	11	5	28
BRUSSELS - -	586,936	" 29	226	177	15·4	-	1	1	1	3	1	8
ANTWERP - -	286,695	" 29	156	93	16·9	-	3	-	3	2	-	6
AMSTERDAM -	551,415	" 22	258	138	13·0	-	5	-	1	4	-	7
COPENHAGEN -	426,000	" 29	267	137	16·6	-	3	-	1	4	-	4
STOCKHOLM -	309,196	" 22	141	90	14·7	-	3	2	-	2	-	4
CHRISTIANIA -	223,649	" 29	116	74	17·3	-	-	1	2	10	-	1
ST. PETERSBURG	1,248,122	" 22	-	797	29·5	4	54	8	10	9	31	75
MOSCOW - -	1,092,360	" 22	-	-	-	-	-	-	-	-	-	-
WARSAW - -	-	"	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,003,064	April 15	828	637	16·6	-	8	10	6	13	-	28
HAMBURG - -	772,852	" 29	-	269	18·1	-	3	1	2	-	-	20
BRESLAU - -	453,896	" 29	-	193	21·9	-	-	-	-	1	-	10
MUNICH - -	523,000	" 29	-	216	21·3	-	1	1	-	1	1	22
VIENNA - -	1,377,839	" 29	995	762	20·9	-	31	4	7	5	-	34
PRAGUE - -	430,569	" 29	200	210	24·3	-	2	-	2	-	-	18
BUDA-PESTH -	836,267	" 29	401	365	22·7	-	4	2	4	1	-	11
TRIESTE - -	191,403	" 29	114	108	29·0	-	2	1	1	1	1	1
ROME - -	503,857	March 4	243	264	27·2	-	14	-	3	1	1	5
VENICE - -	166,288	April 22	69	80	26·8	-	1	-	-	1	-	4
BUCHAREST - -	282,071	" 22	156	185	34·2	-	-	-	-	1	-	7
NEW YORK - -	3,948,191	" 22	1637	1556	20·6	-	16	12	42	18	7	42
CHICAGO - -	1,932,315	" 15	-	548	14·3	-	15	-	5	15	4	24
PHILADELPHIA -	1,438,318	" 15	-	517	18·7	-	1	2	12	2	21	28
BOSTON - -	617,950	" 8	-	232	19·5	-	1	2	5	-	3	?
RIO DE JANEIRO	850,000	" 2	-	285	16·4	7	1	-	-	-	1	13

* Excluding deaths from croup in the Indian Cities.

† Including 570 deaths from plague in Calcutta, and 979 in Bombay.

‡ Including 68 deaths from cholera.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th May, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	64·6	38·2	51·0	0·85	BRADFORD - -	63·4	35·2	47·7	0·97
BRIGHTON - -	66·8	40·7	51·2	0·88	LEEDS - - -	56·0	35·0	47·5	1·03
PORTSMOUTH - -	66·0	40·5	51·5	0·39	HULL - - -	60·0	32·0	47·0	0·54
NORWICH - -	61·0	35·8	49·0	1·29	TYNEMOUTH - -	58·0	33·0	45·0	0·43
PLYMOUTH - -	61·7	37·9	48·6	0·85					
BRISTOL - -	63·5	33·4	47·8	0·35	EDINBURGH - -	59·5	37·7	46·8	0·33
BIRMINGHAM - -	62·6	35·8	46·9	0·46	GLASGOW - -	63·0	31·5	48·5	0·24
NOTTINGHAM - -	61·6	34·0	47·4	0·41					
LIVERPOOL - -	60·0	38·0	47·9	0·28	DUBLIN { Phoenix Park. Fitz- william Square.†	62·8	29·7	46·4	1·85
MANCHESTER - -	63·0	33·8	46·7	0·75		64·2	36·9	48·9	1·56
PRESTON - -	-	-	-	-					
HUDDERSFIELD -	62·2	31·0	45·9	0·85	BELFAST - -	59·1	36·0	47·5	0·24

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·0° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

[illegible]

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th April, 1905.*

BOROUGHs.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	7	2	-	-	-	-	2	-
Kensington - - - -	180,083	-	7	1	-	4	-	-	-	-
Hammersmith - - - -	119,037	-	9	4	-	-	-	-	-	-
Fulham - - - -	157,210	-	3	5	-	1	-	-	4	1
Onelsea - - - -	74,496	-	10	2	-	1	-	-	2	-
City of Westminster - - -	175,606	1	6	2	-	-	-	-	1	-
NORTH.										
St. Marylebone - - - -	129,453	-	6	2	-	-	-	-	3	-
Hampstead - - - -	88,142	-	2	1	-	-	-	-	1	-
St. Pancras - - - -	236,183	-	7	5	-	-	-	-	4	-
Islington - - - -	342,994	-	10	2	-	-	-	-	6	-
Stoke Newington - - - -	52,828	-	5	1	-	-	-	-	-	-
Hackney - - - -	228,479	-	21	4	-	1	-	-	6	1
CENTRAL.										
Holborn - - - -	56,481	-	3	-	-	-	-	-	1	-
Finsbury - - - -	98,207	-	6	4	-	-	-	-	1	-
City of London - - - -	22,425	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	4	4	-	-	-	-	4	-
Bethnal Green - - - -	130,401	-	10	7	-	1	-	-	4	-
Stepney - - - -	305,466	-	32	11	-	2	-	-	9	-
Poplar - - - -	170,280	-	12	10	-	2	-	-	4	-
SOUTH.										
Southwark - - - -	208,528	-	5	8	-	3	-	-	2	-
Bermondsey - - - -	129,006	-	3	-	-	2	-	-	2	-
Lambeth - - - -	313,045	-	22	4	-	1	-	-	5	1
Battersea - - - -	177,532	-	12	1	-	-	-	-	1	-
Wandsworth - - - -	265,392	-	17	-	-	2	1	-	9	-
Camberwell - - - -	271,240	-	18	4	-	1	-	-	5	-
Deptford - - - -	114,495	-	12	3	-	2	-	-	4	-
Greenwich - - - -	103,493	-	10	2	-	-	-	-	1	-
Lewisham - - - -	144,420	1	14	3	-	2	-	-	1	1
Woolwich - - - -	125,372	2	12	7	-	3	-	-	1	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		4	286	99	-	28	1	-	83	4
Ages 0-1 - - - -		-	6	1	-	-	-	-	2	-
" 1-5 - - - -		-	91	36	-	2	-	-	6	-
" 5- - - - -		1	97	29	-	7	1	-	3	-
" 10- - - - -		-	40	15	-	2	-	-	4	-
" 15- - - - -		-	24	9	-	1	-	-	1	-
" 20- - - - -		-	8	3	-	3	-	-	8	1
" 25- - - - -		1	17	3	-	7	-	-	6	3
" 35- - - - -		2	3	3	-	4	-	-	10	-
" 45- - - - -		-	-	-	-	1	-	-	16	-
" 55- - - - -		-	-	-	-	1	-	-	9	-
" 65 and upwards - - -		-	-	-	-	-	-	-	18	-
Age not stated - - - -		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 19. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAY 13. [Price 1½d.

General Register Office, Somerset House,
May 15th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·0 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·6, 16·5, and 15·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·8 in Oldham, 20·9 in Great Yarmouth, 21·2 in Sheffield, 21·9 in Merthyr Tydfil, 23·5 in Wigan, and 23·7 in Warrington; from *measles*, 2·1 in Coventry and in Merthyr Tydfil, 2·6 in Sheffield, 2·7 in Middlesbrough, 3·3 in Smethwick, 6·1 in Warrington, and 7·7 in West Bromwich; from *diphtheria*, 1·5 in West Ham, 1·6 in Hastings, 1·8 in Preston, 2·1 in Middlesbrough, 2·4 in Hanley, and 2·5 in Smethwick. No deaths from *small-pox* were registered in any of the seventy-six towns.

LONDON.*

In LONDON 2641 BIRTHS and 1324 DEATHS were registered. Allowing for increase of population, the births were 5 and the deaths 136 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·9, 15·9, and 14·5 in the preceding three weeks, was 14·7 last week. During the four weeks ended on Saturday last the death-rate averaged 15·0 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1324 deaths included 42 from measles, 9 from scarlet fever, 7 from diphtheria, 37 from whooping-cough, 3 from enteric fever, and 10 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 108 deaths were referred to these diseases in the aggregate, being 67 below the corrected average weekly number.

The deaths from *measles*, which had been 42, 37, and 44 in the preceding three weeks, were 42 last week, and were 20 below the corrected average; 13 deaths belonged to the Borough of Battersea, and 3 each to Paddington, Fulham, Shoreditch and Stepney. The deaths from *scarlet fever*, which had been 13, 9, and 5 in the preceding three weeks, rose to 9 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 4, 14, and 11 in the preceding three weeks, fell to 7 last week, and were 24 below the corrected average. The deaths from *whooping-cough*, which had been 39, 50, and 54 in the preceding three weeks, fell to 37 last week, and were 10 below the corrected average; 6 deaths belonged to Islington, and 4 to Southwark. The fatal cases of *enteric fever*, which had been 3, 6, and 5 in the preceding three weeks, were 3 last week, the corrected average being 6. The deaths from *diarrhoea*, which had been 13, 15, and 19 in the preceding three weeks, fell to 10 last week, and were 4 below the corrected average; 3 deaths belonged to Poplar. Of the 10 deaths from diarrhoea, 8 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 more deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 19, 16, and 18 in the preceding three weeks.

Different forms of *violence* caused 66 deaths, concerning all of which inquests were held. Of these 66 deaths, 17 were cases of suicide, and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, 8 to burns and scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 2 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 17 cases of small-pox, 2177 of scarlet fever, 698 of diphtheria, and 70 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 6, 4, and 4; of scarlet fever, 319 cases, against 253, 255, and 235; of diphtheria, 96 cases, against 81, 75, and 79; and of enteric fever, 12 cases, against 7, 17, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 6th.

GREATER LONDON.

In Greater London 3981 births and 1811 deaths were registered. Allowing for increase of population these numbers are 48 above and 183 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 9 from whooping-cough, 1 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·10 inches, and that of the Thermometer 53°·6, the latter being 2°·1 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 55·5 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	POPULATION to the middle of the year 1905.*	Causes.				Diseases in 1905. Week ended 13th May, 1905.		Deaths of Infants under 1 Year of Age.		Deaths from		Deaths from		Deaths from		Deaths from		Deaths from		TOWNS		
		Week ended				Week ended		Week ended		Week ended		Week ended		Week ended		Week ended						
		22nd April, 1905.	29th April, 1905.	6th May, 1905.	13th May, 1905.	11-17.	18-24.	25-31.	1-7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.		18.	
COLS.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
76 TOWNS		15,609,377	15'6	16'5	15'4	15'0	1'3	9133	4486	970	1245	-	174	31	27	110	22	37	183	345	1059	49
LONDON -		4,684,794	14'9	15'9	14'5	14'7	1'2	2641	1324	258	365	-	42	9	7	37	3	10	66	132	509	1
CROYDON -		147,704	11'3	12'7	12'5	12'7	0'4	87	36	9	10	-	-	1	-	-	2	-	2	4	-	-
WILLESDEN -		138,080	9'1	10'6	11'3	8'3	1'5	78	22	4	6	-	1	-	-	-	-	-	1	5	-	-
HORNEY -		84,070	9'9	8'1	6'2	7'4	-	25	12	2	4	-	-	-	-	3	-	-	2	-	-	-
TOTTENHAM -		116,232	13'5	15'7	15'7	14'8	2'2	74	33	10	3	-	-	-	2	3	-	-	6	6	-	-
WEST HAM -		294,997	12'2	17'1	14'7	12'0	1'9	187	68	17	19	-	1	-	1	8	-	1	7	8	-	-
EAST HAM -		123,381	10'1	8'9	14'8	10'1	0'8	87	24	1	6	-	-	-	-	2	-	2	4	4	-	-
LEYTON -		114,555	9'6	10'5	9'6	5'9	0'5	64	13	1	3	-	1	-	-	-	-	-	-	3	-	-
WALTHAMSTOW -		116,297	11'2	14'3	12'1	9'9	0'4	61	22	5	7	-	1	-	-	-	-	1	2	4	-	-
HASTINGS -		66,820	10'1	17'2	16'4	14'0	2'3	23	18	6	4	-	-	-	-	2	-	1	-	-	-	-
BRIGHTON -		127,183	12'3	13'1	13'5	16'4	0'4	70	40	9	14	-	-	-	-	1	-	3	4	6	-	-
PORTSMOUTH† -		201,975	18'1	17'8	16'5	16'0	1'3	115	62	18	18	-	4	1	-	-	-	-	1	4	10	1
BOURNEMOUTH -		66,168	11'8	8'7	20'5	16'5	-	21	21	1	8	-	-	-	-	-	-	-	2	1	4	-
SOUTHAMPTON -		114,897	19'1	18'6	14'1	13'6	0'9	43	30	4	13	-	2	-	-	-	-	-	-	-	5	-
READING -		77,874	16'1	17'5	11'4	10'7	0'7	54	16	3	5	-	-	-	1	-	-	-	-	-	5	-
NORTHAMPTON -		92,441	10'2	9'6	14'1	11'3	1'7	35	20	4	2	-	1	-	1	1	-	1	1	2	-	-
IPSWICH -		70,802	12'5	13'3	14'7	11'8	0'7	46	16	3	9	-	1	-	-	-	-	1	1	3	-	-
GREAT YARMOUTH -		52,353	15'9	18'9	12'0	20'9	-	29	21	3	10	-	-	-	-	-	-	-	1	1	-	-
NORWICH -		116,741	13'4	16'1	17'0	17'9	-	71	40	9	17	-	-	-	-	-	-	-	1	4	9	-
PLYMOUTH -		116,000	15'3	13'9	15'3	18'4	-	62	41	5	19	-	-	-	-	-	-	-	-	-	6	-
DEVONPORT -		76,884	12'9	16'3	18'3	14'2	0'7	48	21	3	9	-	-	-	-	-	-	-	3	2	-	-
BRISTOL† -		358,515	13'7	16'0	14'5	11'5	0'9	200	79	20	22	-	3	-	-	2	-	1	5	12	20	1
HANLEY -		64,067	18'5	21'0	20'2	16'1	3'2	39	20	4	4	-	-	1	-	3	-	-	1	2	2	-
BURTON-ON-TRENT -		52,424	11'9	10'9	6'0	4'0	-	17	4	2	1	-	-	-	-	-	-	-	-	-	-	-
WOLVERHAMPTON -		99,456	13'6	14'7	13'1	13'1	1'0	60	25	5	10	-	-	-	-	-	-	2	1	1	3	-
WALSALL -		22,998	15'7	16'3	14'6	14'6	-	59	26	10	4	-	-	-	-	-	-	-	2	3	1	-
HANDSWORTH -		61,721	9'3	10'1	8'4	7'6	0'8	28	9	-	4	-	-	-	-	-	-	1	1	1	1	1
WEST BROMWICH -		67,823	22'3	20'0	16'9	20'0	7'7	48	26	4	6	-	10	-	-	-	-	-	-	-	3	-

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 13th May, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered Deaths during the week ended 13th May, 1905.		The Deaths registered in the Week include										TOWNS.
		Week ended					Week ended		Deaths of		Deaths from										
		22nd April, 1905.	29th April, 1905.	6th May, 1905.	13th May, 1905.	1905.	13th May, 1905.	1905.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	
BIRMINGHAM -	542,839	18'3	16'9	16'7	17'1	1'0	323	178	42	45	-	4	2	-	1	-	3	6	7	42	8
KINGS NORTON -	68,680	6'7	8'2	10'5	11'2	-	33	15	6	5	-	-	-	-	-	-	-	-	-	1	-
SMETHWICK -	62,605	17'5	12'5	24'2	12'5	5'8	47	15	5	3	-	4	-	-	3	-	-	-	-	-	-
ASTON MANOR -	31,320	10'9	12'2	9'6	9'0	0'6	38	14	6	3	-	-	-	-	-	-	1	-	-	1	-
COVENTRY -	75,134	14'6	18'0	20'1	20'1	2'8	46	29	11	8	-	3	-	1	-	-	-	-	-	2	2
LEICESTER -	228,132	13'3	15'1	12'6	14'6	0'2	116	64	15	27	-	1	-	-	-	-	-	1	5	15	3
GRIMSBY -	68,153	11'5	15'3	9'9	15'3	0'8	45	20	9	6	-	-	-	-	-	1	-	-	-	5	-
NOTTINGHAM -	251,671	17'8	16'8	15'7	13'3	0'6	132	64	12	17	-	2	-	-	-	1	-	2	5	16	-
DERBY -	122,207	14'1	11'5	11'1	10'7	0'4	63	25	6	9	-	1	-	-	-	-	-	-	-	5	-
STOCKPORT -	98,320	11'1	22'8	18'0	12'2	0'5	51	23	5	5	-	1	-	-	-	-	1	1	1	-	-
BIRKENHEAD -	116,035	15'3	18'9	13'9	13'9	0'4	74	31	5	12	-	-	-	1	-	-	1	2	6	-	-
WALLASEY -	62,460	14'2	8'3	13'4	10'0	0'8	26	12	3	5	-	-	-	-	-	-	-	1	1	-	-
LIVERPOOL -	730,143	18'9	21'4	18'9	18'2	1'4	498	255	53	61	-	8	4	1	4	2	13	17	82	10	-
BOOTLE -	62,758	14'1	13'3	22'4	13'3	-	44	16	4	3	-	-	-	-	-	-	2	2	5	1	-
ST. HELENS -	89,843	18'0	22'1	17'4	14'5	0'6	73	25	4	3	-	-	1	-	-	-	1	1	4	1	-
WIGAN† -	84,581	24'1	22'9	15'7	23'5	2'4	55	39	9	5	-	2	1	-	-	1	2	5	3	-	-
WARRINGTON -	68,201	19'8	18'3	17'6	23'7	6'1	48	31	6	7	-	8	-	-	-	-	1	1	2	1	-
BOLTON -	178,111	10'5	17'6	14'9	13'8	0'9	105	47	15	11	-	3	-	-	-	-	1	3	2	-	-
BURY -	53,594	16'0	14'2	16'0	15'1	-	25	17	4	6	-	-	-	-	-	-	-	1	1	-	-
MANCHESTER† -	631,185	18'7	16'4	17'4	17'8	2'4	381	216	52	55	-	15	-	2	9	2	1	10	15	49	6
SALFORD -	231,514	14'2	14'6	15'3	15'1	2'3	145	67	14	16	-	3	2	2	2	1	1	2	15	-	-
OLDHAM -	140,225	18'6	19'3	26'8	20'8	3'3	70	56	10	15	-	3	2	1	2	1	1	6	6	-	-
ROCHDALE -	86,390	10'9	16'9	15'7	16'9	-	43	28	4	10	-	-	-	-	-	-	-	1	2	3	1
BURNLEY -	101,682	9'2	20'0	16'4	11'8	-	82	23	8	4	-	-	-	-	-	-	-	1	2	-	-
BLACKBURN -	133,667	19'2	19'2	14'9	19'2	2'4	65	49	10	19	-	-	-	1	-	-	2	1	3	3	-
PRESTON -	115,721	17'1	14'9	10'8	13'5	2'3	69	30	5	7	-	-	-	-	4	-	1	1	2	-	-
BARROW-IN-FURNESS.	60,206	13'8	13'0	13'0	16'4	0'9	50	19	3	5	-	-	-	-	-	1	-	-	-	-	-

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	Week ended				in Cols. 11-17.		during the week ended 13th May, 1905.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	TOWNS.
		22nd April, 1905.	29th April, 1905.	6th May, 1905.	13th May, 1905.	Week ended 13th May, 1905.	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.		
HUDDESFIELD -	94,888	26.4	19.2	19.8	13.7	-	45	25	1	11	-	-	-	-	-	-	-	2	2	2	-	HUDDESFIELD.	
HALIFAX -	108,419	11.5	14.9	11.5	18.3	1.0	49	38	11	16	-	-	-	-	1	-	1	3	5	4	-	HALIFAX.	
BRADFORD -	286,769	13.8	18.7	20.7	13.8	1.3	109	76	10	32	-	-	2	1	2	-	1	6	11	3	-	BRADFORD.	
LEEDS -	456,787	16.7	15.2	16.9	16.4	0.6	272	144	33	60	-	-	1	-	3	1	1	11	21	20	3	LEEDS.	
SHEFFIELD -	440,414	19.3	21.4	18.2	21.2	3.7	268	179	46	27	-	22	3	1	3	-	2	5	7	39	4	SHEFFIELD.	
ROTHERHAM -	59,794	15.7	10.5	9.6	11.3	-	42	13	2	4	-	-	-	-	-	-	-	2	2	3	-	ROTHERHAM.	
YORK -	82,362	20.3	13.9	13.3	12.0	0.6	49	19	7	4	-	-	-	-	1	-	-	1	1	3	-	YORK.	
HULL -	258,127	21.0	18.6	12.1	14.5	0.8	158	72	13	19	-	3	-	-	1	-	-	5	7	18	-	HULL.	
MIDDLESBROUGH -	68,368	22.8	27.0	24.9	17.5	5.3	66	33	7	4	-	5	-	-	4	-	1	-	-	5	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES -	52,425	17.9	15.9	15.9	9.0	-	30	9	4	2	-	-	-	-	-	-	-	-	1	-	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL -	71,313	10.2	20.5	10.2	13.9	3.7	44	19	8	3	-	2	-	2	-	-	1	1	1	1	-	WEST HARTLEPOOL.	
SUNDERLAND -	152,761	19.1	24.2	21.8	13.3	2.0	114	39	5	10	-	3	-	-	2	1	-	3	4	6	-	SUNDERLAND.	
SOUTH SHIELDS -	109,360	17.6	13.8	19.5	14.8	1.9	63	31	2	9	-	-	-	1	1	2	-	1	1	7	1	SOUTH SHIELDS.	
GATESHEAD -	120,620	11.7	10.8	11.2	15.1	0.9	82	35	8	12	-	1	-	-	-	-	1	2	3	2	-	GATESHEAD.	
NEWCASTLE-ON-TYNE†	264,511	17.7	19.1	12.2	15.8	0.6	194	80	20	18	-	-	-	1	1	1	-	-	5	19	-	NEWCASTLE-ON-TYNE.†	
TYNEMOUTH -	53,595	24.3	16.5	20.4	17.5	1.0	55	18	6	4	-	-	-	-	-	-	1	-	-	2	-	TYNEMOUTH.	
NEWPORT (MON.) -	72,880	7.2	25.8	12.2	10.7	1.4	60	15	5	1	-	2	-	-	-	-	-	-	2	-	-	NEWPORT (MON.).	
CARDIFF -	180,054	13.0	14.5	15.6	14.2	2.0	110	49	10	6	-	4	-	-	2	1	-	2	2	7	-	CARDIFF.	
RHONDDA -	121,988	20.0	18.4	21.3	17.5	2.5	90	42	10	15	-	3	-	-	2	-	1	-	1	1	-	RHONDDA.	
MERTHYR TYDFIL -	73,848	28.9	25.4	24.0	21.9	3.5	55	31	7	6	-	3	-	-	1	1	-	-	2	2	-	MERTHYR TYDFIL.	
SWANSEA -	96,384	16.8	19.5	14.1	11.9	0.5	56	22	6	8	-	1	-	-	-	-	-	1	1	4	-	SWANSEA.	
GREATER LONDON -	7,010,172	13.8	14.9	13.8	13.5	1.1	3681	1811	356	517	-	50	11	12	61	5	13	87	173	582	4	GREATER LONDON.	
OUTER RING -	2,325,378	11.4	12.9	12.2	10.9	1.0	1340	487	98	152	-	8	2	5	24	2	3	21	41	73	3	OUTER RING.	
8 TOWNS IN OUTER RING	1,135,316	11.1	13.1	12.7	10.6	1.1	663	230	49	58	-	4	1	3	15	1	1	9	24	31	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	1,190,062	11.7	12.7	11.8	11.3	0.8	677	257	49	94	-	4	1	2	9	1	2	12	17	39	3	REMAINDER OF OUTER RING.	
EDINBURGH -	334,577	17.2	17.0	18.3	18.4	2.2	162	119	17	31	-	5	-	2	4	15	2	-	?	42	7	EDINBURGH.	
GLASGOW -	809,986	18.7	21.1	18.9	21.1	3.6	507	327	70	58	-	26	2	3	20	1	4	14	?	85	10	GLASGOW.	
DUBLIN† -	378,994	23.4	21.9	22.0	23.7	1.1	250	172	25	55	-	4	-	-	-	1	3	4	4	72	3	DUBLIN.†	
BELFAST† -	358,680	20.9	23.7	19.2	19.3	1.0	249	133	16	34	-	6	-	-	-	1	-	4	7	29	?	BELFAST.†	

* See note † on first page of this return.
† As enlarged in 1904.
‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin in addition to this death, a death from Plague occurred in Leith Infectious Diseases Hospital.
§ In addition to this death, a death from Plague occurred in Leith Infectious Diseases Hospital.

TABLE 2. LONDON.—Births and Deaths Registered in the NINETEENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2549	2690	2430	2425	2574	2581	2510	2560	2615	2551	2646.2	2647
Males - -	1271	1376	1235	1252	1320	1318	1284	1308	1316	1288	1346.5	1361
Females - -	1278	1314	1195	1173	1254	1263	1226	1252	1299	1263	1299.7	1286
TOTAL Deaths -	1398	1523	1334	1356	1428	1446	1386	1456	1278	1454	1459.8	1324
Males - -	717	816	709	730	772	767	715	785	663	762	772.1	704
Females - -	681	707	625	626	656	679	671	671	615	692	687.7	620

* The numbers in this column are the average weekly numbers in the nineteenth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	13 Weeks
TOTAL Births -	2612	2200	2600	2412	2535	2611	2618	2310	2469	2129	2568	2722	2641	3242
TOTAL Deaths -	1506	1436	1535	1543	1397	1376	1357	1419	1443	1342	1426	1304	1324	1840
Under 1 year -	284	290	321	326	293	284	286	276	275	251	309	260	258	371
1-5 years -	160	152	183	194	148	157	164	195	203	181	163	154	175	229
5-10 " -	70	82	77	68	86	68	65	56	67	79	76	67	65	92
10-15 " -	192	154	184	188	179	167	153	195	184	190	159	147	178	227
15-20 " -	303	296	285	287	281	296	273	291	270	255	306	252	283	365
20 yrs. & upwds.	497	482	505	480	410	404	416	403	444	386	413	424	365	561
Deaths from—														
Small-pox - -	1	-	-	-	-	2	-	1	-	-	1	1	-	4
Measles - -	28	18	34	32	28	30	29	41	47	42	37	44	42	452
Scarlet Fever - -	12	10	14	11	7	18	4	10	13	13	9	5	9	138
Diphtheria - -	11	13	20	13	7	10	8	15	14	4	14	11	7	147
Whooping-cough -	33	34	34	53	39	33	40	40	64	39	50	54	37	560
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	2	5	4	-	3	4	3	6	3	6	5	3	48
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	7	13	8	11	12	11	11	8	14	13	15	19	10	152
All above Diseases -	96	90	115	124	93	107	96	118	158	114	132	139	108	1490
Dis. of Resp. System	211	175	204	187	158	156	119	148	147	119	138	122	112	1990
Pneumonia - -	167	160	149	174	146	148	154	160	157	153	168	134	139	2008
Phthisis - -	133	135	135	151	150	131	139	134	141	131	125	121	127	175
Dis. of Circ. System -	195	177	218	216	178	188	165	175	196	145	185	168	161	2367
Violence - -	62	73	56	59	53	47	58	57	58	59	60	47	66	755
Inquest Cases -	136	150	149	152	129	137	116	146	139	117	143	112	132	1764
Deaths in Institutions	550	506	559	539	532	502	517	509	507	504	520	503	509	6750
TEMPERATURE OF THE AIR.	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mean - -	44.3	37.6	38.4	44.3	46.2	46.5	47.3	43.2	49.5	43.1	48.5	49.4	53.6	45.7
Mean of Highest -	48.6	42.1	41.7	50.6	53.2	50.9	55.8	51.7	58.7	50.6	56.1	60.1	64.0	53.3
Mean of Lowest -	39.4	34.3	32.2	39.3	40.9	36.7	40.2	35.7	42.0	38.2	42.8	41.9	42.9	39.0
Mean Humidity of the Air.	76	81	83	80	81	79	74	76	81	74	74	71	60	70
Rain-fall (in inches) -	0.12	0.25	0.30	1.08	2.25	0.09	0.06	0.27	0.83	0.25	0.15	0.85	0.00	6.50
Registered Sunshine (in hours).	12.8	23.1	15.3	7.3	33.9	42.0	36.3	24.9	22.7	16.5	24.8	54.7	55.5	369.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	8	15	15	16	23	20	20	21	15	17	16	17	17	11
Scarlet Fever - -	2017	1987	2002	2036	2042	2036	2032	2086	2133	2128	2182	2152	2177	2077
Diphtheria - -	865	842	828	840	830	807	794	769	738	731	725	691	698	783
Typhus - -	2	2	2	2	-	-	-	1	1	1	-	-	-	7
Enteric Fever - -	110	104	87	84	83	68	68	66	63	58	65	72	70	77

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Meares Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Greeswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the NINETEENTH Week of the Year 1905.
*Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable,
 should be used in Medical Certificates only when precise information is wanting.*

USES OF DEATH	Deaths in the 19th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 19th week of the year 1905.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1454	1324	258	175	65	178	283	365	Meningitis (not tuberc.)	24	18	4	6	3	1	3	1
									Insanity, Gen. Par. of	16	14	-	-	-	5	5	1
									Insane - - - - -	6	11	-	1	1	4	3	2
									Epilepsy - - - - -	14	11	11	-	-	-	-	-
									Convulsions - - - - -	1	1	-	-	-	1	-	1
									Locomotor Ataxy - - -	5	8	-	-	-	1	6	1
									Paraplegia, Dis. of Cord	23	19	1	-	1	4	7	6
									Nervous Sys. (other dis.)								
									Valv. Dis., Endocarditis-	54	37	-	2	5	7	11	12
									Cerebr. Hem. Thromb.-	36	29	-	-	-	2	7	20
									Apoplexy, Hemiplegia -	18	15	-	-	-	-	6	9
									Aneurysm - - - - -	7	2	-	-	-	1	1	1
									Embolism, Thrombosis }	1	2	-	-	-	1	-	1
									(not cerebral) - - - - -								
									Heart & Blood Vessel Dis.	90	76	-	1	3	8	24	40
									Croup (not Spasm: nor								
									Memb.) - - - - -								
									Bronchitis - - - - -	99	97	22	7	2	2	14	50
									Asthma, Emphysema - -	2	1	-	-	-	-	-	1
									Pleurisy - - - - -	6	6	1	-	-	1	3	1
									Respiratory Dis. (other)	9	8	-	1	-	1	2	4
									Tonsillitis, Quinsy - -	1	-	-	-	-	-	-	-
									Enteritis (not Epid.) -	7	6	3	1	-	1	-	1
									Gastro-Enteritis - - -	4	7	6	-	-	-	-	1
									Peritonitis (not Puerp.)	3	2	-	1	-	1	-	-
									Cirrhosis of Liver - -	11	17	-	-	-	1	10	6
									Liver Dis. (other) - -	4	4	-	-	-	-	2	2
									Digestive Dis., Other -	32	42	8	3	2	7	14	8
									Nephritis, Acute - - -	13	7	-	1	1	2	1	2
									Bright's Dis., Albumin-	36	42	-	-	-	8	15	19
									uria - - - - -	15	10	-	-	-	-	4	6
									Urinary Sys., Other Dis.								
									Generative Organs Dis.-	2	6	-	-	-	2	2	-
									Childbirth (Accid. of)	-	1	-	-	-	1	-	-
									Old Age - - - - -	55	45	-	-	-	-	-	45
									Other Diseases - - - -	92	92	55	10	5	3	3	6
									ACCIDENT.								
									By Railways - - - - -	3	3	-	-	-	3	-	-
									By Vehicles and Horses	6	11	-	3	3	2	1	2
									In Ships, Boats, Docks,		1	-	-	-	-	-	1
									(exclusive of Drown-								
									ing) - - - - -								
									In Building Operations	-	1	-	-	-	1	-	-
									In Conflagrations - -	-	1	-	1	-	-	-	-
									By Burns, Scalds, Ex-	3	8	-	5	2	1	-	-
									plosions - - - - -	2	2	-	-	-	1	-	1
									By Drowning - - - - -	12	2	2	-	-	-	-	-
									By Suffocation in Bed								
									By Poisons or Poisonous	1	2	-	1	-	-	1	-
									Vapours - - - - -								
									Other Deaths by Acci-	24	17	2	-	1	3	3	8
									dent - - - - -								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - - - -	-	1	-	-	-	1	-	-
									Suicide - - - - -	10	17	-	-	1	4	10	2
									Execution - - - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
 † Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th May, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include:																	Deaths under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic† Origin un- certain).	Diarrhoea.	Violence.	a (least Cases.	Deaths in Public Institutions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th May, 1905—continued.

STATION SUB-DISTRICTS:	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th May, 1905—*continued.*

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include											
					Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from									
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.
SOUTH DISTRICTS.																
Christchurch Southwark	W, H, L. & S.	11,263	3	6	1	1	-	-	-	-	2	-	-	-	-	-
St Saviour Southwark	H - S.	12,056	15	17	2	-	-	-	-	-	-	-	-	-	4	5
Kent-road	- S. & L.	21,904	15	5	1	-	-	-	-	-	-	-	-	-	1	-
St. George the Martyr	} S. & L.	39,094	32	8	4	-	-	-	-	-	1	-	-	-	-	-
West W, 2H, L		- - -	49,022	34	10	4	4	-	-	-	-	-	-	-	-	1
Newington North	- S. & L.	72,841	35	16	4	4	-	-	-	-	1	-	-	-	-	1
Newington South	W - S. & L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave	2W - - - S.	9,817	7	4	1	1	-	-	-	-	-	-	-	-	1	1
Bermondsey	W - - - S.	82,483	75	17	8	-	-	2	-	-	-	-	-	-	-	1
Rotherhithe	W, F - S. & K.	38,460	33	15	4	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road	2H - - - L. & S.	27,440	26	8	4	3	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st	H - - - L. & S.	18,423	10	5	-	1	-	-	-	1	-	-	-	-	1	1
Lambeth Church 2nd	2W - - - L. & S.	39,818	25	15	1	2	-	-	-	-	-	-	-	-	-	2
Kennington 1st	H - - - S. & L.	53,198	29	7	1	2	-	-	-	-	-	-	-	-	-	-
Kennington 2nd	H - - - S. & L.	42,896	20	11	1	3	-	2	-	-	-	-	-	-	-	-
Brixton	F - - - L. & S.	84,232	33	15	4	6	-	-	-	1	-	-	-	-	1	1
Norwood	W, H - - - L.	35,888	24	10	3	4	-	-	-	-	-	-	-	-	-	-
East Battersea	H - - - S.	72,203	47	24	10	3	-	8	-	-	-	-	-	-	-	1
North-west Battersea	- - - S.	49,656	34	16	3	1	-	5	-	-	-	-	-	-	1	2
South-west Battersea	2W, H - S.	47,048	21	20	3	7	-	-	-	-	-	1	-	-	1	1
Clapham	2H - - - S.	51,381	31	7	-	3	-	-	-	-	-	-	-	-	-	-
Streatham	W, 2w, 2F, 2L - L.	68,019	61	25	6	13	-	-	-	1	-	-	-	-	1	2
Springfield	2W, L - - - S.	27,959	13	10	-	3	-	-	-	-	1	-	-	-	-	-
Southfields	H - - - S.	40,444	27	5	2	1	-	-	-	-	-	-	-	-	1	1
Putney	- - - - S.	24,139	16	7	-	4	-	-	-	-	1	-	-	-	1	1
Dulwich	- - - L. & S.	13,359	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South	W, w - S. & L.	40,206	16	22	2	7	-	-	-	-	-	-	-	-	-	1
Camberwell North	W, 2L - S. & L.	65,584	20	24	4	5	-	1	-	-	-	-	-	-	3	4
St. George	- - - L. & S.	47,331	28	6	5	-	-	-	-	-	-	-	-	-	-	2
Peckham	2W, w - S., L. & K.	92,859	34	14	2	6	-	-	-	-	1	-	-	-	-	-
Deptford North	- - - K.	37,613	18	4	2	2	-	-	-	-	-	-	-	-	-	-
Deptford Central	- - - K.	45,481	21	9	1	1	-	-	-	-	1	-	-	-	-	-
Deptford South	- - - K.	34,625	16	4	-	2	-	-	-	-	-	-	-	-	-	-
Greenwich West	2H - - - K.	23,456	13	2	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich East	2W, H - K.	43,859	33	16	5	6	-	1	-	-	-	-	-	-	-	1
Eltham	w, H - - - K.	7,226	4	3	-	3	-	-	-	-	-	-	-	-	1	1
Lee	w H - - - K.	25,490	10	2	-	1	-	-	-	-	-	-	-	-	-	-
Lewisham	W, w, F - - K.	58,352	51	23	3	9	-	-	1	1	-	-	-	-	2	3
Sydenham	H - - - L.	43,653	26	7	1	2	-	-	-	-	-	-	-	-	-	-
Charlton	1, 2H - - - K.	21,134	13	5	2	2	-	-	-	-	-	-	-	-	-	-
Woolwich	4H - - - K.	41,625	28	7	2	-	-	-	-	-	-	-	-	-	1	3
Plumstead West	W - - - K.	18,063	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East	2W, H - K.	50,264	32	15	-	7	-	-	-	-	-	-	-	-	-	-
Workhouse :-																
Central London Sick Asylum				2	-	1	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)																
M. A. B. Small-pox Hospitals :-																
Joyce Green																
Long Reach																
M. A. B. Fever Hospitals :-																
North-Eastern				2	-	-			2	1						
Northern				1	-	-			-	-						
M. A. B. Imbecile Asylums :-																
Caterham				6	-	6										
Darenth				5	-	-										
Gore Farm (temporary)				1	-	-										
Leavesden				-	-	-										
London County Lunatic Asylums :-																
Banstead				3	-	1										
Ewell (Epileptic Colony)				-	-	-										
Horton				2	-	-										
Manor				-	-	-										
Cane Hill				3	-	2										
Dartford Heath				3	-	1										
Hanwell				4	-	2										
Colney Hatch				4	-	2										
Claybury				3	-	2										

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 13th May, 1905.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
NDON—OUTER RING	368,602	2,044,973	1340	487	98	152	-	8	2	5	24	2	3	21	41	73	3	
Carshalton 2F,2H	12,228	32,997	15	9	2	2	-	1	-	-	-	-	-	-	-	-	-	
Epsom, part of* W,w,2F,H	10,423	15,548	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Godstone, part of* W,F	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	8,166	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Croydon w	4,200	49,309	22	11	3	3	-	-	-	-	-	-	-	-	1	6	-	
West Croydon 3W,F,H	2,168	42,888	33	17	4	5	-	1	-	-	-	-	-	-	1	1	2	
North Croydon H	2,644	41,668	32	12	2	3	-	-	-	-	-	-	-	-	1	1	-	
Penge w,H	770	22,465	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
Mitcham w	11,711	30,015	27	4	2	1	-	-	-	-	-	1	-	-	-	-	-	
Wimbledon F,3H	3,221	41,652	28	10	2	4	-	-	-	-	-	-	-	-	-	1	-	
Kingston 2W,H	6,224	42,068	17	11	1	5	-	-	-	1	-	-	-	-	-	5	-	
Surbiton F,H	3,046	15,017	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
Esher, part of* H	5,402	13,100	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Hampton H,F,L	4,564	23,456	14	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
Richmond W,H	2,162	28,865	18	7	2	4	-	-	-	-	-	-	-	-	-	1	-	
Mortlake F	2,847	20,628	13	6	-	3	-	-	-	-	1	-	-	1	1	-	-	
Bromley F,2H	4,703	27,354	20	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Beckenham H	7,825	28,497	14	5	-	2	-	-	-	-	-	-	-	1	1	-	1	
Orpington, part of* W	10,113	9,857	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
Chislehurst 2H	7,333	16,446	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Bexley w,F,H	8,678	21,151	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Erith F,H	3,854	25,296	19	8	3	3	-	-	-	-	-	-	-	-	-	2	1	
Dartford W,F, part of*	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	2	-	
Sunbury w	11,054	18,683	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
Staines W,H	13,277	15,178	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hillingdon W,F,H	6,035	13,661	7	5	-	1	-	-	-	-	-	-	-	-	-	3	-	
Uxbridge H	12,757	8,984	8	3	1	2	-	-	-	-	1	-	-	-	-	1	-	
Hayes w,F,H	8,066	16,358	12	6	1	2	-	-	-	-	-	-	-	-	1	1	-	
Isleworth 3W,2F,H	6,859	30,863	22	11	1	6	-	-	-	-	-	-	-	-	-	4	-	
Twickenham F,H	2,421	20,991	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
Brentford 3F,2H,L	4,319	48,289	31	22	5	5	-	1	-	-	1	-	-	-	1	1	-	
Chiswick H	1,249	29,809	14	6	-	1	-	-	-	-	-	-	-	-	-	-	-	
Acton w,3H	6,132	48,914	42	13	3	3	-	1	-	-	-	-	-	-	1	3	-	
Harrow F,H	13,809	25,523	22	10	2	5	-	-	-	-	1	-	-	-	1	2	2	
Edgware F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden W,2F,2H	4,384	114,811	78	21	4	6	-	1	-	-	2	1	-	-	-	1	4	
Hendon W,F	8,882	22,450	9	5	1	2	-	1	-	-	1	-	-	-	-	-	-	
South Mimms 2F,H	17,755	7,308	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Barnet W,2H	3,324	17,070	9	4	1	2	-	-	-	-	-	-	-	-	1	1	3	
Finchley F,2H	4,688	33,692	25	7	2	2	-	-	-	-	1	-	-	-	1	1	-	
Hornsey F,H	2,875	72,056	25	12	2	4	-	-	-	-	-	-	-	-	2	-	-	
Wood Green H	1,825	34,233	29	5	2	1	-	-	-	-	2	-	-	-	-	1	-	
West Tottenham F	996	48,853	36	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
East Tottenham 2H	2,017	53,688	38	24	10	1	-	-	-	1	3	-	-	-	2	5	2	
Edmonton W,w,2F	7,491	61,892	45	9	3	1	-	-	-	-	-	-	1	-	-	2	3	
Enfield 2W,F,H	12,601	42,738	37	12	3	2	-	-	-	-	1	-	-	-	2	2	1	
Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt F,H	8,479	12,292	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey H	9,333	9,173	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Stratford H	1,072	44,827	33	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Plaistow F,2H	1,249	90,921	64	28	8	8	-	1	-	1	4	-	-	1	3	2	-	
Canning Town H	1,556	70,718	54	20	6	2	-	-	-	-	-	-	1	-	2	1	-	
Forest Gate w	806	60,892	36	11	2	5	-	-	-	-	2	-	-	-	1	1	-	
North East Ham w,H	1,333	58,676	44	10	1	3	-	-	-	-	2	-	-	-	1	1	-	
South East Ham 2F	1,993	37,342	43	12	-	2	-	-	-	-	-	-	-	-	1	2	1	
Wanstead F	1,679	9,179	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-	
South Leyton 2W	631	50,467	28	6	1	2	-	1	-	-	-	-	-	-	-	3	-	
North Leyton 2W,w,F	1,963	48,445	36	15	-	6	-	-	-	-	-	-	-	-	-	8	-	
Walthamstow 3H,L	6,504	108,929	70	22	6	7	-	1	-	-	-	-	-	1	2	2	-	
Chigwell, part of* 2F,3H	11,778	16,397	11	5	1	3	-	-	-	-	-	-	-	-	-	-	-	
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, part of* W,2F	6,556	6,091	4	2	1	-	-	-	-	1	-	-	-	-	-	1	-	
Ilford F,L	8,496	41,234	26	9	1	5	-	-	-	-	-	-	-	-	-	1	1	
Barking Town F	3,803	21,547	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	5	-	
London County Asylum, Banstead.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
London County Asylum, Finchley.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	

* parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases
LONDON - -	4,684,794	May 13	2641	1334	14·7	-	42	9	7	37	3	10
CALCUTTA -	847,796	April 1	-	1225	75·1	11	4	-	1	1	820†	1
BOMBAY - -	776,008	" 25	342	1734	116·2	76	24	-	-	-	1064†	6
MADRAS - -	509,346	" 7	463	435	44·4	9	4	-	-	-	75	8
PARIS - - -	2,660,559	May 6	856	957	18·9	1	12	-	3	7	1	2
BRUSSELS -	586,936	" 6	215	176	15·3	-	5	-	-	-	-	-
ANTWERP -	286,995	" 6	134	85	15·4	-	3	-	1	-	-	-
AMSTERDAM -	551,415	April 29	259	161	15·2	-	3	1	-	2	2	-
COPENHAGEN -	426,000	May 6	226	167	20·3	-	-	1	-	-	-	-
STOCKHOLM -	309,196	April 29	163	110	18·0	-	1	2	-	3	-	-
CHRISTIANIA -	223,649	May 6	100	66	15·4	-	-	-	1	4	-	-
ST. PETERSBURG	1,248,122	April 29	610	794	29·7	4	56	22	13	9	39	8
MOSCOW - -	1,092,360	" 22	-	608	29·0	3	3	11	8	3	6	7
		" 29	-	590	28·2	2	6	7	12	2	2	8
WARSAW - -			-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,005,949	April 22	895	701	18·2	-	12	9	5	7	-	3
HAMBURG - -	772,852	May 6	-	259	17·4	-	1	2	1	1	-	2
BRESLAU - -	453,896	" 6	-	218	24·8	-	1	-	-	1	-	1
MUNICH - - -	528,000	" 6	-	211	20·8	-	5	-	2	7	-	1
VIENNA - - -	1,877,839	" 6	1005	777	21·3	-	24	4	6	4	-	4
PRAGUE - - -	430,569	" 6	228	233	27·0	-	4	-	-	1	-	2
BUDA-PESTH -	836,267	" 6	421	402	25·0	-	12	5	3	-	1	1
TRIESTE - - -	191,403	" 6	126	96	25·8	-	-	-	-	-	-	-
ROME - - - -	503,857	March 25	248	207	21·3	-	8	-	2	1	2	-
VENICE - - -	166,288	April 29	87	74	24·8	-	1	-	1	-	3	-
BUCHAREST -	232,071	" 29	166	173	32·0	-	-	-	-	3	-	-
NEW YORK - -	3,948,191	" 29	2244	1636	21·6	-	13	13	49	17	10	5
CHICAGO - - -	1,932,315	" 22	-	558	14·6	2	13	3	8	8	6	1
PHILADELPHIA -	1,438,318	" 22	-	455	16·4	-	-	-	3	-	19	1
BOSTON - - -	617,956	" 15	-	235	19·8	-	2	-	4	-	1	?
RIO DE JANEIRO	850,000	" 9	-	254	14·6	5	2	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 719 deaths from plague in Calcutta, and 1,018 in Bombay.

‡ Including 71 deaths from cholera in Calcutta.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th May, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	70·0	40·8	53·5	0·00	BRADFORD - -	65·0	39·2	52·5	0·01
BRIGHTON - -	68·6	40·1	53·6	0·00	LEEDS - - - -	65·0	41·0	53·0	0·00
PORTSMOUTH - -	68·0	43·0	54·3	0·00	HULL - - - - -	69·0	34·0	51·3	0·03
NORWICH - - -	70·0	33·8	51·3	0·13	TYNEMOUTH - -	63·0	37·0	49·0	0·02
PLYMOUTH - -	62·1	40·0	50·8	0·00					
BRISTOL - - -	62·5	35·3	50·4	0·00	EDINBURGH - -	63·7	39·5	50·3	0·03
BIRMINGHAM -	65·7	38·0	50·2	0·09	GLASGOW - - -	64·4	38·5	50·5	0·13
NOTTINGHAM -	65·7	35·1	49·8	0·09					
LIVERPOOL - -	62·0	42·0	50·5	0·05					
OBSERVATORY. }	63·8	35·4	49·3	0·04	DUBLIN { Phoenix Park. Fitz- william Square.†	65·1	40·1	52·1	0·03
MANCHESTER -	59·5	39·5	50·3	0·08					
PRESTON - - -	62·0	38·0	50·1	0·00	BELFAST - - -	63·1	36·5	51·4	0·24
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·97 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTH AND
MOON.

[illegible]

GENERAL REMARKS.

DATE.	ELUCIDATIONS. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 7	w. P. generally.	78	151	Very fine and cloudless with slight exceptions till 1h. p.m.; generally overcast afterwards.
MONDAY - 8	w. P. till 5h. A.M.; m. P. generally afterwards.	49	151	Overcast till 3h. A.M.; very fine generally with variable amounts of cloud till evening; cloudless at night. Solar halo observed at 10h. A.M.
TUESDAY - 9	w. P. till 6h. A.M.; s. P. till 6h. P.M.; m. P. afterwards.	115	152	Very fine throughout; the amount of cloud was usually very small.
WEDNESDAY 10	w. P. till 6h. A.M.; v. P. till 5h. P.M.; s. P. afterwards.	125	152	Very fine; small amounts of cloud prevalent. Solar halo observed in afternoon.
THURSDAY- 11	m. P. generally.	75	153	Very fine with variable amounts of cloud till afternoon; overcast after 3h. P.M. Solar halo in forenoon.
FRIDAY - 12	m. P. till 6h. A.M.; s. P. generally till 5h. P.M.; m. P. afterwards.	103	154	Overcast till 5h. A.M.; very fine generally till evening; partially cloudy at night. Solar halo in afternoon. Lunar halo at night.
SATURDAY- 13	m. P. generally; s. P. in forenoon.	1'0	154	Generally overcast.
No. of Col. -		Sum 555	Sum 1067	
		28	29	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 139 feet above the mean level of the sea; the readings have been applied to the readings to reduce to sea level.

no correction has been applied to the readings to reduce to sea level. The means of the observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer the combined corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement deduced from a discussion of the aneroid records for the 16 years ending 1876.

— "lower", than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer, which cannot be determined. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregated duration of bright sunshine on each day.

The reading of the barometer decreased from 30.03 in. at the beginning of the week to 29.87 in. by 5h. p.m. on the 7th; increased to 30.26 in. by 10h. a.m. on the 9th; decreased to 30.01 in. by 6h. p.m. on the 11th; increased to 30.21 in. by 10h. a.m. on the 13th; and was 30.18 in. at midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED IN THE ADMINISTRATIVE COUNTY OF LONDON during the Week ended 6th May, 1905.*

BOROUGHES:	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	3	2	-	-	-	-	-	-
Kensington - - - - -	180,083	-	3	1	-	1	-	-	6	-
Hammer Smith - - - - -	119,037	-	4	3	-	-	-	-	3	-
Fulham - - - - -	157,210	-	10	5	-	2	-	-	3	-
Unlessea - - - - -	74,496	-	4	1	-	1	-	-	4	1
City of Westminster - - - - -	175,606	-	5	4	-	1	-	-	3	-
NORTH.										
St. Marylebone - - - - -	129,453	-	11	8	-	1	-	-	3	-
Hampstead - - - - -	88,142	-	-	2	-	1	-	-	-	-
St. Pancras - - - - -	236,183	-	18	7	-	1	-	-	2	-
Islington - - - - -	342,994	-	12	4	-	1	-	-	4	1
Stoke Newington - - - - -	52,828	-	2	-	-	-	-	-	-	-
Hackney - - - - -	228,479	-	14	4	-	1	-	-	5	-
CENTRAL.										
Holborn - - - - -	56,481	-	4	1	-	-	-	-	3	-
Finsbury - - - - -	98,207	-	6	2	-	-	-	-	1	-
City of London - - - - -	22,425	-	-	2	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	9	6	-	-	-	-	1	-
Bethnal Green - - - - -	130,401	-	9	3	-	2	-	-	2	-
Stepney - - - - -	305,466	-	19	9	-	1	-	-	3	-
Poplar - - - - -	170,280	-	13	2	-	-	-	-	2	1
SOUTH.										
Southwark - - - - -	208,528	-	6	1	-	2	-	-	4	-
Bermondsey - - - - -	129,006	-	4	2	-	-	-	-	1	-
Lambeth - - - - -	313,045	-	28	7	-	-	-	-	10	-
Battersea - - - - -	177,532	-	8	4	-	-	-	-	4	-
Wandsworth - - - - -	265,392	-	25	4	-	1	-	-	7	-
Camberwell - - - - -	271,240	1	24	12	-	1	-	-	4	1
Deptford - - - - -	114,495	-	12	2	-	1	-	-	3	-
Greenwich - - - - -	103,493	-	5	4	-	-	-	-	1	-
Lewisham - - - - -	144,420	1	4	-	-	-	-	-	-	-
Woolwich - - - - -	125,372	1	6	1	-	1	-	-	2	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		3	268	103	-	19	-	-	81	4
AGES.										
Ages 0-1 - - - - -	-	-	-	4	-	-	-	-	4	-
" 1-5 - - - - -	-	-	89	39	-	1	-	-	3	-
" 5- - - - -	-	-	104	24	-	3	-	-	3	-
" 10- - - - -	1	43	15	-	3	-	-	-	1	-
" 15- - - - -	-	10	5	-	1	-	-	-	4	-
" 20- - - - -	-	10	6	-	3	-	-	-	5	1
" 25- - - - -	1	8	8	-	3	-	-	-	12	3
" 35- - - - -	-	3	1	-	3	-	-	-	17	-
" 45- - - - -	1	-	1	-	1	-	-	-	12	-
" 55- - - - -	-	1	-	-	-	-	-	-	12	-
" 65 and upwards - - - - -	-	-	-	-	1	-	-	-	8	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING APRIL, 1905.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
8th May, 1905.

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of April.

Eleven samples were taken in each of the eight districts, making a total of 88 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ April 10th, Cab Rank, Victoria Street, near Christ Church. }	9.9	31.38	.229	.020	0	.228	.248	1.80	20.9
West Middlesex - -	{ April 10th, Cab Rank by Turnham Green Station. }	9.9	27.64	.186	.019	0	.161	.180	1.75	19.3
Southwark - - - -	{ April 10th, Cab Rank, High Street, Peckham. }	10.2	30.04	.165	.017	0	.196	.213	1.75	21.3
Grand Junction - -	{ April 10th, Cab Rank, Haymarket, near Charles Street. }	9.0	29.12	.178	.019	0	.212	.231	1.75	20.0
Lambeth - - - -	{ April 10th, Cab Rank, Station Road, Brixton. }	8.8	30.96	.210	.018	0	.231	.249	1.75	21.6
LEA, WELLS, ETC.										
New River - - - -	{ April 10th, Cab Rank, by Canon- bury Station. }	8.7	30.06	.080	.009	0	.220	.229	1.85	20.0
East London - - -	{ April 10th, Tap on main at Lea Bridge Works. }	9.0	39.32	.224	.019	0	.317	.336	2.15	25.4
DEEP WELLS.										
Kent - - - -	{ April 10th, Cab Rank, New Cross Station, opposite Jerningham Road. }	11.0	38.36	.059	.005	0	.532	.537	2.05	27.4
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 10th April at the cab-rank in Victoria Street, had a temperature of 9.9° C.; 100,000 lbs. of it contained 31.38 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .229 lb. of carbon and .020 lb. of nitrogen. The above quantity of water also contained .228 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .248 lb. The above weight of water also contained 1.8 lb. of chlorine and 20.9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 10th April were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:—Kent 1·1, New River 1·5, Southwark 3·1, Grand Junction 3·3, West Middlesex 3·5, Lambeth 3·9, East London 4·1, and Chelsea 4·2.

The five Thames-derived supplies, taken on the 10th April, contained, on the average, a little more organic impurity than was found in the corresponding March samples, but all were clear and of good quality.

The New River supply, consisting of filtered Lea and deep-well water, contained less than half the proportion of organic matter in the Thames supplies, and was clear and of very good quality.

The East London district supply was clear and in general quality resembled the Thames waters.

The Kent district deep-well water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that taken in the New River area nearly colourless; the samples drawn in the six remaining districts had a very pale yellow colour.

In addition to the above analytical examination, the 88 samples of water, collected during April at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amount of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·113	·089	·102	·128	·097	·114	·0105	·008	·009
West Middlesex ...	·102	·069	·083	·111	·074	·090	·0105	·0085	·009
Southwark	·170	·072	·100	·176	·076	·107	·014	·007	·0095
Grand Junction ...	·113	·076	·090	·119	·086	·099	·0105	·0085	·0095
Lambeth	·142	·097	·113	·145	·102	·122	·0125	·009	·010
LEA, WELLS, ETC.									
New River	·053	·027	·042	·058	·031	·046	·0045	·0035	·004
East London	·126	·077	·090	·133	·085	·097	·0115	·0075	·009
DEEP WELLS.									
Kent	·011	·004	·008	·011	·007	·009	·0015	·0015	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With respect to the five Thames-derived supplies the above results, when compared with those obtained in the previous month, show that the average proportions of organic impurity in the waters were higher than in March, the increment being least in the case of the West Middlesex district supply. The Southwark water, taken on 17th April, contained the highest amount of organic matter and had the deepest colour recorded during the month, but with this exception all the samples of filtered Thames water examined were of good quality.

The maximum and mean amounts of organic matter in the New River district supply were lower than in March, and the water was of very good quality throughout the month.

The East London district supply contained, on the average, about the same proportion of organic impurity as the Thames supplies, and was of good quality.

The eleven samples of deep-well water collected in the Kent district were all of high organic purity and excellent quality.

All the samples drawn in the Chelsea, Lambeth, New River and Kent districts were clear, but from the remaining districts, on a few occasions, minute amounts of rust-stained suspended matters were noted in the samples.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of April, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 199 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	APRIL, 1904.	APRIL, 1905.	APRIL, 1904.	APRIL, 1905.
TOTAL SUPPLY - - -	985,250	1,025,750	205,365,063	203,961,701
From Thames - - - - -	467,686	477,239	108,265,211	107,563,866
From Lea and from other Sources -	517,564	548,511	97,099,852	96,397,835
THAMES.				
Chelsea - - - - -	39,754	39,906	11,611,000	11,727,667
West Middlesex - - - - -	90,808	91,743	22,560,824	22,726,066
Southwark and Vauxhall - - - - -	129,224	130,513	28,814,202	28,868,000
Grand Junction - - - - -	75,965	78,969	16,706,035	15,909,730
Lambeth - - - - -	131,935	136,108	28,573,150	28,332,403
LEA AND OTHER SOURCES.				
New River - - - - -	179,863	204,621	38,732,584	37,876,402
East London - - - - -	228,276	231,924	40,344,000	41,152,266
Kent - - - - -	109,425	111,966	18,033,268	17,369,167

Note.—The Return for April, 1905, as compared with that for the corresponding month of 1904, shows an increase of 40,500 services, and a decrease of 1,403,362 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, E.C.

No. 20. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAY 20. [Price 1½d.

General Register Office, Somerset House,
May 22nd, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 16·5, 15·4, and 15·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 19·2 in Rhondda, 19·8 in Merthyr Tydfil, 21·5 in West Bromwich, 22·4 in Tynemouth, 22·5 in Preston, and 26·0 in Middlesbrough; from *measles*, 2·1 in Rhondda and in Merthyr Tydfil, 2·5 in Smethwick, 3·1 in Warrington, 3·3 in Sheffield, 4·9 in Coventry, and 6·2 in West Bromwich; from *whooping-cough*, 1·8 in Leyton and in Preston, 2·2 in Tottenham, 2·5 in Smethwick, and 2·9 in Tynemouth; and from *diarrhoea*, 1·2 in West Ham and 1·5 in West Bromwich and in Grimsby. One death from *small-pox* was registered in London, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2426 BIRTHS and 1268 DEATHS were registered. Allowing for increase of population, the births were 159 and the deaths 176 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·9, 14·5, and 14·7 in the preceding three weeks, fell last week to 14·1. During the four weeks ended on Saturday last the death-rate averaged 14·8 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1268 deaths included 1 from small-pox, 41 from measles, 11 from scarlet fever, 7 from diphtheria, 35 from whooping-cough, 3 from enteric fever, and 15 from diarrhoea, but not one death from typhus, or from ill-defined pyrexia; thus, 113 deaths were referred to these diseases in the aggregate, being 57 below the corrected average weekly number.

One death from *small-pox* belonging to the Borough of Lewisham was registered last week. The deaths from *measles*, which had been 37, 44, and 42 in the preceding three weeks, were 41 last week, and were 20 below the corrected average; 8 deaths belonged to the Borough of Battersea, 6 to Stepney, 4 to Poplar, and 3 each to Fulham and St. Pancras. The deaths from *scarlet fever*, which had been 9, 5, and 9 in the preceding three weeks, were 11 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 14, 11, and 7 in the preceding three weeks, were 7 last week, and were 20 below the corrected average. The deaths from *whooping-cough*, which had been 50, 54, and 37 in the preceding three weeks, were 35 last week, and were 11 below the corrected average; 4 deaths belonged to Shoreditch and 4 to Lambeth. The fatal cases of *enteric fever*, which had been 6, 5, and 3 in the preceding three weeks, were 3 last week, and were 4 below the corrected average. The deaths from *diarrhoea*, which had been 15, 19, and 10 in the preceding three weeks, were 15 last week, and were equal to the corrected average. Of the 15 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 16, 18, and 10 in the preceding three weeks. The death of a plumber, aged 49 years, was certified as due to *plumbism*, and the death of a skin sorter, aged 47 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 14 were cases of suicide, while the remaining 44 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 9 to drowning, 3 to building operations, 2 to burns and scalds, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 15 cases of small-pox, 2211 of scarlet fever, 686 of diphtheria, and 71 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 4, 4, and 2; of scarlet fever, 319 cases, against 255, 235, and 319; of diphtheria, 94 cases, against 75, 79, and 96; and of enteric fever, 16 cases, against 17, 10, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 13th.

GREATER LONDON.

In Greater London 3738 births and 1745 deaths were registered. Allowing for increase of population these numbers are 106 and 236 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 1 from scarlet fever, 1 from diphtheria, 2 from whooping-cough, and 1 from "fever" were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·01 inches, and that of the Thermometer 53·3, the latter being 0·1 below the week's average in the 50 years 1841-90. The general direction of the wind was North-Easterly, the horizontal movement of the air being 31 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 52·1 hours; the measured rainfall amounted 0·22 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	POPULATION estimated to the middle of the year 1905.	DEATHS FROM CRUISES.				MALE FROM 15 to 20.		REGISTERED DEATHS in 1905.		DEATHS OF INFANTS under 1 Year of Age.		DEATHS IN PUBLIC INSTITUTIONS.		CAUSES OF DEATH.		TOWNS						
		Week ended				11-17.	18-24.	25-31.	1-7.	8-14.	15-21.	22-28.	29-31.	Unascertained Causes of Death.								
		Week ended																				
		20th April, 1905.	6th May, 1905.	13th May, 1905.	20th May, 1905.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,609,377	16.5	15.4	15.0	14.4	1.5	8327	4300	944	1165	1	172	43	29	129	18	50	167	325	1029	49	76 TOWNS.
LONDON -	4,684,794	15.9	14.5	14.7	14.1	1.3	2428	1268	250	356	1	41	11	7	35	3	15	58	130	488	2	LONDON.
CROYDON -	147,704	12.7	12.7	12.7	11.3	0.4	89	32	5	15	-	-	-	-	-	-	-	-	1	3	7	CROYDON.
WILLESDEN -	138,080	10.6	11.3	8.3	10.2	1.5	71	27	8	6	-	1	-	-	3	-	-	-	3	6	-	WILLESDEN.
HORNSEY -	84,070	8.1	6.2	7.4	7.4	-	31	12	4	5	-	-	-	-	-	-	-	-	1	1	-	HORNSEY.
TOTTENHAM -	116,232	15.7	15.7	14.8	12.6	2.2	71	28	8	6	-	-	-	-	5	-	-	-	1	4	-	TOTTENHAM.
WEST HAM -	294,987	17.1	14.7	12.0	13.4	2.1	189	76	23	21	-	-	1	1	3	-	7	5	8	15	-	WEST HAM.
EAST HAM -	123,381	8.9	14.8	10.1	8.9	1.7	80	21	8	3	-	1	1	1	1	-	1	1	2	2	-	EAST HAM.
LEYTON -	114,555	10.5	9.6	5.9	12.3	3.2	60	27	9	7	-	-	1	1	4	1	1	3	4	6	-	LEYTON.
WALTHAMSTOW -	116,397	14.3	12.1	9.9	13.0	2.7	54	29	6	9	-	3	2	1	-	-	-	2	2	7	-	WALTHAMSTOW.
HASTINGS -	66,320	17.2	16.4	14.0	11.7	-	33	15	1	8	-	-	-	-	-	-	-	1	1	-	-	HASTINGS.
BRIGHTON -	127,183	13.1	13.5	16.4	16.0	0.8	64	39	5	17	-	1	-	-	1	-	-	4	6	7	-	BRIGHTON.
PORTSMOUTH†	201,975	17.8	16.5	16.0	14.2	2.3	122	55	11	21	-	5	-	1	3	-	-	1	3	8	1	PORTSMOUTH†
BOURNEMOUTH -	66,168	8.7	20.5	16.5	9.5	-	28	12	2	6	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	18.6	14.1	13.6	12.3	0.9	51	27	4	10	-	-	1	-	-	-	1	2	2	6	-	SOUTHAMPTON.
READING -	77,674	17.5	11.4	10.7	10.1	1.3	39	15	4	5	-	1	-	-	-	-	1	-	-	4	1	READING.
NORTHAMPTON -	92,441	9.6	14.1	11.3	11.8	1.1	37	21	7	8	-	1	-	-	1	-	-	-	-	1	1	NORTHAMPTON.
IPSWICH -	70,802	13.3	14.7	11.8	12.5	1.5	37	17	3	7	-	1	-	-	1	-	-	-	-	2	-	IPSWICH.
GREAT YARMOUTH -	52,353	18.9	12.0	20.9	13.9	-	32	14	4	6	-	-	-	-	-	-	-	-	1	-	-	GREAT YARMOUTH.
NORWICH -	116,741	16.1	17.0	17.9	8.9	0.9	72	20	4	9	-	-	-	1	-	-	-	-	-	4	-	NORWICH.
PLYMOUTH -	116,000	13.9	15.3	18.4	11.2	0.4	51	25	8	5	-	-	1	-	-	-	-	2	2	2	-	PLYMOUTH.
DEVONPORT -	76,864	16.3	18.3	14.2	10.2	0.7	41	15	3	4	-	-	1	-	-	-	-	-	-	1	-	DEVONPORT.
BRISTOL -	358,515	16.0	14.5	11.3	14.3	1.9	186	98	23	22	-	4	-	1	6	-	2	5	9	25	-	BRISTOL.
HANLEY -	64,967	21.0	20.2	16.1	15.3	1.6	40	19	4	7	-	-	-	1	-	-	1	-	1	7	-	HANLEY.
BURTON-ON-TRENT -	52,424	10.9	6.0	4.0	10.9	-	28	11	3	3	-	-	-	-	-	-	-	-	5	5	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	14.7	13.1	13.1	7.3	0.5	60	14	2	3	-	-	-	-	-	-	-	1	2	4	-	WOLVERHAMPTON.
WALSALL -	62,968	16.3	14.6	14.6	11.8	0.6	58	21	8	2	-	-	-	-	-	-	-	-	-	2	-	WALSALL.
HANDSWORTH -	61,721	10.1	8.4	7.6	10.1	0.8	29	12	2	5	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH.
WEST BROMWICH -	67,623	20.0	16.9	20.0	21.5	7.7	40	28	9	5	-	8	-	-	-	-	-	-	-	3	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London

Wool is processed in 100 +

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday 20th May, 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Registered during the week ended 20th May, 1905.		The DEATHS registered in the Week include											TOWNS.	Cols.	
		Week ended					Rate from Diseases in Civils.		Deaths of under 1 Year of Age.	Deaths from								Deaths in Public Institutions.	Uncertified Causes of Death.			
		Week ended					6th May, 1905.	13th May, 1905.		20th May, 1905.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.					Violence.
		29th April, 1905.	6th May, 1905.	13th May, 1905.	20th May, 1905.	Week ended 20th May, 1905.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
BIRMINGHAM -	-	542,859	16'9	16'7	17'1	15'4	1'0	326	160	37	47	-	2	-	2	1	3	3	5	33	8	
KINGS NORTON -	-	69,830	8'2	10'5	11'2	6'0	-	50	8	1	2	-	-	-	-	-	-	-	-	-	-	
SMETHWICK -	-	62,605	12'5	24'2	12'5	15'0	5'0	49	18	7	3	-	3	-	3	-	-	-	-	-	1	
ASTON MANOR -	-	81,320	12'2	9'6	9'0	11'5	1'9	38	18	1	5	-	-	-	2	-	-	2	2	2	-	
COVENTRY -	-	75,134	18'0	20'1	20'1	18'0	4'9	44	26	5	7	-	-	-	-	-	-	-	-	1	2	
LEICESTER -	-	228,132	15'1	12'6	14'6	11'0	0'7	109	48	11	18	-	3	-	-	-	-	3	1	5	1	
GRIMSBY -	-	68,153	15'3	9'9	15'3	18'4	2'3	30	24	4	4	-	-	-	-	1	2	2	4	6	1	
NOTTINGHAM -	-	251,671	16'8	15'7	13'3	14'3	1'2	135	69	24	14	-	3	-	-	1	2	1	7	19	1	
DERBY -	-	122,207	11'5	11'1	10'7	16'6	1'3	60	39	9	14	-	2	-	-	1	-	1	3	5	-	
STOCKPORT -	-	98,320	22'8	18'0	12'2	14'8	0'5	37	28	9	6	-	-	-	-	1	-	1	3	2	-	
BIRKENHEAD -	-	116,035	18'9	13'9	13'9	14'4	2'2	68	32	5	14	-	2	-	1	1	1	1	2	5	-	
WALLASEY -	-	62,460	8'3	13'4	10'0	13'4	0'8	46	16	3	5	-	-	-	-	1	1	1	1	3	-	
LIVERPOOL -	-	730,143	21'4	18'9	18'2	17'4	1'3	511	243	45	64	-	5	3	6	1	1	6	15	77	6	
BOOTLE -	-	62,758	13'3	22'4	13'3	14'1	-	39	17	5	3	-	-	-	-	-	-	-	-	4	1	
ST. HELENS -	-	89,843	22'1	17'4	14'5	15'7	2'3	72	27	6	4	-	2	1	-	-	-	-	-	5	1	
WIGAN† -	-	88,681	22'9	15'7	23'5	16'3	1'8	62	27	7	5	-	3	-	-	-	1	-	2	2	-	
WARRINGTON -	-	68,301	18'3	17'6	23'7	15'3	3'8	51	20	4	3	-	4	-	-	1	-	-	-	2	-	
BOLTON -	-	178,111	17'6	14'9	13'8	10'2	-	81	35	9	10	-	-	-	-	-	-	-	1	1	-	
BURY -	-	58,594	14'2	16'0	15'1	15'1	-	30	17	3	6	-	-	-	-	-	-	-	-	3	-	
MANCHESTER† -	-	831,185	16'4	17'4	17'9	16'4	2'0	362	199	43	53	-	-	-	-	-	1	2	6	44	4	
SALFORD -	-	231,514	14'6	15'3	14'9	14'6	2'7	140	65	13	18	-	6	1	3	1	1	1	2	15	-	
OLDHAM -	-	140,225	19'3	26'8	20'8	17'5	2'2	86	47	6	9	-	2	-	1	-	-	-	1	5	-	
ROCHDALE -	-	86,390	16'9	15'7	16'9	13'3	-	36	22	6	4	-	-	-	-	-	1	1	1	2	2	
BURNLEY -	-	101,682	20'0	16'4	11'8	14'4	1'0	61	28	6	8	-	-	-	-	-	-	-	1	2	2	
BLACKBURN -	-	133,067	19'2	14'9	19'2	16'5	1'2	83	42	9	13	-	1	-	1	-	-	-	1	7	2	
PRESTON -	-	115,751	14'9	10'8	13'5	22'5	2'3	76	50	13	11	-	-	-	-	-	-	1	1	4	1	
BARROW-IN-FURNESS.	-	60,306	13'0	13'0	16'4	7'8	1'7	23	9	3	1	-	-	-	4	-	1	1	1	1	-	

The Deaths registered in the week include

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in 1911-17.		Registered Deaths in the Week ended 20th May, 1905.		Deaths of Age.		Deaths from										Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.
		Week ended				Week ended 20th May, 1905.		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	20.	21.	Cols.			
		29th April 1905.	6th May, 1905.	13th May, 1905.	20th May, 1905.	Week ended 20th May, 1905.																				
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.					
HUDDESFIELD -	94,888	19'2	19'8	13'7	14'8	1'1	44	27	5	7	-	1	-	-	-	1	-	-	-	2	-	HUDDESFIELD.				
HALIFAX -	108,419	14'9	11'5	18'3	16'4	1'4	40	34	9	10	-	-	1	1	1	-	-	1	3	3	1	HALIFAX.				
BRADFORD -	286,789	18'7	20'7	13'8	14'2	1'8	107	78	14	21	-	1	2	1	4	-	2	5	6	13	2	BRADFORD.				
LEEDS -	466,787	15'2	16'9	16'4	16'1	0'3	266	141	38	42	-	1	1	-	1	-	-	3	12	20	-	LEEDS.				
SHEFFIELD -	440,414	21'4	18'2	21'2	16'1	4'0	254	136	27	30	-	28	1	1	3	-	1	7	6	30	2	SHEFFIELD.				
ROTHERHAM -	59,794	10'5	9'6	11'3	8'7	-	43	10	2	3	-	-	-	-	-	-	-	1	1	2	1	ROTHERHAM.				
YORK -	82,362	13'9	13'3	12'0	13'3	0'6	51	21	8	8	-	-	-	-	1	-	-	1	2	2	-	YORK.				
HULL -	258,127	18'6	12'1	14'5	16'2	2'0	177	80	21	15	-	3	1	1	4	-	1	3	6	12	-	HULL.				
MIDDLESBROUGH -	98,369	27'0	24'9	17'5	26'0	2'7	81	49	9	12	-	2	-	1	1	-	1	1	2	8	-	MIDDLESBROUGH.				
STOCKTON-ON-TEES	52,425	15'9	15'9	9'0	13'9	-	24	14	4	3	-	-	-	-	-	-	2	2	3	4	-	STOCKTON-ON-TEES.				
WEST HARTLEPOOL	71,313	20'5	10'2	13'9	9'5	1'5	38	13	4	4	-	-	-	-	1	1	-	-	-	1	-	WEST HARTLEPOOL.				
SUNDERLAND -	152,761	24'2	21'8	13'3	14'3	1'7	94	42	9	7	-	2	-	1	1	-	1	4	6	8	-	SUNDERLAND.				
SOUTH SHIELDS -	109,360	13'8	19'5	14'8	15'7	1'9	56	33	5	8	-	-	1	-	3	-	-	1	1	4	1	SOUTH SHIELDS.				
GATESHEAD -	120,620	10'8	11'2	15'1	15'1	0'9	72	35	8	8	-	1	-	-	1	-	-	1	1	-	3	GATESHEAD.				
NEWCASTLE-ON- TYNE†	264,511	19'1	12'2	15'8	11'6	0'8	180	59	9	16	-	1	-	2	1	-	-	9	10	10	-	NEWCASTLE-ON- TYNE.†				
TYNEMOUTH -	53,595	16'5	20'4	17'5	22'4	2'9	43	23	7	6	-	-	-	-	3	-	-	-	2	5	-	TYNEMOUTH.				
NEWPORT (MON.) -	72,880	25'8	12'2	10'7	12'9	2'9	59	18	6	4	-	1	-	-	2	-	1	-	1	1	-	NEWPORT (MON.).				
CARDIFF -	180,054	14'5	15'6	14'2	17'1	1'2	125	59	15	11	-	1	1	-	2	-	-	6	9	5	-	CARDIFF.				
RHONDDA -	124,988	18'4	21'3	17'5	19'2	2'9	112	46	17	8	-	5	-	-	2	-	-	3	5	3	-	RHONDDA.				
MERTHYR TYDFIL -	73,848	25'4	24'0	21'9	19'8	2'8	65	28	6	3	-	3	-	-	-	-	-	4	5	6	1	MERTHYR TYDFIL.				
SWANSEA -	96,384	19'5	14'1	11'9	11'9	-	72	22	2	7	-	-	-	-	-	-	-	1	1	3	1	SWANSEA.				
GREATER LONDON -	7,010,172	14'9	13'8	13'5	13'0	1'2	3738	1745	371	509	1	47	17	12	53	5	23	78	168	578	2	GREATER LONDON.				
OUTER RING -	2,325,378	12'8	12'2	10'9	10'7	1'0	1312	477	121	153	-	6	6	5	18	2	8	20	98	80	-	OUTER RING.				
8 TOWNS IN OUTER RING	1,135,316	13'1	12'7	10'6	11'6	1'8	645	252	71	72	-	5	5	4	16	1	8	12	24	48	-	8 TOWNS IN OUTER RING.				
REMAINDER OF OUTER RING	1,090,062	12'7	11'8	11'3	9'9	0'3	667	225	50	81	-	1	1	1	2	1	-	8	14	32	-	REMAINDER OF OUTER RING.				
EDINBURGH -	335,577	17'0	18'3	18'4	14'6	1'9	172	94	12	30	-	5	-	2	1	2	2	1	?	40	5	EDINBURGH.				
GLASGOW -	809,988	21'1	18'9	21'1	19'4	3'3	505	301	66	56	-	21	1	1	18	-	11	7	?	81	7	GLASGOW.				
DUBLIN† -	375,994	21'9	22'0	23'7	19'5	0'8	236	142	36	38	-	2	-	-	1	2	3	5	4	48	10	DUBLIN.†				
BELFAST† -	958,680	23'7	19'2	19'3	17'9	1'0	243	123	22	25	-	4	-	-	-	1	1	4	5	31	?	BELFAST.†				

* See note † on first page of this return.

† As enlarged in 1904.

† As enlarged in 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTIETH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years, 1895-1904.*	1905
TOTAL Births -	2496	2462	2444	2285	2598	2512	2602	2495	2625	2376	2581.9	2426
Males - -	1246	1287	1260	1155	1318	1282	1285	1193	1345	1194	1305.2	1237
Females - -	1250	1175	1184	1130	1280	1230	1317	1297	1280	1182	1279.7	1189
TOTAL Deaths -	1389	1516	1321	1360	1419	1437	1375	1423	1313	1319	1443.5	1268
Males - -	747	812	693	705	730	781	704	712	684	730	757.8	673
Females - -	642	704	628	655	689	656	671	711	629	619	685.7	595

* The numbers in this column are the average weekly numbers in the twentieth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	13 Weeks.
TOTAL Births -	2200	2600	2412	2535	2611	2618	2310	2469	2129	2568	2722	2611	2426	32241
TOTAL Deaths -	1436	1535	1543	1397	1376	1357	1419	1443	1312	1426	1304	1324	1268	18170
Ages at Death -														
Under 1 year -	290	321	326	293	284	286	276	275	251	309	260	253	250	3679
1-5 years -	152	183	194	148	157	164	195	203	181	163	154	175	158	2227
5-20 " -	82	77	68	86	68	65	56	67	79	76	67	85	69	925
20-40 " -	154	154	188	179	167	153	195	184	190	159	147	178	171	2249
40-60 " -	296	265	287	281	296	273	291	270	255	306	252	283	264	3619
60 yrs. & upwds.	462	505	480	410	404	416	409	444	586	413	424	365	356	5471
Deaths from—														
Small-pox - -	-	-	-	-	2	-	1	-	-	1	1	-	1	6
Measles - -	18	34	32	28	30	29	41	47	42	37	44	42	41	465
Scarlet Fever - -	10	14	11	7	18	4	10	13	13	9	5	9	11	134
Diphtheria - -	13	20	13	7	10	8	15	14	4	14	11	7	7	143
Whooping-cough - -	34	34	53	39	33	40	40	64	39	50	54	37	35	562
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	5	-	-	3	4	3	6	3	6	5	3	3	47
Pyæmia (origin uncertain) - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	13	8	11	12	11	11	8	14	13	15	19	10	15	160
All above Diseases -	90	115	124	93	107	96	118	158	114	132	139	108	113	1507
Dis. of Resp. System -	175	204	187	153	156	119	148	147	119	138	122	112	95	1880
Pneumonia - -	160	149	174	146	148	154	160	157	153	163	134	139	131	1973
Phthisis - -	135	135	151	150	131	139	144	141	131	125	121	127	119	1739
Dis. of Circ. System -	177	218	216	178	188	165	175	196	145	185	168	161	143	2315
Violence - -	73	56	59	53	47	58	67	58	59	60	47	66	53	751
Inquest Cases -	155	149	152	129	137	116	146	139	117	143	112	132	130	1758
Deaths in Institutions	506	559	539	532	502	517	509	507	504	520	503	509	498	6705
TEMPERATURE OF THE AIR.														
Mean - -	37.6	38.4	44.3	46.2	46.5	47.3	43.2	49.5	43.1	48.5	49.4	53.6	53.3	46.2
Mean of Highest -	42.1	44.7	50.6	53.2	56.9	55.8	51.7	58.7	50.6	50.1	60.1	64.0	64.0	54.5
Mean of Lowest -	34.3	32.2	39.3	40.9	36.7	40.2	35.7	42.0	38.2	42.8	41.9	42.9	43.9	39.3
Mean Humidity of the Air.	81	83	80	81	79	74	76	81	74	74	71	60	67	75
Rain-fall (in inches) -	0.25	0.30	1.08	2.25	0.09	0.06	0.27	0.83	0.25	0.15	0.85	0.00	0.22	6.60
Registered Sunshine (in hours).	23.1	15.3	7.3	33.9	42.0	36.3	24.9	22.7	16.5	24.8	54.7	55.5	52.1	409.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	15	15	16	23	20	20	21	15	17	16	17	17	15	17
Scarlet Fever - -	1987	2002	2036	2042	2036	2032	2086	2133	2123	2182	2152	2177	2211	2093
Diphtheria - -	842	828	840	830	807	794	769	738	731	725	691	698	686	768
Typhus - -	2	2	2	-	-	-	1	1	1	-	-	-	-	1
Enteric Fever - -	104	87	84	83	68	68	66	63	58	65	72	70	71	74

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Carr, Lippincott, Esq., F.R. Met. Soc., Bristol; A. Gresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Oluna, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Girth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. G. Gower, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTIETH Week of the Year 1905.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 20th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 20th week of the year 1905.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1349	1268	250	158	69	171	264	356	Meningitis (not tuberc.)	19	23	6	9	3	2	7	
									Insanity, Gen. Par. of	18	8	-	-	12	3	7	
									Insane								
									Epilepsy	4	6	-	-	2	3		
Small-pox*	-	1	-	-	-	1	-	-	Convulsions	27	18	12	6	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy	3	2	-	-	-	1	1	
Measles (Morbilli)	75	41	7	33	1	-	-	-	Paraplegia, Dis. of Cord	7	6	-	-	2	3	4	
Scarlet Fever	5	11	-	7	2	2	-	-	Nervous Sys. (other dis.)	25	16	3	1	2	6	4	
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	49	36	-	3	3	12	16	
Plague	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	28	29	-	-	1	10	18	
Influenza	5	12	-	-	-	7	5	-	Apoplexy, Hemiplegia	19	6	-	-	2	1	5	
Whooping-cough	39	35	13	21	1	-	-	-	Aneurysm	9	3	-	-	1	2	4	
Diphtheria	10	7	1	5	1	-	-	-	Embolism, Thrombosis (not cerebral)	-	-	-	-	-	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	88	69	-	2	8	19	40	
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	-	1	1	-	-	-	-	
Enteric Fever	4	3	-	-	1	1	1	-	Bronchitis	89	78	14	4	-	11	49	
Asiatic Cholera	-	-	-	-	-	-	-	-	Asthma, Emphysema	3	4	-	-	-	1	3	
Epidemic Diarrhœa (Infective Enteritis)	1	7	5	1	1	-	-	-	Pleurisy	2	3	-	1	-	1	1	
Diarrhœa, Dysentery	20	8	2	2	-	1	3	-	Respiratory Dis. (other)	11	9	1	-	3	4	1	
Tetanus	-	1	-	-	-	1	-	-	Tonsillitis, Quinsy	1	-	-	-	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	8	8	4	1	-	1	1	
Glanders	-	-	-	-	-	-	-	-	Gastro-Enteritis	6	4	4	-	-	-	-	
Anthrax (Splemic Fever)	-	1	-	-	-	1	-	-	Peritonitis (not Puerp.)	1	1	-	-	1	-	-	
Venereal Dis.	9	7	4	2	1	-	-	-	Cirrhosis of Liver	21	13	-	-	2	5	6	
Puerperal Septicæmia	2	4	-	-	4	-	-	-	Liver Dis. (other)	6	7	-	-	2	2	3	
Puerperal Pyæmia	-	1	-	-	1	-	-	-	Digestive Dis., Other	39	34	4	4	5	10	8	
Puerperal Fever	-	-	-	-	-	-	-	-	Nephritis, Acute	6	7	-	1	2	2	2	
Infective Endocarditis	1	3	-	-	2	1	-	-	Bright's Dis., Albuminuria	28	37	-	-	1	7	12	
Lobar	17	23	1	1	6	10	5	-	Urinary Sys., Other Dis.	11	15	-	2	-	5	8	
Broncho	42	54	22	19	2	1	2	8	Generative Organs Dis.	5	3	-	-	2	1	-	
Epidemic	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	2	7	-	-	7	-	-	
Not defined	46	54	7	3	1	11	12	20	Old Age	49	51	-	-	-	-	51	
Erysipelas	4	3	2	-	-	1	-	-	Other Diseases	74	93	64	7	5	6	4	
Septicæmia (not Puerperal)	-	1	-	-	1	-	-	-	ACCIDENT.								
Pyæmia (not Puerperal)	-	1	-	-	1	-	-	-	By Railways	2	2	-	-	1	1	-	
Other Infective Processes	12	4	-	-	1	3	-	-	By Vehicles and Horses	10	4	-	-	1	2	1	
Tuberculous Phthisis	69	84	1	2	8	31	33	9	In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	
"Phthisis"	54	35	-	-	5	15	11	4	In Building Operations	2	3	-	-	-	2	1	
Tuberculous Meningitis	13	31	2	21	8	-	-	-	In Conflagrations	-	-	-	-	-	-	-	
Tuberculous Peritonitis	12	6	2	2	2	-	-	-	By Burns, Scalds, Explosions	1	2	-	2	-	-	-	
Tabes Mesenterica	-	1	1	-	-	-	-	-	By Drowning	8	9	-	3	2	4	-	
Tuberculous Dis. (other)	25	17	5	3	3	5	1	-	By Suffocation in Bed	9	10	10	-	-	-	-	
Scrophula	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	1	1	-	-	-	-	1	
Alcoholism	13	9	-	-	3	5	1	-	Other Deaths by Accident	12	13	4	1	-	1	6	
Rheumatic Fever	2	2	-	-	2	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Gout	2	1	-	-	-	1	-	-	Homicide	3	-	-	-	-	-	-	
Carcinoma	44	51	-	-	2	20	29	-	Suicide	17	14	-	-	-	5	8	
Sarcoma	2	5	-	-	2	2	1	-	Execution	-	-	-	-	-	-	-	
Cancer (undefined)	32	36	-	-	1	3	16	16									
Diabetes Mellitus	10	4	-	-	1	1	2	-									
Premature Birth	56	49	49	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th May, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Deaths in Public Institutions.		
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin uncertain.	Diarrhoea.	Violence.		Inquest Cases.	
LONDON - - -		1,530,429	2426	1268	250	356	1	41	11	7	35	-	3	-	15	58	130	498	
WEST DISTRICTS - - -		805,311	354	219	41	75	-	6	2	2	4	-	1	-	4	8	20	80	
NORTH DISTRICTS - - -		1,056,070	522	286	50	82	-	8	4	3	9	-	1	-	5	11	32	95	
CENTRAL DISTRICTS - - -		209,465	98	70	19	9	-	2	-	-	-	-	-	-	-	2	6	34	
EAST DISTRICTS - - -		716,739	487	244	58	55	-	13	-	1	3	-	1	-	3	21	40	121	
SOUTH DISTRICTS - - -		1,749,844	965	408	82	120	-	12	4	1	13	-	-	-	2	16	32	123	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	41	-	15	1	-	1	-	-	-	-	-	1	-	-	41	
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.		93,178	38	24	7	6	-	-	-	-	-	-	-	-	2	-	-	3	
W.2H		33,617	12	12	-	5	-	-	-	-	-	-	-	-	-	1	1	7	
St. John Paddington H - G.		17,181	12	4	2	2	-	-	-	-	-	-	-	-	-	-	1	-	
North-West Paddington - C.																			
Kensington Town 2W w.2H G. & W. & C.		128,037	55	38	6	17	-	1	-	-	1	-	-	-	1	-	1	22	
Brompton 2H - - W. & C.		48,591	5	9	1	2	-	-	-	-	-	-	-	-	-	1	2	2	
North Hammersmith W. w. H } W. & G.		49,192	25	8	1	5	-	-	-	-	-	-	-	-	-	-	-	1	
South Hammersmith w. 2H		63,047	24	20	6	7	-	2	-	-	-	-	-	-	-	1	3	5	
North-west Fulham W } W. & C.		45,180	39	27	4	9	-	-	-	-	-	-	-	-	-	-	-	14	
North-east Fulham F		46,405	24	8	-	2	-	-	1	2	1	-	1	-	-	-	-	4	
South Fulham W		45,704	29	16	4	6	-	3	1	-	-	-	-	-	1	-	3	-	
Chelsea North W. w. 3H - - C.		42,514	14	15	2	4	-	-	-	-	1	-	-	-	-	-	1	9	
Chelsea South W. 2H - - C.		31,328	22	8	3	2	-	-	-	-	-	-	-	-	-	1	1	-	
May Fair and Knightsbridge C. & G.		28,743	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W. 2H - - C.		55,815	19	15	3	4	-	-	-	-	1	-	-	-	-	2	4	9	
St. Margaret & St. John 4H - C.		43,698	26	10	1	1	-	-	-	-	-	-	-	-	-	2	2	3	
St. James Westminster } N. & G.		21,588	6	3	1	2	-	-	-	-	-	-	-	-	-	1	1	1	
W. H																			
St. Anne Soho 5H - - N.		11,493	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.		35,391	12	7	1	2	-	-	-	-	-	-	-	-	-	-	-	4	
Rectory Marylebone W G. & W.		19,849	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary Marylebone 4H G. & W.		18,099	24	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
Christchurch Marylebone H- W.		39,536	18	13	3	2	-	1	-	-	-	-	-	-	1	-	1	1	
St. John Marylebone 3H - W.		20,426	8	8	-	4	-	-	-	-	-	-	-	-	-	1	1	-	
Hampstead W. P. 6H - N. & W.		81,942	21	18	2	5	-	-	3	1	1	-	-	-	-	1	1	8	
West St. Pancras 2H - - W.		60,562	24	13	2	4	-	-	-	-	-	-	-	-	-	1	1	4	
Tottenham-court w. 6H - N. & W.		21,258	6	12	1	2	-	1	-	-	-	-	-	-	-	-	-	8	
Gray's Inn Lane 4H - - N		34,449	19	8	2	7	-	1	-	-	-	-	-	-	-	-	1	1	
East St. Pancras W. 2H - - N.		60,320	30	17	2	7	-	2	-	-	-	-	-	-	1	4	6	6	
North St. Pancras 2W - - N.		58,728	35	12	-	4	-	-	-	-	1	-	-	-	-	-	-	-	
Fulham W - - N.		31,995	13	21	5	7	-	-	-	-	-	-	-	-	1	-	-	11	
Upper Holloway 2W, w. 2H - N.		33,978	19	23	4	6	-	-	-	-	-	-	-	-	-	2	3	16	
Tollington W - - N.		33,922	13	4	1	1	-	-	-	-	1	-	-	-	-	-	3	-	
Lower Holloway - - N.		41,424	22	11	4	2	-	-	-	-	-	-	-	-	-	-	1	-	
Barnsbury - - N.		54,478	36	13	4	5	-	-	-	-	1	-	-	-	-	-	2	-	
Islington South-east F - - N.		75,397	40	17	3	9	-	1	-	-	-	-	-	-	-	-	1	1	
Highbury 2H - - N.		63,797	34	11	3	3	-	-	-	-	-	-	-	-	1	-	1	-	
Stoke Newington H - - N.		51,247	20	12	1	4	-	-	-	-	1	-	-	-	-	-	2	-	
North Hackney - - E. & N.		50,560	21	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-	
Central Hackney 2w. F - E. & N.		50,536	33	11	3	2	-	-	1	1	1	-	1	-	-	1	3	3	
South-west Hackney 3H - E. & N.		59,921	36	23	6	3	-	-	-	1	1	-	-	-	-	1	6	9	
South-east Hackney 2W, w. H E. & N.		58,255	31	20	2	6	-	2	-	-	-	-	-	-	1	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifi-
Grand Junction; W, West Middlesex; O, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River.
E, East London; and K, the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

STATION SUB-DISTRICTS;	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Inquest Cases.	Deaths in Public Institutions.	Total Deaths.		
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.						
CENTRAL DISTRICTS.																					
Es and Bloomsbury W,2H N.	31,436	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
W,4H - - - N. & C.	21,674	3	11	1	-	-	-	-	-	-	-	-	-	-	-	1	0	-	-		
Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
rn W,6H - - - N.	29,612	13	19	7	1	-	1	-	-	-	-	-	-	-	-	1	14	-	-		
Clerkenwell - - - N.	28,676	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Clerkenwell H - - - N.	35,028	18	5	1	-	-	-	-	-	1	-	-	-	-	2	2	1	-	-		
ry 3H,L - - - N.	36,116	24	11	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
n Union Workhouse, } ham - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
tolph H - - - N. & E.	10,299	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
plebure and Allhallows } N. H - - - - - }	16,624	-	12	2	1	-	-	-	-	-	-	-	-	-	-	-	10	-	-		
f London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																					
ditch South H - E. & N.	46,362	29	12	5	2	-	-	-	-	2	-	-	-	-	2	2	-	-	-		
ditch North-West W,w,H N.	36,127	18	19	3	7	-	-	-	-	1	-	-	-	-	1	4	15	-	-		
ditch North-East - N. & E.	36,148	23	8	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
ditch Union Workhouse, Wood } en - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
nal Green North 2H - E.	51,514	30	12	5	2	-	-	-	-	-	-	-	-	2	1	5	-	-	-		
nal Green South - - - E.	33,472	26	8	3	-	-	1	-	-	-	-	-	-	-	2	4	7	-	-		
nal Green East 2W,H,L - E.	44,694	27	15	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ldfields - - - E. & N.	27,969	22	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
End New Town W,H - E.	28,718	28	39	6	5	-	1	-	1	-	-	1	-	-	2	4	35	-	-		
lman's Fields - - - E.	22,081	8	5	2	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-		
George and St. John 2W E.	40,068	51	14	6	2	-	-	-	-	-	-	-	-	-	2	4	5	-	-		

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th May, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
LONDON—OUTER RING	368,602	2,044,973	1312	477	121	153	-	6	6	5	18	2	8	20	38	80	-	-	-
Carshalton 2F,3H	12,228	32,997	19	5	1	4	-	-	-	-	-	-	-	-	-	1	-	-	-
Epsom, part of* W,w,2F,H	10,423	15,548	18	6	1	4	-	-	-	-	-	-	-	1	1	6	-	-	-
Godstone, part of* W,F	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	26	14	1	7	-	-	-	-	-	-	-	-	-	1	-	-	-
West Croydon 3W,F,H	2,168	42,888	32	14	2	6	-	-	1	-	-	-	-	-	-	1	8	-	-
North Croydon H	2,644	41,688	31	5	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Penge w,H	770	22,165	4	8	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham w	11,711	30,015	32	7	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Wimbledon F,3H	3,221	41,652	21	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Kingston 2W,H	6,224	42,448	30	6	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Surbiton F,H	3,046	15,017	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of* H	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,564	23,456	18	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Richmond W,H	2,162	28,865	6	7	-	3	-	-	-	-	-	-	-	-	-	2	-	-	-
Mortlake F	2,847	20,628	18	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bromley F,2H	4,793	27,354	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beckenham H	7,825	28,497	12	6	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Orpington part of* W	10,113	9,857	11	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Chislehurst 2H	7,333	16,446	7	3	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
Bexley w,F,H	8,678	21,151	18	7	2	2	-	-	-	-	-	-	-	-	1	2	-	-	-
Erith F,H	3,854	25,296	17	9	3	3	-	-	-	-	-	-	-	1	1	-	-	-	-
Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Sunbury w	11,054	18,683	11	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	9	5	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge H	12,757	8,984	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w,F,H	8,066	16,358	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,2F,H	6,869	30,863	16	9	2	4	-	-	-	-	-	-	-	-	1	3	-	-	-
Twickenham F,H	2,421	20,991	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brentford 3F,2H,L	4,319	48,288	24	15	3	7	-	1	-	-	-	-	-	-	1	-	-	-	-
Chiswick H-	1,249	29,809	17	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Acton w,2H	6,132	48,914	36	8	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Harrow F,H	13,809	25,523	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgware F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	71	27	8	6	-	1	-	-	3	-	-	-	3	6	-	-	-
Hendon W,F	8,382	22,450	18	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
South Mimms 2F,H	17,755	7,308	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H	4,688	33,692	22	6	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Hornsey F,H	2,875	72,056	31	11	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Wood Green H	1,625	34,233	15	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
West Tottenham F	996	48,853	31	9	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
East Tottenham 2H	2,017	53,688	40	22	5	2	-	-	-	-	5	-	-	-	-	1	7	-	-
Edmonton W,w,2F	7,491	61,392	49	15	-	5	-	-	1	-	-	-	-	-	-	1	5	-	-
Enfield 2W,F,H	12,601	42,738	23	7	2	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Waltham Abbey F	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	18	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Stratford H	1,072	44,827	29	16	4	4	-	-	-	-	1	-	-	-	2	2	1	-	-
Plaistow F,2H	1,249	90,921	84	25	10	3	-	-	1	1	1	-	-	3	1	3	4	-	-
Canning Town H	1,556	70,718	53	16	-	6	-	-	-	-	1	-	-	1	1	2	-	-	-
Forest Gate w	806	60,892	23	9	1	4	-	-	-	-	-	-	-	-	1	1	-	-	-
North East Ham w,H	1,333	58,676	41	12	5	2	-	-	-	-	-	-	-	-	1	2	-	-	-
South East Ham 2F	1,993	37,342	39	8	3	1	-	-	1	1	1	-	-	-	-	1	-	-	-
Wanstead F	1,679	9,179	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	33	12	3	4	-	1	-	-	2	-	-	-	-	-	4	-	-
North Leyton 2W,w,F	1,963	48,446	27	29	8	9	-	-	-	1	2	1	3	3	4	16	-	-	-
Walthamstow 3H,L	6,504	108,929	62	27	6	10	-	3	-	1	-	-	-	2	2	2	-	-	-
Chigwell, part of* 2F,3H	11,778	16,397	6	5	1	-	-	-	2	-	-	-	-	-	1	1	3	-	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	6,091	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ilford F,L	8,496	41,234	34	14	3	5	-	-	-	-	-	-	-	-	-	2	-	-	-
Barking Town F	3,803	21,547	23	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Gudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 187: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	May 20	2426	1268	14·1	1	41	11	8	35	3
CALCUTTA - -	847,796	April 8	-	1189	72·9	6	3	-	-	-	817
BOMBAY - -	776,006	May 2	378	1502	100·6	63	33	-	-	-	863
MADRAS - -	509,346	April 14	489	365	37·2	5	4	?	?	?	62
PARIS - - -	2,680,559	May 13	952	909	17·7	2	15	-	4	6	6
BRUSSELS - -	586,936	" 13	208	171	16·5	-	2	1	3	-	-
ANTWERP - -	286,495	" 13	149	77	13·7	-	1	-	1	1	-
AMSTERDAM -	551,415	" 6	260	139	13·1	-	5	-	1	2	-
COPENHAGEN -	426,000	" 13	220	131	15·9	-	1	1	2	1	-
STOCKHOLM -	309,196	" 6	150	105	17·1	-	2	3	2	-	-
CHRISTIANIA -	223,649	" 13	136	77	18·0	-	-	-	1	9	-
ST. PETERSBURG	1,248,122	" 6	-	809	30·2	-	52	15	12	9	44
MOSCOW - -	1,092,360	" 6	-	617	29·5	2	4	13	7	5	4
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,007,363	April 29	906	661	17·2	-	5	9	6	10	-
HAMBURG - -	772,852	May 13	-	239	16·1	-	5	-	2	2	-
BRESLAU - -	458,896	" 13	-	222	25·2	-	-	-	1	-	-
MUNICH - - -	528,000	" 13	-	197	19·4	-	2	1	-	4	-
VIENNA - - -	1,877,839	" 13	938	764	20·9	-	35	10	14	3	1
PRAGUE - - -	430,569	" 13	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	836,267	" 13	417	356	23·1	-	10	8	6	-	1
TRIESTE - - -	191,403	" 13	92	93	25·0	-	-	-	1	1	-
ROME - - - -	503,857	March 25	248	207	21·3	-	8	-	2	1	2
VENICE - - -	169,417	May 6	68	67	20·6	-	1	-	1	1	1
BUCHAREST - -	282,071	" 6	122	156	28·8	-	-	2	1	2	1
NEW YORK - -	3,948,191	" 6	2061	1521	20·1	-	13	14	39	12	10
CHICAGO - - -	1,932,315	April 29	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	" 29	-	552	20·0	-	-	-	4	4	20
BOSTON - - -	617,856	" 22	-	214	18·0	-	-	1	4	1	-
RIO DE JANEIRO	850,000	" 16	-	254	14·6	1	1	-	-	-	21

* Excluding deaths from croup in the Indian Cities.

† Including 712 deaths from plague in Calcutta, 822 in Bombay, and 1 in Rio de Janeiro.

‡ Including 58 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th May, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	70·2	39·5	54·0	0·22	BRADFORD - -	68·8	40·0	52·3	0·0
BRIGHTON - - }	71·0	42·7	56·1	0·07	LEEDS - - -	72·0	42·0	54·3	0·0
PORTSMOUTH - -	71·0	42·0	55·9	0·12	HULL - - -	64·0	41·0	50·6	0·0
NORWICH - - -	65·0	38·6	50·6	0·05	TYNEMOUTH - -	55·0	35·0	47·0	0·0
PLYMOUTH - - -	69·8	44·9	56·7	0·08					
BRISTOL - - -	72·0	37·2	55·2	0·00	EDINBURGH - -	59·2	40·5	49·7	0·0
BIRMINGHAM - -	66·0	42·0	52·8	0·00	GLASGOW - - -	72·8	40·0	54·8	0·0
NOTTINGHAM - -	67·9	43·2	53·1	0·01					
LIVERPOOL - - -	69·0	43·0	54·7	0·00					
OBSERVATORY. }	69·2	40·8	53·6	0·00	DUBLIN { Phoenix Park.	68·1	37·1	50·1	0·0
MANCHESTER - -	?	?	?	?	William Fitzwilliam Square.†	68·1	46·6	55·3	0·0
PRESTON - - -	?	?	?	?					
HUDDERSFIELD -	66·8	38·5	51·3	0·05	BELFAST - - -	68·6	42·1	54·0	0·0

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·0° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTH AND

MAY

SUNDAY

MONDAY -

TUESDAY -

WEDNESDAY

THURSDAY-

FRIDAY

SATURDAY -

—

MEANS

No. of Children

DATE:

MAY.

11

BOUND

MONDAY -

TUESDAY -

WEDNESDAY

THURSDAY.

FRIDAY

1

五

1120

No. of Col. -

TEMPERATURE.			Wind as Gauge from A. Anemometers.			Oster's.			Pressure on the Square Foot.			Robinson's.		Gauge in a Gauge receiving surface 5 inches above Ground.	
Wind.	Of the Earth Surface below the Surface.	Lowest on the Grass.	General Direction.		F.M.	Greatest.		Least.		Mean of 24 hourly obs.	Horizontal Movement of the Air over 10 years.	Departure from Average Ground.	in. in. 0.01	0.0	
			A.M.	N.E.		lbs.	lbs.	lbs.	Miles.						Miles
0	0	50.80	N.E. & N.E.	N.E. & N.E.	0.5	0.0	0.0	0.0	0.0	0.0	182	- 67	0.0	0.0	
43.4	30.6	51.02	N.E.	N.E. & N.E.	1.7	0.0	0.2	0.0	0.0	0.0	256	+	7	0.0	
33.2	33.2	51.07	N.N.E. & N.N.E.	N.N.E. & N.N.E.	2.2	0.0	0.2	0.0	0.2	0.0	306	+	57	0.06	
40.3	40.3	51.19	N.N.E. & N.N.E.	N.N.E. & N.N.E.	8.1	0.0	0.7	0.0	0.7	0.0	422	+	174	0.00	
39.0	39.0	51.30	N.E. & N.N.E.	N.N.E. & N.N.E.	2.5	0.0	0.3	0.0	0.3	0.0	343	+	95	0.00	
45.4	45.4	51.41	N.N.E. & N.N.E.	N.N.E. & N.N.E.	2.4	0.0	0.4	0.0	0.4	0.0	352	+	104	0.06	
45.0	45.0	51.71	N.E. & N.N.E.	N.N.E. & N.N.E.	3.0	0.0	0.6	0.0	0.6	0.0	410	+	162	0.09	
39.6	51.23		N.E.			Sum 2271	Sum +532	Sum 0.22	0.0	
18	17		18	19	30	31	22	23	24	35	28				

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the sea level.

No correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "wider," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.18 in. at the beginning of the week to 29.77 in. by 4h. P.M. on the 20th; and increased to 29.84 in. by midnight on the same day.

GENERAL REMARKS.

Generally overcast; occasional light showers.

Cloudy in morning; very fine with small amounts of cloud afterwards.

Very fine generally till 10h. 30m. A.M.; generally overcast afterwards with rain in afternoon.

Cloudy in early morning; very fine with small amounts of cl ud afterwards; brisk wind prevalent between 10h. A.M. and 6h. P.M. Very fine generally; partially cloudy.

Cloudy with light showers in morning; fine generally till evening with light shower at 7h. P.M.; cloudy at night.

Generally overcast; very fine between 1h. and 6h. P.M. Solar halo observed in afternoon.

1905.		MONTH AND DAY		Phases of the Moon.	DATE.	TEMPERATURE.	Of the Air.		TEMPERATURE.		
					Mean reading (corrected and reduced to 32° Fahrenheit)	High- est.	Low- est.	Daily Range.	Mean daily value.		
	MAY	SUNDAY	- 14	..	in.	56.2	45.3	10.9	50.1		
		MONDAY	- 15	In		64.0	41.2	22.8	52.2		
		TUESDAY	- 16	Equator		30.085	38.5	20.5	49.0		
		WEDNESDAY	- 17	Perigee		30.018	70.2	45.5	58.4		
		THURSDAY	- 18	Full		29.961	68.6	44.4	57.7		
		FRIDAY	- 19	..		29.889	67.0	46.3	54.6		
		SATURDAY	- 20	..		29.804	61.1	45.1	50.2		
		MEANS	-			30.005	64.0	43.9	53.3		
		No. of Column	-	3	4	5	6	7	8		
	DATE.	ELECTRICITY.								Registered Sun above	
	MAY.	(For explanation of symbols, see Note.								Sunshine Horizon.	
	SUNDAY	- 14	w. P. till 4h. A.M.; w. P. generally after- wards.								01
	MONDAY	- 15	w. P. generally; occasional m. P.								15.5
	TUESDAY	- 16	w. P. generally; s. N. between 2h. and 4h. P.M.								15.5
	WEDNESDAY	- 17	w. P. generally; occasional m. P.								15.6
	THURSDAY	- 18	w. P. till 7h. A.M.; m. P. generally after- wards.								15.7
	FRIDAY	- 19	w. P. and v. N. till 7h. A.M.; m. P. after- wards.								15.7
	SATURDAY	- 20	w. P. till 6h. A.M.; v. P. and v. N. till 1h. A.M.; s. P. till 4h. P.M.; w. P. afterwards.								15.7
	No. of Col.-	-	Sum 521								Sum 109.3
			28								29

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th May, 1905.*

BOROUGHs;	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	2	1	-	-	-	-	2	-
Kensington - - - -	130,083	-	11	6	-	-	-	-	-	-
Hammersmith - - - -	119,037	-	9	4	-	1	-	-	-	-
Fulham - - - -	157,210	-	3	2	-	-	-	-	-	1
Chelsea - - - -	74,496	-	2	-	-	-	-	-	-	-
City of Westminster - - - -	175,606	-	2	4	-	-	-	-	-	1
NORTH.										
St. Marylebone - - - -	129,453	-	6	2	-	-	-	-	1	-
Hampstead - - - -	88,142	-	1	1	-	1	-	-	-	-
St. Pancras - - - -	236,183	-	13	9	-	2	-	-	-	-
Islington - - - -	342,994	-	14	6	-	2	-	-	5	-
Stoke Newington - - - -	52,828	-	4	-	-	1	-	-	1	-
Hackney - - - -	228,479	-	16	4	-	3	-	-	5	-
CENTRAL.										
Holborn - - - -	56,481	-	6	4	-	-	-	-	-	-
Finsbury - - - -	98,207	-	15	3	-	1	-	-	1	1
City of London - - - -	22,425	-	1	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	7	6	-	-	-	-	-	-
Bethnal Green - - - -	130,401	-	12	6	-	-	-	-	5	1
Stepney - - - -	305,466	-	18	17	-	2	-	-	6	-
Poplar - - - -	170,280	-	11	8	-	-	-	-	2	-
SOUTH.										
Southwark - - - -	208,528	-	25	2	-	-	-	-	7	-
Bermondsey - - - -	129,006	-	12	2	-	-	-	-	4	-
Lambeth - - - -	313,045	-	28	6	-	-	-	-	6	-
Battersea - - - -	177,532	-	18	2	-	1	-	-	1	-
Wandsworth - - - -	265,392	-	30	7	-	2	-	-	3	-
Camberwell - - - -	271,240	2	35	4	-	3	-	-	6	1
Deptford - - - -	114,495	-	13	1	-	-	-	-	2	-
Greenwich - - - -	103,493	-	2	-	-	-	-	-	1	-
Lewisham - - - -	144,420	-	10	4	-	-	-	-	2	-
Woolwich - - - -	125,372	-	10	7	-	1	-	-	-	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		2	336	119	-	22	-	-	68	5
AGES.										
Ages 0-1 - - - -	-	1	4	2	-	-	-	-	-	-
" 1-5 - - - -	-	1	116	48	-	-	-	-	2	-
" 5- - - - -	-	-	129	29	-	3	-	-	5	-
" 10- - - - -	-	-	37	10	-	1	-	-	3	-
" 15- - - - -	-	-	18	8	-	7	-	-	-	-
" 20- - - - -	-	-	12	6	-	3	-	-	7	2
" 25- - - - -	-	-	15	12	-	6	-	-	11	3
" 35- - - - -	-	-	4	3	-	2	-	-	6	-
" 45- - - - -	-	-	1	-	-	-	-	-	18	-
" 55- - - - -	-	-	-	1	-	-	-	-	7	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	9	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, E.C.

No. 21. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, MAY 27. [Price 1½d.

General Register Office, Somerset House,
May 29th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·4, 15·0, and 14·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·0 in Middlesbrough, 18·3 in Warrington, 18·4 in Birkenhead, 18·9 in Liverpool, 19·8 in Merthyr Tydfil, 20·0 in West Bromwich, 20·4 in Rhondda, 20·5 in Wigan, and 20·8 in Smethwick; from *measles*, 2·1 in Merthyr Tydfil, 3·0 in Stockton-on-Tees, 3·8 in Warrington, 4·6 in West Bromwich, and 5·0 in Smethwick; from *whooping-cough*, 1·8 in Tottenham, 1·9 in Tynemouth, and 2·4 in Hanley; and from *diarrhoea*, 1·6 in Wolverhampton. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2544 BIRTHS and 1311 DEATHS were registered. Allowing for increase of population, the births were 34 above and the deaths 107 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·5, 14·7, and 14·1 in the preceding three weeks, was 14·6 last week. During the four weeks ended on Saturday last the death-rate averaged 14·5 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1311 deaths included 44 from measles, 4 from scarlet fever, 6 from diphtheria, 50 from whooping-cough, 5 from enteric fever, and 16 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 125 deaths were referred to these diseases in the aggregate, being 48 below the corrected average weekly number.

The deaths from *measles*, which had been 44, 42, and 41 in the preceding three weeks, were 44 last week, and were 19 below the corrected average; 8 deaths belonged to the Borough of Battersea, 7 to Poplar, 5 to Stepney, and 4 to Hackney. The deaths from *scarlet fever*, which had been 5, 9, and 11 in the preceding three weeks, fell last week to 4, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 11, 7, and 7 in the preceding three weeks, were 6 last week, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 54, 37, and 35 in the preceding three weeks, rose last week 50, and were equal to the corrected average; 6 deaths belonged to Islington, 5 to Lambeth, and 4 each to St. Pancras and Shoreditch. The fatal cases of *enteric fever*, which had been 5, 3, and 3 in the preceding three weeks, were 5 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 19, 10, and 15 in the preceding three weeks, were 16 last week, and were 2 above the corrected average. Of the 16 deaths from diarrhœa, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 more deaths at this age. The deaths attributed directly to *influenza* numbered 17, having been 18, 10, and 12 in the preceding three weeks. The death of a horse-keeper, aged 42 years, was certified after inquest as due to *glanders*.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 11 were cases of suicide, 2 of execution, and 1 of homicide, while the remaining 45 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 3 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 10 cases of small-pox, 2200 of scarlet fever, 688 of diphtheria, and 79 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 4, 2, and 3; of scarlet fever, 312 cases, against 235, 319, and 319; of diphtheria, 90 cases, against 79, 96, and 94; and of enteric fever, 16 cases, against 10, 12, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 20th.

GREATER LONDON.

In Greater London 3780 births and 1742 deaths were registered. Allowing for increase of population these numbers are 63 above and 202 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 6 from whooping-cough, 2 from "fever," and 5 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.86 inches, and that of the Thermometer 51.2, the latter being 4.2 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 1 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 39.4 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Cols.	1.	DEATH-RATES FROM ALL CAUSES.				INVESTIGATION in Cols. 11-17.		Registered during the week ended 27th May, 1905.		DEATHS REGISTERED IN THE WEEK ENDING																	
			Week ended				Week ended		BIRTHS.		DEATHS.		Deaths from															
			6th May, 1905.				20th May, 1905.				27th May, 1905.				BIRTHS.		DEATHS.		Deaths of									
			6th May, 1905.	13th May, 1905.	20th May, 1905.	27th May, 1905.	6th May, 1905.	13th May, 1905.	20th May, 1905.	27th May, 1905.	BIRTHS.	DEATHS.	Infants under 1 year of age.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	TOWNS		
2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.									
76 TOWNS		15,609,377	15'4	15'0	14'4	14'6	1'4	8641	4371	946	1164	152	30	38	133	23	37	162	327	1085	54				Cols.			
LONDON -	-	4,684,794	14'5	14'7	14'1	14'6	1'4	2544	1311	259	378	44	4	6	50	5	16	59	137	502	3				76 TOWNS, LONDON.			
(CROYDON -	-	147,704	12'7	12'7	11'3	11'6	-	81	33	3	14	-	-	-	-	-	-	-	1	2	8	-			(CROYDON.			
WILLESDEN -	-	138,080	11'3	8'3	10'2	7'2	0'8	70	19	3	4	-	-	-	1	-	-	2	2	4	-				WILLESDEN.			
HORNSEY -	-	84,070	6'2	7'4	7'4	6'2	-	25	10	3	4	-	-	-	-	-	-	-	-	-	-				HORNSEY.			
(TOTTENHAM -	-	116,232	15'7	14'8	11'2	11'2	1'8	75	25	1	7	-	-	-	4	-	-	-	-	1	4	-			(TOTTENHAM.			
WEST HAM -	-	294,987	14'7	12'0	13'4	10'8	1'4	165	61	14	14	1	1	1	4	1	-	2	5	12	-				WEST HAM.			
EAST HAM -	-	123,381	14'8	10'1	8'9	9'3	1'3	66	22	7	3	-	-	1	2	-	-	-	3	3	-				EAST HAM.			
LEYTON -	-	114,555	9'6	5'9	12'3	10'0	1'4	66	22	2	8	1	1	-	-	1	-	-	-	5	1				LEYTON.			
(WALTHAMSTOW -	-	116,297	12'1	9'9	13'0	9'0	0'9	64	20	3	6	-	-	-	-	-	-	1	4	7	-				(WALTHAMSTOW.			
HASTINGS -	-	66,820	16'4	14'0	11'7	10'9	-	28	14	-	6	-	-	-	-	-	-	-	-	1	-				HASTINGS.			
BRIGHTON -	-	127,183	13'5	16'4	16'0	13'9	-	51	34	4	18	-	-	-	-	-	-	1	3	11	-				BRIGHTON.			
PORTSMOUTH†	-	201,975	16'5	16'0	14'2	11'6	0'8	89	45	8	13	-	-	-	3	-	-	1	4	7	2				PORTSMOUTH.†			
BOURNEMOUTH -	-	66,188	20'5	16'5	9'5	15'8	-	22	20	1	5	-	-	-	-	-	3	7	1	-	-				BOURNEMOUTH.			
SOUTHAMPTON -	-	114,897	14'1	13'6	12'3	10'0	1'8	64	22	4	7	-	-	2	-	1	-	1	3	7	-				SOUTHAMPTON.			
READING -	-	77,674	11'4	10'7	10'1	16'1	0'7	36	24	4	7	-	-	-	-	-	-	-	-	5	-				READING.			
NORTHAMPTON -	-	92,441	14'1	11'3	11'8	14'7	1'1	31	26	7	6	-	-	-	-	-	-	-	-	2	-				NORTHAMPTON.			
IPSWICH -	-	70,802	14'7	11'8	12'5	14'7	1'5	41	20	8	4	-	1	-	1	-	-	-	-	2	-				IPSWICH.			
GREAT YARMOUTH -	-	52,353	12'0	20'9	13'9	14'9	-	23	15	5	5	-	-	-	-	-	-	-	-	-	-				GREAT YARMOUTH.			
NORWICH -	-	116,741	17'0	17'9	8'9	13'0	-	60	29	5	6	-	-	-	-	-	-	2	4	10	1				NORWICH.			
PLYMOUTH -	-	116,000	15'3	18'4	11'2	15'7	0'9	67	35	6	12	-	-	-	-	-	1	-	1	4	-				PLYMOUTH.			
DEVONPORT -	-	76,864	18'3	14'2	10'2	12'2	0'7	41	18	2	6	-	-	-	1	-	-	1	2	4	-				DEVONPORT.			
BRISTOL† -	-	353,515	14'5	11'3	14'3	15'0	2'2	199	103	24	28	-	-	1	4	-	-	2	3	23	1				BRISTOL.			
HANLEY -	-	64,067	20'2	16'1	15'3	14'5	3'2	42	18	9	3	-	-	1	3	-	-	-	1	2	-				HANLEY.			
BURTON-ON-TRENT -	-	52,424	6'0	4'0	10'9	13'9	-	27	14	4	5	-	-	-	-	-	-	-	-	1	-				BURTON-ON-TRENT.			
WOLVERHAMPTON -	-	99,456	13'1	13'1	7'3	13'6	1'6	52	26	4	11	-	-	-	-	-	3	-	1	3	-				WOLVERHAMPTON.			
WALSALL -	-	62,968	14'6	14'6	11'8	11'2	0'6	43	20	5	7	-	-	-	-	-	1	2	2	1	-				WALSALL.			
HANDSWORTH -	-	61,721	8'4	7'6	10'1	9'3	-	30	11	2	5	-	-	-	-	-	-	-	-	1	-				HANDSWORTH.			
WEST BROMWICH -	-	67,823	16'9	20'0	21'5	20'0	6'9	31	26	5	2	-	1	1	-	-	-	-	1	4	-				WEST BROMWICH.			

* See note † on first page of this return.

† These towns are included within the area of Greater London.

† As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR NON-METROPOLITAN TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 27th May, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	The DEATHS registered in the Week include																						TOWNS.						
	Deaths of				Deaths from								Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.														
	Infants under 1 Year of Age.		Persons aged 15 and upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.																	
	1.	2.	3.	4.																									
POPULATION estimated at the middle of the year 1905.*	DEATH-RATES from all Causes.	Rate from Diseases in Cols. 11-17.		Registered during the week ended 27th May, 1905.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	Cols.										
6th May, 1905.	13th May, 1905.	20th May, 1905.	27th May, 1905.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.					13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	542,859	16.7	17.1	15.4	15.7	0.8	304	161	50	44	-	4	1	2	1	-	-	7	9	50	5	BIRMINGHAM.							
KINGS NORTON -	69,830	10.5	11.2	6.0	7.5	0.7	29	10	1	1	-	1	-	-	-	-	-	-	1	3	-	KINGS NORTON.							
SMETHWICK -	62,805	24.2	12.5	15.0	20.8	6.7	32	25	6	4	-	6	-	-	2	-	-	-	1	1	2	SMETHWICK.							
ASTON MANOR -	31,320	9.6	9.0	11.5	9.6	1.9	53	15	3	4	-	1	-	-	2	-	-	1	-	2	1	ASTON MANOR.							
COVENTRY -	75,134	20.1	20.1	18.0	12.5	2.8	43	18	3	6	-	2	-	-	-	2	-	-	1	4	-	COVENTRY.							
LEICESTER -	228,132	12.6	14.6	11.0	11.4	0.2	123	50	13	13	-	-	-	-	1	-	-	3	5	9	-	LEICESTER.							
GRIMSBY -	68,153	9.9	15.3	18.4	14.5	1.5	24	19	4	5	-	-	-	-	2	-	-	-	1	-	-	GRIMSBY.							
NOTTINGHAM -	251,671	15.7	13.3	14.3	14.1	1.2	123	68	9	32	-	2	-	-	2	-	2	3	4	14	2	NOTTINGHAM.							
DERBY -	122,207	11.1	10.7	16.6	11.9	1.3	50	23	5	3	-	1	1	-	1	-	-	2	7	4	-	DERBY.							
STOCKPORT -	98,320	18.0	12.2	14.8	13.3	0.5	60	25	6	8	-	1	-	-	-	-	-	1	1	5	-	STOCKPORT.							
BIRKENHEAD -	116,035	13.9	13.9	14.4	18.4	1.8	75	41	10	11	-	3	1	-	-	-	-	1	3	5	-	BIRKENHEAD.							
WALLASEY -	62,460	13.4	10.0	13.4	15.9	1.7	35	19	6	6	-	-	-	1	-	-	1	1	1	4	1	WALLASEY.							
LIVERPOOL -	730,113	18.9	18.2	17.4	18.9	1.6	468	265	55	69	-	10	7	1	1	3	1	10	21	93	7	LIVERPOOL.							
BOOTLE -	62,768	22.4	13.3	14.1	11.6	0.8	44	14	2	6	-	-	1	-	-	-	-	2	2	4	-	BOOTLE.							
ST. HELENS -	89,843	17.4	14.5	15.7	16.8	0.6	51	29	7	4	-	-	-	-	1	-	-	3	3	7	1	ST. HELENS.							
WIGAN† -	88,581	15.7	23.5	16.3	20.5	0.6	50	34	12	5	-	-	-	-	1	-	-	1	1	1	-	WIGAN.†							
WARRINGTON -	68,301	17.6	23.7	15.3	18.3	3.8	43	24	7	4	-	5	-	-	-	-	-	-	-	2	1	WARRINGTON.							
BOLTON -	178,111	14.9	13.8	10.2	14.6	0.6	82	50	14	8	-	2	-	-	-	-	-	2	5	8	1	BOLTON.							
BURY -	58,594	16.0	15.1	15.1	16.0	-	31	18	5	5	-	-	-	-	-	-	-	-	-	-	1	BURY.							
MANCHESTER† -	631,165	17.4	17.9	16.4	16.8	1.9	358	203	54	46	-	-	-	-	-	-	-	17	47	2	2	MANCHESTER.†							
SALFORD -	231,514	15.3	14.9	14.6	17.6	2.7	140	78	20	18	-	3	3	4	-	9	2	5	6	23	1	SALFORD.							
OLDHAM -	140,225	26.8	20.8	17.5	17.1	2.2	63	46	13	5	-	2	-	-	-	2	-	-	1	3	1	OLDHAM.							
ROCHDALE -	86,390	15.7	16.9	13.3	17.5	-	45	29	3	9	-	-	-	-	-	-	-	-	1	7	1	ROCHDALE.							
BURNLEY -	101,682	16.4	11.8	14.4	13.3	-	61	26	12	4	-	-	-	-	-	-	-	-	1	1	1	BURNLEY.							
BLACKBURN -	133,067	14.9	19.2	16.5	12.1	2.4	57	31	5	4	-	-	-	-	-	-	-	2	2	6	3	BLACKBURN.							
PRESTON -	115,721	10.8	13.5	22.5	15.8	0.5	53	35	6	9	-	-	-	-	-	-	-	1	1	5	2	PRESTON.							

[illegible]

As enlarged in 1804.

See note † on first page of this return

• See note † on first page of this return

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2640	2421	2437	2569	2306	2435	2559	2174	2514	2122	2510·4	2544
Males - -	1337	1228	1264	1327	1185	1270	1313	1122	1294	1073	1288·9	1271
Females - -	1303	1193	1173	1242	1121	1165	1246	1052	1220	1049	1221·5	1263
TOTAL Deaths -	1371	1509	1275	1385	1366	1440	1363	1439	1232	1274	1417·7	1311
Males - -	709	810	662	697	736	764	714	815	642	687	751·3	688
Females - -	662	699	613	688	630	676	649	624	590	587	666·4	623

* The numbers in this column are the average weekly numbers in the twenty-first week of the ten years 1895-1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	13 Weeks.
TOTAL Births -	2600	2412	2535	2611	2618	2310	2469	2129	2568	2722	2645	2426	2544	32589
TOTAL Deaths -	1535	1543	1397	1376	1357	1419	1443	1342	1426	1304	1324	1268	1311	18045
Ages at Death														
Under 1 year -	321	326	293	284	286	276	275	251	309	260	258	250	259	3648
1-5 years -	183	194	148	157	164	195	203	181	163	154	175	158	156	2231
5-20 " -	77	68	86	68	65	56	67	79	76	67	65	69	74	917
20-40 " -	184	188	179	167	153	195	184	190	159	147	178	171	176	2271
40-60 " -	265	287	281	296	273	291	270	255	306	252	283	264	268	3591
60 yrs. & up wds.	505	480	410	404	416	406	444	386	413	424	365	356	378	5387
Deaths from—														
Small-pox†	-	-	-	2	-	1	-	-	1	1	-	1	-	6
Measles - -	34	32	28	30	29	41	47	42	37	44	42	41	44	491
Scarlet Fever - -	14	11	7	18	4	10	13	13	9	5	9	11	4	128
Diphtheria - -	20	13	7	10	8	15	14	4	14	11	7	7	6	136
Whooping-cough -	34	53	39	33	40	40	64	39	50	54	37	35	50	568
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	4	-	3	4	3	6	3	6	5	3	3	5	50
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	8	11	12	11	11	8	14	13	15	19	10	15	16	163
All above Diseases -	115	124	93	107	96	118	158	114	132	139	108	113	125	1542
Dis. of Resp. System	204	187	158	156	119	148	147	119	138	122	112	95	92	1797
Pneumonia - -	149	174	146	148	154	160	157	153	168	134	139	131	126	1939
Phthisis - -	135	151	150	131	139	134	141	131	125	121	127	119	122	1726
Dis. of Circ. System	218	216	178	188	165	175	196	145	185	168	161	143	174	2312
Violence - -	56	59	53	47	58	57	58	59	60	47	66	53	59	737
Inquest Cases - -	149	152	129	137	116	146	139	117	143	112	132	130	137	1739
Deaths in Institutions	559	539	532	502	517	509	507	504	520	503	509	500	502	6703
TEMPERATURE OF THE AIR.														
Mean - -	39·4	44·3	46·2	46·5	47·3	43·2	49·5	43·1	48·5	49·4	53·6	53·3	51·2	47·3
Mean of Highest -	44·7	50·6	53·2	56·9	55·8	51·7	58·7	50·6	56·1	60·1	64·0	64·0	62·8	56·1
Mean of Lowest -	32·2	39·3	40·9	36·7	40·2	35·7	42·0	38·2	42·8	41·9	42·9	43·9	41·0	39·8
Mean Humidity of the Air.	83	80	81	79	74	76	81	74	74	71	60	67	61	74
Rain-fall (in inches) -	0·30	1·08	2·25	0·09	0·06	0·27	0·83	0·25	0·15	0·85	0·00	0·22	0·00	6·35
Registered Sunshine (in hours).	15·3	7·3	33·9	42·0	36·3	24·9	22·7	16·5	24·8	54·7	55·5	52·1	39·4	425·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	15	16	23	20	20	21	15	17	16	17	17	15	10	17
Scarlet Fever - -	2002	2036	2042	2036	2032	2068	2133	2128	2182	2152	2177	2211	2200	2100
Diphtheria - -	802	840	830	807	794	769	738	731	725	681	698	686	688	756
Typhus - -	2	2	-	-	-	1	1	1	-	-	-	-	-	1
Enteric Fever - -	87	84	83	68	68	66	63	58	65	72	70	71	79	72

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 2. LONDON.—DEATHS Registered in the TWENTY-FIRST Week of the Year 1905.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 21st week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 21st week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.			1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.		
CAUSES	1274	1311	259	156	74	176	268	378	Meningitis (not tuberc.)	11	17	6	6	3	1	-	
									Insanity, Gen. Par. of } Insane -	10	12	-	-	-	4	4	
									Epilepsy -	9	5	-	-	-	1	2	
									Convulsions -	23	22	20	2	-	-	-	
									Locomotor Ataxy -	4	2	-	-	-	1	1	
									Paraplegia, Dis. of Cord	3	6	-	-	-	1	3	
									Nervous Sys. (other dis.)	14	20	-	1	1	1	14	
									Valv. Dis., Endocarditis-	30	37	-	-	5	7	14	
									Cerebr. Hæm. Thromb. -	30	31	-	-	-	13	18	
									Apoplexy, Hemiplegia -	12	18	-	-	-	1	5	
									Aneurysm -	3	3	-	-	-	1	1	
									Embolism, Thrombosis } (not cerebral)	-	3	-	-	-	2	1	
									Heart & Blood Vessel Dis.	61	82	-	-	2	7	21	
									Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	
									Bronchitis -	70	73	14	8	2	2	9	
									Asthma, Emphysema -	-	1	-	-	-	1	-	
									Pleurisy -	2	4	-	1	-	-	1	
									Respiratory Dis. (other)	8	14	1	1	-	2	10	
									Tonsillitis, Quinsy -	1	-	-	-	-	-	-	
									Enteritis (not Epid.) -	6	9	6	-	-	-	3	
									Gastro-Enteritis -	6	8	7	-	1	-	-	
									Peritonitis (not Puerp.)	2	1	-	-	-	1	-	
									Cirrhosis of Liver -	15	15	-	-	-	10	5	
									Liver Dis. (other) -	5	6	-	-	2	1	3	
									Digestive Dis., Other	41	41	3	6	4	6	11	
									Nephritis, Acute -	5	3	-	-	1	2	-	
									Bright's Dis., Albuminuria	33	37	-	-	1	8	11	
									Urinary Sys., Other Dis.	5	8	-	-	-	3	2	
									Generative Organs Dis.	4	1	-	-	-	1	-	
									Childbirth (Accid. of)	5	5	-	-	-	3	2	
									Old Age -	47	47	-	-	-	-	47	
									Other Diseases	89	85	50	7	6	9	5	
									ACCIDENT.								
									By Railways -	3	1	-	-	-	-	1	
									By Vehicles and Horses	3	5	-	-	1	2	1	
									In Ships, Boats, Docks, (exclusive of Drowning)	1	2	-	-	-	-	2	
									In Building Operations	-	2	-	-	-	1	1	
									In Conflagrations -	-	-	-	-	-	-	-	
									By Burns, Scalds, Explosions	5	1	-	-	-	-	1	
									By Drowning -	5	3	-	-	-	2	1	
									By Suffocation in Bed	12	9	9	-	-	-	-	
									By Poisons or Poisonous Vapours	-	4	-	-	1	1	1	
									Other Deaths by Accident	13	18	6	-	5	1	4	
									VIOLENCE OTHER THAN ACCIDENTAL.								
									Homicide -	2	1	-	-	-	1	-	
									Suicide -	10	11	-	-	1	5	4	
									Execution -	-	2	-	-	-	2	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th May, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Violence.	Inquest Cases.	
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia (or Typhoid) Fever.	Origin un- certain.	Diarrhoea.			
LONDON - - -		4,530,420	2544	1311	250	378	-	44	4	6	50	-	5	-	16	59	137	502	
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.		93,178	54	31	11	7	-	2	-	-	2	-	-	-	-	2	5	6	
W ² H - - -																			
St. John Paddington H - G.		33,617	9	10	-	2	-	-	-	-	-	-	-	-	-	2	3	8	
North-West Paddington - C.		17,181	8	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Kensington Town 2W w ² H G. & W. & C.		128,037	50	40	9	12	-	-	-	-	2	-	-	-	1	3	7	18	
Brompton 2H - - W. & C.		48,591	11	10	-	7	-	-	-	-	-	-	-	-	-	-	-	1	
North Hammersmith W, w ² H } W. & G.		49,192	30	10	5	2	-	1	-	-	1	-	-	-	-	1	1	-	
South Hammersmith w ² H } W. & G.		63,047	27	16	3	6	-	-	-	-	1	-	-	-	-	2	4	5	
North-west Fulham W } W. & C.		45,180	50	15	4	5	-	1	-	-	1	-	-	-	1	-	1	3	
North-east Fulham F } W. & C.		46,405	28	14	6	2	-	1	-	-	-	-	-	-	-	1	1	3	
South Fulham W } W. & C.		45,704	32	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W, w ² H - - C.		42,514	21	24	2	12	-	-	-	-	-	-	-	-	-	-	1	23	
Chelsea South W ² H - - C.		31,328	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	
May Fair and Knightsbridge C. & G.		28,743	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W ² H - - C.		55,815	16	14	-	4	-	-	-	-	-	-	-	-	-	-	3	8	
St. Margaret & St. John 4H - C.		43,698	18	17	2	6	-	1	-	-	-	-	-	-	-	1	2	5	
St. James Westminster } N. & G.		21,588	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
W ² H - - -																			
St. Anne Soho 5H - - N.		11,493	5	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.		35,391	9	15	3	1	-	-	-	-	-	-	-	-	-	2	2	5	
Rectory Marylebone W G. & W.		19,849	1	4	1	-	-	1	-	-	-	-	-	-	-	-	1	-	
St. Mary Marylebone 4H G. & W.		18,099	37	5	1	-	-	1	-	-	-	-	-	-	-	1	2	-	
Christchurch Marylebone H- W.		39,536	14	6	3	-	-	1	-	-	1	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.		20,426	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, F, 3H - N. & W.		81,942	25	16	1	2	-	-	2	-	1	-	-	-	-	1	1	8	
West St. Pancras 2H - - W.		60,562	26	10	2	3	-	-	-	1	-	-	-	-	-	-	-	4	
Tottenham-court w ² H N. & W.		21,258	6	5	1	3	-	-	-	-	-	-	-	-	-	-	-	1	
Gray's Inn Lane 4H - - N.		34,449	15	8	2	-	-	-	-	1	1	-	-	-	-	1	1	3	
East St. Pancras W ² H - - N.		60,320	34	19	7	5	-	1	-	-	1	-	-	-	-	-	3	7	
North St. Pancras 2W - - N.		58,728	32	10	1	3	-	-	-	-	-	-	-	-	-	-	-	4	
Fulwell W - - N.		31,995	15	18	3	8	-	-	-	-	4	-	-	-	-	-	-	12	
Upper Holloway 2W, w ² H - N.		33,978	19	20	2	3	-	-	-	-	2	-	-	-	-	-	2	15	
Tollington WH - - N.		33,922	13	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
Lower Holloway - - N.		41,424	28	9	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
Barnsbury - - N.		54,478	41	11	4	5	-	1	-	-	1	-	-	-	-	-	2	-	
Islington South-east F - - N.		75,397	41	9	4	2	-	1	-	-	-	-	-	-	-	-	1	1	
Highbury 2H - - N.		63,797	23	12	5	4	-	-	-	-	2	-	1	-	-	-	-	-	
Stoke Newington H - - N.		51,247	14	10	2	4	-	-	-	-	-	-	-	-	-	1	2	-	
North Hackney - - E. & N.		50,560	19	3	2	1	-	-	-	-	-	-	-	-	-	-	2	-	
Central Hackney 2w, F - E. & N.		50,536	22	10	-	6	-	-	-	-	-	-	1	-	-	-	2	1	
South-west Hackney 3H E. & N.		59,921	38	14	6	3	-	-	-	-	1	-	-	-	-	-	-	8	
South-east Hackney 2W, w ² H E. & N.		58,255	32	34	6	12	-	4	-	-	-	-	-	-	-	-	3	20	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signal Grand Junction; W. West Middlesex; O. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 27th May, 1905—continued.

STATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include														
			Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.			
CENTRAL DISTRICTS.																	
Is and Bloomsbury W, 2H N.	31,436	25	9	3	3	-	-	-	-	-	-	-	-	-	1	2	-
W, 4H - - - N. & C.	21,674	3	12	3	2	-	-	-	-	-	-	-	-	1	1	11	-
Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
n W, 6H - - - N.	29,612	11	13	3	1	-	1	-	-	2	-	-	-	-	-	7	-
Clerkenwell - - - N.	28,676	20	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Clerkenwell H - - - N.	35,028	18	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-
ry 3H, L - - - N.	36,116	25	6	3	-	-	-	-	-	-	-	-	-	-	2	2	-
n Union Workhouse, } lam - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-
olph H - - - N. & E.	10,299	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
ulchre and Alihallows } N. }	16,624	1	17	1	3	-	-	-	-	-	-	-	-	4	6	13	-
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
itch South H - E. & N.	46,362	22	11	2	3	-	-	-	-	2	-	-	-	1	2	-	-
itch North-West W, w, H N.	36,127	24	21	1	7	-	-	-	-	1	-	-	-	-	-	14	-
itch North-East - N. & E.	36,148	26	7	3	1	-	-	-	-	1	-	-	-	-	-	-	-
itch Union Workhouse, Wood } n - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
al Green North 2H - E.	51,514	40	21	3	6	-	-	-	-	1	-	-	-	2	3	3	-
al Green South - - E.	33,472	12	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
al Green East 2W, H, L - E.	44,694	23	18	1	6	-	-	-	-	-	-	-	-	-	2	12	-
Fields - - - E. & N.	27,969	22	6	2	1	-	-	-	-	-	-	-	1	-	3	-	-
nd New Town W, H - E.	28,718	25	46	5	7	-	-	-	-	-	2	-	1	4	10	42	-
nan's Fields - - - E.	22,081	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
orge and St. John 2W E.	49,068	43	15	7	2	-	-	-	-	-	-	-	1	2	5	4	-
vell and Ratcliff W, H E. & N.	25,568	12	9	6	1	-	-	-	1	-	-	-	-	1	2	5	-
ouse W - - - E.	32,369	22	10	-	1	-	1	-	-	1	-	-	-	1	2	-	-
End Old Town South- } tern H - - - E.	63,698	72	8	5	-	-	2	-	-	-	-	-	-	-	1	1	-
End Old Town North- } tern W, w - - - E.	49,129	27	27	3	9	-	2	-	-	1	-	-	1	-	-	15	-
L - - - - E.	41,989	24	9	3	1	-	1	-	-	-	-	-	-	1	1	1	-
ey 3w, H - - - E.	68,319	41	31	2	9	-	4	-	-	1	-	-	-	3	5	20	-
r W, w - - - E.	58,514	28	14	4	4	-	2	-	-	1	-	-	-	-	2	2	-

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 27th May, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON—OUTER RING	368,602	2,044,973	1236	431	78	137	-	6	5	6	17	4	5	17	37	74	2
Carshalton 2F,2H	12,228	32,997	13	9	3	2	-	-	-	-	2	-	-	1	1	3	-
Epsom, part of* W,w,2F,H	10,423	15,548	10	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Godstone, part of* W,F	2,754	2,692	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,089	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	23	9	-	3	-	-	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	31	15	2	5	-	-	-	-	-	-	-	1	2	7	-
North Croydon H	2,644	41,698	27	9	1	6	-	-	-	-	-	-	-	-	-	1	-
Penge w,H	770	22,465	7	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Mitcham w	11,711	30,015	29	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F,3H	3,221	41,652	27	9	3	2	-	-	-	-	-	-	-	1	2	-	-
Kingston 2W,H	6,224	42,068	19	9	1	3	-	1	-	-	-	-	-	-	-	4	-
Surbiton F,H	3,046	15,017	5	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Esher, part of* H	5,402	13,100	8	3	-	1	-	-	-	-	-	-	-	1	1	-	-
Hampton H,F,L	4,564	23,456	11	4	-	2	-	-	-	-	-	-	-	-	1	-	-
Richmond W,H	2,162	28,865	11	4	-	2	-	-	-	-	-	-	-	-	-	1	-
Mortlake F	2,847	20,628	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Bromley F,2H	4,703	27,354	11	3	-	2	-	-	-	-	-	-	-	1	1	1	-
Beckenham H	7,825	28,497	9	7	-	3	-	-	-	-	-	-	-	-	1	-	-
Orpington part of* W	10,113	9,857	3	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Chislehurst 2H	7,333	16,446	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Bexley w,F,H	8,678	21,151	13	4	1	1	-	-	-	-	-	-	-	-	1	-	-
Erith F,H	3,854	25,296	11	6	1	3	-	1	-	-	-	-	-	-	-	-	-
Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
Sunbury w	11,054	18,683	8	4	1	1	-	-	-	-	-	-	-	1	-	-	-
Staines W,H	13,277	15,178	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Hillingdon W,F,H	6,035	13,661	11	4	-	2	-	-	-	-	-	-	-	-	-	1	-
Uxbridge H	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w,F,H	8,066	16,358	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	14	11	2	4	-	-	-	-	-	-	1	-	-	-	8
Twickenham F,H	2,421	20,991	19	10	4	3	-	-	-	-	-	-	-	-	2	-	-
Brentford 3F,2H,L	4,319	48,239	38	5	1	4	-	-	-	-	-	-	-	-	-	-	-
Chiswick H	1,249	29,809	21	5	2	2	-	-	-	-	-	-	-	-	-	-	-
Acton w,3H	6,132	48,914	34	20	4	6	-	-	-	-	-	-	1	1	1	1	-
Harrow F,H	13,809	25,523	20	7	3	-	-	-	-	-	2	-	-	-	-	-	-
Edgware F,2H	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	70	19	4	7	-	1	-	1	-	-	-	2	2	4	-
Hendon W,F	8,382	22,450	15	6	1	-	-	-	-	-	-	-	-	-	1	1	-
South Mimms 2F,H	17,755	7,308	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	11	4	1	1	-	-	-	-	-	-	-	1	1	1	-
Finchley F,2H	4,688	33,692	21	4	-	2	-	-	-	-	1	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	25	10	3	4	-	-	-	-	-	-	-	-	-	-	-
Wood Green H	1,625	34,233	26	5	2	2	-	-	-	-	2	-	-	-	-	-	-
West Tottenham F	996	48,853	35	13	-	5	-	-	-	-	1	-	-	-	1	-	-
East Tottenham 2H	2,017	53,688	40	12	1	1	-	-	-	3	-	-	-	-	-	4	-
Edmonton W,w,2F	7,491	61,892	37	12	3	4	-	-	-	1	1	-	-	-	1	2	-
Enfield 2W,F,H	12,601	42,738	24	6	-	2	-	1	-	-	-	-	-	-	-	-	-
Waltham Abbey F	11,017	6,549	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	10	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	24	9	1	3	-	-	-	-	-	1	-	-	-	-	-
Plaistow F,2H	1,249	90,921	63	18	7	1	-	1	1	1	1	-	-	1	2	3	-
Canning Town H	1,556	70,718	54	16	6	3	-	-	-	-	-	-	-	-	-	-	-
Forest Gate w	806	60,892	24	9	-	4	-	-	-	-	1	-	-	-	1	1	-
North East Ham w,H	1,333	58,676	39	12	6	1	-	-	-	1	2	-	-	-	-	-	-
South East Ham 2F	1,993	37,342	27	7	1	1	-	-	-	-	-	-	-	-	2	-	-
Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	31	12	1	4	-	-	-	-	-	1	-	-	-	2	1
North Leyton 2W,w,F	1,963	48,445	35	27	1	10	-	1	1	-	-	-	-	-	-	20	1
Walthamstow 3H,L	6,504	108,929	73	22	4	6	-	2	-	-	-	1	-	4	5	1	-
Chigwell, part of* 2F,3H	11,778	16,397	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	6,091	3	2	-	-	-	-	1	-	-	-	-	-	-	1	-
Ilford F,L	8,496	41,234	29	12	1	7	-	-	-	-	-	-	-	1	1	2	-
Barking Town F	3,803	21,547	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-

parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chislefield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting on Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea
LONDON - -	4,684,794	May 27	2544	1311	14·6	-	44	4	6	50	5	
CALCUTTA - -	847,796	April 15	-	1266	77·6	14	8	-	-	3	8761	
BOMBAY - -	776,008	May 9	306	1380	92·5	37	34	-	-	-	7601	
MADRAS - -	509,346	April 21	426	386	39·4	6	5	?	?	?	61	
PARIS - -	2,660,559	May 20	982	928	18·0	2	10	1	5	4	6	
BRUSSELS - -	586,936	" 20	217	154	13·4	-	2	-	2	2	1	
ANTWERP - -	286,695	" 20	136	71	12·6	-	-	-	-	-	-	
AMSTERDAM -	551,415	" 13	262	154	14·5	-	3	-	1	4	-	
COPENHAGEN -	426,000	" 20	234	147	17·8	-	3	-	2	-	-	
STOCKHOLM -	309,496	" 13	162	105	17·1	-	-	2	1	-	-	
CHRISTIANIA -	223,649	" 20	126	71	16·6	-	2	-	1	3	-	
ST. PETERSBURG	1,248,122	" 13	649	839	31·4	2	61	24	20	3	37	
MOSCOW - -	1,092,360	" 13	-	583	27·8	2	6	7	6	9	7	
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	
BERLIN - -	2,007,918	May 6	872	722	18·7	-	10	11	5	8	3	
HAMBURG - -	772,852	" 20	-	245	16·5	-	1	1	2	1	-	
BRESLAU - -	460,755	" 20	-	187	21·2	-	1	1	3	1	2	
MUNICH - -	528,000	" 20	-	207	20·4	-	2	1	1	6	-	
VIENNA - -	1,877,839	" 20	966	751	20·6	-	18	6	11	3	1	
PRAGUE - -	430,569	" 13	217	265	30·7	-	2	1	1	-	-	
BUDA-PESTH -	836,267	" 20	420	321	20·0	-	13	4	1	1	-	
TRIESTE - -	191,403	" 20	102	85	22·9	-	-	-	-	-	1	
ROME - -	503,857	April 1	226	202	20·8	-	12	-	-	1	-	
VENICE - -	169,417	May 13	75	68	20·9	-	1	-	-	1	1	
BUCHAREST -	282,071	" 13	147	150	27·7	-	-	-	1	2	-	
NEW YORK - -	3,948,191	" 13	1768	1439	19·0	1	14	13	36	8	3	
CHICAGO - -	1,932,315	April 29	-	-	-	-	-	-	-	-	-	
PHILADELPHIA -	1,436,318	May 6	-	481	17·4	-	-	1	11	-	20	
BOSTON - -	617,956	April 29	-	210	17·7	-	-	-	2	1	1	
RIO DE JANEIRO	850,000	" 23	-	300	17·3	1	-	-	2	2	21	
		" 30	-	297	17·1	6	2	-	1	-	21	

* Excluding deaths from croup in the Indian Cities.

† Including 762 deaths from plague in Calcutta, 702 in Bombay, and 1 in Rio de Janeiro.

‡ Including 38 deaths from cholera.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th May, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	73·5	34·3	51·9	0·00	BRADFORD - -	70·0	30·0	49·2	0·0
BRIGHTON - -	62·2	37·5	50·3	0·00	LEEDS - -	-	-	-	0·0
PORTSMOUTH - -	64·3	38·0	51·3	0·00	HULL - -	68·0	31·0	50·5	0·0
NORWICH - -	69·2	33·6	50·1	0·08	TYNEMOUTH - -	64·0	36·0	48·7	0·0
PLYMOUTH - -	60·5	39·1	50·8	0·00					
BRISTOL - -	66·4	30·8	49·8	0·00	EDINBURGH - -	58·9	34·8	46·8	0·0
BIRMINGHAM - -	67·2	33·7	49·5	0·00	GLASGOW - -	61·8	34·1	48·7	0·0
NOTTINGHAM - -	68·8	30·2	49·5	0·01					
LIVERPOOL - -	68·0	40·0	50·6	0·05					
OBSERVATORY, -	67·2	30·4	48·4	0·01	DUBLIN { Phoenix Park.	67·1	37·9	53·3	0·0
MANCHESTER - -	65·5	36·8	50·5	0·04	William Square.†				
PRESTON - -	67·0	32·6	48·3	0·03	BELFAST - -	63·1	34·0	50·0	0·0
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher's returns up to the 31st March, 1902, for the corresponding period to the above was 1·7° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		Phases of the Moon.	TEMPERATURE.				Difference between the Air Temperature and Dew Point.				Degree of saturation (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.				Main collected Gauge receiving rain falling on the above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
MONTH AND DAY	TEMPERATURE.		Of the Air.		Of the Dew point		the Air Temperature and Dew Point.		Of Radiation.	Of the Earth 3 feet below the Surface.		Oiler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.				Great- est.	Least.	General Direction.	Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.	Vertical Movement of the Air on each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MAY			°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 138 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the forty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometrical tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 8 and 9 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day. The reading of the barometer increased from 2884 in. at the beginning of the week to 2989 in. by 11h. P.M. on the 32nd; decreased to 2972 in. by 5h. P.M. on the 24th; and increased to 3008 in. by midnight on the 27th.

GENERAL REMARKS.

Generally overcast; cold. Cloudy in morning; fine and partially cloudy till evening; cloudless at night; cold. Cloudless in morning; fine with large amounts of cloud afterwards; cold. Fine generally till 5h. A.M.; cloudy afterwards. Overcast till 2h. A.M.; very fine generally till noon; overcast with slight exceptions afterwards. Fine and partially cloudy till evening; very fine with little cloud at night. A very fine day; the amount of cloud was usually small. Solar halo in afternoon.

DATE.	May.	Registered Sunshine in hours.	Electricity. (For explanation of symbols, see Note.)	Sum above Horizon, in hours.	Sum	No. of Col.
SUNDAY	- 21	02	w. P. in morning; m. P. generally afterwards.	158	Sum 394	-
MONDAY	- 22	106	m. P. generally; occasional s. P.	158	1115	28
TUESDAY	- 23	81	s. P. till 6h. P.M.; m. P. till 9h. P.M.; w. P. afterwards.	159		
WEDNESDAY	- 24	01	w. P. till 6h. A.M.; s. P. generally afterwards.	159		
THURSDAY	- 25	45	w. P. till 4h. P.M.; m. P. afterwards.	160		
FRIDAY	- 26	34	m. P. generally.	160		
SATURDAY	- 27	125	w. P. generally; occasional m. P.	161		
No. of Col.	-	28				27

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th May, 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	6	-	-	-	-	-	1	-
Kensington - - - -	180,083	-	14	3	-	3	-	-	-	-
Hammersmith - - - -	119,037	-	5	4	-	1	-	-	3	1
Fulham - - - -	157,210	-	20	4	-	1	-	-	5	-
Chelsea - - - -	74,496	-	5	-	-	-	-	-	3	1
City of Westminster - - - -	175,606	-	7	1	-	1	-	-	2	-
NORTH.										
St. Marylebone - - - -	129,453	-	2	4	-	1	-	-	1	-
Hampstead - - - -	88,142	-	7	1	-	-	-	-	3	-
St. Pancras - - - -	236,183	-	22	5	-	1	-	-	5	-
Islington - - - -	342,994	-	20	5	-	2	-	-	1	-
Stoke Newington - - - -	52,828	-	6	-	-	-	-	-	-	-
Hackney - - - -	228,479	1	24	8	-	4	-	-	8	-
CENTRAL.										
Holborn - - - -	56,481	-	4	-	-	1	-	-	-	-
Finsbury - - - -	98,207	-	5	2	-	-	-	-	1	-
City of London - - - -	22,425	-	-	-	-	-	-	-	2	-
EAST.										
Shoreditch - - - -	116,565	-	12	2	-	-	-	-	5	-
Bethnal Green - - - -	130,401	-	16	8	-	1	-	-	7	-
Stepney - - - -	305,466	-	30	17	-	4	-	-	9	-
Poplar - - - -	170,280	-	20	6	-	-	-	-	2	-
SOUTH.										
Southwark - - - -	208,528	-	5	8	-	-	-	-	3	2
Bermondsey - - - -	129,006	-	9	5	-	2	-	-	4	-
Lambeth - - - -	313,045	-	19	18	-	2	-	-	7	-
Battersea - - - -	177,532	-	14	3	-	1	-	-	-	-
Wandsworth - - - -	265,392	-	31	-	-	-	-	-	1	-
Camberwell - - - -	271,240	1	17	6	-	1	-	-	4	-
Deptford - - - -	114,495	-	9	3	-	-	-	-	2	2
Greenwich - - - -	103,493	-	7	1	-	-	-	-	1	1
Lewisham - - - -	144,420	-	15	5	-	-	-	-	1	1
Woolwich - - - -	125,372	-	13	3	-	-	-	-	-	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		2	364	122	-	27	-	-	81	8
Ages										
0-1 - - - -	-	-	2	4	-	-	-	-	2	-
" 1-5 - - - -	-	-	125	43	-	-	-	-	3	-
" 5- - - - -	-	-	138	42	-	2	-	-	7	-
" 10- - - - -	-	1	50	11	-	4	-	-	5	-
" 15- - - - -	-	-	22	9	-	4	-	-	1	-
" 20- - - - -	-	-	10	8	-	4	-	-	4	5
" 25- - - - -	-	1	12	4	-	6	-	-	11	2
" 35- - - - -	-	-	1	-	-	4	-	-	7	1
" 45- - - - -	-	-	1	-	-	2	-	-	19	-
" 55- - - - -	-	-	1	1	-	1	-	-	10	-
" 65 and upwards - - - -	-	-	1	-	-	-	-	-	12	-
Age not stated - - - -	-	-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, E.C

No. 22. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JUNE 3. [Price 1½d

General Register Office, Somerset House,
June 5th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·7 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·0, 14·4, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 19·1 in Ipswich, 19·3 in Newcastle-on-Tyne, 19·4 in Preston, 19·5 in Sunderland, 20·5 in Rochdale, 20·9 in Stockton-on-Tees, 22·7 in Swansea, 25·3 in Tynemouth, and 26·0 in Middlesbrough; from *measles*, 2·3 in Warrington, 2·5 in Smethwick, 4·2 in Coventry, and 4·6 in West Bromwich; and from *whooping-cough*, 1·3 in East Ham, 1·5 in Ipswich, 1·6 in Hastings, and 2·9 in Tynemouth. One death from *small-pox* was registered in Bradford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2249 BIRTHS and 1319 DEATHS were registered. Allowing for increase of population, the births were 297 and the deaths 96 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·7, 14·1, and 14·6 in the preceding three weeks, was 14·7 last week. During the four weeks ended on Saturday last the death-rate averaged 14·5 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1319 deaths included 58 from measles, 9 from scarlet fever, 7 from diphtheria, 41 from whooping-cough, 4 from enteric fever, and 27 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 146 deaths were referred to these diseases in the aggregate, being 25 below the corrected average weekly number.

The deaths from *measles*, which had been 42, 41, and 44 in the preceding three weeks, rose last week to 58, but were 7 below the corrected average; 11 deaths belonged to the Borough of Battersea, 6 each to Kensington and Stepney, 5 to Paddington, and 4 each to Hackney and Poplar. The deaths from *scarlet fever*, which had been 9, 11, and 4 in the preceding three weeks, were 9 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 7, 7, and 6 in the preceding three weeks, were 7 last week, and were 18 below the corrected average. The deaths from *whooping-cough*, which had been 37, 35, and 50 in the preceding three weeks, fell last week to 41, the corrected average being 42; 6 deaths belonged to Poplar, 5 to Hammersmith, 4 to Southwark, and 3 each to Kensington, Islington, and Lambeth. The fatal cases of *enteric fever*, which had been 3, 3, and 5 in the preceding three weeks, were 4 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 10, 15, and 16 in the preceding three weeks, rose last week to 27, and were 12 above the corrected average; 4 deaths belonged to Stepney, and 3 to Islington. Of the 27 deaths from diarrhœa, 23 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 more deaths at this age. The deaths attributed directly to *influenza* numbered 7, having been 10, 12, and 17 in the preceding three weeks. The death of a house-painter, aged 48 years, was certified as due to *plumbism*.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 10 were cases of suicide, while the remaining 49 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 6 to burns and scalds, 5 to drowning, 4 to building operations, and 13 (including 12 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 9 cases of small-pox, 2267 of scarlet fever, 691 of diphtheria, and 80 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 2, 3, and 0; of scarlet fever, 351 cases, against 319, 319, and 312; of diphtheria, 91 cases, against 96, 94, and 90; and of enteric fever, 18 cases, against 12, 16, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 27th.

GREATER LONDON.

In Greater London 3413 births and 1759 deaths were registered. Allowing for increase of population these numbers are 355 and 183 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 4 from scarlet fever, 2 from diphtheria, 9 from whooping-cough, 3 from "fever," and 8 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·91 inches, and that of the Thermometer 62°·7, the latter being 5°·8 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 4 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 51·5 hours; the measured rainfall amounted to 0·50 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Cols.	POPULATION estimated at the middle of the year 1905.*					DISEASES in Cols. 11-17.		Registered during the week ended 3rd June, 1906.		DEATHS from										Deaths of Persons aged 60 Years and upwards.		Causes of Death.						TOWNS	
		Week ended					11-17.		BIRTHS.		Deaths from										under 1 Year of Age.		Causes of Death.							
		13th May, 1905.	20th May, 1905.	27th May, 1905.	3rd June, 1905.	Week ended 3rd June, 1906.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Causes of Death.							
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Causes of Death.									
76 TOWNS	15,609,377	15°0	14°4	14°6	14°7	1°4	8133	4390	925	1251	1	152	30	28	118	22	60	198	350	1099	34	76 TOWNS.								
LONDON -	4,684,794	14°7	14°1	14°6	14°7	1°6	2249	1319	274	386	-	58	9	7	41	4	27	59	117	514	1	LONDON.								
CROYDON -	147,704	12°7	11°3	11°6	13°1	1°1	48	37	4	21	-	-	1	-	-	-	1	-	1	11	-	CROYDON.								
WILLESDEN -	138,080	8°3	10°2	7°2	10°2	1°1	91	27	5	9	-	3	-	-	-	-	-	5	6	5	-	WILLESDEN.								
HORNSLEY -	84,070	7°4	7°4	6°2	4°3	-	36	7	2	3	-	-	-	-	-	-	-	-	-	1	-	HORNSLEY.								
TOTTENHAM -	116,232	14°8	12°6	11°2	9°4	0°4	60	21	4	8	-	-	-	-	1	-	-	-	-	1	-	TOTTENHAM.								
WEST HAM -	284,997	12°0	13°4	10°8	9°2	1°4	156	52	15	11	-	-	3	4	1	-	3	5	12	-	-	WEST HAM.								
EAST HAM -	123,381	10°1	8°9	9°3	10°1	2°1	57	24	6	8	-	1	-	-	3	1	2	3	4	-	-	EAST HAM.								
LEYTON -	114,556	5°9	12°3	10°0	5°5	-	48	12	3	4	-	-	-	-	-	-	1	1	2	-	-	LEYTON.								
WALTHAMSTOW -	116,237	9°9	13°0	9°0	10°8	1°3	55	24	5	4	-	3	-	-	-	-	-	-	-	5	-	WALTHAMSTOW.								
HASTINGS -	66,820	14°0	11°7	10°9	10°9	1°6	19	14	2	6	-	-	-	-	2	-	-	1	1	4	-	HASTINGS.								
BRIGHTON -	127,183	16°4	16°0	13°9	9°8	-	63	24	3	12	-	-	-	-	-	-	1	3	9	-	-	BRIGHTON.								
PORTSMOUTH†	201,975	16°0	14°2	11°6	13°9	2°3	81	54	8	20	-	2	1	1	3	2	-	-	-	10	-	PORTSMOUTH.†								
BOURNEMOUTH -	66,168	16°5	9°5	15°8	13°4	1°6	22	17	4	3	-	-	-	-	-	1	-	1	2	-	-	BOURNEMOUTH.								
SOUTHAMPTON -	114,897	13°6	12°3	10°0	12°7	-	68	28	2	16	-	-	-	-	-	-	1	4	4	-	-	SOUTHAMPTON.								
READING -	77,874	10°7	10°1	16°1	15°4	-	30	23	4	10	-	-	-	-	-	-	1	1	4	-	-	READING.								
NORTHAMPTON -	92,441	11°3	11°8	14°7	10°2	1°1	42	18	5	4	-	1	-	-	1	-	1	2	1	-	-	NORTHAMPTON.								
IPSWICH -	70,802	11°8	12°5	14°7	19°1	1°5	38	26	8	9	-	-	-	-	2	-	-	1	4	-	-	IPSWICH.								
GREAT YARMOUTH -	52,363	20°9	13°9	14°9	14°9	-	25	15	3	5	-	-	-	-	-	-	1	1	4	-	-	GREAT YARMOUTH.								
NORWICH -	116,741	17°9	8°9	13°0	14°3	0°4	42	32	7	9	-	-	-	-	-	-	-	2	3	5	-	NORWICH.								
PLYMOUTH -	116,000	18°4	11°2	15°7	13°5	0°9	45	30	2	14	-	-	1	1	-	-	2	3	4	-	-	PLYMOUTH.								
DEVONPORT -	76,884	13°2	10°2	12°2	9°5	-	40	14	5	2	-	-	-	-	-	-	1	1	2	-	-	DEVONPORT.								
BRISTOL† -	358,515	11°3	14°3	15°0	15°1	1°0	202	104	16	35	-	5	-	-	1	-	4	11	24	-	-	BRISTOL.								
HANLEY -	64,067	16°1	15°3	14°5	7°3	0°8	47	9	2	3	-	-	-	-	1	-	-	-	-	-	-	HANLEY.								
BURTON-ON-TRENT -	52,424	4°0	10°9	13°9	9°9	-	18	10	1	6	-	-	-	-	-	-	-	1	2	-	-	BURTON-ON-TRENT.								
WOLVERHAMPTON -	99,456	13°1	7°3	13°6	16°8	-	57	32	7	11	-	-	-	-	-	-	-	-	9	-	-	WOLVERHAMPTON.								
WALSALL -	82,998	14°6	11°8	11°2	10°1	-	60	18	5	2	-	-	-	-	-	-	1	2	5	-	-	WALSALL.								
HANDSWORTH -	61,721	7°6	10°1	9°3	18°6	0°8	27	22	2	10	-	1	-	-	-	-	-	2	1	-	-	HANDSWORTH.								
WEST BROMWICH -	67,823	20°0	21°5	20°0	17°7	5°4	40	23	6	5	-	6	-	-	-	-	-	-	2	-	-	WEST BROMWICH.								

† As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 3rd June, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Cols.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rates from Diseases in Cols. 11-17.		Registered during the Week ended 3rd June, 1906.		The DEATHS registered in the Week include										TOWNS,													
			Week ended				11-17.		BIRTHS. DEATHS.		Deaths of Persons aged under 1 Year of Age.		Deaths from						Measles.	Scarlet Fever.		Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.					
			13th May, 1905.	20th May, 1905.	27th June, 1905.	3rd June, 1905.	Week ended		BIRTHS. DEATHS.		Deaths of Persons aged under 1 Year of Age.		Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.												Violence.				
			1.	2.	3.	4.	5.	6.	7.	8.	9.	10.																			11.	12.	13.	14.
BIRMINGHAM -	-	542,959	17.1	15.4	15.7	13.5	1.1	299	141	31	41	-	2	1	3	1	-	4	-	23	4	5	1	-	-	-	-	8	10.	20.	21.	4	BIRMINGHAM, KINGS NORTON, SMETHWICK, ASTON MANOR, COVENTRY.	
KINGS NORTON -	-	99,630	11.2	6.0	7.5	8.2	-	35	11	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	KINGS NORTON, SMETHWICK, ASTON MANOR, COVENTRY.	
SMETHWICK -	-	62,805	12.5	15.0	20.8	11.7	2.5	33	14	3	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	SMETHWICK, ASTON MANOR, COVENTRY.	
ASTON MANOR -	-	81,320	9.0	11.5	9.6	14.1	-	37	22	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	ASTON MANOR, COVENTRY.	
COVENTRY -	-	75,134	20.1	18.0	12.5	15.3	4.9	37	22	6	5	-	6	-	-	-	-	1	-	2	2	-	-	-	-	-	2	2	2	1	-	-	COVENTRY.	
LEICESTER -	-	228,192	14.6	11.0	11.4	10.7	0.5	125	47	15	15	-	-	1	-	-	-	-	-	12	1	2	1	-	-	-	2	2	-	-	-	-	LEICESTER, GRIMSBY, NOTTINGHAM, DERBY.	
GRIMSBY -	-	68,163	15.3	18.4	14.5	11.5	-	35	15	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	GRIMSBY, NOTTINGHAM, DERBY.	
NOTTINGHAM -	-	251,671	13.3	14.3	14.1	11.4	0.2	128	55	8	22	-	-	-	1	-	-	-	-	15	-	3	3	1	-	-	3	3	15	-	-	-	NOTTINGHAM, DERBY.	
DERBY -	-	122,207	10.7	16.6	11.9	18.3	2.6	61	43	9	9	-	4	-	-	-	-	1	-	8	-	1	6	-	-	-	1	6	8	-	-	-	DERBY.	
STOCKPORT -	-	98,320	12.2	14.8	13.3	14.3	1.6	43	27	5	3	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	3	3	1	-	-	-	STOCKPORT, BIRKENHEAD, WALLASEY, LIVERPOOL, BOOTLE, ST. HELENS, WIGAN,† WARRINGTON.	
BIRKENHEAD -	-	116,095	13.9	14.4	18.4	14.4	1.8	78	32	8	6	-	3	-	-	-	-	1	-	6	-	-	-	-	-	1	2	6	-	-	-	-	BIRKENHEAD, WALLASEY, LIVERPOOL, BOOTLE, ST. HELENS, WIGAN,† WARRINGTON.	
WALLASEY -	-	62,460	10.0	13.4	15.9	15.0	1.7	32	18	4	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	WALLASEY, LIVERPOOL, BOOTLE, ST. HELENS, WIGAN,† WARRINGTON.	
LIVERPOOL -	-	730,143	18.2	17.4	18.9	17.4	1.4	499	243	53	54	-	4	5	1	5	-	4	15	89	7	15	2	5	-	1	2	5	-	-	-	-	LIVERPOOL, BOOTLE, ST. HELENS, WIGAN,† WARRINGTON.	
BOOTLE -	-	62,758	13.3	14.1	11.6	16.6	1.7	28	20	3	5	-	-	-	1	1	-	-	1	6	1	1	1	6	-	1	1	1	-	-	-	-	BOOTLE, ST. HELENS, WIGAN,† WARRINGTON.	
ST. HELENS -	-	89,843	14.5	15.7	16.8	15.7	0.6	53	27	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1	-	-	-	ST. HELENS, WIGAN,† WARRINGTON.	
WIGAN† -	-	83,681	23.5	16.3	20.5	13.2	0.6	57	22	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	WIGAN,† WARRINGTON.	
WARRINGTON -	-	68,301	23.7	15.3	18.3	16.0	3.1	38	21	5	3	-	3	-	-	-	-	1	4	2	1	4	2	1	4	2	2	4	-	-	-	-	WARRINGTON, BOLTON.	
BOLTON -	-	178,111	13.8	10.2	14.6	12.3	0.9	83	42	9	10	-	2	-	-	-	-	-	-	4	-	-	-	-	-	-	2	4	-	-	-	-	BOLTON, BURY.	
BURY -	-	58,594	15.1	15.1	16.0	16.9	0.9	28	19	1	5	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	3	-	-	-	-	BURY, MANCHESTER,† SALFORD.	
MANCHESTER† -	-	631,185	17.9	16.4	16.9	17.2	1.7	349	208	43	52	-	11	1	-	-	-	-	-	61	4	4	11	4	4	4	1	1	3	-	-	-	-	MANCHESTER,† SALFORD.
SALFORD -	-	231,514	14.9	14.6	17.6	16.2	2.9	112	72	12	19	-	5	2	2	2	-	2	2	23	-	2	4	23	-	4	4	23	-	-	-	-	-	SALFORD, OLDHAM.
OLDHAM -	-	140,225	20.8	17.5	17.1	17.1	1.9	65	46	9	13	-	1	1	-	-	-	-	-	9	-	2	4	9	-	2	4	9	-	-	-	-	-	OLDHAM, ROCHDALE, BURNLEY.
ROCHDALE -	-	86,390	16.9	13.3	17.5	20.5	0.6	42	34	10	14	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	2	4	-	-	-	-	ROCHDALE, BURNLEY.
BURNLEY -	-	101,682	11.8	14.4	13.3	15.4	1.0	44	30	8	6	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	4	3	-	-	-	-	BURNLEY, BLACKBURN.
BLACKBURN -	-	133,067	19.2	16.5	12.1	17.6	1.2	83	45	6	17	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	4	4	-	-	-	-	BLACKBURN, PRESTON.
PRESTON -	-	115,721	13.5	22.5	15.8	19.4	-	60	43	7	12	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	4	4	-	-	-	-	-	PRESTON.
BARROW-IN-FURNES.	-	60,306	16.4	7.8	12.1	12.1	-	39	14	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	2	-	-	-	-	BARROW-IN-FURNES.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1905.*		DISEASES IN COLS. 11-17.				Registered during the Week ended 3rd June, 1905.		DEATHS FROM CAUSES.										TOWNS.		
		Week ended				DISEASES IN COLS. 11-17.		Registered during the Week ended 3rd June, 1905.		DEATHS FROM CAUSES.												
		Week ended				DISEASES IN COLS. 11-17.		Registered during the Week ended 3rd June, 1905.		DEATHS FROM CAUSES.												
		13th May, 1905.	26th May, 1905.	3rd June, 1905.	Week ended 3rd June, 1905.	11-17.	11-17.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.		19.	20.
HUDDESFIELD	-	94,888	13'7	14'8	16'5	14'8	1'1	52	27	4	6	-	-	-	-	1	-	1	2	1	-	HUDDESFIELD.
HALIFAX	-	108,419	18'3	16'4	17'8	15'9	1'4	50	33	8	8	-	-	-	-	-	1	2	2	3	-	HALIFAX.
BRADFORD	-	286,769	13'8	14'2	14'0	17'5	1'3	125	96	15	31	-	3	-	-	-	-	2	5	19	-	BRADFORD.
LEEDS	-	456,757	16'4	16'1	15'6	13'7	0'9	228	120	28	35	-	1	-	-	1	-	5	10	20	-	LEEDS.
SHEFFIELD	-	440,414	21'2	16'1	17'0	15'5	2'7	232	131	35	32	-	1	-	-	2	6	8	24	2	-	SHEFFIELD.
ROTHERHAM	-	59,794	11'3	8'7	12'2	17'4	2'6	38	20	6	5	-	-	-	-	1	1	1	5	-	-	ROTHERHAM.
YORK	-	82,362	12'0	13'3	15'2	12'0	-	48	19	1	2	-	-	-	-	-	-	1	1	3	-	YORK.
HULL	-	288,127	14'5	16'2	14'7	12'9	1'2	141	64	5	19	-	-	-	-	4	-	6	10	15	-	HULL.
MIDDLESBROUGH	-	98,369	17'5	16'0	18'0	26'0	2'1	66	49	11	6	-	-	-	-	2	-	2	2	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,425	9'0	13'9	16'9	20'9	2'0	29	21	6	6	-	-	-	-	-	1	1	1	7	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	71,313	13'9	9'5	8'8	15'4	0'7	32	21	5	8	-	-	-	-	-	-	2	2	2	1	WEST HARTLEPOOL.
SUNDERLAND	-	152,761	13'3	14'3	16'0	19'5	2'4	103	57	11	13	-	-	-	-	1	1	3	4	8	1	SUNDERLAND.
SOUTH SHIELDS	-	109,360	14'8	15'7	12'9	16'2	1'4	57	34	9	9	-	-	-	-	1	2	-	-	3	3	SOUTH SHIELDS.
GATESHEAD	-	120,620	15'1	15'1	12'1	16'9	1'7	92	39	18	3	-	-	-	-	2	-	2	2	3	4	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	264,511	15'8	11'6	15'0	19'3	1'6	179	98	20	28	-	-	-	-	4	-	7	10	15	-	NEWCASTLE-ON-TYNE.†
TYNEMOUTH	-	53,595	17'5	22'4	15'6	25'3	2'9	38	26	6	6	-	-	-	-	3	-	-	4	5	-	TYNEMOUTH.
NEWPORT (MON.)	-	72,880	10'7	12'9	13'6	12'2	-	33	17	-	3	-	-	-	-	-	-	1	2	4	-	NEWPORT (MON.).
CARDIFF	-	180,054	14'2	17'1	9'3	14'8	0'3	106	51	11	12	-	-	-	-	1	-	6	8	7	-	CARDIFF.
RHONDDA	-	124,988	17'5	19'2	20'4	12'9	1'3	84	31	14	4	-	-	-	-	1	-	5	5	-	-	RHONDDA.
MERTHYR TYDFIL	-	73,848	21'9	19'8	19'8	17'7	2'1	52	25	8	5	-	-	-	-	-	1	-	-	1	-	MERTHYR TYDFIL.
SWANSEA	-	96,394	11'9	11'9	15'7	22'7	-	52	42	7	10	-	-	-	-	-	-	2	4	5	1	SWANSEA.
GREATER LONDON -	-	7,010,172	13'5	13'0	13'0	13'1	1'5	3413	1769	356	551	-	70	14	12	59	9	81	153	603	1	GREATER LONDON.
OUTER RING -	-	2,325,378	10'9	10'7	9'7	9'9	1'2	1164	440	82	155	-	12	5	5	18	5	22	36	89	-	OUTER RING.
8 TOWNS IN OUTER RING	-	1,135,316	10'6	11'6	9'7	9'4	1'1	551	204	44	68	-	7	1	3	9	2	11	16	41	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,190,082	11'3	9'8	9'6	10'3	1'4	613	236	38	87	-	5	4	2	9	3	11	20	48	-	REMAINDER OF OUTER RING.
EDINBURGH	-	336,577	18'4	14'6	16'3	17'0	2'5	160	110	23	21	-	-	-	-	3	1	4	?	?	8	EDINBURGH.
GLASGOW	-	809,986	21'1	19'4	19'0	18'3	3'1	502	264	52	59	-	24	2	-	14	7	8	?	?	7	GLASGOW.
DUBLIN†	-	375,994	23'7	19'5	19'0	19'4	1'1	219	141	25	34	-	-	3	1	3	1	7	5	58	3	DUBLIN.†
BELFAST†	-	358,680	19'3	17'9	20'5	17'3	2'6	234	119	16	20	-	-	1	-	-	-	6	4	33	?	BELFAST.†

* See note † on first page of this return

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2569	2326	2596	2199	2678	2579	2148	2501	2416	2507	2545·9	2249
Males - -	1336	1207	1341	1140	1346	1298	1082	1309	1203	1292	1303·5	1150
Females - -	1233	1119	1255	1059	1332	1281	1066	1192	1213	1215	1242·4	1099
TOTAL Deaths -	1308	1430	1320	1392	1483	1497	1345	1154	1220	1179	1415·0	1319
Males - -	669	671	722	756	781	793	720	775	619	649	742·9	694
Females - -	639	759	598	636	702	704	625	679	601	530	672·1	625

* The numbers in this column are the average weekly numbers in the twenty-second week of the ten years 1895-1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	13 Weeks.
TOTAL Births -	2412	2535	2611	2618	2310	2469	2129	2568	2722	2645	2426	2544	2249	32238
TOTAL Death -	1543	1397	1376	1357	1419	1443	1342	1426	1304	1324	1288	1311	1319	17829
Ages at Death {														
Under 1 year -	326	293	284	286	276	275	251	309	260	258	250	259	274	3601
1-5 years -	194	148	157	164	195	203	181	163	154	175	158	156	176	2224
5-20 " -	68	86	68	85	56	67	79	76	67	65	69	74	60	900
20-40 " -	188	179	167	153	195	184	190	159	147	178	171	176	142	2229
40-60 " -	287	281	296	273	291	270	255	306	252	283	264	268	271	3597
60 yrs. & upwds.	480	410	404	416	406	444	386	413	424	365	356	378	396	5278
Deaths from—														
Small-pox† - -	-	-	2	-	1	-	-	1	1	-	1	-	-	6
Measles - -	32	28	30	29	41	47	42	37	44	42	41	44	58	515
Scarlet Fever -	11	7	18	4	10	13	13	9	5	9	11	4	9	123
Diphtheria - -	13	7	10	8	15	14	4	14	11	7	7	6	7	123
Whooping-cough -	53	39	33	40	40	64	39	50	54	37	35	50	41	575
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	-	3	4	3	6	3	6	5	3	3	5	4	49
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	11	12	11	11	8	14	13	15	19	10	15	16	27	182
All above Diseases -	124	93	107	96	118	158	114	132	139	108	113	125	146	1573
Dis. of Resp. System	187	158	156	119	148	147	119	138	122	112	95	92	96	1689
Pneumonia - -	174	146	148	154	160	157	153	168	134	139	131	128	139	1929
Phthisis - -	151	150	131	139	134	141	131	125	121	127	119	122	111	1702
Dis. of Circ. System -	216	178	188	165	175	196	145	185	168	161	143	174	163	2267
Violence - -	59	53	47	58	57	58	59	60	47	66	58	59	59	740
Inquest Cases - -	152	129	137	116	148	139	117	143	112	132	130	137	117	1707
Deaths in Institutions	539	532	502	517	509	507	504	520	503	509	500	502	514	6668
TEMPERATURE OF THE AIR.														
Mean—	44·3	46·2	46·5	47·3	43·2	49·5	43·1	48·5	49·4	53·6	53·3	51·2	62·7	49·1
Mean of Highest -	50·6	53·2	56·9	55·8	51·7	58·7	50·6	56·1	60·1	64·0	64·0	62·8	74·7	58·4
Mean of Lowest -	39·3	40·9	36·7	40·2	35·7	42·0	38·2	42·8	41·9	42·9	43·9	41·0	51·4	41·3
Mean Humidity of the Air.	80	81	79	74	76	81	74	74	71	60	67	61	64	73
Rain-fall (in inches) -	1·08	2·25	0·09	0·06	0·27	0·83	0·25	0·15	0·85	0·00	0·22	0·00	0·50	6·55
Registered Sunshine (in hours).	7·3	33·9	42·0	36·3	24·9	22·7	16·5	24·8	54·7	55·5	52·1	39·4	51·5	481·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	16	23	20	20	21	15	17	16	17	17	15	10	9	17
Scarlet Fever -	2036	2042	2033	2032	2086	2133	2128	2182	2152	2177	2211	2200	2267	2129
Diphtheria - -	840	830	807	794	769	738	731	725	691	698	686	688	691	745
Typhus - -	2	-	-	-	1	1	-	-	-	-	-	-	-	0
Enteric Fever -	84	83	68	68	66	63	58	65	72	70	71	79	80	71

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SECOND Week of the Year 1905

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 22nd week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 22nd week of the year 1904.	1905—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L. CAUSES	1179	1319	274	176	60	142	271	396									
Small-pox*	-	-	-	-	-	-	-	-	17	24	13	9	1	1	-	-	
Measles (Morbilli)	78	58	13	43	2	-	-	-	14	10	-	-	2	1	4	3	
Scarlet Fever	7	9	-	8	1	-	-	-	3	8	-	-	1	2	2	3	
Diphtheria	-	-	-	-	-	-	-	-	19	19	18	1	-	-	-	-	
Whooping-cough	32	41	17	24	-	-	-	-	2	2	-	-	-	-	1	1	
Paraplegia, Dis. of Cord	4	2	-	-	-	-	-	-	4	2	-	-	-	-	1	1	
Nervous Sys. (other dis.)	11	19	1	2	-	-	-	-	11	19	1	2	-	1	4	11	
Valv. Dis., Endocarditis	-	40	43	-	-	2	4	13	24	43	-	-	2	4	13	24	
Cerebr. Hæm. Thromb.	-	23	38	-	-	-	2	10	26	23	38	-	-	2	10	26	
Apoplexy, Hemiplegia	-	15	23	-	-	-	1	6	16	15	23	-	-	1	6	16	
Aneurysm	-	2	4	-	-	1	1	2	2	2	4	-	-	1	1	2	
Embolism, Thrombosis (not cerebral)	-	2	2	-	-	-	-	1	1	2	2	-	-	-	-	-	
Heart & Blood Vessel Dis.	65	53	-	2	1	4	14	32	65	53	-	2	1	4	14	32	
Croup (not Spasm: nor Memb.)	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Bronchitis	59	73	11	7	-	1	7	47	59	73	11	7	-	1	7	47	
Asthma, Emphysema	1	4	-	-	-	-	-	3	1	4	-	-	-	-	-	3	
Pleurisy	2	4	-	-	-	-	2	2	2	4	-	-	-	-	2	2	
Respiratory Dis. (other)	10	15	1	3	-	-	4	7	10	15	1	3	-	-	4	7	
Tonsillitis, Quinsy	-	6	6	2	-	1	1	1	-	6	6	2	-	1	1	1	
Enteritis (not Epid.)	-	2	10	7	1	-	-	-	-	2	10	7	1	-	-	-	
Gastro-Enteritis	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
Peritonitis (not Puerp.)	-	10	12	-	-	-	1	6	5	10	12	-	-	-	1	6	
Cirrhosis of Liver	-	3	4	-	-	-	1	1	2	3	4	-	-	-	1	1	
Liver Dis. (other)	-	30	47	5	2	5	11	16	8	30	47	5	2	5	11	16	
Digestive Dis., Other	-	5	3	-	-	1	-	-	2	5	3	-	-	1	-	-	
Nephritis, Acute	23	42	-	1	2	4	18	17	23	42	-	1	2	4	18	17	
Bright's Dis., Albuminuria	11	6	-	-	-	-	-	-	11	6	-	-	-	-	-	-	
Urinary Sys., Other Dis.	-	2	4	-	-	3	1	-	-	2	4	-	-	3	1	-	
Generative Organs Dis.	3	1	-	-	-	1	-	-	3	1	-	-	-	1	-	-	
Childbirth (Accid. of)	-	37	57	-	-	6	5	57	-	37	57	-	-	6	5	57	
Old Age	80	74	44	7	4	-	-	8	80	74	44	7	4	-	-	8	
Other Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ACCIDENT.																	
By Railways	-	9	3	-	-	-	1	1	-	9	3	-	-	-	1	1	
By Vehicles and Horses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
In Building Operations	-	-	4	-	-	2	2	-	-	-	4	-	-	2	2	-	
In Conflagrations	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	
By Burns, Scalds, Explosions	2	6	-	1	-	1	1	3	2	6	-	1	-	1	1	3	
By Drowning	8	5	-	1	3	-	-	-	8	5	-	1	3	-	-	-	
By Suffocation in Bed	6	13	12	1	-	-	-	-	6	13	12	1	-	-	-	-	
By Poisons or Poisonous Vapours	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
Other Deaths by Accident	15	17	4	-	2	2	7	2	15	17	4	-	2	2	7	2	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide	12	10	-	-	-	-	2	6	12	10	-	-	-	2	6	2	
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd June, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from													
				Deaths of Infants under 1 Year of Age. Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases. (Deaths in Public Institutions.		
LONDON - - -	4,536,429	2249	1319	274	396	-	58	9	7	41	-	4	-	27	59	117	514
WEST DISTRICTS - - -	805,311	352	244	49	84	-	14	-	2	9	-	2	-	4	10	24	78
NORTH DISTRICTS - - -	1,056,070	515	252	45	80	-	9	3	2	7	-	1	-	6	7	22	92
CENTRAL DISTRICTS - - -	209,465	103	68	21	8	-	2	-	-	1	-	-	-	2	12	15	36
EAST DISTRICTS - - -	715,739	417	230	59	53	-	12	-	1	11	-	-	-	6	10	18	109
SOUTH DISTRICTS - - -	1,749,844	882	492	100	156	-	21	4	1	13	-	1	-	9	20	38	166
METROPOLITAN HOSPITALS } AND ASYLUMS OUTSIDE } REGISTRATION LONDON* }	-	-	33	-	12	-	-	2	1	-	-	-	-	-	-	-	33
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	36	33	5	13	-	4	-	-	-	-	-	-	-	2	5	6
W2H																	
St. John Paddington } - G.	33,617	5	8	-	5	-	-	-	-	-	-	-	-	-	-	-	4
H																	
North-West Paddington - C.	17,181	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w2H G. W. & C.	128,037	52	50	14	15	-	6	-	-	3	-	1	-	1	1	3	22
Brompton 2H - - W. & C.	48,591	10	10	3	3	-	-	-	-	-	-	-	-	1	-	-	-
North Hammersmith W, wH } W. & G.	49,192	27	8	2	1	-	-	-	-	3	-	-	-	-	-	-	-
South Hammersmith w2H } {	63,047	31	32	5	15	-	1	-	-	1	-	-	-	-	2	3	5
North-west Fulham W } {	45,180	52	22	7	5	-	-	-	-	1	-	-	-	1	1	1	11
North-east Fulham F } W. & C.	46,405	28	14	5	3	-	1	-	1	1	-	1	-	1	-	1	2
South Fulham W } {	45,704	31	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North W, w3H - - C.	42,514	11	15	3	8	-	-	-	-	-	-	-	-	-	1	6	11
Chelsea South W2H - - C.	31,328	11	7	2	2	-	-	-	-	-	-	-	-	-	-	-	2
Mayfair and Knightsbridge C. & G.	28,743	4	8	-	4	-	-	-	-	-	-	-	-	-	2	3	-
Belgrave W2H - - C.	55,815	18	14	-	4	-	-	-	1	-	-	-	-	-	1	1	6
St. Margaret & St. John 4H - C.	43,698	19	5	2	1	-	-	-	-	-	-	-	-	-	-	1	2
St. James Westminster } N. & G.	21,588	10	8	-	4	-	-	-	-	-	-	-	-	-	-	-	4
W, H																	
St. Anne Soho 5H - - N.	11,493	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	6	17	2	7	-	1	-	-	-	-	-	-	-	2	2	8
Rectory Marylebone W G. & W.	19,849	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone 4H G. & W.	18,099	39	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Christchurch Marylebone H- W.	39,536	25	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	8	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hampstead W, F, 6H - N. & W.	81,942	25	17	-	6	-	1	2	-	1	-	-	-	-	-	-	10
West St. Pancras 2H - - W.	60,562	25	8	3	1	-	-	-	1	-	-	-	-	1	2	2	1
Tottenham-court w6H N. & W.	21,258	10	6	1	1	-	-	-	-	-	-	-	-	-	-	1	4
Gray's Inn Lane 4H - - N.	34,449	15	7	2	1	-	-	-	-	-	-	-	-	-	-	1	2
East St. Pancras W2H - - N.	60,320	24	23	4	8	-	1	-	-	-	-	-	-	-	-	-	12
North St. Pancras 2W - - N.	58,728	25	14	2	7	-	-	-	-	-	-	-	-	-	-	-	7
Tufnell W - - N.	31,995	13	19	5	8	-	-	-	-	1	-	-	-	1	-	1	10
Upper Holloway 2W, w, H - N.	33,978	29	13	2	4	-	-	-	-	-	-	-	-	-	-	2	9
Tollington WH - - N.	33,922	8	7	3	1	-	-	-	-	1	-	-	-	1	-	-	-
Lower Holloway - - N.	41,424	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - N.	54,478	36	15	4	1	-	-	-	-	2	-	-	-	1	-	4	-
Islington South-east F - N.	75,397	41	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Highbury 2H - - N.	63,797	21	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.	51,247	20	11	1	7	-	2	-	-	-	-	-	-	-	1	3	-
North Hackney - - E. & N.	50,560	26	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney 2w, F - E. & N.	50,536	25	11	2	-	-	1	1	1	-	-	1	-	-	-	3	5
South-west Hackney 3H E. & N.	59,921	41	14	2	4	-	-	-	-	-	-	-	-	-	1	2	5
South-east Hackney 2W, w, H E. & N.	58,255	29	26	3	10	-	3	-	-	1	-	-	-	1	-	-	18

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd June, 1905—continued.

POPULATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
and Bloomsbury W,2H N.	31,436	21	6	2	1	-	1	-	-	-	-	-	-	-	-	-	1	3	-
W,4H - - - N. & C.	21,674	2	11	1	-	-	-	-	-	-	-	-	-	-	1	3	3	9	-
Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W,6H - - - N.	29,612	15	14	10	1	-	1	-	-	-	-	-	-	-	1	1	1	8	-
Merkenwell - - - N.	28,676	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Merkenwell H - - - N.	35,028	20	6	3	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-
y 3H,L - - - N.	36,116	27	7	2	1	-	-	-	-	-	-	-	-	-	-	2	4	1	-
Union Workhouse, }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
lph H - - - N. & E.	10,299	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ldre and Allhallows } N.	16,624	1	15	1	-	-	-	-	-	-	-	-	-	-	-	5	5	14	-
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																			
toth South H - E. & N.	46,362	27	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
toth North-West W,w,H N.	36,127	15	27	2	11	-	-	-	-	-	-	-	-	-	1	1	1	21	-
toth North-East - N. & E.	36,148	18	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Green North 2H - E.	51,514	24	12	5	2	-	-	-	-	-	2	-	-	-	-	2	2	5	-
Green South - - E.	33,472	15	7	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Green East 2W,H,L - E.	44,694	30	14	3	2	-	2	-	-	-	-	-	-	-	-	-	-	9	-
elds - - - E. & N.	27,969	19	4	2	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
nd New Town W,H - E.	28,718	26	34	9	5	-	-	-	-	1	-	-	-	-	2	1	2	28	-
an's Fields - - - E.	22,081	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ge and St. John 2W E.	49,068	40	7	4	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-
lland Ratcliff W,H,E. & N.	25,568	16	13	5	1	-	2	-	-	-	1	-	-	-	-	1	1	5	-
use W - - - E.	32,369	15	4	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
nd Old Town South- }																			
rn H - - - E.	63,698	49	9	4	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-
nd Old Town North- }																			
rn W,w - - - E.	49,129	28	20	5	8	-	3	-	-	-	-	-	-	-	1	-	1	12	-
y 3w,H - - - E.	41,989	23	7	2	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-
y 3w,H - - - E.	68,319	43	43	6	13	-	4	-	-	-	4	-	-	-	1	-	2	26	-
W,w - - - E.	58,514	24	11	2	4	-	-	-	-	-	1	-	-	-	-	-	-	2	-

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 3rd June, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
DON—OUTER RING	368,602	2,044,973	1164	440	82	155	-	12	5	5	18	5	9	22	36	89	-	-	-
Marshilton 2F,2H	12,228	32,997	11	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Spom, part of * W,2F,H	10,423	15,548	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Podstone, part of * W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London	11,069	8,116	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon W	4,200	49,309	16	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	15	25	3	12	-	-	1	-	1	-	1	-	1	12	-	-	-
North Croydon H	2,644	41,898	17	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Penge W,H	770	22,465	11	8	3	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Mitcham W	11,711	30,015	27	6	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Wimbledon F,3H	3,221	41,652	27	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Kingston 2W,H	6,224	42,068	20	10	1	3	-	-	-	-	-	-	-	-	1	3	-	-	-
Surbiton F,H	3,046	15,017	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of * H	5,402	13,100	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hampton H,F,L	4,564	23,456	6	10	4	1	-	-	-	-	-	-	2	-	1	-	-	-	-
Richmond W,H	2,162	28,865	4	9	-	6	-	-	-	-	1	-	-	-	1	3	-	-	-
Mortlake F	2,847	20,628	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomley F,2H	4,703	27,354	8	4	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
Beckenham H	7,825	28,497	9	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Orpington part of * W	10,113	9,857	7	7	1	1	-	-	-	-	-	-	-	-	1	3	-	-	-
Chislehurst 2H	7,333	16,446	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bexley W,F,H	8,678	21,151	5	6	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Grith F,H	3,854	25,296	15	5	1	2	-	-	1	-	-	-	-	-	1	1	-	-	-
Dartford W,F, part of *	-	-	-	5	-	3	-	-	1	1	-	-	-	-	-	5	-	-	-
Sanbury W	11,054	18,683	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	7	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Uxbridge H	12,757	8,984	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hayes W,F,H	8,066	16,358	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge 3W,2F,H	6,850	30,863	26	14	3	6	-	-	-	-	-	-	-	-	-	10	-	-	-
Twickenham F,H	2,421	20,991	9	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Uxbridge 3F,2H,L	4,319	48,289	26	5	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Chiswick H	1,249	29,809	26	5	1	2	-	-	-	-	-	-	2	-	2	1	-	-	-
Acton W,3H	6,132	48,914	44	7	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Harrow F,H	13,800	25,523	14	7	1	3	-	-	-	-	1	-	-	2	2	-	-	-	-
Edgware F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	91	26	5	9	-	3	-	-	-	-	-	5	6	4	-	-	-
Hendon W,F	8,382	22,450	12	6	-	3	-	-	-	-	-	-	-	1	1	1	-	-	-
South Mimms 2F,H	17,755	7,308	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	11	7	-	3	-	-	-	-	-	-	-	-	-	4	-	-	-
Finchley F,2H	4,688	33,692	21	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	36	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Wood Green H	1,625	34,233	23	7	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
West Tottenham F	936	48,853	32	9	2	4	-	-	-	-	1	-	-	-	-	-	-	-	-
East Tottenham 2H	2,017	53,688	28	14	3	4	-	-	-	-	1	-	-	-	-	2	-	-	-
Edmonton W,2F	7,491	61,892	57	8	2	2	-	-	-	-	1	-	-	-	-	4	-	-	-
Enfield 2W,F,H	12,601	42,738	21	12	3	4	-	2	-	-	1	1	1	-	1	1	-	-	-
Waltham Abbey F	11,017	6,549	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Cheshunt F,H	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of * W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	29	5	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Plaistow F,3H	1,249	90,921	59	19	6	1	-	-	-	2	2	1	-	1	2	3	-	-	-
Canning Town H	1,553	70,718	46	11	4	2	-	-	-	1	-	-	-	2	3	-	-	-	-
Forest Gate W	806	60,892	22	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Ham W,H	1,333	58,676	25	12	3	4	-	-	-	-	-	-	-	-	1	-	-	-	-
South East Ham 2F	1,993	37,342	32	9	3	1	-	1	-	-	3	1	-	2	2	1	-	-	-
Wanstead F	1,679	9,179	2	5	2	3	-	-	-	-	-	-	-	-	-	2	-	-	-
South Leyton 2W	631	50,467	24	23	1	11	-	-	-	-	1	-	-	1	1	16	-	-	-
North Leyton 2W,W,F	1,963	48,445	24	21	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Walthamstow 3H,L	6,504	108,929	65	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chigwell, part of * 2F,3H	11,778	16,397	10	6	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-
Epping W,F, part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of * W,2F	6,556	6,091	9	3	1	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Ilford F,L	8,496	41,234	25	8	-	1	-	-	1	-	1	-	-	-	1	2	-	-	-
Barking Town F	3,803	21,547	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	5	-	-	-

parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 43: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	June 3	2249	1319	14·7	-	58	9	7	41	4
CALCUTTA - -	847,798	April 22	-	1191	73·0	5	6	-	1	-	894†
BOMBAY - -	776,006	May 16	294	1331	89·2	34	31	-	-	-	699†
MADRAS - -	509,346	April 28	540	405	41·3	4	5	-	-	-	89†
PARIS - - -	2,680,559	May 27	912	949	18·4	1	8	2	2	5	2
BRUSSELS - -	586,936	" 27	221	140	12·2	-	2	-	1	1	-
ANTWERP - -	286,695	" 27	148	80	14·2	-	2	-	1	-	-
AMSTERDAM -	551,415	" 20	256	158	14·9	-	2	-	1	2	1
COPENHAGEN -	426,000	" 27	199	159	19·3	-	1	-	-	-	-
STOCKHOLM -	309,496	" 20	135	106	17·3	-	2	2	3	1	-
CHRISTANIA -	223,649	" 27	110	83	19·4	-	2	-	1	5	-
ST. PETERSBURG	1,248,122	" 20	-	748	28·0	1	49	18	10	6	32
MOSCOW - -	1,092,380	" 20	-	583	27·8	2	5	14	6	7	10
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,009,132	May 13	887	679	17·6	-	10	7	7	8	1
HAMBURG - -	772,852	" 27	-	213	14·3	-	-	-	1	3	1
BRESLAU - -	460,755	" 27	-	193	21·8	-	-	-	3	3	-
MUNICH - - -	528,000	" 27	-	173	17·0	-	1	-	2	4	-
VIENNA - - -	1,877,839	" 27	987	642	17·6	-	16	6	11	3	-
PRAGUE - - -	430,569	" 27	199	210	24·3	-	2	1	-	-	2
BUDA-PESTH -	836,267	" 27	-	-	-	-	-	-	-	-	-
TRIESTE - - -	191,403	" 27	122	77	20·7	-	-	2	-	-	2
ROME - - - -	503,857	April 8	-	-	-	-	-	-	-	-	-
VENICE - - -	169,417	May 20	61	66	22·1	-	2	-	-	1	-
BUCHAREST -	282,071	" 20	134	118	21·8	-	-	-	-	-	1
NEW YORK - -	3,948,191	" 20	1886	1277	16·9	1	10	13	36	8	9
CHICAGO - - -	1,932,315	" 13	-	450	11·8	1	9	2	4	14	3
PHILADELPHIA -	1,438,318	" 20	-	456	16·5	-	1	-	4	3	16
BOSTON - - -	617,956	" 6	-	233	19·6	1	-	4	3	-	-
RIO DE JANEIRO	850,000	" 7	-	253	14·6	6	2	-	1	1	2

* Excluding deaths from croup in the Indian Cities.

† Including 792 deaths from plague in Calcutta, 659 in Bombay, and 1 in Madras.

‡ Including 34 deaths from cholera in Calcutta.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd June 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	82·3	46·4	63·0	0·50	BRADFORD - -	75·2	43·0	58·8	0·
BRIGHTON - -	69·4	48·6	58·9	0·05	LEEDS - - -	76·0	50·0	60·8	0·3
PORTSMOUTH -	74·5	49·0	61·5	0·08	HULL - - - -	79·0	47·0	60·4	0·
NORWICH - - -	80·2	42·6	60·7	0·19	TYNEMOUTH -	72·0	46·0	58·1	0·
PLYMOUTH - -	64·1	46·0	56·6	0·28					
BRISTOL - - -	71·2	46·0	58·1	0·28	EDINBURGH -	64·8	46·2	55·8	0·
BIRMINGHAM -	71·7	46·2	58·2	0·21	GLASGOW - -	69·0	42·0	57·6	0·
NOTTINGHAM -	73·9	47·2	59·3	0·33					
LIVERPOOL - -	68·0	49·0	57·5	0·36	DUBLIN { Phoenix Park.	67·8	42·9	56·4	0·
MANCHESTER -	72·8	41·8	58·3	0·30	DUBLIN { Fitz- william Square.†	70·9	51·3	59·4	0·
PRESTON - - -	66·5	49·0	57·8	0·29					
HUDDERSFIELD	74·7	46·3	58·5	0·07	BELFAST - -	66·1	46·1	56·3	0·

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

[illegible]

The results apply to the civil day, or from midnight to midnight.

The results apply to the entire day for the morning and evening. The height of the cistern of the barometer is 159 feet above the mean level of the sea; correction has been applied to the readings to reduce to sea level.

Correction has been applied to the readings to reduce the effect of the sun. Observations are usually taken at 9 A.M., 12 P.M., and 9 P.M. The means of the eye-readings taken with the dry bulb thermometer and the wet bulb thermometer are converted into mean daily values by the application of corrections determined from a discussion of the photographic records made during the twenty years ending 1873 for the barometer and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

Finally, values of the dry and wet bulb air-mass means of Gishner's hygrometric observations at Greenwich during the 50 years ending 1890 and that of horizontal movement of the average temperature of the air is that derived from a discussion of the observations at Greenwich during the 50 years ending 1890 and that of horizontal movement

the air from a discussion of the anemometric records for the 16 years ending 1875. Made at Green which during the 30 years ending 1890, and that of horizontal movement, the readings being 0 and 94 it will be borne in mind that + indicates 'blanes' and - indicates 'calanes'.

in reading columns y and z it will be borne in mind that + indicates "higher," and "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 28	m. P. till 10h. A.M.; w. P. afterwards.	133	161	A very fine day; cloudless with slight exceptions till afternoon; very fine with variable amounts of light cloud afterwards.
MONDAY - 29	w. P. till 6h. P.M.; m. P. afterwards.	134	161	A very fine warm day: the amount of cloud was usually very small.
TUESDAY - 30	m. P. generally till 7h. A.M.; s. P. till 11h. A.M.; v. P. and s. N. till 6h. P.M.; w. P. P. generally afterwards.	59	162	Fine till 11h. A.M.; generally overcast afterwards with rain in afternoon and at night; slight thunderstorm with heavy rain between 4h. and 4h. 30m. P.M.
WEDNESDAY JUNE - 31	m. P. generally.	42	162	Generally cloudy; fine at times.
THURSDAY - 1	w. P. generally.	71	162	Overcast in morning; fine and partially cloudy afterwards. Solar halo observed at 7h. P.M.
FRIDAY - 2	w. P. generally.	37	163	Overcast in morning with slight rain at 2h. 30m. A.M.; fine and partially cloudy till afternoon; overcast at night. Solar halo observed at intervals during the day.
SATURDAY - 3	w. P. generally.	39	163	Fine but cloudy.
		Sum 515	Sum 1134	
		28	29	
No. of Col.	27			

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 27th May, 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	2	3	-	3	-	-	2	-
Kensington - - - -	150,083	-	12	1	-	1	-	-	2	-
Hammersmith - - - -	119,037	-	4	7	-	1	-	-	4	-
Fulham - - - -	157,210	-	13	4	-	-	-	-	1	-
C Chelsea - - - -	74,496	-	5	1	-	-	-	-	1	-
City of Westminster - - -	175,606	-	7	2	-	1	-	-	3	1
NORTH.										
St. Marylebone - - - -	129,453	-	9	-	-	3	-	-	3	-
Hampstead - - - -	88,142	-	11	2	-	1	-	-	1	-
St. Pancras - - - -	236,183	-	11	5	-	1	-	-	3	-
Islington - - - -	342,994	-	23	5	-	3	-	-	-	-
Stoke Newington - - - -	52,828	-	2	1	-	1	-	-	1	-
Hackney - - - -	233,479	-	11	4	-	2	-	-	6	-
CENTRAL.										
Holborn - - - -	56,481	-	2	2	-	-	-	-	-	-
Finsbury - - - -	98,207	-	6	2	-	-	-	-	4	1
City of London - - - -	22,425	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	17	6	-	2	-	-	5	-
Bethnal Green - - - -	130,401	-	13	4	-	-	-	-	4	-
Stepney - - - -	305,466	-	24	9	-	4	-	-	6	1
Poplar - - - -	170,280	-	14	5	-	-	-	-	3	-
SOUTH.										
Southwark - - - -	208,528	-	10	8	-	-	-	-	5	-
Bermondsey - - - -	129,006	-	4	2	-	2	-	-	5	-
Lambeth - - - -	313,045	-	24	3	-	-	-	-	3	-
Battersea - - - -	177,532	-	16	1	-	-	-	-	4	-
Wandsworth - - - -	265,392	1	43	4	-	1	-	-	7	-
Camberwell - - - -	271,240	-	22	4	-	1	-	-	5	1
Deptford - - - -	114,495	1	7	1	-	-	-	-	1	-
Greenwich - - - -	103,493	-	4	-	-	-	-	-	2	2
Lewisham - - - -	144,420	-	14	4	-	-	-	-	1	-
Woolwich - - - -	125,372	1	8	7	-	1	-	-	2	1
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,681,794										
		3	338	96	-	26	-	-	84	7
AGES.										
Ages 0-1 - - - -	-	-	3	3	-	-	-	-	5	-
" 1-5 - - - -	-	1	106	39	-	2	-	-	3	-
" 5- - - - -	-	-	144	37	-	1	-	-	3	-
" 10- - - - -	-	1	51	7	-	3	-	-	6	-
" 15- - - - -	-	-	17	1	-	6	-	-	7	-
" 20- - - - -	-	1	5	7	-	4	-	-	2	1
" 25- - - - -	-	-	8	2	-	3	-	-	15	5
" 35- - - - -	-	-	2	-	-	4	-	-	14	1
" 45- - - - -	-	-	-	-	-	2	-	-	13	-
" 55- - - - -	-	-	-	-	-	-	-	-	8	-
" 65 and upwards - - -	-	-	-	-	-	1	-	-	8	-
Age not stated - - - -	-	-	2	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, EC

No. 23. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JUNE 10. [Price 1½d

General Register Office, Somerset House,
June 13th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·5 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 14·4, 14·6, and 14·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 20·0 in Smethwick, 20·2 in Hanley, 20·3 in Salford, 22·8 in Middlesbrough, 23·1 in Oldham, and 23·3 in Merthyr Tydfil; from *measles*, 1·6 in Middlesbrough, 1·7 in St. Helens, 2·1 in Sheffield and in Merthyr Tydfil, 3·4 in Derby, 3·5 in Coventry, 4·6 in West Bromwich, and 5·0 in Smethwick; from *scarlet fever*, 1·1 in Oldham; and from *whooping-cough*, 1·4 in Preston, 1·6 in Hanley and in Middlesbrough, and 1·7 in East Ham and in Sunderland. One death from *small-pox* was registered in Derby, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2233 BIRTHS and 1236 DEATHS were registered. Allowing for increase of population, the births were 327 and the deaths 102 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·1, 14·6, and 14·7 in the preceding three weeks, fell last week to 13·8. During the four weeks ended on Saturday last the death-rate averaged 14·3 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1236 deaths included 40 from measles, 11 from scarlet fever, 9 from diphtheria, 42 from whooping-cough, 6 from enteric fever, and 30 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 138 deaths were referred to these diseases in the aggregate, being 28 below the corrected average weekly number.

The deaths from *measles*, which had been 41, 44, and 58 in the preceding three weeks, fell last week to 40, and were 21 below the corrected average; 9 deaths belonged to the Borough of Hackney, 6 to Battersea, 4 to Poplar, and 3 to St. Marylebone. The deaths from *scarlet fever*, which had been 11, 4, and 9 in the preceding three weeks, were 11 last week, the corrected average being 12; 3 deaths belonged to Islington. The deaths from *diphtheria*, which had been 7, 6, and 7 in the preceding three weeks, were 9 last week, and were 17 below the corrected average. The deaths from *whooping-cough*, which had been 35, 50, and 41 in the preceding three weeks, were 42 last week, the corrected average being 41; 6 deaths belonged to Hackney, 5 to Islington, 4 to Paddington, and 3 each to Kensington, Hammersmith, and Battersea. The fatal cases of *enteric fever*, which had been 3, 5, and 4 in the preceding three weeks, were 6 last week, and were equal to the corrected average. The deaths from *diarrhoea*, which had been 15, 16, and 27 in the preceding three weeks, further rose to 30 last week, and were 13 above the corrected average; 5 deaths belonged to Hackney, and 3 each to Bethnal Green and Southwark. Of the 30 deaths from diarrhoea, 21 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 12, 17, and 7 in the preceding three weeks. The death of a female, aged 44 years, wife of a carman, was certified after inquest as due to *glanders*.

Different forms of *violence* caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 45 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 3 to burns and scalds, 6 to drowning, 1 to the effect of an anæsthetic administered for surgical purposes, and 5 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 9 cases of small-pox, 2285 of scarlet fever, 687 of diphtheria, and 80 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 3, 0, and 1; of scarlet fever, 269 cases, against 319, 312, and 351; of diphtheria, 89 cases, against 94, 90, and 91; and of enteric fever, 11 cases, against 16, 16, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 3rd.

GREATER LONDON.

In Greater London 3381 births and 1677 deaths were registered. Allowing for increase of population these numbers are 430 and 166 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 7 from whooping-cough, and 7 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·73 inches, and that of the Thermometer 53°·7, the latter being 4°·6 below the week's average in the 50 years 1841-90. The general direction of the wind was Northerly, the horizontal movement of the air being 35 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 7·8 hours; the measured rainfall amounted to 2·86 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Cols.	Population estimated to the end of the year 1905.*				Week ended		11-17.		Deaths of				Deaths from				Inquest Cases.		Deaths in Public Institutions.		Causes of Death.		TOWNS			
		1905.		1906.		1905.		1906.		Infants under 1 Year.		Persons aged 10 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.			Typhoid.		Violence.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.					
76 TOWNS.		15,609,377	14'4	14'6	14'7	13'5	1'4	8528	4051	860	1037	1	144	26	42	109	25	66	146	336	1067	33	76 TOWNS.				
LONDON -	-	4,684,794	14'1	14'6	14'7	13'8	1'5	2233	1236	226	330	-	40	11	9	42	6	30	58	153	521	3	LONDON.				
CROYDON -	-	147,704	11'3	11'6	13'1	14'1	0'4	62	40	9	17	-	1	-	-	-	-	1	1	4	7	-	CROYDON.				
WILLESDEN -	-	138,080	10'2	7'2	10'2	10'2	0'8	57	27	6	8	-	1	-	-	-	-	1	1	1	6	-	WILLESDEN.				
HORNSEY -	-	84,070	7'4	6'2	4'3	6'2	1'2	28	10	3	2	-	-	-	-	3	-	-	-	3	6	-	HORNSEY.				
TOTTENHAM -	-	116,232	12'6	11'2	9'4	13'0	1'3	67	29	5	6	-	-	-	-	3	-	-	2	3	6	-	TOTTENHAM.				
WEST HAM -	-	294,997	13'4	10'8	9'2	8'8	1'2	161	50	16	4	-	2	-	-	3	1	1	2	3	6	-	WEST HAM.				
EAST HAM -	-	123,381	8'9	9'3	10'1	11'4	2'1	65	27	11	5	-	-	-	-	4	1	-	1	2	6	-	EAST HAM.				
LEYTON -	-	114,555	12'3	10'0	5'5	5'9	-	54	13	2	4	-	-	-	-	-	-	-	1	1	2	-	LEYTON.				
WALTHAMSTOW -	-	116,297	13'0	9'0	10'8	12'1	2'7	68	27	8	5	-	2	-	-	3	-	1	-	3	2	1	WALTHAMSTOW.				
HASTINGS -	-	66,820	11'7	10'9	10'9	14'8	0'8	19	19	4	10	-	-	-	-	1	-	-	1	1	2	-	HASTINGS.				
BRIGHTON -	-	127,183	16'0	13'9	9'8	13'5	-	47	33	6	16	-	-	-	-	-	-	-	3	8	-	-	BRIGHTON.				
PORTSMOUTH† -	-	201,975	14'2	11'6	13'9	11'1	1'3	100	43	6	15	-	-	-	2	1	2	-	4	17	1	-	PORTSMOUTH.†				
BOURNEMOUTH -	-	66,168	9'5	15'8	13'4	15'0	-	17	19	2	7	-	-	-	-	-	-	-	-	1	-	-	BOURNEMOUTH.				
SOUTHAMPTON -	-	114,887	12'3	10'0	12'7	9'1	-	52	20	5	9	-	-	-	-	-	-	-	1	7	-	-	SOUTHAMPTON.				
READING -	-	77,674	10'1	16'1	15'4	6'7	0'7	41	10	3	3	-	-	-	1	-	-	-	-	1	-	-	READING.				
NORTHAMPTON -	-	92,441	11'8	14'7	10'2	9'6	-	38	17	4	4	-	-	-	-	-	-	-	1	1	-	-	NORTHAMPTON.				
IPSWICH -	-	70,802	12'5	14'7	13'1	11'0	0'7	38	15	4	3	-	-	-	1	-	-	-	-	4	-	-	IPSWICH.				
GREAT YARMOUTH -	-	52,353	13'9	14'9	14'9	5'0	-	26	5	2	1	-	-	-	-	-	-	-	1	1	2	-	GREAT YARMOUTH.				
NORWICH -	-	116,741	8'9	13'0	14'3	13'8	1'8	57	31	6	8	-	-	-	2	-	-	2	1	10	-	-	NORWICH.				
PLYMOUTH -	-	116,000	11'2	15'7	13'5	17'5	1'3	73	39	5	16	-	-	1	1	-	-	1	3	3	7	-	PLYMOUTH.				
DEVONPORT -	-	76,884	10'2	12'2	9'5	17'0	1'4	43	25	5	9	-	-	-	-	-	2	-	1	2	-	-	DEVONPORT.				
BRISTOL† -	-	358,515	14'3	15'0	15'1	10'8	0'6	207	74	15	20	-	2	-	-	2	-	-	1	4	17	-	BRISTOL.				
HANLEY -	-	64,987	15'3	14'5	7'3	20'2	2'4	40	25	11	3	-	-	-	-	2	1	-	-	3	-	1	HANLEY.				
BURTON-ON-TRENT -	-	52,424	10'9	13'9	9'9	9'9	-	29	10	2	2	-	-	-	-	-	-	-	-	2	-	-	BURTON-ON-TRENT.				
WOLVERHAMPTON -	-	99,456	7'3	13'6	16'8	13'1	0'5	56	25	9	3	-	-	-	-	-	-	-	-	1	3	1	WOLVERHAMPTON.				
WALSALL -	-	92,998	11'8	11'2	10'1	10'1	0'6	56	18	4	7	-	-	-	-	-	-	-	-	1	5	-	WALSALL.				
HANDSWORTH -	-	61,721	10'1	9'3	18'6	6'8	0'8	31	8	1	1	-	-	-	-	-	-	-	1	3	-	-	HANDSWORTH.				
WEST BROMWICH -	-	67,823	21'5	20'0	17'7	16'1	6'2	39	21	6	6	-	-	-	-	-	-	-	1	1	3	-	WEST BROMWICH.				

As enlarged in 1904.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

BIRMINGHAM.	5	47	9	7	2	4	1	1	4	-	-	4	1	35	41	153	344	1'2	14'7	15'4	15'7	13'5	14'7	-	542,859	-	INGHAM	-
KINGS NORTON.	-	1	-	-	-	-	-	-	-	-	-	-	-	7	4	13	43	-	9'7	6'0	7'5	8'2	9'7	-	89,830	-	SS NORTON	-
SMETHWICK.	-	2	-	-	-	6	-	-	-	-	-	-	-	4	3	24	43	5'0	20'0	15'0	20'8	11'7	20'0	-	82,605	-	THWICK	-
ASTON MANOR.	-	2	-	-	-	-	-	-	-	-	-	-	-	4	9	24	52	-	15'4	11'5	9'6	14'1	15'4	-	81,320	-	N MANOR	-
COVENTRY.	-	3	-	-	-	-	-	-	-	-	-	-	-	8	1	20	47	3'5	13'9	18'0	12'5	15'3	13'9	-	75,134	-	ENTRY	-
LEICESTER.	1	9	3	1	-	-	-	-	-	-	-	-	-	17	11	57	114	-	13'0	11'0	11'4	10'7	13'0	-	238,132	-	ESTER	-
GRIMSBY.	1	1	-	-	1	1	-	-	-	-	-	-	-	4	4	10	42	1'5	7'7	18'4	14'5	11'5	7'7	-	68,153	-	SBY	-
NOTTINGHAM.	-	11	2	1	1	1	2	2	-	-	-	2	-	14	4	43	147	0'6	8'9	14'3	14'1	11'4	8'9	-	251,671	-	INGHAM	-
DERBY.	-	3	2	-	-	1	-	-	-	-	-	8	-	6	5	29	80	4'3	12'4	16'6	11'9	18'3	12'4	-	122,207	-	BY	-
STOCKPORT.	-	-	2	-	-	-	-	-	1	-	-	-	-	3	3	15	55	1'1	8'0	14'8	13'3	14'3	8'0	-	98,320	-	KPORT	-
BRICKENHEAD.	-	4	6	3	-	-	-	-	3	-	-	-	-	6	5	31	69	2'2	13'9	13'4	18'4	14'4	13'9	-	116,035	-	ENHEAD	-
WALLASEY.	-	3	-	-	1	-	-	-	-	-	-	-	-	6	3	15	38	0'8	12'5	13'4	15'9	15'0	12'5	-	62,460	-	LASEY	-
LIVERPOOL.	4	63	12	7	5	4	2	3	3	1	5	7	-	45	47	205	491	1'3	14'6	17'4	18'9	17'4	14'6	-	730,143	-	RPOOL	-
BOOTLE.	1	2	-	-	-	-	-	-	-	-	-	-	-	2	4	13	37	0'8	10'8	14'1	11'6	16'6	10'8	-	62,758	-	YLE	-
ST. HELENS.	3	3	2	2	1	-	-	1	1	-	-	-	1	5	7	30	77	3'5	17'4	16'8	15'7	17'4	14'5	-	89,543	-	HELENS	-
WIGAN.†	3	3	3	3	-	1	-	-	-	-	-	1	-	4	5	24	43	0'6	14'5	16'3	20'5	13'2	14'5	-	86,681	-	AN†	-
WARRINGTON.	-	1	-	-	-	-	-	-	-	-	-	-	-	4	7	20	42	1'5	15'3	15'3	18'3	16'0	15'3	-	68,901	-	WARRINGTON	-

TOWNS	Cols.	The DEATHS registered in the Week include												TOWNS,								
		DEATH-RATES from all Causes.				Ratio from Diseases in Cols. 11-17.		Registered during the Week ended 10th June, 1905.		Deaths of												
		Week ended				Week ended 10th June, 1905.		BIRTHS.	DEATHS.	Deaths of					Deaths from				Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		20th May, 1905.	27th May, 1905.	3rd June, 1905.	10th June, 1905.	11-17.	10th June, 1905.			Infants under 1 year of Age.	Persons aged and upwards.	Small-pox.	Measles.		Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				Dysentery.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
BIRMINGHAM	-	15.4	15.7	13.5	14.7	1.2	344	153	41	35	-	4	1	1	4	-	2	7	9	47	5	BIRMINGHAM.
KINGS NORTON	-	6.0	7.5	8.2	9.7	-	43	13	4	7	-	-	-	-	-	-	-	-	1	1	-	KINGS NORTON.
SMETHWICK	-	15.0	20.8	11.7	20.0	5.0	43	24	3	3	6	-	-	-	-	-	-	2	-	-	-	SMETHWICK.
ASTON MANOR	-	11.5	9.6	14.1	15.4	-	52	24	9	4	-	-	-	-	-	-	-	1	2	-	-	ASTON MANOR.
COVENTRY	-	18.0	12.5	15.3	13.9	3.5	47	20	1	8	-	5	-	-	-	-	-	-	3	-	-	COVENTRY.
LEICESTER	-	11.0	11.4	10.7	13.0	-	114	57	11	17	-	-	-	-	-	-	1	3	9	1	1	LEICESTER.
GRIMSBY	-	18.4	14.5	11.5	7.7	1.5	42	10	4	4	-	-	-	-	1	1	-	-	1	1	-	GRIMSBY.
NOTTINGHAM	-	14.3	14.1	11.4	8.9	0.6	147	43	4	14	-	-	-	2	-	1	1	2	11	-	-	NOTTINGHAM.
DERBY	-	16.6	11.9	18.3	12.4	4.3	80	29	5	6	1	8	-	-	1	-	-	2	3	-	-	DERBY.
STOCKPORT	-	14.8	13.3	14.3	8.0	1.1	55	15	3	3	-	1	-	-	-	-	-	2	-	-	-	STOCKPORT.
BIRKENHEAD	-	14.4	18.4	14.4	13.9	2.2	69	31	5	6	-	3	-	2	-	-	3	6	4	-	-	BIRKENHEAD.
WALLASEY	-	13.4	15.9	15.0	12.5	0.8	38	15	3	6	-	-	-	-	-	1	-	-	3	-	-	WALLASEY.
LIVERPOOL	-	17.4	18.9	17.4	14.6	1.3	491	205	47	45	-	4	2	3	3	1	5	12	63	4	-	LIVERPOOL.
BOOTLE	-	14.1	11.6	16.6	10.8	0.8	37	13	4	2	-	-	1	-	-	-	-	-	2	1	-	BOOTLE.
ST. HELENS	-	89.843	15.7	16.8	15.7	17.4	77	30	7	5	-	3	-	1	1	-	2	2	3	3	-	ST. HELENS.
WIGAN†	-	88.681	16.3	20.5	13.2	14.5	43	24	5	7	-	1	-	-	-	-	3	3	3	-	-	WIGAN.†
WARRINGTON	-	88.301	15.3	18.3	16.0	15.3	42	20	7	4	-	2	-	-	-	-	-	-	1	-	-	WARRINGTON.
BOLTON	-	178.111	10.2	14.6	12.3	10.0	89	34	11	6	-	4	-	-	-	-	-	-	4	-	-	BOLTON.
BURY	-	58.594	15.1	16.0	16.9	16.0	25	18	3	6	-	-	-	1	-	-	1	1	5	-	-	BURY.
MANCHESTER†	-	631.185	16.4	16.9	17.3	15.5	389	188	42	40	-	7	-	1	6	-	4	8	18	43	2	MANCHESTER.†
SALFORD	-	231.514	14.6	17.6	16.2	20.3	149	90	22	22	-	1	-	1	2	1	-	2	4	25	-	SALFORD.
OLDHAM	-	140.225	17.5	17.1	17.1	23.1	71	62	9	10	-	3	3	1	3	-	-	1	2	10	-	OLDHAM.
ROCHDALE	-	86.990	13.3	17.5	20.5	18.3	33	17	2	4	-	1	2	-	3	-	-	1	2	3	1	ROCHDALE.
BURNLEY	-	101.682	14.4	13.3	15.4	15.4	46	30	7	5	-	-	-	-	1	-	4	4	4	4	-	BURNLEY.
BLACKBURN	-	133.067	16.5	12.1	17.6	9.0	71	23	4	6	-	-	1	-	-	-	-	1	2	2	-	BLACKBURN.
PRESTON	-	116.721	22.5	15.8	19.4	2.7	99	33	5	10	-	-	-	1	3	-	3	4	5	-	-	PRESTON.
BARROW-IN-FURROW	-	60.206	7.8	12.1	12.1	3.5	46	4	1	-	-	-	-	-	1	-	1	1	1	1	-	BARROW-IN-FURROW.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2333	2545	2314	2646	2445	2276	2624	2308	2584	2578	2559.8	2233
Males - -	1176	1307	1208	1385	1206	1185	1376	1176	1319	1313	1313.6	1138
Females - -	1157	1238	1106	1261	1239	1091	1248	1132	1265	1265	1246.2	1095
TOTAL Deaths -	1247	1467	1177	1411	1365	1398	1236	1305	1095	1187	1338.2	1236
Males - -	633	723	649	732	710	769	651	719	609	637	709.4	653
Females - -	614	744	528	679	655	629	585	586	486	550	628.8	583

* The numbers in this column are the average weekly numbers in the twenty-third week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	13 Weeks
TOTAL Births -	2535	2611	2618	2310	2469	2129	2568	2722	2615	2426	2544	2249	2233	32056
TOTAL Deaths -	1397	1376	1357	1419	1443	1342	1426	1304	1324	1268	1311	1319	1236	17522
Ages at Death {														
Under 1 year -	293	284	286	276	275	251	309	260	258	250	259	274	226	3501
1-5 years -	148	157	164	195	203	181	163	154	175	158	156	176	141	2171
5-20 " -	86	68	65	56	67	79	78	67	65	69	74	60	62	894
20-40 " -	179	167	153	195	184	190	159	147	178	171	176	142	172	2213
40-60 " -	281	296	273	291	270	255	306	252	283	264	268	271	305	3615
60 yrs. & upwds.	410	404	416	406	444	386	413	424	365	356	378	396	330	5126
Deaths from—														
Small-pox† - -	-	2	-	1	-	-	1	1	-	1	-	-	-	6
Measles - -	28	30	29	41	47	42	37	44	41	41	44	58	40	523
Scarlet Fever - -	7	18	4	10	13	13	9	5	9	11	4	9	11	123
Diphtheria - -	7	10	8	15	14	4	14	11	7	7	6	7	9	119
Whooping-cough -	39	33	40	40	64	39	50	54	37	35	50	41	42	564
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	-	3	4	3	6	3	6	5	3	3	5	4	6	51
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	12	11	11	8	14	13	15	19	10	15	16	27	30	201
All above Diseases -	93	107	96	118	158	114	132	139	108	113	125	146	138	1587
Dis. of Resp. System	158	156	119	148	147	119	138	122	112	95	92	96	68	1570
Pneumonia - -	146	148	154	180	167	153	168	134	139	131	126	139	123	1878
Phthisis - -	150	131	139	134	141	131	125	121	127	119	122	111	134	1685
Dis. of Circ. System	178	188	165	175	196	145	185	168	161	143	174	163	169	2210
Violence - -	53	47	58	57	58	59	60	47	66	58	59	59	58	739
Inquest Cases -	129	137	116	146	139	117	143	112	132	130	137	117	153	1708
Deaths in Institutions	532	502	517	509	507	504	520	503	509	500	502	514	521	6640
TEMPERATURE OF THE AIR.	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mean - -	46.2	48.5	47.3	43.2	49.5	43.1	48.5	49.4	53.6	53.3	51.2	62.7	53.7	49.9
Mean of Highest -	53.2	56.9	55.8	51.7	58.7	50.6	56.1	60.1	64.0	64.0	62.8	74.7	59.2	59.1
Mean of Lowest -	40.9	36.7	40.2	35.7	42.0	38.2	42.8	41.9	42.9	43.9	41.0	51.4	49.5	42.1
Mean Humidity of the Air.	81	79	74	76	81	74	74	71	60	67	61	64	87	73
Rain-fall (in inches) -	2.25	0.09	0.06	0.27	0.83	0.25	0.15	0.85	0.00	0.22	0.00	0.50	2.86	8.33
Registered Sunshine (in hours).	33.9	42.0	36.3	24.9	22.7	16.5	24.8	54.7	55.5	52.1	39.4	51.5	7.8	462.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means†
Small-pox - -	23	20	20	21	15	17	16	17	17	15	10	9	9	16
Scarlet Fever - -	2042	2036	2032	2086	2133	2128	2182	2152	2177	2211	2200	2268	2285	2149
Diphtheria - -	830	807	794	769	738	731	725	691	698	686	688	690	687	733
Typhus - -	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Enteric Fever - -	83	68	68	66	63	58	65	72	70	71	79	80	80	71

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cunn Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-THIRD Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 23rd week of the year 1904.	1905—Deaths of Persons of the Ages							Deaths in the 23rd week of the year 1904.	1905—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.						0-1.	1-5.	5-20.			
CAUSES	1187	1236	226	141	62	172	305	330									
all-pox	-	-	-	-	-	-	-	-	14	11	3	2	3	3	-	-	
typhoid	-	-	-	-	-	-	-	-	8	10	-	-	-	3	4	-	
typhoid (Morbili)	-	-	-	-	-	-	-	-	9	4	-	-	1	1	2	-	
typhoid	-	-	-	-	-	-	-	-	15	16	15	1	-	-	-	-	
typhoid	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
typhoid	-	-	-	-	-	-	-	-	4	5	-	-	-	-	1	4	
typhoid	-	-	-	-	-	-	-	-	12	12	-	-	-	2	1	9	
typhoid	-	-	-	-	-	-	-	-	37	39	-	1	3	7	20	8	
typhoid	-	-	-	-	-	-	-	-	21	35	-	-	-	3	12	20	
typhoid	-	-	-	-	-	-	-	-	17	13	-	-	-	1	4	8	
typhoid	-	-	-	-	-	-	-	-	8	6	-	-	1	1	2	2	
typhoid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhoid	-	-	-	-	-	-	-	-	75	76	-	-	2	7	34	33	
typhoid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhoid	-	-	-	-	-	-	-	-	51	54	8	4	-	-	7	35	
typhoid	-	-	-	-	-	-	-	-	3	4	-	-	-	-	1	3	
typhoid	-	-	-	-	-	-	-	-	2	6	1	-	1	1	1	2	
typhoid	-	-	-	-	-	-	-	-	8	4	-	1	1	-	2	-	
typhoid	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
typhoid	-	-	-	-	-	-	-	-	8	4	2	1	-	1	-	-	
typhoid	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-	
typhoid	-	-	-	-	-	-	-	-	5	2	-	-	-	1	1	-	
typhoid	-	-	-	-	-	-	-	-	15	13	-	-	-	2	8	3	
typhoid	-	-	-	-	-	-	-	-	5	2	-	-	-	1	1	-	
typhoid	-	-	-	-	-	-	-	-	34	44	7	1	8	8	12	8	
typhoid	-	-	-	-	-	-	-	-	4	3	-	1	-	2	-	-	
typhoid	-	-	-	-	-	-	-	-	21	38	-	-	2	3	13	20	
typhoid	-	-	-	-	-	-	-	-	12	8	-	-	-	2	1	5	
typhoid	-	-	-	-	-	-	-	-	3	6	-	1	-	-	1	4	
typhoid	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	
typhoid	-	-	-	-	-	-	-	-	41	47	-	-	-	-	-	47	
typhoid	-	-	-	-	-	-	-	-	71	83	55	12	3	3	3	7	
ACCIDENT.																	
By Railways	-	-	-	-	-	-	-	-	3	4	-	-	1	2	1	-	
By Vehicles and Horses	-	-	-	-	-	-	-	-	9	8	-	-	2	4	2	-	
In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
In Building Operations	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
In Conflagrations	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
By Burns, Scalds, Explosions	-	-	-	-	-	-	-	-	9	3	1	2	-	-	-	-	
By Drowning	-	-	-	-	-	-	-	-	6	6	1	1	-	1	2	1	
By Suffocation in Bed	-	-	-	-	-	-	-	-	7	5	5	-	-	-	-	-	
By Poisons or Poisonous Vapours	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	
Other Deaths by Accident	-	-	-	-	-	-	-	-	10	17	2	2	1	1	3	8	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide	-	-	-	-	-	-	-	-	4	1	-	-	-	-	1	-	
Suicide	-	-	-	-	-	-	-	-	15	12	-	-	1	3	5	3	
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th June, 1905.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un- certified Causes of Death.
LONDON - - -	4,536,429	2233	1236	226	330	-	40	11	9	42	-	6	-	30	58	153	521	3
WEST DISTRICTS - - -	805,311	347	232	47	75	-	6	1	-	11	-	1	-	6	11	33	71	-
NORTH DISTRICTS - - -	1,056,070	463	296	57	86	-	14	-	4	14	-	-	-	8	12	35	118	-
CENTRAL DISTRICTS - - -	209,465	79	68	10	9	-	-	-	-	3	-	-	-	1	4	8	59	-
EAST DISTRICTS - - -	715,739	442	205	47	39	-	7	-	1	4	-	2	-	3	8	33	111	-
SOUTH DISTRICTS - - -	1,749,344	902	393	65	104	-	13	6	3	10	-	-	-	8	22	43	140	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	42	-	17	-	-	4	1	-	-	-	-	-	1	1	42	-
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	46	32	11	10	-	1	-	-	3	-	-	-	1	1	2	10	-
W ² H																		
St. John Paddington } H - G.	33,617	13	13	3	4	-	-	-	-	-	-	-	-	-	2	2	7	-
North-West Paddington } - C.	17,181	9	4	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-
Kensington Town 2W 2H G. & W. & C.	128,037	54	47	7	19	-	1	-	-	3	-	-	-	2	2	7	18	-
Brompton 2H - - W. & C.	48,591	14	12	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
North Hammersmith W, wH } W. & G.	49,192	24	6	1	3	-	-	-	-	1	-	-	-	-	1	2	-	-
South Hammersmith w2H } W. & G.	63,047	28	17	3	5	-	-	-	-	1	-	-	-	-	1	1	4	-
North-west Fulham W } W. & C.	45,180	32	21	5	9	-	1	-	-	2	-	-	-	-	1	1	12	-
North-east Fulham F } W. & C.	46,405	20	12	3	1	-	1	1	-	-	-	1	-	-	1	2	3	-
South Fulham W } W. & C.	45,704	34	16	3	5	-	-	-	-	-	-	-	-	1	1	4	-	-
Chelsea North W, w3H - - C.	42,514	12	8	1	2	-	-	-	-	-	-	-	-	-	-	3	2	-
Chelsea South W2H - - C.	31,328	13	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Mayfair and Knightsbridge C. & G.	28,743	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W2H - - G.	55,815	16	17	2	6	-	-	-	-	-	-	-	-	1	-	4	10	-
St. Margaret & St. John 4H - C.	43,698	19	11	3	1	-	1	-	-	-	-	-	-	1	-	2	3	-
St. James Westminster } N. & G.	21,588	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
W ² H																		
St. Anne Soho 5H - - N.	11,493	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	10	16	4	3	-	2	-	-	-	-	-	-	-	1	3	7	-
Rectory Marylebone W G. & W.	19,849	5	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Mary Marylebone 4H G. & W.	18,099	29	3	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Christchurch Marylebone H- W.	39,536	15	9	1	4	-	1	-	-	-	-	-	-	-	-	4	-	-
St. John Marylebone 3H - W.	20,426	4	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead W, F, 3H - N. & W.	81,942	20	12	2	5	-	-	-	2	-	-	-	-	-	-	-	3	-
West St. Pancras 2H - - W.	60,562	20	12	3	4	-	-	-	-	1	-	-	-	-	1	2	2	-
Tottenham-court w6H - N. & W.	21,258	9	12	-	3	-	1	-	-	-	-	-	-	-	-	-	10	-
Gray's Inn Lane 4H - - N.	34,449	12	5	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-
East St. Pancras W2H - - N.	60,320	27	16	2	3	-	-	-	-	-	-	-	-	-	1	2	9	-
North St. Pancras 2W - - N.	58,728	22	11	-	5	-	-	-	-	-	-	-	-	-	1	2	8	-
Fulnall W - - N.	31,995	10	24	6	10	-	-	-	-	4	-	-	-	-	-	-	16	-
Upper Holloway 2W, w, H - N.	33,978	22	24	6	5	-	-	-	-	-	-	-	-	-	-	2	18	-
Tollington WH - - N.	33,922	24	7	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Lower Holloway - - N.	41,424	11	8	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Barnsbury - - N.	54,478	22	7	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Clington South-east F - - N.	75,307	35	25	4	9	-	-	-	2	-	-	-	-	1	1	1	-	-
Highbury 2H - - N.	63,797	33	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Stoke Newington H - - N.	51,247	31	11	4	1	-	-	-	-	1	-	-	-	1	-	-	-	-
North Hackney - - E. & N.	50,560	16	8	1	2	-	-	-	-	1	-	-	-	-	1	2	-	-
Central Hackney 2w, F - E. & N.	50,536	28	12	2	4	-	-	-	-	2	1	-	-	-	1	3	2	-
South-west Hackney 3H E. & N.	59,921	29	14	-	6	-	1	-	-	-	-	-	-	-	1	1	6	-
South-east Hackney 2W, w, H E. & N.	58,255	29	45	11	8	-	9	-	-	3	-	-	-	4	1	6	32	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th June, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
Isle of Dogs and Bloomsbury W, 2H N.	31,436	13	8	2	2	-	-	-	-	2	-	-	-	-	-	2	-	
St. Pancras W, 4H - - - N. & C.	21,674	2	9	-	-	-	-	-	-	-	-	-	-	-	1	3	6	
St. Pancras Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras W, 6H - - - N.	29,612	11	17	4	2	-	-	-	-	1	-	-	-	1	-	-	12	
St. Pancras Clerkenwell - - - N.	28,676	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras Clerkenwell H - - - N.	35,028	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras St. Giles, L - - - N.	36,116	23	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
St. Pancras Union Workhouse, } St. Pancras - - - - - }	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-	
St. Pancras St. Giles, H - - - N. & E.	10,299	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
St. Pancras St. Giles, and Allhallows } St. Pancras H - - - - - }	16,624	4	18	1	1	-	-	-	-	-	-	-	-	-	2	3	16	
St. Pancras London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																		
St. Pancras South H - - E. & N.	46,362	27	5	2	1	-	-	-	-	-	-	-	-	-	1	2	-	
St. Pancras South North-West W, w, H N.	36,127	31	30	3	15	-	-	-	-	-	-	-	-	1	2	6	22	
St. Pancras South North-East - N. & E.	36,148	34	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	
St. Pancras South Union Workhouse, Wood } St. Pancras - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras Green North 2H - - E.	51,514	33	15	8	-	-	2	-	-	-	-	-	-	3	1	2	7	
St. Pancras Green South - - - E.	33,472	18	7	4	1	-	-	-	-	-	-	-	-	-	-	1	-	
St. Pancras Green East 2W, H, L - E.	44,694	29	19	1	6	-	-	-	-	-	-	-	-	-	-	12	-	
St. Pancras Fields - - - E. & N.	27,969	10	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Pancras End New Town W, H - - E.	28,718	19	28	6	3	-	1	-	-	-	-	1	-	-	1	5	25	
St. Pancras End New Town Fields - - E.	22,081	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras George and St. John 2W E.	49,068	34	15	3	4	-	-	-	-	1	-	-	-	1	-	2	8	
St. Pancras St. John and Ratcliff W, H E. & N.	25,568	9	14	6	1	-	-	-	-	-	-	-	-	-	1	3	10	
St. Pancras St. John Workhouse W - - E.	32,369	28	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
St. Pancras End Old Town South- } St. Pancras Eastern H - - - - - }	63,698	41	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Pancras End Old Town North- } St. Pancras Western W, w - - - }	49,129	29	11	1	2	-	-	-	-	-	-	1	-	-	1	3	6	
St. Pancras St. Giles, L - - - E.	41,989	27	9	2	-	-	1	-	-	1	-	-	-	1	-	1	-	
St. Pancras St. Giles, St. Giles, H - - E.	68,319	34	27	4	5	-	2	-	-	-	-	-	-	1	1	4	20	
St. Pancras St. Giles, St. Giles, W, w - E.	68,514	34	9	2	-	-	1	-	-	-	-	-	-	-	1	1	1	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th June, 1905.—continued.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from															Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Menses.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.					
SOUTH DISTRICTS.																				
Christchurch Southwark W,H,L.&S.	11,283	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark H - S.	12,066	7	20	12	1	-	1	-	-	-	-	-	-	-	-	3	4	20		
Kent-road - - - S. & L.	21,904	17	9	3	1	-	-	-	-	-	1	-	-	-	-	2	1	-		
St. George the Martyr } S. & L.	39,094	19	10	3	1	-	-	-	-	-	-	-	-	-	1	-	-	4		
West W,2H,L - - }	49,022	28	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Newington North - - S. & L.	72,841	40	9	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
Newington South W - S. & L.																				
St. Olave 2W - - - S.	9,817	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Bermondsey W - - - S.	82,483	56	14	3	4	-	-	-	-	-	-	-	-	-	-	-	3	-		
Rotherhithe W,F - - S. & K.	38,460	16	13	2	-	-	-	-	-	-	-	-	-	-	1	-	-	9		
Waterloo-road 2H - - L. & S.	27,440	26	8	3	2	-	1	-	-	-	-	-	-	-	-	-	1	2		
Lambeth Church 1st H - L. & S.	18,423	6	20	5	5	-	-	-	-	1	1	-	-	-	-	1	4	15		
Lambeth Church 2nd 2W - L. & S.	39,818	20	9	-	6	-	-	-	-	-	-	-	-	-	-	-	1	7		
Kennington 1st H - S. & L.	53,198	24	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1		
Kennington 2nd H - S. & L.	42,896	17	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1		
Brixton F - - - L. & S.	84,232	29	9	2	4	-	-	1	1	-	-	-	-	-	-	-	-	2		
Norwood W,H - - - L.	35,888	17	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
East Battersea H - - S.	72,203	42	22	3	5	-	3	-	-	-	2	-	-	-	-	2	2	-		
North-west Battersea - S.	49,666	30	12	3	1	-	3	-	-	1	-	-	-	-	-	1	1	-		
South-west Battersea 2W,H - S.	47,048	14	16	1	6	-	-	-	-	-	-	1	-	-	-	2	3	11		
Clapham 2H - - - L.	51,361	30	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1		
Streatham W,2w,2F,2L - S.	88,019	55	24	2	9	-	-	3	-	2	-	-	-	-	-	1	3	9		
Springfield 2W,L - - S.	27,969	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Southfields H - - - S.	40,444	25	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Putney - - - S.	24,139	2	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
Dulwich - - - L. & S.	13,359	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W,w - S. & L.	40,208	27	25	1	8	-	1	-	-	-	-	-	-	-	-	1	1	19		
Camberwell North W,2L - S. & L.	65,584	33	15	1	4	-	1	-	-	-	-	-	-	-	-	1	-	9		
St. George - - - L. & S.	47,331	25	7	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
Peckham 2W,w - - S., L. & K.	92,859	53	16	2	5	-	-	-	-	-	1	-	1	2	3	-	-	-		
Deptford North - - - K.	37,613	23	5	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-		
Deptford Central - - K.	45,481	23	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Deptford South - - - K.	34,625	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West 2H - - K.	23,458	6	5	1	1	-	-	-	-	-	-	-	-	-	1	3	-	-		
Greenwich East 2W,H - K.	43,859	20	19	6	4	-	1	-	-	-	-	-	-	-	1	1	12	-		
Eltham w,H - - - K.	7,226	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lee w,H - - - K.	25,490	3	3	-	2	-	-	-	-	-	-	-	-	-	1	1	1	-		
Lewisham W w,F - - K.	58,352	29	14	-	5	-	2	-	1	-	-	-	-	-	-	1	-	8		
Sydenham H - - - L.	43,653	26	6	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-		
Charlton F,2H - - - K.	21,134	6	4	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-		
Woolwich 5H - - - K.	41,625	24	7	-	2	-	-	-	-	-	-	-	-	-	1	1	1	-		
Plumstead West W - - K.	18,063	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - K.	50,264	38	17	3	3	-	2	-	-	-	-	-	-	-	-	1	1	7		
Workhouse:—																				
Central London Sick Asylum			2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
(Westminster, St. Giles, and Strand Unions.)																				
M. A. B. Small-pox Hospitals:—																				
Joyce Green - - -																				
Long Reach - - -																				
M. A. B. Fever Hospitals:—			5	-	-	-	4	1	-	-	-	-	-	-	-	-	-	5		
North-Eastern - - -																				
Northern - - -																				
M. A. B. Imbecile Asylums:—																				
Caterham - - -			1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Darenth - - -																				
Gore Farm (temporary) - -			3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3		
Leavesden - - -																				
London County Lunatic Asylums.—																				
Banstead - - -			7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7		
Ewell (Epileptic Colony) -			4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4		
Horton - - -			1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1		
Manor - - -			3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3		
Cane Hill - - -			3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3		
Dartford Heath - - -			5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5		
Hanwell - - -			5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5		
Colney Hatch - - -			1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Claybury - - -			5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5		

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week Saturday, 10th June, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
ON—OUTER RING	368,602	2,044,973	1148	441	100	134	-	9	1	5	22	2	10	22	43	62	4		
Ashtedon 2F,2H	12,228	32,997	16	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon, part of* W,2F,H	10,423	15,548	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon, part of* W,F	2,764	2,692	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon	11,089	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Croydon W	4,200	49,309	18	15	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Croydon 3W,F,H	2,168	42,888	27	15	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Croydon H	2,644	41,898	17	9	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,H	770	22,465	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W	11,711	30,015	20	10	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,3H	3,221	41,652	24	13	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon 2W,H	6,224	42,068	18	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,H	3,046	15,017	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon, part of* H	5,402	13,100	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon H,F,L	4,564	23,456	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,H	2,162	28,865	6	10	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F	2,847	20,628	14	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,2H	4,703	27,354	11	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon H	7,825	28,497	15	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon, part of* W	10,113	9,857	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon 2H	7,333	16,446	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,F,H	8,678	21,151	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,H	3,854	25,296	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W	11,054	18,683	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,H	13,277	16,178	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,F,H	6,035	13,661	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon H	12,757	8,984	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,F,H	8,066	16,358	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon 3W,2F,H	6,859	30,863	23	11	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,H	2,421	20,991	12	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon 3F,2H,L	4,319	48,289	24	13	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon H	1,249	29,809	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,H	6,132	48,914	40	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,H	13,809	25,523	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,2H	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,2F,2H	4,384	114,811	57	27	6	8	-	1	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,F	8,382	22,450	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Mimms 2F,H	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,2H	3,324	17,970	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,H	4,688	33,692	17	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,H	2,875	72,056	28	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Green H	1,625	34,233	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Tottenham F	996	48,853	32	13	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Tottenham 2H	2,017	53,688	35	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,2F	7,491	61,892	50	15	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon 2W,F,H	12,601	42,738	27	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Abbey F	11,017	5,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,H	8,479	12,292	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon, part of* W	3,205	604	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon H	9,333	9,173	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon H	1,072	44,827	30	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,2H	1,249	90,921	57	17	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Town H	1,558	70,718	51	19	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Gate W	806	60,892	23	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon East Ham W,H	1,333	58,676	40	16	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon East Ham 2F	1,993	37,342	25	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F	1,679	9,179	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Leyton 2W	631	50,467	16	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Leyton 2W,W,F	1,963	48,445	38	19	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon 3H,L	6,504	108,929	74	26	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Ashtedon, part of* 2F,3H	11,778	16,397	7	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon, part of* W,2F	6,556	6,091	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon F,L	8,496	41,234	43	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Ashtedon Town F	3,803	21,547	14	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashtedon parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Esher parish; 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	June 10	2233	1236	13·8	-	49	11	9	42	6
CALCUTTA - -	847,796	April 29	-	1029	63·1	7	3	-	1	-	702
BOMBAY - -	776,006	May 23	318	1279	85·7	34	36	-	-	1	622
MADRAS - -	509,346	" 5	491	452	46·1	4	6	-	-	-	88
PARIS - -	2,660,559	June 3	969	915	18·2	1	14	-	5	7	4
BRUSSELS - -	586,936	" 3	242	162	14·1	-	-	1	-	1	-
ANTWERP - -	286,895	" 3	150	82	14·6	-	-	-	-	-	-
AMSTERDAM -	551,415	May 27	267	153	14·4	-	5	-	1	8	-
COPENHAGEN -	426,000	June 3	229	141	17·1	-	3	-	2	-	-
STOCKHOLM -	309,496	May 27	150	90	14·7	-	2	3	2	-	-
CHRISTIANIA -	223,649	June 3	150	64	15·0	-	2	-	-	4	-
ST. PETERSBURG	1,248,122	May 27	664	702	26·0	2	51	10	9	4	31
MOSCOW - -	1,092,360	" 27	-	579	27·6	10	1	8	10	2	7
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,013,230	May 20	896	659	17·1	-	7	16	3	9	-
HAMBURG - -	772,852	June 3	-	266	17·9	-	6	-	-	-	2
BRESLAU - -	460,755	" 3	-	198	22·4	-	1	1	3	2	-
MUNICH - -	528,000	" 3	-	223	22·0	-	4	-	-	4	-
VIENNA - -	1,877,839	" 3	1001	716	19·6	-	24	3	3	3	2
PRAGUE - -	430,569	" 3	201	212	24·6	-	2	-	1	-	1
BUDA-PESTH -	836,267	May 27	440	240	14·9	-	6	-	2	1	2
		June 3	397	325	20·2	-	8	6	2	1	1
TRIESTE - -	191,403	" 3	118	74	19·9	-	-	-	-	1	-
ROME - -	503,857	April 8	-	-	-	-	-	-	-	-	-
VENICE - -	169,417	May 27	68	61	20·4	-	2	-	-	-	2
BUCHAREST -	282,071	" 27	152	142	26·2	-	-	-	-	1	1
NEW YORK - -	3,948,191	" 27	1930	1295	17·1	-	19	15	26	12	4
CHICAGO - -	1,932,315	" 20	-	539	14·1	2	7	1	2	14	1
PHILADELPHIA -	1,438,318	" 27	-	-	-	-	-	-	-	-	-
BOSTON - -	617,956	" 13	-	230	19·3	-	-	4	2	-	1
RIO DE JANEIRO	850,000	" 14	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 624 deaths from plague in Calcutta, 577 in Bombay, and 1 in Madras.

‡ Including 29 deaths from cholera in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th June, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	69·7	46·1	53·7(P)	2·86	BRADFORD - -	65·2	43·2	53·0	-
BRIGHTON }	71·4	48·6	56·0	2·13	LEEDS - - -	68·0	44·0	54·8	-
PORTSMOUTH - -	70·0	46·0	55·8	2·98	HULL - - -	69·0	41·0	52·7	-
NORWICH - -	69·0	47·2	55·5	1·70	TYNEMOUTH - -	65·0	46·0	51·3	-
PLYMOUTH - -	67·8	47·9	55·1	0·41					
BRISTOL - -	68·0	42·0	53·6	0·97	EDINBURGH - -	61·6	43·8	49·4	-
BIRMINGHAM - -	66·8	42·0	53·8	0·24	GLASGOW - - -	62·9	43·0	52·9	-
NOTTINGHAM - -	-	-	-	-					
LIVERPOOL }	65·0	43·0	52·9	0·04	DUBLIN { Phoenix Park.	61·8	39·7	50·8	-
OBSERVATORY. }	65·6	41·8	52·9	0·05	{ Fitzwilliam Square.†	63·9	46·2	53·9	-
MANCHESTER - -	67·0	41·8	54·5	0·07					
PRESTON - -	64·2	42·0	52·1	0·04	BELFAST - -	65·1	43·6	53·7	-
HUDDERSFIELD -	-	-	-	-					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·8° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MORTH AND
DAY

JUNE

SUNDAY - 4

MONDAY - 5

TUESDAY - 6

WEDNESDAY - 7

THURSDAY - 8

FRIDAY - 9

SATURDAY - 10

First Quarter.

MEANS

No. of Column -

BAROMETER.

Mean daily reading (corrected and reduced to 32° Fahr. height).

Phases of the Moon.

High-est.

Low-est.

Daily Range.

Mean daily value.

De- parture from average of 50 years.

Of the Air.

Difference between the Air Temperature and Dew Point Temperature.

Degree of Humidity (saturation).

Of the Radiation.

Highest in Shade.

Lowest on Grass.

Of the Surface.

General Direction.

A.M.

P.M.

Pressure on the Square Foot.

Great- est.

Least.

Mean hourly observation.

Robinson's.

Horizontal Movement of the Air.

Vertical Movement of the Air.

Average of 15 years.

Miles.

Miles.

in.

in.

in.

in.

in.

in.

in.

in.

in.

in.

in.

in.

in.

in.

GENERAL REMARKS.

Fine but cloudy till afternoon; generally overcast afterwards.

Overcast; continuous rain after 6h. A.M.

Overcast; nearly continuous rain.

Overcast; frequent slight rain.

Overcast, with rain in morning; fine and partially cloudy till evening; cloudy at night; brisk wind in afternoon.

Overcast; frequent rain after 4h. A.M.

Generally overcast; slight rain in morning; lightning and thunder, with heavy showers in afternoon.

Sum 114.8

Sum 7.8

Sum 29

REGISTERED SUNSHINE.

Registered Sunshine in hours.

163

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

164

ELECTRICITY.

Electrical symbols, see Note.

w. P. throughout.

w. P. and w. N. generally.

w. P. till 9h. A.M.; m. P. generally afterwards.

w. P. throughout.

w. P. and w. N. till 9h. A.M.; m. P. generally afterwards.

w. P. generally.

w. P. till 1h. P.M.; s. P. and s. N. till 6h. P.M.; w. P. afterwards.

Sum 29

DATE.

JUNE

SUNDAY - 4

MONDAY - 5

TUESDAY - 6

WEDNESDAY - 7

THURSDAY - 8

FRIDAY - 9

SATURDAY - 10

First Quarter.

MEANS

No. of Column -

WIND AS DEDUCED FROM ANEMOMETERS.

General Direction.

A.M.

P.M.

Pressure on the Square Foot.

Great- est.

Least.

Mean hourly observation.

Robinson's.

Horizontal Movement of the Air.

Vertical Movement of the Air.

Average of 15 years.

Miles.

Miles.

in.

in.

in.

in.

in.

in.

in.

in.

in.

in.

in.

RAIN.

Gauge in a rain gauge.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

5 inches above the ground.

RESULTS APPLY TO THE CIVIL DAY, OR FROM MIDNIGHT TO MIDNIGHT.

The height of the cistern of the barometer is 159 feet above the mean level of the sea;

no correction has been applied to the readings to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1875.

In reading columns 9 and 34 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; M. moderate; S. strong; and V. variable.

The numbers in column 28 derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.84 in. at the beginning of the week to 29.61 in. by 6h. A.M. on the 7th, increased to 29.82 in. by 10h. P.M. on the 8th; decreased to 29.70 in. by 5h. P.M. on the 10th, and was 29.72 in. at midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 3rd June 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	4	2	-	1	-	-	1	-
Kensington - - - -	180,083	-	19	22	-	2	-	-	6	-
Hammersmith - - - -	119,037	-	5	4	-	-	-	-	2	-
Fulham - - - -	157,210	-	25	7	-	1	-	-	1	-
C Chelsea - - - -	74,496	-	6	-	-	-	-	-	1	-
City of Westminster - - - -	175,606	-	1	-	-	-	-	-	1	-
NORTH.										
St. Marylebone - - - -	129,453	-	7	-	-	1	-	-	4	2
Hampstead - - - -	88,142	-	5	1	-	-	-	-	1	-
St. Pancras - - - -	236,183	-	12	3	-	1	-	-	4	-
Islington - - - -	342,994	-	37	5	-	2	-	-	4	3
Stoke Newington - - - -	52,828	-	1	1	-	-	-	-	-	-
Hackney - - - -	228,479	-	24	9	-	6	-	-	2	1
CENTRAL.										
Holborn - - - -	56,481	-	2	1	-	-	-	-	1	-
Finsbury - - - -	98,207	-	11	3	-	-	-	-	3	-
City of London - - - -	22,425	-	1	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	18	5	-	1	-	-	1	-
Bethnal Green - - - -	130,401	-	20	5	-	2	-	-	2	-
Stepney - - - -	305,466	-	29	10	-	3	-	-	4	-
Poplar - - - -	170,280	-	25	11	-	2	-	-	3	-
SOUTH.										
Southwark - - - -	208,528	-	7	5	-	-	-	-	5	-
Bermondsey - - - -	129,006	-	20	3	-	1	-	-	1	-
Lambeth - - - -	313,045	-	26	7	-	1	-	-	8	-
Battersea - - - -	177,532	-	14	6	-	2	-	-	6	-
Wandsworth - - - -	265,392	-	24	7	-	-	-	-	2	1
Camberwell - - - -	271,240	-	14	1	-	1	-	-	5	-
Deptford - - - -	114,495	-	7	2	-	-	-	-	4	-
Greenwich - - - -	103,493	-	7	2	-	-	-	-	1	-
Lewisham - - - -	144,420	1	2	1	-	2	-	-	1	-
Woolwich - - - -	125,372	-	6	2	-	-	-	-	1	-
Port of London - - - -	-	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794										
		1	379	106	-	30	-	-	75	7
Ages										
0-1 - - - -	-	-	2	4	-	-	-	-	4	-
" 1-5 - - - -	-	-	122	42	-	-	-	-	1	-
" 5- - - - -	-	-	154	30	-	4	-	-	1	-
" 10- - - - -	-	-	54	8	-	5	-	-	3	-
" 15- - - - -	-	-	19	6	-	6	-	-	5	1
" 20- - - - -	-	-	13	5	-	3	-	-	4	2
" 25- - - - -	-	-	10	6	-	6	-	-	5	2
" 35- - - - -	-	1	2	3	-	4	-	-	14	2
" 45- - - - -	-	-	3	1	-	2	-	-	11	-
" 55- - - - -	-	-	-	-	-	-	-	-	14	-
" 65 and upwards - - - -	-	-	-	1	-	-	-	-	13	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MAY, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
6th June, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of May.

Fourteen samples were taken in each of the eight districts, making a total of 112 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ May 15th, Cab Rank, Fulham Road, near Hospital for Women. }	13·5	28·14	·196	·019	0	·192	·211	1·75	19·7
West Middlesex - -	{ May 15th, Cab Rank, Albert Road, N.W. }	13·6	25·56	·183	·018	0	·159	·177	1·75	18·6
Southwark - - - -	{ May 15th, Cab Rank, Southwark Street, near Hop Exchange. }	14·4	25·92	·155	·017	0	·168	·185	1·7	19·3
Grand Junction - -	{ May 15th, Cab Rank, Piccadilly, opposite Bolton Street. }	14·9	25·80	·127	·014	0	·170	·184	1·75	18·9
Lambeth - - - -	{ May 15th, Cab Rank, Waterloo Road, opposite St. John's Church. }	14·3	27·34	·145	·013	0	·228	·241	1·85	19·6
LEA, WELLS, ETC.										
New River - - - -	{ May 15th, Cab Rank, Bayham Street, N.W. }	13·9	30·40	·069	·006	0	·178	·184	2·0	19·7
East London - - - -	{ May 15th, Cab Rank, Sidney Street, E. }	14·5	33·02	·151	·014	0	·230	·244	2·05	22·4
DEEP WELLS.										
Kent - - - -	{ May 15th, Police Station, Blackheath Road. }	11·0	39·30	·050	·003	0	·506	·509	2·3	28·7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 15th May at the cab rank in Fulham Road, had a temperature of 13·5° C.; 100,000 lbs. of it contained 28·14 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·196 lb. of carbon and ·019 lb. of nitrogen. The above quantity of water also contained ·192 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·211 lb. The above weight of water also contained 1·75 lb. of chlorine and 19·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 15th May were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:—Kent 0·9, New River 1·3, Grand Junction 2·4, Lambeth 2·7, East London 2·8, Southwark 2·9, West Middlesex 3·4, and Chelsea 3·6.

The samples drawn on the 15th May in the five districts supplied with filtered Thames water contained, in all cases, less organic impurity than was found in the corresponding April samples, and all these supplies were clear and of good quality.

Of the supplies chiefly obtained from the River Lea, that collected in the New River district contained only a small proportion of organic matter and was clear and of very good quality; the East London district water contained about the same amount of organic impurity as the average Thames supply, and was also clear and of good quality.]

The deep-well water collected in the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that drawn in the New River area nearly colourless; the supplies collected in the six remaining districts had a very pale yellow colour.

In addition to the above analytical examination, the 112 samples of water, collected during May at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·108	·063	·079	·117	·071	·088	·010	·007	·008
West Middlesex	·090	·062	·077	·103	·072	·085	·0095	·0075	·009
Southwark	·076	·06	·068	·079	·067	·074	·0085	·0065	·0075
Grand Junction	·076	·054	·063	·079	·060	·069	·008	·0065	·007
Lambeth	·102	·067	·078	·113	·075	·085	·0085	·007	·008
LEA, WELLS, ETC.									
New River	·037	·022	·026	·040	·025	·030	·004	·0025	·003
East London	·088	·055	·066	·093	·059	·073	·0095	·006	·007
DEEP WELLS.									
Kent	·010	·006	·007	·011	·007	·009	·0015	·0015	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

Compared with the previous month's figures, the above results show that the five Thames-derived waters contained less organic impurity. The decrease in the organic matter was in all cases gradual throughout the past month. The Grand Junction water yielded the lowest average organic matter, and, as the district works supplying this possess the smallest storage, it follows that the condition of the Thames during May was generally very favourable to waterworks operations. The 70 samples of filtered Thames water examined were all of good quality.

The New River district supply, consisting of filtered Lea and deep-well water, was of very good quality throughout the month.

The East London district water, obtained chiefly from the Lea, contained on the average slightly less organic matter than the filtered Thames supplies, and was of good quality.

All the samples of deep-well water drawn in the Kent district were, as usual, of high organic purity and excellent quality.

All the samples collected in the Chelsea, West Middlesex, Grand Junction, Lambeth, New River, East London, and Kent districts were clear, but in the Southwark district samples, on several occasions, minute amounts of rust-stained suspended matters were noted.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of May, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 227 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	MAY, 1904.	MAY, 1905.	MAY, 1904.	MAY, 1905.
TOTAL SUPPLY - - -	987,006	1,027,936	214,851,038	233,346,250
From Thames - - - -	468,588	478,307	113,552,499	122,864,749
From Lea and from other Sources -	518,418	549,629	101,298,539	110,481,501
THAMES.				
Chelsea - - - - -	39,781	39,910	12,353,871	13,056,774
West Middlesex - - - -	90,846	91,915	23,855,958	25,995,032
Southwark and Vauxhall - - -	129,353	130,711	29,949,810	31,736,000
Grand Junction - - - -	76,268	79,259	17,525,115	19,415,226
Lambeth - - - - -	132,345	136,512	29,867,745	32,661,717
LEA AND OTHER SOURCES.				
New River - - - - -	180,050	204,922	40,597,810	43,683,245
East London - - - - -	228,742	232,474	41,865,000	46,066,322
Kent - - - - -	109,626	112,233	18,835,729	20,731,934

Note.—The Return for May, 1905, as compared with that for the corresponding month of 1904, shows an increase of 40,930 services, and of 18,495,212 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, E.C.

No. 24. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JUNE 17. [Price 1½d.

General Register Office, Somerset House,
June 19th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 14·7, and 13·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·5 in Preston, 19·1 in Merthyr Tydfil, 19·8 in Sunderland, 20·5 in Wigan, 22·5 in Barrow in Furness, and 23·3 in Tynemouth; from *measles*, 1·8 in Walthamstow, 2·2 in Birkenhead, 2·3 in Warrington, 3·5 in Coventry and in Barrow in Furness, and 3·8 in West Bromwich; from *whooping-cough*, 1·6 in Middlesbrough and 1·9 in Tynemouth; and from *diarrhoea*, 1·3 in Rhondda and 1·6 in Middlesbrough. One death from *small-pox* was registered in Derby and 1 in Preston, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2271 BIRTHS and 1191 DEATHS were registered. Allowing for increase of population, the births were 358 and the deaths 121 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·6, 14·7, and 13·8 in the preceding three weeks, further fell last week to 13·3. During the four weeks ended on Saturday last the death-rate averaged 14·1 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1191 deaths included 46 from measles, 6 from scarlet fever, 9 from diphtheria, 26 from whooping-cough, 2 from enteric fever, 1 from ill-defined pyrexia, and 14 from diarrhœa, but not one death from small-pox or from typhus; thus, 104 deaths were referred to these diseases in the aggregate, being 60 below the corrected average weekly number.

The deaths from *measles*, which had been 44, 58, and 40 in the preceding three weeks, rose last week to 46, but were 15 below the corrected average; 6 deaths belonged to the Borough of Stepney, 5 to Paddington, 5 to Battersea, 4 each to Fulham, St. Marylebone, and Camberwell, and 3 to Bethnal Green. The deaths from *scarlet fever*, which had been 4, 9, and 11 in the preceding three weeks, fell last week to 6, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 6, 7, and 9 in the preceding three weeks, were again 9 last week, and were 17 below the corrected average; 3 deaths belonged to Southwark. The deaths from *whooping-cough*, which had been 50, 41, and 42 in the preceding three weeks, fell last week to 26, and were 11 below the corrected average; 3 deaths belonged to Fulham. The fatal cases of *enteric fever*, which had been 5, 4, and 6 in the preceding three weeks, were 2 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 16, 27, and 30 in the preceding three weeks, fell last week to 14, and were 6 below the corrected average; 3 deaths belonged to Fulham. Of the 14 deaths from diarrhœa, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 1 more death at this age. The deaths attributed directly to *influenza* numbered 4, having been 17, 7, and 10 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 12 were cases of suicide, while the remaining 47 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 5 to burns and scalds, 3 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 7 cases of small-pox, 2356 of scarlet fever, 719 of diphtheria, and 82 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 0, 1, and 3; of scarlet fever, 292 cases, against 312, 351, and 269; of diphtheria, 128 cases, against 90, 91, and 89; and of enteric fever, 8 cases, against 16, 18, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 10th.

GREATER LONDON.

In Greater London 3499 births and 1622 deaths were registered. Allowing for increase of population these numbers are 432 and 184 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 1 from scarlet fever, 4 from whooping-cough, and 3 from "fever" were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 59·5, the latter being 0·7 above the week's average in the 50 years 1841–90. The general direction of the wind was North-easterly, the horizontal movement of the air being 26 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 45·6 hours; the measured rainfall amounted to 0·95 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH OF IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in each of the preceding three Weeks, ended Saturday, 17th June, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Cols.	POPULATION estimated middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 17th June, 1905.		The DEATHS registered in the Week include										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths of Persons aged under 1 Year of Age.		Deaths from										Deaths of Persons aged 60 Years and upwards.</	
-------	-------	--	------------------------------	--	--	--	------------------------------------	--	---	--	---	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	---	--	-------------	--	--	--	--	--	--	--	--	--	--	--

TOWNS	POPULATION estimated in the middle of the Year 1905.*	DEATH-RATES FROM ALL CAUSES.				Registered during the week ended 17th June, 1905.		Deaths from										Deaths in Public Institutions.		TOWNS,		
		Week ended				6.	7.	8.	Deaths of			Deaths from							19.		20.	
		27th June, 1905.		10th June, 1905.					9.	10.	11.	12.	13.	14.	15.	16.	17.	18.				
		May, 1905.	June, 1905.	June, 1905.	June, 1905.																	Under 1 Year of Age.
Col.	1.	2.	3.	4.	5.				9.	10.	11.	12.	13.	14.	15.	16.	17.	18.			Col.	
HUDDESFIELD	-	16.5	14.8	14.3	9.9	0.5	28	18	4	7	-	-	-	-	1	-	-	-	1	1	HUDDESFIELD.	
HALIFAX	-	17.8	15.9	13.5	10.6	1.0	38	22	3	9	-	-	1	-	1	-	-	-	3	3	HALIFAX.	
BRADFORD	-	14.0	17.5	14.2	11.6	1.8	107	64	9	18	-	1	-	2	5	1	1	2	8	10	BRADFORD.	
LEEDS	-	15.6	13.7	12.2	11.4	0.6	211	100	17	29	-	-	-	1	1	1	3	6	6	21	LEEDS.	
SHEFFIELD	-	17.0	15.5	15.4	13.9	2.1	195	117	30	35	-	12	2	1	1	-	2	1	3	30	3	SHEFFIELD.
ROTHERHAM	-	12.2	17.4	7.8	11.3	1.7	46	13	1	7	-	-	1	-	1	1	1	1	1	1	-	ROTHERHAM.
YORK	-	15.2	12.0	8.2	12.0	1.3	43	19	3	6	-	1	-	1	-	2	2	3	3	3	-	YORK.
HULL	-	14.7	12.9	15.8	13.3	1.8	141	66	14	18	-	1	1	3	1	1	2	1	4	8	-	HULL.
MIDDLESBROUGH	-	18.0	26.0	22.8	17.0	3.7	53	32	6	7	-	1	-	-	3	-	3	-	-	3	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	16.9	20.9	14.9	15.9	-	23	16	2	5	-	-	-	-	-	-	-	1	3	2	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	8.8	15.4	17.5	13.2	0.7	38	18	2	7	-	-	1	-	-	-	-	-	3	-	-	WEST HARTLEPOOL.
SUNDERLAND	-	16.0	19.5	16.0	19.8	1.0	95	58	15	10	-	2	-	-	-	-	1	6	8	8	2	SUNDERLAND.
SOUTH SHIELDS	-	12.9	16.2	17.2	16.2	-	71	34	9	11	-	-	-	-	-	-	-	-	9	9	2	SOUTH SHIELDS.
GATESHEAD	-	12.1	16.9	14.7	14.7	1.3	70	34	7	7	-	2	-	-	-	1	-	-	1	1	4	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	15.0	19.3	14.2	17.3	0.6	153	88	23	23	-	-	-	-	2	-	1	8	13	13	-	NEWCASTLE-ON-TYNE†.
TYNEMOUTH	-	15.6	25.3	17.5	23.3	1.9	30	24	7	3	-	-	-	-	2	-	-	1	2	1	-	TYNEMOUTH.
NEWPORT (MON.)	-	13.6	12.2	12.9	8.6	-	33	12	1	2	-	-	-	-	-	-	-	-	3	-	-	NEWPORT (MON.).
CARDIFF	-	9.3	14.8	12.7	12.5	0.9	84	43	13	12	-	1	-	1	-	-	1	7	7	6	-	CARDIFF.
RHONDDA	-	20.4	12.9	13.3	16.7	2.1	66	40	18	4	-	2	-	-	-	-	3	1	1	2	-	RHONDDA.
MERTHYR TYDFIL	-	19.8	17.7	23.3	19.1	2.1	39	27	6	3	-	2	1	-	-	-	-	4	4	3	-	MERTHYR TYDFIL.
SWANSEA	-	15.7	22.7	13.5	16.8	0.5	39	31	3	15	-	-	-	1	-	-	-	1	1	9	1	SWANSEA.
GREATER LONDON	-	13.0	13.1	12.5	12.1	1.0	3499	1622	355	459	-	53	9	11	36	8	14	85	167	553	7	GREATER LONDON.
OUTER RING	-	9.7	9.9	9.9	9.7	0.7	1228	431	102	126	-	12	3	2	10	5	-	26	47	65	3	OUTER RING.
8 TOWNS IN OUTER RING	-	9.7	9.4	10.2	9.7	0.9	583	211	49	58	-	7	2	2	6	2	-	10	21	34	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	9.6	10.3	9.6	9.6	0.6	645	220	53	68	-	5	1	-	4	3	-	16	26	31	2	REMAINDER OF OUTER RING.
EDINBURGH	-	16.3	17.0	16.3	15.2	2.6	170	98	14	20	-	8	1	-	8	-	-	4	?	38	9	EDINBURGH.
GLASGOW	-	19.0	18.3	16.2	16.7	2.8	491	260	64	42	-	16	-	1	14	2	10	12	?	75	6	GLASGOW.
DUBLIN†	-	19.0	19.4	19.3	17.2	0.4	169	125	17	27	-	-	-	1	2	-	-	2	5	56	3	DUBLIN†.
BELFAST†	-	20.5	17.3	16.1	20.1	2.8	221	138	26	37	-	9	-	1	-	5	4	-	1	25	?	BELFAST†.

* See note † on first page of this return.
† As enlarged in 1904.
Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2678	2482	2546	2532	2571	2646	2406	2521	2351	2583	2628.6	2271
Males - -	1397	1290	1310	1261	1311	1302	1233	1266	1206	1307	1336.6	1127
Females - -	1281	1192	1236	1271	1260	1344	1183	1255	1145	1276	1292.0	1144
TOTAL Deaths -	1213	1397	1243	1193	1316	1533	1191	1243	1161	1142	1312.1	1191
Males - -	637	745	637	629	707	796	613	693	555	627	692.5	642
Females - -	576	652	611	564	609	737	548	550	606	515	619.6	549

* The numbers in this column are the average weekly numbers in the twenty-fourth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	13 Weeks.
TOTAL Births -	2611	2618	2310	2469	2129	2568	2722	2645	2426	2544	2249	2233	2271	31795
TOTAL Deaths -	1376	1357	1419	1443	1312	1426	1304	1324	1268	1311	1319	1236	1191	17316
Ages at Death														
Under 1 year -	284	286	276	275	251	309	260	258	250	259	274	226	253	3461
1-5 years -	157	164	195	203	181	163	154	175	158	156	176	141	128	2151
5-20 " -	68	65	56	67	79	76	67	65	69	74	60	62	73	881
20-40 " -	167	153	195	184	190	159	147	178	171	176	142	172	149	2183
40-60 " -	296	273	291	270	255	306	252	283	264	268	271	305	255	3589
60 yrs. & upwds.	404	416	403	444	386	413	424	365	356	378	396	330	333	5051
Deaths from—														
Small-pox -	2	-	1	-	-	1	1	-	1	-	-	-	-	6
Measles -	30	29	41	47	42	37	44	42	41	44	58	40	46	541
Scarlet Fever -	18	4	10	13	13	9	5	9	11	4	9	11	6	122
Diphtheria -	10	8	15	14	4	14	11	7	6	7	7	9	9	121
Whooping-cough -	33	40	40	64	39	50	54	37	35	50	41	42	26	551
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	4	3	6	3	6	5	3	3	5	4	6	2	53
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhoea, Dysentery	11	11	8	14	13	15	19	10	15	16	27	30	14	203
All above Diseases -	107	96	118	158	114	132	139	108	113	125	146	138	104	1598
Dis. of Resp. System	156	119	148	147	119	138	122	112	95	92	96	68	73	1485
Pneumonia -	148	154	160	157	153	168	134	139	131	126	139	123	116	1848
Phthisis -	131	139	134	141	131	125	121	127	119	122	111	134	129	1664
Dis. of Circ. System -	188	165	175	196	145	185	168	161	143	174	163	169	170	2202
Violence -	47	58	57	58	59	69	47	66	58	59	59	58	59	745
Inquest Cases -	137	116	146	139	117	143	112	132	130	137	117	153	120	1699
Deaths in Institutions	502	517	509	507	504	520	503	509	500	502	514	521	488	6596
TEMPERATURE OF THE AIR.														
Mean -	48.5	47.3	43.2	49.5	43.1	48.5	49.4	53.6	53.3	51.2	62.7	53.7	59.5	50.9
Mean of Highest -	56.9	55.8	51.7	58.7	50.6	56.1	60.1	64.0	64.0	62.8	74.7	59.2	69.0	60.3
Mean of Lowest -	36.7	40.2	35.7	42.0	33.2	42.8	41.9	42.9	43.9	41.0	51.4	49.5	51.7	42.9
Mean Humidity of the Air.	79	74	76	81	74	74	71	60	67	61	61	87	81	73
Rain-fall (in inches) -	0.09	0.06	0.27	0.83	0.25	0.15	0.85	0.00	0.22	0.00	0.50	2.86	0.95	7.03
Registered Sunshine (in hours).	42.0	36.3	24.9	22.7	16.5	24.8	54.7	55.5	52.1	39.4	51.5	7.8	45.6	473.8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	20	20	21	15	17	16	17	17	15	10	9	9	7	15
Scarlet Fever -	2036	2032	2086	2133	2123	2182	2152	2177	2211	2200	2268	2285	2356	2173
Diphtheria -	807	794	769	738	731	725	691	698	686	688	690	687	719	725
Typhus -	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Enteric Fever -	63	68	66	63	58	65	72	70	71	79	80	80	82	71

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Meares Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Oann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th June, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
					Deaths of		Deaths from										Deaths in Public Institutions.	Un- certified Causes of Death.	
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin un- certain).	Diarrhœa.	Violence.			Inquest Cases.
LONDON - - -		4,530,429	2271	1191	253	333	-	46	6	9	26	-	2	1	14	59	120	488	4
WEST DISTRICTS - - -		805,311	342	215	45	65	-	12	-	-	7	-	-	-	4	8	17	86	1
NORTH DISTRICTS - - -		1,056,070	498	268	43	90	-	11	3	2	6	-	-	-	-	16	33	104	-
CENTRAL DISTRICTS - - -		209,465	85	48	12	10	-	-	-	-	2	-	-	-	1	5	6	30	-
EAST DISTRICTS - - -		715,739	409	221	53	59	-	11	-	-	3	-	-	1	5	10	34	102	-
SOUTH DISTRICTS - - -		1,749,844	937	410	100	108	-	12	1	5	8	-	2	-	4	19	29	137	3
METROPOLITAN HOSPITALS } AND ASYLUMS OUTSIDE } REGISTRATION LONDON* }		-	-	29	-	1	-	-	2	2	-	-	-	-	1	1	29	-	-
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.		93,178	41	24	5	8	-	4	-	-	-	-	-	-	-	1	1	8	-
W ² H																			
St. John Paddington H - G.		33,617	4	14	2	1	-	-	-	-	-	-	-	-	-	1	1	10	-
North-West Paddington - C.		17,181	15	4	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w ² H G. & W. & C.		128,037	59	33	4	12	-	1	-	-	2	-	-	-	1	-	2	15	-
Brompton 2H - - W. & C.		48,591	6	7	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith W, w ² H } W. & G.		49,192	25	13	7	3	-	1	-	-	1	-	-	-	-	-	1	-	-
South Hammersmith w ² H } W. & G.		63,047	34	13	2	2	-	1	-	-	-	-	-	-	-	4	5	6	-
North-west Fulham W } W. & C.		45,180	36	25	8	10	-	1	-	-	-	-	-	3	1	1	18	-	-
North-east Fulham F } W. & C.		46,405	17	10	2	2	-	1	-	-	2	-	-	-	-	-	1	-	-
South Fulham W } W. & C.		45,704	26	7	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-
Chelsea North W, w ² H - - C.		42,514	13	17	1	6	-	-	-	-	-	-	-	-	-	-	1	12	-
Chelsea South W ² H - - C.		31,328	13	10	3	6	-	-	-	-	-	-	-	-	-	-	2	1	-
Mayfair and Knightsbridge C. & G.		28,743	5	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave W ² H - - C.		55,815	19	19	3	4	-	-	-	1	-	-	-	-	-	-	1	9	-
St. Margaret & St. John 4H - C.		43,698	20	12	2	2	-	-	-	-	-	-	-	-	-	-	-	5	1
St. James Westminster } N. & G.		21,588	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
W ² H																			
St. Anne Soho 5H - - N.		11,493	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.		35,391	4	13	1	4	-	2	-	-	-	-	-	-	-	1	1	7	-
Rectory Marylebone W G. & W.		19,849	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.		18,099	32	7	3	1	-	1	-	-	-	-	-	-	-	-	-	3	-
Christchurch Marylebone H- W.		39,536	13	10	4	1	-	1	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone 3H - W.		20,426	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, F, 5H - N. & W.		81,042	26	14	3	7	-	-	1	-	-	-	-	-	-	-	-	5	-
West St. Pancras 2H - - W.		60,562	30	20	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottenham-court w ² H N. & W.		21,258	4	14	-	4	-	1	-	-	-	-	-	-	-	4	6	4	-
Gray's Inn Lane 4H - - N.		34,449	16	10	-	2	-	-	-	-	-	-	-	-	-	-	1	12	-
East St. Pancras W ² H - - N.		60,320	31	15	1	10	-	-	-	-	5	-	-	-	-	3	3	5	-
North St. Pancras 2W - - N.		58,728	24	18	1	10	-	1	-	-	1	-	-	-	-	-	1	9	-
Tufnell W - - N.		31,995	20	29	5	15	-	-	-	-	1	-	-	-	-	-	-	-	-
Upper Holloway 2W, w ² H - N.		33,978	18	20	1	7	-	-	-	-	-	-	-	-	-	1	1	17	-
Tollington WH - - N.		33,922	14	4	1	2	-	-	1	-	-	-	-	-	-	2	4	15	-
Lower Holloway - - N.		41,424	18	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Barnsbury - - N.		54,478	34	9	4	3	-	-	-	-	-	-	-	-	-	1	4	-	-
Islington South-east F - - N.		75,397	40	16	4	3	-	-	-	-	2	-	-	-	-	-	-	-	-
Highbury 2H - - N.		63,797	24	9	1	3	-	1	-	-	-	-	-	-	-	1	5	1	-
Stoke Newington H - - N.		51,247	23	8	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-
North Hackney - - E. & N.		50,560	13	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w, F - E. & N.		50,538	21	9	1	1	-	-	1	2	-	-	-	-	-	-	-	4	-
South-west Hackney 3H E. & N.		59,921	50	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South-east Hackney 2W, w ² H E. & N.		58,255	31	15	3	3	-	2	-	-	-	-	-	-	-	1	2	3	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-letter. The Roman capitals signify the Water Districts in which the different sub-districts are situated:—G, signifies E. East London; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; & K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS:

[illegible]

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th June, 1905.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,602	2,044,973	1228	431	102	126	-	12	3	2	10	5	-	26	47	65	3	
30: 1	Carshalton 2F,2H	12,228	32,997	16	4	1	-	-	1	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,089	8,166	1	2	1	-	-	-	-	-	-	-	-	1	1	-	-	
2	South Croydon w	4,200	49,209	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	21	19	-	11	-	-	-	-	-	-	-	-	-	7	-	
4	North Croydon H	2,644	41,698	17	5	3	1	-	-	-	-	-	-	-	1	1	1	-	
5	Penge w,H	770	22,465	7	6	2	2	-	-	-	-	-	-	-	-	1	-	-	
6	Mitcham w	11,711	30,015	25	8	2	3	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	31	12	2	5	-	-	-	-	-	-	-	1	1	1	-	
2	Kingston 2W,H	6,224	42,068	22	5	1	-	-	-	-	-	-	-	-	1	1	1	3	
3	Surbiton F,H	3,046	15,017	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	2	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,162	28,865	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,847	20,628	11	5	1	2	-	-	-	-	-	-	-	1	1	-	-	
41: 1	Bromley F,2H	4,703	27,354	10	3	-	2	-	-	-	-	-	-	-	1	1	1	-	
2	Beckenham H	7,825	28,497	12	6	2	3	-	-	-	-	1	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Chislehurst 2H	7,333	16,446	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley w,F,H	8,678	21,151	15	2	2	-	-	-	-	-	-	-	-	-	2	-	-	
2	Erith F,H	3,854	25,296	14	5	-	1	-	-	-	-	-	-	-	-	1	-	-	
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24: 1	Sunbury w	11,054	18,683	8	7	1	2	-	-	-	-	-	-	-	2	2	-	1	
2	Staines W,H	13,277	15,178	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
25: 1	Hillingdon W,F,H	6,035	13,661	8	3	-	2	-	1	-	-	-	-	-	-	-	1	-	
2	Uxbridge H	12,757	8,984	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	14	6	1	3	-	-	-	-	1	-	-	1	1	-	-	
26: 1	Isleworth 3W,2F,H	6,859	30,863	26	13	4	4	-	-	-	-	-	-	-	2	2	3	-	
2	Twickenham F,H	2,421	20,991	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H,L	4,319	48,289	36	7	3	2	-	-	-	-	-	1	-	-	-	1	-	
4	Chiswick H	1,249	29,809	13	6	1	-	-	-	-	-	-	-	-	1	1	-	-	
5	Acton w,3H	6,132	48,914	36	15	3	6	-	-	-	-	-	-	-	-	-	1	-	
27: 1	Harrow F,H	13,809	25,523	19	6	1	1	-	-	-	-	1	-	-	1	1	-	-	
2	Edgware F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	76	24	7	4	-	1	-	-	1	-	-	1	3	2	-	
4	Hendon W,F	8,382	22,450	16	4	1	1	-	-	-	-	-	-	-	-	1	3	-	
28: 1	South Mimms 2F,H	17,755	7,308	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	9	6	2	2	-	-	-	-	-	-	-	-	-	-	1	
3	Finchley F,2H	4,688	33,892	14	8	3	2	-	1	-	-	1	-	-	-	-	-	-	
29: 1	Hornsey F,H	2,875	72,056	25	10	-	4	-	-	-	-	-	-	-	-	-	1	-	
2	Wood Green H	1,625	34,233	25	3	-	2	-	1	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	29	11	1	4	-	-	-	-	-	-	-	-	-	-	-	
4	East Tottenham 2H	2,017	53,688	35	15	3	2	-	-	-	1	-	-	-	3	6	4	-	
5	Edmonton W,w,2F	7,491	61,892	44	15	5	4	-	-	-	-	-	-	-	-	-	-	-	
6	Enfield 2W,F,H	12,601	42,738	30	16	6	4	-	-	-	-	-	-	-	2	3	3	-	
7	Waltham Abbey F	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
186: 1	Stratford H	1,072	44,827	20	11	3	2	-	1	-	-	1	-	-	1	3	1	-	
2	Plaistow F,2H	1,249	90,921	70	26	11	4	-	-	1	1	2	1	-	2	3	2	-	
3	Canning Town H	1,556	70,718	52	18	7	2	-	-	-	-	1	-	-	1	1	3	-	
4	Forest Gate w	806	60,892	35	12	4	5	-	-	-	-	-	-	-	1	1	-	-	
5	North East Ham w,H	1,333	58,676	41	7	1	3	-	-	-	-	-	-	-	-	1	1	-	
6	South East Ham 2F	1,993	37,342	21	11	2	1	-	1	-	-	-	1	-	-	1	2	1	
7	Wanstead F	1,679	9,179	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	31	9	2	2	-	1	-	-	-	-	-	-	-	3	-	
9	North Leyton 2W,w,F	1,963	48,445	31	15	1	7	-	-	-	-	-	-	-	2	2	12	-	
10	Walthamstow 3H,L	6,504	108,929	74	18	4	4	-	5	-	-	1	-	-	-	-	-	-	
187: 1	Chigwell, part of* 2F,3H	11,778	16,397	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford, part of* W,2F	6,556	6,091	5	4	-	1	-	-	-	-	-	1	-	-	1	1	-	
2	Ilford F,L	8,496	41,234	32	5	1	1	-	-	1	-	-	1	-	-	-	3	-	
3	Barking Town F	3,803	21,547	14	8	3	1	-	-	-	-	-	-	-	-	-	-	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-	
	City of London Asylum, Stone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	June	17	2271	1191	13·3	-	46	6	11	26	3	14
CALCUTTA -	847,796	May	6	-	875	53·6	12	8	-	1	1	526†	116
BOMBAY - -	776,006	"	30	354	1040	69·7	25	23	-	-	-	467†	88†
MADRAS - -	509,346	"	12	468	381	38·8	3	3	?	?	?	67†	81†
PARIS - - -	2,660,559	June	10	990	860	16·8	3	16	2	4	8	1	21
BRUSSELS - -	586,936	"	10	236	153	13·3	-	-	-	-	1	-	10
ANTWERP - -	286,695	"	10	139	72	12·8	-	1	-	-	1	-	9
AMSTERDAM -	551,415	"	3	275	147	13·8	-	8	-	1	1	-	9
COPENHAGEN -	426,000	"	10	203	113	13·7	-	-	1	-	1	-	13
STOCKHOLM -	309,496	"	3	176	119	19·4	-	-	2	1	-	-	10
CHRISTIANIA -	223,649	"	10	119	83	19·4	-	-	-	3	3	1	1
ST. PETERSBURG	1,248,122	"	3	-	653	24·2	3	32	14	14	10	31	61
MOSCOW - -	1,092,360	"	3	-	604	28·8	7	5	9	8	2	7	168
WARSAW - - -				-	-		-	-	-	-	-	-	-
BERLIN - - -	2,014,656	May	27	848	620	16·0	-	15	5	6	4	-	33
HAMBURG - -	772,852	June	10	-	218	14·7	-	2	2	-	2	-	22
BRESLAU - - -	460,755	"	10	-	285	32·3	-	2	-	1	3	1	36
MUNICH - - -	528,000	"	10	-	246	24·2	-	2	1	-	3	-	27
VIENNA - - -	1,877,839	"	10	906	796	21·8	-	28	1	3	1	2	72
PRAGUE - - -	430,569	"	10	206	218	25·3	-	2	1	-	2	2	22
BUDA-PESTH -	836,267	"	10	437	310	19·3	-	3	2	-	-	-	15
TRIESTE - - -	191,403	"	10	111	73	19·6	-	2	-	-	-	-	1
ROME - - - -	503,857	April	8	258	178	18·3	-	5	-	2	1	1	10
VENICE - - -	169,417	June	3	71	72	24·1	-	2	-	-	-	1	8
BUCHAREST -	282,071	"	3	155	162	29·9	-	-	-	-	3	-	3
NEW YORK - -	3,948,191	"	3	1938	1220	16·1	-	17	14	27	6	4	48
CHICAGO - - -	1,932,315	May	27	-	454	11·9	-	7	-	1	11	3	17
PHILADELPHIA -	1,438,318	"	27	-	-	-	-	-	-	-	-	-	-
BOSTON - - -	617,956	"	20	-	198	16·7	-	-	1	-	1	1	?
RIO DE JANEIRO	850,000	"	14	-	281	16·2	3	1	-	-	1	1	-

* Excluding deaths from croup in the Indian Cities.

† Including 451 deaths from plague in Calcutta, 416 in Bombay, and 3 in Madras.

‡ Including 58 deaths from cholera in Calcutta, 1 in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th June, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	77·2	48·3	60·4	0·95	BRADFORD - -	71·4	41·6	58·7	1·41
BRIGHTON - -	72·2	51·4	59·9	0·75	LEEDS - - -	74·0	47·0	60·3	0·86
PORTSMOUTH - -	72·0	51·0	60·3	0·56	HULL - - -	72·0	44·0	57·2	0·41
NORWICH - - -	77·3	49·0	60·2	0·73	TYNEMOUTH - -	59·0	47·0	52·8	0·02
PLYMOUTH - -	67·0	47·1	57·5	0·69					
BRISTOL - - -	?	?	?	?	EDINBURGH - -	66·7	42·5	51·7	0·03
BIRMINGHAM - -	71·5	46·4	58·2	0·55	GLASGOW - - -	71·1	40·0	56·7	0·00
NOTTINGHAM - -	72·2	45·4	58·6	1·79					
LIVERPOOL - - -	72·0	44·0	60·4	1·28	Phoenix Park.	64·9	38·8	55·6	0·44
OBSERVATORY. }	72·9	45·6	58·3	1·37	DUBLIN Fitz-	66·9	46·2	58·1	0·45
MANCHESTER - -	72·0	45·6	59·3	1·08	william Square.†				
PRESTON - - -	69·8	42·0	56·8	1·55	BELFAST - - -	67·1	41·6	56·4	0·54
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTH AND DAY

JUNE

SUNDAY	- 11
MONDAY	- 12
TUESDAY	- 13
WEDNESDAY	- 14
THURSDAY	- 15
FRIDAY	- 16
SATURDAY	- 17
MEANS	-
No. of Column	-

1905. MONTH AND DAY	Phases of the Moon.	TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a cane whose receiving surface is 5 inches above the ground.						
		Of the Air.				Of the Air, Dew Point and Temperature.				Of radiation.				Of the Earth 3 feet below the Surface.					Oiler's.				Robinson's.	
		High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average value, 50 years.	Mean daily value.	Mean daily value.	Greatest. est.	Least. est.	High- est in Sun's Rays.	Lowest on the Grass.	General Direction.	Pressure on the Square Foot.		Horizontal Movement of 24 hours Average of the Air on each Day.	Vertical Movement of the Air on each Day. 16 years.							
														Great- est.	Least. est.									
JUNE																								
SUNDAY - 11	In Equator.	in 29-665	60.7	49.5	11.2	53.7	- 4.7	52.7	1.0	57	0.2	97	81.0	48.9	54.63	°	NNE. & N.	NE. & ENE.	1.5	0.0	0.1	244	in. 0.21	13
MONDAY - 12	..	29-661	66.0	52.3	13.7	56.2	- 2.4	55.6	0.6	88	0.0	98	105.7	50.0	54.50	°	NE. & ENE.	ENE. & ESE.	1.1	0.0	0.0	189	0.05	9.5
TUESDAY - 13	..	29-701	70.1	49.9	20.2	60.2	+ 1.4	52.3	7.9	14.6	0.2	75	135.0	41.0	54.68	°	ESE. & ENE.	ESE. & ENE.	1.2	0.0	0.1	183	0.00	16.0
WEDNESDAY 14	Perigee	29-652	68.5	51.2	17.3	60.2	+ 1.3	47.0	13.2	19.4	2.2	62	131.8	42.9	54.89	°	ENE. & ENE.	ENE. & ENE.	3.1	0.0	0.2	274	0.00	6.0
THURSDAY - 15	..	29-580	74.0	48.3	25.7	61.0	+ 2.0	52.4	8.6	18.9	0.4	73	134.5	40.0	55.33	°	NE. & ENE.	NE. & ENE.	0.5	0.0	0.0	162	0.15	3.7
FRIDAY - 16	..	29-611	77.2	53.9	23.3	65.2	+ 6.2	54.3	10.9	18.9	0.2	68	146.0	47.6	55.84	°	NNE. & ENE.	S. SSE. & E.	1.1	0.0	0.0	134	0.00	8.3
SATURDAY - 17	Full	29-564	66.4	57.0	9.4	60.3	+ 1.2	59.0	1.3	5.4	0.0	95	75.3	47.0	56.38	°	Variable & NNE.	Calm, variable & NNE.	1.0	0.0	0.0	97	0.54	2.2
MEANS	-	29-635	69.0	51.7	17.3	59.5	+ 0.7	53.3	6.2	13.1	0.5	81	115.6	45.3	55.18	°	NE.	Sum 1283	Sum 0.95	6.7	
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

GENERAL REMARKS.

DATE.	ELECTRICITY (For explanation of symbols see Note.)	Registered Sunshine in hours.	Registered Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY - 11	W. P. generally; s.P. and s.N. between 11h. and 3h. A.M.	0.0	18.5	Generally overcast; frequent rain till evening.
MONDAY - 12	W. P. generally; v.P. and v.N. between 6h. and 8h. P.M.	0.5	18.5	Generally overcast; fine in afternoon; occasional slight rain.
TUESDAY - 13	W. P. throughout.	9.7	18.5	Overcast and misty in morning; very fine after 7h. 30m. A.M. Solar halo at intervals during the afternoon.
WEDNESDAY - 14	W. P. generally.	13.1	18.5	Very fine; the amount of cloud was usually small.
THURSDAY - 15	W. P. generally; s.P. and s. N. after 11h. P.M.	9.8	18.5	Very fine generally; partially cloudy; sharp shower at 11h. P.M. Lightning at night.
FRIDAY - 16	W. P. generally.	12.2	16.5	Very fine generally; partially cloudy. Solar halo in afternoon.
SATURDAY - 17	W. P. generally; v.P. and s.N. between 2h. and 7h. A.M.	0.3	16.5	Fine in early morning; overcast with rain between 3h. A.M. and 3h. P.M.; cloudy afterwards.
No. of Col.	-	28	29	Sum 456

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean sea level of the sea; no correction has been applied to the readings to reduce them to sea level. Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The mean of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher", and - "lower", than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.72 in. at the beginning of the week to 29.63 in. by 4h. A.M. on the 12th; increased to 29.71 in. by 9h. P.M. on the 13th; decreased to 29.56 in. by 6h. A.M. on the 15th; increased to 29.65 in. by 11h. P.M. on the same day; and decreased to 29.55 in. by midnight on the 17th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 10th June 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	147,935	-	5	4	-	-	-	-	3	-	
Kensington - - - -	130,083	-	3	5	-	3	-	-	1	-	
Hammersmith - - - -	119,037	-	6	6	-	-	-	-	3	-	
Fulham - - - -	157,210	-	20	5	-	-	-	-	6	-	
Chelsea - - - -	74,498	-	3	1	-	-	-	-	3	-	
City of Westminster - - - -	175,606	-	11	1	-	1	-	-	2	-	
NORTH.											
St. Marylebone - - - -	129,453	-	4	2	-	-	-	-	4	-	
Hampstead - - - -	88,142	-	5	-	-	-	-	-	2	-	
St. Pancras - - - -	236,183	-	6	12	-	1	-	-	2	-	
Islington - - - -	342,994	-	20	3	-	1	-	-	3	1	
Stoke Newington - - - -	52,828	1	4	2	-	-	-	-	-	-	
Hackney - - - -	223,479	-	14	9	-	4	1	-	4	-	
CENTRAL.											
Holborn - - - -	59,481	-	2	-	-	1	-	-	-	-	
Finsbury - - - -	98,207	-	8	-	-	-	-	-	2	-	
City of London - - - -	22,425	-	1	-	-	-	-	-	3	-	
EAST.											
Shoreditch - - - -	118,565	-	15	1	-	2	-	-	4	-	
Bethnal Green - - - -	130,401	-	13	5	-	3	-	-	2	-	
Stepney - - - -	305,466	-	19	3	-	1	-	-	5	-	
Poplar - - - -	170,280	-	24	5	-	-	-	-	3	1	
SOUTH.											
Southwark - - - -	208,528	-	5	2	-	1	-	-	2	-	
Bermondsey - - - -	129,006	-	7	-	-	1	-	-	1	-	
Lambeth - - - -	313,045	-	19	12	-	-	-	-	9	-	
Battersea - - - -	177,532	-	14	3	-	2	-	-	2	-	
Wandsworth - - - -	285,392	-	31	9	-	-	-	-	7	-	
Camberwell - - - -	271,240	-	15	2	-	1	-	-	8	1	
Deptford - - - -	114,495	-	5	5	-	-	-	-	3	-	
Greenwich - - - -	103,493	1	1	1	-	1	-	-	-	-	
Lewisham - - - -	144,420	-	9	4	-	-	-	-	-	-	
Woolwich - - - -	125,372	-	11	2	-	-	-	-	-	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	2	300	104	-	26	1	-	81	3
Ages											
0-1 - - - -	-	-	-	5	4	-	-	-	1	-	
" 1-5 - - - -	-	-	-	101	40	-	-	-	1	-	
" 5- - - - -	-	-	-	113	36	-	2	-	5	-	
" 10- - - - -	-	-	-	38	5	-	1	-	2	-	
" 15- - - - -	-	-	-	20	5	-	4	-	5	-	
" 20- - - - -	-	-	-	12	5	-	3	1	3	1	
" 25- - - - -	-	-	-	7	4	-	6	-	16	2	
" 35- - - - -	-	-	-	1	3	1	5	-	9	-	
" 45- - - - -	-	-	-	1	1	3	4	-	18	-	
" 55- - - - -	-	-	-	-	1	-	1	-	17	-	
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	4	-	
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, E.C.

No. 25. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JUNE 24. [Price 1½d.

*General Register Office, Somerset House,
June 26th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·0 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 14·7, 13·5, and 13·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·1 in Sunderland, 18·4 in Ipswich, 18·5 in Burnley and in Tynemouth, 20·3 in Preston, and 24·2 in Oldham; from *measles*, 1·8 in Sheffield, 2·0 in Sunderland, 2·8 in Coventry, and 3·1 in West Bromwich; from *diphtheria*, 1·3 in East Ham and 1·4 in South Shields; and from *whooping-cough*, 1·1 in Oldham and 1·3 in Walthamstow. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2527 BIRTHS and 1047 DEATHS were registered. Allowing for increase of population, the births were 43 and the deaths 250 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·7, 13·8, and 13·3 in the preceding three weeks, further fell last week to 11·7. During the four weeks ended on Saturday last the death-rate averaged 13·4 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1047 deaths included 38 from measles, 7 from scarlet fever, 11 from diphtheria, 26 from whooping-cough, 3 from enteric fever, and 14 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 99 deaths were referred to these diseases in the aggregate, being 61 below the corrected average weekly number.

The deaths from *measles*, which had been 58, 40, and 46 in the preceding three weeks, fell last week to 38, and were 21 below the corrected average; 5 deaths belonged to the Borough of St. Marylebone, 4 apiece to Paddington, St. Pancras, and Hackney, and 3 apiece to Stepney, Poplar, and Battersea. The deaths from *scarlet fever*, which had been 9, 11, and 6 in the preceding three weeks, were 7 last week, the corrected average being 10; 3 deaths belonged to Wandsworth. The deaths from *diphtheria*, which had been 7, 9, and 9 in the preceding three weeks, were 11 last week, and were 13 below the corrected average; 3 deaths belonged to Hammersmith. The deaths from *whooping-cough*, which had been 41, 42, and 26 in the preceding three weeks, were again 26 last week, and were 6 below the corrected average; 5 deaths belonged to Islington, 4 to Poplar, and 3 to Lewisham. The fatal cases of *enteric fever*, which had been 4, 6, and 2 in the preceding three weeks, were 3 last week, the corrected average being 5. The deaths from *diarrhœa*, which had been 27, 30, and 14 in the preceding three weeks, were again 14 last week, and were 13 below the corrected average. Of the 14 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 more deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 7, 10, and 4 in the preceding three weeks.

Different forms of *violence* caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 6 were cases of suicide, 1 of execution, and 1 of homicide, while the remaining 37 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 6 to burns and scalds, 6 to drowning, and 4 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 6 cases of small-pox, 2427 of scarlet fever, 723 of diphtheria, and 83 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 3, and 3; of scarlet fever, 325 cases, against 351, 269, and 292; of diphtheria, 112 cases, against 91, 89, and 128; and of enteric fever, 12 cases, against 18, 11, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 17th.

GREATER LONDON.

In Greater London 3942 births and 1475 deaths were registered. Allowing for increase of population these numbers are 104 above and 309 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 3 from scarlet fever, 5 from whooping-cough, 1 from "fever" and 1 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.98 inches, and that of the Thermometer 60°.9, the latter being 0°.6 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 26 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 58.3 hours; the measured rainfall amounted to 0.02 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS

* See note † on first page of this return.

These towns are included within the area of Greater London.

† As enlarged in 1904.

TOWNS.	Cols.	1.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the Week ended 24th June, 1905.		The DEATHS registered in the Week include										TOWNS.			
			Week ended				3rd June, 1905.	17th June, 1905.	24th June, 1905.	Week ended June, 1905.	BIRTHS.	DEATHS.	Deaths of											
			2.	3.	4.	5.							6.	7.	8.	9.	10.	11.	12.	13.		14.	15.	16.
			9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.									
HUDDESFIELD -	-	94,888	14.8	14.3	9.9	17.6	-	64	32	2	15	-	-	-	-	-	-	1	3	-	-	-	21.	HUDDESFIELD.
HALIFAX -	-	108,419	15.9	13.5	10.6	13.0	0.5	50	27	6	5	-	-	-	-	-	-	-	3	7	-	-	-	HALIFAX.
BRADFORD -	-	286,769	17.5	14.2	11.6	12.9	0.7	151	71	11	22	-	2	-	2	-	-	-	12	10	-	-	-	BRADFORD.
LEEDS -	-	456,787	13.7	12.2	11.4	12.2	0.9	273	107	30	26	-	-	-	-	-	-	5	8	18	-	-	-	LEEDS.
SHEFFIELD -	-	440,414	15.5	15.4	13.9	15.5	3.2	280	131	39	17	-	15	2	3	-	-	5	8	16	3	-	-	SHEFFIELD.
ROTHERHAM -	-	59,794	17.4	7.8	11.3	14.0	0.9	28	16	4	1	-	-	-	1	-	-	-	-	3	1	-	-	ROTHERHAM.
YORK -	-	82,362	12.0	8.2	12.0	15.8	1.3	48	25	4	4	-	-	-	1	-	-	-	1	6	-	-	-	YORK.
HULL -	-	258,127	12.9	15.8	13.3	16.8	1.0	170	83	22	24	-	1	-	2	1	-	2	4	14	2	-	-	HULL.
MIDDLESBROUGH -	-	35,369	26.0	22.8	17.0	15.9	1.1	73	30	3	6	-	-	-	2	-	-	-	-	6	-	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES -	-	52,425	20.9	14.9	15.9	12.9	1.0	36	13	2	5	-	-	-	-	-	-	1	1	1	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL -	-	71,313	15.4	17.5	13.2	10.2	-	48	14	7	2	-	-	-	-	-	-	-	1	3	-	-	-	WEST HARTLEPOOL.
SUNDERLAND -	-	162,761	19.5	16.0	19.8	18.1	3.4	99	53	16	9	-	-	-	-	-	-	-	8	3	-	-	-	SUNDERLAND.
SOUTH SHIELDS -	-	109,360	16.2	17.2	16.2	16.2	2.4	67	34	11	1	-	6	-	1	-	-	2	2	3	1	-	-	SOUTH SHIELDS.
GATESHEAD -	-	120,620	16.9	14.7	14.7	15.1	0.9	80	35	12	11	-	1	-	1	-	-	3	3	1	2	-	-	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	264,511	19.3	14.2	17.3	15.4	1.2	169	78	23	18	-	1	1	1	-	-	7	11	10	3	-	-	NEWCASTLE-ON-TYNE.†
TYNEMOUTH -	-	53,595	25.3	17.5	23.3	18.5	-	29	19	2	4	-	-	-	-	-	-	-	-	4	-	-	-	TYNEMOUTH.
NEWPORT (MON.) -	-	72,880	12.2	12.9	8.6	11.4	0.7	51	16	2	5	-	-	-	1	-	-	-	-	2	-	-	-	NEWPORT (MON.).
CARDIFF -	-	180,054	14.8	12.7	12.5	9.0	2.0	88	31	8	7	-	1	-	2	1	-	4	5	5	-	-	-	CARDIFF.
RHONDDA -	-	124,988	12.9	13.3	16.7	15.4	0.8	82	37	16	3	-	1	-	1	-	-	-	1	1	-	-	-	RHONDDA.
MERTHYR TYDFIL -	-	73,848	17.7	23.3	19.1	14.8	-	54	21	7	5	-	-	-	-	-	-	-	-	3	-	-	-	MERTHYR TYDFIL.
SWANSEA -	-	96,384	22.7	13.5	16.8	16.2	0.5	69	30	7	8	-	-	-	-	-	-	1	4	2	1	-	-	SWANSEA.
GREATER LONDON -	-	7,010,172	13.1	12.5	12.1	11.0	1.0	3942	1475	290	427	-	46	11	17	40	4	17	139	537	5	-	-	GREATER LONDON.
OUTER RING -	-	2,325,378	9.9	9.9	9.7	9.6	0.8	1415	428	94	130	-	8	4	6	14	1	3	17	36	2	-	-	OUTER RING.
8 TOWNS IN OUTER RING	-	1,135,316	9.4	10.2	9.7	9.3	1.0	711	203	45	59	-	4	1	6	9	-	2	5	16	40	1	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,190,062	10.3	9.6	9.6	9.9	0.6	704	225	49	71	-	4	3	-	5	1	1	12	20	36	1	-	REMAINDER OF OUTER RING.
EDINBURGH -	-	338,577	17.0	16.3	15.2	15.0	1.7	170	97	18	17	-	4	-	1	3	-	3	?	?	44	7	-	EDINBURGH.
GLASGOW -	-	809,986	18.3	16.2	16.7	16.4	2.3	491	255	53	45	-	12	2	2	11	-	8	14	?	65	10	-	GLASGOW.
DUBLIN† -	-	378,994	19.4	19.3	17.2	17.9	0.8	260	130	21	37	-	2	2	1	-	1	2	4	6	52	6	-	DUBLIN.†
BELFAST† -	-	358,680	17.3	16.1	20.1	12.6	1.9	224	87	15	19	-	5	2	-	-	4	2	1	2	10	?	-	BELFAST.†

* See note † on first page of this return.
† As enlarged in 1904.
‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2639	2511	2110	2385	2422	2464	2451	2422	2886	2465	2570.4	2527
Males -	1369	1281	1083	1247	1223	1221	1254	1249	1426	1211	1304.6	1302
Females -	1270	1230	1027	1138	1199	1243	1197	1173	1460	1254	1265.8	1225
TOTAL Deaths -	1276	1371	1246	1257	1355	1171	1204	1236	1197	1143	1296.5	1047
Males -	638	694	621	654	739	644	649	672	588	625	677.8	583
Females -	638	677	622	603	616	527	555	564	609	518	618.7	514

* The numbers in this column are the average weekly numbers in the twenty-fifth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	13 Weeks.
TOTAL Births -	2618	2310	2469	2129	2568	2722	2645	2426	2544	2249	2233	2271	2527	31711
TOTAL Deaths -	1357	1419	1443	1342	1426	1304	1324	1268	1311	1319	1236	1191	1047	16987
Ages at Death {														
Under 1 year -	286	276	275	251	309	260	258	250	259	274	226	253	196	3373
1-5 years -	164	195	203	181	163	154	175	158	166	176	141	128	126	2120
5-20 " -	65	56	67	79	76	67	65	69	74	60	62	73	54	867
20-40 " -	153	195	184	190	159	147	178	171	176	142	172	149	151	2167
40-60 " -	273	291	270	255	306	252	283	264	268	271	305	255	223	3516
60 yrs. & upwds.	416	403	444	386	413	424	365	356	378	396	330	333	297	4944
Deaths from—														
Small-pox -	-	1	-	-	1	1	-	1	-	-	-	-	-	4
Measles -	29	41	47	42	37	44	42	41	44	58	40	46	38	549
Scarlet Fever -	4	10	13	13	9	5	9	11	4	9	11	6	7	111
Diphtheria -	8	15	14	4	14	11	7	7	6	7	9	9	11	122
Whooping-cough -	40	40	64	39	50	54	37	35	50	41	42	26	26	514
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	3	6	3	6	5	3	3	5	4	6	2	3	53
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea, Dysentery	11	8	14	13	15	19	10	15	16	27	30	14	14	206
All above Diseases -	96	118	158	114	132	139	108	113	125	146	138	104	99	1590
Dis. of Resp. System														
Pneumonia -	119	143	147	119	138	122	112	95	92	96	68	73	53	1382
Phthisis -	151	160	157	153	168	134	139	131	126	139	123	116	91	1791
Dis. of Circ. System -	139	144	141	131	125	121	137	119	122	111	134	129	95	1628
Violence -	165	175	196	145	185	168	161	143	174	163	169	170	162	2176
Inquest Cases -	58	57	58	59	60	47	66	58	59	59	58	59	45	743
Deaths in Institutions	116	146	139	117	143	112	132	130	137	117	153	120	103	1665
	517	509	507	504	520	503	509	500	502	514	521	488	461	6555
TEMPERATURE OF THE AIR.														
Mean -	47.3	43.2	49.5	43.1	48.5	49.4	53.6	53.3	51.2	62.7	53.7	59.5	60.9	52.0
Mean of Highest -	55.8	51.7	58.7	50.6	56.1	60.1	64.0	64.0	62.8	74.7	59.2	69.0	72.0	61.4
Mean of Lowest -	40.2	35.7	42.0	38.2	42.8	41.9	42.9	43.9	41.0	51.4	49.5	51.7	51.2	44.0
Mean Humidity of the Air.	74	76	81	74	74	71	60	67	61	61	87	81	73	73
Rain-fall (in inches) -	0.06	0.27	0.83	0.25	0.15	0.85	0.00	0.22	0.00	0.50	2.86	0.95	0.02	6.96
Registered Sunshine (in hours).	36.3	24.9	22.7	16.5	24.8	54.7	55.5	52.1	39.4	51.5	7.8	45.6	58.3	490.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox -	20	21	15	17	16	17	17	15	10	9	9	7	6	14
Scarlet Fever -	2032	2086	2133	2128	2182	2152	2177	2211	2200	2268	2285	2356	2427	2203
Diphtheria -	794	769	738	731	725	691	698	686	688	690	687	719	723	718
Typhus -	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	68	66	63	58	65	72	70	71	79	80	80	82	83	72

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Mann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Gresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIFTH Week of the Year 1905.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 25th week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 25th week of the year 1904.	1905—Deaths of Persons of the Ages							
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	-	1143	1047	196	126	54	151	223	297	Meningitis (not tuberc.)	10	13	6	5	1	-	1	
										Insanity, Gen. Par. of	13	12	-	1	-	4	4	
										Insane -	5	7	-	-	-	4	-	
										Epilepsy -	19	17	15	2	-	-	3	
										Convulsions -	2	2	-	-	-	-	2	
										Locomotor Ataxy -	4	7	-	-	1	2	4	
										Paraplegia, Dis. of Cord	12	10	1	-	1	5	2	
										Nervous Sys. (other dis.)								
										Valv. Dis., Endocarditis-	31	47	-	-	4	9	17	
										Cerebr. Ham. Thromb. -	31	26	-	-	-	3	23	
										Apoplexy, Hemiplegia -	19	15	-	-	-	4	11	
										Aneurysm -	5	6	-	-	2	4	-	
										Embolism, Thrombosis }	-	-	-	-	-	-	-	
										(not cerebral) -	-	-	-	-	-	-	-	
										Heart & Blood Vessel Dis.	70	68	-	2	2	7	17	
										Croup (not Spasm: nor	-	-	-	-	-	-	-	
										Membr.) -	-	-	-	-	-	-	-	
										Bronchitis -	56	46	5	5	2	-	25	
										Asthma, Emphysema -	1	1	-	-	-	1	-	
										Pleurisy -	1	1	-	-	-	-	1	
										Respiratory Dis. (other)	6	5	1	-	1	-	3	
										Tonsillitis, Quinsy -	-	1	-	1	-	-	-	
										Enteritis (not Epid.) -	11	7	5	-	1	-	1	
										Gastro-Enteritis -	7	7	5	1	-	-	1	
										Peritonitis (not Puerp.) -	4	2	1	-	1	-	-	
										Cirrhosis of Liver -	13	8	-	-	1	4	3	
										Liver Dis. (other) -	7	7	-	1	-	3	3	
										Digestive Dis., Other	42	42	8	-	4	10	9	
										Nephritis, Acute -	5	4	-	-	-	1	3	
										Bright's Dis., Albumin-	26	30	-	-	1	6	10	
										uria -	6	7	-	-	-	1	6	
										Urinary Sys., Other Dis.	-	-	-	-	-	-	-	
										Generative Organs Dis.	3	6	-	-	1	2	2	
										Childbirth (Accid. of)	4	4	-	-	3	1	-	
										Old Age -	49	35	-	-	-	1	34	
										Other Diseases -	80	71	49	6	6	2	3	
										ACCIDENT.								
										By Railways -	3	3	-	-	-	1	2	
										By Vehicles and Horses	4	6	-	2	1	-	2	
										In Ships, Boats, Docks,	-	-	-	-	-	-	-	
										(exclusive of Drown-	-	-	-	-	-	-	-	
										ing) -	-	-	-	-	-	-	-	
										In Building Operations-	-	-	-	-	-	-	-	
										In Conflagrations -	-	-	-	-	-	-	-	
										By Burns, Scalds, Ex-	2	6	-	2	-	1	3	
										plosions -	5	6	-	-	3	2	1	
										By Drowning -	7	4	4	-	-	-	-	
										By Suffocation in Bed	1	1	-	-	-	-	-	
										By Poisons or Poisonous	1	1	-	-	-	1	-	
										Vapours -	-	-	-	-	-	-	-	
										Other Deaths by Acci-	14	11	3	-	1	1	5	
										dent -	-	-	-	-	-	-	-	
										VIOLENCE OTHER THAN								
										ACCIDENTAL.								
										Homicide -	2	1	-	1	-	-	-	
										Suicide -	12	6	-	-	-	3	3	
										Execution -	-	1	-	-	-	1	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th June, 1905.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of															Deaths in Public Institutions.	Un- certified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic* Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON - - -	4,536,429	2527	1047	196	297	-	38	7	11	26	-	3	-	14	45	103	461	3		
WEST DISTRICTS - - -	805,311	401	189	39	52	-	7	1	3	2	-	1	-	5	5	17	73	-		
NORTH DISTRICTS - - -	1,056,070	510	226	37	77	-	14	2	3	7	-	1	-	1	4	18	82	-		
CENTRAL DISTRICTS - - -	209,465	77	59	10	8	-	2	-	1	1	-	-	-	3	8	36	1	-		
EAST DISTRICTS - - -	715,739	502	186	40	42	-	8	-	3	9	7	-	-	5	10	26	91	-		
SOUTH DISTRICTS - - -	1,749,844	1037	340	70	105	-	7	3	3	-	-	-	-	3	23	33	132	2		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	47	-	13	-	-	1	1	-	-	-	-	-	-	1	47	-		
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.	93,178	56	22	8	6	-	3	-	-	1	-	-	-	-	-	1	6	-		
W.2H																				
St. John Paddington H - G.	33,617	3	15	2	5	-	-	-	-	-	-	-	-	-	2	2	9	-		
North-West Paddington - C.	17,181	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W w.2H G. & W. & C.	128,037	56	41	7	15	-	1	-	-	-	-	-	-	1	-	2	13	-		
Brompton 2H - - W. & C.	48,591	9	8	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-		
North Hammersmith W. w.2H } W. & G.	49,192	42	11	6	1	-	-	-	-	1	-	-	-	-	-	1	-	-		
South Hammersmith w.2H } W. & G.	63,047	26	8	2	3	-	-	-	-	-	-	-	-	-	1	1	1	-		
North-west Fulham W } W. & C.	45,180	46	18	3	5	-	-	-	-	-	-	1	-	2	-	3	13	-		
North-east Fulham F } W. & C.	46,405	38	7	-	-	-	2	1	3	-	-	-	-	-	-	1	5	-		
South Fulham W } W. & C.	45,704	29	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North W. w.3H - - C.	42,514	19	15	1	3	-	-	-	-	-	-	-	-	-	-	1	13	-		
Chelsea South W.2H - - C.	31,328	15	7	2	3	-	-	-	-	-	-	-	-	-	-	-	3	-		
Mayfair and Knightsbridge C. & G.	28,743	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W.2H - - C.	56,815	24	14	2	5	-	1	-	-	-	-	-	-	1	1	1	5	-		
St. Margaret & St. John 4H - C.	43,698	17	8	2	-	-	-	-	-	-	-	-	-	-	1	1	4	-		
St. James Westminster } N. & G.	21,588	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
W.H																				
St. Anne Soho 5H - - N.	11,493	6	4	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.	35,391	7	14	3	4	-	3	-	-	-	-	-	-	-	-	1	7	-		
Rectory Marylebone W G. & W.	19,849	19	4	-	3	-	-	-	-	-	-	-	-	-	-	1	2	-		
St. Mary Marylebone 4H G. & W.	18,099	27	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H- W.	39,536	23	8	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 3H - W.	20,426	7	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W. P. 3H - N. & W.	81,942	25	17	-	4	-	-	2	-	-	-	-	-	-	-	-	7	-		
West St. Pancras 2H - - W.	60,562	22	9	2	4	-	-	-	-	1	-	-	-	-	-	-	2	-		
Tottenham-court w. 6H - N. & W.	21,258	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-		
Gray's Inn Lane 4H - - N.	34,449	9	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
East St. Pancras W.2H - - N.	60,320	45	14	1	9	-	-	-	-	-	-	-	-	-	-	1	2	6		
North St. Pancras 2W - - N.	58,728	34	21	-	8	-	4	-	-	-	-	-	-	-	1	2	9	-		
Tufnell W - - N.	31,995	15	18	2	11	-	-	-	-	-	-	-	-	-	-	1	15	-		
Upper Holloway 2W. w. H - - N.	33,978	17	16	2	5	-	-	-	-	-	2	-	-	-	-	-	10	-		
Tollington WH - - N.	33,922	16	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-		
Lower Holloway - - N.	41,424	19	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - N.	54,478	30	13	-	6	-	-	-	-	-	-	-	-	-	-	3	-	-		
Islington South-east F - - N.	75,397	35	7	2	3	-	1	-	-	1	-	-	-	-	-	-	1	-		
Highbury 2H - - N.	63,797	24	9	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-		
Stoke Newington H - - N.	51,247	27	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - E. & N.	50,560	25	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w. F - E. & N.	50,536	25	9	1	3	-	1	-	2	-	-	1	-	-	-	1	3	-		
South-west Hackney 3H E. & N.	59,921	26	12	3	2	-	-	-	-	-	-	-	-	-	-	-	5	-		
South-east Hackney 2W. w. H E. & N.	58,255	26	16	3	5	-	3	-	-	1	-	-	-	1	2	3	9	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies the Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th June, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury W,2H N.	31,436	11	6	1	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Strand W,4H - - - N. & C.	21,674	5	14	1	3	-	-	-	-	-	-	-	-	-	-	1	11	-
Strand Union Workhouse, Edmonton-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn W,6H - - - N.	29,612	10	15	4	-	-	2	-	-	1	-	-	-	-	1	3	11	-
South Clerkenwell - - - N.	28,676	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H - - - N.	35,028	10	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Finsbury 3H,L - - - N.	36,116	22	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - - N. & E.	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows } W,2H - - - - - }	16,824	3	13	2	2	-	-	-	1	-	-	-	-	-	1	2	11	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South H - E. & N.	46,362	33	10	5	2	-	1	-	-	1	-	-	-	-	-	1	7	-
Shoreditch North-West W,w,H N.	36,127	21	10	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch North-East - N. & E.	34,148	19	4	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - E.	51,514	33	10	5	1	-	-	-	-	1	-	-	-	-	-	-	4	-
Bethnal Green South - - E.	33,472	24	5	2	-	-	1	-	-	-	-	-	-	1	-	1	10	-
Bethnal Green East 2W,H,L - E.	44,694	25	14	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Spitalfields - - - E. & N.	27,969	20	2	2	-	-	-	-	-	-	-	-	-	-	2	5	37	-
Mile End New Town W,H - E.	28,718	28	40	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodman's Fields - - - E.	22,081	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W E.	49,068	48	10	4	1	-	2	-	-	1	-	-	-	-	-	-	2	-
Shadwell and Ratchiff W,H E. & N.	25,568	18	9	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Limehouse W - - - E.	32,369	26	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South- } Western H - - - }	63,698	52	11	2	4	-	-	-	-	1	-	-	-	2	-	-	-	-
Mile End Old Town North- } Eastern W,w - - - }	49,129	25	11	1	7	-	-	-	-	-	-	-	-	-	1	4	8	-
Bow L - - - E.	41,989	31	4	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Bromley 3w,H - - - E.	63,319	48	31	4	8	-	1	-	-	2	-	-	-	1	5	10	16	-
Poplar W,w - - - E.	58,514	41	10	1	3	-	2	-	-	1	-	-	-	1	-	1	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th June, 1905—continued.

The DEATHS registered during the Week include																					
REGISTRATION SUB-DISTRICTS			Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Un- notified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																					
Christchurch Southwark W, H, L. & S.			11,203	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H - S.			12,056	6	17	4	13	-	1	-	1	-	-	-	-	-	1	1	17	-	
Kent-road - - - S. & L.			21,904	15	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
St. George the Martyr } S. & L.			39,094	21	7	2	1	-	-	-	-	1	-	-	-	-	-	-	2	-	
West W, H, L - - - S. & L.			49,022	30	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington North - - - S. & L.			72,841	37	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Newington South W - S. & L.																					
St. Olave 2W - - - S.			9,817	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Bermondsey W - - - S.			82,483	57	10	6	2	-	-	-	-	-	-	-	-	-	1	1	2	-	
Rotherhithe W, F - S. & K.			38,460	20	13	3	4	-	-	-	-	-	-	-	-	-	-	2	9	-	
Waterloo-road 2H - L. & S.			27,440	36	7	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	
Lambeth Church 1st H L. & S.			18,423	9	13	-	2	-	-	-	-	-	-	-	-	-	-	2	2	10	
Lambeth Church 2nd 2W L. & S.			39,818	22	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	8	
Kennington 1st H - S. & L.			53,198	39	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	
Kennington 2nd H - S. & L.			42,896	18	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	4	
Brixton F - - - L. & S.			84,232	31	13	2	4	-	1	-	-	-	-	-	-	-	-	1	2	1	
Norwood W, H - - - L.			35,888	17	6	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-	
East Battersea H - - S.			72,203	37	7	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
North-west Battersea - S.			49,656	29	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea 2W, H - S.			47,048	16	13	3	3	-	1	-	-	-	-	-	-	-	-	1	2	10	
Clapham 2H - - - S.			51,361	24	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streatham W, 2w, 2F, 2L - L.			88,019	64	25	3	10	-	2	1	1	-	-	-	-	-	-	1	3	7	
Springfield 2W, L - - S.			27,959	12	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Southfields H - - - S.			40,444	39	10	3	4	-	-	-	-	-	-	-	-	-	-	1	1	2	
Putney - - - - S.			24,139	15	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - L. & S.			13,359	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W, w S. & L.			40,206	26	19	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell North W, 2L S. & L.			65,584	30	23	3	6	-	2	-	1	-	-	-	-	-	-	2	3	17	
St. George - - - L. & S.			47,331	31	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	14	
Peckham 2W, w - - S., L. & K.			92,859	64	12	2	4	-	-	-	-	-	-	-	-	-	-	1	1	2	
Deptford North - - - K.			37,613	30	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central - - - K.			45,481	35	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford South - - - K.			34,625	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - K.			23,456	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Greenwich East 2W, H - K.			43,859	22	10	2	2	-	-	-	-	-	-	-	-	-	-	1	2	8	
Eltham w, H - - - K.			7,226	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee w, H - - - K.			25,490	6	8	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	
Lewisham W, w, F - K.			58,352	49	15	1	8	-	1	-	-	1	-	-	-	-	-	1	2	12	
Sydenham H - - - L.			43,653	30	10	3	4	-	-	-	-	2	-	-	-	-	-	-	-	-	
Charlton F, 2H - - - K.			21,134	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Woolwich 5H - - - K.			41,625	29	8	2	2	-	-	-	-	-	-	-	-	-	-	1	1	1	
Plumstead West W - - K.			18,063	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W, H - K.			50,264	32	14	2	7	-	-	-	-	-	-	-	-	-	-	2	2	6	
Workhouse:—																					
Central London Sick Asylum -					2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
(Westminster, St. Giles, and Strand Unions.)																					
M. A. B. Small-pox Hospitals:—																					
Joyce Green - - -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach - - -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																					
North-Eastern - - -					3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Northern - - -					-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	
M. A. B. Imbecile Asylums:—																					
Caterham - - -					5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	5	
Darenth - - -					3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
Gore Farm (temporary) - - -					-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Leavesden - - -					3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums. —																					
Banstead - - -					7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	7	
Ewell (Epileptic Colony) - - -					1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Horton - - -					4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	
Manor - - -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill - - -					3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
Dartford Heath - - -					4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
Hanwell - - -					5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	
Colney Hatch - - -					4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
Claybury - - -					3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th June, 1905.

Registration District and Sub-district	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
	LONDON—OUTER RING	368,602	2,044,973	1415	428	94	130	-	8	4	6	14	1	3	17	36	76	2		
0:1	Carshalton 2F,2H	12,228	32,997	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
1:1	Godstone, part of* W,F	2,754	2,692	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3:1	Coulsdon	11,069	8,146	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	32	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	26	11	2	5	-	-	-	-	-	-	-	-	-	6	1	-	-
4	North Croydon H	2,644	41,898	32	9	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
5	Penge w,H	770	22,465	10	6	2	2	-	1	-	-	-	-	-	-	-	1	-	-	-
6	Mitcham w	11,711	30,015	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Wimbledon F,3H	3,221	41,652	30	6	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	24	9	2	4	-	-	-	-	-	-	-	-	-	2	-	-	-
3	Surbiton F,H	3,046	15,017	5	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
4	Esher, part of* H	5,402	13,100	14	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5	Hampton H,F,L	4,564	23,456	12	8	2	4	-	-	-	-	-	-	1	-	-	-	-	-	-
0:1	Richmond W,H	2,162	28,865	13	7	-	5	-	-	-	-	-	-	-	-	1	1	-	-	-
2	Mortlake F	2,847	20,628	16	3	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-
1:1	Bromley F,3H	4,703	27,554	11	2	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-
2	Beckenham H	7,625	28,497	17	6	-	4	-	-	-	-	-	-	-	-	1	1	1	-	-
3	Orpington part of* W	10,113	9,857	4	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
4	Chislehurst 2H	7,333	16,446	11	5	-	2	-	-	-	-	-	-	-	-	-	3	-	-	-
2:1	Bexley w,F,H	8,678	21,151	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	26,296	23	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4:1	Sunbury w	11,054	18,683	10	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H	13,277	15,178	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5:1	Hillingdon W,F,H	6,035	13,661	3	5	1	3	-	-	-	-	-	-	-	1	1	1	-	-	-
2	Uxbridge H	12,767	8,984	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H	8,066	16,358	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6:1	Isleworth 3W,2F,H	6,869	30,863	21	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-
2	Twickenham F,H	2,421	20,991	14	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H,L	4,319	48,289	34	13	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-
4	Chiswick H	1,249	29,809	22	5	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-
5	Acton w,3H	6,132	48,914	39	9	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-
7:1	Harrow F,H	13,809	25,523	23	5	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-
2	Edgware F,2H	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H	4,384	114,811	90	22	7	4	-	1	-	-	1	-	1	-	3	4	1	-	-
4	Hendon W,F	8,382	22,450	17	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
8:1	South Mims 2F,H	17,755	7,308	3	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Barnet W,2H	3,324	17,970	5	5	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-
3	Finchley F,2H	4,688	33,692	23	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Hornsey F,H	2,875	72,056	46	11	1	5	-	1	-	1	-	-	-	-	1	1	-	-	-
2	Wood Green H	1,625	34,233	26	7	-	2	-	1	-	-	-	-	-	-	2	1	-	-	-
3	West Tottenham F	996	48,853	35	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,688	43	16	7	1	-	-	-	-	-	-	-	1	2	3	6	-	-
5	Edmonton W,w,2F	7,491	61,892	53	12	3	3	-	-	-	-	2	-	-	-	-	1	3	-	-
6	Enfield 2W,F,H	12,601	42,738	32	13	4	3	-	-	1	-	1	-	-	-	-	1	2	-	-
7	Waltham Abbey F	11,017	6,549	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5:1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Bushey H	9,333	9,173	4	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
2	Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6:1	Stratford H	1,072	44,827	18	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Plaistow F,2H	1,249	90,921	65	22	4	5	-	-	-	2	1	-	-	2	4	2	-	-	-
3	Canning Town H	1,556	70,718	68	12	2	5	-	-	-	-	1	-	-	-	-	-	-	-	-
4	Forest Gate w	806	60,892	30	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w,H	1,333	58,676	47	14	4	3	-	-	-	-	1	-	-	1	1	-	-	-	-
6	South East Ham 2F	1,993	37,342	46	10	2	1	-	-	-	3	1	-	-	-	1	3	-	-	-
7	Wanstead F	1,679	9,179	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
8	South Leyton 2W	631	50,467	35	9	2	4	-	-	-	-	-	-	-	-	-	2	-	-	-
9	North Leyton 2W,w,F	1,963	48,445	43	29	3	13	-	-	-	-	-	-	-	-	-	1	19	-	-
10	Walthamstow 3H,L	6,504	108,929	76	28	10	4	-	2	1	-	3	-	-	1	2	-	-	-	-
7:1	Chigwell, part of* 2F,3H	11,778	16,397	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Romford, part of* W,2F	6,556	6,091	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,234	28	10	1	3	-	-	-	-	-	-	-	-	-	2	-	-	-
3	Barking Town F	3,803	21,547	20	5	-	1	-	-	-	-	-	-	-	4	4	-	-	-	-
	London Fever Hospital-Islington.	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	Middlesex County Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea Dysent.
LONDON - -	4,684,794	June 24	2527	1047	11·7	-	38	7	11	26	3	14
CALCUTTA -	847,796	May 13	-	716	43·9	5	4	-	-	-	408†	7
BOMBAY - -	776,006	June 6	356	943	63·2	18	18	-	-	-	354†	78
MADRAS - -	509,346	May 19	505	409	41·7	2	3	?	?	?	81	91
PARIS - - -	2,660,559	June 17	1018	825	16·0	3	9	-	8	8	3	22
BRUSSELS - -	586,936	" 17	224	164	14·2	1	-	-	1	1	1	10
ANTWERP - -	286,695	" 17	133	70	12·5	-	5	-	1	2	-	4
AMSTERDAM -	551,415	" 10	292	152	14·3	-	5	-	-	3	-	9
COPENHAGEN -	426,000	" 17	294	117	14·2	-	-	1	1	2	-	9
STOCKHOLM -	309,496	" 10	176	87	14·2	-	-	1	2	-	-	3
CHRISTIANIA -	223,649	" 17	130	79	18·5	-	2	-	5	2	-	8
ST. PETERSBURG	1,248,122	" 10	674	697	25·8	1	40	10	7	3	27	77
MOSCOW - -	1,092,360	" 10	-	706	33·7	3	8	10	6	2	9	267
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,015,679	June 3	900	642	16·6	-	7	10	7	6	-	49
HAMBURG - -	772,852	" 17	-	217	14·6	-	1	1	2	4	-	15
BRESLAU - -	462,147	" 17	-	223	25·2	-	-	-	-	1	-	35
MUNICH - - -	528,000	" 17	-	214	21·1	-	4	2	1	5	-	28
VIENNA - - -	1,877,839	" 17	-	-	-	-	-	-	-	-	-	-
PRAGUE - - -	430,560	" 17	180	214	24·8	-	6	-	1	1	1	13
BUDA-PESTH -	836,207	" 17	-	-	-	-	-	-	-	-	-	-
TRIESTE - - -	191,403	" 17	114	72	19·4	-	-	1	-	2	1	5
ROME - - - -	503,887	April 15	239	180	18·5	-	5	-	1	1	4§	2
VENICE - - -	169,417	June 10	81	77	23·7	-	2	-	1	1	2	9
BUCHAREST -	282,071	" 10	110	113	20·9	-	-	1	-	3	-	7
NEW YORK - -	3,948,191	" 10	2011	1342	17·7	-	18	13	30	9	10	77
CHICAGO - - -	1,932,315	" 3	-	467	12·2	-	9	1	8	15	7	23
PHILADELPHIA -	1,438,318	May 27	-	-	-	-	-	-	-	-	-	-
BOSTON - - -	617,956	" 27	-	202	17·0	-	-	1	-	-	1	?
RIO DE JANEIRO	850,000	" 28	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 324 deaths from plague in Calcutta, and 292 in Bombay

‡ Including 31 deaths from cholera in Calcutta.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th June, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	78°0	47°4	61·6	0·02	BRADFORD - - -	74°0	41°0	60·2	0·36
BRIGHTON - - -	75·4	51·4	61·2	0·00	LEEDS - - - - -	78°0	50°0	63·5	1·23
PORTSMOUTH - -	74°0	53·5	63·5	0·04	HULL - - - - -	75°0	49°0	60·2	0·16
NORWICH - - - -	72°8	47°0	60·6	0·06	TYNEMOUTH - -	68°0	49°0	57·3	0·58
PLYMOUTH - - -	71°8	51·9	59·6	0·21					
BRISTOL - - - -	78°0	45·8	60·7	0·85	EDINBURGH - -	72°1	48°1	57·7	0·26
BIRMINGHAM - -	76°4	48·2	60·3	0·26	GLASGOW - - -	81°4	48°0	61·2	0·39
NOTTINGHAM - -	75°7	48·6	60·9	0·20					
LIVERPOOL - - -	79°0	50°0	60·9	0·51	DUBLIN { Phoenix Park.	73°4	46°0	60·4	0·46
MANCHESTER - -	76°3	45·8	60·2	0·74	{ Fitz- william Square.†	73·7	51·2	62·1	0·46
PRESTON - - - -	74°5	49°0	60·5	1·57					
HUDDERSFIELD -	76°6	44·7	59·9	0·46	BELFAST - - -	?	?	?	?

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°8 Fahrenheit.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

Under the Supervisance of the Astronomer Royal.

1905.		Phases of the Moon.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				WIND as deduced from Anemometers.				Rain collected in a Gauge whose receiving funnel is above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
MONTH AND DAY	Greatest Dec. S.	in.	Mean daily reading reduced to 32° Fahr. (32° F. = 0° C.)	Of the Air.				Of the Dew point				Difference between the Air and Dew Point Temperature.				Degree of Humidity (Saturation equals 100).				Of Radiation.				Of the Earth 3 feet below the Surface.				General Direction.				Oiler's.				Pressure on the Square Foot.				Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from daily average value.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	High-est.	Low-est.	Mean daily value.	High-est.	Low-est.	Mean daily value.	High-est.	Low-est.	Mean daily value.	High-est.	Low-est.	Mean daily value.	High-est.	A.M.	P.M.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 17th June 1905.*

BOROUGHES	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	6	1	-	-	-	-	4	-
Kensington - - - - -	180,083	-	3	4	-	1	-	-	-	-
Hammersmith - - - - -	119,037	-	4	4	-	1	-	-	1	-
Fulham - - - - -	157,210	-	18	5	-	-	-	-	1	-
Chelsea - - - - -	74,496	-	2	1	-	-	-	-	-	-
City of Westminster - - -	175,806	-	9	4	-	1	-	-	8	1
NORTH.										
St. Marylebone - - - - -	129,453	-	5	3	-	1	-	-	6	1
Hampstead - - - - -	88,142	-	4	-	-	-	-	-	-	-
St. Pancras - - - - -	236,183	-	13	7	-	-	-	-	2	-
Islington - - - - -	342,994	-	30	7	-	1	-	-	3	-
Stoke Newington - - - - -	52,628	-	3	7	-	-	-	-	-	-
Hackney - - - - -	228,479	-	19	9	-	3	-	-	5	-
CENTRAL.										
Holborn - - - - -	56,481	-	2	2	-	-	-	-	-	-
Finsbury - - - - -	98,207	-	5	4	-	2	-	-	2	-
City of London - - - - -	22,425	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	1	17	1	-	-	-	-	4	-
Bethnal Green - - - - -	130,401	2	16	5	-	-	-	-	3	-
Stepney - - - - -	305,406	-	32	12	-	-	-	-	9	1
Poplar - - - - -	170,280	-	20	6	-	1	-	-	5	-
SOUTH.										
Southwark - - - - -	208,528	-	19	6	-	-	-	-	7	-
Bermondsey - - - - -	129,006	-	11	3	-	-	-	-	-	-
Lambeth - - - - -	313,045	-	19	22	-	2	-	-	5	-
Battersea - - - - -	177,532	-	17	6	-	-	-	-	3	-
Wandsworth - - - - -	265,392	-	20	5	-	-	-	-	6	-
Camberwell - - - - -	271,240	-	25	5	-	-	-	-	3	2
Deptford - - - - -	114,495	-	9	2	-	-	-	-	3	-
Greenwich - - - - -	103,493	-	5	-	-	-	-	-	1	-
Lewisham - - - - -	144,420	-	9	3	-	-	-	-	-	-
Woolwich - - - - -	125,372	-	3	3	-	-	-	-	3	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		3	347	137	-	1	-	-	84	5
Ag										
es										
0-1										
1-5										
5-										
10-										
15-										
20-										
25-										
35-										
45-										
55-										
65 and upwards										
Age not stated										

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, E.C.

No. 26. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JULY 1. [Price 1½d.

General Register Office, Somerset House,
July 3rd, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·7 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 13·5, 13·4, and 13·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·1 in Wigan, 19·1 in Merthyr Tydfil, 20·7 in Middlesbrough, 21·2 in Sunderland, 23·1 in West Bromwich, and 23·9 in Stockton on Tees; from *measles*, 1·7 in Sheffield, 2·3 in Warrington, 2·6 in Barrow in Furness, 4·1 in Sunderland, and 6·2 in West Bromwich; from *whooping-cough*, 1·5 in Oldham, 1·6 in Middlesbrough, and 2·3 in Preston; and from *diarrhoea*, 1·3 in Rhondda and 2·5 in Bootle. One death from *small-pox* was registered in London, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2490 BIRTHS and 1080 DEATHS were registered. Allowing for increase of population, the births were 76 and the deaths 231 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 13·8, 13·3, and 11·7 in the preceding three weeks, was 12·0 last week. During the four weeks ended on Saturday last the death-rate averaged 12·7 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1080 deaths included 1 from small-pox, 31 from measles, 12 from scarlet fever, 7 from diphtheria, 26 from whooping-cough, 1 from enteric fever, and 25 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 103 deaths were referred to these diseases in the aggregate, being 72 below the corrected average weekly number.

One death from *small-pox*, belonging to the Borough of Shoreditch, was registered last week. The deaths from *measles*, which had been 40, 46, and 38 in the preceding three weeks, fell last week to 31, and were 24 below the corrected average; 4 deaths belonged to the Borough of Battersea and 3 to Kensington. The deaths from *scarlet fever*, which had been 11, 6, and 7 in the preceding three weeks, rose last week to 12, the corrected average being 11; 3 deaths belonged to Finsbury and 3 to Camberwell. The deaths from *diphtheria*, which had been 9, 9, and 11 in the preceding three weeks, fell last week to 7, and were 18 below the corrected average. The deaths from *whooping-cough*, which had been 42, 26, and 26 in the preceding three weeks, were again 26 last week, and were 10 below the corrected average; 3 deaths belonged to each of the following Boroughs, Islington, Poplar, and Battersea. The fatal cases of *enteric fever*, which had been 6, 2, and 3 in the preceding three weeks, fell last week to 1, the corrected average being 7. The deaths from *diarrhoea*, which had been 30, 14, and 14 in the preceding three weeks, rose last week to 25, but were 13 below the corrected average; 7 deaths belonged to Stepney and 3 to Fulham. Of the 25 deaths from diarrhoea, 23 were those of children under 5 years of age. The deaths attributed directly to *influenza* numbered 4, having been 10, 4, and 2 in the preceding three weeks.

Different forms of *violence* caused 61 deaths, concerning all but 1 of which inquests were held. Of these 61 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 9 to drowning, 5 to burns and scalds, 1 to the effects of anæsthetics administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2473 of scarlet fever, 718 of diphtheria, and 78 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 3, 3, and 1; of scarlet fever, 334 cases, against 269, 292, and 325; of diphtheria, 115 cases, against 89, 128, and 112; and of enteric fever, 8 cases, against 11, 8, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 24th.

GREATER LONDON.

In Greater London 3708 births and 1455 deaths were registered. Allowing for increase of population these numbers are 89 and 340 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 1 from whooping-cough, and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.69 inches, and that of the Thermometer 63°.2, the latter being 1°.9 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 8 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 36.8 hours; the measured rainfall amounted to 0.54 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in one WEEK ended Saturday, 1st July, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	COLS.	POPULATION estimated at middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in COLS. 11-17.		Registered during the week ended 1st July, 1905.		The DEATHS registered in the Week include												TOWNS			
			Week ended					6.	7.	8.	9.	Deaths of						Deaths from							19.	20.	21.
			Week ended									Deaths of						Deaths from									
			10th June, 1905.	17th June, 1905.	24th June, 1905.	1st July, 1905.	Week ended 1st July, 1905.					Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthra.	Violence.	Inquest Cases.	Deaths in Public Institutions.				
76 TOWNS -	-	15,609,377	13'5	13'4	13'0	12'7	1'2	8496	3793	826	988	1	120	39	32	72	18	89	178	335	963	36	21.	76 TOWNS, LONDON.			
LONDON -	-	4,884,794	13'8	13'3	11'7	12'0	1'1	2490	1080	223	292	1	31	12	7	28	1	25	61	129	442	5	20.	(CROYDON,			
WILLESDEN -	-	147,704	14'1	8'5	7'4	9'9	0'7	70	28	11	4	-	1	-	-	-	-	1	-	3	4	-	-	19.	WILLESDEN,		
HORNEY -	-	138,080	10'2	9'4	8'3	6'8	0'4	72	18	5	4	-	1	-	-	-	-	-	2	3	-	-	-	18.	HORNEY,		
TOTTENHAM -	-	84,070	6'2	5'6	6'8	6'8	1'9	38	11	-	4	5	-	1	-	-	-	-	-	6	5	-	-	17.	TOTTENHAM,		
WEST HAM -	-	116,232	13'0	11'7	7'6	11'2	-	70	25	4	9	-	-	-	-	-	-	-	-	4	6	9	-	16.	WEST HAM,		
EAST HAM -	-	284,997	8'8	13'1	11'0	7'6	0'9	173	43	14	9	-	-	1	-	3	-	1	4	6	9	-	15.	EAST HAM,			
LEYTON -	-	123,381	11'4	8'0	10'6	7'2	0'8	69	17	2	8	-	-	-	-	1	1	-	-	1	3	2	-	14.	LEYTON,		
WALTHAMSTOW -	-	114,555	5'9	5'5	9'1	6'8	-	68	15	3	4	-	-	-	-	-	-	-	-	1	3	3	-	13.	(WALTHAMSTOW,		
HASTINGS -	-	116,297	12'1	9'9	11'2	7'6	0'4	48	17	5	5	-	1	-	-	-	-	-	-	-	-	-	-	12.	HASTINGS,		
BRIGHTON -	-	66,820	14'8	10'1	9'4	12'5	0'8	22	16	3	6	-	-	-	1	-	-	-	-	-	-	2	-	11.	BRIGHTON,		
PORTSMOUTH†	-	127,183	13'5	8'2	10'2	9'8	-	63	24	2	13	-	-	-	-	-	-	-	-	2	6	-	-	10.	PORTSMOUTH†		
BOURNEMOUTH	-	201,975	11'1	12'9	12'7	11'1	0'8	100	43	6	17	-	-	-	1	1	1	-	-	1	1	8	1	9.	BOURNEMOUTH,		
SOUTHAMPTON	-	66,168	15'0	9'5	9'5	10'2	0'8	16	13	-	6	-	-	-	-	-	-	-	-	5	12	-	-	8.	SOUTHAMPTON,		
READING -	-	114,897	9'1	16'3	8'6	14'1	-	47	31	6	10	-	-	-	-	-	-	-	-	2	3	-	-	7.	READING,		
NORTHAMPTON	-	77,674	6'7	9'4	12'1	11'4	-	24	17	5	4	-	-	-	-	-	-	-	-	3	3	6	-	6.	(NORTHAMPTON,		
IPSWICH -	-	92,441	9'6	16'9	13'5	11'3	-	44	20	1	9	-	-	-	-	-	-	-	-	-	-	-	-	5.	IPSWICH,		
GREAT YARMOUTH-	-	70,802	11'0	6'6	18'4	13'3	1'5	49	18	1	7	-	-	1	-	-	1	-	-	-	-	4	-	4.	GREAT YARMOUTH,		
NORWICH -	-	52,353	5'0	8'0	12'0	10'0	0'0	24	10	3	5	-	-	-	-	-	-	1	-	-	-	-	-	3.	NORWICH,		
PLYMOUTH -	-	116,741	13'8	11'2	9'8	13'4	0'9	58	30	5	12	-	-	-	1	-	-	-	-	1	1	1	-	2.	PLYMOUTH,		
DEVONPORT -	-	116,000	17'5	16'2	16'2	17'1	1'3	70	38	9	14	-	-	-	1	-	-	1	2	4	5	-	-	1.	DEVONPORT,		
BRISTOL†	-	76,864	17'0	8'1	12'9	10'9	1'4	44	16	2	1	-	-	1	-	-	-	1	3	3	2	-	-	2.	BRISTOL†		
HANLEY -	-	338,515	10'8	16'6	10'5	11'9	0'9	198	82	11	26	-	-	3	-	-	1	-	7	12	24	-	-	1.	HANLEY,		
BURTON-ON-TRENT	-	64,667	20'2	16'9	13'7	8'9	1'6	40	11	4	2	-	-	-	-	-	-	-	-	-	-	1	2	2.	BURTON-ON-TRENT,		
WOLVERHAMPTON -	-	52,424	9'9	11'9	10'9	9'0	-	18	9	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1.	WOLVERHAMPTON,		
WALSALL -	-	99,466	13'1	14'7	16'3	8'4	2'1	53	16	2	6	-	-	1	-	-	-	-	2	1	1	4	-	-	1.	WALSALL,	
HANDSWORTH -	-	52,998	10'1	11'2	11'8	12'9	1'1	67	23	7	5	-	-	-	1	-	-	-	1	1	1	1	-	-	1.	HANDSWORTH,	
WEST BROMWICH -	-	61,721	6'8	5'1	6'8	6'8	0'8	25	8	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1.	WEST BROMWICH,	
		67,823	16'1	15'4	13'1	23'1	8'5	29	30	5	6	-	-	8	1	-	1	-	-	1	7	-	-	-			

* See note † on first page of this return.

* These towns are included within the area of Greater London.

As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR COUNTRIES OF IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 1st July, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Registered during the week ended 1st July, 1905.		The Deaths registered in the Week include											Cols.			
		Week ended					BIRTHS.	DEATHS.	Deaths from														
		10th June, 1905.	17th June, 1905.	24th June, 1905.	1st July, 1905.	Week ended July, 1905.			Infants under 1 year of age.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	TOWNS.	
BIRMINGHAM -	-	542,939	14.7	13.3	13.7	12.4	1.2	271	129	33	22	-	8	1	2	1	-	6	8	32	1	BIRMINGHAM.	
KINGS NORTON -	-	69,630	9.7	10.5	8.2	7.5	-	27	10	4	4	-	-	-	-	-	-	1	2	1	-	KINGS NORTON.	
SMETHWICK -	-	62,605	20.0	16.7	9.2	11.7	-	32	14	4	3	-	-	-	-	-	-	-	2	1	-	SMETHWICK.	
ASTON MANOR -	-	81,320	15.4	9.6	10.9	9.0	1.3	41	14	1	6	-	1	-	-	1	-	2	2	1	-	ASTON MANOR.	
COVENTRY -	-	75,134	13.9	15.3	14.6	9.7	0.7	37	14	2	4	-	1	-	-	-	-	-	-	3	-	COVENTRY.	
LEICESTER -	-	228,132	13.0	11.7	9.8	9.4	0.5	106	41	7	13	-	-	2	-	-	-	3	4	8	-	LEICESTER.	
GRIMSBY -	-	68,153	7.7	11.5	14.5	8.4	-	43	11	1	4	-	-	-	-	-	-	-	1	1	-	GRIMSBY.	
NOTTINGHAM -	-	261,671	8.9	14.1	13.9	12.8	0.6	125	62	15	17	-	1	-	-	1	1	6	9	10	-	NOTTINGHAM.	
DERBY -	-	122,207	12.4	10.7	15.4	9.8	1.7	60	23	6	4	-	2	-	1	1	-	3	5	3	-	DERBY.	
STOCKPORT -	-	98,320	8.0	16.4	10.6	17.5	2.1	55	33	12	8	-	-	1	-	2	1	2	2	9	-	STOCKPORT.	
BIRKENHEAD -	-	116,095	13.9	17.1	13.0	14.8	0.9	73	33	8	5	-	1	-	-	1	-	1	1	8	-	BIRKENHEAD.	
WALLASEY -	-	62,460	12.5	15.9	6.7	8.3	0.8	40	10	3	-	-	-	-	-	-	-	-	-	4	-	WALLASEY.	
LIVERPOOL -	-	730,143	14.6	14.6	16.8	16.5	1.8	526	231	52	63	-	6	3	3	3	2	8	10	18	76	10	LIVERPOOL.
BOOTLE -	-	62,758	10.8	14.1	17.4	16.6	5.0	47	20	7	4	-	-	3	1	-	3	-	-	5	-	BOOTLE.	
ST. HELENS -	-	89,843	17.4	16.8	15.1	9.9	1.2	49	17	4	7	-	-	-	-	-	2	-	-	4	1	ST. HELENS.	
WIGAN† -	-	86,581	14.5	20.5	13.9	18.1	0.6	62	30	4	8	-	-	-	1	-	-	1	2	8	-	WIGAN†.	
WARRINGTON -	-	68,301	15.3	16.0	16.8	16.8	3.1	29	22	8	3	-	3	-	-	-	1	-	-	-	1	WARRINGTON.	
BOLTON -	-	178,111	10.0	11.1	15.8	9.7	0.6	101	33	7	8	-	-	1	-	-	-	2	3	4	-	BOLTON.	
BURY -	-	58,594	16.0	14.2	15.1	15.1	-	29	17	2	6	-	-	-	-	-	-	-	-	4	-	BURY.	
MANCHESTER† -	-	631,185	15.5	15.1	13.7	15.9	1.7	418	192	46	39	-	9	1	-	4	4	11	19	39	-	MANCHESTER†.	
SALFORD -	-	231,514	20.3	15.5	16.2	16.2	1.8	164	72	14	20	-	1	1	-	2	-	1	2	15	1	SALFORD.	
OLDHAM -	-	140,225	23.1	15.2	24.2	13.8	2.6	82	37	10	5	-	1	1	-	4	1	-	2	4	-	OLDHAM.	
ROCHDALE -	-	86,390	10.3	15.1	9.7	12.1	0.6	47	20	1	6	-	-	-	-	-	-	2	2	2	-	ROCHDALE.	
BURNLEY -	-	101,682	15.4	12.3	18.5	11.3	-	58	22	2	5	-	-	-	-	-	-	1	1	4	1	BURNLEY.	
BLACKBURN -	-	133,067	9.0	11.0	15.3	17.6	0.8	73	45	6	7	-	-	2	-	-	-	3	3	11	-	BLACKBURN.	
PRESTON -	-	115,721	14.9	18.5	20.3	15.8	2.3	76	35	7	15	-	-	-	-	-	-	1	1	8	1	PRESTON.	
BARROW-IN-FURNESS.	-	60,306	3.5	22.5	10.4	10.4	2.6	29	12	3	1	-	3	-	-	-	-	1	1	3	-	BARROW-IN-FURNESS.	

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in 1905.		Registered Deaths during the Week ended 1st July, 1905.		The DEATHS registered in the Week include											TOWNS,		
		Week ended				11-17.	Week ended 1st July, 1905.	BIRTHS.	DEATHS.	Deaths of													
		1905.								Persons aged and upwards, 60 Years and over.	Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Causes of Death.
		10th June, 1905.	17th June, 1905.	24th June, 1905.	1st July, 1905.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD.	-	14.3	9.9	17.6	16.5	1.1	36	30	4	11	-	-	-	1	-	-	1	-	2	5	-	HUDDESFIELD.	
HALIFAX.	-	13.5	10.6	13.0	13.9	-	44	29	8	7	-	-	-	-	-	-	-	-	4	4	-	HALIFAX.	
BRADFORD.	-	14.2	11.6	12.9	11.3	0.5	126	62	14	23	-	-	-	-	1	2	2	1	3	10	1	BRADFORD.	
LEEDS.	-	12.2	11.4	12.2	12.9	0.7	234	113	23	29	-	-	-	-	2	4	6	1	7	15	4	LEEDS.	
SHEFFIELD.	-	15.4	13.9	15.5	15.5	3.2	238	131	35	25	-	14	3	-	4	-	-	-	8	22	4	SHEFFIELD.	
ROTHERHAM.	-	7.8	11.3	14.0	11.3	1.7	32	13	3	3	-	-	1	-	-	1	-	1	1	2	-	ROTHERHAM.	
YORK.	-	8.2	12.0	15.8	12.0	-	44	19	3	4	-	-	-	-	-	-	2	-	2	5	-	YORK.	
HULL.	-	15.8	13.3	16.8	11.7	0.8	129	58	13	21	-	1	-	-	2	-	1	-	4	14	-	HULL.	
MIDDLESBROUGH.	-	22.8	17.0	15.9	20.7	3.2	60	39	8	4	-	2	1	-	3	-	-	-	-	3	1	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	-	14.9	15.9	12.9	23.9	-	44	24	4	11	-	-	-	-	-	-	-	-	1	7	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	-	17.5	13.2	10.2	9.5	2.2	38	13	4	3	-	1	1	-	-	-	1	-	-	3	-	WEST HARTLEPOOL.	
SUNDERLAND.	-	16.0	19.8	18.1	21.2	5.5	94	62	16	11	-	12	-	-	1	1	2	1	2	10	2	SUNDERLAND.	
SOUTH SHIELDS.	-	17.2	16.2	16.2	12.4	2.4	60	26	8	5	-	-	-	2	-	1	1	1	1	4	1	SOUTH SHIELDS.	
GATESHEAD.	-	14.7	14.7	15.1	13.8	0.9	63	32	9	4	-	2	-	-	-	-	2	-	2	4	2	GATESHEAD.	
NEWCASTLE-ON-TYNE†	-	14.2	17.3	15.4	15.2	1.6	116	77	17	15	-	-	1	1	2	-	4	5	8	14	-	NEWCASTLE-ON-TYNE.†	
TYNEMOUTH.	-	17.5	23.3	18.5	17.5	1.0	25	18	8	4	-	-	-	-	1	-	-	-	2	2	-	TYNEMOUTH.	
NEWPORT (MON.)	-	12.9	8.6	11.4	14.3	1.4	51	20	7	6	-	-	-	1	-	-	1	-	1	5	-	NEWPORT (MON.).	
CARDIFF.	-	12.7	12.5	9.0	8.7	0.3	90	30	5	5	-	-	-	-	-	-	1	-	3	6	-	CARDIFF.	
RHONDDA.	-	13.3	16.7	15.4	13.8	1.7	82	33	17	2	-	1	-	-	-	-	3	2	2	-	-	RHONDDA.	
MERTHYR TYDFIL.	-	23.3	19.1	14.8	19.1	2.1	53	27	11	6	-	2	-	-	-	-	1	2	3	-	-	MERTHYR TYDFIL.	
SWANSEA.	-	13.5	16.8	16.2	15.7	-	47	29	3	8	-	-	-	-	-	-	-	1	5	1	-	SWANSEA.	
GREATER LONDON.	-	12.5	12.1	11.0	10.8	1.0	3708	1455	307	413	1	40	15	11	31	2	31	77	165	508	5	GREATER LONDON.	
OUTER RING.	-	9.9	9.7	9.6	8.4	0.6	1218	375	84	121	-	9	3	4	5	1	6	16	36	66	-	OUTER RING.	
8 TOWNS IN OUTER RING	-	10.2	9.7	9.3	8.0	0.6	608	174	41	50	-	4	1	2	4	1	2	8	22	34	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	9.6	9.6	9.9	8.8	0.6	610	201	43	71	-	5	2	2	1	-	4	8	14	32	-	REMAINDER OF OUTER RING.	
EDINBURGH.	-	16.3	15.2	15.0	14.7	1.7	178	95	17	28	-	5	-	-	5	-	1	3	?	26	4	EDINBURGH.	
GLASGOW.	-	16.2	16.7	16.4	18.2	2.6	477	282	50	57	-	10	-	1	22	-	8	15	?	85	8	GLASGOW.	
DUBLIN†	-	19.3	17.2	17.9	14.9	1.0	260	108	14	28	-	2	-	1	1	1	2	2	1	42	7	DUBLIN.†	
BELFAST.†	-	16.1	20.1	12.6	17.6	1.5	253	121	27	22	-	3	-	-	1	2	4	5	7	21	?	BELFAST.†	

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2488	2501	2821	2475	2441	2483	2478	1980	2528	2514	2565·6	2490
Male - - -	1291	1283	1442	1200	1260	1257	1283	1007	1284	1274	1306·3	1269
Female - - -	1197	1218	1379	1275	1181	1226	1195	973	1244	1240	1259·3	1221
TOTAL Deaths -	1429	1370	1156	1256	1297	1273	1210	1251	1234	1148	1310·8	1080
Males - - -	732	698	621	681	692	699	643	657	659	604	692·5	592
Females - - -	697	672	532	595	605	574	567	594	575	544	618·3	488

* The numbers in this column are the average weekly numbers in the twenty-sixth week of the ten years 1895–1904, raised by 3·333 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	13 Weeks.
TOTAL Births -	2310	2469	2129	2568	2722	2645	2426	2544	2349	2233	2271	2527	2490	31583
TOTAL Deaths -	1419	1443	1342	1426	1304	1324	1268	1311	1319	1236	1191	1047	1080	16710
Ages at Death {														
Under 1 year -	276	275	251	309	260	258	250	259	274	226	253	196	223	3310
1–5 years -	195	203	181	163	154	175	158	156	176	141	128	126	137	2093
5–20 " -	56	67	79	76	67	65	69	74	60	62	73	54	68	870
20–40 " -	195	184	190	159	147	178	171	176	142	172	149	151	141	2155
40–60 " -	291	270	255	306	252	283	264	268	271	305	255	223	219	3462
60 yrs. & upwds.	406	444	386	413	424	365	356	378	396	330	333	297	292	4820
Deaths from—														
Small-pox† - - -	1	-	-	1	1	-	1	-	-	-	-	-	1	5
Measles - - -	41	47	42	37	44	42	41	44	58	40	46	38	31	551
Scarlet Fever - -	10	13	13	9	5	9	11	4	9	11	6	7	12	119
Diphtheria - - -	15	14	4	14	11	7	6	7	9	9	11	7	7	121
Whooping-cough -	40	64	39	50	54	37	35	50	41	42	26	26	26	530
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	6	3	6	5	3	3	5	4	6	2	3	1	50
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhoea, Dysentery	8	14	13	15	19	10	15	16	27	30	14	14	25	220
All above Diseases -	118	158	114	132	139	108	113	125	146	138	104	99	103	1597
Dis. of Resp. System	148	147	119	138	122	112	95	92	96	68	73	53	46	1309
Pneumonia - - -	160	157	153	168	134	139	131	126	139	123	116	91	94	1731
Phthisis - - -	134	141	131	125	121	127	119	122	111	134	129	95	104	1593
Dis. of Circ. System	175	196	145	185	168	161	143	174	163	169	170	162	131	2142
Violence - - -	57	58	59	60	47	66	58	59	59	58	59	45	61	746
Inquest Cases - -	146	139	117	143	112	132	130	137	117	153	120	103	120	1678
Deaths in Institutions	509	507	504	520	503	509	500	502	514	521	488	461	442	6480
TEMPERATURE OF THE AIR.														
Mean - - -	43·2	49·5	43·1	48·5	49·4	53·6	53·3	51·2	62·7	53·7	59·5	60·9	63·2	53·2
Mean of Highest -	51·7	58·7	56·6	56·1	60·1	64·0	64·0	62·8	74·7	59·2	69·0	72·0	74·0	62·8
Mean of Lowest -	35·7	42·0	38·2	42·8	41·9	42·9	43·9	41·0	51·4	49·5	51·7	51·2	55·0	45·2
Mean Humidity of the Air.	76	81	74	74	71	60	67	61	61	87	81	73	79	73
Rain-fall (in inches) -	0·27	0·83	0·25	0·15	0·85	0·00	0·22	0·00	0·50	2·86	0·95	0·02	0·54	7·44
Registered Sunshine (in hours).	24·9	22·7	16·5	24·8	54·7	55·5	52·1	39·4	51·5	7·8	45·6	58·3	36·8	490·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	21	15	17	16	17	17	15	10	9	7	6	4	13	Means
Scarlet Fever - -	2086	2133	2128	2182	2152	2177	2211	2200	2268	2385	2356	2427	2473	2237
Diphtheria - - -	769	738	731	725	691	698	686	688	690	687	719	723	718	713
Typhus - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	66	63	58	65	72	70	71	79	80	80	82	83	78	73

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R.Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq. Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SIXTH Week of the Year 1905.

the terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 26th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 26th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1148	1080	223	137	68	141	219	292	Meningitis (not tuberc.)	15	16	7	4	4	1	-	
									Insanity, Gen. Par. of	13	7	-	-	3	1	-	
									Insane	5	7	-	-	1	4	-	
Small-pox*	1	1	-	-	-	1	-	-	Epilepsy	21	14	12	1	1	-	2	
Cowpox	-	-	-	-	-	-	-	-	Convulsions	4	2	-	-	-	2	-	
Measles (Morbilli)	58	31	4	27	-	-	-	-	Locomotor Ataxy	4	4	-	-	1	2	1	
Scarlet Fever	7	12	4	4	4	-	-	-	Paraplegia, Dis. of Cord	11	19	2	-	3	7	5	
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	38	29	-	-	9	4	9	
Plague	-	-	-	-	-	-	-	-	Cerebr. Ham. Thromb.	26	37	-	-	-	1	9	
Influenza	3	4	-	-	-	-	2	2	Apoplexy, Hemiplegia	12	11	-	-	-	2	9	
Whooping-cough	29	26	13	13	-	-	-	-	Aneurysm	3	6	-	-	1	-	5	
Diphtheria	9	7	1	5	-	1	-	-	Embolism, Thrombosis (not cerebral)	3	1	-	-	1	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	69	57	-	-	2	5	17	
Pyæmia,† (Origin uncertain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	
Enteric Fever	5	1	-	-	-	-	1	-	Bronchitis	47	33	8	3	-	1	21	
Asiatic Cholera	-	-	-	-	-	-	-	-	Asthma, Emphysema	2	4	-	1	1	2	1	
Epidemic Diarrhoea } (Infective Enteritis)	11	14	11	2	-	-	1	-	Pleurisy	9	7	1	2	-	-	2	
Diarrhoea, Dysentery	13	11	8	2	1	-	-	-	Respiratory Dis. (other)	1	-	-	-	-	-	-	
Tetanus	2	1	1	-	-	-	-	-	Tonsillitis, Quinsy	9	1	-	1	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	13	4	3	1	-	-	-	
Glanders	-	-	-	-	-	-	-	-	Gastro-Enteritis	2	3	1	-	1	-	1	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	3	1	-	-	1	-	-	
Venereal Dis.	6	9	8	-	-	-	1	-	Cirrhosis of Liver	15	7	-	-	-	1	5	
Puerperal Septicæmia	2	3	-	-	-	3	-	-	Liver Dis. (other)	3	6	-	-	-	1	4	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Digestive Dis., Other	31	33	5	3	4	5	9	
Puerperal Fever	-	-	-	-	-	-	-	-	Nephritis, Acute	5	9	-	-	2	4	3	
Infective Endocarditis	-	1	-	-	-	1	-	-	Bright's Dis., Albuminuria	32	34	-	-	-	6	14	
Lobar	8	10	-	2	1	3	1	3	Urinary Sys., Other Dis.	8	9	-	-	-	1	8	
Pneumonia } Broncho-	27	33	16	10	2	1	1	3	Generative Organs Dis.	10	1	-	-	-	1	-	
Epidemic	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	4	4	-	-	4	-	-	
Not defined	51	51	6	7	2	8	13	15	Old Age	31	47	-	-	-	-	47	
Erysipelas	2	3	-	-	-	-	3	-	Other Diseases	72	68	39	6	7	5	6	
Septicæmia (not Puerperal)	5	1	-	-	-	-	1	-	ACCIDENT.								
Pyæmia (not Puerperal)	1	-	-	-	-	-	-	-	By Railways	3	-	-	-	1	-	-	
Other Infective Processes	6	3	-	-	-	-	2	1	By Vehicles and Horses	5	6	-	-	1	3	1	
Tuberculous Phthisis	68	66	-	3	2	28	29	4	In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	
"Phthisis"	68	38	-	-	3	14	14	7	In Building Operations	1	-	-	-	-	-	-	
Tuberculous Meningitis	22	28	7	17	3	1	-	-	In Conflagrations	-	-	-	-	-	-	-	
Tuberculous Peritonitis	3	8	1	5	1	-	1	-	By Burns, Scalds, Explosions	4	5	-	4	-	1	-	
Tabes Mesenterica	1	2	2	-	-	-	-	-	By Drowning	2	9	-	1	4	2	2	
Tuberculous Dis. (other)	18	17	2	6	3	4	2	-	By Suffocation in Bed	4	7	7	-	-	-	-	
Serofula	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	3	5	-	2	1	1	1	
Alcoholism	11	7	-	-	-	3	1	3	Other Deaths by Accident	15	16	3	4	1	3	-	
Rheumatic Fever	4	5	-	-	1	2	2	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Gout	2	2	-	-	-	-	-	2	Homicide	-	1	1	-	-	-	-	
Carcinoma	54	49	-	-	-	1	25	23	Suicide	6	12	-	-	1	6	3	
Sarcoma	8	5	-	-	-	2	2	1	Execution	-	-	-	-	-	-	2	
Cancer (undefined)	36	37	-	-	-	2	17	18									
Diabetes Mellitus	7	10	-	-	1	2	3	4									
Premature Birth	42	50	50	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st July, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin (uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,530,429	2490	1080	223	292	1	31	12	7	26	-	1	-	25	61	129	442
WEST DISTRICTS - - -	805,311	374	192	30	55	-	10	2	-	3	-	1	-	6	9	22	81
NORTH DISTRICTS - - -	1,056,070	508	215	32	67	-	4	3	2	-	-	-	-	2	13	27	76
CENTRAL DISTRICTS - - -	209,465	120	62	14	9	-	2	1	-	1	-	-	-	1	10	16	24
EAST DISTRICTS - - -	715,739	487	209	61	48	-	5	-	-	4	-	-	-	11	10	27	99
SOUTH DISTRICTS - - -	1,749,844	1001	379	85	104	-	10	5	5	11	-	-	-	5	19	36	139
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	23	1	9	1	-	1	-	-	-	-	-	-	-	1	23
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	43	22	4	6	-	2	-	-	-	-	-	-	-	1	5	8
W.2H																	
St. John Paddington } H - G.	33,617	8	7	1	3	-	-	-	-	-	-	-	-	1	1	2	4
North-West Paddington } - C.	17,181	8	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Kensington Town 2W } G. & W. & C.	128,037	71	33	3	14	-	3	-	-	-	-	-	-	-	-	1	15
Brompton 2H } - W. & C.	48,591	12	10	-	6	-	-	-	-	-	-	-	-	-	-	1	3
North Hammersmith } W. & G.	49,192	23	11	3	1	-	-	-	-	-	-	1	-	-	1	1	1
South Hammersmith } W.2H	63,047	25	14	3	3	-	1	-	-	-	-	-	-	1	2	4	6
North-west Fulham } W	45,180	35	13	3	3	-	1	-	-	-	-	-	-	3	1	1	7
North-east Fulham } F } W. & C.	46,405	32	15	4	2	-	1	2	-	-	-	-	-	-	2	3	4
South Fulham } W	45,704	30	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North } W. & 3H - - C.	42,514	16	20	1	8	-	1	-	1	-	-	-	-	-	1	1	15
Chelsea South } W.2H - - C.	31,328	20	8	2	1	-	-	-	-	-	-	-	-	-	1	1	3
Mayfair and Knightsbridge } C. & G.	28,743	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave } W.2H - - - C.	55,815	20	17	1	4	-	1	-	1	-	-	-	-	1	-	1	8
St. Margaret & St. John } 4H - C.	43,698	15	11	2	2	-	-	-	-	-	-	-	-	-	-	-	5
St. James Westminster } N. & G.	21,588	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
W.H																	
St. Anne Soho } 5H - - - N.	11,493	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone } 8H - W.	35,391	13	11	-	3	-	-	-	-	-	-	-	-	-	-	-	5
Rectory Marylebone } W G. & W.	19,849	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone } 4H G. & W.	18,099	44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone } H- W.	39,536	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone } 3H - W.	20,426	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Hamstead } W. & 2H - N. & W.	81,942	28	11	-	6	-	-	-	-	-	-	-	-	-	-	-	2
West St. Pancras } 2H - - W.	60,562	21	13	3	4	-	-	-	1	-	-	-	-	-	1	2	1
Tottenham-court } W.7H N. & W.	21,268	5	8	1	3	-	-	-	-	-	-	-	-	-	-	-	4
Gray's Inn Lane } 4H - - N.	34,449	13	5	1	1	-	-	-	-	-	-	-	-	-	1	1	3
East St. Pancras } W.2H - - N.	60,320	30	13	2	2	-	-	-	1	-	-	-	-	-	2	5	3
North St. Pancras } 2W - - N.	56,728	25	13	1	4	-	1	-	-	-	-	-	-	-	-	-	7
Tufnell } W - - - N.	31,995	16	16	1	5	-	-	-	-	-	-	-	-	-	-	-	10
Upper Holloway } 2W. & 3H - N.	33,978	20	18	2	2	-	-	-	1	-	-	-	-	-	1	3	15
Tollington } WH - - - N.	33,922	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway } - - - N.	41,424	13	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury } - - - N.	54,478	26	6	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Islington South-east } F - - N.	75,397	42	14	2	6	-	-	-	1	-	-	-	-	1	-	2	-
Highbury } 2H - - - N.	63,797	25	12	4	6	-	-	-	2	-	-	-	-	-	1	1	1
Stoke Newington } H - - - N.	51,247	15	9	-	2	-	-	-	-	1	-	-	-	-	2	2	-
North Hackney } - E. & N.	50,560	14	9	-	6	-	-	-	-	-	-	-	-	-	2	4	-
Central Hackney } 2w. F - E. & N.	50,536	30	11	7	1	-	-	3	1	-	-	-	-	-	-	-	4
South-west Hackney } 3H - E. & N.	59,921	38	13	1	3	-	2	-	1	-	-	-	-	-	3	3	5
South-east Hackney } 2W. & 3H E. & N.	58,255	35	16	1	8	-	1	-	-	-	-	-	-	1	-	1	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated;—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st July, 1905—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St. Giles and Bloomsbury W,2H N.	31,436	27	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Strand W,4H - - - N. & C.	21,674	1	12	-	2	-	-	-	-	-	-	-	-	-	4	5	8		
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn W,6H - - - N.	29,612	10	15	5	2	-	1	-	-	-	-	-	-	1	-	-	10		
South Clerkenwell - - - N.	28,676	18	7	3	1	-	1	1	-	-	-	-	-	-	1	3	-		
North Clerkenwell H - - - N.	35,028	22	7	1	1	-	-	-	-	1	-	-	-	-	-	-	-		
Finsbury 3H,L - - - N.	36,116	34	7	2	1	-	-	-	-	-	-	-	-	-	2	2	1		
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - - N. & E.	10,299	2	3	1	-	-	-	-	-	-	-	-	-	-	1	3	-		
St. Sepulchre and Allhallows } W,2H - - - - - }	16,624	6	8	1	-	-	-	-	-	-	-	-	-	-	2	2	5		
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																			
Shoreditch South H - E. & N.	46,362	30	5	2	2	-	-	-	-	-	-	-	-	1	1	3	-		
Shoreditch North-West W,w,H N.	36,127	23	27	2	10	-	1	-	-	-	-	-	-	-	1	4	22		
Shoreditch North-East - N. & E.	36,148	26	6	1	1	-	1	-	-	-	-	-	-	-	1	1	-		
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North 2H - E.	51,514	37	14	6	1	-	1	-	-	-	-	-	-	-	1	1	6		
Bethnal Green South - - E.	33,472	22	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-		
Bethnal Green East 2W,H,L - E.	44,694	26	16	1	5	-	-	-	-	-	-	-	-	-	1	1	13		
Spitalfields - - - E. & N.	27,969	22	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Mile End New Town W,H - E.	28,718	30	28	7	4	-	-	-	-	-	-	-	-	2	-	1	26		
Goodman's Fields - - - E.	22,061	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George and St. John 2W E.	49,068	32	11	8	1	-	-	-	-	-	-	-	-	5	-	2	3		
Shadwell and Ratcliff W,H,E. & N.	25,568	20	12	6	1	-	-	-	-	1	-	-	-	-	3	3	7		
Limehouse W - - - E.	32,369	14	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Mile End Old Town South- } Western H - - - E.	63,698	58	10	3	3	-	-	-	-	1	-	-	-	-	-	1	-		
Mile End Old Town North- } Eastern W,w - - - E.	49,129	26	10	3	2	-	-	-	-	-	-	-	-	1	-	1	5		
Bow L - - - - E.	41,989	30	9	3	1	-	-	-	-	-	-	-	-	-	-	1	1		
Bromley 3w,H - - - E.	68,319	44	26	9	6	-	-	-	-	-	-	-	-	1	-	4	15		
Poplar W,w - - - E.	58,514	38	19	5	6	-	2	-	-	2	-	-	-	1	1	3	1		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st July, 1905.—continued.

REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			Total DEATHS.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 1st July, 1905.

REGISTRATION SUB-DISTRICTS		Area in Acres.	Enumerated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						1	60	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.													
LONDON—OUTER RING		368,602	2,044,973	1218	375	84	121	-	9	3	4	5	1	6	16	36	66	-		
40: 1	Carshalton 2F,2H	12,228	32,997	17	7	3	3	-	1	-	-	-	-	-	-	-	-	-		
2	Epsom, part of* W,w,2F,H	10,423	15,548	7	4	-	2	-	-	-	-	-	-	-	-	-	3	-		
7: 1	Godstone, part of* W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18: 1	Conslon	11,069	8,146	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon w	4,200	49,309	17	7	1	2	-	-	-	-	-	-	-	-	1	-	-		
3	West Croydon 3W,F,H	2,168	42,888	37	16	4	7	-	-	-	-	-	-	1	-	2	4	-		
4	North Croydon H	2,644	41,698	16	5	3	2	-	1	-	-	-	-	-	-	-	-	-		
5	Penge w,H	770	22,465	11	2	-	-	-	-	-	1	-	-	-	-	-	-	-		
6	Mitcham w	11,711	30,015	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
19: 1	Wimbledon F,3H	3,221	41,652	13	8	2	3	-	-	-	1	-	-	-	1	1	2	-		
2	Kingston 2W,H	6,224	42,068	15	9	1	3	-	-	-	-	-	-	-	1	1	2	-		
3	Surbiton F,H	3,046	15,017	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	Esher, part of* H	5,402	13,100	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
5	Hampton H,F,L	4,564	23,456	14	6	2	3	-	-	-	-	-	-	1	-	-	1	-		
40: 1	Richmond W,H	2,162	28,865	16	6	3	2	-	-	-	-	-	-	-	2	2	-	-		
2	Mortlake F	2,847	20,628	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
11: 1	Bromley F,3H	4,703	27,354	14	4	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	7,825	28,497	18	10	3	5	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington part of* W	10,113	9,857	1	4	-	1	-	-	-	-	-	-	-	-	-	3	-		
4	Chislehurst 2H	7,333	16,446	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
12: 1	Bexley w,F,H	8,678	21,151	12	4	1	1	-	-	-	-	-	-	-	2	1	2	-		
2	Erith F,H	3,854	25,296	25	6	-	2	-	1	-	-	-	-	-	2	2	-	-		
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24: 1	Sunbury w	11,054	18,683	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines W,H	13,277	15,178	10	2	1	-	-	1	-	-	-	-	-	-	-	-	-		
25: 1	Hillingdon W,F,H	6,035	13,661	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge H	12,757	8,984	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes w,F,H	8,066	16,358	12	3	-	-	-	-	-	-	-	-	-	-	1	-	-		
36: 1	Isleworth 3W,2F,H	6,859	30,863	17	11	-	5	-	-	-	-	-	-	-	-	-	9	-		
2	Twickenham F,H	2,421	20,991	12	5	1	2	-	-	-	-	-	-	1	-	-	-	-		
3	Brentford 3F,2H,L	4,310	48,289	38	7	2	2	-	-	-	-	-	-	-	1	1	1	-		
4	Chiswick H	1,249	28,809	16	6	2	2	-	-	-	-	-	-	1	-	-	-	-		
5	Acton w,3H	6,132	48,914	36	6	-	3	-	-	-	-	-	-	1	-	-	-	-		
27: 1	Harrow F,H	13,809	25,523	18	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware F,2H	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,2F,2H	4,384	114,811	72	18	5	4	-	1	-	-	-	-	-	1	2	3	-		
4	Hendon W,F	8,382	22,450	8	3	1	1	-	-	-	-	1	-	-	-	-	-	-		
38: 1	South Mimms 2F,H	17,755	7,308	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W,2H	3,324	17,970	5	5	-	3	-	-	-	-	-	-	-	-	-	1	-		
3	Finchley F,2H	4,688	33,692	24	6	2	1	-	1	-	-	-	-	-	-	-	-	-		
39: 1	Hornsey F,H	2,875	72,056	38	8	-	2	-	1	-	2	-	-	-	-	-	2	-		
2	Wood Green H	1,625	34,233	18	5	1	3	-	-	-	-	-	-	-	-	-	-	-		
3	West Tottenham F	996	48,853	35	12	2	3	-	-	-	-	-	-	-	2	3	-	-		
4	East Tottenham 2H	2,017	53,688	35	11	3	1	-	-	-	-	-	-	-	-	3	3	-		
5	Edmonton W,w,2F	7,491	61,892	45	20	3	8	-	-	-	-	-	-	-	-	1	7	-		
6	Enfield 2W,F,H	12,601	42,738	24	15	5	7	-	-	1	-	-	-	-	-	-	3	-		
7	Waltham Abbey F	11,017	6,549	6	3	2	-	-	1	-	-	-	-	-	-	-	-	-		
8	Cheshunt F,H	8,479	12,292	7	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
35: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37: 1	Bushey H	9,333	9,173	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
86: 1	Stratford H	1,072	44,827	32	10	6	2	-	-	-	-	1	-	-	1	2	-	-		
2	Plaistow F,2H	1,249	90,921	70	9	5	2	-	-	1	-	-	-	1	-	1	1	-		
3	Canning Town H	1,558	70,718	44	14	2	3	-	-	-	-	2	-	-	3	3	2	-		
4	Forest Gate w	806	60,892	27	4	1	-	-	-	-	-	-	-	-	1	1	-	-		
5	North East Ham w,H	1,333	58,676	41	8	2	3	-	-	-	-	-	-	-	1	1	-	-		
6	South East Ham 2F	1,993	37,342	23	6	-	2	-	-	-	-	1	-	-	-	-	-	-		
7	Wanstead F	1,679	9,179	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton 2W	631	50,467	33	4	-	3	-	-	-	-	-	-	-	-	-	2	-		
9	North Leyton 2W,w,F	1,963	48,445	35	24	3	8	-	-	-	-	-	-	-	-	1	13	-		
10	Walthamstow 3H,L	6,504	108,929	52	17	6	4	-	1	-	-	-	-	-	1	3	-	-		
87: 1	Chigwell, part of* 2F,3H	11,778	16,397	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
89: 1	Romford, part of* W,2F	6,556	6,091	1	2	-	1	-	-	1	-	-	-	-	-	-	1	-		
2	Ilford F,L	8,496	41,234	28	9	3	1	-	-	-	-	-	-	-	-	2	-	-		
3	Barking Town F	3,803	21,547	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Strand Union Workhouse, Edmonton.		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Disorders.
LONDON - -	4,684,794	July 1	2490	1080	12'0	1	31	12	7	26	1	25
CALCUTTA - -	847,796	May 20	-	553	33'9	7	2	-	1	-	244†	72
BOMBAY - -	776,006	June 13	295	803	53'8	4	16	-	-	-	250†	7
MADRAS - -	509,346	May 26	483	456	46'5	5	9	?	?	?	97†	100
PARIS - - -	2,660,559	June 24	984	817	15'9	1	10	4	2	8	5	46
BRUSSELS - -	586,936	" 24	205	142	12'3	-	-	-	-	1	-	12
ANTWERP - -	286,695	" 24	143	72	12'8	-	3	-	-	-	-	16
AMSTERDAM -	551,415	" 17	276	167	15'7	-	11	-	1	3	1	17
COPENHAGEN -	426,000	" 24	243	143	17'3	-	2	-	-	1	-	8
STOCKHOLM -	309,496	" 17	131	86	14'0	-	-	1	-	-	-	5
CHRISTIANIA -	223,649	" 24	138	65	15'2	-	1	-	2	-	-	2
ST. PETERSBURG	1,248,122	" 17	674	729	27'2	1	44	12	11	7	24	87
MOSCOW - - -	1,092,360	" 17	-	798	38'1	3	3	10	8	6	3	369
WARSAW - - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,015,429	June 10	936	722	18'7	-	16	6	4	11	-	75
HAMBURG - -	772,852	" 24	-	244	15'1	-	1	1	3	1	1	17
BRESLAU - - -	462,147	" 24	-	167	18'9	-	-	-	1	1	-	34
MUNICH - - -	528,090	" 24	-	208	20'5	-	3	-	4	1	-	27
VIENNA - - -	1,877,839	" 17	937	703	19'3	-	22	7	5	3	-	64
PRAGUE - - -	430,569	" 24	203	177	20'5	-	3	-	1	-	1	14
BUDA-PESTH -	836,267	" 17	382	277	17'2	-	12	1	2	2	2	17
		" 24	359	239	14'9	-	5	1	1	-	-	20
TRIESTE - - -	191,403	" 24	114	74	19'9	-	1	-	1	-	1	5
ROME - - -	503,857	April 22	212	177	18'2	-	5	-	-	2	25	10
VENICE - - -	169,417	June 17	75	66	20'3	-	6	-	1	-	-	14
BUCHAREST - -	282,071	" 17	149	118	21'8	-	-	-	1	2	3	10
NEW YORK - -	3,948,191	" 17	1934	1269	16'8	-	31	5	31	10	13	91
CHICAGO - - -	1,932,315	" 10	-	514	13'5	1	12	1	4	8	8	18
PHILADELPHIA -	1,438,318	" 10	-	422	15'3	-	2	1	8	1	11	29
BOSTON - - -	617,956	" 3	-	200	16'8	-	-	2	3	-	1	?
RIO DE JANEIRO	850,000	May 28	-	275	15'8	3	1	-	2	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 172 deaths from plague in Calcutta, 188 in Bombay, and 3 in Madras.

‡ Including 31 deaths from cholera in Calcutta, and 1 in Bombay.

§ Including one death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st July, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	80'1	51'1	64'5	0'54	BRADFORD - -	78'5	53'0	63'6	0'19
BRIGHTON - -	73'4	52'6	62'8	0'87	LEEDS - - -	82'0	50'0	64'1	0'45
PORTSMOUTH - -	75'3	55'0	64'5	0'33	HULL - - -	78'0	46'0	61'9	1'65
NORWICH - - -	77'0	52'8	64'2	0'41	TYNEMOUTH - -	68'0	45'0	56'3	0'04
PLYMOUTH - -	75'8	55'9	63'0	0'94					
BRISTOL - - -	78'6	50'0	62'5	1'26	EDINBURGH - -	76'8	47'4	58'3	0'63
BIRMINGHAM -	77'4	54'7	63'8	1'70	GLASGOW - - -	82'8	48'5	64'0	0'07
NOTTINGHAM -	78'4	52'0	62'9	0'38					
LIVERPOOL - -	75'0	56'0	62'9	0'50	DUBLIN { Phoenix Park. Fitz- william Square.†	74'7	42'9	60'1	0'11
MANCHESTER -	78'3	51'8	63'1	0'17		77'0	52'7	63'2	0'18
PRESTON - - -	77'8	54'0	64'0	0'11					
HUDDERSFIELD -	75'8	50'6	61'3	0'39	BELFAST - - -	79'0	50'9	62'3	0'29

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

Under the supervision of the Astronomer Royal.

1905. MONTH AND DAY		TEMPERATURE.		TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in Gauge whose receiving surface is 5 inches above the ground.								
		Phases of the Moon.	Baro- meter.	Of the Air.		Of the Dew Point		Difference between the Air Temperature and Dew Point Temperature.		Degrees of the midday radiation (Saturation equals 100°).		Of Radiation.		General Direction.			Pressure on the Square Foot.		Robinson's.					
				High- est.	Low- est.	Daily Range.	Mean value.	De- parture from Average of 50 years.	Mean daily value.	Greatest.	Least.	High- est in Sun's Rays.	Lowest on Grass.	P.M.	Greatest.		Least.	Mean hourly obs.	Horizontal Movement of the Air on each Day.	Departure from Average of 24 hours.				
																					A.M.	P.M.		
JUNE																								
SUNDAY	- 25	In Ear.		in.	741	541	200	638	+ 25	530	108	160	20	68	1212	517	5892	N.	lbs. 20 00 02	Miles. 279 + 30 02				
MONDAY	- 26	Apogee.			709	560	149	620	+ 06	549	71	131	11	78	1249	482	5912	NNW.	lbs. 23 00 02	Miles. 243 - 3 02				
TUESDAY	- 27	..			801	521	280	659	+ 45	549	110	228	04	63	1214	422	5940	W. & WSW.	lbs. 28 00 02	Miles. 272 + 24 00				
WEDNESDAY	28	..			770	548	222	630	+ 17	552	78	202	28	76	1362	460	5954	WSW.	lbs. 18 00 01	Miles. 283 + 33 00				
THURSDAY	- 29	..			719	511	208	606	- 06	570	36	150	12	88	1170	400	5978	SW. & E.	lbs. 09 00 00	Miles. 162 - 89 02				
FRIDAY	- 30	..			681	597	84	626	+ 14	622	04	45	02	99	900	562	5985	NE. & N.	lbs. 04 00 00	Miles. 186 - 66 03				
SATURDAY	- 1	..			760	575	185	648	+ 35	566	82	177	04	75	1384	470	6007	NNE. & SW.	lbs. 08 00 01	Miles. 174 - 78 00				
MEANS		-			740	550	190	632	+ 19	563	70	156	12	79	1213	473	5954	NNE. & SW.	lbs. ..	Miles. Sum 1399				
No. of Column		- 3		4	5	6	7	8	9	10	11	12	13	14	15	16	17	Sum 28	21	22	23	24	25	26

DATE.	JUNE	ELECTRICITY.		Registered Sun above horizon in hours.		GENERAL REMARKS.	
		(For explanation of symbols, see Note.)	(For explanation of symbols, see Note.)	Sun above horizon in hours.		General Remarks.	
SUNDAY	25	w. P. generally.	19	186	166	Generally cloudy; light shower between 10h. and 11h. P.M.	
MONDAY	26	w. P. generally.	22	166	166	Generally overcast with occasional light showers till afternoon; fine and partially cloudy afterwards.	
TUESDAY	27	w. P. throughout.	124	166	166	Very fine.	
WEDNESDAY	28	w. P. throughout.	99	165	165	Very fine generally; partially cloudy. Solar halo in afternoon.	
THURSDAY	29	w. P. generally.	06	165	165	Generally overcast; occasional rain between noon and 7h. P.M.	
FRIDAY	30	w. P. generally; w. N. between 7h. and 9h. A.M.	00	165	165	Overcast; occasional rain.	
JULY SATURDAY	1	w. P. generally; w. N. between 8h. and 9h. A.M.	98	165	165	Overcast with rain in morning; very fine with little cloud generally between 10h. A.M. and 10h. P.M.; overcast afterwards.	
MEANS	-		Sum 368	Sum 1158	Sum 1158		
No. of Col.	-	27		28	29		

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher", and - "lower", than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30.04 in. at the beginning of the week to 29.62 in. by 5h. P.M. on June 29th; and increased to 29.82 in. by midnight on July 1st.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th June, 1905.*

BOROUGHES	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	147,935	-	7	4	-	-	-	-	2	-	
Kensington - - - -	180,083	-	2	2	-	-	-	-	4	-	
Hammersmith - - - -	119,037	-	13	6	-	-	-	-	3	-	
Fulham - - - -	157,210	-	19	9	-	-	-	-	1	-	
Chelsea - - - -	74,496	-	1	-	-	-	-	-	-	-	
City of Westminster - - - -	175,606	1	8	1	-	1	-	-	2	-	
NORTH.											
St. Marylebone - - - -	129,453	-	3	1	-	-	-	-	3	-	
Hampstead - - - -	88,142	-	3	2	-	1	-	-	-	-	
St. Pancras - - - -	236,183	-	5	5	-	2	-	-	5	-	
Islington - - - -	342,994	-	29	5	-	-	-	-	4	-	
Stoke Newington - - - -	52,828	-	1	2	-	-	-	-	1	-	
Hackney - - - -	223,479	-	11	7	-	8	-	-	3	-	
CENTRAL.											
Holborn - - - -	56,481	-	3	-	-	-	-	-	-	-	
Finsbury - - - -	98,207	-	8	3	-	2	-	-	-	-	
City of London - - - -	22,425	-	-	-	-	-	-	-	1	-	
EAST.											
Shoreditch - - - -	116,565	-	25	5	-	1	-	-	2	-	
Bethnal Green - - - -	130,401	-	14	3	-	3	-	-	1	-	
Stepney - - - -	305,466	-	29	11	-	2	-	-	7	-	
Poplar - - - -	170,280	-	22	7	-	1	-	-	3	-	
SOUTH.											
Southwark - - - -	208,528	-	14	5	-	-	-	-	5	-	
Bermondsey - - - -	129,006	-	13	4	-	-	-	-	3	-	
Lambeth - - - -	313,045	-	22	32	-	-	-	-	7	-	
Battersea - - - -	177,532	-	10	2	-	-	-	-	3	-	
Wandsworth - - - -	265,392	-	14	9	-	-	-	-	7	-	
Camberwell - - - -	271,240	-	13	2	-	1	-	-	2	-	
Deptford - - - -	114,495	-	11	2	-	1	-	-	6	-	
Greenwich - - - -	103,493	-	10	2	-	-	-	-	2	-	
Lewisham - - - -	144,420	-	8	3	-	-	-	-	2	-	
Woolwich - - - -	125,372	-	9	2	-	-	-	-	-	-	
Port of London - - - -	-	-	-	-	-	-	-	-	1	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	1	327	136	-	27	-	-	80	7
Ages											
0-1 - - - -	-	-	6	5	-	-	-	-	1	-	
" 1-5 - - - -	-	-	102	44	-	-	-	-	-	-	
" 5- - - - -	-	-	128	48	-	8	-	-	2	-	
" 10- - - - -	-	-	63	16	-	3	-	-	7	-	
" 15- - - - -	-	-	14	11	-	3	-	-	4	-	
" 20- - - - -	-	-	5	3	-	3	-	-	3	2	
" 25- - - - -	-	-	1	8	7	5	-	-	11	4	
" 35- - - - -	-	-	-	2	-	3	-	-	21	1	
" 45- - - - -	-	-	1	-	-	2	-	-	13	-	
" 55- - - - -	-	-	-	-	-	-	-	-	10	-	
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	7	-	
Age not stated - - - -	-	-	-	-	-	-	-	-	1	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS LTD., FETTER LANE, E.C.

No. 27. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JULY 8. [Price 1½d.

General Register Office, Somerset House,

July 10th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·6 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 13·4, 12·9, and 12·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 16·0 in Newcastle on Tyne, 16·4 in Sunderland, 17·4 in Liverpool and in Bootle, 17·7 in Merthyr Tydfil, 18·3 in Warrington, and 18·5 in Tynemouth; from *measles*, 1·7 in Sunderland, 2·6 in Wolverhampton and in Barrow in Furness, and 3·1 in West Bromwich; from *whooping-cough*, 1·2 in West Ham; and from *diarrhoea*, 1·6 in Liverpool, 1·7 in St. Helens, and 2·1 Rhondda. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2509 BIRTHS and 1006 DEATHS were registered. Allowing for increase of population, the births were 132 and the deaths 345 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 13·3, 11·7, and 12·0 in the preceding three weeks, was 11·2 last week. During the four weeks ended on Saturday last the death-rate averaged 12·1 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1006 deaths included 24 from measles, 11 from scarlet fever, 6 from diphtheria, 18 from whooping-cough, 5 from enteric fever, 1 from ill-defined pyrexia, and 37 from diarrhoea, but not one death from small-pox or from typhus; thus, 102 deaths were referred to these diseases in the aggregate, being 95 below the corrected average weekly number.

The deaths from *measles*, which had been 46, 38, and 31 in the preceding three weeks, further fell last week to 24, and were 24 below the corrected average; 3 deaths apiece belonged to the Boroughs of Fulham, St. Marylebone, Finsbury, and Wandsworth. The deaths from *scarlet fever*, which had been 6, 7, and 12 in the preceding three weeks, were 11 last week, the corrected average being 12. The deaths from *diphtheria*, which had been 9, 11, and 7 in the preceding three weeks, were 6 last week, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 26, 26, and 26 in the preceding three weeks, fell last week to 18, and were 17 below the corrected average; 4 deaths belonged to Islington. The fatal cases of *enteric fever*, which had been 2, 3, and 1 in the preceding three weeks, were 5 last week; the corrected average being 8. The deaths from *diarrhoea*, which had been 14, 14, and 25 in the preceding three weeks, rose last week to 37, but were 26 below the corrected average; 8 deaths belonged to Stepney, 4 to Poplar, 3 to Fulham, and 3 to Shoreditch. Of the 37 deaths from diarrhoea, 27 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 7, having been 4, 2, and 4 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 11 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 3 to burns and scalds, 3 to drowning, 3 to heat apoplexy, 2 to the effects of anæsthetics administered for surgical purposes, and 5 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 2499 of scarlet fever, 775 of diphtheria, and 81 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 3, 1, and 1; of scarlet fever, 354 cases, against 292, 325, and 334; of diphtheria, 144 cases, against 128, 112, and 115; and of enteric fever, 18 cases, against 8, 12, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 1st.

GREATER LONDON.

In Greater London 3883 births and 1362 deaths were registered. Allowing for increase of population these numbers are 57 and 472 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 5 from whooping-cough, and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 64°·0, the latter being 2°·1 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 52·7 hours; the measured rainfall amounted to 0·03 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH OF IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th July, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Cols.	DEATH-RATES from all Causes.										Rate from Diseases in Cols. 11-17.		Registered during the Week ended 8th July, 1905.		The DEATHS registered in the Week include										TOWNS
		Week ended					Week ended					11-17.		8th July, 1905.												
		17th June, 1905.					24th June, 1905.					1st July, 1905.														
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.				
76 TOWNS		15,609,377					1'3	9005	3484	814	884		122	27	23	71	12	133	165	308	869	36	76 TOWNS, LONDON.			
LONDON -	-	4,684,794	13'3	12'9	12'7	11'6	1'1	2509	1006	203	270	-	24	11	6	18	6	37	59	109	394	2	(CROYDON.			
(CROYDON -	-	147,704	8'5	7'4	9'9	9'2	0'7	91	26	8	10	-	-	-	-	-	-	-	1	4	7	-	WILLESDEN.			
WILLESDEN -	-	138,080	9'4	8'3	6'8	7'2	1'9	106	19	5	2	-	4	-	1	-	-	-	-	1	2	-	HORNSEY.			
HORNSEY -	-	84,070	5'6	6'8	6'8	6'8	-	32	11	1	4	-	-	-	-	-	-	-	-	2	3	-	TOTTENHAM.			
TOTTENHAM -	-	116,282	11'7	7'6	11'2	5'8	0'4	77	13	1	5	-	-	-	-	7	-	3	3	9	8	-	WEST HAM.			
WEST HAM -	-	284,997	13'1	11'0	7'6	10'3	2'1	159	58	17	17	-	2	-	-	-	-	-	-	1	1	-	EAST HAM.			
EAST HAM -	-	123,381	8'0	10'6	7'2	5'9	0'4	78	14	3	3	-	-	-	-	-	-	-	-	2	3	-	LEYTON.			
LEYTON -	-	114,555	5'5	9'1	6'8	7'3	0'5	71	16	2	7	-	-	-	-	-	-	1	1	2	3	-	(WALTHAMSTOW.			
(WALTHAMSTOW -	-	116,297	9'9	11'2	7'6	7'2	1'3	75	16	4	3	-	1	1	-	-	-	-	-	2	3	-	HASTINGS.			
HASTINGS -	-	66,820	10'1	9'4	12'5	8'6	-	18	11	-	4	-	-	-	-	-	-	-	-	1	3	-	BRIGHTON.			
BRIGHTON -	-	127,183	8'2	10'2	9'8	9'8	-	63	24	2	14	-	-	-	-	-	-	-	-	-	6	-	PORTSMOUTH†			
PORTSMOUTH†	-	201,975	12'9	12'7	11'1	9'8	0'5	112	38	7	16	-	-	-	-	-	-	2	3	4	11	-	BOURNEMOUTH.			
BOURNEMOUTH -	-	66,168	9'5	9'5	10'2	3'9	-	23	5	-	2	-	-	-	-	-	-	1	1	3	9	-	SOUTHAMPTON.			
SOUTHAMPTON -	-	114,897	16'3	8'6	14'1	11'3	-	66	25	8	10	-	-	-	-	-	-	-	-	-	7	1	READING.			
READING -	-	77,674	9'4	12'1	11'4	10'7	-	41	16	3	4	-	-	-	-	-	-	-	-	-	-	-	NORTHAMPTON.			
NORTHAMPTON -	-	92,441	16'9	13'5	11'3	4'5	0'6	45	8	3	2	-	-	-	-	1	-	-	1	1	1	1	IPSWICH -			
IPSWICH -	-	70,802	6'6	18'4	13'3	11'8	-	34	16	4	4	-	-	-	-	-	-	-	1	1	4	-	GREAT YARMOUTH.			
GREAT YARMOUTH -	-	52,353	8'0	12'0	10'0	12'0	-	25	12	2	5	-	-	-	-	-	-	-	-	-	2	-	NORWICH -			
NORWICH -	-	116,741	11'2	9'8	13'4	13'0	0'4	60	29	9	8	-	-	-	-	-	-	1	3	3	5	-	PLYMOUTH.			
PLYMOUTH -	-	116,000	16'2	16'2	17'1	13'9	0'4	48	31	4	11	-	1	-	-	-	-	-	2	2	5	-	DEVONPORT.			
DEVONPORT -	-	76,864	8'1	12'9	10'9	10'2	-	39	15	5	5	-	-	-	-	-	-	-	-	3	-	-	BRISTOL†			
BRISTOL†	-	358,515	16'6	10'5	11'9	14'0	2'0	194	96	23	27	-	10	1	1	1	-	1	4	12	23	-	HANLEY.			
HANLEY -	-	64,067	16'9	13'7	8'9	12'9	0'8	34	16	5	2	-	-	-	-	-	-	1	1	1	1	2	BURTON-ON-TRENT.			
BURTON-ON-TRENT -	-	52,424	11'9	10'9	9'0	9'9	-	15	10	-	6	-	-	-	-	-	-	-	-	2	3	-	WOLVERHAMPTON.			
WOLVERHAMPTON -	-	99,456	14'7	16'3	8'4	10'0	4'2	62	19	6	3	-	5	1	1	1	-	-	2	2	3	-	WALSALL.			
WALSALL -	-	92,968	11'2	11'8	12'9	9'5	1'1	51	17	2	8	-	-	-	-	-	-	-	1	1	2	-	HANDSWORTH.			
HANDSWORTH -	-	61,721	5'1	6'8	6'8	9'3	0'8	40	11	2	3	-	-	-	-	-	-	-	-	-	-	-	WEST BROMWICH.			
WEST BROMWICH -	-	67,823	15'4	13'1	23'1	12'3	3'1	37	16	3	3	-	4	-	-	-	-	-	-	1	-	-				

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1904.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 8th July, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	COLS.	POPULATION to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Registered Deaths in 1905, Week ended 8th July, 1905.		The DEATHS registered in the Week include												COLS.	TOWNS.	
			Week ended					Deaths of Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
			17th June, 1905.	24th June, 1905.	1st July, 1905.	8th July, 1905.	Week ended 8th July, 1905.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.							
																					1.			2.
BIRMINGHAM	-	542,959	13'3	13'7	12'4	10'7	10'7	0'9	348	111	30	31	-	6	-	2	-	-	1	4	4	30	6	BIRMINGHAM.
KINGS NORTON	-	68,630	10'5	8'2	7'5	9'7	0'7	0'7	61	13	4	5	-	1	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK	-	42,605	16'7	9'2	11'7	8'3	-	-	45	10	4	3	-	-	-	-	-	-	-	-	-	-	-	SMETHWICK.
ASTON MANOR	-	31,320	9'6	10'9	9'0	7'7	2'6	2'6	36	12	3	1	-	2	-	-	-	-	2	1	1	4	-	ASTON MANOR.
COVENTRY	-	75,134	15'3	14'6	9'7	11'1	1'4	1'4	41	16	1	7	-	2	-	-	-	-	-	1	2	4	-	COVENTRY.
LEICESTER	-	228,132	11'7	9'8	9'4	8'2	0'5	0'5	152	36	12	12	-	-	1	-	-	-	1	1	2	5	-	LEICESTER.
GRIMSBY	-	68,153	11'5	14'5	8'4	12'2	0'8	0'8	45	16	3	6	-	-	-	-	1	-	-	3	3	3	1	GRIMSBY.
NOTTINGHAM	-	251,671	14'1	13'9	12'8	8'7	0'2	0'2	135	42	8	8	-	1	-	-	-	-	-	7	9	7	-	NOTTINGHAM.
DERBY	-	222,207	10'7	15'4	9'8	9'8	0'9	0'9	61	23	5	8	-	1	-	-	1	-	-	3	6	3	-	DERBY.
STOCKPORT	-	98,320	16'4	10'6	17'5	15'4	1'1	1'1	60	29	9	8	-	-	-	-	-	-	2	1	2	2	-	STOCKPORT.
BIRKENHEAD	-	116,035	17'1	13'0	14'8	12'6	1'3	1'3	89	28	8	8	-	1	-	-	-	-	2	1	1	3	-	BIRKENHEAD.
WALLASEY	-	62,460	15'9	6'7	8'3	5'0	-	-	37	6	1	1	-	-	-	-	-	-	-	-	1	-	-	WALLASEY.
LIVERPOOL	-	730,143	14'6	16'8	16'5	17'4	2'6	2'6	485	244	72	51	-	5	1	2	5	1	22	6	20	73	7	LIVERPOOL.
BOOTLE	-	62,758	14'1	17'4	16'6	17'4	2'5	2'5	50	21	6	2	-	1	-	-	1	-	1	1	2	5	-	BOOTLE.
ST. HELENS	-	89,843	16'8	15'1	9'9	13'9	2'9	2'9	83	24	8	5	-	1	-	1	-	-	3	1	1	4	-	ST. HELENS.
WIGAN†	-	85,581	20'5	13'9	18'1	13'9	1'2	1'2	58	23	5	7	-	-	1	-	-	-	1	-	1	1	-	WIGAN†.
WARRINGTON	-	68,301	16'0	16'8	16'8	18'3	3'1	3'1	49	24	6	2	-	2	-	-	-	-	2	1	1	2	-	WARRINGTON.
BOLTON	-	173,111	11'1	15'8	9'7	13'8	1'5	1'5	100	47	12	13	-	1	-	-	1	-	2	-	4	4	-	BOLTON.
BURY	-	58,594	14'2	14'2	15'1	8'0	-	-	31	9	4	2	-	-	-	-	-	-	-	-	1	1	2	BURY.
MANCHESTER†	-	631,185	15'1	13'7	15'9	15'3	2'1	2'1	417	185	53	41	-	13	-	1	5	1	6	3	10	50	1	MANCHESTER†.
SALFORD	-	231,514	15'5	16'2	16'2	14'9	2'9	2'9	140	66	17	14	-	6	2	1	-	-	4	2	6	17	-	SALFORD.
OLDHAM	-	140,225	15'2	24'2	13'8	14'1	2'2	2'2	78	38	4	7	-	1	1	-	-	-	2	1	2	3	-	OLDHAM.
ROCHDALE	-	86,390	15'1	9'7	12'1	10'9	1'2	1'2	31	18	1	4	-	-	-	-	-	-	1	2	4	2	-	ROCHDALE.
BURNLEY	-	101,682	12'3	18'5	11'3	9'2	1'5	1'5	43	18	1	5	-	1	1	-	-	-	1	-	-	4	-	BURNLEY.
BLACKBURN	-	135,067	11'0	15'3	17'6	10'6	1'2	1'2	66	27	4	6	-	-	1	-	-	-	1	-	2	3	1	BLACKBURN.
PRESTON	-	115,721	18'5	20'3	15'8	11'7	0'9	0'9	64	26	6	5	-	-	-	-	-	-	-	2	2	3	-	PRESTON.
BARROW-IN-FURNESS.	-	60,306	22'5	10'4	10'4	13'0	4'3	4'3	32	15	5	4	-	3	-	-	-	-	1	5	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

ended Saturday, 8th July 1905, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Col. 11-17.		Registered during the Week ended 8th July, 1905.		The DEATHS registered in the Week include											TOWNS.		
		Week ended				Week ended 8th July, 1905.	BIRTHS.	DEATHS.	Deaths of		Deaths from						Inquest Cases.			Deaths in Public Institutions.			Uncertified Causes of Death.
		17th June, 1905.							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.							
		17th June, 1905.	24th June, 1905.	1st July, 1905.	8th July, 1905.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDERSFIELD	-	94,888	9'9	17'6	16'5	13'2	-	39	24	8	-	-	-	-	-	-	-	-	2	5	-	HUDDERSFIELD.	
HALIFAX	-	108,419	10'6	13'0	13'9	11'1	1'0	44	23	6	-	-	-	1	1	-	-	1	1	6	-	HALIFAX.	
BRADFORD	-	286,799	11'6	12'9	11'3	13'3	1'5	130	73	19	20	1	1	1	1	-	4	3	7	16	-	BRADFORD.	
LEEDS	-	456,787	11'4	12'2	12'9	9'1	0'6	231	80	19	18	-	1	-	2	-	2	2	6	15	-	LEEDS.	
SHEFFIELD	-	440,414	13'9	15'5	15'5	13'0	2'7	237	110	24	23	11	-	1	4	-	7	4	5	24	2	SHEFFIELD.	
ROTHERHAM	-	59,794	11'3	14'0	11'3	8'7	-	39	10	1	2	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.	
YORK	-	82,362	12'0	15'8	12'0	8'2	-	45	13	2	6	-	-	-	-	-	-	-	-	2	-	YORK.	
HULL	-	258,127	13'3	16'8	11'7	8'5	0'8	139	42	10	8	-	1	1	1	-	1	-	1	7	2	HULL.	
MIDDLESBROUGH	-	93,369	17'0	15'9	20'7	15'9	0'5	73	30	7	4	-	-	-	-	1	-	-	-	2	1	MIDDLESBROUGH.	
STOCKTON-ON-TEES	-	52,425	15'9	12'9	23'9	10'9	2'0	34	11	2	1	-	-	1	-	-	1	-	1	-	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	-	71,313	13'2	10'2	9'5	13'9	1'5	35	19	3	4	-	1	-	1	-	1	1	1	2	-	WEST HARTLEPOOL.	
SUNDERLAND	-	152,761	19'8	18'1	21'2	16'4	3'8	68	48	13	7	-	-	3	3	1	2	2	4	8	1	SUNDERLAND.	
SOUTH SHIELDS	-	109,360	16'2	16'2	12'4	15'7	1'4	85	33	10	7	-	-	-	2	-	1	-	3	1	1	SOUTH SHIELDS.	
GATESHEAD	-	120,620	14'7	15'1	13'8	11'7	0'4	91	27	6	2	-	-	-	-	-	-	2	3	1	1	GATESHEAD.	
NEWCASTLE-ON-TYNE†	-	264,511	17'3	15'4	16'2	16'0	1'2	189	81	19	12	-	-	-	2	-	3	6	8	12	-	NEWCASTLE-ON-TYNE†.	
TYNEMOUTH	-	53,595	23'3	18'5	17'5	18'5	1'0	39	19	7	7	-	-	-	1	-	-	1	1	3	1	TYNEMOUTH.	
NEWPORT (MON.)	-	72,880	8'6	11'4	14'3	10'7	0'7	48	15	3	6	-	-	-	-	-	1	1	2	5	1	NEWPORT (MON.).	
CARDIFF	-	180,054	12'5	9'0	8'7	6'7	0'6	127	23	3	6	-	-	-	1	-	-	4	5	5	-	CARDIFF.	
RHONDDA	-	124,988	16'7	15'4	13'8	15'4	3'8	95	37	20	5	2	1	1	-	-	5	2	2	3	1	RHONDDA.	
MERTHYR TYDFIL	-	73,848	19'1	14'8	19'1	17'7	2'1	57	25	12	3	-	-	-	-	-	2	2	3	1	-	MERTHYR TYDFIL.	
SWANSEA	-	96,334	16'8	16'2	15'7	10'8	-	68	20	5	5	-	-	-	-	-	-	1	2	6	-	SWANSEA.	
GREATER LONDON	-	7,010,172	12'1	11'0	10'8	10'1	1'1	3883	279	386	-	35	13	10	34	7	43	77	146	447	4	GREATER LONDON.	
OUTER RING	-	2,325,378	9'7	9'6	8'4	8'0	0'9	1374	76	116	-	11	2	4	16	1	6	18	37	53	2	OUTER RING.	
8 TOWNS IN OUTER RING	-	1,135,316	9'7	9'3	8'0	7'9	1'1	689	41	51	-	7	1	1	11	1	4	7	20	23	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	-	1,190,062	9'6	9'9	8'8	8'0	0'7	685	35	65	-	4	1	3	5	-	2	11	17	25	2	REMAINDER OF OUTER RING.	
EDINBURGH	-	338,577	15'2	15'0	14'7	15'5	2'3	126	14	21	-	4	-	-	8	-	3	7	?	33	6	EDINBURGH.	
GLASGOW	-	809,986	16'7	16'4	18'2	15'7	2'0	475	44	48	-	9	1	1	14	-	6	9	?	70	9	GLASGOW.	
DUBLIN†	-	378,984	17'2	17'9	14'9	16'9	1'1	217	30	30	-	1	1	1	-	-	6	1	1	52	4	DUBLIN†.	
BELFAST†	-	368,680	20'1	12'6	17'6	18'9	1'9	194	29	30	-	3	2	1	-	-	7	1	7	22	?	BELFAST†.	

† As enlarged in 1904.

See note on first page of this return.

Excluding deaths of persons dying in the week.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2651	2446	2689	2502	2484	2466	2413	2663	2597	2526	2641·2	2509
Male - - -	1342	1279	1401	1235	1247	1263	1287	1363	1290	1271	1347·5	1277
Female - - -	1309	1167	1288	1267	1237	1203	1126	1300	1307	1255	1293·7	1232
TOTAL Deaths -	1519	1552	1293	1232	1310	1191	1256	1325	1176	1154	1350·7	1006
Males - - -	802	783	712	622	705	685	646	705	635	610	714·9	541
Females - - -	717	769	581	610	605	526	610	620	541	544	635·8	465

* The numbers in this column are the average weekly numbers in the twenty-seventh week of the ten years 1895-1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	13 Weeks.	
TOTAL Births -	2469	2129	2568	2722	2645	2426	2544	2249	2233	2271	2527	2490	2509	31782	
TOTAL Deaths -	1443	1342	1426	1304	1324	1268	1311	1319	1236	1191	1047	1080	1006	16297	
Ages at Death	Under 1 year -	275	251	309	260	258	250	259	274	226	253	196	223	203	3237
	1-5 years -	203	181	163	154	175	158	156	176	141	128	126	137	100	1998
	5-20 " -	67	79	76	67	65	69	74	60	62	73	54	68	74	888
	20-40 " -	184	190	159	147	178	171	176	142	172	149	151	141	137	2097
	40-60 " -	270	255	306	252	283	264	268	271	305	255	223	219	222	3393
60 yrs. & upwds.	444	386	413	424	365	356	378	396	330	333	297	292	270	4684	
Deaths from—															
Small-pox - - -	-	-	1	1	-	1	-	-	-	-	-	1	-	4	
Measles - - -	47	42	37	44	42	41	44	58	40	46	38	31	24	534	
Scarlet Fever - -	13	13	9	5	9	11	4	9	11	6	7	12	11	120	
Diphtheria - - -	14	4	14	11	7	7	6	7	9	9	11	7	6	112	
Whooping-cough -	64	39	50	54	37	35	50	41	42	26	26	26	18	508	
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	6	3	6	5	3	3	5	4	6	2	3	1	5	52	
Pyrexia (origin un- certain).	-	-	-	-	-	-	-	-	-	1	-	-	1	2	
Diarrhoea, Dysentery	14	13	15	19	10	15	16	27	30	14	14	25	37	249	
All above Diseases -	158	114	132	139	108	113	125	146	138	104	99	103	102	1581	
Dis. of Resp. System	147	119	138	122	112	95	92	96	68	73	53	46	32	1193	
Pneumonia - - -	157	153	168	134	139	131	126	139	123	116	91	94	58	1629	
Phthisis - - -	141	131	125	121	127	119	122	111	134	129	95	104	92	1551	
Dis. of Circ. System -	196	145	185	168	161	143	174	163	169	170	162	131	151	2118	
Violence - - -	58	59	60	47	66	58	59	59	58	59	45	61	59	748	
Inquest Cases - - -	139	117	143	112	132	130	137	117	153	120	103	129	109	1641	
Deaths in Institutions	507	504	520	503	509	500	502	514	521	488	461	442	394	6365	
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
Mean - - -	49·5	43·1	48·5	49·4	53·6	53·3	51·2	62·7	53·7	59·5	60·9	63·2	64·0	54·3	
Mean of Highest -	58·7	50·6	56·1	60·1	64·0	64·0	62·8	74·7	59·2	69·0	72·0	74·0	74·7	64·6	
Mean of Lowest -	42·0	38·2	42·8	41·9	42·9	43·9	41·0	51·4	49·5	51·7	51·2	55·0	54·2	46·6	
Mean Humidity of the Air.	81	74	74	71	60	67	61	64	87	81	73	79	69	72	
Rain-fall (in inches) -	0·83	0·25	0·15	0·85	0·00	0·22	0·00	0·50	2·86	0·95	0·02	0·54	0·03	7·20	
Registered Sunshine (in hours).	22·7	16·5	24·8	54·7	55·5	52·1	39·4	51·5	7·8	45·6	58·3	36·8	52·7	518·4	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means	
Small-pox - - -	15	17	16	17	17	15	10	9	9	7	6	4	5	11	
Scarlet Fever - - -	2133	2128	2182	2152	2177	2211	2200	2268	2285	2356	2427	2473	2499	2269	
Diphtheria - - -	738	731	725	691	698	686	688	690	687	719	723	718	775	713	
Typhus - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - - -	63	53	65	72	70	71	79	80	80	82	83	78	81	74	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq. Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SEVENTH Week of the Year 1905.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 27th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 27th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1154	1006	203	100	74	137	222	270	Meningitis (not tuberc.)	12	15	5	5	2	2	1	-
									Insanity, Gen. Par. of	8	10	-	-	-	1	6	-
									Insane - - -	4	9	1	-	1	4	-	3
Small-pox* - - -	-	-	-	-	-	-	-	-	Epilepsy - - -	21	27	23	4	-	-	-	-
Cowpox - - -	-	-	-	-	-	-	-	-	Convulsions - -	1	1	-	-	-	-	-	-
Measles (Morbilli) -	53	24	8	15	1	-	-	-	Locomotor Ataxy -	5	3	-	-	-	-	3	-
Scarlet Fever - - -	9	11	-	5	6	-	-	-	Paraplegia, Dis. of Cord	12	16	-	2	3	2	4	5
Typhus - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	35	34	-	-	4	3	15	12
Plague - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	26	35	-	-	-	-	2	6
Influenza - - -	6	7	1	-	-	1	2	3	Cerebr. Hæm. Thromb.-	21	11	-	-	-	-	3	8
Whooping-cough - -	27	18	9	9	-	-	-	-	Apoplexy, Hemiplegia -	6	2	-	-	-	1	1	-
Diphtheria - - -	7	6	-	2	4	-	-	-	Aneurysm - - -	-	2	-	-	-	2	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	68	67	3	2	5	9	13	35
Pyrexia,† (Origin un-	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	-
certain) - - -	-	1	1	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-
Enteric Fever - - -	1	5	-	-	2	2	1	-	Croup (not Spasm: nor	-	-	-	-	-	-	-	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Memb. - - -	43	23	5	2	-	-	3	13
Epidemic Diarrhoea }	21	19	16	2	-	-	1	-	Bronchitis - - -	1	2	-	-	-	-	-	2
(Infective Enteritis)	-	-	-	-	-	-	-	-	Asthma, Emphysema -	3	2	-	-	-	-	1	1
Diarrhoea, Dysentery	18	18	6	3	-	-	5	4	Pleurisy - - -	5	6	-	2	-	2	1	-
Tetanus - - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	8	11	4	3	1	1	-	2
Glanders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	5	4	2	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	1	1	-	-	-	-	-	-
Venereal Dis. - - -	9	4	4	-	-	-	-	-	Peritonitis (not Puerp.)	7	11	-	-	-	2	6	3
Puerperal Septicæmia -	2	3	-	-	-	3	-	-	Cirrhosis of Liver - -	3	5	-	-	-	1	2	2
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	38	41	8	1	3	8	10	11
Puerperal Fever - - -	-	-	-	-	-	-	-	-	Digestive Dis., Other -	7	9	-	-	1	5	1	2
Infective Endocarditis	5	5	-	-	2	3	-	-	Nephritis, Acute - - -	28	34	-	-	-	5	10	19
Lobar - - -	5	9	-	-	-	1	7	1	Bright's Dis., Albumin-	6	8	-	-	-	-	4	4
Broncho - - -	37	18	6	5	1	1	1	4	uria - - -	3	3	-	-	-	2	1	-
Epidemic - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	4	-	-	-	-	-	-	-
Not defined - - -	41	31	1	2	2	8	10	8	Generative Organs Dis.-	38	36	-	-	-	-	-	36
Erysipelas - - -	1	2	1	-	-	-	-	1	Childbirth (Accid. of) -	87	74	45	7	6	6	7	3
Septicæmia (not Puer-	-	-	-	-	-	-	-	-	Old Age - - -	-	-	-	-	-	-	-	-
peral) - - -	-	-	-	-	-	-	-	-	Other Diseases - - -	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	1	-	-	-	-	1	-	ACCIDENT.	-	-	-	-	-	-	-	-
Other Infective Processes	12	2	1	-	-	-	-	1	By Railways - - -	1	1	-	-	1	-	-	-
Tuberculous Phthisis -	74	55	-	2	3	25	21	4	By Vehicles and Horses-	6	8	-	2	1	2	3	-
"Phthisis" - - -	58	37	-	2	3	16	12	4	In Ships, Boats, Docks,	1	1	-	-	-	-	1	-
Tuberculous Meningitis	13	24	5	14	5	-	-	-	(exclusive of Drown-	2	-	-	-	-	-	-	-
Tuberculous Peritonitis	17	4	1	-	2	-	-	1	ing) - - -	-	-	-	-	-	-	-	-
Tabes Mesenterica - -	6	2	1	1	-	-	-	-	In Building Operations-	2	-	-	-	-	-	-	-
Tuberculous Dis. (other)	17	13	-	2	2	3	4	2	In Conflagrations - -	-	-	-	-	-	-	-	-
Scrophula - - -	-	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	2	3	-	2	-	-	1	-
Alcoholism - - -	14	7	-	-	-	2	3	2	plosions - - -	8	3	-	-	2	1	-	-
Rheumatic Fever - - -	3	6	-	-	5	1	-	-	By Drowning - - -	4	5	3	-	-	-	-	-
Gout - - -	1	2	-	-	-	-	-	2	By Suffocation in Bed	1	3	-	-	-	-	1	1
Carcinoma - - -	41	39	-	-	-	1	23	15	By Poisons or Poisonous	1	3	-	-	-	-	1	1
Sarcoma - - -	7	5	-	-	-	-	3	2	Vapours - - -	19	24	2	4	4	3	5	6
Cancer (undefined) - -	27	25	1	-	-	1	12	11	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - -	7	6	-	-	-	3	3	3	dent - - -	-	-	-	-	-	-	-	-
Premature Birth - - -	55	38	38	-	-	-	-	-	Violence OTHER THAN	-	-	-	-	-	-	-	-
									ACCIDENTAL.	-	-	-	-	-	-	-	-
									Homicide - - -	2	-	-	-	-	-	-	-
									Suicide - - -	8	11	-	-	-	-	4	5
									Execution - - -	-	-	-	-	-	-	-	2

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th July, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin un- certain.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,536,429	2509	1006	203	270	-	24	11	6	18	-	5	1	37	59	109	394	2
WEST DISTRICTS - - -	805,311	389	164	34	52	-	10	3	1	4	-	2	-	4	9	11	63	-
NORTH DISTRICTS - - -	1,056,070	523	204	28	64	-	4	-	2	6	-	1	1	4	12	21	63	-
CENTRAL DISTRICTS - - -	209,465	115	67	14	12	-	3	-	-	-	-	1	1	2	6	7	32	-
EAST DISTRICTS - - -	715,739	457	199	49	39	-	1	-	3	5	-	1	-	15	18	33	97	-
SOUTH DISTRICTS - - -	1,749,844	1025	347	78	94	-	6	6	2	-	-	-	-	9	14	37	114	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	25	-	9	-	-	2	1	-	-	-	-	3	-	-	25	-
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	61	10	4	5	-	1	-	-	-	-	-	-	-	1	1	3	-
W ^{2H} } - G.	33,617	7	13	1	2	-	1	-	-	-	-	-	-	-	-	3	8	-
St. John Paddington H - C.	17,181	11	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-
North-West Paddington - C.																		
Kensington Town 2W w ^{2H} G. & W. & C.	128,037	52	25	7	8	-	2	-	-	1	-	1	-	1	2	2	9	-
Brompton 2H - W. & C.	48,591	16	8	-	5	-	-	-	-	-	-	-	-	1	1	1	2	-
North Hammersmith W, w ^H } W. & G.	49,192	31	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith w ^{2H} } -	63,047	36	12	4	2	-	-	-	-	-	-	-	-	-	1	2	5	-
North-west Fulham W } W. & C.	45,180	40	17	5	9	-	-	-	-	-	-	-	-	-	-	-	2	-
North-east Fulham F } -	46,405	18	11	1	1	-	2	3	1	2	-	-	-	2	-	-	4	-
South Fulham W } -	45,704	33	8	3	3	-	1	-	-	-	-	-	-	1	-	-	-	-
Chelsea North W, w ^{3H} - - C.	42,514	16	13	1	5	-	-	-	-	-	-	-	-	-	-	-	9	-
Chelsea South W ^{2H} - - C.	31,328	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Mayfair and Knightsbridge C. & G.	28,743	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W ^{2H} - - C.	56,815	19	19	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Margaret & St. John 4H - C.	43,698	16	13	2	5	-	1	-	-	1	-	-	-	-	1	2	8	3
St. James Westminster } N. & G.	21,588	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
W ^H } - N.	11,493	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Anne Soho 5H - - N.																		
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	10	12	1	2	-	-	-	-	-	-	-	-	-	4	4	3	-
Rectory Marylebone W G. & W.	19,849	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Mary Marylebone 4H G. & W.	15,069	33	4	2	1	-	-	-	-	-	-	1	-	1	1	-	-	-
Christchurch Marylebone H- W.	39,536	18	9	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, M ^{6H} - N. & W.	81,942	35	14	1	6	-	-	-	-	-	1	-	-	-	-	-	3	-
West St. Pancras 2H - - W.	60,562	26	10	2	1	-	-	-	-	-	-	-	-	-	1	3	2	-
Tottenham-court w, 7H - N. & W.	21,258	4	7	2	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Gray's Inn Lane 4H - - N.	34,449	14	8	1	1	-	-	-	-	-	-	-	-	-	1	1	3	-
East St. Pancras W ^{2H} - - N.	60,320	32	10	2	3	-	-	-	-	-	-	-	-	-	1	1	3	-
North St. Pancras 2W - - N.	58,728	35	17	-	7	-	1	-	-	-	-	-	-	1	2	4	8	-
Tufnell W - - N.	31,995	17	17	5	9	-	-	-	-	-	-	-	-	1	-	-	-	-
Upper Holloway 2W, w, H - - N.	33,978	27	12	1	2	-	-	-	3	-	-	-	-	-	1	1	10	-
Tollington WH - - N.	35,922	17	4	-	1	-	-	-	-	-	-	-	-	1	-	-	7	-
Lower Holloway - - N.	41,424	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - N.	54,478	27	9	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Islington South-east F - - N.	75,397	37	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Highbury 2H - - N.	69,797	24	6	-	2	-	-	-	-	1	-	-	-	-	-	2	-	-
Stoke Newington H - - N.	51,247	26	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	50,580	23	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w, F - E. & N.	50,536	20	7	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-
South-west Hackney 3H - E. & N.	58,921	29	12	2	1	-	-	-	-	-	-	-	-	1	1	2	-	-
South-east Hackney 2W, w, H E. & N.	58,265	28	12	1	6	-	-	-	-	-	-	-	-	-	-	-	6	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th July, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th July, 1905.—continued.

[illegible]

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th July, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants, under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,602	2,044,973	1374	356	76	116	-	11	2	4	16	1	6	18	37	53	2		
1 Carshalton 2F,2H	12,228	32,997	16	7	1	2	-	-	1	1	-	-	-	-	1	1	2		
2 Epsom, part of* W,w,2F,H	10,423	15,548	8	1	-	1	-	-	-	-	-	-	-	-	1	1	-		
1 Godstone, part of* W,F	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Coulsdon - - -	11,069	8,166	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-		
2 South Croydon w	4,200	49,309	30	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
3 West Croydon 3W,F,H	2,168	42,888	40	15	5	5	-	-	-	-	2	-	-	-	-	-	6		
4 North Croydon H	2,644	41,698	21	7	2	4	-	-	-	-	-	-	-	-	1	2	-		
5 Penge w,H	770	22,465	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
6 Mitcham w	11,711	30,015	26	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
1 Wimbledon F,3H	3,221	41,652	33	7	3	3	-	-	-	-	-	-	-	-	-	-	-		
2 Kingston 2W,H	6,224	42,068	39	9	1	3	-	-	-	-	-	-	-	-	1	8	-		
3 Surbiton F,H	3,046	15,017	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
4 Esher, part of* H	5,402	13,100	5	2	-	1	-	-	-	-	-	-	-	-	1	1	-		
5 Hampton H,F,L	4,564	23,456	9	5	2	-	-	-	-	-	1	-	-	-	1	1	-		
1 Richmond W,H	2,162	28,665	7	7	1	3	-	-	-	-	-	-	-	-	-	-	-		
2 Mortlake F	2,847	20,628	15	3	-	2	-	-	-	-	-	-	-	-	-	-	4		
1 Bromley F,2H	4,703	27,354	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2 Beckenham H	7,825	28,497	14	5	2	1	-	-	-	-	-	-	-	-	-	-	-		
3 Orpington part of* W	10,113	9,857	5	3	-	2	-	-	-	-	-	-	-	-	-	-	1		
4 Chislehurst 2H	7,333	16,446	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
1 Bexley w F,H	8,678	21,151	12	3	-	1	-	-	-	-	-	-	-	-	1	1	-		
2 Erith F,H	3,854	25,296	20	8	2	3	-	2	-	-	1	-	-	-	-	-	1		
3 Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Sunbury w	11,054	18,683	12	5	1	-	-	-	-	-	1	-	-	-	1	1	-		
2 Staines W,H	13,277	15,178	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
1 Hillingdon W,F,H	6,035	13,661	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Uxbridge H	12,767	8,984	5	5	2	2	-	1	-	-	-	-	-	-	-	-	-		
3 Hayes w,F,H	8,066	16,358	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Isleworth 3W,2F,H	6,859	30,863	17	4	-	2	-	-	-	1	1	-	-	-	1	1	2		
2 Twickenham F,H	2,421	20,991	17	5	-	3	-	-	-	-	-	-	-	-	-	-	-		
3 Brentford 3F,2H,L	4,319	48,289	27	8	2	2	-	-	-	-	-	-	-	-	-	2	-		
4 Chiswick H	1,249	29,809	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
5 Acton w,3H	6,132	48,914	48	5	-	1	-	-	-	-	-	-	-	-	1	1	1		
1 Harrow F,H	13,809	25,523	22	4	1	-	-	-	-	-	-	-	-	-	1	1	-		
2 Edgware F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Willesden W,2F,2H	4,384	114,811	106	18	5	2	-	4	-	1	-	-	-	-	-	1	1		
4 Hendon W,F	8,382	22,450	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
1 South Mimms 2F,H	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Barnet W,2H	3,324	17,970	5	5	1	3	-	-	-	-	-	-	-	-	-	-	-		
3 Finchley F,2H	4,688	33,692	30	5	1	2	-	-	-	-	-	-	-	-	-	-	-		
1 Hornsey F,H	2,875	72,056	32	10	1	3	-	-	-	-	-	-	-	-	-	-	-		
2 Wood Green H	1,625	34,233	29	6	4	1	-	-	-	-	-	-	-	-	-	-	-		
3 West Tottenham F	996	48,853	36	5	1	1	-	-	-	-	1	-	-	-	-	1	-		
4 East Tottenham 2H	2,017	53,688	41	7	-	3	-	-	-	-	-	-	-	-	1	1	2		
5 Edmonton W,w,2F	7,491	61,892	47	13	1	8	-	-	-	-	1	-	-	-	-	-	3		
6 Enfield 2W,F,H	12,601	42,738	20	5	-	-	-	-	-	1	-	-	-	-	1	2	1		
7 Waltham Abbey F	11,017	6,549	4	4	-	3	-	1	-	-	-	-	-	-	-	-	-		
8 Cheshunt F,H	8,479	12,292	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Bushey H	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Stratford H	1,072	44,827	19	7	2	3	-	-	-	-	1	-	-	-	1	1	-		
2 Plaistow F,2H	1,249	90,921	53	25	10	5	-	2	-	-	3	-	3	-	1	3	1		
3 Canning Town H	1,556	70,718	46	15	3	4	-	-	-	-	2	-	-	-	2	5	-		
4 Forest Gate w	806	60,892	41	5	2	3	-	-	-	-	1	-	-	-	-	-	-		
5 North East Ham w,H	1,333	58,676	34	8	2	2	-	-	-	-	-	-	-	-	-	-	-		
6 South East Ham 2F	1,993	37,342	44	6	1	1	-	-	-	-	-	1	-	-	-	-	1		
7 Wanstead F	1,379	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 South Leyton 2W	631	50,467	40	3	-	2	-	-	-	-	-	-	-	-	-	1	-		
9 North Leyton 2W,w,F	1,963	48,445	31	20	2	7	-	-	-	1	-	-	1	-	1	1	10		
10 Walthamstow 3H,L	6,504	108,929	85	17	4	4	-	1	-	1	-	-	-	-	1	2	-		
1 Chigwell, part of* 2F,3H	11,778	16,397	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
2 Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
1 Romford, part of* W,2F	6,556	6,091	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
2 Ilford F,L	8,496	41,234	23	10	2	4	-	-	-	-	-	-	2	-	-	-	2		
3 Barking Town F	3,893	21,547	13	7	-	2	-	-	-	-	-	-	-	-	1	2	1		
Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2		
City of London Lunatic Asylum, Stone.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Leyton Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,684,794	July 8	2509	1006	11·2	-	24	11	6	18	6	3
CALCUTTA - -	847,796	May 27	-	560	34·3	7	3	-	-	3	247†	0
BOMBAY - -	776,006	June 20	353	729	48·8	11	15	-	-	-	197†	0
MADRAS - -	509,346	" 2	470	509	51·8	2	6	?	?	?	92†	11
		" 9	433	496	50·6	-	5	?	?	?	81	11
PARIS - -	2,880,559	July 1	1013	885	16·8	-	9	2	5	11	1	4
BRUSSELS - -	586,936	" 1	202	163	14·2	-	-	-	-	-	1	1
ANTWERP - -	286,695	" 1	136	70	12·5	-	2	-	-	1	1	1
AMSTERDAM -	551,415	June 24	283	140	13·2	-	7	-	-	-	2	1
COPENHAGEN -	426,000	July 1	201	148	17·9	-	2	1	1	1	-	-
STOCKHOLM -	309,496	June 24	134	104	17·0	-	1	-	1	2	-	-
CHRISTIANIA -	223,649	July 1	102	65	15·2	-	-	-	1	4	-	-
ST. PETERSBURG	1,248,122	June 24	490	734	27·4	-	31	19	10	7	36	14
MOSCOW - -	1,092,360	" 24	-	940	44·9	4	7	10	10	8	7	46
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,015,253	June 17	926	555	14·4	-	8	7	3	5	-	4
HAMBURG - -	772,852	July 1	-	247	16·6	-	2	1	2	3	-	4
BRESLAU - -	462,147	" 1	-	178	20·1	-	-	-	2	1	1	2
MUNICH - -	528,000	" 1	-	213	21·0	-	5	-	2	3	1	2
VIENNA - -	1,877,839	June 24	1003	620	17·0	-	21	2	5	3	1	6
		July 1	924	718	19·6	-	28	2	7	7	1	8
PRAGUE - -	430,569	" 1	178	175	20·3	-	1	-	1	-	1	2
BUDA-PESTH -	836,267	" 1	431	288	17·9	-	7	4	1	2	2	1
TRIESTE - -	191,403	" 1	123	94	25·3	-	1	1	-	-	1	-
ROME - -	503,857	April 29	217	174	17·9	-	4	-	-	-	2	1
VENICE - -	169,417	June 24	95	70	21·5	-	3	-	1	2	2	-
BUCHAREST -	282,071	" 24	157	113	20·9	-	-	-	1	-	-	1
NEW YORK - -	3,948,191	" 24	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	1,932,315	" 17	-	458	12·0	3	4	1	8	9	4	2
		" 24	-	439	11·5	3	2	2	3	7	5	2
PHILADELPHIA -	1,438,318	" 17	-	421	15·2	-	-	3	9	3	17	2
BOSTON - -	617,950	" 10	-	188	15·8	-	1	1	2	1	-	1
RIO DE JANEIRO	850,000	" 4	-	282	16·2	3	2	-	1	-	1	1

* Excluding deaths from croup in the Indian Cities.

† Including 146 deaths from plague in Calcutta, 136 in Bombay, and one in Madras.

‡ Including 11 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th July, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	81·9	48·2	64·5	0·03	BRADFORD - -	78·8	48·0	61·5	0·06
BRIGHTON - -	76·8	52·2	62·4	0·15	LEEDS - -	82·0	50·0	62·6	0·10
PORTSMOUTH - -	75·0	52·0	63·7	0·00	HULL - -	80·0	47·0	61·8	0·00
NORWICH - -	75·6	48·8	63·2	0·00	TYNEMOUTH - -	73·0	45·0	59·6	0·75
PLYMOUTH - -	74·8	49·8	60·9	0·05					
BRISTOL - -	81·0	45·2	61·6	0·19	EDINBURGH - -	73·2	46·1	58·1	0·31
BIRMINGHAM - -	78·6	48·1	60·8	0·01	GLASGOW - -	78·0	45·4	58·9	0·26
NOTTINGHAM -	78·4	44·0	61·1	0·01					
LIVERPOOL }	74·0	50·0	60·2	0·10	Phoenix Park.	75·3	43·6	59·1	0·18
OBSERVATORY. }	83·0	43·8	60·0	0·04	DUBLIN Fitzwilliam Square.†	74·3	49·3	60·8	0·07
MANCHESTER -	76·2	50·0	60·3	0·34					
PRESTON - -	78·8	47·7	60·4	0·00	BELFAST - -	?	?	?	?
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March 1902, for the corresponding period, the above was 1°9 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1905.		BAROMETER.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		WINDS deduced from Anemometers.		Rain collected in a Gauge whose receiving surface is 5 inches square, and the area of the ground.			
Phases of the Moon.		Of the Air.		Of the Dew point.		Difference between the Air and Dew Point Temperature.		Of Radiation.		Oiler's.		Robinson's.			
High-est.	Low-est.	Daily Range.	Mean daily value.	Mean daily value.	De-pression from daily average value.	Mean daily value.	Great-est.	Least.	Highest in Sun's Ray.	Lowest on the Grass.	General Direction.	Pressure on the Square foot.	Horizontal Miles off the Air Day.	Vertical Miles off the Air Day.	
in.	°	°	°	°	°	°	°	°	°	°	SW.	lbs.	lbs.	in.	
29° 57' 2"	76° 0'	53° 1'	22° 9'	54° 5'	+ 3° 5'	10° 4'	19° 2'	2° 4'	131° 8'	41° 2'	SW. <td>3° 6'</td> <td>0° 0'</td> <td>147</td>	3° 6'	0° 0'	147	
30° 05' 4"	78° 0'	58° 8'	19° 2'	56° 4'	+ 4° 3'	9° 6'	20° 1'	3° 2'	134° 7'	52° 8'	WSW. & SW. <td>1° 1'</td> <td>0° 0'</td> <td>68</td>	1° 1'	0° 0'	68	
30° 00' 5"	68° 9'	56° 3'	12° 3'	57° 3'	+ 0° 1'	4° 7'	10° 4'	1° 5'	97° 5'	47° 6'	NNE. & N. & ESE. <td>0° 7'</td> <td>0° 0'</td> <td>0° 0'</td>	0° 7'	0° 0'	0° 0'	
29° 58' 0"	72° 2'	56° 4'	15° 8'	54° 1'	+ 1° 6'	9° 6'	17° 5'	1° 5'	103° 0'	50° 4'	NNE. & N. & ENE. <td>1° 3'</td> <td>0° 0'</td> <td>1° 0'</td>	1° 3'	0° 0'	1° 0'	
29° 59' 4"	70° 0'	54° 5'	15° 1'	48° 4'	- 1° 1'	12° 7'	19° 6'	2° 8'	120° 5'	46° 1'	NW. & N. <td>1° 2'</td> <td>0° 0'</td> <td>2° 0'</td>	1° 2'	0° 0'	2° 0'	
29° 58' 3"	76° 1'	48° 2'	27° 9'	49° 7'	+ 0° 2'	12° 8'	23° 6'	2° 3'	120° 1'	36° 8'	N. <td>0° 1'</td> <td>0° 0'</td> <td>0° 0'</td>	0° 1'	0° 0'	0° 0'	
29° 56' 1"	81° 9'	51° 8'	30° 1'	53° 3'	+ 5° 8'	14° 5'	26° 7'	0° 8'	143° 9'	40° 8'	WSW. & NE. <td>1° 0'</td> <td>0° 0'</td> <td>1° 2'</td>	1° 0'	0° 0'	1° 2'	
29° 54' 0"	74° 7'	54° 2'	29° 5'	53° 4'	+ 2° 1'	10° 6'	19° 6'	2° 1'	121° 6'	45° 0'	Variable	Sum 37	
Sum 527	Sum 1150	28	29	15	16	17	18	19	20	21	22	23	24	25	
No. of Column -		3		4		5		6		7		8		9	
DATE.		ELECTRICITY (For explanation of symbols, see Note.)		Registered Sunshine in hours.		GENERAL REMARKS.									
JULY															
SUNDAY	2	w. P. generally; w. N. in afternoon.		11° 0'		Cloudy in early morning; very fine till afternoon; cloudy afterwards with light showers in evening.									
MONDAY	3	w. P. throughout.		57		Generally cloudy; fine in forenoon.									
TUESDAY	4	w. P. throughout.		01		Overcast till evening; fine but cloudy afterwards.									
WEDNESDAY	5	w. P. till 3h. P.M.; m. P. generally afterwards.		12		Generally cloudy.									
THURSDAY	6	w. P. till 9h. A.M.; m. P. afterwards.		73		Overcast in morning with light showers at and about 1h. A.M.; very fine generally but partially cloudy afterwards.									
FRIDAY	7	m. P. generally; s. P. between 9h. and 11h. A.M.		131		A very fine day; practically cloudless.									
SATURDAY	8	w. P. throughout.		143		Very fine and warm; cloudless with slight exceptions.									
No. of Col -	-			Sum 527		Sum 1150									

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., 3h. P.M. and 9h. P.M. The means of the eye-readings of the thermometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the thermometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily wet bulb temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890 and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

The readings of columns 9 and 10 will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; m. moderate; a. strong; and v. variable.

The numbers in column 28 derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.

The reading of the barometer increased from 29.82 in. at the beginning of the week to 30.09 in. by 9h. P.M. on the 3rd; decreased to 29.77 in. by 6h. P.M. on the 5th; increased to 30.00 in. by 8h. A.M. on the 7th; and decreased to 29.84 in. by midnight on the 8th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st July, 1905.*

BOROUGHES	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (Includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	147,935	-	9	2	-	1	-	-	5	-	
Kensington - - - - -	180,083	-	8	2	-	1	-	-	-	-	
Hammersmith - - - - -	119,037	-	11	7	-	2	-	-	2	-	
Fulham - - - - -	157,210	-	22	12	-	12	-	-	1	-	
Chelsea - - - - -	74,496	-	3	-	-	1	-	-	-	-	
City of Westminster - - -	175,606	-	5	3	-	-	-	-	1	-	
NORTH.											
St. Marylebone - - - - -	120,453	-	6	4	-	-	-	-	3	-	
Hampstead - - - - -	88,142	-	3	1	-	-	-	-	-	-	
St. Pancras - - - - -	236,183	1	8	4	-	1	-	-	-	-	
Islington - - - - -	342,994	-	32	4	-	3	-	-	3	1	
Stoke Newington - - - - -	52,828	-	4	-	-	-	-	-	-	-	
Hackney - - - - -	228,479	-	17	9	-	3	-	-	2	-	
CENTRAL.											
Holborn - - - - -	56,481	-	-	-	-	-	-	-	1	-	
Finsbury - - - - -	98,207	-	8	-	-	1	-	-	6	1	
City of London - - - - -	22,425	-	1	-	-	-	-	-	-	-	
EAST.											
Shoreditch - - - - -	116,565	-	12	8	-	-	-	-	2	1	
Bethnal Green - - - - -	130,401	-	17	9	-	1	-	-	3	-	
Stepney - - - - -	305,466	-	41	9	-	3	-	-	-	-	
Poplar - - - - -	170,280	-	19	15	-	-	-	-	4	-	
SOUTH.											
Southwark - - - - -	208,528	-	21	14	-	1	-	-	4	-	
Bermondsey - - - - -	129,006	-	12	9	-	1	-	-	1	-	
Lambeth - - - - -	313,045	-	18	10	-	1	-	-	3	-	
Battersea - - - - -	177,532	-	14	5	-	-	-	-	1	-	
Wandsworth - - - - -	265,392	-	25	6	-	1	-	-	6	1	
Camberwell - - - - -	271,240	-	24	-	-	2	-	-	7	-	
Deptford - - - - -	114,495	-	12	2	-	-	-	-	2	-	
Greenwich - - - - -	103,493	-	6	4	-	-	-	-	1	-	
Lewisham - - - - -	144,420	-	8	5	-	-	-	-	2	-	
Woolwich - - - - -	125,372	-	6	2	-	-	-	-	1	-	
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	1	372	146	-	25	-	-	67	4
AGES.											
Ages 0-1 - - - - -	-	-	6	3	-	-	-	-	2	-	
" 1-5 - - - - -	-	-	126	61	-	2	-	-	1	-	
" 5- - - - -	-	-	158	44	-	2	-	-	1	-	
" 10- - - - -	-	-	42	19	-	4	-	-	2	-	
" 15- - - - -	-	-	18	8	-	3	-	-	2	-	
" 20- - - - -	-	-	14	8	-	4	-	-	6	1	
" 25- - - - -	-	1	7	2	-	5	-	-	8	1	
" 35- - - - -	-	-	1	-	-	4	-	-	17	2	
" 45- - - - -	-	-	-	-	-	-	-	-	-	-	
" 55- - - - -	-	-	-	1	-	1	-	-	9	-	
" 65 and upwards - - -	-	-	-	-	-	-	-	-	9	-	
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS OF PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 1st JULY, 1905.

BOROUGHs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.*
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Pyæmia* (origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON -	16,075	5	549	119	117	521	-	47	1	216	1,551	3,241	103
West.													
PADDINGTON - - -	498	-	39	1	2	20	-	1	-	5	33	106	127
KENSINGTON - - -	616	-	18	6	3	25	-	3	-	11	45	107	124
HAMMERSMITH - - -	395	-	8	1	5	27	-	1	-	2	32	97	130
FULHAM - - -	570	-	31	4	3	26	-	3	-	18	46	134	109
CHELSEA - - -	239	-	1	-	2	7	-	2	-	-	24	43	109
CITY OF WESTMINSTER -	535	-	5	3	-	10	-	1	-	10	64	71	97
North.													
ST. MARYLEBONE - - -	485	-	25	4	-	10	-	1	-	6	45	80	79
HAMPSTEAD - - -	173	-	1	2	2	8	-	2	-	1	15	23	61
ST. PANCRAS - - -	804	-	25	9	9	18	-	-	-	8	80	133	97
ISLINGTON - - -	1,177	-	17	7	5	51	-	3	-	11	81	250	112
STOKE NEWINGTON - -	166	-	8	1	1	6	-	-	-	1	16	22	78
HACKNEY - - -	729	1	41	5	4	30	-	4	-	15	52	136	93
Central.													
HOLBORN - - -	224	-	7	2	1	6	-	-	-	4	32	38	93
FINSBURY - - -	422	-	15	6	5	11	-	-	-	5	48	91	111
CITY OF LONDON - - -	93	-	-	-	-	-	-	-	-	1	11	12	146
East.													
SHOREDITCH - - -	540	1	23	7	5	36	-	1	-	6	52	131	136
BETHNAL GREEN - - -	554	-	21	4	9	13	-	2	1	9	75	125	117
STEPNEY - - -	1,203	-	51	11	12	31	-	4	-	23	131	314	113
POPLAR - - -	701	-	44	7	6	27	-	2	-	21	77	165	127
South.													
SOUTHWARK - - -	849	-	10	4	9	31	-	3	-	11	116	170	109
BERMONDSEY - - -	509	-	18	2	4	7	-	-	-	7	57	122	118
LAMBETH - - -	1,028	-	8	4	5	29	-	2	-	11	113	202	93
BATTERSEA - - -	617	-	87	2	4	16	-	2	-	-	51	126	103
WANDSWORTH - - -	695	-	3	10	4	31	-	1	-	7	57	128	75
CAMBERWELL - - -	826	-	27	11	5	18	-	2	-	8	63	170	98
DEPTFORD - - -	345	-	2	1	-	8	-	1	-	4	35	66	86
GREENWICH - - -	296	-	7	1	6	3	-	1	-	5	28	57	88
LEWISHAM - - -	380	3	5	2	2	14	-	2	-	2	25	60	66
WOOLWICH - - -	396	-	2	2	4	2	-	3	-	4	50	62	70

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 509 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 635 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JUNE, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th July, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of June.

Eleven samples were taken in each of the eight districts, making a total of 88 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ June 6th, Drinking Fountain, Moore Park Road. }	17.0	26.32	126	.014	0	.161	.175	1.7	19.0
West Middlesex - -	{ June 6th, Cab Rank, Earl's Court Gardens. }	17.5	25.46	146	.014	0	.144	.158	1.75	18.4
Southwark - - - -	{ June 6th, Drinking Fountain, Victoria Circus, Battersea. }	16.5	26.18	144	.018	0	.161	.179	1.7	18.9
Grand Junction - -	{ June 6th, Cab Rank, Shepherd's Bush Green. }	17.9	25.08	123	.014	0	.159	.173	1.7	18.7
Lambeth - - - -	{ June 6th, Cab Rank, Westminster Bridge Road. }	19.2	26.26	145	.013	0	.161	.174	1.8	18.6
LEA, WELLS, ETC.										
New River - - - -	{ June 6th, Cab Rank, Gray's Inn Road, by King's Cross Station. }	16.3	29.90	.063	.008	0	.188	.194	1.9	21.7
LEA, THAMES, ETC.										
East London - - -	{ June 6th, Cab Rank, High Street, Shoreditch. }	18.0	28.84	134	.012	0	.276	.288	2.0	20.5
DEEP WELLS.										
Kent- - - - -	{ June 6th, Cab Rank, Woolwich Arsenal Station. }	14.5	44.54	.040	.007	0	.535	.542	3.8	29.2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 6th June at the drinking fountain in Moore Park Road, had a temperature of 17.0° C.; 100,000 lbs. of it contained 26.32 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .126 lb. of carbon and .014 lb. of nitrogen. The above quantity of water also contained .161 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .175 lb. The above weight of water also contained 1.7 lb. of chlorine and 19.0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 6th June were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was :— Kent 0·8, New River 1·2, Chelsea and Grand Junction 2·4, West Middlesex and East London 2·5, and Southwark and Lambeth 2·7.

The five supplies derived from the Thames, sampled on the 6th June, contained on the average slightly less organic matter than was found in the corresponding examination in the previous month and were all of good quality. All the samples were perfectly clear except the West Middlesex, which contained minute traces of suspended matter.

The New River district water, consisting chiefly of filtered Lea and deep-well water, contained less than half the proportion of organic impurity present in the Thames supplies, and was clear and of very good quality. The East London water, drawn in a district partly supplied with water abstracted from the Thames at Sunbury, was of good quality, but contained traces of rust-stained matter.

The Kent district deep-well water was of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and that drawn in the New River district was nearly colourless; the samples taken in the six remaining areas had a very pale yellow colour.

In addition to the above analytical examination, the 88 samples of water, collected during June at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·095	·057	·075	·105	·061	·085	·009	·007	·008
West Middlesex	·078	·059	·066	·084	·065	·073	·008	·0065	·007
Southwark	·113	·063	·088	·120	·070	·094	·010	·0075	·0085
Grand Junction	·096	·054	·077	·101	·059	·083	·010	·006	·0085
Lambeth	·114	·065	·091	·121	·070	·098	·0105	·0085	·009
LEA, WELLS, ETC.									
New River	·051	·022	·030	·053	·024	·033	·005	·004	·004
LEA, THAMES, ETC.									
East London	·129	·045	·071	·131	·052	·076	·0095	·006	·008
DEEP WELLS.									
Kent	·010	·006	·007	·011	·007	·008	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, a recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With respect to the five Thames-derived supplies, the above results show that the West Middlesex water contained, on the average, the smallest amount of organic impurity, and the Lambeth district supply the largest. The colour and proportion of organic matter in the West Middlesex supply was nearly uniform during the month, but in the cases of the other district supplies the colour and organic impurity rose slightly from the commencement of the month, owing to the less favourable condition of the river; however, on no occasion was the proportion of organic matter excessive, and all the samples examined were of good quality.

The New River supply, consisting of filtered Lea and deep-well water, was of very good quality during the whole month.

The East London district water, obtained chiefly from the Lea, contained, on the average about the same proportion of organic impurity as the best of the Thames supplies and was of good quality.

The eight samples of deep-well water, drawn in the Kent district, were of uniform high organic purity and excellent quality.

All the samples collected in the Chelsea, Grand Junction, Lambeth, New River, and Kent districts were clear, but from the remaining three districts, on a few occasions, the samples were found to contain minute amounts of rust-stained suspended matter.

I am, Sir,
Your obedient Servant,
T. E. THORPE,

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of June, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 226 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	JUNE, 1904.	JUNE, 1905.	JUNE, 1904.	JUNE, 1905.
TOTAL SUPPLY - - -	988,540	1,029,999	234,814,520	232,858,526
From Thames - - - - -	469,777	479,458	123,550,191	123,173,101
From Lea and from other Sources -	518,763	550,541	111,264,329	109,685,425
THAMES.				
Chelsea - - - - -	39,830	39,969	13,498,000	13,446,667
West Middlesex - - - - -	91,050	92,071	26,136,129	25,969,900
Southwark and Vauxhall - - -	129,549	130,891	32,254,405	31,541,000
Grand Junction - - - - -	76,565	79,490	19,287,191	19,259,347
Lambeth - - - - -	132,788	137,037	32,374,466	32,956,187
LEA AND OTHER SOURCES.				
New River - - - - -	180,302	205,286	44,528,354	43,697,921
East London - - - - -	228,742	232,898	45,965,000	46,307,800
Kent - - - - -	109,719	112,357	20,770,975	19,679,704

Note.—The Return for June, 1905, as compared with that for the corresponding month of 1904, shows an increase of 41,459 services, and a decrease of 1,955,994 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 28. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JULY 15. [Price 1½d.]

General Register Office, Somerset House,
July 17th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·9 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 12·9, 12·7, and 11·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·2 in Barrow in Furness, 18·4 in Merthyr Tydfil, 18·5 in Salford, 18·6 in Stockport, 19·1 in Bootle, 20·5 in Burnley and in Sunderland, and 23·1 in West Bromwich; from *measles*, 1·7 in Bristol and in Sunderland, 2·6 in Barrow in Furness, and 3·1 in West Bromwich; from *scarlet fever*, 1·2 in Blackburn and 1·4 in Devonport; from *diphtheria*, 1·7 in Barrow in Furness; from *whooping-cough*, 1·3 in Walthamstow and in Aston Manor, and 1·5 in West Hartlepool; from "*fever*," 1·4 in Devonport; and from *diarrhoea*, 2·1 in Liverpool and in Middlesbrough, 2·2 in Norwich, 2·5 in Rhondda, 2·6 in Aston Manor, 3·2 in Stockport, 4·2 in Bootle, and 4·5 in Birkenhead. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2363 BIRTHS and 1047 DEATHS were registered. Allowing for increase of population, the births were 256 and the deaths 365 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 11·7, 12·0, and 11·2 in the preceding three weeks, was 11·7 last week. During the four weeks ended on Saturday last the death-rate averaged 11·7 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1047 deaths included 27 from measles, 7 from scarlet fever, 6 from diphtheria, 17 from whooping-cough, 3 from enteric fever, and 58 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 118 deaths were referred to these diseases in the aggregate, being 115 below the corrected average weekly number.

The deaths from *measles*, which had been 38, 31, and 24 in the preceding three weeks, were 27 last week, and were 16 below the corrected average; 3 deaths belonged to the Borough of St. Pancras, and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 7, 12, and 11 in the preceding three weeks, were 7 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 11, 7, and 6 in the preceding three weeks, were again 6 last week, and were 24 below the corrected average. The deaths from *whooping-cough*, which had been 26, 26, and 18 in the preceding three weeks, were 17 last week, and were 18 below the corrected average; 3 deaths belonged to Stepney. The fatal cases of *enteric fever*, which had been 3, 1, and 5 in the preceding three weeks, were 3 last week, and were 5 below the corrected average. The deaths from *diarrhœa*, which had been 14, 25, and 37 in the preceding three weeks, further rose last week to 58, but were 46 below the corrected average; 6 deaths belonged to Bethnal Green, 6 to Stepney, 5 to Lambeth, and 4 to Fulham. Of the 58 deaths from diarrhœa, 52 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 2, 4, and 7 in the preceding three weeks.

Different forms of *violence* caused 53 deaths, concerning all but 3 of which inquests were held. Of these 53 deaths, 9 were cases of suicide, while the remaining 44 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 6 to burns and scalds, 3 to drowning, 3 to heat apoplexy, 2 to lightning, 1 to the effects of an anæsthetic administered for surgical purposes, and 3 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2520 of scarlet fever, 764 of diphtheria, and 89 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 1, 1, and 2; of scarlet fever, 356 cases, against 325, 334, and 354; of diphtheria, 107 cases, against 112, 115, and 144; and of enteric fever, 16 cases, against 12, 8, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 8th.

GREATER LONDON.

In Greater London 3568 births and 1446 deaths were registered. Allowing for increase of population these numbers are 330 and 475 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 4 from diphtheria, 6 from whooping-cough, 3 from "fever," and 7 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·93 inches, and that of the Thermometer 68°·9, the latter being 6°·3 above the week's average in the 50 years 1841-90. The direction of the wind was South-Westerly, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 55·4 hours; the measured rainfall amounted to 0·26 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.--76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the WEEK ended Saturday, 15th July, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Births during the Week ended 15th July, 1905.		The DEATHS registered in the Week include											TOWNS			
		Week ended				Week ended		BIRTHS.	DEATHS.	Deaths of			Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		Week ended				Week ended				Deaths of			Deaths from											
		24th June, 1905.	1st July, 1905.	8th July, 1905.	15th July, 1905.	24th June, 1905.	1st July, 1905.			8th July, 1905.	15th July, 1905.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentery.				
76 TOWNS	15,609,377	12.9	12.7	11.6	12.9	1.6	38.60	81.96	966	994	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
LONDON -	4,684,704	11.7	12.0	11.2	11.7	1.3	1047	2363	222	295	27	27	34	26	70	16	3	58	53	101	451	50	1	76 TOWNS. LONDON.
(CROYDON -	147,704	7.4	9.9	9.2	10.6	0.4	30	72	3	12	1	1	-	-	-	-	-	-	-	1	2	7	-	(CROYDON.
WILLESDEN -	138,080	8.3	6.8	7.2	9.8	0.4	68	26	8	9	1	1	1	-	-	-	-	-	1	2	1	-	-	WILLESDEN.
HORNSEY -	84,070	6.8	6.8	6.8	3.7	1.9	34	6	2	2	1	1	-	-	-	-	-	-	1	1	2	7	-	HORNSEY.
TOTTENHAM -	116,232	7.6	11.2	5.8	11.2	1.3	74	25	8	6	1	1	1	1	3	-	7	-	-	-	-	15	-	TOTTENHAM.
WEST HAM -	284,987	11.0	7.6	10.3	9.5	1.8	128	54	16	19	-	-	-	-	-	-	-	-	-	-	2	2	-	WEST HAM.
EAST HAM -	123,381	10.6	7.2	5.9	8.9	0.8	56	21	8	2	-	-	-	-	1	-	-	-	1	1	2	2	-	EAST HAM.
LEYTON -	114,555	9.1	6.8	7.3	8.2	1.8	59	18	6	4	-	-	-	-	-	-	-	-	4	-	5	1	-	LEYTON.
(WALTHAMSTOW -	116,297	11.2	7.6	7.2	7.2	2.7	61	16	4	1	1	1	-	-	3	-	2	1	1	4	2	2	-	(WALTHAMSTOW.
HASTINGS -	66,820	9.4	12.5	8.6	10.9	-	25	14	2	6	-	-	-	-	-	-	-	-	-	1	1	2	1	HASTINGS.
BRIGHTON -	127,183	10.2	9.8	9.8	12.7	-	60	31	-	13	-	-	-	-	-	-	-	-	-	-	6	2	-	BRIGHTON.
PORTSMOUTH†	201,975	12.7	11.1	9.8	13.7	0.8	120	53	10	15	1	1	1	-	-	-	2	4	7	13	-	-	-	PORTSMOUTH†
BOURNEMOUTH -	66,168	9.5	10.2	3.9	8.7	-	17	11	-	.7	-	-	-	-	-	-	-	1	1	1	1	1	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	8.6	14.1	11.3	7.7	0.5	57	17	5	5	-	-	-	-	-	-	-	1	1	1	5	-	-	SOUTHAMPTON.
READING -	77,674	12.1	11.4	10.7	7.4	-	41	11	1	5	-	-	-	-	-	-	-	-	1	1	4	-	-	READING.
NORTHAMPTON -	92,441	13.5	11.3	4.5	10.2	0.6	37	18	5	6	-	-	-	-	-	-	-	-	1	-	-	4	-	NORTHAMPTON.
IPSWICH -	70,802	18.4	13.3	11.8	10.3	1.5	38	14	4	6	-	-	-	-	1	-	1	1	1	1	2	-	-	IPSWICH.
GREAT YARMOUTH -	52,353	12.0	10.0	12.0	8.0	-	25	8	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	GREAT YARMOUTH.
NORWICH -	116,741	9.8	13.4	13.0	16.1	2.2	57	36	13	14	-	-	-	-	-	-	-	-	5	-	1	6	2	NORWICH.
PLYMOUTH -	116,000	16.2	17.1	13.9	13.9	0.9	52	31	6	8	-	-	-	-	-	-	-	-	1	2	3	5	-	PLYMOUTH.
DEVONPORT -	76,864	12.9	10.9	10.2	17.0	2.7	49	25	5	5	-	-	2	-	-	-	2	-	1	1	2	5	-	DEVONPORT.
BRISTOL‡	358,515	10.5	11.9	14.0	14.3	2.6	217	98	19	28	-	12	1	2	-	-	-	3	2	7	29	2	-	BRISTOL‡
HANLEY -	64,067	13.7	8.9	12.9	8.1	1.6	45	10	4	4	-	-	-	-	-	-	-	1	-	-	1	-	-	HANLEY.
BURTON-ON-TRENT	52,424	10.9	9.0	9.9	5.0	-	21	5	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,466	16.3	8.4	10.0	14.7	4.2	41	28	9	2	-	1	-	2	2	-	-	-	3	2	5	3	-	WOLVERHAMPTON.
WALSALL -	62,998	11.8	12.9	9.5	10.7	0.6	33	19	7	4	-	-	-	-	-	-	-	-	1	-	-	1	-	WALSALL.
HANDSWORTH -	61,721	6.8	6.8	9.3	7.6	0.8	30	9	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	67,523	13.1	23.1	12.3	23.1	4.6	33	30	7	4	-	4	1	-	-	-	-	-	-	2	2	5	-	WEST BROMWICH.

* See note † on first page of this return.

These towns are included within the area of Greater London.

† As enlarged in 1904.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the WEEKS ended Saturday 15th July, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1905.	DEATH-RATES from all Causes.				Rate from Inquests in Cols. 11-17.		Registered Deaths during the week ended 15th July, 1905.		The DEATHS registered in the Week include											TOWNS,										
		Week ended				Week ended 15th July, 1905.		BIRTHS. DEATHS.		Deaths of Persons aged under 1 Year of Age.				Deaths from				Deaths in Public Institutions.				Uncertified Causes of Death.									
		24th July, 1905.				8th July, 1905.				15th July, 1905.				Small-pox.		Measles.		Scarlet Fever.		Diphtheria.			Whooping- cough.		Fever.		Diarrhoea.		Violence.		
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.			20.	21.	Cols						
BIRMINGHAM -	542,953	13.7	12.4	10.7	14.0	2.0	315	146	43	33	-	7	-	1	3	1	9	4	5	37	6	BIRMINGHAM.									
KINGS NORTON -	09,830	8.2	7.5	9.7	4.5	-	27	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.								
SMETHWICK -	62,805	9.2	11.7	8.3	10.8	-	46	13	3	3	-	-	-	-	-	-	-	-	1	2	-	-	SMETHWICK.								
ASTON MANOR -	81,320	10.9	9.0	7.7	16.0	5.1	43	25	11	3	-	2	-	-	2	-	4	-	-	-	1	-	ASTON MANOR.								
COVENTRY -	75,134	14.6	9.7	11.1	13.2	-	44	19	1	8	-	-	-	-	-	-	-	-	2	3	-	-	COVENTRY.								
LEICESTER -	228,132	9.8	9.4	8.2	8.9	0.7	114	39	8	11	-	-	-	-	-	-	3	1	1	8	2	LEICESTER.									
GRIMSEY -	68,153	14.5	8.4	12.2	14.5	-	42	19	5	7	-	-	-	-	-	-	-	3	3	4	-	-	GRIMSEY.								
NOTTINGHAM -	251,671	13.9	12.8	8.7	15.1	1.5	122	73	19	22	-	1	-	-	-	1	5	1	2	18	2	NOTTINGHAM.									
DERBY -	122,207	15.4	9.8	9.8	14.1	1.7	50	33	4	15	-	2	-	-	1	-	1	2	3	8	-	-	DERBY.								
STOCKPORT -	88,320	10.6	17.5	15.4	18.6	3.2	49	35	14	8	-	-	-	-	-	-	6	3	4	3	-	-	STOCKPORT.								
BIRKENHEAD -	116,935	13.0	14.8	12.6	15.7	5.4	64	35	14	6	-	-	-	-	-	-	10	3	4	6	-	-	BIRKENHEAD.								
WALLASEY -	82,460	6.7	8.3	5.0	12.5	1.7	27	15	7	1	-	-	-	-	-	-	2	4	4	1	-	-	WALLASEY.								
LIVERPOOL -	730,143	16.8	16.5	17.4	17.0	2.9	425	238	78	50	-	2	2	3	3	-	30	9	16	64	11	-	LIVERPOOL.								
BOOTLE -	62,758	17.4	16.6	17.4	19.1	5.0	38	23	9	5	-	-	1	-	-	-	5	1	1	4	1	-	BOOTLE.								
ST. HELENS -	89,843	15.1	9.9	13.9	13.9	-	77	24	7	1	-	-	-	-	-	-	-	2	2	2	4	-	ST. HELENS.								
WIGAN† -	88,531	13.9	18.1	13.9	16.3	2.4	54	27	5	5	-	-	-	-	1	-	1	2	2	3	-	-	WIGAN†.								
WARRINGTON -	68,301	16.8	16.8	18.3	11.5	1.5	45	15	6	3	-	1	-	-	-	-	1	1	1	3	-	-	WARRINGTON.								
BOLTON -	178,111	15.8	9.7	13.8	12.0	1.5	92	41	11	18	-	1	-	-	-	-	4	2	3	9	-	-	BOLTON.								
BURY -	58,594	14.2	15.1	8.0	11.6	-	24	13	1	5	-	-	-	-	-	-	-	1	2	3	-	-	BURY.								
MANCHESTER† -	631,185	13.7	15.9	15.3	15.8	2.1	322	191	49	41	-	8	4	-	3	-	1	9	9	15	2	MANCHESTER†.									
SALFORD -	231,514	16.2	16.2	14.9	18.5	2.7	118	82	21	14	-	1	1	1	4	-	4	10	14	20	1	-	SALFORD.								
OLDHAM -	140,225	24.2	13.8	14.1	17.5	1.9	53	47	14	9	-	-	-	-	-	-	3	2	6	4	1	-	OLDHAM.								
ROCHDALE -	86,390	9.7	12.1	10.9	10.9	0.6	31	18	6	4	-	-	-	1	-	-	-	-	-	-	1	-	ROCHDALE.								
BURNLEY -	101,682	18.5	11.3	9.2	20.5	1.5	51	40	5	9	-	-	-	1	1	-	1	2	3	12	-	-	BURNLEY.								
BLACKBURN -	133,067	15.3	17.6	10.6	14.9	1.6	67	38	11	9	-	-	3	-	1	-	-	-	1	1	8	3	BLACKBURN.								
PRESTON -	115,721	20.3	15.8	11.7	13.1	0.9	57	29	5	6	-	-	-	-	-	-	2	3	3	6	1	-	PRESTON.								
BARROW-IN-FURNESS.	60,306	10.4	10.4	13.0	18.2	4.3	38	21	4	3	-	3	-	-	-	-	-	2	2	4	-	-	BARROW-IN-FURNESS.								

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Registered during the week ended 15th July, 1905.		The DEATHS registered in the Week include											TOWNS.			
		Week ended				Rate from all causes in 1905.		BIRTHS.	DEATHS.	Deaths of												
		1905.				1904.				Persons aged												
		24th June, 1905.	1st July, 1905.	9th July, 1905.	15th July, 1905.	under 1 year of age.	10 years and upwards.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD -	94,888	17-6	16-5	13-2	12-6	0-5	27	23	2	7	-	-	-	-	-	-	1	3	4	2	-	HUDDESFIELD.
HALIFAX -	108,419	13-0	13-9	11-1	12-5	0-5	51	26	4	8	-	-	-	-	-	1	-	-	7	-	-	HALIFAX.
BRADFORD -	286,799	12-9	11-3	13-3	14-7	1-3	124	81	12	24	-	-	1	1	2	-	3	5	6	17	-	BRADFORD.
LEEDS -	456,787	12-2	12-9	9-1	13-0	1-6	248	114	31	29	-	2	2	-	5	1	4	1	9	11	-	LEEDS.
SHEFFIELD -	440,414	15-5	15-5	13-0	14-7	2-8	225	124	44	30	-	7	1	-	2	-	14	3	7	18	1	SHEFFIELD.
ROTHERHAM -	59,794	14-0	11-3	8-7	15-7	1-7	31	18	7	3	-	-	1	-	1	-	-	1	1	3	1	ROTHERHAM.
YORK -	82,362	15-8	12-0	8-2	8-2	1-9	56	13	4	4	-	-	-	-	-	1	3	-	2	2	-	YORK.
HULL -	258,127	16-8	11-7	8-5	12-5	1-8	150	62	15	17	-	-	2	-	3	1	3	3	6	10	-	HULL.
MIDDLESBROUGH -	98,369	15-9	20-7	15-9	16-4	3-2	61	31	7	5	-	-	-	-	2	-	4	1	3	5	-	MIDDLESBROUGH.
STOCKTON-ON-TEES -	52,425	12-9	23-9	10-9	9-9	1-0	33	10	3	1	-	-	1	-	-	-	-	1	1	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL -	71,313	10-2	9-5	13-9	12-4	2-2	40	17	8	3	-	-	-	-	2	-	1	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND -	152,761	18-1	21-2	16-4	20-5	1-7	108	60	15	19	-	5	-	-	-	-	3	3	3	15	2	SUNDERLAND.
SOUTH SHIELDS -	109,360	16-2	12-4	15-7	8-6	1-4	80	18	4	2	-	-	-	2	-	-	1	2	2	2	-	SOUTH SHIELDS.
GATESHEAD -	120,620	15-1	13-8	11-7	14-3	1-3	76	33	2	10	-	-	1	-	2	-	-	1	1	9	1	GATESHEAD.
NEWCASTLE-ON-TYNE†	264,511	15-4	15-2	16-0	13-4	1-8	160	68	14	19	-	1	-	1	3	-	4	3	5	12	-	NEWCASTLE-ON-TYNE.†
TYNEMOUTH -	53,595	18-5	17-5	18-5	14-6	-	37	15	6	2	-	-	-	-	-	-	-	2	3	2	-	TYNEMOUTH.
NEWPORT (MON.) -	72,880	11-4	14-3	10-7	15-7	1-4	56	22	9	3	-	1	-	1	-	-	-	1	3	1	-	NEWPORT (MON.).
CARDIFF -	180,054	9-0	8-7	6-7	8-1	-	81	28	7	10	-	-	-	-	-	-	-	2	4	5	-	CARDIFF.
RHONDDA -	124,988	15-4	13-8	15-4	15-0	3-3	88	36	20	2	-	1	-	-	-	1	6	2	3	-	1	RHONDDA.
MERTHYR TYDFIL -	73,843	14-8	19-1	17-7	18-4	2-8	56	26	9	4	-	2	-	-	-	-	2	2	2	2	-	MERTHYR TYDFIL.
SWANSEA -	96,384	16-2	15-7	10-8	10-3	1-1	60	19	6	3	-	1	-	1	-	-	-	-	2	1	-	SWANSEA.
GREATER LONDON -	7,010,172	11-0	10-8	10-1	10-8	1-3	3568	1446	333	412	-	35	7	11	32	6	81	66	126	519	3	GREATER LONDON.
OUTER RING -	2,325,378	9-6	8-4	8-0	8-9	1-2	1205	399	111	117	-	8	-	5	15	3	23	13	25	68	2	OUTER RING.
8 TOWNS IN OUTER RING	1,135,316	9-3	8-0	7-9	9-0	1-4	552	186	55	55	-	4	-	1	9	-	16	5	13	45	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,190,062	9-9	8-8	8-0	8-9	1-1	653	203	56	62	-	4	-	4	6	3	7	8	12	23	1	REMAINDER OF OUTER RING.
EDINBURGH -	336,577	15-0	14-7	15-5	13-6	1-5	159	88	16	31	-	6	-	-	4	-	-	3	?	?	5	EDINBURGH.
GLASGOW -	809,968	16-4	18-2	15-7	14-2	1-8	458	221	52	38	-	11	-	-	15	-	2	14	?	62	4	GLASGOW.
DUBLIN† -	378,994	17-9	14-9	16-9	19-7	2-3	200	143	45	28	-	1	-	-	2	-	14	6	4	61	9	DUBLIN.†
BELFAST† -	368,680	12-6	17-6	18-9	19-5	3-8	192	134	33	24	-	6	-	-	1	6	13	4	7	26	?	BELFAST.†

* See last page of this return.

† As enlarged in 1904.

‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2586	2634	2579	2502	2351	2479	2526	2530	2581	2450	2618.5	2363
Male - - -	1345	1353	1308	1255	1202	1296	1251	1305	1265	1246	1331.8	1186
Female - - -	1241	1281	1271	1247	1149	1183	1275	1225	1316	1204	1286.7	1177
TOTAL Deaths -	1768	1770	1391	1214	1387	1252	1237	1280	1145	1152	1411.7	1047
Males - - -	921	912	695	649	733	666	652	699	601	605	740.6	546
Females - - -	847	858	696	565	654	586	585	581	544	547	671.1	501

* The numbers in this column are the average weekly numbers in the twenty-eighth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	13 Weeks.
TOTAL Births -	2129	2568	2722	2645	2426	2544	2249	2233	2271	2527	2490	2509	2363	31676
TOTAL Deaths -	1342	1426	1304	1324	1268	1311	1319	1236	1191	1047	1080	1006	1047	15961
Ages at Death {														
Under 1 year -	251	309	260	258	250	259	274	226	253	196	223	203	222	3184
1-5 years -	181	183	154	175	158	156	176	141	128	126	137	100	115	1910
5-20 " -	79	78	67	65	69	74	60	62	73	54	68	74	65	886
20-40 " -	190	159	147	178	171	176	142	172	149	151	141	137	129	2042
40-60 " -	255	306	252	283	264	268	271	305	255	223	219	222	221	3344
60 yrs. & upwds.	386	413	424	365	356	378	396	330	333	297	292	270	295	4535
Deaths from—														
Small-pox - - -	-	1	1	-	1	-	-	-	-	-	1	-	-	4
Measles - - -	42	37	44	42	41	44	58	40	46	38	31	24	27	514
Scarlet Fever - -	13	9	5	9	11	4	9	11	6	7	12	11	7	114
Diphtheria - - -	4	14	11	7	7	6	9	9	11	7	6	6	6	104
Whooping-cough -	39	50	54	37	35	50	41	42	26	26	26	18	17	461
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	6	5	3	3	5	4	6	2	3	1	5	3	49
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	1	-	2
Diarrhoea, Dysentery	13	15	19	10	15	16	27	30	14	14	25	37	58	293
All above Diseases -	114	132	139	108	113	125	146	138	104	99	103	102	118	1541
Dis. of Resp. System	119	138	122	112	95	92	96	68	73	53	46	32	48	1094
Pneumonia - - -	153	168	134	139	131	126	139	123	116	91	94	58	56	1528
Phthisis - - -	131	125	121	127	119	122	111	134	129	95	104	92	100	1510
Dis. of Circ. System -	145	185	168	161	143	174	163	169	170	162	131	151	143	2065
Violence - - -	59	60	47	66	58	59	59	58	59	45	61	59	53	743
Inquest Cases - -	117	143	112	132	130	137	117	153	120	103	129	109	101	1603
Deaths in Institutions	504	520	503	509	500	502	514	521	488	461	442	394	451	6309
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	43.1	48.5	49.4	53.6	53.3	51.2	62.7	53.7	59.5	60.9	63.2	64.0	68.9	56.3
Mean of Highest -	50.6	56.1	60.1	64.0	64.0	62.8	74.7	59.2	69.0	72.0	74.0	74.7	80.5	66.3
Mean of Lowest -	38.2	42.8	41.9	42.9	43.9	41.0	51.4	49.5	51.7	51.2	55.0	54.2	60.0	48.0
Mean Humidity of the Air.	74	74	71	60	67	61	64	87	81	73	79	69	71	72
Rain-fall (in inches) -	0.25	0.15	0.85	0.00	0.22	0.00	0.50	2.86	0.95	0.02	0.54	0.03	0.26	6.83
Registered Sunshine (in hours).	16.5	24.8	54.7	55.5	52.1	39.4	51.5	7.8	45.6	58.3	36.8	52.7	55.4	551.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	17	16	17	17	15	10	9	9	7	6	4	5	4	10
Scarlet Fever - -	2128	2182	2152	2177	2211	2200	2268	2285	2356	2427	2473	2499	2520	2298
Diphtheria - - -	731	725	691	698	686	688	690	687	719	723	718	775	764	715
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	58	65	72	70	71	79	80	80	82	83	78	81	89	76

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-EIGHTH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 28th week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 28th week of the year 1905.	1905—Deaths of Persons of the Ages								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.	5-20.		0-1.				1-5.	5-20.						
ALL CAUSES	1152	1047	222	115	65	129	221	295	Meningitis (not tuberc.)	9	11	4	3	2	2	-		
									Insanity, Gen. Par. of } Insane - - - - -	19	9	-	-	-	1	5		
									Epilepsy - - - - -	1	10	-	-	-	5	3		
									Convulsions - - - -	15	18	17	1	-	-	2		
Small-pox*	-	-	-	-	-	-	-	-	Locomotor Ataxy - -	2	4	-	-	-	-	1		
Cowpox - - - - -	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	9	6	-	-	-	2	1		
Measles (Morbilli) -	39	27	6	20	1	-	-	-	Nervous Sys. (other dis.)	7	21	1	1	3	1	13		
Scarlet Fever - - -	8	7	-	5	2	-	-	-	Valv. Dis., Endocarditis-	29	30	-	-	6	4	7		
Typhus - - - - -	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.-	23	31	-	-	-	-	22		
Plague - - - - -	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	17	10	-	-	-	1	3		
Influenza - - - - -	4	3	-	-	-	1	1	1	Aneurysm - - - - -	4	5	-	-	-	4	1		
Whooping-cough - -	29	17	9	7	1	-	-	-	Embolism, Thrombosis }	-	-	-	-	-	-	-		
Diphtheria - - - -	7	6	-	5	1	-	-	-	(not cerebral) - - -	-	-	-	-	-	-	-		
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	83	67	-	-	3	8	17		
Pyæmia,† (Origin un- }	-	-	-	-	-	-	-	-	Croup (not Spasm : nor }	1	1	-	1	-	-	-		
certain) - - - - -	-	-	-	-	-	-	-	-	Memb.) - - - - -	48	35	7	6	-	1	4		
Enteric Fever - - -	5	3	-	-	1	1	1	-	Bronchitis - - - - -	2	1	-	-	-	-	17		
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Asthma, Emphysema -	1	4	-	1	1	-	1		
Epidemic Diarrhœa }	33	36	30	4	1	-	1	-	Pleurisy - - - - -	10	7	1	1	-	1	1		
(Infected Enteritis) }	24	2	16	2	-	1	-	3	Respiratory Dis. (other)	31	40	4	5	7	5	12		
Diarrhœa, Dysentery	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	1	-	-	-	-	-	-		
Tetanus - - - - -	1	-	-	-	-	-	-	-	Enteritis (not Epid.) -	10	6	4	2	-	-	-		
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	11	6	4	2	-	-	-		
Glanders - - - - -	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	3	1	-	-	-	1	-		
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Cirrhosis of Liver - -	12	17	1	-	-	10	6		
Venereal Dis. - - -	5	7	5	-	-	1	-	1	Liver Dis. (other) - -	7	8	-	-	-	3	3		
Puerperal Septicæmia	3	-	-	-	-	-	-	-	Digestive Dis., Other	31	40	4	5	7	5	12		
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Nephritis, Acute - - -	5	5	-	-	-	2	1		
Puerperal Fever - -	-	-	-	-	-	-	-	-	Bright's Dis., Albumin- }	26	27	-	-	2	3	9		
Infective Endocarditis	4	2	-	-	-	2	-	-	uria - - - - -	2	16	1	-	1	2	10		
Lobar - - - - -	10	7	1	2	-	1	3	-	Urinary Sys., Other Dis.	6	6	-	-	-	2	3		
Pneumonia {	30	19	6	10	1	1	-	1	Generative Organs Dis.-	1	4	-	-	-	2	1		
Broncho - - - - -	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	46	46	-	-	-	-	46		
Epidemic - - - - -	-	-	-	-	-	-	-	-	Old Age - - - - -	76	70	47	4	3	4	5		
Not defined - - -	53	30	1	6	4	2	13	4	Other Diseases - - -	-	-	-	-	-	-	-		
Erysipelas - - - -	5	2	-	-	-	-	2	-										
Septicæmia (not Puer- }	1	-	-	-	-	-	-	-	ACCIDENT.									
peral) - - - - -	1	3	1	1	-	1	-	-	By Railways - - - - -	3	1	-	-	-	-	1		
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	By Vehicles and Horses-	7	4	-	1	1	1	-		
Other Infective Processes	7	7	2	1	-	1	1	2	In Ships, Boats, Docks, }	1	-	-	-	-	-	-		
Tuberculous Phthisis	51	60	-	2	4	28	22	4	(exclusive of Drown-	-	-	-	-	-	-	-		
"Phthisis" - - - -	47	49	-	-	3	14	14	9	ing) - - - - -	1	3	-	-	1	2	-		
Tuberculous Meningitis	26	17	6	8	3	-	-	-	In Building Operations-	3	6	1	3	1	-	1		
Tuberculous Peritonitis	11	4	-	2	1	-	1	-	In Conflagrations - -	6	3	-	-	1	2	-		
Tabes Mesenterica - -	7	2	2	-	-	-	-	-	By Burns, Scalds, Ex-	4	3	3	-	-	-	-		
Tuberculous Dis. (other)-	16	13	3	3	6	1	-	-	plosions - - - - -	2	2	-	-	-	-	2		
Scrofula - - - - -	-	-	-	-	-	-	-	-	By Drowning - - - -	12	22	5	5	2	4	-		
Alcoholism - - - - -	16	10	-	-	-	5	4	1	By Suffocation in Bed	-	-	-	-	-	-	-		
Rheumatic Fever - -	2	1	-	-	-	1	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-		
Gout - - - - -	2	1	-	-	-	-	-	1	Vapours - - - - -	-	-	-	-	-	-	-		
Carcinoma - - - - -	48	56	-	-	-	5	26	25	Other Deaths by Acci-	-	-	-	-	-	-	-		
Sarcoma - - - - -	7	5	-	1	1	1	1	1	dent - - - - -	-	-	-	-	-	-	-		
Cancer (undefined) -	33	28	-	-	-	1	13	12	VIOLENCE OTHER THAN									
Diabetes Mellitus - -	7	5	-	1	2	-	2	-	ACCIDENTAL.									
Premature Birth - - -	43	34	34	-	-	-	-	-	Homicide - - - - -	1	-	-	-	-	-	-		
									Suicide - - - - -	9	9	-	-	-	1	6		
									Execution - - - - -	1	-	-	-	-	-	2		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th July, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Un- quest Cases.	Deaths in Public Institutions.	Un- quest Cases of Death.		
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from																		
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia of Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un-quest Cases of Death.						
LONDON - - -	4,536,429	2363	1047	222	295	-	27	7	6	17	-	3	-	53	53	101	451	1						
WEST DISTRICTS	805,311	357	189	38	60	-	6	1	1	2	-	-	-	10	6	20	84	-						
NORTH DISTRICTS	1,056,070	496	217	37	69	-	5	1	1	3	-	-	-	6	13	22	81	1						
CENTRAL DISTRICTS	209,465	90	73	14	14	-	-	-	-	-	-	-	-	6	6	6	45	-						
EAST DISTRICTS -	715,739	423	179	54	40	-	-	-	2	3	-	-	-	16	6	18	78	-						
SOUTH DISTRICTS	1,749,844	997	367	79	105	-	11	5	2	5	-	-	-	20	22	35	141	-						
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	22	-	7	-	-	-	-	-	-	-	-	-	-	-	22	-						
WEST DISTRICTS.																								
St. Mary Paddington } G. & W.	93,178	38	17	3	6	-	1	-	-	-	-	-	-	2	-	1	8	-						
W.2H																								
St. John Paddington H - G.	33,617	4	12	-	5	-	-	-	-	-	-	-	-	-	2	3	7	-						
North-West Paddington - C.	17,181	6	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-						
Kensington Town 2W w.2H G. W. & C.	128,037	49	36	7	13	-	1	-	-	-	-	-	-	3	-	4	18	-						
Brompton 2H - W. & C.	48,591	12	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-						
North Hammersmith W. w. H } W. & G.	49,192	42	11	3	2	-	-	-	-	-	-	-	-	1	1	1	-	-						
South Hammersmith w.2H																								
North-west Fulham W } W. & C.	63,047	35	6	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-						
North-east Fulham F } W. & C.	45,180	42	17	5	6	-	-	-	1	-	-	-	-	1	-	-	11	-						
South Fulham W	46,405	28	10	3	-	-	-	-	1	-	-	-	-	2	-	-	1	-						
Chelsea North W. w. 3H - - C.	42,514	19	25	1	15	-	-	-	-	-	-	-	-	-	-	1	21	-						
Chelsea South W.2H - - C.	31,328	7	6	2	2	-	-	-	-	-	-	-	-	-	1	2	2	-						
Mayfair and Knightsbridge C. & G.	28,743	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-						
Belgrave W.2H - - C.	55,815	15	15	1	12	-	-	1	-	-	-	-	-	-	1	4	8	-						
St. Margaret & St. John 4H - C.	43,698	15	10	2	3	-	2	-	-	1	-	-	-	-	-	-	5	-						
St. James Westminster } N. & G.	21,588	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
W.H																								
St. Anne Soho 5H - - N.	11,493	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-						
NORTH DISTRICTS.																								
All Souls Marylebone 8H - W.	35,391	9	12	-	6	-	-	-	-	-	-	-	-	-	2	2	7	-						
Rectory Marylebone W G. & W.	19,849	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
St. Mary Marylebone 4H G. & W.	18,099	33	4	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-						
Christchurch Marylebone H- W.	39,536	16	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-						
St. John Marylebone 3H - W.	20,426	6	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-						
Hampstead W. F. & H - N. & W.	81,942	30	19	3	7	-	1	1	-	-	-	-	-	-	-	-	7	-						
West St. Pancras 2H - - W.	60,562	39	8	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-						
Tottenham-court w.7H N. & W.	21,258	8	12	1	2	-	-	-	-	-	-	-	-	-	-	1	3	9						
Gray's Inn Lane 4H - - N.	34,449	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-						
East St. Pancras W.2H - - N.	60,320	25	13	2	5	-	-	-	-	-	-	-	-	-	1	1	9	-						
North St. Pancras 2W - - N.	58,728	30	17	3	3	-	1	-	-	-	-	-	-	-	2	2	6	-						
Tufnell W - - N.	31,995	13	21	2	6	-	-	-	-	1	-	1	-	1	2	3	14	-						
Upper Holloway 2W w. H - N.	33,978	19	11	1	4	-	1	-	-	-	-	-	-	-	-	1	7	-						
Tollington WH - - N.	33,922	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-						
Lower Holloway - - N.	41,424	16	6	1	4	-	-	-	-	-	-	-	-	-	-	1	1	-						
Barnsbury - - N.	54,478	30	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Islington South-east F - - N.	75,397	38	11	4	4	-	-	-	-	-	-	-	-	2	-	1	-	-						
Highbury 2H - - N.	63,797	21	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-						
Stoke Newington H - - N.	51,247	18	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1						
North Hackney - - E. & N.	50,560	19	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-						
Central Hackney 2w, F - E. & N.	50,536	21	12	4	-	-	-	-	1	1	-	1	-	-	2	3	2	-						
South-west Hackney 3H E. & N.	59,921	42	11	2	-	-	-	-	-	-	-	1	-	-	-	-	5	-						
South-east Hackney 2W w. H E. & N.	58,255	34	19	5	7	-	-	-	-	-	-	-	-	2	1	1	11	-						

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies the Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th July, 1905—continued.

		The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS,	Enume- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Giles and Bloomsbury W,2H N.	31,436	14	5	1	3	-	-	-	-	-	-	-	-	1	-	-	1	-
rand W,4H - - - N. & C.	21,874	3	10	-	2	-	-	-	-	-	-	-	-	1	2	2	10	-
rand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
olborn W,3H - - - N.	20,612	16	17	5	1	-	-	-	-	-	-	-	-	1	1	1	15	-
nuth Clerkenwell - - - N.	28,676	13	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
orth Clerkenwell H - - - N.	35,023	11	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nabury 3H,L - - - N.	36,116	31	9	2	2	-	-	-	-	-	-	-	-	1	1	1	-	-
olborn Union Workhouse, } Mitcham - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Botolph H - - - N. & E.	10,209	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows } W,2H - - - }	16,824	-	17	2	1	-	-	-	-	-	-	-	-	1	2	2	16	-
ty of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South H - E. & N.	46,362	20	9	5	2	-	-	-	-	1	-	-	-	2	-	1	-	-
oreditch North-West W,w,H N.	36,127	21	21	3	10	-	-	-	-	1	-	-	-	-	1	2	17	-
oreditch North-East - N. & E.	34,148	21	12	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-
oreditch Union Workhouse, Wood } Green - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ethnal Green North 2H - E.	51,514	31	18	12	1	-	-	-	1	1	-	-	-	2	1	2	5	-
ethnal Green South - E.	33,472	16	8	5	-	-	1	-	-	-	-	-	-	2	1	1	9	-
ethnal Green East 2W,H,L - E.	44,694	30	11	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
italfields - - - E. & N.	27,969	15	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ile End New Town W,H - E.	28,718	23	27	7	4	-	1	-	1	-	-	-	-	4	1	2	25	-
oodman's Fields - - - E.	22,081	12	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
. George and St. John 2W E.	49,068	27	11	2	1	-	1	-	-	-	-	-	-	1	-	-	4	-
adwell and Ratcliff W,H E. & N.	25,568	13	6	2	-	-	-	-	-	2	-	-	-	-	1	1	5	-
imehouse W - - - E.	32,369	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End Old Town South- } Western H - - - }	63,698	59	6	5	1	-	-	-	-	-	-	-	-	1	-	2	-	-
ile End Old Town North- } Eastern W,c - - - }	49,129	28	8	1	1	-	-	-	-	-	-	-	-	1	-	-	2	-
ow L - - - F.	41,989	22	6	1	3	-	-	-	-	1	-	-	-	-	-	1	1	-
romley 3w,H - - - E.	68,219	94	24	4	5	-	1	-	-	1	-	-	-	1	-	3	9	-
oplar W,w - - - E.	56,614	35	3	1	2	-	-	-	-	-	-	-	-	1	-	-	1	-

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th July, 1905.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from													
					Deaths of 1 Infants under Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING	368,602	2,044,973	1205	399	111	117	-	8	-	5	15	3	23	13	25	68	2	
30: 1 Carshalton 2F,2H	12,228	32,997	19	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
2 Epsom, part of* W,w,2F,H	10,423	15,548	7	3	1	1	-	-	-	1	-	-	-	1	-	-	-	
37: 1 Godstone, part of* W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1 Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 South Croydon w	4,200	49,309	21	5	-	4	-	-	-	-	-	-	-	-	1	1	-	
3 West Croydon 3W,F,H	2,168	42,888	21	19	3	7	-	-	-	-	-	-	-	-	-	1	6	
4 North Croydon H	2,644	41,698	30	7	-	1	-	1	-	-	-	-	-	-	-	1	2	
5 Penge w,H	770	22,465	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
6 Mitcham w	11,711	30,015	25	7	3	-	-	-	-	-	-	-	-	-	-	1	-	
39: 1 Wimbledon F,3H	3,221	41,652	23	5	2	2	-	-	-	-	1	-	-	-	-	-	-	
2 Kingston 2W,H	6,224	42,068	17	11	3	4	-	1	-	-	-	-	-	-	-	-	2	
3 Surbiton F,H	3,046	15,017	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
4 Esher, part of* H	5,402	13,100	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
5 Hampton H,F,L	4,564	23,456	16	3	1	2	-	-	-	-	-	-	1	1	-	1	-	
40: 1 Richmond W,H	2,162	28,865	12	7	-	6	-	-	-	-	-	-	-	-	-	-	-	
2 Mortlake F	2,847	20,628	14	3	-	-	-	-	-	-	1	-	-	1	1	1	-	
41: 1 Bromley F,2H	4,703	27,354	14	5	-	2	-	-	-	-	-	-	-	1	1	1	-	
2 Beckenham H	7,825	28,497	12	4	1	-	-	-	-	-	-	-	-	-	1	1	-	
3 Orpington part of* W	10,113	9,857	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Chislehurst 2H	7,333	16,446	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
42: 1 Bexley w,F,H	8,678	21,151	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2 Erith F,H	3,854	25,296	19	8	4	1	-	-	1	-	-	-	1	1	-	-	-	
3 Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
24: 1 Sunbury w	11,054	18,683	7	4	1	1	-	-	-	-	-	-	-	1	1	-	-	
2 Staines W,H	13,277	15,178	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25: 1 Hillingdon W,F,H	6,035	13,661	11	3	2	-	-	1	-	-	-	-	-	-	-	-	-	
2 Uxbridge H	12,757	8,984	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3 Hayes w,F,H	8,066	16,358	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
26: 1 Isleworth 3W,2F,H	6,859	30,863	17	10	1	6	-	-	-	-	-	-	-	-	-	6	-	
2 Twickenham F,H	2,421	20,991	15	6	1	3	-	-	-	-	-	-	-	-	-	-	1	
3 Brentford 3F,2H,L	4,319	48,289	29	11	1	2	-	-	-	2	-	-	1	-	-	3	-	
4 Chiswick H	1,249	29,809	21	9	1	5	-	-	-	-	-	-	-	1	1	-	-	
5 Acton w,3H	6,132	48,914	41	12	4	1	-	-	-	-	-	1	-	-	-	2	-	
27: 1 Harrow F,H	13,809	25,523	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Edgware F,2H	6,994	4,521	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3 Willesden W,2F,2H	4,384	114,811	68	25	8	9	-	1	-	-	-	-	-	-	2	2	6	
4 Hendon W,F	8,363	22,450	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
28: 1 South Mimms 2F,H	17,755	7,308	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Barnet W,2H	3,324	17,970	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
3 Finchley F,2H	4,688	33,692	21	6	3	2	-	-	-	-	-	-	-	2	-	-	-	
29: 1 Hornsey F,H	2,875	72,056	34	7	2	2	-	-	-	1	2	-	-	-	-	-	-	
2 Wood Green H	1,625	34,233	21	9	3	3	-	-	-	-	-	-	-	-	1	1	-	
3 West Tottenham F	996	48,853	34	10	2	5	-	1	-	-	-	-	-	-	-	-	-	
4 East Tottenham 2H	2,017	53,688	40	11	6	1	-	-	-	-	-	-	1	-	2	2	-	
5 Edmonton W,w,2F	7,491	61,892	44	11	6	1	-	-	-	-	-	-	-	-	-	-	-	
6 Enfield 2W,F,H	12,601	42,738	16	8	5	1	-	-	-	-	3	-	-	-	-	-	-	
7 Waltham Abbey F	11,017	6,549	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	
8 Cheshunt F,H	8,479	12,292	12	5	3	2	-	-	-	-	-	-	-	-	-	-	-	
135: 1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1 Bushey H	9,333	9,173	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186: 1 Stratford H	1,072	44,827	17	8	2	1	-	-	-	-	-	-	-	-	1	1	2	
2 Plaistow F,2H	1,249	90,921	37	14	6	6	-	-	-	-	3	-	-	3	3	-	-	
3 Canning Town H	1,556	70,718	43	12	6	-	-	-	-	-	-	-	-	1	-	-	-	
4 Forest Gate w	806	60,892	31	7	2	3	-	-	-	-	-	-	-	-	1	1	-	
5 North East Ham w,H	1,333	58,676	27	9	2	1	-	-	-	-	-	-	-	-	1	1	-	
6 South East Ham 2F	1,993	37,342	29	12	6	1	-	-	-	1	-	-	-	1	1	1	-	
7 Wanstead F	1,379	9,179	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 South Leyton 2W	631	50,467	26	10	3	2	-	-	-	-	-	-	3	-	-	3	-	
9 North Leyton 2W,w,F	1,963	48,445	33	24	3	10	-	-	-	-	-	-	-	-	-	18	1	
10 Walthamstow 3H,L	6,504	108,929	71	16	5	2	-	1	-	-	3	-	2	1	4	-	-	
187: 1 Chigwell, part of* 2F,3H	11,778	16,397	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189: 1 Romford, part of* W,2F	6,556	6,091	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
2 Ilford F,L	8,496	41,234	42	9	1	2	-	-	-	-	1	-	-	1	1	1	-	
3 Barking Town F	3,803	21,547	21	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	
North-Eastern Hosp., Tottenham.	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	2	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Theydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 43: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	July	15	2363	1047	11·7	-	27	7	7	17	3	58
CALCUTTA - -	847,798	June	3	-	433	26·5	2	3	-	-	1	175†	43‡
BOMBAY - -	778,008	"	16	331	638	42·8	8	10	-	-	-	150†	52
MADRAS - -	509,346	"	16	450	447	45·6	2	6	?	?	?	76†	117‡
PARIS - -	2,860,559	July	8	1059	808	16·7	1	19	3	4	9	-	47
BRUSSELS - -	586,936	"	8	208	151	13·1	-	-	-	1	3	1	14
ANTWERP - -	286,695	"	8	136	83	14·8	-	5	-	1	1	1	20
AMSTERDAM -	551,415	"	1	273	150	14·1	-	5	-	1	1	1	13
COPENHAGEN -	426,000	"	8	220	120	14·6	-	-	-	-	1	1	12
STOCKHOLM -	309,496	"	1	148	87	14·2	-	-	2	2	-	-	7
CHRISTIANIA -	223,649	"	8	89	73	17·1	-	3	2	1	2	-	1
ST. PETERSBURG	1,248,122	"	1	509	713	26·6	2	24	8	9	8	17	206
MOSCOW - -	1,082,360	"	1	-	964	46·0	2	5	14	10	7	4	543
WARSAW - -	-	"	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,015,574	June	24	888	619	16·0	-	10	5	6	4	-	73
HAMBURG - -	772,852	July	8	-	295	19·8	-	9	1	1	3	-	50
BRESLAU - -	462,147	"	8	-	-	-	-	-	-	-	-	-	-
MUNICH - -	528,000	"	8	-	243	23·9	-	-	1	1	4	-	52
VIENNA - -	1,877,839	"	8	958	838	23·0	-	11	4	2	4	-	153
PRAGUE - -	430,569	"	8	183	204	23·7	-	3	-	1	1	-	29
BUDA-PESTH -	836,267	"	8	425	351	21·7	-	4	2	2	-	1	70
TRIESTE - -	191,403	"	8	123	137	36·8	-	3	-	1	-	1	17
ROME - -	503,857	May	6	200	184	18·6	-	7	-	1	1	-	6
VENICE - -	169,417	July	1	73	62	19·1	-	2	-	-	1	4	4
BUCHAREST -	282,071	"	1	114	139	25·7	-	-	2	1	-	2	10
NEW YORK -	3,948,191	June	24	-	1302	17·2	-	25	9	24	8	6	166
CHICAGO - -	1,932,315	July	1	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	June	24	-	-	-	-	-	-	-	-	-	-
BOSTON - -	617,956	"	17	-	185	15·6	-	1	-	5	-	1	?
RIO DE JANEIRO	850,000	"	11	-	-	-	-	-	-	-	-	-	?

* Excluding deaths from croup in the Indian Cities.

† Including 84 deaths from plague in Calcutta, 85 in Bombay, and one in Madras.

‡ Including 9 deaths from cholera in Calcutta, and 2 in Madras

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th July, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	84·3	57·3	70·2	0·26	BRADFORD - -	80·0	53·0	67·9	0·25
BRIGHTON - -	73·6	58·8	65·4	0·05	LEEDS - - -	82·0	57·0	69·2	0·13
PORTSMOUTH - -	78·0	54·0	66·5	0·06	HULL - - -	85·0	50·0	68·5	0·02
NORWICH - -	?	?	?	?	TYNEMOUTH - -	81·0	55·0	65·6	0·21
PLYMOUTH - -	75·6	56·9	63·8	0·68					
BRISTOL - -	79·5	55·0	56·6	0·14	EDINBURGH - -	75·8	52·2	62·4	0·31
BIRMINGHAM - -	80·3	56·5	66·7	0·36	GLASGOW - - -	78·8	54·4	65·6	0·83
NOTTINGHAM - -	83·5	57·0	69·2	0·63					
LIVERPOOL - -	78·0	58·0	66·0	1·71	Phoenix Park.	79·4	49·1	64·6	0·15
OBSERVATORY.					Fitz-				
MANCHESTER - -	82·0	56·7	67·3	0·02	william	81·8	56·1	67·2	0·18
PRESTON - -	79·2	58·0	66·2	0·25	Square.†				
HUDDERSFIELD -	80·3	54·0	66·7	0·51	BELFAST - - -	73·0	52·6	61·2	0·31

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·9° Fahrenheit.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905. MONTH AND DAY			HARO-METER. Mean daily reading re- ceived and re- duced to 39° Fahr. (Barom. height).		TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 6 inches above the ground.											
					Of the Air.				Difference between the Air and Dew Point Temperature.				Of Radiation.		General Direction.				Pressure on the Square Foot.		Robinson's.							
					High- est.	Low- est.	Daily range.	Mean daily value.	Mean from average of 50 years.	De- parture from average.	Of the day point.	Mean daily value.	Greatest est.	Least.	Highest in Sun's Rays.	Lowest below the Surface.			A.M.	P.M.	Greatest est.	Least, hourly obs.	Mean of 24 hours.	Horizontal Motion on each Day.	Vertical Motion on each Day.	Average of 16 years.		
JULY																												
SUNDAY	- 9	In Eqr. First Qr. Perigee	in. 29.845	83.2	57.3	25.9	69.1	°	°	°	°	°	°	137.6	48.1	61.23	°	Variable, SW. & SSW. SW. & W. & WSW. & WSW.	lbs. 2.7	0.0	0.0	178	°	0.0	178	°	in. 0.25	5.8
MONDAY	- 10	..	29.899	76.0	58.8	17.2	66.0	+ 3.9	57.5	8.5	17.3	1.7	7.4	123.5	53.0	61.48	°	SW. & WSW. & W. & WSW. & WSW.	2.0	0.0	0.1	307	°	0.1	307	°	0.01	0.0
TUESDAY	- 11	..	29.917	79.3	61.5	17.8	68.6	+ 6.3	59.5	9.1	20.7	1.7	7.3	136.0	57.6	61.79	°	W. & WSW. & WSW.	1.3	0.0	0.1	300	°	0.1	300	°	0.00	2.0
WEDNESDAY	12	..	29.927	81.0	61.2	19.8	69.1	+ 6.5	58.1	11.0	21.4	0.9	6.8	141.6	53.2	62.14	°	WSW. & W. & WSW. & WSW. & WSW. & WSW. & WSW. & WSW.	1.2	0.0	0.1	246	°	0.1	246	°	0.00	0.0
THURSDAY	- 13	..	30.015	80.1	59.2	20.9	68.8	+ 5.9	57.4	11.4	21.2	2.1	6.7	137.6	53.2	62.49	°	WSW. & WSW. & WSW. & WSW. & WSW. & WSW. & WSW. & WSW.	1.2	0.0	0.0	211	°	0.0	211	°	0.00	0.0
FRIDAY	- 14	..	30.015	84.3	59.5	24.8	71.7	+ 8.6	55.0	13.7	22.4	2.5	6.2	142.3	48.3	62.89	°	W. & WSW. & WSW. & WSW. & WSW. & WSW. & WSW. & WSW.	0.6	0.0	0.0	216	°	0.0	216	°	0.00	0.0
SATURDAY	- 15	Greatest Dec. S.	29.876	79.8	62.2	17.6	68.7	+ 5.5	60.9	7.8	17.7	2.0	7.6	140.7	56.5	63.17	°	WSW. & WSW. & WSW. & WSW. & WSW. & WSW. & WSW. & WSW.	1.1	0.0	0.1	268	°	0.1	268	°	0.00	2.0
MEANS	-		29.928	80.5	60.0	20.6	68.9	+ 6.3	59.2	9.7	20.0	1.6	7.1	137.0	52.8	62.17	°	WSW.	Sum 1726	°	..	Sum 1726	°	Sum 0.26	1.4
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29

GENERAL REMARKS.


Very fine with little cloud generally till noon; variable with occasional distant thunder in afternoon, followed by slight thunderstorm with heavy shower at 5h. P.M.; partially cloudy at night; very warm. Very fine generally till 10h. A.M.; generally overcast after 3h. P.M. Solar halo observed at intervals during the day. Overcast till 8h. A.M.; fine and partially cloudy afterwards. Cloudy in morning; very fine generally afterwards. Fine and partially cloudy till evening; very fine at night. A very fine, warm day; the amount of cloud was usually very small. Very fine till 1h. 30m. A.M.; generally overcast till 10h. A.M.; very fine generally with cloudy intervals afterwards.

The results apply to the civil day, or from midnight to midnight. The height of the stem of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to sea level. 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean readings of the stem and minimum thermometers, forming the measure of the average temperature of the air (column 8). The mean daily value of the temperature and degree of humidity are deduced from the mean daily value of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates 'higher,' and - 'lower,' than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.94 in. at the beginning of the week to 29.81 in. by 4h. P.M. on the 9th; increased to 30.06 in. by 8h. A.M. on the 14th; and decreased to 29.81 in. by midnight on the 15th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 8th July, 1905.*

BOROUGHES,	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	147,935	-	8	2	-	2	-	-	2	-	
Kensington - - - - -	180,083	-	11	4	-	3	-	-	3	-	
Hammersmith - - - - -	119,037	-	8	3	-	3	-	-	1	-	
Fulham - - - - -	157,210	-	22	3	-	3	-	-	1	-	
C Chelsea - - - - -	74,496	-	-	1	-	1	-	-	2	-	
City of Westminster - - -	175,606	-	2	2	-	-	-	-	1	-	
NORTH.											
St. Marylebone - - - - -	129,453	-	4	4	-	1	-	-	6	-	
Hampstead - - - - -	88,142	-	10	1	-	-	-	-	1	-	
St. Pancras - - - - -	236,183	-	11	3	-	-	-	-	3	-	
Islington - - - - -	342,994	-	25	7	-	3	-	-	3	-	
Stoke Newington - - - - -	52,823	-	4	2	-	-	-	-	1	-	
Hackney - - - - -	228,479	-	22	12	-	3	-	-	5	1	
CENTRAL.											
Holborn - - - - -	56,481	-	-	1	-	1	-	-	-	-	
Finsbury - - - - -	98,207	1	6	7	-	2	-	-	2	-	
City of London - - - - -	22,425	-	-	-	-	-	-	-	-	-	
EAST.											
Shoreditch - - - - -	118,565	-	32	1	-	1	-	-	4	1	
Bethnal Green - - - - -	130,401	1	20	5	-	1	-	-	4	-	
Stepney - - - - -	305,466	-	36	9	-	-	-	-	10	1	
Poplar - - - - -	170,280	-	23	27	-	-	-	-	4	-	
SOUTH.											
Southwark - - - - -	208,528	-	20	7	-	-	-	-	4	1	
Bermondsey - - - - -	129,006	-	6	1	-	-	-	-	2	-	
Lambeth - - - - -	313,045	-	20	22	-	1	-	-	5	-	
Battersea - - - - -	177,532	-	13	5	-	-	-	-	2	-	
Wandsworth - - - - -	265,392	-	22	3	-	3	-	-	5	1	
Camberwell - - - - -	271,240	-	31	2	-	1	-	-	5	-	
Deptford - - - - -	114,495	-	6	2	-	1	-	-	2	-	
Greenwich - - - - -	103,493	-	3	1	-	2	-	-	3	-	
Lewisham - - - - -	144,420	-	5	3	-	-	-	-	-	-	
Woolwich - - - - -	125,372	-	8	7	-	-	-	-	2	-	
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	2	378	152	-	31	-	-	86	5
Ages											
0-1 - - - - -	-	-	3	1	-	-	-	-	2	-	
" 1-5 - - - - -	-	-	115	55	-	2	-	-	5	-	
" 5- - - - -	-	-	179	55	-	3	-	-	-	-	
" 10- - - - -	-	-	44	17	-	2	-	-	6	-	
" 15- - - - -	-	-	1	16	5	6	-	-	5	-	
" 20- - - - -	-	-	11	4	-	7	-	-	5	1	
" 25- - - - -	-	-	1	8	8	6	-	-	12	1	
" 35- - - - -	-	-	-	6	-	3	-	-	10	3	
" 45- - - - -	-	-	1	1	-	-	-	-	19	-	
" 55- - - - -	-	-	1	-	-	2	-	-	8	-	
" 65 and upwards - - -	-	-	-	-	-	-	-	-	14	-	
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 29. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JULY 22. [Price 1½d.

General Register Office, Somerset House,
July 24th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 12·7, 11·6, and 12·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·9 in Great Yarmouth, 19·1 in Stockport, 19·9 in Barrow in Furness, 20·5 in Oldham, 22·1 in Liverpool, and 24·1 in Bootle; from *measles*, 1·3 in Birkenhead, 3·1 in Sunderland, and 4·3 in Barrow in Furness; from *whooping-cough*, 1·3 in Aston Manor; and from *diarrhœa*, 3·8 in Aston Manor, 4·0 in Birkenhead, 4·2 in Leeds and in Merthyr Tydfil, 5·3 in Stockport, 5·5 in Liverpool, 5·8 in Sheffield, and 6·6 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2466 BIRTHS and 1137 DEATHS were registered. Allowing for increase of population, the births were 131 and the deaths 423 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 12·0, 11·2, and 11·7 in the preceding three weeks, rose last week to 12·7. During the four weeks ended on Saturday last the death-rate averaged 11·9 per 1000, being 3·8 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1137 deaths included 17 from measles, 6 from scarlet fever, 6 from diphtheria, 13 from whooping-cough, 7 from enteric fever, and 83 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 132 deaths were referred to these diseases in the aggregate, being 186 below the corrected average weekly number.

The deaths from *measles*, which had been 31, 24, and 27 in the preceding three weeks, were 17 last week, and were 30 below the corrected average. The deaths from *scarlet fever*, which had been 12, 11, and 7 in the preceding three weeks, were 6 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 7, 6, and 6 in the preceding three weeks, were again 6 last week, and were 26 below the corrected average. The deaths from *whooping-cough*, which had been 26, 18, and 17 in the preceding three weeks, further fell last week to 13, and were 20 below the corrected average; 3 deaths belonged to the Borough of Lambeth. The fatal cases of *enteric fever*, which had been 1, 5, and 3 in the preceding three weeks, were 7 last week, and were equal to the corrected average; 2 deaths belonged to Islington, and 2 to Stepney. The deaths from *diarrhoea*, which had been 25, 37, and 58 in the preceding three weeks, further rose last week to 83, but were 101 below the corrected average; 15 deaths belonged to Shoreditch, 14 to Stepney, 6 to Hackney, and 5 each to Fulham and Lambeth. Of the 83 deaths from diarrhoea, 78 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The death of a wheelwright, aged 64, was certified as due to chronic *lead poisoning*.

Different forms of *violence* caused 63 deaths, concerning all but 5 of which inquests were held. Of these 63 deaths, 9 were cases of suicide, and 3 of homicide, while the remaining 51 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 13 to drowning, 3 to burns and scalds, 5 to heat apoplexy, 2 to the effects of anæsthetics administered for surgical purposes, and 4 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2485 of scarlet fever, 791 of diphtheria, and 92 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no cases, against 1, 2, and 2; of scarlet fever, 304 cases, against 334, 354, and 356; of diphtheria, 115 cases, against 115, 144, and 107; and of enteric fever, 14 cases, against 8, 18, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 15th.

GREATER LONDON.

In Greater London 3770 births and 1557 deaths were registered. Allowing for increase of population these numbers are 113 and 559 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 5 from diphtheria, 5 from whooping-cough, 1 from "fever," and 16 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·91 inches, and that of the Thermometer 65°·2, the latter being 2°·2 above the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 3 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 54·0 hours; the measured rainfall amounted to 0·02 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd July, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	DEATH-RATES from all Causes.										Rate from Causes in Cols. 11-17.		Registered in Causes during the Week ended 22nd July, 1905.		The DEATHS registered in the Week include										TOWNS.												
	Week ended					11-17.					Week ended 22nd July, 1905.		Deaths during the Week ended 22nd July, 1905.																								
	1st July, 1905.					8th July, 1905.					15th July, 1905.					22nd July, 1905.					Week ended July, 1905.		BIRTHS.			DEATHS.											
	1905.*					1905.					1905.					1905.					1905.		1905.			1905.											
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																
76 TOWNS	15,609,377	127	11.6	13.9	13.4	2.0	4002	1182	955	-	61	24	32	45	16	431	180	321	925	47	76 TOWNS.																
LONDON -	4,684,794	12.0	11.2	11.7	12.7	1.5	2466	271	288	-	17	6	6	13	7	83	63	109	467	5	LONDON.																
(CROYDON -	147,704	9.9	9.2	10.6	8.8	1.4	67	25	10	-	1	-	-	2	-	1	-	1	6	-	(CROYDON.																
WILLESDEN -	138,080	6.8	7.2	9.8	8.3	0.8	102	22	7	-	-	-	-	-	-	2	1	2	3	-	WILLESDEN.																
HORNSEY -	84,070	6.8	6.8	3.7	3.1	-	26	5	2	-	-	-	-	-	-	-	-	1	2	-	HORNSEY.																
TOTTENHAM -	116,232	11.2	5.8	11.2	8.1	0.9	49	18	2	-	-	-	1	-	1	-	-	1	4	-	TOTTENHAM.																
WEST HAM -	294,997	7.6	10.3	9.5	13.8	2.3	170	78	19	-	-	-	3	-	-	10	5	9	12	-	WEST HAM.																
EAST HAM -	123,381	7.2	5.9	8.9	8.0	0.8	67	19	2	-	-	-	1	-	-	1	1	1	2	-	EAST HAM.																
LEYTON -	114,555	6.8	7.3	8.2	10.0	0.9	76	22	8	-	-	1	-	1	-	-	-	3	9	-	LEYTON.																
(WALTHAMSTOW -	116,297	7.6	7.2	8.1	0.4	0.4	80	18	9	-	-	-	-	-	-	1	3	3	1	1	(WALTHAMSTOW.																
HASTINGS -	66,820	12.5	8.6	10.9	6.2	0.8	20	8	3	-	-	-	-	-	-	1	1	1	1	-	HASTINGS.																
BRIGHTON -	127,183	9.8	9.8	12.7	11.1	0.4	43	27	1	-	-	-	-	-	-	1	2	3	6	-	BRIGHTON.																
PORTSMOUTH†	201,975	11.1	9.8	13.7	8.8	0.5	127	34	13	-	-	-	-	-	-	2	2	5	12	-	PORTSMOUTH†.																
BOURNEMOUTH	66,168	10.2	3.9	8.7	5.5	-	28	7	2	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.																
SOUTHAMPTON	114,897	14.1	11.3	7.7	10.4	2.3	60	23	7	-	-	-	2	1	-	2	-	4	1	-	SOUTHAMPTON.																
READING -	77,674	11.4	10.7	7.4	12.1	0.7	39	18	6	-	-	-	1	-	-	-	-	1	3	1	READING.																
NORTHAMPTON	92,441	11.3	4.5	10.2	11.3	0.6	46	20	1	-	1	-	-	-	-	-	-	-	1	-	NORTHAMPTON.																
IPSWICH -	70,802	13.3	11.8	10.3	10.3	1.5	42	14	2	-	-	-	1	-	-	1	1	1	3	-	IPSWICH.																
GREAT YARMOUTH-	52,353	10.0	12.0	8.0	18.9	-	24	19	4	-	-	-	-	-	-	-	2	2	4	-	GREAT YARMOUTH.																
NORWICH -	116,741	13.4	13.0	16.1	13.4	1.8	49	30	11	-	-	-	-	-	1	3	1	2	4	-	NORWICH.																
PLYMOUTH -	116,000	17.1	13.9	13.9	17.5	1.3	62	39	14	-	-	1	-	-	-	2	1	5	8	-	PLYMOUTH.																
DEVONPORT -	76,864	10.9	10.2	17.0	10.9	1.4	50	16	5	-	-	-	-	-	1	1	3	6	2	-	DEVONPORT.																
BRISTOL† -	358,515	11.9	14.0	14.3	10.3	1.5	223	71	22	-	-	-	2	-	-	3	1	2	19	-	BRISTOL†.																
HANLEY -	64,067	8.9	12.9	8.1	15.3	3.2	41	19	4	-	1	-	-	-	-	3	-	5	1	-	HANLEY.																
BURTON-ON-TRENT	52,424	9.0	9.9	5.0	6.0	-	24	6	3	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.																
WOLVERHAMPTON -	99,456	8.4	10.0	14.7	9.4	2.1	60	18	5	-	2	-	-	1	-	1	1	2	2	-	WOLVERHAMPTON.																
WALSALL -	62,998	12.9	9.5	10.7	10.1	1.7	53	18	3	-	-	-	-	-	-	3	1	2	4	-	WALSALL.																
HANDSWORTH -	61,721	6.8	9.3	7.6	7.6	0.8	29	9	5	-	-	-	-	-	-	1	1	1	1	-	HANDSWORTH.																
WEST BROMWICH -	67,823	23.1	12.3	23.1	10.8	2.3	37	14	2	-	1	-	-	-	-	2	-	-	1	1	WEST BROMWICH.																

ended Saturday, 22nd July 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1905.*				DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		The DEATHS registered in the Week include												TOWNS.					
		Week ended				BIRTHS. DEATHS.		Week ended 22nd July, 1905.		Deaths of Persons aged 60 Years and upwards.		Deaths from								Violence.	Diarrhoea.	Fever.	Whooping-cough.		Diphtheria.	Scarlet Fever.	Measles.	Small-Pox.	
		1st July, 1905.	8th July, 1905.	15th July, 1905.	22nd July, 1905.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.										21.
HUDDESFIELD.	-	94,888	16'5	13'2	12'6	14'8	0'5	54	27	5	5	-	-	-	-	-	-	1	2	2	1	-	COLS.						
HALIFAX.	-	108,419	13'9	11'1	12'5	10'6	0'5	35	22	3	7	-	-	-	-	-	-	-	-	1	3	1	HUDDESFIELD.						
BRADFORD.	-	286,769	11'3	13'3	14'7	15'3	1'6	129	84	24	24	-	-	-	1	-	-	8	2	3	12	1	HALIFAX.						
LEEDS.	-	456,787	12'9	9'1	13'0	17'8	4'7	242	156	70	33	-	3	-	-	-	1	37	4	8	17	-	BRADFORD.						
SHEFFIELD.	-	440,414	15'5	13'0	14'7	17'2	6'0	295	145	73	24	-	2	-	-	-	-	49	5	7	17	1	LEEDS.						
ROTHERHAM.	-	59,794	11'3	8'7	15'7	8'7	-	36	10	4	2	-	-	-	-	-	-	-	1	1	1	-	SHEFFIELD.						
YORK.	-	82,362	12'0	8'2	8'2	12'0	1'3	59	19	7	3	-	-	-	-	-	-	2	2	3	3	-	ROTHERHAM.						
HULL.	-	258,127	11'7	8'5	12'5	13'3	2'2	157	66	21	24	-	-	-	2	-	-	9	2	2	21	1	YORK.						
MIDDLESBROUGH.	-	98,869	20'7	15'9	16'4	13'8	1'1	72	26	4	4	-	2	-	-	-	-	-	1	1	4	-	HULL.						
STOCKTON-ON-TEES.	-	52,425	23'9	10'9	9'9	15'9	2'0	36	16	4	5	-	1	-	-	-	-	1	1	1	4	-	MIDDLESBROUGH.						
WEST HARTLEPOOL.	-	71,313	9'5	13'9	12'4	11'0	0'7	59	15	1	2	-	-	-	-	-	-	-	-	3	4	-	STOCKTON-ON-TEES.						
SUNDERLAND.	-	152,761	21'2	16'4	20'5	18'4	5'1	120	54	16	7	-	9	-	1	1	-	4	1	1	8	2	WEST HARTLEPOOL.						
SOUTH SHIELDS.	-	109,360	12'4	15'7	8'6	16'2	1'4	74	34	13	7	-	-	-	-	-	1	2	1	1	4	2	SUNDERLAND.						
GATESHEAD.	-	120,620	13'8	11'7	14'3	7'8	0'4	83	18	4	3	-	1	-	-	-	-	-	-	1	3	2	SOUTH SHIELDS.						
NEWCASTLE-ON-TYNE†	-	264,511	15'2	16'0	13'4	11'4	0'4	181	58	13	9	-	-	-	-	-	-	2	5	7	4	1	GATESHEAD.						
TYNEMOUTH.	-	53,595	17'5	18'5	14'6	10'7	-	34	11	1	1	-	-	-	-	-	-	-	4	5	1	-	NEWCASTLE-ON-TYNE.†						
NEWPORT (MON.).	-	72,880	14'3	10'7	15'7	10'7	-	50	15	1	3	-	-	-	-	-	-	-	2	2	4	-	TYNEMOUTH.						
CARDIFF.	-	180,054	8'7	6'7	8'1	9'6	0'3	119	33	9	9	-	-	-	1	-	-	-	1	2	5	-	NEWPORT (MON.).						
RHONDDA.	-	124,988	13'8	15'4	15'0	12'9	1'3	99	31	14	1	-	-	-	-	-	1	2	2	2	-	-	CARDIFF.						
MERTHYR TYDFIL.	-	73,843	19'1	17'7	18'4	18'4	4'2	52	26	10	6	-	-	-	-	-	-	6	-	2	-	-	RHONDDA.						
SWANSEA.	-	96,384	15'7	10'8	10'3	10'8	1'1	65	20	3	7	-	-	1	1	-	-	-	-	3	1	-	MERTHYR TYDFIL.						
GREATER LONDON.	-	7,010,172	10'8	10'1	10'8	11'6	1'4	3770	1557	387	420	-	21	7	11	26	9	114	82	142	543	7	GREATER LONDON.						
OUTER RING.	-	2,325,378	8'4	8'0	8'9	9'4	1'3	1304	420	116	132	-	4	1	5	13	2	31	19	33	76	2	OUTER RING.						
8 TOWNS IN OUTER RING.	-	1,135,316	8'0	7'9	9'0	9'5	1'2	637	207	62	62	-	1	1	-	8	1	15	10	17	36	1	8 TOWNS IN OUTER RING.						
REMAINDER OF OUTER RING.	-	1,190,062	8'8	8'0	8'9	9'3	1'3	667	213	54	70	-	3	-	5	5	1	16	9	16	40	1	REMAINDER OF OUTER RING.						
EDINBURGH.	-	336,577	14'7	15'5	13'6	15'8	1'4	174	102	17	28	-	4	-	2	1	-	2	4	?	?	2	EDINBURGH.						
GLASGOW.	-	809,988	18'2	15'7	14'2	16'0	2'5	518	248	54	51	-	14	-	1	7	1	16	9	?	64	6	GLASGOW.						
DUBLIN.†	-	378,994	14'9	16'9	19'7	20'1	2'8	217	146	45	30	-	-	-	-	1	1	18	9	8	45	11	DUBLIN.†						
BELFAST.†	-	358,680	17'6	18'9	19'5	20'9	3'9	251	144	49	27	-	2	-	1	-	-	22	3	4	36	?	BELFAST.†						

* As entered in 1904.
† See note on first page of this return.
‡ See note on first page of this return.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2557	2429	2601	2505	2444	2384	2519	2657	2442	2472	2596.9	2466
Male - - -	1307	1203	1366	1256	1279	1239	1261	1379	1199	1273	1325.1	1217
Female - - -	1250	1226	1235	1249	1165	1145	1258	1278	1243	1199	1271.8	1249
TOTAL Deaths -	1996	1891	1708	1330	1589	1417	1411	1236	1128	1320	1560.2	1137
Males - - -	1037	999	921	713	855	777	709	690	605	689	830.1	607
Females - - -	959	892	787	617	734	640	702	546	523	631	730.1	530

* The numbers in this column are the average weekly numbers in the twenty-ninth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	13 Weeks.	
TOTAL Births -	2568	2722	2645	2426	2544	2249	2233	2271	2527	2490	2509	2363	2466	32013	
TOTAL Deaths -	1426	1304	1324	1268	1311	1319	1236	1191	1047	1080	1006	1047	1137	15696	
Ages at Death	(Under 1 year -	309	260	258	250	259	274	226	253	196	223	203	222	271	3264
	1-5 years -	163	154	175	158	156	176	141	128	126	137	100	115	124	1853
	5-20 " -	76	67	65	69	74	60	62	73	54	68	74	65	76	883
	20-40 " -	159	147	178	171	176	142	172	149	151	141	137	129	155	2007
	40-60 " -	306	252	283	264	268	271	305	255	223	219	222	221	223	3312
(60 yrs. & upwds.	413	424	365	356	378	396	330	333	297	292	270	295	288	4437	
<hr/>															
Deaths from—															
Small-pox† - -	1	1	-	1	-	-	-	-	-	1	-	-	-	4	
Measles - - -	37	44	42	41	44	58	40	46	38	31	24	27	17	489	
Scarlet Fever - -	9	5	9	11	4	9	11	6	7	12	11	7	6	107	
Diphtheria - - -	14	11	7	7	6	7	9	9	11	7	6	6	6	106	
Whooping-cough -	50	54	37	35	50	41	42	26	26	26	18	17	13	435	
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	6	5	3	3	5	4	6	2	3	1	5	3	7	53	
Pyrexia (origin un- certain).	-	-	-	-	-	-	-	1	-	-	1	-	-	2	
Diarrhoea, Dysentery	15	19	10	15	16	27	30	14	14	25	37	53	83	363	
<hr/>															
All above Diseases -	132	139	108	113	125	146	138	104	99	103	102	118	132	1559	
<hr/>															
Dis. of Resp. System	138	122	112	95	92	96	68	73	53	46	32	48	42	1017	
Pneumonia - - -	168	134	139	131	123	139	123	116	91	94	58	56	75	1450	
Phthisis - - -	125	121	127	119	122	111	134	129	95	104	92	100	97	1476	
Dis. of Circ. System -	185	168	161	143	174	163	169	170	162	131	151	143	151	2071	
Violence - - -	80	47	66	58	59	59	58	59	45	61	59	53	63	747	
Inquest Cases - -	143	112	132	130	137	117	153	120	103	129	109	101	109	1595	
Deaths in Institutions	520	503	509	500	502	514	521	488	461	442	394	451	467	6272	
<hr/>															
TEMPERATURE OF THE AIR.	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
Mean - - -	48.5	49.4	53.6	53.3	51.2	62.7	53.7	59.5	60.9	63.2	64.0	68.9	65.2	58.0	
Mean of Highest -	56.1	60.1	64.0	64.0	62.8	74.7	59.2	69.0	72.0	74.0	74.7	80.5	77.7	68.4	
Mean of Lowest -	42.8	41.9	42.9	43.9	41.0	51.4	49.5	51.7	51.2	55.0	54.2	60.0	54.0	49.2	
Mean Humidity of the Air.	74	71	60	67	61	61	87	81	73	79	69	71	75	72	
Rain-fall (in inches) -	0.15	0.85	0.00	0.22	0.00	0.50	2.86	0.95	0.02	0.54	0.03	0.26	0.02	6.40	
Registered Sunshine (in hours).	24.8	54.7	55.5	52.1	39.4	51.5	7.8	45.6	58.3	36.8	52.7	55.4	54.0	588.6	
<hr/>															
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means	
Small-pox - - -	16	17	17	15	10	9	9	7	6	4	5	4	3	9	
Scarlet Fever - -	2182	2152	2177	2211	2200	2268	2285	2356	2427	2473	2499	2520	2485	2326	
Diphtheria - - -	725	691	698	686	688	690	687	719	723	718	775	764	791	720	
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	65	72	70	71	79	80	80	82	83	78	81	89	92	79	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Frestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. E. Witty Esq. Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-NINTH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 29th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 29th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1320	1137	271	124	76	155	223	288	Meningitis (not tuberc.)	16	14	5	7	2	-	-	
									Insanity, Gen. Par. of	14	18	-	1	1	2	7	
									Insane	8	5	-	-	-	3	2	
Small-pox*	1	-	-	-	-	-	-	-	Epilepsy	27	23	21	2	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Convulsions	7	4	-	-	1	1	2	
Measles (Morbilli)	49	17	4	13	-	-	-	-	Locomotor Ataxy	19	15	-	-	3	4	2	
Scarlet Fever	4	6	-	4	2	-	-	-	Paraplegia, Dis. of Cord	-	-	-	-	-	-	6	
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	29	38	-	-	5	8	11	
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	25	28	-	-	-	2	10	
Influenza	2	-	-	-	-	-	-	-	Cerebr. Hem. Thromb.	14	11	-	-	-	2	9	
Whooping-cough	21	13	3	10	-	-	-	-	Apoplexy, Hemiplegia	6	3	-	-	1	-	2	
Diphtheria	14	6	-	3	3	-	-	-	Aneurysm	-	-	-	-	-	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis	84	71	-	-	5	8	18	
Pyrexia† (Origin un- certain)	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	40	
Enteric Fever	5	7	-	1	5	1	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Membr.)	-	-	-	-	-	-	-	
Epidemic Diarrhoea } (Infective Enteritis)	96	52	42	8	-	2	-	-	Bronchitis	26	27	4	1	-	1	21	
Diarrhoea, Dysentery	65	31	24	4	-	1	2	-	Asthma, Emphysema	2	1	-	-	-	1	-	
Tetanus	1	-	-	-	-	-	-	-	Pleurisy	3	3	1	-	1	1	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	5	11	1	1	1	3	4	
Glanders	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	1	2	-	-	-	2	-	
Anthrax (Splenic Fever)	1	-	-	-	-	-	-	-	Enteritis (not Epid.)	19	16	6	7	-	1	2	
Venereal Dis.	6	5	5	-	-	-	-	-	Gastro-Enteritis	13	8	7	1	-	-	-	
Puerperal Septicæmia	6	4	-	-	4	-	-	-	Peritonitis (not Puerp.)	2	2	-	-	1	-	-	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Cirrhosis of Liver	19	12	-	-	1	9	2	
Puerperal Fever	-	-	-	-	-	-	-	-	Liver Dis. (other)	4	6	-	-	-	1	4	
Infective Endocarditis	6	2	-	1	1	-	-	-	Digestive Dis., Other	42	45	6	2	8	6	9	
Lobar	12	14	2	-	3	7	2	-	Nephritis, Acute	3	6	-	-	-	2	4	
Broncho-	30	20	6	10	-	2	2	-	Bright's Dis., Albumin- uria	35	22	-	-	2	2	7	
Epidemic	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	10	14	-	-	-	4	3	
Not defined	42	41	5	10	5	4	7	10	Generative Organs Dis.	3	4	-	-	1	3	-	
Erysipelas	3	2	-	1	1	-	-	-	Childbirth (Accid. of)	2	3	-	-	-	3	-	
Septicæmia (not Puer- peral)	3	-	-	-	-	-	-	-	Old Age	44	26	-	-	-	-	26	
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	Other Diseases	75	79	54	8	3	2	4	
Other Infective Processes	6	4	1	1	1	1	-	-	ACCIDENT.								
Tuberculous Phthisis	65	72	4	1	1	38	24	4	By Railways	3	2	-	-	-	1	1	
"Phthisis"	51	25	-	2	12	8	3	-	By Vehicles and Horses	6	7	-	2	2	-	1	
Tuberculous Meningitis	19	26	3	16	7	-	-	-	In Ships, Boats, Docks, (exclusive of Drown- ing)	1	1	-	-	-	-	1	
Tuberculous Peritonitis	11	10	2	1	1	5	1	-	In Building Operations	1	2	-	-	-	-	2	
Tubes Mesenterica	1	5	4	-	1	-	-	-	In Conflagrations	1	-	-	-	-	-	-	
Tuberculous Dis. (other)	16	23	6	5	6	2	2	-	By Burns, Scalds, Ex- plosions	8	3	1	1	-	1	-	
Scrofula	-	-	-	-	-	-	-	-	By Drowning	10	13	-	1	3	5	3	
Alcoholism	12	10	-	-	2	8	-	-	By Suffocation in Bed	15	4	4	-	-	-	-	
Rheumatic Fever	1	4	-	1	2	-	1	-	By Poisons or Poisonous Vapours	2	3	1	-	1	1	-	
Gout	2	1	-	-	-	-	1	-	Other Deaths by Acci- dent	22	16	1	3	2	-	3	
Carcinoma	46	54	-	-	4	25	25	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Sarcoma	7	8	-	1	2	4	1	-	Homicide	-	3	-	-	2	1	-	
Cancer (undefined)	24	40	-	-	3	17	20	-	Suicide	14	9	-	-	1	3	5	
Diabetes Mellitus	7	6	-	-	2	4	-	-	Execution	-	-	-	-	-	-	-	
Premature Birth	45	49	49	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd July, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Un- certified Causes of Death.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic* Origin un- certain.	Diarrhœa.	Violence.	Inquest Cases.			
LONDON - - -	4,530,429	2466	1137	271	288	-	17	6	6	13	-	7	-	83	63	109	467	5	
WEST DISTRICTS - - -	805,311	370	205	39	55	-	5	-	1	-	-	-	-	16	11	20	86	-	
NORTH DISTRICTS - - -	1,056,070	538	219	58	63	-	4	1	2	3	-	1	-	9	14	27	80	4	
CENTRAL DISTRICTS - - -	209,465	99	65	15	9	-	1	-	-	-	-	-	-	3	6	8	43	-	
EAST DISTRICTS - - -	715,739	468	221	73	46	-	2	-	1	3	-	3	-	33	15	30	85	-	
SOUTH DISTRICTS - - -	1,749,844	991	381	86	100	-	5	4	1	7	-	-	-	21	17	24	127	1	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	46	-	15	-	-	1	1	-	-	-	-	1	-	-	46	-	
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	53	28	2	13	-	2	-	-	-	-	-	-	2	-	2	8	-	
W.2H - - -																			
St. John Paddington H - G.	33,617	5	9	1	1	-	-	-	-	-	-	-	-	-	-	-	9	-	
North-West Paddington - C.	17,181	10	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Kensington Town 2W w.2H G. & C.	128,037	56	37	9	11	-	1	-	1	-	-	-	-	2	1	2	16	-	
Brompton 2H - - W. & C.	48,591	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
North Hammersmith W. w. H } W. & G.	49,192	30	10	4	3	-	-	-	-	-	-	-	-	2	1	2	-	-	
South Hammersmith w.2H - - -	63,047	28	15	2	5	-	-	-	-	-	-	-	-	1	2	4	8	-	
North-west Fulham W - - -	45,180	55	15	5	2	-	-	-	-	-	-	-	-	1	-	-	6	-	
North-east Fulham F } W. & C.	46,405	29	11	3	4	-	1	-	-	-	-	1	-	1	-	-	1	-	
South Fulham W - - -	45,704	27	5	2	-	-	-	-	-	-	-	-	-	2	1	1	-	-	
Chelsea North W. w.3H - - C.	42,514	13	21	-	6	-	-	-	-	-	-	-	-	-	-	-	19	-	
Chelsea South W.2H - - C.	31,328	11	13	6	1	-	-	-	-	-	-	-	-	4	-	-	5	-	
Mayfair and Knightsbridge C. & G.	28,743	7	6	-	1	-	-	-	-	-	-	-	-	-	4	4	-	-	
Belgrave W.2H - - C.	55,815	14	16	2	3	-	1	-	-	-	-	-	-	-	1	3	8	-	
St. Margaret & St. John 4H - C.	43,698	16	8	1	1	-	-	-	-	-	-	-	-	-	1	2	3	-	
St. James Westminster } N. & G.	21,588	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
W.H - - -																			
St. Anne Soho 5H - - N.	11,493	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.	35,391	12	10	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-	
Rectory Marylebone W - G. & W.	19,849	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone 4H - G. & W.	18,099	46	5	4	-	-	-	-	-	1	-	-	-	-	-	-	3	-	
Christchurch Marylebone H - W.	39,536	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.	20,426	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-	
Hampstead W.F.8H - N. & W.	81,942	26	24	6	4	-	-	1	-	-	-	-	-	1	2	2	12	-	
West St. Pancras 2H - - W.	60,562	29	8	2	1	-	1	-	-	-	-	-	-	-	3	3	2	-	
Tottenham-court w.7H - N. & W.	21,258	3	8	3	1	-	-	-	-	-	1	-	1	-	1	2	6	-	
Gray's Inn Lane 4H - - N.	34,449	19	5	1	1	-	-	-	-	-	-	-	-	-	1	2	2	-	
East St. Pancras W.2H - - N.	60,320	42	16	6	4	-	-	-	-	-	-	-	-	-	1	2	7	3	
North St. Pancras 2W - - N.	58,728	31	8	2	4	-	-	-	-	-	-	-	-	-	-	1	5	-	
Tufnell W - - N.	31,995	10	15	3	3	-	-	-	-	-	-	-	-	1	-	2	8	-	
Upper Holloway 2W. w. H - N.	33,978	22	20	2	7	-	1	-	1	-	-	-	-	-	1	2	14	-	
Tollington WH - - N.	33,922	15	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - N.	41,424	20	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Barnsbury - - N.	54,478	34	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Islington South-east F - - N.	75,397	42	11	5	-	-	-	-	1	1	-	-	-	-	1	2	-	-	
Highbury 2H - - N.	63,797	17	12	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - N.	51,247	16	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - E. & N.	50,560	25	11	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w.F - E. & N.	50,536	26	7	2	3	-	1	-	-	-	-	-	-	-	1	2	-	-	
South-west Hackney 3H - E. & N.	59,921	25	12	7	1	-	-	-	-	-	-	1	-	2	2	3	8	-	
South-east Hackney 2W. w. H E. & N.	58,255	47	18	6	5	-	1	-	-	-	-	-	-	3	1	1	7	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd July, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include													
			Total Deaths.	Deaths of			Deaths from									
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhœa.	Violence.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury W,2H N.	31,436	13	5	-	1	-	-	-	-	-	-	-	1	-	-	3
Strand W,4H - - - N. & C.	21,874	5	6	-	1	-	-	-	-	-	-	-	-	-	1	2
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	2
Folborn W,6H - - - N.	29,612	11	18	4	1	-	-	-	-	-	-	-	-	-	1	16
South Clerkenwell - - - N.	28,676	12	5	3	1	-	1	-	-	-	-	-	-	-	-	-
North Clerkenwell H - - - N.	35,028	14	6	3	1	-	-	-	-	-	-	-	-	-	1	1
Finsbury 3H,L - - - N.	36,116	43	5	3	1	-	-	-	-	-	-	-	-	-	1	2
Folborn Union Workhouse, } Mitcham - - - - - }	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2
St. Botolph H - - - N. & E.	10,299	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows } W,2H - - - - - }	16,624	-	14	2	-	-	-	-	-	-	-	-	-	-	1	3
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South H - E. & N.	46,362	32	18	10	3	-	-	-	-	1	-	-	-	-	3	3
Shoreditch North-West W,w,H N.	36,127	24	20	7	3	-	-	-	-	-	-	-	-	-	6	3
Shoreditch North-East - N. & E.	34,148	11	11	3	2	-	1	-	-	-	-	-	-	-	2	2
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - E.	51,514	34	13	7	2	-	-	-	-	-	-	-	-	-	4	1
Bethnal Green South - - E.	33,472	18	4	2	-	-	-	-	-	-	-	-	-	-	1	3
Bethnal Green East 2W,H,L - E.	44,604	31	16	3	3	-	-	-	-	1	-	1	-	-	1	2
Spitalfields - - - E. & N.	27,969	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town W,H - E.	28,718	36	34	6	4	-	-	-	1	-	-	-	-	-	5	5
Woodman's Fields - - - E.	22,081	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W E.	49,068	33	9	1	1	-	-	-	-	-	-	-	-	-	1	3
Shadwell and Ratcliff W,H,E. & N.	25,568	11	10	7	-	-	1	-	-	-	-	-	-	-	5	2
Limehouse W - - - E.	32,369	22	9	4	1	-	-	-	-	-	-	-	-	-	1	2
Mile End Old Town South- } Western H - - - E.	63,698	53	10	4	2	-	-	-	-	-	-	-	-	-	1	1
Mile End Old Town North- } Eastern W,w - - - E.	49,129	40	17	4	6	-	-	-	-	-	-	1	-	-	4	9
Bow L - - - - E.	41,989	32	10	4	2	-	-	-	-	-	-	-	-	-	1	1
Bromley 3w,H - - - E.	68,319	38	22	4	7	-	-	-	-	-	-	1	-	-	2	3
Poplar W,w - - - E.	58,514	31	12	3	4	-	-	-	-	1	-	-	-	-	1	2

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtherIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 22nd July, 1905—continued.

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.	Probable Increase of Death.
					Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
SOUTH DISTRICTS.																			
Christchurch Southward	W, H, L. & S.	11,263	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southward	H - S.	12,056	3	12	1	2	-	-	-	-	-	-	-	-	5	5	10	-	
Kent-road	- S. & L.	21,904	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr	} S. & L.	39,094	18	12	5	-	-	-	-	-	2	-	-	-	2	-	1	7	
West W, H, L.	- S. & L.	49,022	37	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	
Newington North	- S. & L.	72,841	49	14	5	3	-	1	-	-	-	-	-	-	2	2	-	-	
Newington South	W - S. & L.																		
St. Olave 2W	- - S.	9,817	5	2	1	-	-	-	-	-	-	-	-	-	1	1	1	1	
Bermondsey W	- - S.	82,483	59	15	5	3	-	1	-	-	-	-	-	-	1	2	4	1	
Rotherhithe W, F	- S. & K.	38,460	29	13	5	1	-	-	-	-	-	-	-	-	1	-	-	8	
Waterloo-road 2H	- L. & S.	27,440	20	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
Lambeth Church 1st	H L. & S.	18,423	7	15	1	2	-	-	-	-	-	-	-	-	1	1	1	13	
Lambeth Church 2nd	2W L. & S.	39,818	24	22	3	7	-	-	-	2	-	-	-	-	2	1	2	17	
Kennington 1st	H - S. & L.	53,198	22	10	1	5	-	1	-	-	-	-	-	-	1	-	1	-	
Kennington 2nd	H - S. & L.	42,896	12	6	3	1	-	-	-	-	-	-	-	-	-	-	-	3	
Brixton F	- L. & S.	84,232	36	17	1	9	-	-	1	1	1	-	-	-	-	1	-	2	
Norwood W, H	- - L.	35,888	15	6	1	4	-	-	-	-	-	-	-	-	1	-	-	1	
East Battersea H	- - S.	72,203	31	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
North-west Battersea	- - S.	49,656	42	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea 2W, H	- S.	47,048	25	29	5	7	-	-	-	-	-	-	-	-	2	-	1	-	
Clapham 2H	- - S.	51,361	26	15	3	1	-	1	-	-	1	-	-	-	1	-	-	1	
Streatham W, 2w, 2F, 2L	- L.	88,019	49	13	3	3	-	-	2	-	-	-	-	-	-	-	-	2	
Springfield 2W, L	- - S.	27,959	18	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H	- - S.	40,444	30	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
Putney	- - S.	24,139	12	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	
Dulwich	- - L. & S.	13,359	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South	W, w S. & L.	40,206	19	15	1	7	-	-	-	-	-	-	-	-	-	-	-	12	
Camberwell North	W, 2L S. & L.	65,584	29	18	3	6	-	-	-	-	-	-	-	-	-	-	-	10	
St. George	- - L. & S.	47,331	24	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-	
Peckham 2W, w	- S., L. & K.	92,859	50	12	3	3	-	-	-	-	-	-	-	-	1	-	-	-	
Deptford North	- - K.	37,613	31	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central	- - K.	45,431	33	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford South	- - K.	34,625	24	5	-	2	-	-	-	-	-	-	-	-	1	-	-	-	
Greenwich West	2H - K.	23,456	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East	2W, H - K.	43,859	23	13	1	5	-	-	-	-	-	-	-	-	1	1	-	7	
Eltham w, H	- - K.	7,228	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
Lee w, H	- - K.	25,490	17	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W, w, F	- - K.	58,362	49	11	1	4	-	-	1	-	1	-	-	-	-	-	-	4	
Sydenham H	- - L.	43,653	22	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	
Charlton F, 2H	- - K.	21,134	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
Woolwich 5H	- - K.	41,625	12	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
Plumstead West	W - K.	18,063	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East	2W, H - K.	50,264	36	10	-	4	-	-	-	-	-	-	-	-	1	1	2	3	
Workhouse:—																			
Central London Sick Asylum																			
(Westminster, St. Giles, and Strand Unions.)																			
M. A. B. Small-pox Hospitals:—																			
Joyce Green																			
Long Reach																			
M. A. B. Fever Hospitals:—																			
North-Eastern					2				1	1								2	
Northern																			
M. A. B. Imbecile Asylums:—																			
Caterham				1		1												1	
Darenth				3														3	
Gore Farm (temporary)																			
Leavesden				6		3												6	
London County Lunatic Asylums:—																			
Banstead				6		4												6	
Ewell (Epileptic Colony)																			
Horton				7		2												7	
Manor				2														2	
Cane Hill				2		1												2	
Bartford Heath				3		1												3	
Hanwell				3		1												3	
Colney Hatch				5		1												5	
Claybury				3		1												3	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 22nd July, 1905.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		368,602	2,044,973	1304	420	116	132	-	4	1	5	13	2	31	19	33	76	2	
30: 1	Carshalton 2F,2H	12,228	32,997	26	3	-	3	-	-	-	-	-	-	-	-	-	1	2	
2	Epsom, part of* W,w,2F,H	10,423	15,548	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F	2,754	2,692	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,069	8,166	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	13	4	2	2	-	-	-	-	1	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	32	17	3	7	-	-	-	-	1	-	1	-	-	12	-	
4	North Croydon H	2,644	41,698	22	11	1	4	-	1	-	-	-	-	-	-	1	1	-	
5	Penge w,H	770	22,465	12	2	1	-	-	-	-	-	1	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	34	8	3	1	-	1	-	-	-	-	2	1	1	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	25	3	1	1	-	-	-	-	-	-	1	-	-	1	-	
2	Kingston 2W,H	6,224	42,068	27	9	2	1	-	-	-	-	-	-	1	1	1	2	-	
3	Surbiton F,H	3,046	15,017	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	22	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,162	28,865	13	4	2	2	-	-	-	-	-	-	-	-	-	1	-	
2	Mortlake F	2,847	20,628	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley F,2H	4,703	27,354	13	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,825	28,497	9	4	-	1	-	-	-	-	1	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	4	5	-	2	-	-	-	-	-	-	-	-	-	4	-	
4	Chislehurst 2H	7,333	16,446	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley w F,H	8,678	21,151	12	1	1	-	-	-	-	-	-	-	1	-	-	-	-	
2	Erith F,H	3,854	25,296	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	2	-	
43: 1	Sunbury w	11,054	18,683	14	4	2	-	-	1	-	-	-	-	-	1	1	-	-	
2	Staines W,H	13,277	16,178	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
44: 1	Hillingdon W,F,H	6,035	13,661	16	4	1	2	-	-	-	-	-	-	1	-	1	1	-	
2	Uxbridge H	12,757	8,984	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	21	4	2	-	-	-	-	-	-	-	-	1	1	-	-	
45: 1	Isleworth 3W,2F,H	6,859	30,863	10	16	5	5	-	-	-	-	-	-	1	-	-	9	-	
2	Twickenham F,H	2,421	20,961	12	5	2	2	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H,L	4,319	48,289	33	11	3	5	-	-	-	-	-	-	3	-	1	-	-	
4	Chiswick H	1,249	29,809	19	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,3H	6,132	48,914	37	11	2	1	-	-	-	2	1	-	-	-	-	1	-	
7: 1	Harrow F,H	13,809	25,523	14	4	1	2	-	1	-	-	-	-	-	-	-	-	-	
2	Edgware F,2H	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	102	22	6	7	-	-	-	-	-	-	2	1	2	3	-	
4	Hendon W,F	8,382	22,450	10	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
46: 1	South Mimms 2F,H	17,755	7,308	5	3	1	-	-	-	-	-	1	-	1	1	1	-	-	
2	Barnet W,2H	3,324	17,970	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,688	33,692	20	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
47: 1	Hornsey F,H	2,875	72,056	26	6	1	2	-	-	-	-	1	-	-	-	-	1	-	
2	Wood Green H	1,625	34,233	12	7	3	1	-	-	-	-	1	-	-	1	2	-	-	
3	West Tottenham F	996	48,853	25	6	1	2	-	-	-	-	-	-	-	-	1	-	-	
4	East Tottenham 2H	2,017	53,688	24	9	1	3	-	-	-	1	-	-	-	-	-	1	-	
5	Edmonton W,w,2F	7,491	61,892	39	19	6	9	-	-	-	-	-	-	1	1	2	4	1	
6	Enfield 2W,F,H	12,601	42,738	33	11	3	4	-	-	-	-	-	-	3	-	-	-	-	
7	Waltham Abbey F	11,017	6,549	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	2	2	-	2	-	-	-	-	-	-	-	1	1	1	-	
48: 1	Hatfield, part of* W	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Bushey H	9,333	9,173	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
49: 1	Stratford H	1,072	44,827	29	18	5	4	-	-	1	-	-	-	3	3	4	3	-	
2	Plaistow F,2H	1,249	90,921	67	28	10	5	-	-	-	1	-	-	4	3	5	1	-	
3	Canning Town H	1,558	70,718	43	17	9	2	-	-	-	2	-	-	-	-	-	-	-	
4	Forest Gate w	806	60,892	31	10	3	4	-	-	-	-	-	-	-	-	1	-	-	
5	North East Ham w,H	1,333	58,676	36	11	7	-	-	-	-	-	-	-	-	-	-	-	-	
6	South East Ham 2F	1,993	37,342	31	6	3	1	-	-	-	1	-	-	1	1	1	-	-	
7	Wanstead F	1,679	9,179	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	831	50,467	37	9	2	5	-	1	-	1	-	-	-	-	-	3	-	
9	North Leyton 2W,w,F	1,963	48,445	39	30	6	10	-	-	-	-	-	-	-	-	-	14	-	
10	Walthamstow 3H,L	6,504	108,929	83	12	3	4	-	-	-	-	-	-	1	3	3	3	1	
70: 1	Chigwell, part of* 2F,3H	11,778	16,397	13	4	-	1	-	-	1	-	-	-	-	-	1	-	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
49: 1	Romford, part of* W,2F	6,556	6,091	2	2	1	1	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford F,L	8,496	41,234	26	4	1	1	-	-	-	-	-	-	1	-	-	1	-	
3	Barking Town F	3,803	21,547	11	5	1	1	-	-	-	1	-	-	-	-	-	1	-	
Middlesex County Asylum, Wandsworth.		-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
North-Eastern Hosp., Tot- tenham.		-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 43: 1, Northaw parish; 47: 1, excepting Heydon Bois parish, and part of Epping parish; 48: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,684,794	July 22	2466	1137	12·7	-	17	6	6	13	7	8
CALCUTTA - -	847,796	June 10	-	445	27·2	5	2	-	1	1	158†	1
BOMBAY - -	776,006	July 4	308	496	33·2	7	1	-	-	1	98†	1
MADRAS - -	509,346	June 24	434	474	48·3	3	4	?	?	?	70	19
PARIS - -	2,660,559	July 15	1037	806	16·7	2	14	1	1	7	3	4
BRUSSELS - -	586,936	" 15	-	-	-	-	-	-	-	-	-	-
ANTWERP - -	286,695	" 15	-	-	-	-	-	-	-	-	-	-
AMSTERDAM -	551,415	" 8	301	115	10·8	-	2	-	1	2	2	1
COPENHAGEN -	426,000	" 15	215	129	15·6	-	1	-	-	3	1	1
STOCKHOLM -	309,496	" 8	146	96	15·7	-	2	1	1	-	-	1
CHRISTIANIA -	223,649	" 15	125	59	13·8	-	-	-	1	2	-	-
ST. PETERSBURG	1,243,122	" 8	546	760	23·4	3	34	9	7	7	24	23
MOSCOW - -	1,092,360	" 8	-	931	44·4	2	10	6	9	7	2	46
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,016,585	July 1	963	698	18·0	-	11	5	4	11	3	10
HAMBURG - -	772,852	" 15	-	208	14·0	-	-	1	-	-	-	2
BRESLAU - -	462,147	" 8	275	351	39·6	-	2	-	1	4	2	8
MUNICH - -	523,000	" 15	-	217	21·4	-	2	-	2	4	-	4
VIENNA - -	1,877,839	" 15	-	-	-	-	-	-	-	-	-	-
PRAGUE - -	430,569	" 15	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	836,267	" 15	377	301	18·7	-	8	1	2	-	-	7
TRIESTE - -	191,403	" 15	120	106	23·5	-	-	3	-	2	1	3
ROME - -	503,857	-	-	-	-	-	-	-	-	-	-	-
VENICE - -	169,417	July 8	83	126	38·8	-	1	-	-	-	4	2
BUCHAREST -	282,071	" 8	167	150	27·7	-	-	-	-	-	2	3
NEW YORK - -	3,948,191	" 1	2129	1404	18·6	-	13	4	20	8	9	28
CHICAGO - -	1,932,315	" 8	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	" 1	-	441	15·9	-	-	1	10	5	14	0
BOSTON - -	617,956	June 24	-	201	16·9	-	-	1	2	-	1	1
RIO DE JANEIRO	850,000	" 18	-	303	17·5	2	4	-	3	-	1	1

* Excluding deaths from croup in the Indian Cities.

† Including 52 deaths from plague in Calcutta, and 58 in Bombay.

‡ Including 5 deaths from cholera in Calcutta, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd July, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	84·0	48·8	65·8	0·02	BRADFORD - -	78·0	50·0	63·3	0·39
BRIGHTON - -	73·4	50·8	63·5	0·14	LEEDS - - - -	79·0	51·0	65·2	0·34
PORTSMOUTH -	80·0	53·5	65·4	0·00	HULL - - - -	79·0	47·0	62·9	1·01
NORWICH - -	?	?	?	?	TYNEMOUTH - -	77·0	47·0	62·3	0·33
PLYMOUTH - -	73·8	51·1	62·7	0·05	EDINBURGH - -	75·9	50·4	61·8	0·41
BRISTOL - -	76·5	47·7	63·6	0·12					
BIRMINGHAM -	80·0	49·9	63·8	0·05	GLASGOW - -	74·5	52·2	62·4	0·83
NOTTINGHAM -	80·4	50·1	64·1	0·03	DUBLIN { Phoenix Park. Fitz- william Square.†	72·4	45·3	61·9	0·28
LIVERPOOL }	73·0	53·0	62·0	0·40					
MANCHESTER }	78·0	47·8	62·3	0·73	PRESTON - -	73·5	51·1	63·8	0·22
PRESTON - -	71·0	52·5	62·2	1·13					
HUDDERSFIELD -	75·6	47·0	61·9	0·28	BELFAST - -	73·3	52·1	62·2	0·34

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·9° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		BARO-METER.		TEMPERATURE.						Difference between this and Dew Point Temperature.		TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected Gauge receiving surfaces above the ground.								
MONTH AND DAY	Phases of the Moon.	Mean daily reading reduced to sea level (Feet.)		Of the Air.		Of the Dew point		Degree of Humidity (Saturation equals 100).		Radiation.		Of the Earth 3 feet below the surface.		General Direction.		Pressure on the Square Foot.		Robinson's.								
		High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from average daily value, 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on Grass.	A.M.	P.M.	Greatest.	Least.	Mean hourly obs	Miles per hour on each Day.	Miles per hour Average of the Day.								
JULY		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	in.						
SUNDAY - 16	Full	29779	740	578	162	620	- 12	523	97	177	43	71	1347	461	6340	W. & WSW.	W. & NW.	W. & NW.	lbs. 1.6	0.0	0.0	244	+ 14	0.00	80	
MONDAY - 17	"	29875	742	503	239	617	- 04	484	133	219	04	62	1374	380	6376	WSW.	W. & NW.	WSW.	lbs. 1.5	0.0	0.1	268	+ 35	0.00	00	
TUESDAY - 18	"	29857	752	549	203	630	- 00	545	85	200	42	74	1239	456	6361	NNW.	WSW. & NNW.	NNW.	lbs. 2.5	0.0	0.2	323	+ 82	0.02	00	
WEDNESDAY 19	"	30080	755	483	267	619	- 11	483	136	248	23	61	1314	370	6360	NNE, variable & SW.	Calm.	WSW.	lbs. 0.7	0.0	0.0	142	- 90	0.00	40	
THURSDAY - 20	"	30000	800	542	258	676	+ 46	520	156	243	44	57	1368	450	6350	SW. & SSW.	NNW.	NNW.	lbs. 0.5	0.0	0.0	139	- 33	0.00	00	
FRIDAY - 21	"	29924	811	555	256	686	+ 56	583	103	214	06	70	1295	404	6349	WSW. & variable.	SSW. & SW.	WSW.	lbs. 0.0	0.0	0.0	110	- 122	0.00	00	
SATURDAY - 22	In Equator.	29828	840	563	277	707	+ 78	566	141	275	17	61	1463	466	6375	WSW.	WSW.	WSW.	lbs. 1.3	0.0	0.1	288	+ 55	0.00	00	
MEANS	-	29907	777	540	237	652	+ 22	530	122	225	26	75	1334	435	6359	WSW.			23	Sum 1572	Sum 0.02	25	
No. of Column -	3	4		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Sum 1572	Sum 0.02	25
DATE.	JULY																									
SUNDAY - 16																										
MONDAY - 17																										
TUESDAY - 18																										
WEDNESDAY 19																										
THURSDAY - 20																										
FRIDAY - 21																										
SATURDAY - 22																										
No. of Col. -																										

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 130 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9 A.M.; noon; 3 P.M. and 9 P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher", and - "lower", than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer (Feet) increased to 2981 in. at the beginning of the week to 2976 in. by 10 A.M. on the 16th, increased to 2978 in. by 8 P.M. on the 17th; decreased to 2980 in. by 10 A.M. on the 18th; increased to 3011 in. by 11h. A.M. on the 18th, and decreased to 2977 in. by midnight on the 22nd.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 15th July, 1905.*

BOROUGHS,	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	4	4	-	1	-	-	2	-
Kensington - - - -	180,083	-	6	3	-	-	-	-	4	-
Hammersmith - - - -	119,037	-	7	2	-	3	-	-	2	-
Fulham - - - -	157,210	-	31	3	-	1	-	-	3	-
Onelsea - - - -	74,496	-	2	1	-	-	-	-	4	-
City of Westminster - - - -	175,606	-	7	2	-	1	-	-	1	1
NORTH.										
St. Marylebone - - - -	129,453	-	6	6	-	1	-	-	2	-
Hampstead - - - -	88,142	-	4	4	-	-	-	-	2	-
St. Pancras - - - -	236,183	-	8	9	-	-	-	-	3	-
Islington - - - -	342,994	-	15	4	-	3	-	-	2	-
Stoke Newington - - - -	52,828	-	4	4	-	-	-	-	-	-
Hackney - - - -	228,479	-	15	9	-	-	-	-	5	-
CENTRAL.										
Holborn - - - -	56,481	-	1	-	-	1	-	-	1	-
Finsbury - - - -	98,207	-	5	3	-	1	-	-	2	-
City of London - - - -	22,425	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	22	-	-	-	-	-	4	-
Bethnal Green - - - -	130,401	-	19	3	-	1	-	-	3	1
Stepney - - - -	305,466	-	42	8	-	4	-	-	6	-
Poplar - - - -	170,280	-	16	21	-	1	-	-	5	-
SOUTH.										
Southwark - - - -	208,528	-	14	5	-	2	-	-	7	-
Bermondsey - - - -	129,006	-	11	2	-	2	-	-	-	-
Lambeth - - - -	313,045	-	23	13	-	1	-	-	5	-
Battersea - - - -	177,532	-	20	3	-	-	-	-	-	-
Wandsworth - - - -	265,392	-	23	9	-	3	-	-	4	-
Camberwell - - - -	271,240	-	25	12	-	-	-	-	4	-
Deptford - - - -	114,495	1	18	-	-	-	-	-	-	1
Greenwich - - - -	103,493	-	4	3	-	2	-	-	1	-
Lewisham - - - -	144,420	-	14	1	-	1	-	-	1	-
Woolwich - - - -	125,372	-	6	4	-	-	-	-	-	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		1	383	129	-	29	-	-	73	3
4,681,794										
AGES.										
Ages 0-1 - - - -	-	-	7	-	-	-	-	-	6	-
" 1-5 - - - -	-	-	122	42	-	4	-	-	5	-
" 5- - - - -	-	-	167	48	-	3	-	-	1	-
" 10- - - - -	-	-	49	18	-	1	-	-	6	-
" 15- - - - -	-	-	16	5	-	3	-	-	3	-
" 20- - - - -	1	10	4	-	6	-	-	-	2	2
" 25- - - - -	-	6	8	-	6	-	-	-	11	-
" 35- - - - -	-	4	3	-	3	-	-	-	8	1
" 45- - - - -	-	1	1	-	3	-	-	-	11	-
" 55- - - - -	-	1	-	-	-	-	-	-	5	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	15	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON:
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 30. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, JULY 29. [Price 1½d.

General Register Office, Somerset House,

July 31st, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·0 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 11·6, 12·9, and 13·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·5 in Salford, 21·7 in Stockport, 22·1 in Manchester, 22·3 in Rochdale, 22·6 in Hanley and in Sheffield, 23·7 in Liverpool, 24·0 in Merthyr Tydfil, 24·6 in Rhondda, and 30·7 in Bootle; from *measles*, 1·6 in Wolverhampton, 1·7 in Sunderland, and 4·3 in Barrow in Furness; and from *diarrhoea*, 5·3 in Manchester, 5·4 in Birkenhead and in Rhondda, 6·4 in Aston Manor, 6·7 in West Ham, 8·0 in Stockport, 8·1 in Liverpool, 8·9 in Sheffield, 9·2 in Merthyr Tydfil, and 21·6 in Bootle. One death from *small-pox* was registered in Derby, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2480 BIRTHS and 1285 DEATHS were registered. Allowing for increase of population, the births were 138 and the deaths 454 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 11·2, 11·7, and 12·7 in the preceding three weeks, further rose last week to 14·3. During the four weeks ended on Saturday last the death-rate averaged 12·5 per 1000, being 4·4 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1285 deaths included 24 from measles, 8 from scarlet fever, 7 from diphtheria, 33 from whooping-cough, 3 from enteric fever, and 187 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 262 deaths were referred to these diseases in the aggregate, being 173 below the corrected average weekly number.

The deaths from *measles*, which had been 24, 27, and 17 in the preceding three weeks, were 24 last week, and were 21 below the corrected average; 4 deaths belonged to the Borough of Wandsworth and 3 to Lambeth. The deaths from *scarlet fever*, which had been 11, 7, and 6 in the preceding three weeks, were 8 last week, and were 3 below the corrected average; 2 deaths belonged to Bethnal Green and 2 to Stepney. The deaths from *diphtheria*, which had been 6, 6, and 6 in the preceding three weeks, were 7 last week, and were 24 below the corrected average; 2 deaths belonged to Islington. The deaths from *whooping-cough*, which had been 18, 17, and 13 in the preceding three weeks, rose last week to 33, and were 1 in excess of the corrected average; 4 deaths belonged to Stepney, 4 to Battersea, and 3 each to Finsbury, Shoreditch, and Lambeth. The fatal cases of *enteric fever*, which had been 5, 3, and 7 in the preceding three weeks, were 3 last week, and were 7 below the corrected average. The deaths from *diarrhoea*, which had been 37, 58, and 83 in the preceding three weeks, further rose last week to 187, but were 118 below the corrected average; 28 deaths belonged to Shoreditch, 20 to Stepney, 18 to Hackney, 14 to Lambeth, and 12 to Poplar. Of the 187 deaths from diarrhoea, 181 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 18 other deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 7, 3, and 0 in the preceding three weeks.

Different forms of *violence* caused 62 deaths, concerning all but 5 of which inquests were held. Of these 62 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 57 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 5 to burns, scalds, and explosions, 9 to drowning, 7 to heat apoplexy, 3 to the effects of anæsthetics administered for surgical purposes, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2550 of scarlet fever, 789 of diphtheria, and 94 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no cases, against 2, 2, and 0; of scarlet fever, 352 cases, against 354, 356, and 304; of diphtheria, 109 cases, against 144, 107, and 115; and of enteric fever, 19 cases, against 18, 16, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 22nd.

GREATER LONDON.

In Greater London 3807 births and 1762 deaths were registered. Allowing for increase of population these numbers are 99 and 664 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, 1 from "fever," and 30 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.80 inches, and that of the Thermometer 66° 3, the latter being 3° 9 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 39.5 hours; the measured rainfall amounted to 0.53 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTIETH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years* 1895-1904.	1905
TOTAL Births -	2575	2448	2599	2696	2494	2507	2384	2521	2519	2467	2617.7	2480
Male - - -	1318	1236	1320	1381	1240	1267	1234	1274	1280	1293	1333.4	1285
Female - - -	1259	1212	1279	1315	1254	1240	1150	1247	1239	1174	1284.3	1195
TOTAL Deaths -	1939	2146	2023	1452	1884	1846	1582	1260	1191	1423	1738.8	1285
Males - - -	1003	1136	1101	777	1039	968	817	649	670	786	928.9	682
Females - - -	936	1010	922	675	845	878	765	611	521	637	809.9	603

* The numbers in this column are the average weekly numbers in the thirtieth week of the ten years 1895-1904, raised by 3.633 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	13 Weeks.
TOTAL Births -	2722	2645	2426	2544	2249	2233	2271	2527	2490	2509	2363	2466	2480	31925
TOTAL Deaths -	1304	1324	1268	1311	1319	1236	1191	1047	1080	1006	1047	1137	1285	15555
Deaths at														
Under 1 year -	260	258	250	259	274	226	253	196	223	203	222	271	431	3326
1-5 years -	154	175	158	156	176	141	128	126	137	100	115	124	129	1819
5-20 " -	67	65	69	74	60	62	73	54	68	74	65	76	63	870
20-40 " -	147	178	171	176	142	172	149	151	141	137	129	155	150	1998
40-60 " -	252	283	264	268	271	305	255	223	219	222	221	223	212	3248
60 yrs. & upwds.	424	365	356	378	396	330	333	297	292	270	295	238	270	4294
Deaths from—														
Small-pox† - - -	1	-	1	-	58	40	46	38	31	24	27	17	24	3
Measles - - -	44	42	41	44	58	40	46	38	31	24	27	17	24	476
Scarlet Fever - - -	5	9	11	4	9	11	6	7	12	11	7	6	8	106
Diphtheria - - -	11	7	7	6	7	9	9	11	7	6	6	6	7	99
Whooping-cough - - -	54	37	35	50	41	42	26	26	26	18	17	13	33	418
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	5	3	3	5	4	6	2	3	1	5	3	7	3	50
Pyrexia (origin uncertain) - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	2
Diarrhoea, Dysentery - - -	19	10	15	16	27	30	14	14	25	37	58	83	187	535
All above Diseases -	139	108	113	125	146	138	104	99	103	102	118	132	262	1689
Dis. of Resp. System -	122	112	95	92	96	68	73	53	46	32	48	42	46	925
Pneumonia - - -	134	139	131	126	139	123	116	91	94	58	56	75	70	1352
Phthisis - - -	121	127	119	122	111	134	129	95	104	92	100	97	108	1459
Dis. of Circ. System -	168	161	143	174	163	169	170	162	131	151	143	151	140	2026
Violence - - -	47	66	58	59	59	58	59	45	61	59	53	63	62	749
Inquest Cases - - -	112	132	130	137	117	153	120	103	129	109	101	109	126	1578
Deaths in Institutions -	503	509	500	502	514	521	488	461	442	394	451	467	462	6214
TEMPERATURE OF THE AIR.														
Mean - - -	49.4	53.6	53.3	51.2	62.7	53.7	59.5	60.9	63.2	64.0	68.9	65.2	66.3	59.4
Mean of Highest - - -	60.1	64.0	64.0	62.8	74.7	59.2	69.0	72.0	74.0	74.7	80.5	77.7	77.9	70.0
Mean of Lowest - - -	41.9	42.9	43.9	41.0	51.4	49.5	51.7	51.2	55.0	54.2	60.0	54.0	57.7	50.3
Mean Humidity of the Air.	71	60	67	61	64	87	81	73	79	69	71	75	77	72
Rain-fall (in inches) -	0.85	0.00	0.22	0.00	0.50	2.86	0.95	0.02	0.54	0.03	0.26	0.02	0.53	6.78
Registered Sunshine (in hours).	54.7	55.5	52.1	39.4	51.5	7.8	45.6	58.3	36.8	52.7	55.4	54.0	39.5	603.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	17	17	15	10	9	9	3	6	4	5	4	3	3	8
Scarlet Fever - - -	2152	2177	2211	2200	2268	2285	2750	2427	2473	2499	2520	2485	2550	2354
Diphtheria - - -	691	698	686	688	690	687	719	723	718	775	764	791	789	725
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	72	70	71	79	80	80	82	83	78	81	89	92	94	81

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R.S. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R.S. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 2. LONDON.—DEATHS Registered in the THIRTIETH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 30th week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 30th week of the year 1904.	1905—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1423	1285	431	129	63	150	242	270	Meningitis (not tuberc.)	26	18	11	2	3	9	-	
									Insanity, Gen. Par. of }	9	18	-	-	-	4	5	
									Insane - - -						1	1	
Small-pox ^a - - -	2	-	-	-	-	-	-	-	Epilepsy - - -	4	3	-	-	1	1	-	
Cowpox - - -	-	-	-	-	-	-	-	-	Convulsions - - -	26	20	19	1	-	-	-	
Measles (Morbilli) - - -	36	24	2	22	-	-	-	-	Locomotor Ataxy - - -	2	-	-	-	-	-	-	
Scarlet Fever - - -	7	8	2	3	2	1	-	-	Paraplegia, Dis. of Cord	3	8	-	1	-	4	3	
Typhus - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	23	20	1	1	-	3	10	
Plague - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	32	31	-	-	3	8	9	
Influenza - - -	2	2	1	-	-	-	-	1	Cerebr. Hæm. Thromb. - -	31	23	-	-	1	-	5	
Whooping-cough - - -	13	33	20	13	-	-	-	-	Apoplexy, Hemiplegia - -	9	14	-	-	-	1	3	
Diphtheria - - -	5	7	-	3	1	-	-	-	Aneurysm - - -	5	3	-	-	-	-	10	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	-	3	-	-	-	1	1	
Pyæmia,† (Origin un- }	-	-	-	-	-	-	-	-	(not cerebral) - - -	-	-	-	-	-	-	-	
certain) - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	67	66	-	-	5	13	27	
Enteric Fever - - -	6	3	-	-	1	2	-	-	Croup (not Spasm: nor }	1	-	-	-	-	-	-	
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Memb.) - - -	-	-	-	-	-	-	-	
Epidemic Diarrhœa }	185	130	109	18	-	1	1	1	Bronchitis - - -	33	37	9	2	-	5	21	
(Infective Enteritis) }	-	-	-	-	-	-	-	-	Asthma, Emphysema - - -	2	5	-	1	-	-	3	
Diarrhœa, Dysentery -	116	57	47	7	1	-	2	-	Pleurisy - - -	12	4	-	1	1	-	2	
Tetanus - - -	1	1	1	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	
Rabies, <i>Hydrophobia</i> -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - - -	-	-	-	-	-	-	-	
Glanders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) - - -	20	24	21	1	-	1	1	
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	<i>Gastro-Enteritis</i> - - -	18	18	17	1	-	-	-	
Venereal Dis. - - -	9	2	2	-	-	-	-	-	<i>Peritonitis</i> (not Puerp.) -	5	2	-	2	-	-	-	
Puerperal Septicæmia -	2	2	-	-	-	2	-	-	Cirrhosis of Liver - - -	15	15	-	-	-	3	8	
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - - -	5	6	-	-	-	1	3	
Puerperal Fever - - -	-	1	-	-	-	1	-	-	Digestive Dis., Other - -	47	38	6	3	6	6	8	
Infective Endocarditis -	2	5	-	-	-	3	2	-	Nephritis, Acute - - -	2	5	-	1	-	2	1	
Lobar - - -	6	6	-	-	-	1	3	2	Bright's Dis., Albumin- }	27	36	-	1	-	5	17	
Broncho- - -	22	33	18	9	3	-	2	1	uria - - -	9	5	-	-	-	1	4	
Epidemic - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	9	5	-	-	-	-	-	
Not defined - - -	42	31	4	4	5	6	5	7	Generative Organs Dis.-	9	2	-	-	-	2	-	
Erysipelas - - -	3	-	-	-	-	-	-	-	Childbirth (Accid. of) -	1	1	-	-	-	1	-	
Septicæmia (not Puer- }	-	-	-	-	-	-	-	-	Old Age - - -	48	34	-	-	-	-	34	
peral) - - -	-	-	-	-	-	-	-	-	Other Diseases - - -	77	98	70	7	4	3	7	
Pyæmia (not Puerperal)	-	1	-	-	-	1	-	-	ACCIDENT.								
Other Infective Processes	8	1	-	-	-	-	1	-	By Railways - - -	4	4	-	-	-	3	1	
Tuberculous Phthisis -	75	64	-	2	2	23	33	6	By Vehicles and Horses -	10	7	-	2	1	3	1	
" <i>Ethiopsis</i> " - - -	38	42	-	-	3	24	12	3	In Ships, Boats, Docks,	-	-	-	-	-	-	-	
Tuberculous Meningitis -	20	16	5	8	3	-	-	-	(exclusive of Drown- }	-	-	-	-	-	-	-	
Tuberculous Peritonitis -	9	13	7	3	2	1	-	-	ing) - - -	-	-	-	-	-	-	-	
<i>Tuberculous Mesenterica</i> -	3	2	2	-	-	-	-	-	In Building Operations -	1	-	-	-	-	-	-	
Tuberculous Dis. (other)-	16	16	1	4	3	3	4	1	In Conflagrations - - -	-	1	-	-	-	-	1	
<i>Scrofula</i> - - -	-	-	-	-	-	-	-	-	By Burns, Scalds, Ex- }	10	5	-	1	-	2	2	
Alcoholism - - -	6	5	-	-	-	3	1	1	plosions - - -	6	9	1	-	4	2	1	
Rheumatic Fever - - -	7	3	-	-	1	1	1	-	By Drowning - - -	8	9	9	-	-	-	-	
Gout - - -	2	1	-	-	-	-	1	-	By Suffocation in Bed -	-	3	-	1	2	-	-	
Carcinoma - - -	51	61	-	-	-	4	28	29	By Poisons or Poisonous }	-	-	-	-	-	-	-	
Sarcoma - - -	4	5	-	-	1	1	2	1	Vapours - - -	-	-	-	-	-	-	-	
Cancer (undefined) - -	24	35	-	-	-	4	17	14	Other Deaths by Acci- }	23	19	3	4	-	4	5	
Diabetes Mellitus - - -	6	6	-	-	1	-	5	-	dent - - -	-	-	-	-	-	-	-	
Premature Birth - - -	44	41	41	-	-	-	-	-	VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - -	2	1	1	-	-	-	-	
									Suicide - - -	19	4	-	-	-	2	2	
									Execution - - -	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th July, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of Age.	Deaths from														
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin un- certain.	Diarrhœa.	Violence.	Inquest Cases.		
LONDON - - -		4,530,429	2480	1285	431	270	-	24	8	7	33	-	3	-	187	62	126	462	2	
WEST DISTRICTS		805,311	396	220	74	56	-	2	1	1	5	-	-	-	25	7	17	69	-	
NORTH DISTRICTS		1,056,070	538	251	91	49	-	1	-	4	4	-	-	3	35	17	20	83	-	
CENTRAL DISTRICTS		209,465	99	75	29	13	-	2	-	-	2	-	-	-	15	4	9	39	1	
EAST DISTRICTS		715,739	490	272	118	42	-	3	1	-	12	-	-	-	65	13	36	91	-	
SOUTH DISTRICTS		1,749,844	957	430	117	100	-	15	3	1	10	-	-	-	47	21	43	138	1	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	37	2	10	-	1	3	1	-	-	-	-	-	-	1	37	-	
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.		93,178	42	30	16	7	-	-	-	-	1	-	-	-	7	2	1	8	-	
W ^{2H}																				
St. John Paddington H - G.		33,617	6	8	1	2	-	-	-	-	-	-	-	-	-	1	1	7	-	
North-West Paddington - C.		17,181	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W w ^{2H} G., W. & C.		128,037	49	39	10	13	-	1	-	-	1	-	-	-	3	1	1	14	-	
Brompton 2H - - W. & C.		48,591	12	6	1	1	-	-	-	-	-	-	-	-	-	1	4	-	-	
North Hammersmith W, w ^H } W. & G.		42,192	35	6	3	2	-	-	-	-	1	-	-	-	1	-	2	-	-	
South Hammersmith w ^{2H} }		63,047	40	18	8	5	-	-	-	-	-	-	-	-	2	1	2	4	-	
North-west Fulham W }		45,180	40	29	13	3	-	-	-	-	1	-	-	-	5	1	2	10	-	
North-east Fulham F }		46,405	30	12	5	1	-	-	1	1	-	-	-	-	1	1	1	1	-	
South Fulham W }		45,704	34	12	6	5	-	-	-	-	1	-	-	-	2	-	-	-	-	
Chelsea North W, w ^{3H} - - C.		42,514	25	15	-	4	-	-	-	-	-	-	-	-	-	-	-	12	-	
Chelsea South W ^{2H} - - C.		51,328	15	7	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	
Mayfair and Knightsbridge C. & G.		28,743	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W ^{2H} - - C.		55,815	19	14	2	4	-	-	-	-	-	-	-	-	-	1	2	5	-	
St. Margaret & St. John 4H - C.		43,698	17	14	5	3	-	1	-	-	-	-	-	-	4	-	-	3	-	
St. James Westminster } N. & G.		21,588	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
W ^H																				
St. Anne Soho 5H - - N.		11,493	8	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.		35,391	10	6	2	2	-	-	-	-	-	-	-	-	-	-	-	3	-	
Rectory Marylebone W G. & W.		19,849	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone 4H G. & W.		18,099	38	5	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-	
Christchurch Marylebone H- W.		39,536	15	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.		20,426	9	5	1	1	-	-	-	-	1	-	-	-	4	2	2	-	-	
Hampstead W, P, 6H - N. & W.		81,942	28	13	2	5	-	-	-	2	-	-	-	-	-	-	-	3	-	
West St. Pancras 2H - - W.		60,562	33	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Upper Holloway w ^{7H} - N. & W.		21,258	4	9	2	2	-	-	-	-	-	-	1	-	2	3	3	1	-	
Gray's Inn Lane 4H - - N.		34,449	25	12	6	1	-	-	-	-	-	-	-	-	-	-	-	9	-	
East St. Pancras W ^{2H} - - N.		60,320	37	21	9	4	-	-	-	-	-	-	-	-	2	2	3	7	-	
North St. Pancras 2W - - N.		58,728	31	13	4	3	-	-	-	-	-	-	-	-	2	2	3	10	-	
Tufnell W - - N.		31,995	13	9	1	4	-	-	-	1	-	-	-	-	-	-	-	8	-	
Upper Holloway 2W, w, H - N.		33,978	13	20	4	1	-	-	-	-	-	-	1	-	-	-	-	15	-	
Tollington WH - - N.		33,922	16	6	3	-	-	-	-	-	1	-	1	-	1	1	1	-	-	
Lower Holloway - - N.		41,424	26	10	5	2	-	-	-	-	-	-	-	-	1	1	1	-	-	
Barnsbury - - N.		54,478	26	4	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	
Islington South-east F - - N.		75,397	38	9	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	
Highbury 2H - - N.		63,797	24	6	2	2	-	-	-	-	-	-	-	-	2	1	1	-	-	
Stoke Newington H - - N.		51,247	17	6	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
North Hackney - - E. & N.		50,560	22	9	2	4	-	-	-	-	-	-	-	-	-	1	1	-	-	
Central Hackney 2w, F - E. & N.		50,536	38	16	9	1	-	-	-	-	1	-	-	-	1	1	2	2	-	
South-west Hackney 3H - E. & N.		59,921	42	21	8	7	-	-	-	-	-	-	1	-	4	4	2	8	-	
South-east Hackney 2W, w, H E. & N.		58,265	24	35	17	6	-	1	-	-	-	-	-	-	10	3	3	14	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-letter, The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies the Grand Junction; and W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th July, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th July, 1905.—continued.

REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pneumonia (Origin uncertain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 29th July, 1905.

The DEATHS registered in the Week include																		
legis- lation district and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
						Deaths of												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	108,602	2,044,973	1327	477	155	112	-	8	4	10	15	1	77	18	36	69	2
30: 1	Carshalton 2F,2H	12,228	32,997	16	4	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Epsom, part of* W,w,2F,H-	10,423	15,548	10	8	-	-	-	-	1	-	-	-	-	-	-	-	-
37: 1	Godstone, part of* W,F	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,089	31,166	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	24	12	3	1	-	-	-	-	-	-	-	1	2	-	-
3	West Croydon 3W,F,H	2,168	42,888	32	4	1	3	-	1	-	-	-	-	-	1	3	3	-
4	North Croydon H	2,644	41,698	23	4	1	3	-	-	-	-	-	-	-	-	-	1	-
5	Penge w,H-	770	22,465	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	26	7	4	1	-	-	-	-	-	-	3	1	2	-	-
39: 1	Wimbledon F,3H	3,221	41,652	20	6	-	1	-	1	-	-	-	-	-	-	-	2	-
2	Kingston 2W,H-	6,224	42,068	24	15	4	5	-	-	-	-	-	-	2	1	3	8	-
3	Surbiton F,H	3,046	15,017	3	5	2	-	-	-	-	-	-	-	-	1	1	1	-
4	Esher, part of* H	5,402	13,100	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L-	4,564	23,466	18	7	3	1	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H-	2,162	28,865	14	6	-	1	-	-	-	-	-	-	-	1	3	2	-
2	Mortlake F	2,847	20,628	18	4	3	1	-	-	-	-	-	-	1	-	-	-	-
41: 1	Bromley F,2H	4,703	27,354	16	3	-	1	-	-	-	-	-	-	1	-	-	-	-
2	Beckenham H	7,825	28,497	13	3	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,867	8	9	-	7	-	-	-	-	-	-	-	-	-	5	-
4	Chislehurst 2H	7,333	16,446	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley w F,H	8,678	21,151	13	1	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Erith F,H-	3,854	25,296	15	7	-	3	-	-	-	-	-	-	-	1	1	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43: 1	Sunbury w	11,054	18,683	16	4	3	1	-	-	-	-	-	-	3	-	-	-	-
2	Staines W,H	13,277	15,178	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-
44: 1	Hillingdon W,F,H	6,935	13,661	12	6	1	3	-	1	-	-	-	-	1	-	-	3	-
2	Uxbridge H	12,787	8,984	6	5	1	2	-	-	-	-	1	-	-	-	-	-	-
3	Hayes w,F,H	8,066	16,358	13	6	3	1	-	-	-	-	-	-	-	-	-	-	-
45: 1	Isleworth 3W,2F,H	6,859	30,863	22	12	3	5	-	-	-	-	-	-	1	3	3	2	-
2	Twickenham F,H	2,421	20,991	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H,L	4,319	48,289	45	11	4	1	-	-	-	1	-	-	-	-	-	-	1
4	Chiswick H-	1,249	29,809	15	10	3	2	-	-	-	-	-	-	2	-	2	-	-
5	Acton w,3H	6,132	48,014	38	10	6	2	-	-	-	-	1	4	-	-	-	-	-
46: 1	Harrow F,H	13,809	25,523	23	7	1	1	-	-	-	3	-	-	-	-	-	-	-
2	Edgware F,2H	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H	4,384	114,811	75	11	3	4	-	1	1	-	-	-	1	-	1	-	-
4	Hendon W,F	8,382	22,460	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-
47: 1	South Mimms 2F,H	17,755	7,308	2	3	2	-	-	-	-	-	1	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	7	2	2	-	-	-	-	-	-	1	-	-	3	-
3	Finchley F,2H	4,688	33,692	24	7	-	5	-	-	-	-	-	-	-	-	-	1	-
48: 1	Hornsey F,H	2,875	72,066	40	15	3	6	-	-	-	-	-	-	-	-	1	-	-
2	Wood Green H	1,625	34,233	25	9	1	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F	996	48,853	35	1	1	-	-	-	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H	2,017	53,688	29	16	5	3	-	-	-	1	-	-	-	-	-	6	-
5	Edmonton W,w,2F	7,491	61,892	53	16	5	4	-	-	-	-	-	-	2	1	1	2	-
6	Enfield 2W,F,H-	12,601	42,738	23	7	1	1	-	-	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	9	3	1	-	-	1	-	-	-	-	1	1	1	-	-
49: 1	Hatfield, part of* W	3,305	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Bushey H	9,333	9,173	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50: 1	Stratford H	1,072	44,827	29	15	4	-	-	-	-	-	-	-	8	1	1	1	-
2	Plaistow F,2H	1,249	90,921	65	25	13	2	-	-	1	2	1	-	9	-	1	4	-
3	Canning Town H	1,558	70,718	60	37	21	3	-	-	-	2	3	-	16	3	4	-	-
4	Forest Gate w	806	60,892	29	13	4	5	-	-	-	-	-	-	3	-	1	-	-
5	North East Ham w,H	1,333	58,676	36	11	3	2	-	-	1	-	1	-	1	-	-	-	-
6	South East Ham 2F	1,993	37,342	31	20	8	3	-	-	2	-	1	-	7	-	-	1	-
7	Wanstead F	1,679	9,179	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	24	11	3	4	-	-	-	-	-	-	2	-	-	5	-
9	North Leyton 2W,w,F	1,963	48,445	34	20	2	4	-	-	-	-	1	-	-	-	1	9	-
10	Walthamstow 3H,L	6,504	108,929	70	13	3	-	-	-	-	1	1	-	-	1	2	-	-
51: 1	Chigwell, part of* 2F,3H	11,778	16,397	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52: 1	Romford, part of* W,2F	6,556	6,091	3	4	2	-	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,234	28	9	3	1	-	-	-	1	-	-	-	-	-	3	-
3	Barking Town F	3,803	21,547	16	10	6	-	-	-	-	-	1	1	6	1	1	1	-
	Middlesex County Asylum, Wandsworth;	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Heydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 43: 3, 137: 3, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	July 29	2480	1285	14'3	-	24	8	7	33	3	187
CALCUTTA - -	847,796	June 17	-	452	27'7	2	5	-	-	1	147†	45†
BOMBAY - -	776,006	July 11	328	480	32'2	7	8	-	-	-	75†	48†
MADRAS - -	509,346	June 30	458	401	40'9	2	6	-	-	-	64†	93†
PARIS - - -	2,660,559	July 22	1022	809	16'7	2	5	-	5	4	2	85
BRUSSELS - -	586,936	" 15	212	161	14'0	-	-	-	-	-	3	19
		" 22	206	134	11'6	-	2	-	1	-	-	17
ANTWERP - -	286,695	" 15	119	70	12'5	-	2	-	-	1	1	15
		" 22	126	68	12'1	-	2	-	1	1	1	24
AMSTERDAM -	551,415	" 15	301	126	11'9	-	5	-	-	-	1	15
COPENHAGEN -	426,000	" 22	236	111	13'5	-	-	-	-	1	-	16
STOCKHOLM -	309,496	" 15	148	79	12'9	-	1	-	1	1	-	6
CHRISTIANIA -	223,649	" 22	87	65	15'2	-	-	-	3	1	-	5
ST. PETERSBURG	1,248,122	" 15	-	688	25'7	2	31	18	15	9	22	196
MOSCOW - -	1,092,360	" 15	-	838	40'0	4	2	9	5	11	4	400
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,016,381	July 8	976	766	19'8	-	8	6	4	4	1	166
HAMBURG - -	772,852	" 22	-	204	13'7	-	-	1	1	3	-	51
BRESLAU - -	462,147	" 15	240	232	26'2	-	-	-	-	2	-	60
MUNICH - - -	523,000	" 22	-	189	18'6	-	1	-	1	3	-	40
VIENNA - - -	1,877,899	" 15	993	658	18'0	-	11	4	5	7	2	119
		" 22	938	662	18'1	-	7	7	4	4	2	116
PRAGUE - - -	430,569	" 15	185	176	20'4	-	2	-	-	2	-	20
BUDA-PESTH -	836,267	" 22	398	343	21'8	-	5	6	2	1	-	68
TRIESTE - -	191,403	" 22	126	105	28'2	-	4	-	-	1	-	26
ROME - - -	503,857	-	-	-	-	-	-	-	-	-	-	-
VENICE - - -	169,417	July 15	72	92	28'3	-	1	-	-	6	-	25
BUCHAREST -	282,071	" 15	169	158	29'2	-	-	-	-	2	3	47
		" 22	135	139	25'7	-	-	-	1	2	-	39
NEW YORK - -	3,948,191	" 8	-	1503	19'9	-	16	-	20	8	13	376
		" 15	2002	1741	23'0	-	17	5	27	11	12	479
CHICAGO - - -	1,632,315	" 8	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	" 8	-	466	17'5	-	2	1	8	2	6	103
BOSTON - - -	617,956	" 1	-	181	15'2	-	1	1	3	-	-	†
RIO DE JANEIRO	850,000	June 25	-	273	15'7	1	1	-	-	-	2†	-

* Excluding deaths from croup in the Indian Cities.

† Including 87 deaths from plague in Calcutta, 48 in Bombay, 1 in Madras, and 1 in Rio de Janeiro.

‡ Including 8 deaths from cholera in Calcutta, 1 in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th July, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	87'2	52'2	67'8	0'53	BRADFORD - -	71'2	47'2	61'8	0'82
BRIGHTON - -	77'0	56'2	65'1	0'05	LEEDS - - -	73'0	50'0	63'3	0'61
PORTSMOUTH - -	80'0	58'0	67'6	0'19	HULL - - -	75'0	50'0	62'2	0'53
NORWICH - - -	82'0	53'0	65'8	0'16	TYNEMOUTH - -	73'0	46'0	59'7	0'27
PLYMOUTH - -	75'8	53'2	64'7	0'02					
BRISTOL - - -	76'4	51'0	65'2	0'12	EDINBURGH - -	69'1	46'8	58'8	0'33
BIRMINGHAM -	77'0	50'9	63'1	0'56	GLASGOW - - -	71'3	44'8	59'4	0'50
NOTTINGHAM -	78'0	51'3	63'9	0'56					
LIVERPOOL - -	71'0	53'0	61'8	0'68	DUPLIN { Phoenix Park.	72'7	42'4	60'2	0'21
MANCHESTER -	71'7	43'8	61'1	0'98	DUPLIN { Fitz- william Square.†	74'0	40'9	62'5	0'24
PRESTON - - -	71'0	52'5	62'1	1'13					
HUDDERSFIELD -	70'5	47'0	61'1	0'51	BELFAST - - -	69'1	43'9	53'7	0'52

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°8 Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTHLY

DATE.	EXPOSURE. (For the symbols, see Note.)	Registered Sun above horizon, in hours.	GENERAL REMARKS.	Sum above horizon, in hours.
JULY				
SUNDAY - 23	Loss of Register till 10h. A.M.; w. P. afterwards.	14	Generally overcast; frequent rain till evening.	158
MONDAY - 24	w. P. till 9h. A.M.; w. P. generally with occasional m. P. afterwards.	87	Generally cloudy till 10h. A.M.; very fine generally afterwards.	158
TUESDAY - 25	w. P. throughout.	70	Very fine with large amounts of cloud generally till evening; nearly cloudless at night.	157
WEDNESDAY - 26	w. P. throughout.	75	Cloudy in morning; very fine generally with cloudy intervals afterwards; a hot day.	157
THURSDAY - 27	w. P. till 4h. P.M.; w. P. generally afterwards till between 4h. and 5h. P.M. w. P. throughout.	62	Fine and partially cloudy till afternoon; overcast after 4h. P.M.; heavy shower with distant thunder between 4h. P.M. and 5h. P.M.; very warm.	156
FRIDAY - 28	w. P. throughout.	15	Generally overcast till afternoon; fine afterwards.	156
SATURDAY - 29	w. P. throughout.	67	Very fine generally with variable amounts of cloud till 5h. P.M.; overcast afterwards with occasional slight rain between 7h. and 9h. P.M.	Sum 395 1097
% of Col.		28		29

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd July, 1905.*

BOROUGHs,	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	147,935	-	4	6	-	2	-	-	6	-	
Kensington - - - -	180,083	-	8	5	-	-	-	-	1	-	
Hammersmith - - - -	119,037	-	2	5	-	-	-	-	2	-	
Fulham - - - -	157,210	-	17	5	-	-	-	-	3	1	
Chelsea - - - -	74,496	-	6	-	-	-	-	-	1	-	
City of Westminster - - - -	175,606	-	8	1	-	1	-	-	2	1	
NORTH.											
St. Marylebone - - - -	129,453	-	4	3	-	2	-	-	2	-	
Hampstead - - - -	88,142	-	5	3	-	1	-	-	-	-	
St. Pancras - - - -	236,183	-	10	3	-	-	-	-	3	-	
Islington - - - -	342,994	1	17	8	-	3	-	-	5	1	
Stoke Newington - - - -	52,828	-	2	2	-	1	-	-	-	-	
Hackney - - - -	228,479	-	19	7	-	2	-	-	7	-	
CENTRAL.											
Holborn - - - -	58,481	-	1	-	-	-	-	-	-	-	
Finsbury - - - -	98,207	-	7	1	-	3	-	-	3	-	
City of London - - - -	22,425	-	1	-	-	-	-	-	-	-	
EAST.											
Shoreditch - - - -	116,565	-	20	6	-	-	-	-	-	-	
Bethnal Green - - - -	130,401	-	11	6	-	-	-	-	4	-	
Stepney - - - -	305,466	-	41	6	-	2	-	-	13	1	
Poplar - - - -	170,280	-	15	14	-	1	-	-	3	1	
SOUTH.											
Southwark - - - -	208,528	-	18	4	-	4	-	-	3	1	
Bermondsey - - - -	129,006	-	9	4	-	-	-	-	2	-	
Lambeth - - - -	313,045	-	13	4	-	5	-	-	2	-	
Battersea - - - -	177,532	-	10	8	-	1	-	-	1	-	
Wandsworth - - - -	265,392	-	22	5	-	-	-	-	2	-	
Camberwell - - - -	271,240	-	24	7	-	-	-	-	1	1	
Deptford - - - -	114,495	-	9	3	-	1	-	-	1	-	
Greenwich - - - -	103,493	-	3	-	-	-	-	-	2	-	
Lewisham - - - -	144,420	-	9	6	-	1	-	-	1	-	
Woolwich - - - -	125,372	-	7	5	-	-	-	-	1	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	1	322	127	-	30	-	-	71	7
Ages											
0-1 - - - -	-	-	3	2	-	-	-	-	4	-	
" 1-5 - - - -	-	-	101	41	-	1	-	-	6	-	
" 5- - - - -	-	1	144	49	-	2	-	-	1	-	
" 10- - - - -	-	-	44	20	-	6	-	-	2	-	
" 15- - - - -	-	-	9	4	-	3	-	-	6	-	
" 20- - - - -	-	-	9	6	-	6	-	-	5	1	
" 25- - - - -	-	-	8	2	-	8	-	-	7	5	
" 35- - - - -	-	-	3	3	-	3	-	-	18	1	
" 45- - - - -	-	-	-	-	-	1	-	-	8	-	
" 55- - - - -	-	-	1	-	-	-	-	-	9	-	
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	5	-	
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 31. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, AUG. 5. [Price 1½d.

General Register Office, Somerset House,
August 8th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 12·9, 13·4, and 15·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·2 in St. Helens, 23·5 in Wigan, 23·7 in Grimsby, 24·1 in Bootle, 24·3 in Tynemouth, 24·4 in Stockport, 26·9 in West Bromwich, 28·4 in Sheffield, and 62·2 in Rhondda‡; from *measles*, 1·3 in Rhondda, 1·5 in Warrington, and 5·2 in Barrow in Furness; from *scarlet fever*, 1·2 in Blackburn; from *whooping-cough*, 1·3 in Rhondda, 1·5 in Oldham, and 1·6 in West Ham; and from *diarrhoea*, 7·6 in Liverpool, 8·1 in Birkenhead, 11·0 in West Ham, 11·6 in Bootle, 12·0 in Wigan, 12·9 in Rhondda, 13·0 in Grimsby, and 14·2 in Sheffield. One death from *small-pox* was registered in Birmingham, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2522 BIRTHS and 1404 DEATHS were registered. Allowing for increase of population, the births were 208 and the deaths 557 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 11·7, 12·7, and 14·3 in the preceding three weeks, further rose last week to 15·6. During the four weeks ended on Saturday last the death-rate averaged 13·6 per 1000, being 4·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

‡ Of the 149 deaths registered in the urban district of Rhondda, 79 were due to the explosion at the National Colliery at Wattstown; excluding these deaths the death rate would have been 29·2.

The 1404 deaths included 19 from measles, 9 from scarlet fever, 12 from diphtheria, 18 from whooping-cough, 6 from enteric fever, and 314 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 378 deaths were referred to these diseases in the aggregate, being 129 below the corrected average weekly number.

The deaths from *measles*, which had been 27, 17, and 24 in the preceding three weeks, fell last week to 19, and were 20 below the corrected average. The deaths from *scarlet fever*, which had been 7, 6, and 8 in the preceding three weeks, were 9 last week, and were 3 below the corrected average; 4 deaths belonged to the Borough of Stepney. The deaths from *diphtheria*, which had been 6, 6, and 7 in the preceding three weeks, rose last week to 12, but were 20 below the corrected average. The deaths from *whooping-cough*, which had been 17, 13, and 33 in the preceding three weeks, fell last week to 18, and were 10 below the corrected average; 3 deaths belonged to Islington. The fatal cases of *enteric fever*, which had been 3, 7, and 3 in the preceding three weeks, were 6 last week, the corrected average being 10; 3 deaths belonged to Hackney. The deaths from *diarrhoea*, which had been 58, 83, and 187 in the preceding three weeks, further rose last week to 314, but were 70 below the corrected average; 41 deaths belonged to Stepney, 27 to Hackney, 23 each to Poplar and Battersea, and 21 to Shoreditch. Of the 314 deaths from diarrhoea, 299 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 19 other deaths at this age. The death of a colour mixer, aged 55, was certified as due to *lead poisoning*.

Different forms of *violence* caused 54 deaths, concerning all but 2 of which inquests were held. Of these 54 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 11 to drowning, 3 to burns and scalds, 3 to heat apoplexy, 3 to the effects of anæsthetics administered for surgical purposes, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2632 of scarlet fever, 753 of diphtheria, and 100 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 2, 0, and 0; of scarlet fever, 366 cases, against 356, 304, and 352; of diphtheria, 85 cases, against 107, 115, and 109; and of enteric fever, 23 cases, against 16, 14, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 29th.

GREATER LONDON.

In Greater London 3859 births and 1982 deaths were registered. Allowing for increase of population these numbers are 173 and 737 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 10 from whooping-cough, and 51 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.63 inches, and that of the Thermometer 62°.2, the latter being equal to the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 23 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 47.6 hours; the measured rainfall amounted to 0.65 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

274

† As enlarged in 1904.

†† These towns are included within the area of Greater London.

* See note † on first page of this return.

ended Saturday, 5th August 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 5th August, 1905.		The Deaths registered in the Week include										TOWNS,						
			Week ended				11-17.		Week ended 5th August, 1905.		Deaths of		Deaths from						Deaths in Public Institutions.	Uncertified Causes of Death.							
			15th July, 1905.				22nd July, 1905.		29th July, 1905.		5th Aug., 1905.		Infants under 1 Year of Age.		Persons aged 60 Years and upwards.		Small-pox.	Measles.				Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Violence.	Inquest Cases.
			15th July, 1905.	22nd July, 1905.	29th July, 1905.	5th Aug., 1905.	11-17.	Week ended 5th August, 1905.	BIRTHS.	DEATHS.	9.	10.	11.	12.	13.	14.											
			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.				
HUDDESFIELD.	-	94,888	12'6	14'8	9'9	17'6	2'2	38	32	6	7	-	-	-	-	1	1	2	1	1	3	1	HUDDESFIELD.				
HALIFAX.	-	108,419	12'5	10'6	13'5	11'5	1'4	42	24	2	6	-	-	1	1	-	-	1	2	2	6	-	HALIFAX.				
BRADFORD.	-	286,769	14'7	15'3	11'1	16'5	3'1	117	91	26	25	-	-	1	-	3	-	13	7	13	12	1	BRADFORD.				
LEEDS.	-	456,787	13'0	17'8	19'3	17'1	5'9	282	150	77	27	-	1	-	-	-	2	10	2	10	12	3	LEEDS.				
SHEFFIELD.	-	440,414	14'7	17'2	22'6	28'4	11'9	284	240	142	26	-	5	1	1	-	-	120	8	9	24	3	SHEFFIELD.				
ROTHERHAM.	-	59,794	15'7	8'7	17'4	13'1	3'5	28	15	5	2	-	-	-	-	-	-	2	2	2	2	-	ROTHERHAM.				
YORK.	-	82,362	8'2	12'0	10'1	18'4	4'4	55	29	9	7	-	-	-	-	-	1	6	1	2	6	-	YORK.				
HULL.	-	258,127	12'5	13'3	15'4	19'2	7'7	107	95	42	15	-	-	2	1	1	2	32	2	5	16	1	HULL.				
MIDDLESBROUGH.	-	96,369	16'4	13'8	16'4	19'1	3'2	63	36	13	6	-	-	-	1	1	-	4	1	2	8	-	MIDDLESBROUGH.				
STOCKTON-ON-TEES.	-	52,425	9'9	15'9	15'9	11'9	3'0	25	12	3	1	-	-	1	-	-	-	2	-	2	1	-	STOCKTON-ON-TEES.				
WEST HARTLEPOOL.	-	71,313	12'4	11'0	19'7	15'4	3'7	25	21	5	4	-	1	1	-	1	1	1	1	2	2	-	WEST HARTLEPOOL.				
SUNDERLAND.	-	152,761	20'5	18'4	13'3	16'4	2'4	114	48	10	16	-	2	-	2	-	1	2	3	4	10	-	SUNDERLAND.				
SOUTH SHIELDS.	-	109,360	8'6	16'2	13'4	12'4	1'9	72	26	12	4	-	-	-	-	2	-	2	-	3	1	3	SOUTH SHIELDS.				
GATESHEAD.	-	120,629	14'3	7'8	10'4	14'3	3'0	79	33	16	5	-	-	-	1	-	-	6	-	2	1	2	GATESHEAD.				
NEWCASTLE-ON-TYNE†	-	284,511	13'4	11'4	13'0	16'6	2'0	171	84	28	18	-	1	-	-	-	-	9	4	7	10	3	NEWCASTLE-ON-TYNE†				
TYNEMOUTH.	-	53,535	14'6	10'7	7'8	24'3	2'9	32	25	12	3	-	-	-	-	1	-	2	-	1	2	-	TYNEMOUTH.				
NEWPORT (MON.).	-	72,880	15'7	10'7	14'3	17'2	3'6	48	24	8	5	-	-	-	-	-	-	5	1	1	2	-	NEWPORT (MON.).				
CARDIFF.	-	180,054	8'1	9'6	10'4	10'4	1'2	88	36	11	8	-	-	-	-	1	-	3	2	3	4	-	CARDIFF.				
RHONDDA.	-	124,988	15'0	12'9	24'6	62'28	15'4	85	1498	47	6	-	3	-	-	3	-	31	83	83	1	-	RHONDDA.				
MERTHYR TYDFIL.	-	73,848	18'4	18'4	24'0	14'8	3'5	59	21	9	4	-	1	-	-	-	-	4	3	3	2	-	MERTHYR TYDFIL.				
SWANSEA.	-	96,384	10'3	10'8	9'2	20'0	0'5	64	37	9	11	-	-	-	-	-	1	-	1	1	7	-	SWANSEA.				
GREATER LONDON.	-	7,010,172	10'8	11'6	13'1	14'7	4'2	3859	1982	763	357	-	23	11	20	44	7	464	73	170	577	8	GREATER LONDON.				
OUTER RING.	-	2,325,378	8'9	9'4	10'7	13'0	4'3	1337	578	248	106	-	4	2	8	26	1	150	19	40	64	3	OUTER RING.				
8 TOWNS IN OUTER RING.	-	1,135,316	9'0	9'5	10'3	14'4	5'6	637	313	153	56	-	1	1	4	16	1	99	8	21	42	1	8 TOWNS IN OUTER RING.				
REMAINDER OF OUTER RING.	-	1,190,062	8'9	9'3	11'1	11'6	3'0	700	265	90	50	-	3	1	4	10	-	51	11	19	22	2	REMAINDER OF OUTER RING.				
EDINBURGH.	-	336,577	13'6	15'8	18'0	16'0	2'8	149	103	21	34	-	2	1	-	5	1	9	3	?	?	5	EDINBURGH.				
GLASGOW.	-	809,986	14'2	16'0	14'4	15'7	3'4	447	244	62	46	-	10	-	2	4	1	36	7	?	64	4	GLASGOW.				
DUBLIN†.	-	378,994	19'7	20'1	20'8	21'2	4'0	173	154	52	35	-	-	-	2	2	-	25	3	2	53	7	DUBLIN†.				
BELFAST†.	-	368,680	19'5	20'9	22'0	22'1	6'7	246	152	63	20	-	1	1	-	-	-	36	1	2	22	?	BELFAST†.				

* As enlarged in 1904. † See note † on first page of this return. ‡ See note ‡ on first page of this return. § See note § on first page of this return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2624	2623	2395	2335	2577	2701	2844	2719	2481	2302	2730·4	2522
Males -	1376	1343	1227	1171	1338	1387	1414	1395	1303	1161	1401·1	1315
Females -	1248	1280	1168	1164	1239	1314	1430	1324	1178	1141	1329·3	1207
TOTAL Deaths -	1806	2058	2202	1586	2200	1768	1747	1164	1149	1745	1961·3	1404
Males -	915	1103	1176	852	1120	921	959	627	640	930	1040·2	721
Females -	891	955	1026	734	1080	847	788	537	509	815	921·1	683

* The numbers in this column are the average weekly numbers in the thirty-first week of the ten years 1895–1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	13 Weeks.
TOTAL Births -	2645	2426	2544	2249	2233	2271	2527	2490	2509	2363	2466	2480	2522	31725
TOTAL Deaths -	1324	1268	1311	1319	1236	1191	1047	1080	1006	1047	1137	1285	1404	15655
Ages at Death {														
Under 1 year -	258	250	259	274	226	253	196	223	203	222	271	431	515	3581
1–5 years -	175	158	156	176	141	128	126	137	100	115	124	129	161	1826
5–20 " -	65	69	74	60	62	73	54	68	74	65	76	63	71	874
20–40 " -	178	171	176	142	172	149	151	141	137	129	155	150	163	2014
40–60 " -	283	264	268	271	305	255	223	219	222	221	223	242	243	3239
60 yrs. & upwds.	365	356	378	396	330	333	297	292	270	295	288	270	251	4121
Deaths from—														
Small-pox†	-	1	-	-	-	-	-	1	-	-	-	-	-	2
Measles -	42	41	44	58	40	46	38	31	24	27	17	24	19	451
Scarlet Fever -	9	11	4	9	11	6	7	12	11	7	6	8	9	110
Diphtheria -	7	7	6	7	9	9	11	7	6	6	6	7	12	100
Whooping-cough -	37	35	50	41	42	26	26	26	18	17	13	33	18	382
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	3	5	4	6	2	3	1	5	3	7	3	6	51
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	1	-	-	-	-	2
Diarrhoea, Dysentery	10	15	16	27	30	14	14	25	37	58	83	187	314	830
All above Diseases -	108	113	125	146	138	104	99	103	102	118	132	262	378	1928
Dis. of Resp. System -	112	95	92	96	68	73	53	46	32	48	42	46	42	845
Pneumonia -	139	131	126	139	123	116	91	94	58	56	75	70	69	1287
Phthisis -	127	119	122	111	134	129	95	104	92	100	97	108	113	1451
Dis. of Circ. System -	161	143	174	163	169	170	162	131	151	143	151	140	131	1989
Violence -	66	58	59	59	58	59	45	61	59	53	63	62	54	756
Inquest Cases -	132	130	137	117	153	120	103	129	109	101	100	126	130	1596
Deaths in Institutions -	509	500	502	514	521	488	461	442	394	451	467	462	513	6224
TEMPERATURE OF THE AIR.	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mean -	53·6	53·3	51·2	62·7	53·7	59·5	60·9	63·2	64·0	68·9	65·2	66·3	62·2	60·4
Mean of Highest -	64·0	64·0	62·8	74·7	59·2	69·0	72·0	74·0	74·7	80·5	77·7	77·9	73·2	71·1
Mean of Lowest -	42·9	43·9	41·0	51·4	49·5	51·7	51·2	55·0	54·2	60·0	54·0	57·7	54·3	51·3
Mean Humidity of the Air.	60	67	61	64	87	81	73	79	69	71	75	77	71	72
Rain-fall (in inches) -	0·00	0·22	0·00	0·50	2·86	0·95	0·02	0·54	0·03	0·26	0·02	0·53	0·65	6·58
Registered Sunshine (in hours).	55·5	52·1	39·4	51·5	7·8	45·6	58·3	36·8	52·7	55·4	54·0	39·5	47·6	596·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox	-	17	15	10	9	9	7	6	4	5	4	3	3	7
Scarlet Fever	-	2177	2211	2200	2268	2285	2356	2427	2473	2499	2520	2485	2550	2391
Diphtheria	-	698	686	688	690	687	719	723	718	775	764	791	789	729
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	70	71	79	80	80	82	83	78	81	89	92	94	83

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIRST Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 31st week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 31st week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1745	1404	515	161	71	163	243	251	Meningitis (not tuberc.)	22	17	8	5	1	3	-	-
									Insanity, Gen. Par. of	12	14	-	-	-	6	8	-
									Insane	-	-	-	-	-	-	-	-
Small-pox*	1	-	-	-	-	-	-	-	Epilepsy	6	4	1	-	-	2	-	1
Cowpox	-	-	-	-	-	-	-	-	Convulsions	26	14	14	-	-	-	-	-
Measles (Morbilli)	31	19	4	15	-	-	-	-	Locomotor Ataxy	1	1	-	-	-	1	-	-
Scarlet Fever	2	9	1	6	2	-	-	-	Paraplegia, Dis. of Cord	3	4	-	1	-	2	1	-
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	22	18	-	1	1	4	11	-
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	26	21	-	1	2	6	5	7
Influenza	1	-	-	-	-	-	-	-	Cerebr. Hem. Thromb.	31	23	-	-	-	2	11	15
Whooping-cough	21	18	12	6	-	-	-	-	Apoplexy, Hemiplegia	14	8	-	-	-	1	1	7
Diphtheria	10	12	1	5	6	-	-	-	Aneurysm	5	5	-	-	-	1	3	1
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis	1	-	-	-	-	-	-	-
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	-
certain)	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	57	69	-	1	3	13	16	36
Enteric Fever	7	6	-	-	2	3	1	-	Croup (not Spasm: nor	-	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Membr.)	-	-	-	-	-	-	-	-
Epidemic Diarrhoea	372	208	173	29	2	2	2	2	Bronchitis	37	23	6	-	1	6	15	-
(Infective Enteritis)	-	-	-	-	-	-	-	-	Asthma, Emphysema	1	1	-	-	-	-	-	-
Diarrhoea, Dysentery	186	106	78	19	-	-	3	6	Pleurisy	1	5	-	2	-	1	2	-
Tetanus	-	1	1	-	-	-	-	-	Respiratory Dis. (other)	15	8	3	-	-	2	-	3
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	30	21	15	4	-	1	1	1
Antarax (Splemic Fever)	-	-	-	-	-	-	-	-	Gastro-Enteritis	27	20	12	7	-	-	-	-
Venereal Dis.	7	14	12	-	1	1	-	-	Peritonitis (not Puerp.)	-	-	-	-	-	-	-	-
Puerperal Septicæmia	6	3	-	-	3	-	-	-	Cirrhosis of Liver	9	16	-	-	-	2	11	3
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Liver Dis. (other)	7	6	-	-	-	1	2	3
Puerperal Fever	1	-	-	-	-	-	-	-	Digestive Dis., Other	38	41	10	3	4	6	7	11
Infective Endocarditis	4	1	-	-	1	-	-	-	Nephritis, Acute	10	5	-	1	3	1	-	-
Lobar	4	11	-	-	4	4	3	-	Bright's Dis., Albumin-	25	33	-	1	4	15	13	-
Pneumonia	22	29	15	7	1	3	3	-	uria	8	9	-	-	1	2	6	-
Epidemic	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-
Not defined	32	29	5	8	1	3	7	5	Generative Organs Dis.	4	9	-	1	-	2	5	1
Erysipelas	3	-	-	-	-	-	-	-	Childbirth (Accid. of)	1	4	-	-	-	3	1	-
Septicæmia (not Puer-	2	1	-	-	1	-	-	-	Old Age	37	36	-	-	-	-	-	36
peral)	-	-	-	-	-	-	-	-	Other Diseases	115	105	66	8	11	4	11	5
Pyæmia (not Puerperal)	-	1	-	-	1	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	-
Other Infective Processes	14	4	-	1	1	2	-	-	By Railways	-	3	-	-	2	1	-	-
Tuberculous Phthisis	79	61	-	4	4	25	6	-	By Vehicles and Horses	5	3	-	1	1	-	-	1
"Phthisis"	57	52	1	-	5	22	2	-	In Ships, Boats, Docks,	1	-	-	-	-	-	-	-
Tuberculous Meningitis	29	21	6	11	3	1	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	12	8	1	4	1	1	1	-	ing)	3	-	-	-	-	-	-	-
Tubes Mesenterica	8	2	2	-	-	-	-	-	In Building Operations	-	-	-	-	-	-	-	-
Tuberculous Dis. (other)	19	15	2	5	3	4	1	-	In Conflagrations	-	-	-	-	-	-	-	-
Scrophula	1	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	2	3	-	1	-	-	-	2
Alcoholism	9	6	-	-	-	3	3	-	plosions	-	-	-	-	-	-	-	-
Rheumatic Fever	4	2	-	-	2	-	-	-	By Drowning	9	11	1	-	4	3	2	1
Gout	3	1	-	-	-	-	1	-	By Suffocation in Bed	10	1	1	-	-	-	-	-
Carcinoma	47	58	-	-	-	8	28	22	By Poisons or Poisonous	2	4	-	1	1	-	2	-
Sarcoma	9	4	-	1	-	3	-	-	Vapours	-	-	-	-	-	-	-	-
Cancer (undefined)	31	24	-	-	-	3	11	10	Other Deaths by Acci-	21	17	-	3	2	4	6	2
Diabetes Mellitus	8	11	-	-	1	5	1	4	dent	-	-	-	-	-	-	-	-
Premature Birth	49	63	63	-	-	-	-	-	VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-
									ACCIDENTAL.	-	-	-	-	-	-	-	-
									Homicide	-	1	1	-	-	-	-	-
									Suicide	10	11	-	-	1	4	-	2
									Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued" Fever.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th August, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Deaths in Public Institutions.	
					Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from													
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (or Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -		4,536,429	2522	1404	515	251	-	19	9	12	18	-	6	-	314	54	130	513		
WEST DISTRICTS - - -		805,311	376	228	72	48	-	4	12	1	3	-	1	-	44	6	14	73		
NORTH DISTRICTS - - -		1,056,070	521	291	94	53	-	4	1	3	5	-	4	-	57	11	30	104		
CENTRAL DISTRICTS - - -		209,465	105	73	20	12	-	2	-	-	1	-	1	-	15	6	6	41		
EAST DISTRICTS - - -		715,739	515	288	127	49	-	2	-	1	7	-	-	-	98	11	34	110		
SOUTH DISTRICTS - - -		1,749,844	1005	481	200	82	-	7	3	6	2	-	-	-	99	20	44	142		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	43	2	7	-	-	3	1	-	-	-	-	1	-	2	43		
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.		93,178	47	23	8	4	-	1	-	-	-	-	-	-	5	1	2	6		
W _{2H} - - -																				
St. John Paddington H - G.		33,617	10	6	-	2	-	-	-	-	-	-	-	-	-	1	1	4		
North-West Paddington - C.		17,181	8	6	3	-	-	-	-	-	-	-	-	-	5	-	-	-		
Kensington Town 2W w _{2H} G. & W. & C.		128,037	62	42	8	13	-	1	-	-	-	-	-	-	5	-	-	24		
Brompton 2H - - W. & C.		48,591	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2		
North Hammersmith W, w _{2H} } W. & G.		49,192	27	18	8	4	-	-	-	-	-	-	-	-	7	-	-	-		
South Hammersmith w _{2H} - - -		63,047	35	20	3	4	-	-	-	-	-	-	1	-	2	1	3	9		
North-west Fulham W - - -		45,180	43	24	13	5	-	-	-	-	-	1	-	-	6	-	2	4		
North-east Fulham F } W. & C.		46,405	24	19	5	4	-	-	-	1	-	-	-	-	4	2	3	3		
South Fulham W - - -		45,704	21	13	7	-	-	-	-	-	-	-	-	-	6	-	-	-		
Chelsea North W, w _{3H} - - C.		42,514	15	14	1	3	-	-	-	-	-	-	-	-	-	2	11	2		
Chelsea South W _{2H} - - C.		31,328	14	9	3	2	-	-	-	-	-	-	-	-	3	1	1	2		
Mayfair and Knightsbridge C. & G.		28,743	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W _{2H} - - C.		55,815	24	12	8	1	-	-	-	-	1	-	-	-	-	-	-	2		
St. Margaret & St. John 4H - C.		43,698	20	8	3	1	-	2	-	-	-	-	-	-	1	-	-	3		
St. James Westminster } N. & G.		21,588	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
W _H - - -																				
St. Anne Soho 5H - - N.		11,493	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.		35,391	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Rectory Marylebone W G. & W.		19,849	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone 4H G. & W.		18,099	35	5	2	2	-	-	-	-	-	-	-	-	-	-	-	2		
Christchurch Marylebone H- W.		39,536	20	10	5	1	-	-	-	-	-	-	-	-	3	-	-	-		
St. John Marylebone 3H - W.		20,426	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
Hampstead W, F, & H - N. & W.		81,942	32	23	4	8	-	-	-	-	1	-	1	-	-	5	7	8		
West St. Pancras 2H - - W.		60,562	33	14	5	1	-	-	-	-	-	-	-	-	1	-	1	5		
Tottenham-court w _{7H} N. & W.		21,258	6	21	5	3	-	-	-	-	-	-	-	-	2	1	1	15		
Gray's Inn Lane 4H - - N.		34,449	8	13	4	2	-	1	-	-	-	-	-	-	2	-	1	9		
East St. Pancras W _{2H} - - N.		60,320	27	20	4	1	-	-	-	-	-	-	-	-	3	-	2	8		
North St. Pancras 2W - - N.		58,728	30	20	7	3	-	-	-	-	-	-	-	-	6	-	2	7		
Tufnell W - - N.		31,995	13	17	1	8	-	-	-	1	-	-	-	-	-	-	1	12		
Upper Holloway 2W, w _{2H} - N.		33,978	24	11	2	2	-	-	-	-	-	-	-	-	-	-	1	8		
Tollington WH - - N.		33,922	20	7	1	2	-	1	-	-	1	-	-	-	-	1	1	-		
Lower Holloway - - N.		41,424	18	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - N.		54,478	30	12	8	-	-	-	-	-	1	-	-	-	4	-	2	-		
Islington South-east F - - N.		75,397	26	12	5	1	-	1	-	-	-	-	-	3	1	3	-	-		
Highbury 2H - - N.		63,797	28	6	3	3	-	1	-	-	2	-	-	1	-	1	1	-		
Stoke Newington H - - N.		51,247	28	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - E. & N.		50,560	30	5	-	1	-	-	-	-	-	-	-	-	4	-	-	-		
Central Hackney 2w, F - E. & N.		50,536	25	18	7	2	-	-	1	2	-	-	1	-	9	1	2	3		
South-west Hackney 3H E. & N.		59,921	38	27	10	5	-	-	-	-	-	-	1	-	5	2	4	14		
South-east Hackney 2W, w _{2H} E. & N.		58,255	24	29	12	5	-	1	-	-	-	-	1	-	14	-	2	10		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; & K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th August, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.					
CENTRAL DISTRICTS.																					
St. Giles and Bloomsbury W,2H N.	31,436	24	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
Strand W,4H - - - N. & C.	21,674	3	15	1	1	-	1	-	-	-	-	-	-	-	-	-	2	2	11	-	
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Holborn W,6H - - - N.	29,612	6	22	10	1	-	-	-	-	1	-	-	1	-	6	1	1	1	18	-	
South Clerkenwell - - - N.	28,676	22	3	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	
North Clerkenwell H - - - N.	35,028	22	6	2	2	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	
Finsbury 3H,L - - - N.	36,116	23	9	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	
Holborn Union Workhouse, } Mittham - - - - - }	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Botolph H - - - N. & E.	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,2H - - - - - }	16,624	3	11	3	3	-	-	-	-	-	-	-	-	-	1	1	1	1	8	-	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																					
Shoreditch South H - - E. & N.	46,362	34	13	8	2	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	
Shoreditch North-West W,w,H N.	36,127	24	23	7	8	-	-	1	-	-	-	-	-	-	5	3	3	15	-	-	
Shoreditch North-East - - - E.	36,148	20	8	4	-	-	-	-	-	-	-	-	-	-	6	-	1	-	-	-	
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North 2H - - E.	51,514	42	18	10	-	-	-	-	-	2	-	-	-	-	5	1	1	7	-	-	
Bethnal Green South - - - E.	33,472	21	11	5	2	-	-	-	1	-	-	-	-	-	3	1	2	-	-	-	
Bethnal Green East 2W,H,L - E.	44,694	34	19	9	6	-	-	-	-	-	-	-	-	-	2	-	3	9	-	-	
Hoxtonfields - - - E. & N.	27,969	15	7	4	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	
White End New Town W,H - - E.	26,718	24	29	4	3	-	-	-	-	-	-	-	-	-	3	1	4	28	-	-	
Woodman's Fields - - - E.	22,081	15	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
St. George and St. John 2W E.	40,068	39	21	9	5	-	-	-	-	-	-	-	-	-	8	1	5	9	-	-	
Spalding and Ratcliff W,H,E. & N.	25,568	19	15	10	1	-	-	-	-	1	-	-	-	-	7	1	1	10	-	-	
Spalding Union W - - - E.	32,369	29	12	5	2	-	-	-	-	2	-	-	-	-	3	1	5	-	-	-	
White End Old Town South- } Western H - - - - }	63,698	47	20	14	2	-	-	-	-	-	-	-	-	-	10	-	3	-	-	-	
White End Old Town North- } Eastern W,w - - - - }	40,129	45	25	9	6	-	1	-	-	-	-	-	-	-	8	1	3	13	-	-	
White End L - - - - E.	41,989	21	19	11	1	-	-	-	-	1	-	-	-	-	10	-	-	-	-	-	
White End 3w,H - - - E.	48,319	45	34	13	6	-	-	-	-	-	-	-	-	-	14	1	-	17	-	-	
White End W,w - - - E.	58,514	41	12	4	3	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th August, 1905—continued.

[illegible]

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th August, 1905.

REGISTRATION SUB-DISTRICTS		Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
LONDON—OUTER RING		368,602	2,044,973	1337	578	248	106	-	4	2	8	26	1	150	19	40	64	3	
30: 1	Carshalton 2F,2H	12,228	32,997	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,089	8,166	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	21	7	2	4	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	35	12	2	4	-	-	-	-	1	-	-	1	1	5	-	
4	North Croydon H	2,644	41,698	16	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
5	Penge w,H	770	22,465	10	6	2	2	-	-	-	-	-	-	-	1	1	1	-	
6	Mitcham w	11,711	30,015	25	9	2	2	-	-	-	-	-	-	3	-	-	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	31	8	2	1	-	-	-	-	-	1	-	1	1	1	-	
2	Kingston 2W,H	6,224	42,068	26	9	1	3	-	-	-	-	-	-	-	-	-	-	-	
3	Surbiton F,H	3,046	15,017	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	11	6	2	2	-	-	-	-	1	-	1	-	2	-	-	
40: 1	Richmond W,H	2,162	28,865	15	5	-	3	-	-	-	-	-	-	-	-	-	1	-	
2	Mortlake F	2,847	20,828	12	6	4	1	-	-	-	-	-	-	1	-	-	-	-	
41: 1	Bromley F,2H	4,703	27,354	19	7	1	4	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,825	28,497	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Chislehurst 2H	7,333	16,446	7	1	-	-	-	-	-	-	-	-	1	1	1	1	-	
42: 1	Bexley w,F,H	8,678	21,151	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	16	7	3	1	-	1	-	-	1	-	1	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43: 1	Sunbury w	11,054	18,683	7	5	3	-	-	-	-	-	-	-	4	-	-	-	-	
2	Staines W,H	13,277	15,178	10	4	2	-	-	-	-	-	-	-	1	-	-	-	-	
44: 1	Hillingdon W,F,H	6,035	13,661	12	8	1	-	-	2	-	-	-	-	2	3	3	-	-	
2	Uxbridge H	12,757	8,984	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	19	4	2	-	-	-	-	-	-	-	1	-	-	-	-	
45: 1	Isleworth 3W,2F,H	6,859	30,863	30	15	7	1	-	-	-	-	1	-	4	-	-	3	-	
2	Twickenham F,H	2,421	20,991	12	12	4	4	-	-	-	-	-	-	3	-	-	1	-	
3	Brentford 3F,2H,L	4,319	43,289	27	15	5	2	-	-	-	1	-	-	4	-	-	2	-	
4	Chiswick H	1,249	29,809	24	10	6	1	-	-	-	-	-	-	6	-	-	-	-	
5	Acton w,3H	6,132	43,914	42	11	5	3	-	-	-	-	-	2	1	1	-	1	-	
46: 1	Harrow F,H	13,809	25,523	17	4	-	-	-	-	-	-	-	-	-	1	1	1	-	
2	Edgware F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	102	42	25	7	-	1	-	-	2	-	7	-	-	8	-	
4	Hendon W,F	8,362	22,450	19	5	1	1	-	-	-	-	1	-	-	-	2	1	-	
47: 1	South Mimms 2F,H	17,755	7,308	3	4	1	-	-	-	-	-	1	-	-	-	-	1	-	
2	Barnet W,2H	3,324	17,070	7	5	2	2	-	-	-	-	1	-	-	-	-	-	-	
3	Finchley F,2H	4,688	33,692	18	9	-	5	-	-	-	-	-	-	-	-	-	-	-	
48: 1	Hornsey F,H	2,875	72,056	32	11	3	2	-	-	-	-	1	-	-	1	2	-	-	
2	Wood Green H	1,625	34,233	22	8	2	2	-	-	-	-	-	-	1	-	2	1	-	
3	West Tottenham F	996	48,563	33	12	4	5	-	-	-	-	-	-	1	-	-	-	-	
4	East Tottenham 2H	2,017	53,688	23	16	6	3	-	-	-	-	-	-	3	2	5	2	-	
5	Edmonton W,w,2F	7,491	61,892	42	21	9	3	-	-	1	-	-	1	7	-	2	5	-	
6	Enfield 2W,F,H	12,801	42,738	33	9	6	-	-	-	-	-	-	-	2	-	-	1	-	
7	Waltham Abbey F	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
49: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Bushey H	9,333	9,173	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50: 1	Stratford H	1,072	44,827	34	15	11	-	-	-	-	-	-	-	-	9	-	1	-	
2	Plaistow F,2H	1,249	90,921	85	44	27	5	-	-	-	-	-	-	24	-	-	3	-	
3	Canning Town H	1,556	70,718	57	51	35	3	-	-	-	3	5	-	24	1	4	-	-	
4	Forest Gate w	806	60,892	20	12	7	1	-	-	-	-	2	-	-	-	-	-	-	
5	North East Ham w,H	1,333	58,676	45	12	7	3	-	-	-	-	-	-	5	-	-	-	-	
6	South East Ham 2F	1,993	37,342	27	16	10	2	-	-	-	1	-	-	7	-	2	-	-	
7	Wanstead F	1,379	9,179	8	5	1	1	-	-	-	-	-	-	-	1	1	-	-	
8	South Leyton 2W	631	50,467	27	14	6	4	-	-	1	1	-	-	6	-	-	4	-	
9	North Leyton 2W,w,F	1,963	48,445	27	21	3	4	-	-	-	-	-	-	3	-	-	13	-	
10	Walthamstow 3H,L	6,504	108,929	63	19	10	1	-	1	-	1	-	-	6	3	3	-	-	
51: 1	Chigwell, part of* 2F,3H	11,778	16,397	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
52: 1	Romford, part of* W,2F	6,556	6,091	7	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
2	Ilford F,L	8,496	41,234	41	9	4	2	-	-	-	-	2	-	1	-	-	1	-	
3	Barking Town F	3,803	21,547	17	13	9	-	-	-	-	-	1	-	6	1	1	2	-	
Middlesex County Asylum, Wandsworth.		-	-	-	3	-	-	-	-	-	-	-	-	-	1	1	3	-	
London County Asylum, Cane Hill.		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Leydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 43: 3, 137: 2, and 137: 2 are also included.

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal.
LONDON - -	4,684,794	August	5	2522	1404	15'6	-	19	9	12	18	6	31
CALCUTTA - -	847,798	June	24	-	388	23'7	-	2	-	-	-	129†	-
BOMBAY - -	776,006	July	18	333	494	33'1	-	9	-	-	-	97†	4
MADRAS - -	509,346	"	7	480	420	42'8	3	2	-	-	-	58	11
PARIS - - -	2,660,559	"	29	1008	875	17'2	9	12	1	1	10	2	13
BRUSSELS - -	586,936	"	29	227	169	14'7	-	-	-	-	1	1	3
ANTWERP - -	286,695	"	29	121	78	15'0	-	1	-	-	1	-	3
AMSTERDAM -	551,415	"	22	300	121	11'4	-	4	-	1	-	3	1
COPENHAGEN -	426,000	"	29	-	122	14'8	-	-	-	-	1	1	1
STOCKHOLM -	309,496	"	22	122	92	15'0	-	-	-	-	4	-	-
CHRISTIANIA -	223,649	"	29	116	58	13'6	-	1	-	3	6	-	-
ST. PETERSBURG	1,248,122	"	22	427	609	22'7	3	19	6	9	6	24	17
MOSCOW - -	1,092,360	"	22	-	702	33'5	5	5	8	6	8	7	34
WARSAW - -	-	"	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,016,711	July	15	934	596	15'4	-	9	3	1	9	1	14
HAMBURG - -	772,852	"	29	-	214	14'4	-	2	-	1	2	-	5
BRESLAU - -	462,147	"	22	241	180	20'3	-	1	-	1	3	-	4
MUNICH - - -	523,000	"	29	-	232	22'9	-	3	-	3	4	2	4
VIENNA - - -	1,877,839	"	29	902	710	19'5	-	6	-	6	13	3	15
PRAGUE - - -	430,569	"	22	199	179	20'7	-	3	1	2	-	3	2
BUDA-PESTH -	836,267	"	29	338	355	22'1	-	5	5	4	1	2	8
TRIESTE - - -	191,403	"	29	128	111	29'8	-	5	-	-	2	-	2
ROME - - - -	503,857	"	-	-	-	-	-	-	-	-	-	-	-
VENICE - - -	169,417	July	22	119	66	20'3	-	4	-	1	-	2	1
BUCHAREST -	282,071	"	29	176	157	29'0	-	-	-	-	1	-	3
NEW YORK - -	3,948,191	"	22	1934	2119	28'0	-	14	3	26	15	26	68
CHICAGO - - -	1,932,315	"	15	-	447	11'7	-	8	4	7	3	6	7
PHILADELPHIA -	1,438,318	"	15	-	548	19'8	-	2	1	7	3	6	19
BOSTON - - -	617,956	"	8	-	183	15'4	-	1	-	1	-	-	-
RIO DE JANEIRO	850,000	"	2	-	315	18'1	8	4	-	4	-	1†	-

* Excluding deaths from croup in the Indian Cities.

† Including 25 deaths from plague in Calcutta, 52 in Bombay, and 1 in Rio de Janeiro.

‡ Including 9 deaths from cholera in Calcutta, and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th August, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	°	°	°	-	BRADFORD - -	67'2	50'4	59'6	1'04
BRIGHTON - -	70'4	53'2	62'9	0'45	LEEDS - - -	70'0	51'0	60'5	0'91
PORTSMOUTH -	73'0	51'5	64'1	0'50	HULL - - - -	72'0	47'0	60'9	0'72
NORWICH - - -	73'8	46'6	63'1	0'33	TYNEMOUTH -	70'0	50'0	60'0	0'56
PLYMOUTH - -	71'8	47'1	60'7	0'96					
BRISTOL - - -	70'0	47'0	60'8	1'44	EDINBURGH -	67'8	41'4	56'6	0'24
BIRMINGHAM -	67'1	47'2	59'1	1'24	GLASGOW - -	67'2	48'5	58'0	1'23
NOTTINGHAM -	69'6	45'6	59'5	0'69					
LIVERPOOL - -	67'0	49'0	59'2	0'01	DUBLIN { Phoenix Park. Fitz- william Square.†	67'1	43'0	57'7	1'11
MANCHESTER -	67'2	44'8	58'5	1'37		67'9	48'2	59'6	1'58
PRESTON - - -	?	?	?	?					
HUDDERSFIELD -	67'7	48'3	57'7	0'72	BELFAST - -	65'5	46'5	56'9	1'41

* These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1905. MONTH AND DAY		Phases of the Moon.		BAROMETER.		TEMPERATURE.				TEMPERATURE.				WIND as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.		Ozone						
				MEAN.	Mean daily recording thermometer.	Of the Air.		Difference between the Air and Dew Point Temperature.		Of Radiation.		Of the Earth 3 feet below the Surface.		Order's.		Pressure on the Square Foot.						Robinson's.				
						High-est.	Low-est.	Daily Range.	Mean daily value.	De-pature from Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in the Sun's Rays.	Lowest on the Grass.	A.M.	P.M.					Greatest.	Least.	Mean hourly obs.	Horizontal Movement of the Air in 24 hours on each Day.	Departure from Average of 16 years.
JULY.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°					
SUNDAY	- 30	29.746	75.6	57.1	18.5	65.5	+ 3.2	48.5	17.0	23.2	4.3	54	132.6	54.5	64.62	SW, WSW, & W.	W. & WSW.	4.2	0.0	0.4	406	+167	0.0			
MONDAY	- 31	29.850	73.4	53.9	19.5	62.3	0.0	47.4	14.9	22.9	5.2	58	143.0	50.1	64.52	SW, & WSW.	WSW, & WNW.	0.5	0.0	0.0	188	- 54	0.0			
TUESDAY	- 1	New	29.743	74.0	51.1	22.9	60.7	- 1.5	49.1	11.6	22.9	2.6	66	140.0	42.0	64.40	SW.	SW, & WSW.	1.4	0.0	0.0	189	- 55	0.0		
WEDNESDAY	- 2	..	29.689	76.4	48.9	27.5	61.8	- 0.3	47.5	14.3	25.8	1.0	60	145.8	33.5	64.39	SW, & WSW.	WSW, & SSE.	1.7	0.0	0.0	216	- 31	0.0		
THURSDAY	- 3	..	29.368	67.3	55.3	12.0	59.7	- 2.4	58.2	1.5	7.0	1.3	95	80.6	50.0	64.00	SSE, & S.	SSE, S. & SSW.	2.9	0.0	0.2	257	+ 7	0.34		
FRIDAY	- 4	Perigee	29.382	71.4	60.0	11.4	64.5	+ 2.3	56.8	8.7	14.2	5.1	76	126.6	54.7	63.82	SSW, & SW.	SSW, & SW.	12.3	0.0	1.5	507	+251	0.00		
SATURDAY	- 5	In Equator.	29.584	74.0	53.8	20.2	60.7	- 1.6	56.8	3.9	17.4	1.1	87	137.6	52.0	63.66	SSW, & SW.	SW, WSW, & NW.	3.6	0.0	0.4	366	+110	0.31		
MEANS	-	29.625	73.2	54.3	18.9	62.2	- 0.0	52.0	10.3	19.1	2.9	71	129.5	48.1	64.19	SW.		Sum 2129	Sum +388	7.9			
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25		

GENERAL REMARKS.

DATE.	ELONGATION. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 30	w. P. throughout.	10.4	15.5	Fine and variably cloudy with brisk wind; rather threatening in early morning.
MONDAY - 31	w. P. generally until 9h. A.M.; then m. P. with occasional s. P.	4.7	15.4	Overcast in early morning; afterwards cloudy. Partial Solar halo at noon.
TUESDAY - 1	m. P. generally with a little s. P.	3.9	15.4	Fine but cloudy until afternoon. Solar halo at 3h. P.M.; a few drops of rain at 7h. P.M.; afterwards becoming nearly cloudless.
WEDNESDAY - 2	m. P. throughout.	10.5	15.3	Nearly cloudless until 9h. A.M.; then becoming cloudy; overcast in evening. Bright partial Solar halo prismatically coloured about 6h. P.M.
THURSDAY - 3	w. P. generally; v. P. and v. N. in morning.	0.8	15.3	Frequent showers in morning and occasionally in afternoon; very fine in evening, becoming nearly cloudless.
FRIDAY - 4	w. P. throughout.	8.6	15.2	Fine and partially cloudy with brisk wind; slight rain 1h. P.M. Partial Solar halo 9h. A.M.
SATURDAY - 5	w. P. in morning; v. P. and v. N. also in afternoon.	8.7	15.2	Cloudy in early morning; showery at times; heavy showers about 2h. P.M. with occasional thunder afterwards; variable with slight rain till evening; nearly cloudless at night.
No. of Col.	-	28	29	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the year is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 29.69 in. at the beginning of the week to 29.86 in. by 3h. A.M. on July 31st; decreased to 29.71 in. by 4h. P.M. on August 1st; increased to 29.77 in. by 7h. A.M. on the 2nd; decreased to 29.32 in. by 6h. P.M. on the 3rd, and increased to 29.78 in. by midnight on the 5th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 29th July, 1905.*

BOROUGHS,	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	13	-	-	1	-	-	3	-
Kensington - - - - -	180,083	-	5	-	-	-	-	-	3	-
Hammersmith - - - - -	119,037	-	9	-	-	-	-	-	3	-
Fulham - - - - -	157,310	-	22	7	-	1	-	-	3	-
Chelsea - - - - -	74,496	-	1	5	-	1	-	-	-	1
City of Westminster - - -	175,606	-	4	-	-	2	-	-	2	-
NORTH.										
St. Marylebone - - - - -	129,453	-	3	-	-	1	-	-	2	-
Hampstead - - - - -	88,142	-	1	2	-	-	-	-	1	-
St. Pancras - - - - -	236,183	-	14	5	-	2	-	-	1	-
Islington - - - - -	342,994	-	18	17	-	2	-	-	-	-
Stoke Newington - - - - -	52,823	-	6	2	-	-	-	-	1	-
Hackney - - - - -	228,479	-	20	7	-	4	-	-	7	-
CENTRAL.										
Holborn - - - - -	56,481	-	-	-	-	-	-	-	1	-
Finsbury - - - - -	98,207	-	16	2	-	1	-	-	-	-
City of London - - - - -	22,425	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	27	1	-	-	-	-	3	-
Bethnal Green - - - - -	130,401	-	15	5	-	1	-	-	4	-
Stepney - - - - -	305,486	-	42	8	-	4	-	-	9	-
Poplar - - - - -	170,280	-	19	6	-	1	-	-	-	-
SOUTH.										
Southwark - - - - -	208,528	-	13	5	-	1	-	-	2	-
Bermondsey - - - - -	129,006	-	17	7	-	-	-	-	6	-
Lambeth - - - - -	313,045	-	25	8	-	-	-	-	7	-
Battersea - - - - -	177,532	-	17	7	-	-	-	-	5	1
Wandsworth - - - - -	265,392	-	12	7	-	2	-	-	5	-
Camberwell - - - - -	271,240	-	25	4	-	2	-	-	4	-
Deptford - - - - -	114,495	-	19	5	-	-	-	-	2	-
Greenwich - - - - -	103,493	-	8	-	-	1	-	-	2	-
Lewisham - - - - -	144,420	-	8	-	-	-	-	-	2	-
Woolwich - - - - -	125,372	-	4	4	-	-	-	-	1	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.										
4,681,794		-	385	119	-	27	-	-	76	2
AGES.										
Ages 0-1 - - - - -	-	-	6	2	-	1	-	-	3	-
" 1-5 - - - - -	-	-	116	33	-	2	-	-	3	-
" 5- - - - -	-	-	163	48	-	1	-	-	1	-
" 10- - - - -	-	-	69	20	-	3	-	-	7	-
" 15- - - - -	-	-	17	6	-	4	-	-	2	-
" 20- - - - -	-	-	7	4	-	2	-	-	1	1
" 25- - - - -	-	-	6	5	-	11	-	-	7	1
" 35- - - - -	-	-	1	-	-	2	-	-	17	-
" 45- - - - -	-	-	-	-	-	1	-	-	19	-
" 55- - - - -	-	-	-	-	-	-	-	-	9	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	7	-
Age not stated - - - - -	-	-	-	1	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 32. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, AUG. 12. [Price 1½d.

General Register Office, Somerset House,

August 14th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 13·4, 15·0, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 24·4 in Warrington, 24·7 in Birkenhead, 25·5 in Sheffield, 25·8 in Bootle, 26·1 in Merthyr Tydfil, 28·3 in Wigan, and 38·4 in Rhondda‡; from *measles*, 3·5 in Barrow in Furness; and from *diarrhoea*, 8·3 in Hull and in Rhondda, 8·4 in Walsall, 8·5 in Birkenhead, 8·9 in Norwich, 9·2 in Grimsby, 10·0 in Bootle, 10·1 in Sheffield, 13·2 in Wigan, and 14·1 in West Ham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2215 BIRTHS and 1555 DEATHS were registered. Allowing for increase of population, the births were 304 and the deaths 237 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 12·7, 14·3, and 15·6 in the preceding three weeks, further rose last week to 17·3. During the four weeks ended on Saturday last the death-rate averaged 15·0 per 1000, being 4·3 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

‡ Of the 32 deaths registered in the urban district of Rhondda, 39 were due to the explosion at the National Colliery at Watkinstown; excluding these deaths the death rate would have been 22·1. During the week ended 5th August, 79 deaths were registered as due to the same cause.

The 1555 deaths included 23 from measles, 16 from scarlet fever, 10 from diphtheria, 28 from whooping-cough, 7 from enteric fever, 1 from ill-defined pyrexia, and 372 from diarrhœa, but not one death from small-pox or from typhus; thus, 457 deaths were referred to these diseases in the aggregate, being 48 below the corrected average weekly number.

The deaths from *measles*, which had been 17, 24, and 19 in the preceding three weeks, numbered 23 last week, but were 16 below the corrected average; 5 deaths belonged to the Borough of Islington, 4 to Westminster, and 3 to Stepney. The deaths from *scarlet fever*, which had been 6, 8, and 9 in the preceding three weeks, further rose last week to 16, and were 4 above the corrected average; 3 deaths belonged to Shoreditch. The deaths from *diphtheria*, which had been 6, 7, and 12 in the preceding three weeks, were 10 last week, and were 19 below the corrected average. The deaths from *whooping-cough*, which had been 13, 33, and 18 in the preceding three weeks, numbered 28 last week, and were equal to the corrected average; 4 deaths belonged to Wandsworth, and 3 each to Kensington, Shoreditch, Stepney, and Lambeth. The fatal cases of *enteric fever*, which had been 7, 3, and 6 in the preceding three weeks, were 7 last week, the corrected average being 9. The deaths from *diarrhœa*, which had been 83, 187, and 314 in the preceding three weeks, further rose last week to 372, but were 15 below the corrected average; 45 deaths belonged to Hackney, 38 to Stepney, 26 to Lambeth, 23 to Fulham, 22 to Bethnal Green, 20 to Shoreditch, and 20 to Wandsworth. Of the 372 deaths from diarrhœa, 361 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 40 other deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 0, 2, and 0 in the preceding three weeks.

Different forms of *violence* caused 67 deaths, concerning all but 1 of which inquests were held. Of these 67 deaths, 17 were cases of suicide, and 3 of homicide, while the remaining 47 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 7 to drowning, 1 to heat apoplexy, 1 to the effects of an anæsthetic administered for surgical purposes, and 6 of infants under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2670 cases of scarlet fever, 706 of diphtheria, and 99 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 355 cases, against 304, 352, and 366; of diphtheria, 81 cases, against 115, 109, and 85; and of enteric fever, 11 cases, against 14, 19, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 5th.

GREATER LONDON.

In Greater London 3361 births and 2143 deaths were registered. Allowing for increase of population these numbers are 422 and 442 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 2 from whooping-cough, and 78 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.86 inches, and that of the Thermometer 60°.3, the latter being 2°.1 below the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 1 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 45.7 hours; the measured rainfall amounted to 0.16 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 12th August, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths from 12th August, 1905.		The DEATHS registered in the Week include											TOWNS.	
		Week ended				Week ended 11-17.		12th August, 1905.		Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.
		22nd July, 1905.	29th July, 1905.	5th Aug., 1905.	12th Aug., 1905.	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,609,377	13'4	15'0	17'0	17'5	5'4	7643	5266	2201	1006	-	70	35	47	77	21	1376	205	362	1041	40	76 TOWNS.
LONDON -	4,684,794	12'7	14'3	15'6	17'3	5'1	2215	1555	638	302	-	23	16	10	28	8	372	67	141	524	2	LONDON.
ORGYDON -	147,704	8'8	6'4	9'2	8'1	0'4	70	23	4	9	-	-	-	-	-	-	1	3	5	9	-	ORGYDON.
WILLESDEN -	138,080	8'3	4'2	16'2	11'7	4'9	62	31	15	5	-	1	-	-	-	-	12	1	1	4	-	WILLESDEN.
HORNEY -	84,070	3'1	9'3	7'4	5'0	-	25	8	1	5	-	-	-	-	-	-	-	1	2	1	-	HORNEY.
TOTTENHAM -	116,282	8'1	6'7	13'9	14'8	2'7	61	33	16	6	-	-	-	-	-	-	5	2	5	4	-	TOTTENHAM.
WEST HAM -	204,997	13'8	17'5	22'8	23'5	15'7	147	133	81	13	-	-	3	1	4	1	80	3	4	16	-	WEST HAM.
EAST HAM -	123,381	8'0	13'9	13'1	15'6	7'6	76	37	20	7	-	-	-	2	-	-	16	-	-	5	-	EAST HAM.
LEYTON -	114,555	10'0	8'6	9'6	10'0	4'1	44	22	10	5	-	-	-	1	1	-	7	-	1	5	-	LEYTON.
WALTHAMSTOW -	116,297	8'1	6'3	9'0	8'5	4'5	51	19	9	4	-	1	-	-	2	-	7	-	-	4	-	WALTHAMSTOW.
HASTINGS -	66,820	6'2	6'2	11'7	10'9	0'8	27	14	3	5	-	1	-	-	-	-	-	-	2	10	-	HASTINGS.
BRIGHTON -	127,183	11'1	10'2	10'2	11'1	1'6	47	27	7	13	-	-	-	1	2	-	16	7	12	10	-	BRIGHTON.
PORTSMOUTH -	201,975	8'8	15'0	15'5	19'1	4'9	91	74	31	19	-	-	-	-	-	-	2	-	2	1	-	PORTSMOUTH.
BOURNEMOUTH -	66,168	5'5	7'9	7'9	15'0	1'6	21	19	3	9	-	-	-	-	-	-	2	-	3	5	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	10'4	12'3	11'8	13'2	5'4	55	29	14	9	-	-	-	-	-	-	12	2	3	5	-	SOUTHAMPTON.
READING -	77,674	12'1	9'4	7'4	14'8	1'3	38	22	8	6	-	-	-	-	-	-	1	1	1	4	-	READING.
NORTHAMPTON -	92,441	11'3	10'7	9'0	17'5	3'9	45	31	12	10	-	-	-	-	-	-	6	-	-	3	1	NORTHAMPTON.
IPSWICH -	70,802	10'3	5'9	16'9	6'6	1'5	30	9	3	2	-	-	-	-	-	-	1	1	2	2	-	IPSWICH.
GREAT YARMOUTH -	52,363	18'9	13'9	9'0	18'9	3'0	34	19	4	7	-	-	-	-	-	-	3	1	2	1	-	GREAT YARMOUTH.
NORWICH -	116,741	13'4	16'5	19'2	23'7	9'8	65	53	35	6	-	-	1	1	-	-	20	-	2	5	2	NORWICH.
PLYMOUTH -	116,000	17'5	13'9	17'1	17'5	4'0	60	39	19	11	-	-	-	-	-	-	8	2	3	3	-	PLYMOUTH.
DEVONPORT -	76,864	10'9	8'8	15'6	18'3	5'4	48	27	10	8	-	-	-	-	-	-	8	-	2	2	-	DEVONPORT.
BRISTOL -	358,515	10'3	10'8	14'3	10'3	1'2	145	71	25	18	-	1	-	-	-	-	6	-	4	2	-	BRISTOL.
HANLEY -	64,067	15'3	22'6	17'7	23'4	7'3	24	29	10	4	-	-	-	1	2	-	6	-	-	4	-	HANLEY.
BURTON-ON-TRENT -	52,424	6'0	3'0	10'9	10'9	-	29	11	3	4	-	-	-	-	-	-	-	-	-	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	89,456	9'4	14'2	11'0	17'3	4'2	57	33	9	8	-	-	-	-	-	-	1	6	3	5	7	WOLVERHAMPTON.
WALSALL -	32,068	10'1	12'9	19'1	20'7	9'0	62	37	23	3	-	-	-	-	-	-	1	15	2	2	1	WALSALL.
HANDSWORTH -	61,721	7'6	5'9	7'6	12'7	2'5	24	15	6	3	-	1	-	-	-	-	2	2	3	-	-	HANDSWORTH.
WEST BROMWICH -	67,823	10'8	8'5	26'9	15'4	3'8	35	20	6	5	-	1	-	-	-	-	4	-	1	1	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 12th August, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 12th August, 1905.		The DEATHS registered in the Week include											TOWNS,		
		Week ended					Week ended 12th Aug., 1905.		Births.	Deaths.	Deaths of													
		1905.					1905.				Persons aged 60 Years and upwards.													
		22nd July, 1905.	29th July, 1905.	5th Aug., 1905.	12th Aug., 1905.	Week ended 12th August, 1905.	1905.	1905.			1905.	1905.	Infants under 1 Year of Age.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols		
BIRMINGHAM -	542,959	14'9	14'0	17'0	17'1	5'4	263	178	79	30	-	4	1	5	2	-	44	4	7	32	1	BIRMINGHAM.		
KINGS NORTON -	69,630	8'2	4'5	6'0	6'7	0'7	20	9	4	2	-	1	-	-	-	-	-	-	1	1	-	KINGS NORTON.		
SMETHWICK -	92,605	5'8	7'5	10'0	14'2	0'8	31	17	7	2	-	-	-	-	1	-	-	-	1	1	-	SMETHWICK.		
ASTON MANOR -	81,320	17'3	17'3	18'0	15'4	7'7	51	24	12	6	-	-	-	-	-	-	12	-	-	-	-	ASTON MANOR.		
COVENTRY -	75,134	14'6	9'0	11'8	13'2	1'4	32	19	4	4	-	-	-	1	-	-	1	2	3	-	1	COVENTRY.		
LEICESTER -	228,132	11'4	14'2	12'8	16'5	7'8	111	72	41	10	-	-	-	1	-	-	33	2	2	5	1	LEICESTER.		
GRIMSBY -	88,153	14'5	14'5	23'7	23'0	9'9	40	30	19	7	-	-	-	-	1	-	12	1	1	2	-	GRIMSBY.		
NOTTINGHAM -	251,671	15'3	16'2	17'8	14'9	5'8	128	72	38	17	-	-	-	1	1	-	26	1	2	6	-	NOTTINGHAM.		
DERBY -	122,207	7'7	13'2	16'6	20'1	3'0	63	47	14	12	-	1	1	-	-	-	5	2	3	8	-	DERBY.		
STOCKPORT -	98,320	19'1	21'7	24'4	19'6	6'9	49	37	15	14	-	1	-	-	1	-	11	-	2	3	-	STOCKPORT.		
BIRKENHEAD -	116,035	17'5	17'5	20'2	24'7	9'0	60	55	26	15	-	-	1	-	-	-	19	1	2	8	-	BIRKENHEAD.		
WALLASEY -	82,460	15'0	15'0	10'9	13'4	5'0	30	16	6	6	-	-	-	-	-	-	6	-	1	3	-	WALLASEY.		
LIVERPOOL -	730,143	22'1	23'7	22'4	21'9	8'6	434	306	135	39	-	4	2	-	4	3	108	10	17	85	6	LIVERPOOL.		
BOOTLE -	82,758	24'1	30'7	24'1	25'8	11'6	38	31	11	3	-	1	-	-	1	-	12	1	2	5	1	BOOTLE.		
ST. HELENS -	89,843	14'5	14'5	23'2	18'7	5'2	37	34	20	4	-	-	-	1	-	-	8	-	-	4	-	ST. HELENS.		
WIGAN -	86,581	17'5	18'7	23'5	28'3	13'2	51	47	26	2	-	-	-	-	-	-	22	-	1	2	2	WIGAN.		
WARRINGTON -	88,301	17'6	17'6	22'9	24'4	5'3	37	32	12	6	-	1	-	-	-	-	6	-	-	4	-	WARRINGTON.		
BOLTON -	178,111	12'6	17'3	15'2	14'3	5'0	74	49	27	5	-	-	-	-	-	-	17	1	2	3	-	BOLTON.		
BURY -	58,594	9'8	12'5	17'8	18'7	1'8	28	21	4	7	-	-	-	-	-	-	2	2	2	3	1	BURY.		
MANCHESTER -	631,185	14'0	22'1	21'5	21'9	8'2	309	265	124	40	-	4	1	1	6	-	87	4	8	40	1	MANCHESTER.		
SALFORD -	231,514	16'4	20'5	18'7	17'3	6'3	139	77	32	12	-	-	-	4	-	-	24	3	3	16	-	SALFORD.		
OLDHAM -	140,225	20'5	15'2	16'0	15'2	1'5	60	41	6	13	-	-	1	1	-	-	1	3	3	6	-	OLDHAM.		
ROCHDALE -	86,390	16'3	22'3	19'3	18'7	3'0	33	31	7	9	-	-	1	-	-	-	4	1	3	6	-	ROCHDALE.		
BURNLEY -	101,682	9'7	15'9	10'8	21'5	6'7	51	42	14	9	-	-	-	1	-	-	11	1	1	5	-	BURNLEY.		
BLACKBURN -	133,067	10'2	12'9	12'5	12'5	2'7	69	32	8	5	-	-	2	1	-	-	4	1	2	4	3	BLACKBURN.		
PRESTON -	115,721	11'7	14'9	14'9	15'8	4'5	74	35	12	9	-	-	1	2	1	-	6	-	1	6	1	PRESTON.		
BARROW-IN-FURNESS.	60,306	19'9	14'7	17'3	14'7	6'9	36	17	7	1	-	4	-	1	-	-	3	2	2	1	-	BARROW-IN-FURNESS.		

* See note at foot of first page of this return.

TOWNS.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the week ended 12th August, 1905		The DEATHS registered in the Week include											TOWNS,
		Week ended				Week ended 12th Aug., 1905.	BIRTHS.	DEATHS.	Deaths of Persons aged under 1 Year and upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		22nd July, Aug., 1905.								Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					
		22nd July, 1905.	29th July, 1905.	5th Aug., 1905.	12th Aug., 1905.																
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD -	94,888	14.8	9.9	17.6	11.0	44	20	2	6	-	-	-	-	1	-	1	-	-	3	-	HUDDESFIELD.
HALIFAX -	108,419	10.6	13.5	11.5	9.6	36	20	2	7	-	-	-	1	-	-	-	-	-	5	-	HALIFAX.
BRADFORD -	286,799	15.3	11.1	16.5	14.9	107	82	25	23	-	-	2	2	1	-	12	2	3	5	2	BRADFORD.
LEEDS -	456,787	17.8	19.3	17.1	18.4	191	161	77	29	-	2	-	-	2	-	51	5	9	19	-	LEEDS.
SHEFFIELD -	440,414	17.2	22.6	28.4	25.5	224	215	100	33	-	7	1	1	1	1	85	4	8	31	3	SHEFFIELD.
ROTHERHAM -	59,794	8.7	17.4	13.1	8.7	41	10	4	2	-	-	-	-	-	-	1	-	-	-	1	ROTHERHAM.
YORK -	82,362	12.0	10.1	18.4	12.7	38	20	10	4	-	-	-	1	-	1	9	1	1	3	-	YORK.
HULL -	258,127	13.3	15.4	19.2	20.4	119	101	52	14	-	-	-	1	-	-	41	3	6	17	1	HULL.
MIDDLESBROUGH -	98,369	13.8	16.4	19.1	21.2	74	40	17	7	-	-	-	1	2	1	7	-	2	6	-	MIDDLESBROUGH.
STOCKTON-ON-TESSES.	52,425	15.9	15.9	11.9	13.9	43	14	6	3	-	-	-	-	1	-	1	-	-	4	1	STOCKTON-ON-TESSES.
WEST HARTLEPOOL -	71,313	11.0	19.7	15.4	9.5	33	13	8	2	-	-	-	-	-	-	3	-	1	-	-	WEST HARTLEPOOL.
SUNDERLAND -	152,761	18.4	13.3	16.4	15.7	74	46	16	11	-	3	-	-	1	2	2	2	2	6	1	SUNDERLAND.
SOUTH SHIELDS -	109,360	16.2	13.4	12.4	19.5	58	41	17	8	-	-	-	-	-	9	-	-	4	3	-	SOUTH SHIELDS.
GATESHEAD -	120,620	7.8	10.4	14.3	9.5	82	22	11	1	-	-	1	-	1	-	1	-	-	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE	264,511	11.4	13.0	16.6	20.9	132	106	34	23	-	1	-	1	3	1	10	3	6	10	2	NEWCASTLE-ON-TYNE.
TYNEMOUTH -	53,595	10.7	7.8	24.3	13.6	27	14	5	3	-	-	-	-	-	-	3	2	2	1	1	TYNEMOUTH.
NEWPORT (MON.) -	72,880	10.7	14.3	17.2	16.5	39	23	10	6	-	1	-	-	-	-	3	-	2	3	-	NEWPORT (MON.).
CARDIFF -	180,054	9.6	10.4	10.4	13.6	76	47	13	13	-	-	-	-	1	-	5	2	2	5	-	CARDIFF.
RHONDDA -	124,988	12.9	24.6	62.2†	38.4†	73	92†	36	3	-	-	-	1	-	-	20	40	40	1	-	RHONDDA.
MERTHYR TYDFIL -	73,848	18.4	24.0	14.8	26.1	48	37	18	7	-	2	-	-	-	-	9	-	1	2	-	MERTHYR TYDFIL.
SWANSEA -	96,384	10.8	9.2	20.0	14.1	48	26	3	6	-	2	-	1	-	-	-	1	1	-	1	SWANSEA.
GREATER LONDON -	7,010,172	11.6	13.1	14.7	15.9	3361	2143	904	419	-	31	20	19	38	9	578	85	177	608	3	GREATER LONDON.
OUTER RING -	2,325,378	9.4	10.7	13.0	13.2	1146	588	266	117	-	8	4	9	10	1	206	18	36	84	1	OUTER RING.
8 TOWNS IN OUTER RING -	1,135,316	9.5	10.3	14.4	14.1	536	306	156	54	-	2	3	4	8	1	128	10	18	48	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,190,062	9.3	11.1	11.6	12.4	610	282	110	63	-	6	1	5	2	-	78	8	18	36	1	REMAINDER OF OUTER RING.
EDINBURGH -	336,577	15.8	18.0	16.0	14.6	158	94	22	24	-	1	-	-	2	-	2	5	?	42	4	EDINBURGH.
GLASGOW -	809,988	16.0	14.4	15.7	14.1	430	219	70	40	-	5	1	-	5	-	34	10	?	61	9	GLASGOW.
DUBLIN† -	378,994	20.1	20.8	21.2	19.7	238	143	49	32	-	-	1	-	-	24	2	2	3	50	7	DUBLIN.†
BELFAST† -	368,680	20.9	22.0	22.1	18.9	195	130	44	28	-	-	-	-	1	3	28	3	5	23	?	BELFAST.†

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively. * See note † on first page of this return. ‡ See note † on first page of this return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2340	2291	2728	2807	2214	2332	2322	1929	2563	2730	2518.6	2215
Males - - -	1216	1145	1385	1391	1139	1188	1240	940	1329	1369	1281.5	1124
Females - - -	1124	1146	1343	1416	1075	1144	1082	989	1234	1361	1237.1	1091
TOTAL Deaths -	1601	1790	2246	1772	2068	1804	1636	1176	1255	1912	1792.2	1555
Males - - -	870	972	1187	932	1130	1015	882	607	650	992	959.1	834
Females - - -	731	818	1059	840	938	789	754	569	605	920	833.1	721

* The numbers in this column are the average weekly numbers in the thirty-second week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	13 Weeks.
TOTAL Births -	2426	2544	2249	2233	2271	2527	2490	2509	2363	2466	2480	2522	2215	31295
TOTAL Deaths -	1268	1311	1319	1236	1191	1047	1080	1006	1047	1137	1285	1404	1555	15886
Ages at Death {														
Under 1 year -	250	259	274	226	253	196	223	203	222	271	431	515	633	3961
1-5 years -	153	156	178	141	128	126	137	100	115	124	129	161	181	1832
5-20 " -	69	74	60	62	73	54	68	74	65	76	63	71	59	868
20-40 " -	171	176	142	172	149	151	141	137	129	155	150	163	135	1971
40-60 " -	264	268	271	305	255	223	219	222	221	223	242	243	240	3196
60 yrs. & upwds.	356	378	396	330	333	297	292	270	295	238	270	251	302	4058
Deaths from—														
Small-pox - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	2
Measles - - -	41	44	58	40	46	38	31	24	27	17	24	19	23	432
Scarlet Fever - -	11	4	9	11	6	7	12	11	7	6	8	9	16	117
Diphtheria - - -	7	6	7	9	9	11	7	6	6	6	7	12	10	103
Whooping-cough -	35	50	41	42	26	23	26	18	17	13	33	18	28	373
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	5	4	6	2	3	1	5	3	7	3	6	7	55
Pyæmia (origin uncertain).	-	-	-	-	1	-	-	1	-	-	-	-	1	3
Diarrhœa, Dysentery	15	16	27	30	14	14	25	37	53	83	187	314	372	1192
All above Diseases -	113	125	146	138	104	99	103	102	118	132	262	378	457	2277
Dis. of Resp. System	95	92	96	68	73	53	46	32	48	42	46	42	46	779
Pneumonia - - -	131	126	139	123	116	91	94	58	56	75	70	69	66	1214
Phthisis - - -	119	122	111	134	129	95	104	92	100	97	108	113	113	1437
Dis. of Circ. System -	143	174	163	169	170	162	131	151	143	151	140	131	139	1967
Violence - - -	53	59	59	58	59	45	61	59	53	63	62	54	67	757
Inquest Cases - -	130	137	117	153	120	103	129	109	101	109	126	130	141	1605
Deaths in Institutions	500	502	514	521	488	461	442	394	451	467	462	513	524	6239
TEMPERATURE OF THE AIR.														
Mean - - -	53.3	51.2	62.7	53.7	59.5	60.9	63.2	64.0	68.9	65.2	66.3	62.2	60.3	60.9
Mean of Highest -	64.0	62.8	74.7	59.2	69.0	72.0	74.0	74.7	80.5	77.7	77.9	73.2	72.0	71.7
Mean of Lowest -	43.9	41.0	51.4	49.5	51.7	51.2	53.0	54.2	60.0	54.0	57.7	54.3	53.2	52.0
Mean Humidity of the Air.	67	61	64	87	81	73	79	69	71	75	77	71	76	73
Rain-fall (in inches) -	0.22	0.00	0.50	2.86	0.95	0.02	0.54	0.03	0.26	0.02	0.53	0.65	0.16	6.74
Registered Sunshine (in hours).	52.1	39.4	51.5	7.8	45.6	58.3	36.8	52.7	55.4	54.0	39.5	47.6	45.7	586.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	15	10	9	9	7	6	4	5	4	3	3	1	-	6
Scarlet Fever - -	2211	2200	2268	2285	2356	2427	2473	2499	2520	2485	2550	2632	2670	2429
Diphtheria - - -	686	688	690	687	719	723	718	775	764	791	789	753	706	730
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	71	79	80	80	82	83	78	81	89	92	94	100	99	85

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SECOND Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 32nd week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 32nd week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.								ALL AGES.	Under 20.					
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1912	1555	638	181	59	135	240	302	Meningitis (not tuberc.)	19	19	8	4	4	2	1	-
									Insanity, Gen. Par. of } Insane - - - - - }	12	9	-	-	-	2	3	4
									Epilepsy - - - - - }	7	4	-	1	1	1	-	1
									Convulsions - - - - }	30	17	16	1	-	-	-	-
Small-pox*	1	-	-	-	-	-	-	-	Locomotor Ataxy - - }	4	5	-	2	-	2	1	-
Cowpox - - - - - }									Paraplegia, Dis. of Cord	14	13	-	1	-	6	5	-
Measles (Morbilli) - - }	36	23	4	17	2	-	-	-	Valv. Dis., Endocarditis-	26	38	-	-	3	11	11	13
Scarlet Fever - - - - - }	10	16	-	8	6	2	-	-	Cerebr. Hæm. Thromb.-	22	23	-	-	-	-	6	17
Typhus - - - - - - - }									Apoplexy, Hemiplegia	10	9	-	-	-	-	3	6
Plague - - - - - - - }									Aneurysm - - - - - }	1	3	-	-	-	-	-	-
Influenza - - - - - - }		2	-	-	-	-	1	1	Embolism, Thrombosis }		1	-	-	-	-	1	-
Whooping-cough - - - }	21	28	17	10	1	-	-	-	(not cerebral) - - - }								
Diphtheria - - - - - }	7	10	3	6	1	-	-	-	Heart & Blood Vessel Dis.	56	65	-	-	6	9	12	38
Cerebro Spinal Fever - }									Croup (not Spasm : nor	1	-	-	-	-	-	-	-
Pyæmia† (Origin un- }		1	1	-	-	-	-	-	Memb.) - - - - - }								
Enteric Fever - - - - - }	2	7	-	1	-	4	2	-	Bronchitis - - - - - }	31	40	9	1	-	-	2	28
									Asthma, Emphysema -	2	1	-	-	-	-	1	-
Asiatic Cholera - - - }									Pleurisy - - - - - }	13	5	-	-	1	-	2	2
Epidemic Diarrhoea }	442	246	199	44	1	1	1	1	Respiratory Dis. (other)								
(Infective Enteritis) }									Tonsillitis, Quinsy - -		2	-	1	-	1	-	-
Diarrhoea, Dysentery }	245	126	100	18	-	1	3	4	Enteritis (not Epid.) -	51	41	36	5	-	-	-	-
Tetanus - - - - - - - }	1	-	-	-	-	-	-	-	Gastro-Enteritis - - - }	33	41	34	6	-	-	-	1
Rabies, Hydrophobia - }									Peritonitis (not Puerp.)	2	2	1	-	-	1	-	
Glanders - - - - - - }									Cirrhosis of Liver - - }	18	15	-	1	-	-	9	5
Anthrax (Splenic Fever)-									Liver Dis. (other) - - }	2	5	-	-	-	-	4	1
Venereal Dis. - - - - - }	10	10	8	-	-	1	1	-	Digestive Dis., Other -	49	41	10	1	8	3	10	9
Puerperal Septicæmia - }	3	3	-	-	-	3	-	-	Nephritis, Acute - - - }	9	4	-	-	1	2	-	1
Puerperal Pyæmia - - - }									Bright's Dis., Albumin- }	27	28	-	-	-	4	9	15
Puerperal Fever - - - }									uria - - - - - }	10	15	-	-	-	-	6	9
Infective Endocarditis - }	2	2	-	-	-	1	1	-	Urinary Sys., Other Dis.								
Lobar - - - - - }	8	9	-	1	-	5	3	-	Generative Organs Dis.-	6	4	-	-	-	1	3	-
Pneumonia } Broncho- - }	45	23	7	10	-	3	3	-	Childbirth (Acid. of) -	2	2	-	-	1	1	-	-
Epidemic - - - - - }									Old Age - - - - - - - }	31	37	-	-	-	-	-	37
Not defined - - - }	21	34	9	5	-	5	6	9	Other Diseases - - - - }	115	105	81	10	6	-	-	8
Erysipelas - - - - - }	3	1	-	-	-	-	1	-	ACCIDENT.								
Septicæmia (not Puer- }									By Railways - - - - - }	2	1	-	-	-	-	-	1
peral) - - - - - - - }									By Vehicles and Horses-	5	7	-	1	2	2	-	2
Pyæmia (not Puerperal) }	1	-	-	-	-	-	-	-	In Ships, Boats, Docks,								
Other Infective Processes	15	2	-	-	-	1	1	1	(exclusive of Drown-	1	1	-	-	-	1	-	-
Tuberculous Phthisis - }	61	74	2	1	3	28	35	5	ing) - - - - - }		2	-	-	-	-	2	-
"Phthisis" - - - - }	49	39	1	-	2	18	15	3	In Building Operations-								
Tuberculous Meningitis - }	25	16	6	8	1	1	-	-	In Conflagrations - - }	1	-	-	-	-	-	-	-
Tuberculous Peritonitis - }	22	13	8	3	2	-	-	-	By Burns, Scalds, Ex-	2	-	-	-	-	-	-	-
Tabes Mesenterica - - - }	9	3	3	-	-	-	-	-	plosions - - - - - }								
Tuberculous Dis. (other)- }	18	11	6	4	-	1	-	-	By Drowning - - - - - }	12	7	1	-	1	2	3	-
Serofula - - - - - - - }	1	-	-	-	-	-	-	-	By Suffocation in Bed -	9	6	6	-	-	-	-	-
Alcoholism - - - - - - }	12	8	-	-	-	1	4	3	By Poisons or Poisonous		1	1	-	-	-	-	-
Rheumatic Fever - - - }	4	2	-	-	2	-	-	-	Vapours - - - - - }								
Gout - - - - - - - - - }	1	2	-	-	-	-	1	1	Other Deaths by Acci-	21	22	2	7	1	2	4	6
Carcinoma - - - - - - }	54	65	-	-	-	5	32	28	dent - - - - - }								
Sarcoma - - - - - - - }	5	6	-	1	2	2	1	-	VIOLENCE OTHER THAN								
Cancer (undefined) - - }	42	40	-	-	-	17	23	-	ACCIDENTAL.								
Diabetes Mellitus - - - }	6	13	-	-	1	5	2	5	Homicide - - - - - }		3	-	2	-	1	-	-
Premature Birth - - - }	63	59	59	-	-	-	-	-	Suicide - - - - - - - }	9	17	-	-	-	6	9	2
									Execution - - - - - }								

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns
† Formerly described as "Simple Continued" Fever.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th August, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin un- certain.	Diarrhoea.	Violence.				
LONDON - - -	4,536,429	2215	1555	638	302	-	23	16	10	28	-	7	1	372	67	141	524		
WEST DISTRICTS - - -	805,311	334	263	90	57	-	8	3	-	3	-	1	-	53	8	20	94		
NORTH DISTRICTS - - -	1,056,070	488	318	138	54	-	5	3	1	4	-	-	-	82	18	35	93		
CENTRAL DISTRICTS - - -	209,465	94	79	40	12	-	-	-	2	1	-	-	-	20	5	7	45		
EAST DISTRICTS - - -	715,739	385	320	148	64	-	4	-	3	9	-	1	1	96	13	40	118		
SOUTH DISTRICTS - - -	1,749,844	914	556	222	111	-	6	7	3	11	-	4	-	120	23	39	155		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	19	-	4	-	-	3	1	-	-	1	-	1	-	-	19		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	36	18	4	4	-	-	-	-	-	-	-	-	1	-	-	6		
W.2H - - -																			
St. John Paddington } H - G.	33,617	4	15	3	2	-	1	-	-	-	-	-	-	2	1	2	8		
North-West Paddington } - C.	17,181	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W } G., W. & C.	128,037	64	44	16	10	-	1	-	-	3	-	-	-	8	-	3	19		
Brompton 2H - - - W. & C.	48,591	13	10	-	4	-	-	-	-	-	-	1	-	-	1	1	3		
North Hammersmith } W. & G.	49,192	25	12	9	-	-	1	-	-	-	-	-	-	6	-	-	-		
South Hammersmith } W.2H - - -	63,047	24	25	10	4	-	-	-	-	-	-	-	-	3	2	4	7		
North-west Fulham } W - - -	45,180	36	29	18	2	-	-	-	-	-	-	-	-	12	2	5	7		
North-east Fulham } F } W. & C.	46,405	19	16	8	2	-	1	3	-	-	-	-	-	5	-	-	3		
South Fulham } W	45,704	26	12	5	2	-	-	-	-	-	-	-	-	5	-	-	-		
Chelsea North } W.2H - - -	42,514	20	32	1	19	-	-	-	-	-	-	-	-	2	-	1	24		
Chelsea South } W.2H - - -	31,328	14	11	7	1	-	-	-	-	-	-	-	-	2	-	-	3		
Mayfair and Knightsbridge } C. & G.	28,743	6	6	1	1	-	-	-	-	-	-	-	-	-	2	2	-		
Belgrave } W.2H - - -	55,816	17	16	4	3	-	1	-	-	-	-	-	-	5	-	2	-		
St. Margaret & St. John } 4H - - -	43,698	10	12	4	2	-	3	-	-	-	-	-	-	3	-	-	10		
St. James Westminster } N. & G.	21,588	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
W.2H - - -																			
St. Anne Soho } 5H - - -	11,493	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone } 8H - - -	35,391	13	7	2	1	-	-	-	-	-	-	-	-	1	-	-	1		
Rectory Marylebone } W - - -	19,849	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone } 4H G. & W.	18,099	36	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone } H - W.	39,536	17	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone } 3H - - -	20,426	8	5	1	-	-	-	-	-	-	-	-	-	1	1	1	-		
Hampstead } W.2H - - -	81,942	30	25	9	6	-	2	-	-	-	-	-	-	1	3	4	13		
West St. Pancras } 2H - - -	60,562	29	19	11	2	-	-	-	-	1	-	-	-	6	-	3	2		
Tottenham-court } W.2H - - -	21,258	4	9	3	3	-	-	-	-	-	-	-	-	2	1	1	6		
Gray's Inn Lane } 4H - - -	34,449	13	11	2	1	-	-	-	-	-	-	-	-	2	2	3	3		
East St. Pancras } W.2H - - -	60,320	28	18	3	2	-	-	-	-	-	-	-	-	2	1	3	10		
North St. Pancras } 2W - - -	56,728	28	21	8	6	-	-	-	-	-	-	-	-	5	1	1	6		
Tufnell } W - - -	31,995	10	17	3	4	-	3	-	-	1	-	-	-	-	-	-	13		
Upper Holloway } 2W, W.2H - - -	33,978	23	21	4	9	-	-	-	-	1	-	-	-	1	3	3	14		
Tollington } W.2H - - -	33,922	11	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
Lower Holloway } - - -	41,424	25	9	6	-	-	-	-	-	-	-	-	-	2	-	1	-		
Barnsbury } - - -	54,478	18	15	6	2	-	-	-	-	-	-	-	-	1	-	1	-		
Islington South-east } F - - -	75,397	28	16	10	2	-	1	-	-	-	-	-	-	4	1	2	-		
Highbury } 2H - - -	63,797	19	4	2	-	-	-	-	-	-	-	-	-	3	-	-	-		
Stoke Newington } H - - -	51,247	21	10	6	3	-	-	-	-	-	-	-	-	4	-	1	-		
North Hackney } - - -	50,560	25	10	4	1	-	-	-	-	-	-	-	-	1	1	2	-		
Central Hackney } 2W, F - - -	50,536	30	26	13	7	-	-	1	-	-	-	-	-	14	1	3	1		
South-west Hackney } 3H - - -	59,921	38	31	18	-	-	-	-	-	-	-	-	-	9	3	6	13		
South-east Hackney } 2W, W.2H - - -	58,265	32	35	24	4	-	-	-	-	-	-	-	-	21	-	-	11		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies the Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return,

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th August, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.				
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury W,2H N.	31,436	17	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
Strand W,4H - - - N. & C.	21,674	9	7	2	-	-	-	-	1	-	-	-	-	-	1	-	-	6		
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Holborn W,6H - - - N.	29,612	8	23	14	1	-	-	-	-	1	1	-	-	-	5	2	2	21		
South Clerkenwell - - - N.	28,676	11	8	5	2	-	-	-	-	-	-	-	-	-	2	2	1	-		
North Clerkenwell H - - N.	35,028	13	7	4	-	-	-	-	-	-	-	-	-	-	2	1	2	-		
Finsbury 3H,L - - - N.	36,116	30	11	5	4	-	-	-	-	-	-	-	-	-	4	-	-	2		
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - - N. & E.	10,299	4	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
St. Sepulchre and Allhallows } W,2H - - - - - }	16,824	2	16	7	2	-	-	-	-	-	-	-	-	-	5	1	1	14		
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
EAST DISTRICTS.																				
Shoreditch South H - E. & N.	46,362	23	22	12	4	-	-	-	-	3	-	-	-	-	9	7	4	-		
Shoreditch North-West W,w,H N.	36,127	19	33	7	13	-	-	-	-	1	-	-	-	-	3	1	6	21		
Shoreditch North-East - N. & E.	36,148	14	7	6	-	-	-	-	-	-	-	-	-	-	3	-	-	-		
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North 2H - E.	51,514	30	28	17	2	-	1	-	-	-	-	-	-	-	8	-	4	8		
Bethnal Green South - - E.	33,472	18	6	2	1	-	-	-	-	1	-	-	-	-	1	1	1	15		
Bethnal Green East 2W,H,L - E.	44,694	22	28	13	9	-	-	-	-	1	-	-	-	-	11	-	-	-		
Spitalfields - - - E. & N.	27,969	11	5	2	1	-	-	-	-	-	-	-	-	-	2	-	1	-		
Mile End New Town W,H - E.	28,718	19	39	15	7	-	-	-	1	-	-	-	-	-	5	1	2	34		
Goodman's Fields - - - E.	22,081	9	5	3	1	-	-	-	-	-	-	-	-	-	2	1	1	-		
St. George and St. John 2W E.	49,098	37	15	9	-	-	1	-	-	-	-	-	-	-	4	1	3	2		
Shadwell and Ratcliff W,H,E. & N.	25,568	18	18	10	-	-	-	-	-	-	-	-	-	-	8	2	3	11		
Limehouse W - - - E.	32,369	14	9	5	1	-	-	-	1	-	-	-	-	-	4	1	2	-		
Mile End Old Town South- } Western H - - - }	63,698	48	17	12	-	-	2	-	-	1	1	-	-	-	9	-	2	-		
Mile End Old Town North- } Eastern W,w - - - }	49,129	17	22	9	4	-	-	-	-	-	-	-	1	7	-	3	6	-		
Bow L - - - - - E.	41,989	18	7	4	2	-	-	-	-	-	-	-	-	-	1	-	2	-		
Bromley 3w,H - - - E.	68,319	35	32	9	11	-	-	-	-	1	-	1	-	-	6	2	4	18		
Poplar W,w - - - E.	68,514	33	27	13	8	-	-	-	-	-	-	-	-	-	9	1	2	3		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th August, 1905.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																	
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.								
						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			
LONDON—OUTER RING		368,602	2,044,973	1146	588	266	117	-	8	4	9	10	1	206	18	36	84	1					
30: 1	Carshalton 2F,2H	12,228	32,997	18	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-			
2	Epsom, part of* W,w,2F,H	10,423	15,548	5	5	2	-	-	-	-	-	1	-	-	-	1	-	-	1	-			
37: 1	Godstone, part of* W,F	2,754	2,692	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
38: 1	Conisdon	11,069	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	South Croydon w	4,200	49,309	19	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-			
3	West Croydon 3W,F,H	2,168	42,888	29	13	-	8	-	-	-	-	-	-	-	-	-	-	-	10	-			
4	North Croydon H	2,644	41,698	22	8	3	1	-	-	-	-	-	-	-	-	1	3	4	-	-			
5	Penge w,H	770	22,465	12	3	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-			
6	Mitcham w	11,711	30,015	29	5	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-			
39: 1	Wimbledon F,3H	3,221	41,652	20	5	2	2	-	-	-	-	-	-	-	-	2	-	2	1	3			
2	Kingston 2W,H	6,224	42,068	22	9	-	7	-	-	-	-	-	-	-	-	-	-	-	1	-			
3	Surbiton F,H	3,046	15,017	8	4	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-			
4	Esher, part of* H	5,402	13,100	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
5	Hampton H,F,L	4,564	23,456	9	7	3	2	-	-	-	-	-	-	-	-	1	3	3	-	-			
40: 1	Richmond W,H	2,162	28,865	8	4	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-			
2	Mortlake F	2,847	20,628	18	8	3	1	-	-	-	-	-	-	-	-	2	1	2	-	-			
41: 1	Bromley F,2H	4,703	27,354	13	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Beckenham H	7,825	28,497	7	8	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-			
3	Orpington part of* W	10,113	9,857	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1			
4	Chislehurst 2H	7,333	16,446	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
42: 1	Bexley w,F,H	8,678	21,151	10	5	1	1	-	-	-	-	-	-	-	-	-	2	2	-	-			
2	Erith F,H	3,854	25,296	18	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
124: 1	Sunbury w	11,054	18,683	12	7	1	2	-	-	-	-	-	-	-	-	2	-	-	-	-			
2	Staines W,H	13,277	15,178	3	7	1	3	-	1	-	1	-	-	-	-	-	-	-	2	-			
125: 1	Hillingdon W,F,H	6,035	13,661	9	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-			
2	Uxbridge H	12,757	8,984	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	Hayes w,F,H	8,066	16,358	13	7	3	1	-	-	-	-	-	-	-	-	3	-	-	-	-			
126: 1	Isleworth 3W,2F,H	6,859	30,863	22	14	5	3	-	-	-	-	-	-	-	-	3	-	-	2	1			
2	Twickenham F,H	2,421	20,991	14	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-			
3	Brentford 3F,2H,L	4,319	43,289	28	14	7	4	-	-	-	1	-	-	-	-	5	-	-	1	-			
4	Chiswick H	1,249	29,809	19	11	8	-	-	-	-	-	-	-	-	-	5	-	-	-	-			
5	Acton w,3H	6,132	48,914	39	19	8	3	-	1	-	-	-	-	-	-	7	-	1	-	-			
127: 1	Harrow F,H	13,809	25,523	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Edgware F,2H	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	Willesden W,2F,2H	4,384	114,811	62	30	15	5	-	1	-	-	-	-	-	-	12	1	1	3	1			
4	Hendon W,F	8,382	22,450	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
128: 1	South Mimms 2F,H	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Barnet W,2H	3,324	17,970	5	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
3	Finchley F,2H	4,688	33,692	12	4	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-			
129: 1	Hornsey F,H	2,875	72,056	25	7	1	5	-	-	-	-	-	-	-	-	-	1	2	-	-			
2	Wood Green H	1,625	34,233	14	6	-	1	-	-	-	1	-	-	-	-	-	1	1	2	-			
3	West Tottenham F	996	48,853	27	12	7	2	-	-	-	-	1	-	-	-	3	1	2	-	-			
4	East Tottenham 2H	2,017	53,688	31	23	11	3	-	-	-	-	-	-	-	-	4	1	3	6	4			
5	Edmonton W,w,2F	7,491	61,892	43	23	14	3	-	-	-	-	-	-	-	-	13	-	2	-	-			
6	Enfield 2W,F,H	12,601	42,738	33	14	5	2	-	1	-	-	-	-	-	-	4	-	1	2	-			
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
8	Cheshunt F,H	8,479	12,292	2	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-			
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137: 1	Bushey H	9,333	9,173	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
186: 1	Stratford H	1,072	44,827	25	13	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	Plaistow F,2H	1,249	90,921	53	42	30	1	-	-	3	1	2	-	-	-	8	2	1	-	-			
3	Canning Town H	1,556	70,718	52	48	30	3	-	-	-	-	1	2	-	-	22	-	2	7	-			
4	Forest Gate w	806	60,892	17	21	12	2	-	-	-	-	-	-	-	-	39	-	-	-	-			
5	North East Ham w,H	1,333	58,676	38	12	8	2	-	-	-	-	-	-	-	-	10	-	-	-	-			
6	South East Ham 2F	1,993	37,342	38	22	12	3	-	-	-	-	-	-	-	-	5	-	-	-	-			
7	Wanstead F	1,679	9,179	2	1	-	1	-	-	-	-	-	2	-	-	11	-	-	2	-			
8	South Leyton 2W	631	50,467	21	13	6	2	-	-	-	-	1	-	-	-	7	-	-	3	-			
9	North Leyton 2W,w,F	1,963	48,445	23	26	7	11	-	-	-	1	1	1	-	-	1	2	1	19	-			
10	Walthamstow 3H,L	6,504	108,929	59	20	11	3	-	1	-	-	2	-	-	-	8	-	-	-	-			
187: 1	Chigwell, part of* 2F,3H	11,778	16,397	3	3	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-			
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
189: 1	Romford, part of* W,2F	6,556	8,091	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-			
2	Ilford F,L	8,496	41,234	26	12	5	1	-	2	-	-	-	-	-	-	1	-	-	-	-			
3	Barking Town F	3,803	21,547	11	13	10	1	-	-	-	-	-	-	-	-	3	-	-	-	-			
North-Eastern Hosp., Tot- tenham.		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
Middlesex County Asylum, Wandsworth.		-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-			

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	August 12	2215	1555	17·3	-	23	16	10	28	8	372
CALCUTTA - -	847,796	July 1	-	321	19·6	3	-	-	-	-	116†	42
BOMBAY - -	776,006	" 25	356	499	33·4	1	3	-	-	-	81†	61
MADRAS - -	509,346	" 14	486	459	46·8	4	4	-	-	-	71	117
PARIS - - -	2,660,559	August 5	971	870	16·3	7	2	-	-	11	1	130
BRUSSELS - -	586,936	" 5	244	184	16·0	-	-	1	-	-	2	38
ANTWERP - -	286,695	" 5	132	84	15·0	-	1	-	1	1	1	36
AMSTERDAM -	551,415	July 29	293	145	13·7	-	4	1	2	2	-	19
COPENHAGEN -	426,000	August 5	207	161	19·5	-	-	-	1	-	-	39
STOCKHOLM -	309,496	July 29	129	78	12·7	-	-	1	2	2	2	8
CHRISTIANIA -	223,649	August 5	101	74	17·3	-	1	1	2	3	-	13
ST. PETERSBURG	1,248,122	July 29	476	613	22·9	-	24	7	5	6	30	144
MOSCOW - -	1,092,360	" 29	-	659	31·5	3	5	11	3	9	8	303
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,018,239	July 22	907	644	16·6	-	15	6	1	7	4	187
HAMBURG - -	772,852	August 5	-	266	17·9	-	1	-	1	3	-	79
BRESLAU - -	462,147	July 29	289	237	26·7	-	1	-	2	3	-	75
MUNICH - - -	528,000	August 5	-	196	19·5	-	4	-	2	6	-	43
VIENNA - - -	1,877,839	" 5	936	762	20·9	-	6	4	5	8	-	207
PRAGUE - - -	430,569	July 29	157	165	19·1	-	-	-	-	-	2	15
BUDA-PESTH -	836,267	August 5	412	365	22·7	-	3	3	-	3	5	110
TRIESTE - - -	191,403	" 5	132	104	28·0	-	3	-	-	1	-	33
ROME - - - -	503,857	-	-	-	-	-	-	-	-	-	-	-
VENICE - - -	169,417	July 29	76	84	25·9	-	1	-	1	-	4	20
BUCHAREST -	282,071	August 5	158	136	-	-	-	-	-	1	-	33
NEW YORK - -	3,948,191	July 29	2131	1564	20·7	-	13	4	13	13	18	483
CHICAGO - - -	1,932,315	" 22	-	627	16·4	1	3	2	6	5	7	150
PHILADELPHIA -	1,438,318	" 22	-	608	22·0	-	2	-	4	5	18	143
BOSTON - - -	617,950	" 15	-	201	16·9	-	2	-	3	-	-	14
RIO DE JANEIRO	850,000	" 9	-	287	16·5	-	3	-	2	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 18 deaths from plague in Calcutta, and 32 in Bombay.

‡ Including 7 deaths from cholera in Calcutta, 1 in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th August, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	76·9	48·0	62·1	0·16	BRADFORD - -	68·0	49·8	58·5	0·65
BRIGHTON - -	70·4	51·8	61·4	0·25	LEEDS - - -	70·0	49·0	59·3	0·30
PORTSMOUTH - -	71·0	52·0	62·2	0·22	HULL - - -	72·0	47·0	60·9	0·22
NORWICH - - -	75·2	46·2	61·4	0·06	TYNEMOUTH - -	68·0	46·0	56·9	0·72
PLYMOUTH - -	66·9	50·0	59·6	0·42					
BRISTOL - - -	69·8	48·4	59·5	0·30	EDINBURGH - -	67·5	47·4	58·5	0·41
BIRMINGHAM -	70·4	47·6	58·2	0·71	GLASGOW - - -	66·8	46·4	57·3	0·61
NOTTINGHAM -	70·4	47·1	59·0	0·58					
LIVERPOOL - -	66·0	52·0	58·6	0·28	DUBLIN } Phoenix Park.	68·0	46·8	57·3	0·56
MANCHESTER } OBSERVATORY.	69·0	46·8	57·7	0·61					
PRESTON - - -	65·0	48·3	58·2	0·33	DUBLIN } Fitz- william Square.†	69·0	50·1	58·7	0·39
HUDDERSFIELD -	65·8	45·5	56·6	0·43	BELFAST - - -	?	?	?	?

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

ERRATUM.—Week ended 5 August; Liverpool Observatory; Rainfall in inches should read 1·01.

[Under the Superintendence of the Astronomer Royal.]

1905.		MONTH AND DAY	Phases of the Moon.	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose reading is reduced to 5 inches above the level of the Ground.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				Baro- meter.	Of the Air.				Of the Dew Point		Degrees of the Air and midday (Satu- rations equal 100).	Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					High- est.	Low- est.	Daily Range.	Mean daily value.	De- pature Average of 50 years.	Highest in Sun's Rays.		Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hours obs	Horizontal Movement of the Air on each Day.			Depar- ture from Average of 16 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

DATE.	AUGUST.	ELECTRICITY (For explanation of symbols, see Note.)	REGISTERED SUNSHINE				GENERAL REMARKS.			
			Sunshine in hours.	Horizon in hours.	in hours.	in hours.				
SUNDAY	6	w. P. throughout.	11.0	15.1			Very fine in early morning; variably cloudy 9h. A.M. to 4h. P.M.; then nearly cloudless till 8h. A.M., becoming overcast at night.			
MONDAY	7	w. P. throughout.	3.2	15.1			Overcast and showery with a few slight intervals.			
TUESDAY	8	w. P. generally; loss of Register noon to 9h. P.M.	5.3	15.0			Very cloudy morning; variably cloudy afternoon, clearing by midnight. Solar partial halo in afternoon. Lunar halo in evening.			
WEDNESDAY	9	w. P. throughout.	0.5	15.0			Overcast and showery until evening; cloudless at night.			
THURSDAY	10	w. P. generally; a little v. P. in evening.	9.3	14.9			Clearing at sunrise; very fine morning; overcast and showery afternoon, becoming cloudless about 9h. P.M.			
FRIDAY	11	w. P. in morning, then m. P.; loss of Register from 3h. P.M.	10.1	14.8			Cloudless until 3h. A.M.; then fine and variably cloudy; nearly overcast in afternoon; clearing again in evening; cloudless night.			
SATURDAY	12	Loss of Register until 9h. A.M.; then m. P. till noon; w. P. afterwards.	6.3	14.8			Cloudless until sunrise but hazy; fine and partially cloudy throughout afterwards.			
No. of Col.	-	-	28	29						

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 153 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations were usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometer. With the corrected mean reading of the dry bulb thermometer is compared the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point, wet bulb, and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometrical tables. The average temperature of the air is then deduced from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometer records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that a indicates "higher", and - "lower", than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 23, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.78 in. at the beginning of the week to 29.91 in. by 1h. P.M. on the 6th; decreased to 29.74 in. by 4h. P.M. on the 7th; increased to 29.84 in. by 9h. P.M. on the 8th; decreased to 29.75 in. by noon on the 10th, and increased to 30.1 in. by the end of the week.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 5th August, 1905.*

BOROUGHs,	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	2	1	-	-	-	-	1	-
Kensington - - - - -	180,083	-	9	-	-	4	-	-	3	-
Hammersmith - - - - -	119,037	-	5	3	-	2	2	-	1	-
Fulham - - - - -	157,210	-	25	7	-	1	-	-	1	-
Chelsea - - - - -	74,498	-	3	-	-	-	-	-	-	-
City of Westminster - - - - -	175,606	-	11	1	-	1	-	-	1	-
NORTH.										
St. Marylebone - - - - -	129,453	-	4	-	-	1	-	-	-	-
Hampstead - - - - -	88,142	-	2	1	-	2	-	-	1	-
St. Pancras - - - - -	236,183	-	12	7	-	3	-	-	4	-
Islington - - - - -	342,994	-	27	4	-	2	-	-	2	1
Stoke Newington - - - - -	52,828	-	1	-	-	1	-	-	-	-
Hackney - - - - -	228,479	-	13	5	-	1	-	-	-	-
CENTRAL.										
Holborn - - - - -	56,481	-	2	-	-	-	-	-	-	-
Finsbury - - - - -	98,207	-	13	1	-	1	-	-	1	-
City of London - - - - -	22,425	-	-	2	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	19	2	-	1	-	-	1	1
Bethnal Green - - - - -	130,401	-	14	3	-	1	-	-	2	-
Stepney - - - - -	305,466	-	46	13	-	3	-	-	5	-
Poplar - - - - -	170,280	-	15	6	-	2	-	-	2	-
SOUTH.										
Southwark - - - - -	208,528	-	27	8	-	2	-	-	5	1
Bermondsey - - - - -	129,006	-	10	1	-	1	-	-	3	1
Lambeth - - - - -	313,045	-	11	14	-	1	-	-	3	1
Battersea - - - - -	177,532	-	22	5	-	-	-	-	1	-
Wandsworth - - - - -	265,392	-	47	5	-	6	-	-	2	1
Camberwell - - - - -	271,240	1	15	5	-	2	-	-	9	-
Deptford - - - - -	114,495	-	11	4	-	1	-	-	3	-
Greenwich - - - - -	103,483	-	3	1	-	4	-	-	4	-
Lewisham - - - - -	144,420	-	6	3	-	-	-	-	1	-
Woolwich - - - - -	125,372	1	1	3	-	-	-	-	1	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		2	376	105	-	44	2	-	57	6
Ag										
es										
0-1										
"										
1-5										
"										
5-										
"										
10-										
"										
15-										
"										
20-										
"										
25-										
"										
35-										
"										
45-										
"										
55-										
"										
65 and upwards										
Age not stated										

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JULY, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th August, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of July.

Thirteen samples were taken in each of the eight districts, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	July 3rd, Cab Rank, Horse Guards, Whitehall.	18·9	25·34	·204	·017	0	·138	·155	1·75	18·1
West Middlesex - -	July 3rd, Cab Rank, Maida Vale, by St. John's Wood Road.	20·7	22·56	·187	·017	0	·078	·095	1·75	15·7
Southwark - - - -	July 3rd, Cab Rank, Bricklayer's Arms, Old Kent Road.	20·7	26·00	·174	·019	0	·147	·166	1·70	18·3
Grand Junction - -	July 3rd, Cab Rank, Kensington Park Road.	19·9	24·34	·162	·015	0	·109	·124	1·75	17·0
Lambeth - - - -	July 3rd, Cab Rank, St. George's Road, Southwark.	20·8	25·78	·194	·016	0	·147	·163	1·9	17·7
LEA, WELLS, ETC.										
New River - - - -	July 3rd, Cab Rank, Tottenham Court Road.	19·1	30·96	·055	·008	0	·190	·198	1·8	20·7
East London - - -	July 3rd, Poplar Police Station.	19·5	31·56	·154	·014	0	·142	·156	2·05	19·1
DEEP WELLS.										
Kent - - - -	July 3rd, Cab Rank, Woolwich Arsenal Station.	13·5	37·72	·034	·006	0	·517	·523	2·10	27·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 3rd July at the Horse Guards Cab Rank, had a temperature of 18·9° C.; 100,000 lbs. of it contained 25·34 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·204 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained ·138 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·155 lb. The above weight of water also contained 1·75 lb. of chlorine and 18·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 3rd July were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was:—Kent 0·7, New River 1·1, East London 2·8, Grand Junction 3·0, Southwark 3·3, West Middlesex 3·5, Lambeth 3·6, and Chelsea 3·7.

The filtered supplies distributed from the five district works dealing with Thames water contained slightly more organic matter than was found in the corresponding examination in the previous month, but all were clear and of good quality. It is worth noting that the degree of hardness of the water distributed from the West Middlesex and Grand Junction works was a little lower than that of the other Thames waters, owing to these works drawing a considerable proportion of their supplies from the new Staines reservoirs.

The filtered Lea and deep-well water from the New River district works contained only a very small amount of organic impurity, and was clear and of very good quality. The East London district supply, obtained chiefly from the Lea, contained a little less organic matter than the average filtered Thames water, and was clear and of good quality.

The deep-well water from the Kent district was of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and that drawn in the New River district nearly colourless; the samples taken in the six remaining areas had a very pale yellow colour.

In addition to the above analytical examination, the 104 samples of water, collected during July at various places in the districts supplied by the Water Board, have been examined and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·099	·076	·086	·109	·084	·095	·0095	·008	·0085
West Middlesex	·083	·073	·076	·093	·075	·083	·009	·0085	·009
Southwark	·106	·079	·092	·116	·081	·099	·0095	·008	·009
Grand Junction	·081	·063	·073	·086	·074	·079	·009	·008	·0085
Lambeth	·103	·081	·093	·103	·086	·100	·010	·0085	·0095
LEA, WELLS, ETC.									
New River	·047	·019	·035	·051	·022	·038	·0045	·003	·004
East London	·082	·047	·063	·090	·051	·068	·008	·0055	·007
Deep Wells... ..	·008	·006	·007	·009	·007	·008	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With respect to the five filtered supplies derived from the Thames, the above results, compared with those obtained in the previous month, show that all the supplies except the Grand Junction, contained, on the average, slightly more organic matter, but all the samples examined were of good quality.

Of the supplies obtained chiefly from the River Lea, that distributed from the New River Works was of very good quality throughout the month, and all the samples taken in the East London district were also of good quality.

The thirteen samples of deep-well water, collected in the Kent district, were of uniform high organic purity and excellent quality.

All the samples taken in the Chelsea, West Middlesex, Grand Junction, Lambeth, New River, and Kent districts were clear, but on a few occasions those taken in the Southwark and East London areas were found to contain minute amounts of rust-stained matter, probably derived from the mains.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of July, 1905. The supply was in the ratio of 245 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	JULY, 1904.	JULY, 1905.	JULY, 1904.	JULY, 1905.
TOTAL SUPPLY - - -	990,569	1,031,822	258,353,377	252,814,205
From Thames - - - -	470,595	480,356	137,449,290	133,258,457
From Lea and from other Sources -	519,974	551,466	120,904,087	119,555,748
THAMES.				
Chelsea - - - -	39,866	39,992	14,285,161	14,131,290
West Middlesex - - - -	91,145	92,111	28,841,084	27,680,806
Southwark and Vauxhall - - -	129,606	131,008	35,783,782	34,181,000
Grand Junction - - - -	76,839	79,792	21,829,950	20,938,100
Lambeth - - - -	133,139	137,453	36,709,313	36,327,261
LEA AND OTHER SOURCES.				
New River - - - -	180,701	205,614	48,483,250	47,331,960
East London - - - -	229,215	233,330	49,915,000	50,579,400
Kent - - - -	110,058	112,522	22,505,837	21,644,388

Note.—The Return for July, 1905, as compared with that for the corresponding month of 1904, shows an increase of 41,253 services, and a decrease of 5,539,172 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BAÇON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 33. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, AUG. 19. [Price 1½d.

General Register Office, Somerset House,
August 21st, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·0, 17·0, and 17·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·2 in Sunderland, 23·7 in Grimsby, 23·8 in Hull, 23·9 in Manchester, 24·2 in Hanley, 25·9 in Wigan, 27·2 in Tynemouth, and 27·3 in St. Helens; from *measles*, 1·6 in Wolverhampton and 2·6 in Barrow in Furness; from *scarlet fever*, 1·2 in Blackburn and 1·7 in Bootle; and from *diarrhæa*, 7·6 in Norwich and in Warrington, 7·7 in Aston Manor and in Sheffield, 7·8 in Walsall, 8·3 in Rhondda, 9·0 in Wigan, 9·7 in East Ham, 10·3 in Hull, 11·3 in West Ham, and 12·2 in Grimsby. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2549 BIRTHS and 1523 DEATHS were registered. Allowing for increase of population, the births were 199 and the deaths 285 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 14·3, 15·6, and 17·3 in the preceding three weeks, was 17·0 last week. During the four weeks ended on Saturday last the death-rate averaged 16·1 per 1000, being 3·8 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1523 deaths included 28 from measles, 10 from scarlet fever, 6 from diphtheria, 22 from whooping-cough, 2 from enteric fever, and 395 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 463 deaths were referred to these diseases in the aggregate, being 31 below the corrected average weekly number.

The deaths from *measles*, which had been 24, 19, and 23 in the preceding three weeks, rose to 28 last week, but were 8 below the corrected average; 4 deaths belonged to the Borough of Kensington, and 3 each to Westminster, Islington, Southwark, and Battersea. The deaths from *scarlet fever*, which had been 8, 9, and 16 in the preceding three weeks, were 10 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 7, 12, and 10 in the preceding three weeks, fell to 6 last week, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 33, 18, and 28 in the preceding three weeks, fell to 22 last week, and were 7 below the corrected average; 5 deaths belonged to Stepney and 3 to Battersea. The fatal cases of *enteric fever*, which had been 3, 6, and 7 in the preceding three weeks, were 2 last week, and were 9 below the corrected average. The deaths from *diarrhoea*, which had been 187, 314, and 372 in the preceding three weeks, further rose last week to 395, and were 21 above the corrected average; 33 of the deaths belonged to the Borough of Stepney, 26 each to Hackney, Poplar, and Southwark, 25 to Lambeth, 24 to Islington, and 22 to Fulham. Of the 395 deaths from diarrhoea, 379 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 31 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 2, 0, and 2 in the preceding three weeks. The death of a horse-keeper, aged 48 years, was certified after inquest as due to *glanders*.

Different forms of *violence* caused 55 deaths, concerning all of which inquests were held. Of these 55 deaths, 10 were cases of suicide, 1 of homicide, and 1 of execution, while the remaining 43 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 6 to drowning, 4 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 3 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2735 cases of scarlet fever, 701 of diphtheria, and 108 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 361 cases, against 352, 366, and 355; of diphtheria, 87 cases, against 109, 85, and 81; and of enteric fever, 21 cases, against 19, 23, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 12th.

GREATER LONDON.

In Greater London 3912 births and 2150 deaths were registered. Allowing for increase of population these numbers are 204 and 468 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 4 from diphtheria, 9 from whooping-cough, 2 from "fever," and 78 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 62°·1, the latter being 0°·2 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 15 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 57·8 hours; the measured rainfall amounted to 0·03 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

22151

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 19th August 1906, and DEATHS IN EACH OF THE PRECEDING THREE WEEKS.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Births and Deaths during the Week ended 19th August, 1905.		The DEATHS registered in the Week include										Deaths in Public Institutions.	Inquest Cases.	Deaths of Un-certified Causes of Death.	TOWNS,																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Week ended				Week ended 19th Aug., 1905.	BIRTHS.	DEATHS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			29th July, 1905.	5th Aug., 1905.	12th Aug., 1905.	19th Aug., 1905.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																		1.	2.	3.					4.	5.	6.	7.	8.	9.	10.	Persons aged 60 Years and upwards.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
HUDNERSFIELD	-	94,888	9'9	17'6	11'0	22'5	1'6	58	41	7	18	-	-	-	-	-	2	1	2	2	2	1	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively. Including deaths due to the explosion at the National Colliery, Watstown.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	5646	2624	2662	2489	2671	2621	2659	2821	2748	2525	2748.1	2549
Males - - -	1340	1324	1334	1280	1412	1301	1339	1340	1331	1315	1382.7	1314
Females - - -	1306	1300	1328	1209	1259	1320	1320	1481	1417	1210	1365.4	1235
TOTAL Deaths -	1459	1666	2074	2019	2208	1706	1705	1385	1272	1923	1808.5	1523
Males - - -	770	880	1068	1025	1167	891	882	773	631	1027	951.9	835
Females - - -	689	786	1006	994	1041	812	823	612	641	896	856.6	688

* The numbers in this column are the average weekly numbers in the thirty-third week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	13 Weeks.
TOTAL Births -	2544	2249	2233	2271	2527	2490	2509	2363	2466	2480	2522	2215	2549	31418
TOTAL Deaths -	1311	1319	1236	1191	1047	1080	1006	1047	1137	1285	1404	1355	1523	16141
Deaths -														
Under 1 year -	250	274	226	253	196	223	203	222	271	431	515	638	616	4327
1-5 years -	156	176	141	128	126	137	100	115	124	129	161	181	173	1847
5-20 " -	74	60	62	73	54	68	74	65	76	63	71	59	71	870
20-40 " -	176	142	172	149	151	141	137	129	155	150	163	135	142	1942
40-60 " -	268	271	305	255	223	219	222	221	223	242	243	240	252	3184
60 yrs. & upwds.	378	396	330	333	297	292	270	245	238	270	251	302	269	3971
Deaths from—														
Small-pox†	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	44	58	40	46	38	31	24	27	17	21	19	23	28	419
Diphtheria	6	7	9	9	11	7	6	6	6	8	9	16	10	116
Whooping-cough	50	41	42	26	26	26	18	17	13	33	18	28	22	102
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	360
Enteric Fever	5	4	6	2	3	1	5	3	7	3	6	7	2	54
Pyæmia (origin uncertain)	-	-	-	1	-	-	1	-	-	-	-	1	-	3
Diarrhoea, Dysentery	16	27	30	14	14	25	37	58	83	187	314	372	395	1572
All above Diseases -	125	146	138	104	99	103	102	118	132	262	378	457	463	2627
Dis. of Resp. System														
Pneumonia	92	96	68	73	53	46	32	48	42	46	42	46	48	732
Phthisis	126	139	123	116	91	94	58	56	75	70	69	68	69	1152
Dis. of Circ. System	122	111	134	129	95	104	92	100	97	108	113	113	119	1437
Violence	174	163	169	170	162	131	151	143	151	140	131	139	122	1946
Inquest Cases	59	59	58	59	45	61	59	53	63	62	54	67	55	754
Deaths in Institutions	137	117	133	120	103	129	109	101	104	126	130	141	122	1597
TEMPERATURE OF THE AIR.														
Mean -	51.2	62.7	53.7	59.5	60.9	63.2	64.0	68.9	65.2	66.3	62.2	60.3	62.1	61.6
Mean of Highest	62.8	71.7	59.2	69.0	72.0	74.0	74.7	80.5	77.7	77.9	73.2	73.0	73.4	72.4
Mean of Lowest	41.0	51.4	49.5	51.7	51.2	55.0	54.2	60.0	54.0	57.7	54.3	52.2	52.3	52.7
Mean Humidity of the Air.	61	61	87	81	73	79	69	71	75	77	71	76	69	73
Rain-fall (in inches) -	0.00	0.50	2.86	0.95	0.02	0.54	0.03	0.26	0.02	0.53	0.65	0.16	0.03	6.55
Registered Sunshine (in hours).	39.4	51.5	7.8	45.6	58.3	36.8	52.7	55.4	54.0	39.5	47.6	45.7	57.8	592.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox	10	9	285	7	6	4	5	4	3	3	1	-	-	Means 5
Scarlet Fever	2200	2268	2295	2356	2427	2473	2499	2520	2485	2550	2632	2670	2735	2469
Diphtheria	688	690	687	719	723	718	775	764	791	789	753	706	701	731
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	79	80	80	82	83	78	81	89	92	94	100	99	108	88

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Gresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-THIRD Week of the Year 1905.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 33rd week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 33rd week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.			1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.		
ALL CAUSES	1923	1523	616	173	71	142	252	269	Meningitis (not tuberc.)	19	19	12	3	4	-	-	
									Insanity, Gen. Par. of	7	11	-	-	3	2	4	
									Insane -	9	6	-	-	2	-	3	
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	31	13	12	1	-	-	1	
Cowpox -	-	-	-	-	-	-	-	-	Convulsions -	5	9	-	-	3	-	2	
Measles (Morbilli) -	42	28	9	19	-	-	-	-	Locomotor Ataxy -	17	18	1	-	5	4	11	
Scarlet Fever -	4	10	-	8	2	-	-	-	Paraplegia, Dis. of Cord	38	31	-	-	7	3	10	
Typhus -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	26	19	-	-	-	4	15	
Plague -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	15	10	-	-	1	2	7	
Influenza -	4	4	1	-	-	1	2	-	Cerebr. Hæm. Thromb.	3	1	-	-	-	-	1	
Whooping-cough -	17	22	8	14	-	-	-	-	Apoplexy, Hemiplegia	-	2	-	-	-	1	1	
Diphtheria -	9	6	-	4	2	-	-	-	Aneurysm -	55	59	-	-	1	4	18	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis	-	-	-	-	-	-	-	
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	(not cerebral)	-	1	-	1	-	-	-	
certain) -	6	2	-	-	2	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	
Enteric Fever -	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	30	38	4	1	-	7	25	
Asiatic Cholera -	-	-	-	-	-	-	-	-	Memb.) -	2	2	-	-	-	-	2	
Epidemic Diarrhoea	461	269	225	36	1	2	5	-	Asthma, Emphysema -	8	4	-	-	-	3	-	
(Infective Enteritis)	244	126	105	13	1	-	2	5	Pleurisy -	-	-	-	-	-	4	-	
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	
Tetanus -	-	1	1	-	-	-	-	-	Tonsillitis, Quinsy -	38	23	15	6	-	1	1	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	45	32	26	5	-	-	1	
Glanders -	-	1	-	-	-	1	-	-	Gastro-Enteritis -	1	4	1	-	-	2	1	
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.) -	17	13	-	-	-	1	7	
Venereal Dis. -	13	11	9	1	-	1	-	-	Cirrhosis of Liver -	6	7	-	-	-	2	3	
Puerperal Septicæmia	3	3	-	-	2	1	-	-	Liver Dis. (other) -	51	45	9	1	9	6	11	
Puerperal Pyæmia	-	1	-	-	1	-	-	-	Digestive Dis., Other	7	4	-	1	-	2	1	
Puerperal Fever	-	-	-	-	-	-	-	-	Nephritis, Acute -	31	31	-	-	2	2	11	
Infective Endocarditis	-	4	-	1	1	2	-	-	Bright's Dis., Albumin-	9	11	-	-	1	3	7	
Lobar -	6	10	-	2	-	2	5	1	uria	5	8	-	-	3	4	1	
Broncho-	26	24	7	14	-	1	1	1	Urinary Sys., Other Dis.	4	4	-	-	2	2	-	
Epidemic -	-	-	-	-	-	-	-	-	Generative Organs Dis.	33	29	-	-	-	-	29	
Not defined	34	35	4	7	2	9	10	3	Childbirth (Accid. of)	117	90	72	4	3	4	2	
Erysipelas	3	6	1	-	3	2	-	-	Old Age -	-	-	-	-	-	-	-	
Septicæmia (not Puer-	1	2	-	-	1	1	-	-	Other Diseases -	-	-	-	-	-	-	-	
peral)	1	-	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	
Pyæmia (not Puerperal)	1	-	-	-	-	-	-	-	By Railways -	5	4	-	1	2	-	1	
Other Infective Processes	11	2	-	-	-	1	1	-	By Vehicles and Horses-	-	1	-	-	-	-	-	
Tuberculous Phthisis	69	69	1	5	4	26	25	8	In Ships, Boats, Docks,	-	-	-	-	-	1	-	
" Fhthisis" -	64	50	-	-	10	18	17	5	(exclusive of Drown-	-	3	-	-	-	1	2	
Tuberculous Meningitis	18	28	9	15	3	1	-	-	ing) -	7	4	-	2	1	-	1	
Tuberculous Peritonitis	19	13	10	1	1	1	-	-	In Building Operations -	5	6	-	-	3	2	1	
Tubes Mesentericæ	9	3	2	1	-	-	-	-	In Conflagrations -	6	3	3	-	-	-	-	
Tuberculous Dis. (other)-	16	21	8	4	1	4	2	2	By Burns, Scalds, Ex-	4	3	-	-	-	2	1	
Scrofula -	-	1	1	-	-	-	-	-	fusions -	21	19	1	2	2	2	8	
Alcoholism -	14	18	-	-	-	4	13	1	By Drowning -	-	-	-	-	-	-	-	
Rheumatic Fever -	3	-	-	-	-	-	-	-	By Suffocation in Bed -	-	-	-	-	-	-	-	
Gout -	-	2	-	-	-	2	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	
Carcinoma -	46	52	-	-	-	6	26	20	Vapours -	-	-	-	-	-	-	-	
Sarcoma -	9	3	-	-	-	2	-	1	Other Deaths by Acci-	-	-	-	-	-	-	-	
Cancer (undefined) -	34	27	-	-	-	3	12	12	dent -	-	-	-	-	-	-	-	
Diabetes Mellitus -	2	5	-	-	1	1	1	2	Violence OTHER THAN	-	1	1	-	-	-	-	
Premature Birth -	50	58	58	-	-	-	-	-	ACCIDENTAL.	-	10	-	-	-	4	5	
									Homicide -	-	1	-	-	-	-	-	
									Suicide -	8	-	-	-	-	-	-	
									Execution -	-	1	-	-	-	1	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th August, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
				Total Deaths.	Deaths of Infants under 1 Year of Age.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
						Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhœa.				Violence.
LONDON - - -		4,536,429	2549	1523	616	269	-	28	10	6	22	-	2	-	395	55	122	519	-
WEST DISTRICTS		805,311	391	254	106	47	-	7	-	-	1	4	-	-	73	11	21	87	-
NORTH DISTRICTS		1,056,070	510	327	119	71	-	7	1	2	2	-	-	-	78	11	26	96	-
CENTRAL DISTRICTS		209,465	110	73	30	7	-	-	-	-	-	-	-	-	20	4	7	41	-
EAST DISTRICTS		715,739	512	305	132	50	-	4	2	1	3	-	-	-	86	13	37	112	-
SOUTH DISTRICTS		1,749,844	1026	533	229	86	-	10	5	3	7	-	2	-	136	16	31	152	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	31	-	8	-	-	-	2	-	-	-	-	2	-	-	31	-
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.		93,178	48	25	10	6	-	-	-	-	-	-	-	-	9	-	-	8	-
W,2H																			
St. John Paddington H		33,617	12	19	5	4	-	-	-	-	-	-	-	-	3	2	3	11	-
North-West Paddington		17,181	6	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Kensington Town 2W w,2H G. & W. & C.		128,037	58	43	17	9	-	4	-	-	-	-	-	-	9	2	4	16	-
Brompton 2H - - W. & C.		48,591	13	11	4	3	-	-	-	-	-	-	-	-	2	2	3	1	-
North Hammersmith W,w,H } W. & G.		49,192	35	15	8	4	-	-	-	-	-	-	-	-	5	1	2	1	-
South Hammersmith w,2H		63,047	33	15	7	3	-	-	-	-	-	-	-	-	6	1	2	3	-
North-west Fulham W		45,180	40	25	15	5	-	-	-	-	-	-	-	-	11	1	2	12	-
North-east Fulham F		46,405	25	14	10	1	-	-	-	-	-	-	-	-	9	-	-	-	-
South Fulham W		45,704	33	11	7	2	-	-	-	-	-	-	-	-	5	-	-	-	-
Chelsea North W,w,3H - - C.		42,514	18	17	2	5	-	-	-	-	1	-	-	-	2	-	-	10	-
Chelsea South W,2H - - C.		31,328	17	9	4	-	-	-	-	-	-	-	-	-	4	-	-	5	-
Mayfair and Knightsbridge C. & G.		28,743	4	4	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Belgrave W,2H - - C.		55,815	19	22	8	3	-	-	-	-	-	-	-	-	2	1	1	11	-
St. Margaret & St. John 4H - C.		43,698	20	19	3	1	-	2	-	-	-	-	-	-	1	1	3	8	-
St. James Westminster } N. & G.		21,588	9	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
W,H																			
St. Anne Soho 5H - - N.		11,493	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																			
All Souls Marylebone 3H - W.		35,391	13	8	1	3	-	-	-	-	1	-	-	-	1	-	-	2	-
Rectory Marylebone W G. & W.		19,849	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.		18,099	23	4	2	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Christchurch Marylebone H- W.		39,536	15	8	6	-	-	-	-	-	-	-	-	-	4	-	-	-	-
St. John Marylebone 3H - W.		20,426	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,6H - N. & W.		81,042	33	20	3	5	-	-	-	-	-	-	-	-	1	-	1	9	-
West St. Pancras 2H - - W.		60,562	30	16	9	3	-	-	-	-	-	-	-	-	5	-	1	1	-
Upper Holloway w,7H N. & W.		21,258	4	15	3	3	-	-	-	-	1	-	-	-	2	-	-	13	-
Gray's Inn Lane 4H - - N.		34,449	15	4	2	1	-	-	-	-	-	-	-	-	-	-	1	2	-
East St. Pancras W,2H - - N.		80,320	30	22	2	6	-	-	-	1	-	-	-	-	1	4	5	13	-
North St. Pancras 2W - - N.		58,728	31	27	9	5	-	1	-	-	1	-	-	-	5	-	2	7	-
Tufnell W - - N.		31,995	17	21	7	2	-	1	-	-	-	-	-	-	3	-	1	19	-
Upper Holloway 2W,w,H - N.		33,978	16	20	6	1	-	1	-	-	-	-	-	-	6	1	1	12	-
Tollington WH - - N.		33,922	15	9	6	3	-	1	-	-	-	-	-	-	2	-	-	-	-
Lower Holloway - - N.		41,424	17	14	5	2	-	-	-	-	-	-	-	-	3	1	3	-	-
Barnsbury - - N.		54,478	31	7	4	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Islington South-east F - N.		75,397	27	20	6	9	-	-	-	-	-	-	-	-	6	-	1	-	-
Highbury 2H - - N.		63,797	29	15	5	4	-	1	-	-	-	-	-	-	3	-	-	1	-
Stoke Newington H - - N.		51,247	24	13	6	6	-	-	-	-	-	-	-	-	6	-	-	-	-
North Hackney - - E. & N.		50,560	25	7	1	3	-	1	-	-	-	-	-	-	1	-	1	-	-
Central Hackney 2w,F - E. & N.		50,536	32	22	11	2	-	-	1	-	1	-	-	-	10	1	2	1	-
South-west Hackney 3H E. & N.		59,921	32	22	8	6	-	-	-	-	-	-	-	-	6	3	3	6	-
South-east Hackney 2W,w,H E. & N.		58,255	33	30	17	6	-	1	-	1	-	-	-	-	11	1	2	9	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return;

† Formerly described as “Simple Continued Fever.”

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 19th August, 1905—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of															Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Deaths from												
							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Ordan un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
SOUTH DISTRICTS.																			
Christchurch Southwark W, H, & S.	11,263	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H - S.	12,056	3	22	3	2	-	-	-	-	-	-	-	-	-	-	-	3	20	
Kent-road - - - S. & L.	21,904	13	6	4	1	-	-	-	-	-	-	-	-	-	-	4	1	-	
St. George the Martyr } West W, H, L - - - S. & L.	39,094	16	14	8	1	-	1	-	-	-	-	-	-	-	-	7	-	1	
Newington North - - - S. & L.	49,022	34	13	8	1	-	-	-	-	-	-	-	-	-	-	6	-	2	
Newington South W - - S. & L.	72,841	56	20	14	2	-	2	-	-	-	-	-	-	-	-	6	-	1	
St. Olave 2W - - - S.	9,817	8	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Bermondsey W - - - S.	82,483	62	23	7	1	-	-	-	-	-	-	-	-	-	-	5	-	2	
Rotherhithe W, F - - S. & K.	38,460	26	32	16	5	-	1	-	-	1	-	-	-	-	-	9	1	17	
Waterloo-road 2H - - L. & S.	27,440	23	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Lambeth Church 1st H - L. & S.	18,423	7	19	2	3	-	-	-	-	-	-	-	-	-	-	1	4	4	
Lambeth Church 2nd 2W - L. & S.	39,818	24	29	9	12	-	-	-	-	-	-	-	-	-	-	8	1	13	
Kennington 1st H - - S. & L.	53,198	42	14	7	2	-	-	-	-	-	-	-	-	-	-	8	-	-	
Kennington 2nd H - - S. & L.	42,896	18	15	11	1	-	-	-	-	-	-	-	-	-	-	5	-	6	
Brixton F - - - L. & S.	84,232	39	15	7	5	-	-	-	-	-	-	-	-	-	-	1	-	3	
Norwood W, H - - - L.	35,888	9	8	3	3	-	1	-	-	-	-	-	-	-	-	2	1	-	
East Battersea H - - S.	72,203	48	26	16	2	-	2	-	-	-	-	-	-	-	-	10	-	1	
North-west Battersea - - S.	49,656	33	16	12	1	-	-	-	-	-	1	-	-	-	-	5	-	-	
South-west Battersea 2W, H - S.	47,048	21	29	7	3	-	1	-	-	-	2	-	-	-	-	-	-	25	
Clapham 2H - - - S.	51,361	24	13	5	4	-	-	-	-	-	1	-	-	-	-	-	1	2	
Streatham W, 2W, 2F, 2L - L.	88,019	68	27	13	7	-	-	1	1	1	-	-	-	-	-	6	-	-	
Springfield 2W, L - - - S.	27,959	18	5	3	1	-	-	-	-	-	-	-	-	-	-	3	-	1	
Southfields H - - - S.	40,444	21	13	10	2	-	-	-	-	-	-	-	-	-	-	7	-	-	
Putney - - - S.	24,139	12	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Dulwich - - - L. & S.	13,359	4	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Camberwell South W, 10 - S. & L.	40,206	13	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	9	
Camberwell North W, 2L - S. & L.	65,584	32	17	6	4	-	-	-	-	-	-	-	-	-	-	3	-	8	
St. George - - - L. & S.	47,331	26	11	8	-	-	-	-	-	-	-	-	-	-	-	4	-	-	
Peckham 2W, 10 - - - S., L. & K.	92,859	51	15	8	2	-	-	-	-	-	-	-	-	-	-	5	-	-	
Deptford North - - - K.	37,813	23	11	5	-	-	-	-	-	-	-	-	-	-	-	5	2	-	
Deptford Central - - - K.	45,481	27	6	2	1	-	-	-	-	-	-	-	-	-	-	3	-	-	
Deptford South - - - K.	34,825	13	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Greenwich West 2H - - K.	23,456	10	6	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-	
Greenwich East 2W, H - - K.	43,859	37	20	5	6	-	-	-	-	-	-	-	-	-	-	5	2	11	
Eltham w, H - - - K.	7,226	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee w, H - - - K.	25,490	11	6	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	
Lewisham W, w, F - - K.	58,352	42	17	7	3	-	-	4	-	-	-	-	-	-	-	2	1	8	
Sydenham H - - - L.	43,653	18	7	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
Charlton F, 2H - - - K.	21,134	5	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Woolwich 5H - - - K.	41,625	21	7	4	1	-	-	-	-	-	1	-	-	-	-	4	-	5	
Plumstead West W - - K.	18,063	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W, H - - K.	50,264	40	11	1	2	-	-	-	-	-	-	-	-	-	-	1	1	3	
Workhouse:—																			
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
M. A. B. Small-pox Hospitals:—																			
Joyce Green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																			
North-Eastern - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	
Northern - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—																			
Caterham - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	
Darenth - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Gore Farm (temporary) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
London County Lunatic Asylums:—																			
Banstead - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6	
Ewell (Epileptic Colony) - - -	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	
Manor - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
Dartford Heath - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Hanwell - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Colney Hatch - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Claybury - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-	4	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th August, 1905.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths.
	LONDON.—OUTER RING	363,602	2,044,973	1363	627	300	123	-	7	5	8	14	3	212	16	37	78	1	
30:1	Carshalton 2F,2H	12,228	32,997	18	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,2F,H	10,423	15,548	7	2	1	-	-	-	-	1	-	-	1	-	-	-	2	
37:1	Godstone, part of* W,F	2,754	2,892	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Coulsdon	11,089	8,166	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon W	4,200	49,309	23	7	1	5	-	-	-	-	-	-	-	-	-	1	-	
3	West Croydon 3W,F,H	2,168	42,888	33	18	6	4	-	1	-	-	-	-	2	-	-	-	5	
4	North Croydon H	2,644	41,688	21	7	-	2	-	-	-	-	-	-	1	-	-	-	-	
5	Penze w,H	770	22,465	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham W	11,711	30,015	19	8	5	1	-	-	-	-	1	-	3	-	-	-	-	
39:1	Wimbledon F,3H	3,221	41,152	30	6	-	1	-	-	-	-	-	-	2	-	-	-	-	
2	Kingston 2W,H	6,224	42,768	29	10	3	2	-	-	-	-	-	-	-	-	-	-	2	
3	Surbiton F,H	3,046	15,017	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	9	7	1	5	-	-	-	-	1	-	-	-	1	1	-	
5	Hampton H,F,L	4,564	23,456	17	4	3	-	-	-	-	-	-	-	1	-	1	-	-	
40:1	Richmond W,H	2,162	28,865	13	7	3	2	-	-	-	-	-	-	-	-	-	-	2	
2	Mortlake F	2,847	20,628	12	1	1	-	-	-	-	-	-	-	2	-	1	2	-	
41:1	Bromley F,2H	4,703	27,354	12	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,825	28,497	19	7	3	-	-	-	-	-	-	-	2	-	-	2	-	
3	Orpington part of* W	10,113	9,857	7	1	-	1	-	-	-	-	1	-	-	-	-	2	-	
4	Chislehurst 2H	7,333	16,446	4	2	1	1	-	-	-	-	-	-	-	1	1	-	-	
42:1	Bexley W,F,H	8,678	21,151	11	4	1	2	-	-	-	-	-	1	-	-	-	1	-	
2	Erith F,H	3,854	25,296	31	7	3	1	-	-	1	-	-	2	-	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
24:1	Sunbury W	11,054	18,683	15	8	5	2	-	-	-	-	1	-	2	-	-	-	-	
2	Staines W,H	13,277	15,178	8	4	2	1	-	-	-	-	-	-	1	-	-	-	-	
45:1	Hillingdon W,F,H	6,035	13,661	11	7	3	2	-	1	-	-	-	2	-	-	-	1	-	
2	Uxbridge H	12,757	8,984	9	2	1	-	-	-	-	-	-	2	-	-	-	-	-	
3	Hayes W,F,H	8,066	16,358	16	9	8	-	-	-	-	-	-	3	-	-	-	-	-	
26:1	Isleworth 3W,2F,H	6,869	30,863	18	20	7	6	-	-	-	-	-	8	-	-	-	7	1	
2	Twickenham F,H	2,421	20,991	13	10	4	1	-	-	-	-	-	3	1	1	-	-	-	
3	Brentford 3F,2H,L	4,319	48,289	33	11	7	2	-	-	-	-	-	1	1	1	-	-	-	
4	Chiswick H	1,249	29,809	18	9	7	1	-	-	-	-	-	5	-	-	-	-	-	
5	Acton W,3H	6,132	48,914	33	16	5	4	-	1	-	1	1	8	-	-	-	-	-	
27:1	Harrow F,H	13,809	25,523	17	9	3	2	-	2	-	-	1	-	1	-	-	-	-	
2	Edgware F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	97	33	17	6	-	1	-	-	-	11	1	1	3	-	-	
4	Hendon W,F	8,382	22,450	20	10	7	1	-	-	-	3	-	4	-	-	1	-	-	
28:1	South Mimms 2F,H	17,755	7,308	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	6	5	3	1	-	-	-	-	-	-	-	-	-	2	-	
3	Finchley F,2H	4,688	33,692	33	16	7	2	-	-	-	-	-	1	1	1	-	-	-	
39:1	Hornsey F,H	2,875	72,056	31	10	2	5	-	-	1	1	-	-	-	-	1	1	-	
2	Wood Green H	1,625	34,233	24	6	1	3	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	39	12	5	2	-	-	-	-	-	6	1	1	-	-	-	
4	East Tottenham 2H	2,017	53,688	40	13	9	1	-	-	-	-	-	4	2	2	4	-	-	
5	Edmonton W,2F	7,491	61,892	46	11	2	7	-	-	-	-	-	2	3	4	-	-	-	
6	Enfield 2W,F,H	12,601	42,738	19	9	3	1	-	-	-	1	-	2	2	2	1	-	-	
7	Waltham Abbey F	11,017	6,549	4	3	-	3	-	-	-	-	-	-	1	1	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
45:1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27:1	Bushey H	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
46:1	Stratford H	1,072	44,827	24	22	14	4	-	-	-	-	-	8	1	1	2	-	-	
2	Plaistow F,2H	1,249	90,921	74	35	26	2	-	2	-	-	-	19	-	-	8	-	-	
3	Canning Town H	1,556	70,718	55	40	29	2	-	-	2	-	-	30	1	3	-	-	-	
4	Forest Gate W	806	60,892	27	11	5	1	-	-	-	-	-	1	4	1	-	-	-	
5	North East Ham W,H	1,333	58,676	48	22	7	4	-	1	-	1	1	5	2	2	-	-	-	
6	South East Ham 2F	1,993	37,342	25	28	18	2	-	1	-	1	1	18	2	3	-	-	-	
7	Wanstead F	1,679	9,179	3	2	1	1	-	-	-	-	-	1	-	1	-	-	-	
8	South Leyton 2W	631	50,467	32	20	7	5	-	1	-	1	-	11	-	1	4	-	-	
9	North Leyton 2W,W,F	1,963	48,445	32	30	9	7	-	-	-	1	-	9	-	-	16	-	-	
10	Walthamstow 3H,L	6,504	108,929	64	24	18	4	-	-	-	-	-	7	2	2	-	-	-	
7:1	Chigwell, part of* 2F,3H	11,778	16,397	11	8	5	2	-	1	-	-	-	2	-	-	2	-	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9:1	Romford, part of* W,2F	6,556	6,091	4	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford F,L	8,496	41,234	29	15	6	2	-	-	-	-	-	4	-	-	3	-	-	
3	Barking Town F	3,803	21,547	25	12	8	-	-	-	-	-	-	7	-	-	1	-	-	
	Eastern Hosp., Hackney	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-
	Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 45: 1, Northaw parish; 47: 1, excepting Leydon Bois parish, and part of Epping parish; 48: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	August 19	2549	1523	17'0	-	28	10	7	22	2	395
CALCUTTA - -	847,796	July 8	-	310	19'0	4	2	-	-	-	98†	301
BOMBAY - -	776,006	August 1	340	543	36'4	1	8	-	-	1	90†	731
MADRAS - -	509,346	July 21	510	552	56'3	6	3	?	?	?	86	164‡
PARIS - - -	2,660,559	August 12	763	779	15'1	5	4	1	4	9	4	122
BRUSSELS - -	586,936	" 12	201	179	15'6	-	-	-	1	-	4	35
ANTWERP - -	286,895	" 12	138	84	15'0	-	-	-	1	1	1	36
AMSTERDAM -	551,415	" 5	285	150	14'1	-	2	-	-	1	3	26
COPENHAGEN -	426,000	" 12	223	144	17'5	-	-	-	1	2	-	38
STOCKHOLM -	309,496	" 5	148	95	15'5	-	1	1	1	1	1	14
CHRISTIANIA -	223,649	" 12	88	62	14'5	-	-	-	2	1	-	14
ST. PETERSBURG	1,248,122	" 5	519	617	23'0	-	19	12	8	7	38	169
MOSCOW - -	1,092,360	" 5	-	713	34'0	1	1	9	8	8	2	322
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,019,260	July 29	928	716	18'5	-	11	6	5	11	1	201
HAMBURG - -	772,852	August 12	-	309	20'8	-	2	-	2	3	-	114
BRESLAU - -	462,147	" 5	250	246	27'8	-	-	-	-	3	-	77
MUNICH - - -	528,000	" 12	-	325	36'7	-	1	-	2	7	1	134
VIENNA - - -	1,877,839	" 12	-	203	20'0	-	2	-	1	3	2	50
PRAGUE - - -	430,569	" 12	954	724	19'8	-	3	2	11	6	3	205
BUDA-PESTH -	836,267	" 5	162	163	18'9	-	1	-	-	1	1	20
TRIESTE - - -	191,403	" 12	410	350	21'8	-	9	4	2	-	9	84
ROME - - -	503,857	" 12	126	103	27'7	-	3	-	-	-	-	38
VENICE - - -	169,417	May 27	187	151	15'3	-	3	-	1	-	1	4
BUCHAREST - -	282,071	August 5	67	85	26'2	-	-	-	1	-	9	21
NEW YORK - -	3,948,191	" 12	-	-	-	-	-	-	-	-	-	-
CHICAGO - - -	1,932,315	" 5	2167	1449	19'1	1	8	1	21	8	13	371
PHILADELPHIA -	1,438,318	July 29	-	518	13'6	-	2	2	7	12	5	112
BOSTON - - -	617,950	" 29	-	477	16'5	-	1	2	4	5	19	103
RIO DE JANEIRO	850,000	" 22	-	239	20'1	-	1	1	2	1	1	51
		" 29	-	248	20'9	-	-	-	-	-	3	55
		" 16	-	272	15'7	1	2	-	2	-	-	18

* Excluding deaths from croup in the Indian Cities.

† Including 13 deaths from plague in Calcutta, and 44 in Bombay.

‡ Including 5 deaths from cholera in Calcutta, 1 in Bombay, and 32 in Madras.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th August, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	75'8	50'3	62'8	0'03	BRADFORD - -	71'5	47'0	59'9	1'13
BRIGHTON - -	79'6	50'6	63'6	0'18	LEEDS - - -	74'0	49'0	61'5	0'92
PORTSMOUTH - -	74'0	52'5	64'2	0'06	HULL - - -	74'0	49'0	59'5	0'46
NORWICH - - -	73'4	48'2	61'3	0'20	TYNEMOUTH - -	71'0	48'0	59'2	0'28
PLYMOUTH - -	72'8	48'8	61'7	0'42					
BRISTOL - - -	75'0	46'0	61'4	0'56	EDINBURGH - -	67'4	50'1	57'8	0'34
BIRMINGHAM -	70'9	48'0	59'7	0'43	GLASGOW - - -	70'2	43'8	58'4	0'62
NOTTINGHAM -	71'0	43'6	59'7	0'65					
LIVERPOOL - -	70'0	51'0	60'2	0'49	PHENIX Park.	68'7	44'8	58'2	0'14
MANCHESTER OBSERVATORY. }	72'1	44'1	59'0	0'92	DUBLIN { Fitz- william Square.†	70'0	52'5	60'7	0'14
PRESTON - - -	71'6	50'2	60'2	0'72					
HUDDERSFIELD -	70'8	44'0	58'6	0'89	BELFAST - - -	-	-	-	-

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 10° Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1905.		MONTH AND DAY		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		Wind as deduced from Anemometers.		Rain collected in aauge receiving surfaces 5 inches in diameter on each of Ground.	
Phases of the Moon.		Of the Air.		Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.		Of Radiation.		Of the Earth's Surface.		Robinson's.	
Barometer.		Mean daily reading (corrected and reduced to 32° Fahrenheit).		Lowest daily average value.		Mean daily value.		Of the Sun's Rays.		Of the Earth's Surface.		Horizontal distance from the surface of the ground.	
High-est.		Low-est.		Mean daily average value.		Mean daily value.		Of the Sun's Rays.		Of the Earth's Surface.		Horizontal distance from the surface of the ground.	
High-est.		Low-est.		Mean daily average value.		Mean daily value.		Of the Sun's Rays.		Of the Earth's Surface.		Horizontal distance from the surface of the ground.	
AUGUST.													
SUNDAY	13	30.087	74.5	52.2	22.3	61.1	0	1.3	0	0	0	0	0
MONDAY	14	29.990	75.8	50.3	25.5	63.3	0	1.0	0	0	0	0	0
TUESDAY	15	29.878	73.8	51.9	21.9	63.6	0	1.5	0	0	0	0	0
WEDNESDAY	16	29.900	70.7	54.3	16.4	62.0	0	0.0	0	0	0	0	0
THURSDAY	17	29.945	73.7	52.1	21.6	61.7	0	0.1	0	0	0	0	0
FRIDAY	18	29.656	73.4	52.0	21.4	62.1	0	0.5	0	0	0	0	0
SATURDAY	19	29.782	71.6	53.2	18.4	61.0	0	0.4	0	0	0	0	0
MEANS	-	29.893	73.4	52.3	21.1	62.1	0	0.2	0	0	0	0	0
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14
GENERAL REMARKS.													
Very fine generally; partially cloudy.													
Very fine throughout; the amount of cloud was usually small.													
Very fine, with small amounts of cloud generally till evening; cloudy at night. Solar halo in forenoon.													
Generally cloudy till afternoon; fine with small amounts of cloud afterwards.													
Very fine throughout; small amounts of cloud prevalent generally. Solar halo in afternoon. Lunar halo at night.													
Generally overcast; occasional fine intervals; brisk wind prevalent in afternoon; slight rain in evening.													
Very fine generally with variable amounts of cloud till 5h. P.M.; overcast afterwards; gusty wind prevalent between 7h. A.M. and 6h. P.M.													
Sum 578													
28													
29													
27													

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 12th August, 1905.*

BOROUGHES	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	8	2	-	1	-	-	2	-
Kensington - - - - -	180,083	-	13	2	-	1	-	-	1	-
Hammersmith - - - - -	119,037	-	9	4	-	-	-	-	3	-
Fulham - - - - -	157,210	-	24	5	-	3	-	-	-	1
Chelsea - - - - -	74,496	-	2	-	-	-	-	-	1	-
City of Westminster - - - - -	175,606	-	4	1	-	1	-	-	1	-
NORTH.										
St. Marylebone - - - - -	129,453	-	4	-	-	1	-	-	-	-
Hampstead - - - - -	88,142	-	1	-	-	-	-	-	-	-
St. Pancras - - - - -	238,183	-	12	6	-	2	-	-	4	-
Islington - - - - -	342,994	-	24	3	-	1	-	-	5	-
Stoke Newington - - - - -	52,828	-	4	1	-	-	-	-	2	-
Hackney - - - - -	228,479	-	12	6	-	3	-	-	3	-
CENTRAL.										
Holborn - - - - -	56,481	-	1	1	-	-	-	-	1	-
Finsbury - - - - -	98,207	-	6	1	-	-	-	-	1	-
City of London - - - - -	22,425	-	2	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	20	4	-	-	-	-	1	-
Bethnal Green - - - - -	130,401	-	17	4	-	1	-	-	-	-
Stepney - - - - -	305,466	-	49	8	-	2	-	-	-	-
Poplar - - - - -	170,280	-	12	9	-	2	-	-	5	-
SOUTH.										
Southwark - - - - -	208,528	-	18	3	-	-	-	-	7	-
Bermondsey - - - - -	129,006	-	18	4	-	-	-	-	5	-
Lambeth - - - - -	313,045	-	17	3	-	-	-	-	7	-
Battersea - - - - -	177,532	-	22	4	-	1	-	-	1	1
Wandsworth - - - - -	265,392	-	26	4	-	1	-	-	5	-
Camberwell - - - - -	271,240	-	17	3	-	2	-	-	10	-
Deptford - - - - -	114,495	-	15	2	-	1	-	-	2	-
Greenwich - - - - -	103,493	-	3	2	-	-	-	-	1	-
Lewisham - - - - -	144,420	-	7	1	-	1	-	-	1	-
Woolwich - - - - -	125,372	-	15	2	-	-	-	-	1	-
Port of London - - - - -	-	-	1	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		-	383	86	-	24	-	-	70	2
Age not stated										
Ages 0-1										
" 1-5										
" 5-										
" 10-										
" 15-										
" 20-										
" 25-										
" 35-										
" 45-										
" 55-										
" 65 and upwards										
Age not stated										

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 34. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, AUG. 26. [Price 1½d.

General Register Office, Somerset House,
August 28th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·0, 17·5, and 17·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·3 in Merthyr Tydfil, 23·4 in Hanley, 23·9 in Great Yarmouth and in Middlesbrough, 24·8 in Salford, 25·9 in Rhondda, 26·2 in Burnley, and 29·8 in Grimsby; from *scarlet fever*, 1·2 in Blackburn; and from *diarrhoea*, 8·0 in Stockport, 8·1 in West Ham and in St. Helens, 8·5 in Merthyr Tydfil, 8·7 in Burnley, 9·2 in Rhondda, 9·6 in Wigan, 9·9 in Preston, 10·0 in Wolverhampton, 10·3 in Hull, and 18·4 in Grimsby. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2530 BIRTHS and 1497 DEATHS were registered. Allowing for increase of population, the births were 149 and the deaths 179 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 15·6, 17·3, and 17·0 in the preceding three weeks, was 16·7 last week. During the four weeks ended on Saturday last the death-rate averaged 16·7 per 1000, being 3·1 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1497 deaths included 19 from measles, 10 from scarlet fever, 8 from diphtheria, 17 from whooping-cough, 5 from enteric fever, and 390 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 449 deaths were referred to these diseases in the aggregate, being 24 above the corrected average weekly number.

The deaths from *measles*, which had been 19, 23, and 28 in the preceding three weeks, fell to 19 last week, and were 13 below the corrected average; 4 deaths belonged to the Borough of Islington, and 4 to Southwark. The deaths from *scarlet fever*, which had been 9, 16, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 13. The deaths from *diphtheria*, which had been 12, 10, and 6 in the preceding three weeks, were 8 last week, and were 18 below the corrected average. The deaths from *whooping-cough*, which had been 18, 28, and 22 in the preceding three weeks, were 17 last week, and were 8 below the corrected average; 5 deaths belonged to Stepney and 3 to St. Pancras. The fatal cases of *enteric fever*, which had been 6, 7, and 2 in the preceding three weeks, were 5 last week, the corrected average being 12. The deaths from *diarrhoea*, which had been 314, 372, and 395 in the preceding three weeks, were 390 last week, and were 76 above the corrected average; 38 deaths belonged to Stepney, 26 each to Fulham and Wandsworth, 24 to Southwark, 23 to Poplar, 22 to Hackney, and 20 each to Islington, Battersea, and Camberwell. Of the 390 deaths from diarrhoea, 370 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 27 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 0, 2, and 4 in the preceding three weeks. The death of a carman, aged 23 years, was certified as due to chronic *glanders*.

Different forms of *violence* caused 51 deaths, concerning all but 2 of which inquests were held. Of these 51 deaths, 11 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 7 to burns or scalds, 5 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 2 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2762 cases of scarlet fever, 668 of diphtheria, and 114 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 343 cases, against 366, 355, and 361; of diphtheria, 71 cases, against 85, 81, and 87; and of enteric fever, 24 cases, against 23, 11, and 21. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 19th.

GREATER LONDON.

In Greater London 3848 births and 2108 deaths were registered. Allowing for increase of population these numbers are 171 and 335 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 6 from whooping-cough, 1 from "fever," and 77 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 60·2, the latter being 0·8 below the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 25 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 47·2 hours; the measured rainfall amounted to 0·48 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.-70 GALEAT 10 WNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 26th August, 1905, and DEATH-RATES in each of the preceding three Weeks.

Births, Deaths, and Rates of Mortality.

TOWNS.	The Deaths registered in the Week include										Registered during the Week ended 26th August, 1905.		Rate from Diseases in Cols. 11-17.		DEATH-RATES from all Causes.		POPULATION estimated to the middle of the Year 1905.*	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
											Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Week ended		Week ended																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
													Small-pox.	Measles.	Scarlet Fever.	Diphtheria.			Whooping-cough.	Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
											Deaths from												12th Aug., 1905.		19th Aug., 1905.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 26th August, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated during the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in 11-17.		Registered during the week ended 26th August, 1905.		The DEATHS registered in the Week include										TOWNS.
		Week ended					11-17.		26th August, 1905.		Deaths of										
		Week ended					11-17.		26th August, 1905.		Deaths of										
		Week ended					11-17.		26th August, 1905.		Deaths of										
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.
COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.
BIRMINGHAM -	542,959	17.0	17.1	17.5	21.7	5.4	336	226	101	40	-	2	-	-	3	-	51	5	9	46	5
KINGS NORTON -	98,680	6.0	6.7	8.2	8.2	3.0	39	11	7	1	-	-	-	-	-	-	3	-	-	2	-
SMETHWICK -	92,605	10.0	14.2	14.2	11.7	0.8	37	14	5	6	-	-	-	-	-	-	1	-	-	1	-
ASTON MANOR -	81,320	18.0	15.4	14.1	17.3	8.3	52	27	14	3	-	2	1	1	-	-	9	-	1	2	-
COVENTRY -	75,134	11.8	13.2	12.5	16.0	5.6	39	23	7	5	-	-	-	-	-	-	7	-	-	4	-
LEICESTER -	228,132	12.8	16.5	16.0	12.8	5.5	101	56	31	9	-	-	-	-	-	-	24	1	5	5	-
GRIMSBY -	88,153	23.7	23.0	23.7	29.8	21.4	47	39	30	2	-	-	-	4	-	-	24	-	-	-	-
NOTTINGHAM -	251,671	17.8	14.9	16.4	13.5	3.9	142	65	25	13	-	-	2	-	2	15	-	2	11	-	-
DERBY -	122,207	16.6	20.1	17.1	15.4	5.5	59	36	15	10	-	1	-	1	-	10	-	-	5	-	-
STOCKPORT -	98,320	24.4	19.6	19.1	21.7	9.5	49	41	19	5	-	1	-	-	-	15	1	3	5	-	-
BIRKENHEAD -	116,035	20.2	24.7	18.0	13.0	3.6	83	29	18	3	-	-	-	-	-	8	1	1	3	1	-
WALLASEY -	82,460	10.9	13.4	14.2	12.5	2.5	24	15	2	4	-	-	-	-	-	2	1	1	2	-	-
LIVERPOOL -	730,143	22.4	21.9	21.9	20.1	6.4	487	282	111	37	-	-	6	1	5	-	78	8	12	78	7
BOOTLE -	62,758	24.1	25.8	20.8	16.6	4.2	44	20	5	4	-	-	-	-	-	-	4	-	-	1	1
ST. HELENS -	89,843	23.2	19.7	27.3	19.2	8.7	46	33	16	2	-	-	-	-	1	-	14	-	-	3	-
WIGAN -	86,581	23.5	28.3	25.9	20.5	10.2	43	34	17	2	-	-	-	-	-	16	-	-	2	-	-
WARRINGTON -	88,301	22.9	24.4	17.6	18.3	5.3	48	24	8	3	-	1	-	-	-	6	1	1	5	-	-
BOLTON -	178,111	15.2	14.3	18.7	14.6	4.1	79	50	25	8	-	-	-	-	-	14	-	2	6	1	-
BURY -	58,594	17.8	18.7	14.2	17.8	4.4	24	20	8	7	-	-	1	-	-	-	4	1	1	4	-
MANCHESTER -	631,185	21.5	21.9	23.9	23.0	7.7	350	279	129	43	-	7	2	2	2	-	80	8	17	44	4
SALFORD -	231,514	18.7	17.3	23.0	24.8	7.7	134	110	45	22	-	-	2	1	-	-	31	3	4	17	-
OLDHAM -	140,225	16.0	15.2	16.0	20.1	4.1	79	54	19	16	-	1	-	-	-	-	8	-	2	7	-
ROCHDALE -	86,390	19.3	18.7	19.3	15.7	2.4	29	26	9	7	-	-	-	1	-	-	3	-	-	3	1
BURNLEY -	101,682	10.8	21.5	18.5	26.2	9.7	50	51	24	6	-	-	-	-	-	-	17	3	4	6	-
BLACKBURN -	133,067	12.5	12.5	13.7	15.3	3.5	89	39	11	9	-	-	-	-	-	-	6	1	3	10	2
PRESTON -	115,721	14.9	15.8	19.8	16.4	10.8	90	43	21	10	-	-	3	-	-	-	22	-	1	3	-
BARROW-IN-FURNESS.	60,306	17.3	14.7	15.6	12.1	1.7	29	14	5	1	-	2	-	-	-	-	-	-	-	1	-

ended Saturday, 26th August 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases during the Week ended in Cols. 11-17.		The DEATHS registered in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths from													
		5th AUG., 1905.	12th AUG., 1905.	19th AUG., 1905.	26th AUG., 1905.	Week ended 26th AUG., 1905.			Deaths of													
									Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Unofficial Causes of Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD -	94,888	17'6	11'0	22'5	18'1	1'1	44	33	6	11	-	-	-	-	-	-	2	2	5	5	1	HUDDESFIELD.
HALIFAX -	108,419	11'5	9'6	13'0	13'5	0'5	48	28	6	8	-	-	-	1	-	-	-	-	7	7	-	HALIFAX.
BRADFORD -	286,789	16'5	14'9	12'7	14'9	2'5	114	82	26	28	-	-	-	2	1	1	11	2	5	10	1	BRADFORD.
LEEDS -	456,787	17'1	18'4	16'1	17'1	4'7	250	150	54	33	-	4	-	1	4	1	31	5	12	14	-	LEEDS.
SHEFFIELD -	440,414	28'4	25'5	19'5	19'5	7'6	211	165	60	27	-	2	3	1	1	1	56	5	10	30	4	SHEFFIELD.
ROTHERHAM -	59,794	13'1	8'7	11'3	13'1	2'6	39	15	7	2	-	-	-	-	-	-	3	-	-	1	1	ROTHERHAM.
YORK -	82,362	18'4	12'7	22'2	14'6	4'4	47	23	11	6	-	-	-	1	-	-	6	-	2	1	-	YORK.
HULL -	258,127	19'2	20'4	23'8	22'8	10'7	169	113	60	19	-	-	1	-	-	1	51	1	5	13	1	HULL.
MIDDLESBROUGH -	83,369	19'1	21'2	18'6	23'9	6'4	65	45	14	5	-	-	-	2	1	1	8	-	-	7	1	MIDDLESBROUGH.
STOCKTON-ON-TEES -	52,425	11'9	13'9	12'9	19'9	3'0	35	20	7	3	-	-	1	-	-	1	1	4	4	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL -	71,313	15'4	9'5	13'9	18'3	5'1	64	25	5	7	-	-	1	1	1	-	4	-	5	-	-	WEST HARTLEPOOL.
SUNDERLAND -	152,761	16'4	15'7	23'2	20'8	4'1	110	61	21	11	-	2	-	-	-	2	8	4	6	10	3	SUNDERLAND.
SOUTH SHIELDS -	109,360	12'4	19'5	14'8	11'4	3'3	61	24	11	3	-	-	-	-	1	1	5	1	1	3	-	SOUTH SHIELDS.
GATESHEAD -	120,820	14'3	9'5	12'1	18'6	4'3	80	43	18	8	-	1	-	-	-	-	9	1	1	3	1	GATESHEAD.
NEWCASTLE-ON-TYNE -	264,511	16'6	20'9	15'8	16'6	4'1	159	84	34	16	-	-	-	-	4	-	17	4	5	10	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH -	53,595	24'3	13'6	27'2	19'5	3'9	59	20	10	2	-	-	-	-	1	-	3	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.) -	72,880	17'2	16'5	16'5	17'9	4'3	40	25	11	4	-	-	-	-	-	-	6	-	1	3	-	NEWPORT (MON.).
CARDIFF -	180,054	10'4	13'6	11'9	14'5	2'3	102	50	20	9	-	-	-	-	-	-	8	3	4	8	-	CARDIFF.
RHONDDA -	124,988	62'2†	38'4†	20'4	25'9	10'0	110	62	42	7	-	1	-	-	1	-	23	2	2	-	-	RHONDDA.
MERTHYR TYDFIL -	73,848	14'8	26'1	17'7	23'3	9'2	45	33	18	4	-	1	-	-	-	-	12	-	4	-	-	MERTHYR TYDFIL.
SWANSEA -	96,384	20'0	14'1	14'1	16'2	3'2	51	30	12	8	-	1	-	-	-	-	5	1	2	2	-	SWANSEA.
GREATER LONDON -	7,010,172	14'7	15'9	16'0	15'7	4'8	3848	2108	858	434	-	24	16	11	30	10	561	70	170	590	2	GREATER LONDON.
OUTER RING -	2,325,378	13'0	13'2	14'1	13'7	4'6	1318	611	274	108	-	5	6	3	13	5	171	19	42	84	-	OUTER RING.
8 TOWNS IN OUTER RING -	1,135,316	14'4	14'1	15'1	13'9	5'1	639	302	141	47	-	1	4	1	7	4	94	5	16	53	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING -	1,190,062	11'6	12'4	13'1	13'5	4'0	679	309	133	61	-	4	2	2	6	1	77	14	26	31	-	REMAINDER OF OUTER RING.
EDINBURGH -	336,577	16'0	14'6	13'3	13'5	2'0	147	87	24	20	-	-	2	-	1	-	10	3	?	?	4	EDINBURGH.
GLASGOW -	808,986	15'7	14'1	15'6	14'4	3'5	436	224	58	39	-	9	-	-	11	1	34	13	?	57	6	GLASGOW.
DUBLIN† -	378,994	21'2	19'7	19'9	19'8	3'7	164	144	43	34	-	1	-	1	-	-	25	7	6	56	1	DUBLIN†.
BELFAST† -	368,680	22'1	18'9	18'2	19'8	3'6	200	136	47	20	-	-	-	-	-	3	22	8	12	33	?	BELFAST†.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including deaths due to the explosion at the National Colliery, Watfstown.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2448	2498	2718	2551	2646	2677	2643	2568	2473	2575	2678·6	2530
Males - - -	1235	1254	1409	1283	1354	1349	1347	1316	1255	1323	1362·8	1282
Females - - -	1213	1244	1309	1268	1292	1328	1296	1252	1218	1252	1315·8	1248
TOTAL Deaths -	1430	1426	1748	1856	2100	1691	1676	1269	1266	1682	1676·3	1497
Males - - -	705	720	924	985	1104	905	895	676	668	878	878·4	813
Females - - -	725	706	824	871	996	786	781	593	598	804	797·9	684

* The numbers in this column are the average weekly numbers in the thirty-fourth week of the ten years 1895-1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	13 Weeks.
TOTAL Births -	2249	2233	2271	2527	2490	2509	2363	2466	2480	2522	2215	2549	2530	31404
TOTAL Deaths -	1319	1236	1191	1047	1080	1006	1047	1137	1285	1404	1555	1523	1497	16327
Ages at Death {														
Under 1 year -	274	226	253	196	223	203	222	271	431	515	638	616	584	4652
1-5 years -	176	141	128	126	137	100	115	124	129	161	181	173	174	1865
5-20 " -	60	62	73	54	68	74	65	76	63	71	59	71	51	847
20-40 " -	142	172	149	151	141	137	129	155	150	163	135	142	149	1915
40-60 " -	271	305	255	223	219	222	221	223	242	243	240	252	213	3129
60 yrs. & upwds.	396	330	333	297	292	270	295	238	270	251	302	269	326	3919
Deaths from—														
Small-pox†	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Measles - - -	58	40	46	38	31	24	27	17	24	19	23	23	19	394
Scarlet Fever -	9	11	6	7	12	11	7	6	8	9	16	10	10	122
Diphtheria - -	7	9	9	11	7	6	6	6	7	12	10	6	8	104
Whooping-cough	41	42	26	26	26	18	17	13	33	18	28	22	17	327
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	6	2	3	1	5	3	7	3	6	7	2	5	54
Pyæmia (origin uncertain).	-	-	1	-	-	1	-	-	-	-	1	-	-	3
Diarrhœa, Dysentery	27	30	14	14	25	37	53	83	187	314	372	395	390	1946
All above Diseases -	146	138	104	99	103	102	118	132	262	378	457	463	449	2951
Dis. of Resp. System	96	68	73	53	46	32	48	42	46	42	46	48	44	684
Pneumonia - -	139	123	116	91	94	58	56	75	70	69	66	69	74	1100
Phthisis - - -	111	134	129	95	104	92	100	97	108	113	113	119	109	1424
Dis. of Circ. System	163	169	170	162	131	151	143	151	140	131	139	122	163	1925
Violence - - -	59	58	59	45	61	59	53	63	62	54	67	55	51	746
Inquest Cases - -	117	153	120	103	129	109	101	100	126	130	141	122	128	1588
Deaths in Institutions	514	521	488	461	442	394	451	467	462	513	524	519	506	6262
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	62·7	53·7	59·5	60·9	63·2	64·0	68·9	65·2	66·3	62·2	60·3	62·1	60·2	62·2
Mean of Highest	74·7	69·2	69·0	72·0	74·0	74·7	80·5	77·7	77·9	73·2	72·0	73·4	71·5	73·1
Mean of Lowest	51·4	49·5	51·7	51·2	55·0	54·2	60·0	54·0	57·7	54·3	52·2	52·3	51·0	53·4
Mean Humidity of the Air.	61	87	81	73	79	69	71	75	77	71	76	69	71	74
Rain-fall (in inches) -	0·50	2·86	0·95	0·02	0·54	0·03	0·26	0·02	0·53	0·65	0·16	0·03	0·48	7·03
Registered Sunshine (in hours).	51·5	7·8	45·6	58·3	36·8	52·7	55·4	54·0	39·5	47·6	45·7	57·8	47·2	509·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	9	9	7	6	4	5	4	3	3	1	-	-	-	4
Scarlet Fever -	2263	2285	2356	2427	2473	2499	2520	2485	2550	2632	2670	2735	2762	2512
Diphtheria - -	690	687	719	723	718	775	764	791	789	753	706	701	668	730
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	80	80	82	83	78	81	89	92	94	100	99	108	114	91

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. O. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FOURTH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 34th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 34th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1682	1497	584	174	51	149	213	326	Meningitis (not tuberc.)	17	17	6	7	-	1	3	-
									Insanity, Gen. Par. of	9	12	-	1	-	1	5	-
									Insane -	3	8	-	1	1	1	4	-
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	25	21	15	6	-	-	-	-
Cowpox -	-	-	-	-	-	-	-	-	Convulsions -	6	4	1	-	-	-	2	1
Measles (Morbilli) -	30	19	8	11	-	-	-	-	Locomotor Ataxy -	16	13	2	-	-	2	4	5
Scarlet Fever -	9	10	-	4	5	-	1	-	Paraplegia, Dis. of Cord								
Typhus -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)								
Plague -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	37	36	-	-	4	5	9	18
Influenza -	1	3	-	-	-	1	-	2	Cerebr. Hæm. Thromb.-	19	25	-	-	-	2	5	18
Whooping-cough -	20	17	5	10	2	-	-	-	Apoplexy, Hemiplegia	11	16	-	-	-	1	1	14
Diphtheria -	19	8	-	6	2	-	-	-	Aneurysm -	4	2	-	-	-	-	1	1
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	1	2	-	-	-	-	1	1
Pyæmia,† (Origin un-}	-	-	-	-	-	-	-	-	(not cerebral)								
certain) -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	75	72	-	1	2	7	20	42
Enteric Fever -	4	5	-	-	1	3	1	-	Croup (not Spasm: nor	-	-	-	-	-	-	-	-
Asiatic Cholera -	-	-	-	-	-	-	-	-	Membr.) -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa }	328	272	219	49	-	2	2	-	Bronchitis -	30	31	5	1	-	-	3	22
(Infective Enteritis) }	155	118	87	15	-	1	3	12	Asthma, Emphysema -	-	2	-	-	-	-	1	1
Diarrhœa, Dysentery	-	-	-	-	-	-	-	-	Pleurisy -	2	5	1	-	-	1	2	1
Tetanus -	1	3	1	-	-	1	-	1	Respiratory Dis. (other)	3	6	-	1	-	1	1	3
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	-	-	1	-	-	1	-	-
Glanders -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	37	26	18	1	1	-	4	2
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis -	32	29	21	6	-	-	-	2
Venereal Dis. -	8	9	9	-	-	-	-	-	Peritonitis (not Puerp.)	2	3	-	-	-	1	1	1
Puerperal Septicæmia -	3	3	-	-	-	2	1	-	Cirrhosis of Liver -	13	10	-	-	-	1	6	3
Puerperal Pyæmia -	1	1	-	-	-	1	-	-	Liver Dis. (other) -	7	5	-	-	-	1	1	3
Puerperal Fever -	1	1	-	-	-	1	-	-	Digestive Dis., Other	35	40	11	-	5	9	5	10
Infective Endocarditis	3	5	-	-	1	2	2	-	Nephritis, Acute -	8	3	-	-	1	-	1	1
Lobar -	5	6	-	1	-	3	2	-	Bright's Dis., Albumin-	26	20	-	-	-	2	7	11
Broncho -	28	28	17	8	-	1	-	2	uria -	5	11	-	-	-	1	-	10
Epidemic -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	7	4	-	-	-	1	2	1
Not defined	33	40	6	7	2	8	8	9	Generative Organs Dis.-	2	2	-	-	-	2	-	-
Erysipelas -	8	3	-	-	-	-	2	1	Childbirth (Accid. of)	47	44	-	-	-	-	-	44
Septicæmia (not Puer-	1	1	-	-	-	1	-	-	Old Age -	121	106	75	11	4	4	6	6
peral) -	-	-	-	-	-	-	-	-	Other Diseases -								
Pyæmia (not Puerperal)	-	1	-	-	-	1	-	-									
Other Infective Processes†	11	3	-	1	-	1	1	-	ACCIDENT.								
Tuberculous Phthisis -	61	72	2	3	5	31	26	5	By Railways -	2	-	-	-	-	-	-	-
"Phthisis" -	66	37	-	1	3	21	10	2	By Vehicles and Horses-	2	4	-	-	1	2	1	-
Tuberculous Meningitis -	24	8	4	3	1	-	-	-	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
Tuberculous Peritonitis -	17	11	4	4	1	-	1	1	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tubes Mesenterica -	10	3	1	2	-	-	-	-	ing) -	1	1	-	-	-	1	-	-
Tuberculous Dis. (other)-	16	15	2	5	4	-	2	2	In Building Operations -	-	-	-	-	-	-	-	-
Serofula -	-	-	-	-	-	-	-	-	In Conflagrations -	2	7	-	4	1	1	-	1
Alcoholism -	12	10	-	-	-	4	6	-	By Burns, Scalds, Ex-	5	5	-	-	1	1	2	1
Rheumatic Fever -	3	6	-	1	2	2	1	-	plosions -	7	2	2	-	-	-	-	-
Gout -	5	1	-	-	-	-	-	1	By Drowning -	2	3	-	1	-	-	1	1
Carcinoma -	59	52	-	-	-	3	25	24	By Suffocation in Bed -	14	18	3	2	1	2	3	7
Sarcoma -	4	4	-	-	-	2	1	1	By Poisons or Poisonous								
Cancer (undefined) -	27	31	-	-	-	5	10	16	Vapours -								
Diabetes Mellitus -	7	5	-	-	-	1	2	2	Other Deaths by Acci-								
Premature Birth -	56	59	59	-	-	-	-	-	dent -								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide -	4	-	-	-	-	-	-	-
									Suicide -	7	11	-	-	-	4	3	4
									Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued" Fever.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th August, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
				Infants under 1 Year of Age.	Deaths from												
					Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin uncertain.	Diarrhœa.	Violence.	(Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2530	1497	584	326	-	19	10	8	17	-	5	-	390	51	128	506
WEST DISTRICTS	805,311	396	239	95	65	-	4	1	-	2	-	2	-	65	11	21	75
NORTH DISTRICTS	1,056,070	520	287	104	63	-	5	1	1	4	-	-	-	70	14	36	96
CENTRAL DISTRICTS	209,465	115	77	28	14	-	1	1	1	-	-	-	-	15	2	9	41
EAST DISTRICTS - - -	715,739	499	284	114	47	-	2	1	1	3	-	1	-	79	28	28	133
SOUTH DISTRICTS	1,749,844	1000	591	243	130	-	7	5	5	3	-	1	-	160	15	34	152
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	19	-	7	-	-	2	-	-	-	-	-	1	-	-	19
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	46	19	6	5	-	-	-	-	-	-	1	-	4	-	1	3
W.2H - - -																	
St. John Paddington H - G.	33,617	8	11	-	4	-	-	-	-	-	-	-	-	1	1	4	7
North-West Paddington - C.	17,181	19	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Kensington Town 2W w.2H G. & W. & C.	128,037	54	43	17	12	-	1	-	-	-	-	-	-	12	-	-	17
Brompton 2H - - W. & C.	48,591	8	7	4	1	-	-	-	-	-	-	-	-	1	-	-	-
North Hammersmith W.w.H } W. & G.	49,192	30	11	5	3	-	-	-	-	-	-	-	-	3	-	1	-
South Hammersmith w.2H - - -	63,047	39	15	4	7	-	-	-	-	-	-	-	-	3	-	1	4
North-west Fulham W } W. & C.	45,180	44	32	16	7	-	1	-	-	-	1	-	-	10	1	3	13
North-east Fulham F - - -	46,405	25	20	10	5	-	-	1	-	-	-	-	-	10	1	1	1
South Fulham W } W. & C.	45,704	33	8	5	-	-	-	-	-	-	-	-	-	4	2	3	-
Chelsea North W.w.3H - - C.	42,514	20	15	1	11	-	-	-	-	-	-	-	-	1	2	2	11
Chelsea South W.2H - - C.	31,328	13	15	11	2	-	-	-	-	-	-	-	-	7	1	1	8
Mayfair and Knightsbridge C. & G.	28,743	2	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave W.2H - - C.	55,815	21	15	4	1	-	-	-	-	-	-	-	-	3	2	2	9
St. Margaret & St. John 4H - C.	43,698	21	11	3	3	-	2	-	-	-	-	-	-	2	-	-	1
St. James Westminster } N. & G.	21,588	9	9	6	1	-	-	-	1	-	-	-	-	3	-	1	1
W.H - - -																	
St. Anne Soho 5H - - N.	11,493	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	5	9	1	2	-	-	-	-	-	-	-	-	-	-	1	1
Rectory Marylebone W G. & W.	19,849	5	3	1	1	-	-	-	-	-	-	-	-	-	1	2	1
St. Mary Marylebone 4H G. & W.	18,099	39	7	3	2	-	-	-	-	-	-	-	-	2	-	1	1
Christchurch Marylebone H- W.	59,536	19	7	5	-	-	-	-	-	-	-	-	-	4	1	3	-
St. John Marylebone 3H - W.	20,420	5	5	3	1	-	-	-	-	-	-	-	-	2	-	1	1
Hampstead W.F.3H - N. & W.	81,942	34	22	7	3	-	-	1	1	2	-	-	-	2	-	2	8
West St. Pancras 2H - - W.	60,562	30	15	9	3	-	-	-	-	1	-	-	-	4	1	1	1
Tottenham-court w.7H N. & W.	21,268	4	9	3	-	-	-	-	-	-	-	-	-	2	1	1	8
Gray's Inn Lane 4H - - N.	34,449	16	10	6	-	-	-	-	-	-	-	-	-	4	-	1	3
East St. Pancras W.2H - - N.	60,320	41	21	5	5	-	-	-	-	-	-	-	-	4	-	1	11
North St. Pancras 2W - - N.	58,728	16	13	3	4	-	-	-	-	1	-	-	-	2	1	3	5
Tufnell W - - N.	31,995	13	26	6	10	-	1	-	-	-	-	-	-	4	3	4	20
Upper Holloway 2W.w.H - - N.	33,978	18	16	3	2	-	-	-	-	-	-	-	-	1	1	1	10
Tollington WH - - N.	33,922	20	2	1	1	-	-	-	-	-	-	-	-	3	-	-	-
Lower Holloway - - N.	41,424	23	11	4	7	-	1	-	-	-	-	1	-	3	-	-	-
Barnsbury - - N.	54,478	28	14	3	5	-	-	-	-	-	-	-	-	3	-	1	-
Islington South-east F - - N.	75,397	28	14	7	5	-	-	-	-	-	-	-	-	5	-	1	-
Highbury 2H - - N.	63,797	34	10	3	3	-	2	-	-	-	-	-	-	3	-	-	-
Stoke Newington H - - N.	51,247	24	11	5	4	-	-	-	-	-	-	-	-	3	-	2	-
North Hackney - - E. & N.	50,560	23	8	6	-	-	-	-	-	-	-	-	-	3	-	1	-
Central Hackney 2w.F - - E. & N.	50,536	30	21	3	1	-	-	-	-	-	1	-	-	6	3	6	10
South-west Hackney 3H E. & N.	59,921	23	8	-	-	-	-	-	-	-	-	-	-	6	2	3	15
South-east Hackney 2W.w.H E. & N.	58,255	40	25	9	8	-	1	-	-	-	-	-	-	8	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated.—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 26th August, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury W,2H N.	31,436	21	7	2	2	-	-	-	-	-	-	-	-	-	-	2	5	-
Strand W,4H - - - N. & C.	21,874	6	15	2	2	-	-	-	-	-	-	-	-	-	1	2	8	1
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn W,3H - - - N.	29,612	12	22	11	2	-	-	-	1	-	-	-	-	-	5	-	17	-
South Clerkenwell - - - N.	28,676	13	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H - - - N.	35,028	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury 3H,L - - - N.	36,116	37	7	3	2	-	-	-	-	-	-	-	-	-	3	1	2	-
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows } W,2H - - - - - }	16,624	5	14	5	2	-	-	-	-	-	-	-	-	-	2	1	9	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
EAST DISTRICTS.																		
Shoreditch South H - - E. & N.	46,362	26	11	3	1	-	-	-	-	-	-	-	-	-	2	-	-	-
Shoreditch North-West W,w,H N.	36,127	43	23	3	12	-	-	-	-	-	-	-	-	-	2	1	18	-
Shoreditch North-East - - N. & E.	36,148	25	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - - E.	51,514	36	23	12	1	-	-	-	-	-	-	-	-	-	4	1	8	-
Bethnal Green South - - - E.	33,472	26	5	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Bethnal Green East 2W,H,L - E.	44,694	32	24	4	7	-	-	-	-	1	-	-	-	-	2	1	2	16
Spitalfields - - - - E. & N.	27,969	18	4	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Mile End New Town W,H - - E.	28,718	21	31	9	2	-	-	-	-	-	-	-	-	-	6	1	5	20
Goodman's Fields - - - E.	22,081	10	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-
St. George and St. John 2W E.	49,068	47	12	4	3	-	1	-	-	-	-	-	-	-	3	1	2	6
Shadwell and Ratcliff W,H E. & N.	25,568	13	25	15	2	-	-	-	-	-	2	-	-	-	14	-	1	-
Limehouse W - - - - E.	32,369	24	15	8	-	-	-	-	-	-	1	-	-	-	4	-	-	-
Mile End Old Town South- } Western H - - - - }	63,696	57	20	12	4	-	-	-	-	-	-	-	-	-	4	-	2	2
Mile End Old Town North- } Eastern W,w - - - - }	49,129	30	19	10	4	-	-	-	-	1	-	-	-	-	9	-	-	9
Bow L - - - - - E.	41,989	24	11	6	1	-	-	-	-	-	-	-	-	-	5	-	1	-
Bromley 3w,H - - - - E.	68,319	41	35	13	4	-	-	1	1	2	-	-	-	-	12	3	5	15
Poplar W,w - - - - - E.	58,514	26	17	8	4	-	-	-	-	1	-	-	-	-	4	3	6	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th August, 1905—continued.

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													Deaths in Public Institutions	Certified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					Deaths of Infants under 1 Year of Age.	Deaths from										Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
						Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.		Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th August, 1905.

Regis- tration District and sub- district num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from											
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,602	2,044,973	1318	611	274	108	-	5	6	3	13	5	171	19	42	84	-	
0:1	Carshalton 2F,2H	12,228	32,997	15	6	2	1	-	-	-	-	-	-	1	-	-	-	-	
0:2	Epsom, part of* W,w,2F,H	10,423	15,548	8	2	-	-	-	-	-	-	-	-	-	1	1	-	-	
7:1	Godstone, part of* W,F	2,754	2,692	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8:1	Coulsdon	11,069	8,166	5	2	-	-	-	-	-	-	-	-	-	1	1	-	-	
2	South Croydon w	4,200	49,309	23	4	2	2	-	-	-	-	-	-	2	-	1	-	-	
3	West Croydon 3W,F,H	2,168	42,888	32	19	4	5	-	-	1	-	-	1	2	-	-	10	-	
4	North Croydon H	2,644	41,698	33	12	4	3	-	-	-	-	-	-	2	1	1	-	-	
5	Penge w,H	770	22,465	9	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	20	11	5	3	-	-	-	-	-	-	5	1	3	-	-	
9:1	Wimbledon F,3H	3,221	41,652	28	10	4	2	-	-	1	-	-	-	2	-	-	1	-	
2	Kingston 2W,H	6,224	42,068	34	15	9	1	-	-	-	-	-	-	4	-	1	4	-	
3	Surbiton F,H	3,046	15,017	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
4	Esher, part of* H	5,402	13,100	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	8	8	4	3	-	-	-	-	-	-	3	1	1	-	-	
10:1	Richmond W,H	2,162	28,865	10	6	3	2	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,847	20,628	13	6	2	1	-	-	-	-	-	-	1	1	1	-	-	
1:1	Bromley F,2H	4,703	27,354	15	3	-	1	-	-	-	-	-	-	-	-	-	2	-	
2	Beckenham H	7,825	25,497	17	7	2	3	-	-	-	-	1	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	4	2	1	1	-	-	-	-	-	-	-	-	-	1	-	
4	Chislehurst 2H	7,393	16,446	2	4	1	1	-	-	-	-	-	-	-	-	1	1	-	
2:1	Bexley w,F,H	8,678	21,151	18	3	1	1	-	-	-	-	-	-	1	-	-	-	-	
2	Erith F,H	3,854	25,296	20	10	3	2	-	-	-	-	-	-	1	3	3	-	-	
3	Dartford W,F, part of*	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	1	-	
4:1	Sunbury w	11,054	18,683	13	5	4	1	-	-	-	-	-	-	3	-	-	-	-	
2	Staines W,H	13,277	15,178	9	4	2	1	-	-	-	-	-	-	2	-	-	-	-	
5:1	Hillingdon W,F,H	6,035	13,661	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	4	2	2	-	-	-	-	-	-	-	1	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	9	5	4	-	-	-	-	-	-	-	2	-	-	-	-	
6:1	Isleworth 3W,2F,H	6,859	30,863	27	8	2	1	-	-	-	-	-	-	2	-	-	-	-	
2	Twickenham F,H	2,421	20,991	16	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H,L	4,319	45,289	32	12	5	5	-	-	-	-	-	-	6	-	-	-	-	
4	Chiswick H	1,249	29,809	19	11	7	1	-	-	-	-	-	-	5	-	-	-	-	
5	Acton w,3H	6,132	48,914	45	22	10	6	-	-	-	-	-	1	9	-	1	-	-	
7:1	Harrow F,H	13,809	25,523	13	6	1	2	-	-	-	-	-	-	-	-	-	1	-	
2	Edgware F,2H	6,994	4,621	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-	
3	Willesden W,2F,2H	4,384	114,811	86	30	15	3	-	-	-	-	-	2	10	-	1	4	-	
4	Hendon W,F	8,352	22,450	20	8	3	1	-	2	-	-	-	-	-	-	-	1	-	
8:1	South Mimms 2F,H	17,755	7,308	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	14	4	1	3	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,688	33,692	20	5	3	-	-	-	-	-	1	-	2	1	1	-	-	
9:1	Hornsey F,H	2,875	72,056	34	11	3	6	-	-	-	-	-	-	1	-	-	-	-	
2	Wood Green H	1,625	34,233	20	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	34	10	5	2	-	-	-	-	1	-	1	-	1	-	-	
4	East Tottenham 2H	2,017	53,688	36	20	9	3	-	-	-	-	-	-	3	-	1	4	-	
6	Edmonton W,w,2F	7,491	61,892	49	30	18	4	-	-	-	-	2	-	10	1	4	3	-	
6	Enfield 2W,F,H	12,601	42,738	29	17	8	2	-	2	-	1	1	-	6	-	1	2	-	
7	Waltham Abbey F	11,017	6,549	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-	
8	Cheshunt F,H	8,479	12,292	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
95:1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7:1	Bushey H	9,333	9,173	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96:1	Stratford H	1,072	44,827	24	12	6	2	-	-	-	-	-	-	5	1	2	3	-	
2	Plaistow F,2H	1,249	90,921	70	36	23	1	-	-	1	1	1	-	20	-	2	7	-	
3	Canning Town H	1,556	70,718	53	29	14	1	-	-	-	-	-	-	15	-	2	1	-	
4	Forest Gate w	806	60,892	16	13	5	3	-	-	-	-	-	-	4	-	1	-	-	
6	North East Ham w,H	1,333	58,676	29	16	10	-	-	1	-	-	1	-	4	-	1	-	-	
6	South East Ham 2F	1,993	37,342	37	13	7	2	-	-	-	-	-	-	8	-	-	-	-	
7	Wanstead F	1,679	8,179	4	2	-	6	-	1	-	-	-	-	-	1	1	1	-	
8	South Leyton 2W	631	50,467	22	14	6	4	-	-	-	-	-	-	-	-	-	5	-	
9	North Leyton 2W,w,F	1,963	48,445	36	26	6	7	-	-	-	-	1	1	2	2	3	16	-	
10	Walthamstow 3H,L	6,504	108,929	81	40	25	3	-	-	-	-	2	-	12	-	2	-	-	
7:1	Chigwell, part of* 2F,3H	11,778	16,397	8	4	1	-	-	-	1	-	-	-	-	-	-	1	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9:1	Romford, part of* W,2F	6,556	6,091	5	9	5	-	-	-	-	-	-	-	-	-	-	2	4	
2	Ilford F,L	8,496	41,234	25	17	6	1	-	-	-	-	1	-	4	-	-	5	-	
3	Barking Town F	3,803	21,547	14	4	3	-	-	-	-	-	-	-	2	-	-	-	-	
	Park Hospital, Lewisham	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	August 26	2530	1497	16·7	-	19	10	8	17	5	390
CALCUTTA - -	847,796	July 15	-	342	20·9	2	-	-	-	-	104†	54
BOMBAY - -	776,006	August 8	377	543	36·4	2	4	-	-	-	99†	51
MADRAS - -	509,346	July 28	481	879	89·7	2	6	?	?	?	116†	353
PARIS - - -	2,660,559	August 19	1137	949	18·5	6	6	1	3	8	4	149
BRUSSELS - -	586,936	" 19	205	154	13·3	-	-	-	1	-	3	30
ANTWERP - -	286,695	" 19	143	82	14·6	-	-	-	-	1	1	33
AMSTERDAM -	551,415	" 12	281	143	13·5	-	1	-	-	1	1	24
COPENHAGEN -	426,000	" 19	219	153	18·6	-	-	1	-	1	-	48
STOCKHOLM -	309,496	" 12	150	80	13·1	-	-	1	1	3	-	9
CHRISTIANIA -	223,649	" 19	103	67	15·7	-	-	1	-	4	-	13
ST. PETERSBURG	1,248,122	" 12	557	599	22·4	-	17	7	8	10	35	147
MOSCOW - -	1,092,360	" 12	-	693	33·1	2	1	7	5	11	6	301
WARSAW - - -			-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,020,109	August 5	926	870	22·5	-	16	4	8	8	2	328
HAMBURG - -	772,852	" 19	-	303	20·4	-	1	-	-	9	2	115
BRESLAU - -	462,147	" 19	-	277	31·3	-	-	2	2	8	2	108
MUNICH - - -	528,000	" 19	-	225	22·2	-	-	-	1	4	-	58
VIENNA - - -	1,877,839	" 19	922	649	17·7	-	3	4	2	11	3	163
PRAGUE - - -	430,569	" 12	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	836,267	" 19	419	286	17·8	-	3	3	3	3	2	60
TRIESTE - - -	191,403	" 19	123	112	30·1	-	7	-	-	2	-	35
ROME - - -	503,857	June 3	191	163	16·5	-	7	-	-	1	35	8
VENICE - - -	169,417	August 12	82	84	25·9	-	1	-	-	-	1	24
		" 19	81	83	25·5	-	-	-	-	-	1	26
BUCHAREST -	282,071	" 12	163	133	24·6	-	-	1	-	-	5	38
NEW YORK - -	3,948,191	" 12	2168	1507	19·9	-	9	-	25	16	27	326
CHICAGO - - -	1,932,315	" 5	-	567	14·8	-	-	1	3	4	6	129
PHILADELPHIA -	1,438,318	" 5	-	483	17·5	-	-	-	4	8	8	109
BOSTON - - -	617,956	" 5	-	234	19·7	-	-	1	-	4	3	30
RIO DE JANEIRO	850,000	July 23	-	276	15·9	1	4	-	-	-	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 9 deaths from plague in Calcutta, 58 in Bombay, 1 in Madras, and 1 in Rio de Janeiro.

‡ Including 22 deaths from cholera in Calcutta, 1 in Bombay, and 145 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th August, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	74·0	44·6	61·3	0·48	BRADFORD - -	70·2	59·2	59·2	1·13
BRIGHTON - -	67·2	45·1	60·9	0·68	LEEDS - - -	73·0	49·0	60·2	1·66
PORTSMOUTH - -	69·0	45·5	61·5	0·86	HULL - - -	74·0	45·0	59·3	1·10
NORWICH - - -	77·2	46·0	61·4	0·34	TYNEMOUTH - -	70·0	46·0	57·7	0·63
PLYMOUTH - -	66·9	49·9	58·9	1·58					
BRISTOL - - -	69·4	47·0	58·1	0·83	EDINBURGH - -	61·6	46·1	55·3	0·87
BIRMINGHAM - -	66·8	46·7	57·9	0·99	GLASGOW - - -	63·2	45·4	56·2	0·51
NOTTINGHAM -	70·0	46·1	59·2	0·61					
LIVERPOOL - -	66·0	50·0	58·3	0·68		65·3	42·1	51·7	3·98
OBSERVATORY. }					DUBLIN { Phoenix Park. Fitz- william Square,†	65·6	48·1	55·9	4·11
MANCHESTER - -	70·2	46·8	58·5	1·85					
PRESTON - - -	67·5	51·0	58·8	1·01	BELFAST - - -	63·5	42·3	54·0	3·73
HUDDERSFIELD -	68·5	45·2	67·8	1·27					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 19th August, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	4	-	-	-	-	-	1	1
Kensington - - - -	180,083	-	4	3	-	-	-	-	4	-
Hammersmith - - - -	119,037	-	5	3	-	2	1	-	-	1
Fulham - - - -	157,210	-	23	6	-	1	-	-	2	1
Chelsea - - - -	74,496	-	2	-	-	-	-	-	-	-
City of Westminster - - - -	175,606	-	10	2	-	-	-	-	3	-
NORTH.										
St. Marylebone - - - -	129,453	-	4	1	-	1	-	-	5	-
Hampstead - - - -	88,142	-	-	1	-	-	-	-	-	-
St. Pancras - - - -	230,183	-	20	8	-	-	-	-	-	-
Islington - - - -	342,994	-	25	7	-	-	-	-	6	-
Stoke Newington - - - -	52,838	-	3	-	-	-	-	-	1	-
Hackney - - - -	228,479	-	17	9	-	3	-	-	2	-
CENTRAL.										
Holborn - - - -	56,481	-	3	1	-	-	-	-	1	-
Finsbury - - - -	98,207	-	14	4	-	2	-	-	-	-
City of London - - - -	22,425	-	3	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	18	1	-	-	-	-	3	-
Bethnal Green - - - -	130,401	-	16	8	-	1	-	-	2	-
Stepney - - - -	305,466	-	68	13	-	3	-	-	11	-
Poplar - - - -	170,280	-	15	2	-	-	-	-	5	-
SOUTH.										
Southwark - - - -	208,528	-	26	3	-	2	-	-	8	-
Bermondsey - - - -	129,006	-	13	5	-	2	-	-	2	1
Lambeth - - - -	313,045	-	19	3	-	4	-	-	5	-
Battersea - - - -	177,532	-	17	3	-	-	-	-	3	1
Wandsworth - - - -	265,392	-	27	5	-	1	-	-	5	-
Camberwell - - - -	271,240	-	19	7	-	7	-	-	10	-
Deptford - - - -	114,495	-	11	1	-	-	-	-	2	1
Greenwich - - - -	103,493	-	3	-	-	-	-	-	-	-
Lewisham - - - -	144,420	-	9	-	-	-	-	-	2	-
Woolwich - - - -	125,372	-	5	3	-	1	-	-	2	1
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		-	403	99	-	30	1	-	90	7
Ages										
0-1 - - - -	-	-	8	2	-	-	-	-	6	-
" 1-5 - - - -	-	-	124	44	-	1	1	-	5	-
" 5- - - - -	-	-	171	26	-	1	-	-	3	-
" 10- - - - -	-	-	53	11	-	3	-	-	6	-
" 15- - - - -	-	-	27	3	-	6	-	-	9	1
" 20- - - - -	-	-	10	4	-	5	-	-	5	1
" 25- - - - -	-	-	7	6	-	7	-	-	7	5
" 35- - - - -	-	-	1	3	-	5	-	-	18	-
" 45- - - - -	-	-	2	-	-	2	-	-	15	-
" 55- - - - -	-	-	-	-	-	-	-	-	9	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	7	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 35. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, SEPT. 2. [Price 1½d.

General Register Office, Somerset House,
September 4th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·5, 17·4, and 17·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·3 in Walsall and in Rhondda, 21·4 in Bury, 21·6 in Salford, 22·1 in Preston, 22·4 in Liverpool, 22·6 in Manchester, 25·2 in Grimsby, 25·8 in Hanley, and 26·6 in Sunderland; from *measles*, 1·6 in Swansea and 2·1 in Merthyr Tydfil; and from *diarrhoea*, 7·2 in Burnley and in Sunderland, 7·3 in Hanley, 7·4 in Ipswich, 7·6 in York, 7·8 in Wigan, 8·0 in Bury, 9·5 in Walsall, 10·4 in Preston, and 16·1 in Grimsby. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2372 BIRTHS and 1548 DEATHS were registered. Allowing for increase of population, the births were 267 and the deaths 59 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 17·3, 17·0, and 16·7 in the preceding three weeks, was 17·2 last week. During the four weeks ended on Saturday last the death-rate averaged 17·1 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1548 deaths included 27 from measles, 11 from scarlet fever, 12 from diphtheria, 28 from whooping-cough, 5 from enteric fever, and 313 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 396 deaths were referred to these diseases in the aggregate, being 18 above the corrected average weekly number.

The deaths from *measles*, which had been 23, 28, and 19 in the preceding three weeks, rose to 27 last week, and were 3 above the corrected average; 3 deaths belonged to the Borough of Battersea, and 3 each to Westminster and Stepney. The deaths from *scarlet fever*, which had been 16, 10, and 10 in the preceding three weeks, were 11 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 10, 6, and 8 in the preceding three weeks, rose to 12 last week, but were 13 below the corrected average. The deaths from *whooping-cough*, which had been 28, 22, and 17 in the preceding three weeks, rose again to 28 last week, the corrected average being 27; 7 deaths belonged to Stepney and 3 to Bermondsey. The fatal cases of *enteric fever*, which had been 7, 2, and 5 in the preceding three weeks, were again 5 last week, and were 7 below the corrected average. The deaths from *diarrhœa*, which had been 372, 395, and 390 in the preceding three weeks, fell to 313 last week, but were 35 above the corrected average; 26 deaths belonged to Camberwell, 24 to Stepney, 22 each to Islington, Poplar, Southwark, and Lambeth, 21 to Wandsworth, 19 to Fulham, and 18 to Hackney. Of the 313 deaths from diarrhœa, 303 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 29 other deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 2, 4, and 3 in the preceding three weeks. The death of a carman, aged 21 years, was certified after inquest as due to *glanders*.

Different forms of *violence* caused 62 deaths, concerning all but 1 of which inquests were held. Of these 62 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 50 were attributed to accident or negligence. Thirteen of these latter were referred to vehicles in the streets, 5 to burns or scalds, 5 to drowning, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2873 cases of scarlet fever, 671 of diphtheria, and 121 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 427 cases, against 355, 361, and 343; of diphtheria, 94 cases, against 81, 87, and 71; and of enteric fever, 23 cases, against 11, 21, and 24. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 26th.

GREATER LONDON.

In Greater London 3612 births and 2136 deaths were registered. Allowing for increase of population these numbers are 324 and 198 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 4 from diphtheria, 3 from whooping-cough, 1 from "fever," and 73 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·62 inches, and that of the Thermometer 56°·7, the latter being 3°·5 below the week's average in the 50 years 1841-90. The general direction of the wind was Westerly, the horizontal movement of the air being 32 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 12·1 hours; the measured rainfall amounted to 1·21 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

563

TOWNS	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rates from Diseases in Cols. 11-17.		Registered during the Week ended 2nd Sept., 1905.		The DEATHS registered in the week include												TOWNS.
		Week ended		2nd Sept., 1905.	Week ended 2nd Sept., 1905.	BIRTHS.	DEATHS.	Deaths of				Deaths from				Inquest Cases.	Deaths in Public Institutions.	Causes of Death.				
		12th Aug., 1905.	16th Aug., 1905.					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				Dysentery.	Violence.		
		2.	3.	4.	5.	6.	7.									8.	9.	10.			11.	
76 TOWNS	15,609,377	175	174	173	173	48	8352	5189	1933	1069	-	66	44	35	73	25	1189	170	359	1129	37	76 TOWNS.
LONDON -	4,684,794	173	170	167	172	44	2372	1548	577	330	-	27	11	12	28	5	313	62	140	557	4	LONDON.
(CROYDON -	147,704	81	106	120	138	46	81	39	17	8	-	-	-	-	2	-	11	-	3	7	-	(CROYDON.
WILLESDEN -	138,080	117	125	113	117	34	70	31	16	6	-	1	-	-	-	-	8	-	-	3	-	WILLESDEN.
HORSEY -	84,070	50	62	68	43	06	27	7	2	4	-	-	-	-	-	-	1	-	-	-	-	HORSEY.
TOTTENHAM -	116,232	148	112	130	179	31	68	40	16	11	-	-	-	1	-	6	1	6	11	-	-	TOTTENHAM.
WEST HAM -	294,997	235	217	180	170	69	170	96	42	18	-	-	-	1	2	1	35	1	2	18	-	WEST HAM.
EAST HAM -	123,381	156	211	139	123	30	62	29	14	7	-	-	-	1	1	1	4	2	3	3	1	EAST HAM.
LEYTON -	114,555	100	155	100	155	64	78	34	14	5	-	1	1	1	-	-	11	-	4	-	-	LEYTON.
(WALTHAMSTOW -	116,237	85	108	184	117	49	61	26	12	4	-	-	1	-	-	-	10	1	4	5	-	(WALTHAMSTOW.
HASTINGS -	66,820	109	70	55	172	08	27	22	4	11	-	-	-	-	-	-	1	1	2	3	-	HASTINGS.
BRIGHTON -	127,183	111	107	184	148	33	40	36	11	14	-	-	-	-	-	-	8	3	10	9	-	BRIGHTON.
PORTSMOUTH -	201,975	191	163	212	191	65	114	74	27	23	-	-	-	-	-	1	24	4	7	21	-	PORTSMOUTH.
BOURNEMOUTH -	66,168	150	110	118	110	-	30	14	-	5	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	132	204	141	182	36	61	40	19	10	-	-	-	-	1	-	7	-	3	6	-	SOUTHAMPTON.
READING -	77,674	148	87	128	101	07	36	15	6	5	-	-	-	-	-	-	1	1	1	1	1	READING.
NORTHAMPTON -	92,441	175	79	68	113	51	30	20	9	5	-	-	-	1	1	-	7	-	-	1	2	NORTHAMPTON.
IPSWICH -	70,802	66	228	199	199	81	36	27	13	3	-	-	-	-	1	-	10	-	2	1	-	IPSWICH.
GREAT YARMOUTH -	52,353	189	189	239	189	50	25	19	10	4	-	-	-	-	-	-	5	1	2	4	-	GREAT YARMOUTH.
NORWICH -	116,741	237	214	214	174	63	70	39	22	11	-	-	-	-	-	-	14	1	1	2	1	NORWICH.
PLYMOUTH -	116,000	175	225	162	193	45	54	43	15	11	-	-	-	-	-	-	8	-	1	12	-	PLYMOUTH.
DEVONPORT -	79,884	183	109	129	170	07	45	25	8	7	-	-	-	-	-	-	1	1	2	1	-	DEVONPORT.
BRISTOL -	358,515	103	143	140	125	23	187	86	32	17	-	-	-	3	1	-	12	4	6	22	-	BRISTOL.
HANLEY -	64,067	234	242	234	258	73	50	32	15	4	-	-	-	-	-	-	9	-	-	4	1	HANLEY.
BURTON-ON-TRENT -	52,424	109	129	90	80	40	21	8	2	5	-	-	-	-	-	-	4	-	-	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	173	168	173	147	73	60	28	16	4	-	1	-	-	-	-	13	1	2	4	-	WOLVERHAMPTON.
WALSALL -	62,968	207	157	168	213	95	52	38	19	5	-	-	-	-	-	-	17	-	3	5	-	WALSALL.
HANDSWORTH -	61,721	127	76	101	84	17	27	10	3	4	-	-	-	-	-	-	2	-	1	1	-	HANDSWORTH.
WEST BROMWICH -	67,823	154	169	177	92	23	41	12	5	3	-	-	-	-	-	-	2	1	1	-	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 2nd September, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		The DEATHS registered in the Week include										TOWNS.			
			Week ended					Registered during the week ended 2nd Sept., 1905.	Deaths of 60 Years and upwards.	Deaths from					Causes of Death.								
			12th Aug., 1905.	19th Aug., 1905.	26th Aug., 1905.	2nd Sept., 1905.	Week ended 2nd Sept., 1905.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.		
								BIRTHS.	DEATHS.														
			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
BIRMINGHAM -	-	542,959	17.1	17.5	21.7	17.3	5.0	306	180	67	32	-	7	-	3	3	2	37	7	9	40	3	BIRMINGHAM.
KINGS NORTON -	-	69,630	6.7	8.2	8.2	8.2	2.2	19	11	3	3	-	-	-	-	-	-	3	-	-	1	-	KINGS NORTON.
SMETHWICK -	-	62,605	14.2	14.2	11.7	10.0	1.7	39	12	5	3	-	-	-	-	-	-	2	-	-	-	-	SMETHWICK.
ASTON MANOR -	-	81,320	15.4	14.1	17.3	16.0	5.8	47	25	6	6	-	1	1	-	1	-	6	1	1	3	-	ASTON MANOR.
COVENTRY -	-	75,134	13.2	12.5	16.0	18.7	1.4	48	27	6	13	-	-	-	-	-	-	2	1	2	3	-	COVENTRY.
LEICESTER -	-	228,132	16.5	16.0	12.8	17.1	5.7	94	75	35	16	-	-	-	-	-	-	-	25	4	8	1	LEICESTER.
GRIMSBY -	-	68,153	23.0	23.7	29.8	25.2	16.1	37	33	24	5	-	-	-	-	-	-	-	21	-	1	-	GRIMSBY.
NOTTINGHAM -	-	251,671	14.9	16.4	13.5	14.1	3.1	130	68	27	18	-	-	-	-	-	-	-	15	6	4	1	NOTTINGHAM.
DERBY -	-	122,207	20.1	17.1	15.4	14.5	3.8	64	34	13	11	-	-	-	-	1	-	8	2	4	6	-	DERBY.
STOCKPORT -	-	98,320	19.6	19.1	21.7	20.2	5.3	58	38	15	9	-	-	-	-	-	1	-	9	4	2	-	STOCKPORT.
BIRKENHEAD -	-	116,035	24.7	18.0	13.0	13.9	3.1	64	31	10	6	-	-	-	2	-	-	5	2	2	4	1	BIRKENHEAD.
WALLASEY -	-	62,460	13.4	14.2	12.5	17.5	3.3	38	21	7	3	-	-	-	-	-	-	-	4	2	2	-	WALLASEY.
LIVERPOOL -	-	730,143	21.9	21.9	20.1	22.4	7.0	499	313	105	61	-	2	7	1	5	2	81	16	26	92	2	LIVERPOOL.
BOOTLE -	-	62,758	25.8	20.8	16.6	17.4	4.2	44	21	4	6	-	-	1	-	1	-	3	1	1	7	1	BOOTLE.
ST. HELENS -	-	89,843	19.7	27.3	19.2	16.3	4.1	49	28	5	3	-	-	-	-	-	-	7	-	8	-	-	ST. HELENS.
WIGAN -	-	86,631	28.3	25.9	20.5	20.5	9.0	61	34	8	5	-	-	1	-	-	1	13	1	2	4	-	WIGAN.
WARRINGTON -	-	68,301	24.4	17.6	18.3	16.8	6.1	47	22	8	7	-	-	1	-	-	-	7	1	1	3	-	WARRINGTON.
BOLTON -	-	178,111	14.3	18.7	14.6	21.1	5.9	94	72	23	17	-	-	-	1	-	-	19	3	6	6	-	BOLTON.
BURY -	-	58,594	18.7	14.2	17.8	21.4	8.0	21	24	13	2	-	-	-	-	-	-	9	1	1	1	-	BURY.
MANCHESTER -	-	631,185	21.9	23.9	23.0	22.6	6.0	320	273	100	39	-	7	4	1	1	1	59	6	9	57	2	MANCHESTER.
SALFORD -	-	231,514	17.3	23.0	24.8	21.6	6.5	146	96	41	19	-	3	2	-	2	-	22	1	4	14	-	SALFORD.
OLDHAM -	-	140,225	15.2	16.0	20.1	17.1	2.6	38	46	14	16	-	-	1	-	-	-	6	3	3	8	-	OLDHAM.
ROCHDALE -	-	86,390	18.7	19.3	15.7	16.9	3.0	24	28	6	10	-	-	-	-	-	-	4	-	1	2	1	ROCHDALE.
BURNLEY -	-	101,682	21.5	18.5	26.2	20.5	8.2	43	40	19	6	-	-	-	-	-	-	14	-	2	3	1	BURNLEY.
BLACKBURN -	-	133,067	12.5	13.7	15.3	19.2	5.1	60	49	19	8	-	-	2	-	1	1	11	1	3	6	2	BLACKBURN.
PRESTON -	-	115,721	15.8	19.8	19.4	22.1	10.4	79	49	27	7	-	-	-	-	-	-	23	-	-	3	1	PRESTON.
BARROW-IN-FURNESS.	-	60,306	14.7	15.6	12.1	12.1	1.7	42	14	7	1	-	1	-	-	-	-	1	-	-	-	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Coll.		Registered during the Week ended 2nd Sept., 1905.		The DEATHS registered in the Week include										TOWNS,
		Week ended			2nd Sept., 1905.	11-17.	Deaths.	Infants under 1 year of age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		12th Aug., 1905.	16th Aug., 1905.	20th Aug., 1905.																
		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	
Colts.	1.																			Colts.
HUDDESFIELD	-	94,888	11'0	22'5	18'1	20'9	4'9	38	14	6	-	-	-	1	7	1	4	4	-	21.
HALIFAX	-	108,419	9'6	13'0	13'5	12'5	2'9	26	4	8	-	-	1	-	3	1	5	1	1	
BRADFORD	-	286,789	14'9	12'7	14'9	12'5	2'0	121	22	16	-	1	1	1	8	1	4	9	1	
LEEDS	-	456,787	18'4	16'1	17'1	14'6	3'5	240	47	24	-	2	1	3	2	23	7	16	1	
HELFIELD	-	440,414	25'5	19'5	19'5	19'9	6'4	228	168	70	36	1	-	4	-	45	1	29	3	
ROTHERHAM	-	59,704	8'7	11'3	13'1	15'7	1'7	39	18	3	-	1	1	-	1	1	1	-	-	
YORK	-	82,382	12'7	22'2	14'6	17'1	8'2	43	27	2	-	-	-	-	12	1	3	2	-	
HULL	-	258,127	20'4	23'8	22'8	19'4	7'3	161	96	51	13	-	1	3	32	3	5	8	-	
MIDDLESBROUGH	-	98,369	21'2	18'6	23'9	20'1	3'7	78	38	16	6	1	1	-	5	1	2	6	-	
STOCKTON-ON-TEES	-	52,425	13'9	12'9	19'9	14'9	1'0	25	15	3	6	-	-	-	1	3	3	4	-	
WEST HARTLEPOOL	-	71,313	9'5	13'9	18'3	18'3	2'9	26	25	9	5	-	2	-	2	2	2	5	-	
UNDERLAND	-	152,761	15'7	23'2	20'8	26'6	8'5	98	78	25	16	-	1	-	21	3	4	11	1	
SOUTH SHIELDS	-	109,360	13'5	14'8	11'4	14'3	2'9	69	30	13	5	-	-	-	5	2	2	5	1	
GATESHEAD	-	120,620	9'5	12'1	18'6	17'7	5'2	80	41	18	4	-	-	-	11	2	2	1	3	
NEWCASTLE-ON-TYNE	-	264,511	20'9	15'8	16'6	19'5	5'3	170	99	36	15	-	3	1	22	2	10	17	-	
TYNEMOUTH	-	53,595	13'6	27'2	19'5	16'5	1'0	28	17	7	5	-	-	-	1	1	2	2	-	
NEWPORT (MON.)	-	72,380	16'5	16'5	17'9	13'6	1'4	51	19	4	3	-	-	-	2	1	2	-	-	
CARDIFF	-	180,054	13'6	11'9	14'5	14'2	2'0	89	49	20	11	-	-	1	5	2	4	5	-	
RHONDDA	-	124,988	38'4	20'4	25'9	21'3	6'3	87	51	28	2	-	-	-	12	-	2	-	-	
MERTHYR TYDFIL	-	73,848	28'1	17'7	23'3	18'4	7'1	65	26	7	4	-	1	-	5	1	1	1	-	
SWANSEA	-	96,384	14'1	14'1	16'2	15'7	4'9	72	29	12	3	-	-	-	6	1	3	2	-	
GREATER LONDON	-	2,010,372	15'9	16'0	15'7	15'9	4'3	3612	823	461	-	34	13	19	37	8	79	182	639	6
OUTER RING	-	2,925,578	13'2	14'1	13'7	13'2	4'2	1340	246	131	-	7	2	7	9	3	159	17	42	2
3 TOWNS IN OUTER RING	-	1,135,316	14'1	15'1	13'9	13'9	4'6	617	302	133	63	-	2	3	6	2	86	5	18	1
REMAINDER OF OUTER RING	-	1,180,062	12'4	13'1	13'5	12'5	3'8	623	113	68	-	5	-	4	3	1	73	12	24	31
EDINBURGH	-	336,577	14'6	13'3	13'5	14'9	2'2	124	96	21	-	-	-	2	1	11	?	?	?	6
GLASGOW	-	809,686	14'1	15'6	14'4	15'7	3'5	424	244	65	41	-	6	1	3	34	11	?	?	11
DUBLIN†	-	378,994	19'7	19'9	19'8	22'0	3'2	202	160	32	41	-	2	-	1	19	2	4	51	4
BELFAST†	-	368,680	13'9	18'2	19'8	15'3	1'6	105	105	26	18	-	1	-	8	1	2	18	?	?

* See note † on first page of this return.

excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

including deaths of persons admitted into public institutions from without, including deaths due to the explosion at the National Colliery, Wattstown.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2617	2651	2468	2650	2532	2763	2483	2633	2454	2160	2638.5	2372
Males - - -	1328	1346	1259	1371	1331	1443	1284	1328	1248	1161	1360.1	1198
Females - - -	1289	1305	1209	1279	1201	1320	1199	1305	1206	999	1278.4	1174
TOTAL Deaths -	1336	1369	1452	1898	1931	1776	1623	1385	1245	1459	1606.7	1548
Males - - -	692	746	748	977	996	943	866	779	662	767	848.9	821
Females - - -	644	623	704	921	935	833	757	606	583	692	757.8	727

* The numbers in this column are the average weekly numbers in the thirty-fifth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	13 Weeks.
TOTAL Births -	2233	2271	2527	2490	2509	2363	2466	2480	2522	2215	2549	2530	2372	31527
TOTAL Deaths -	1236	1191	1047	1080	1006	1047	1137	1285	1404	1555	1523	1497	1548	16556
Ages at Death -														
Under 1 year -	226	253	196	223	203	222	271	431	515	638	616	584	577	4955
1-5 years -	141	128	126	137	100	115	124	129	161	181	173	174	156	1844
5-20 " -	62	73	54	68	74	65	76	63	71	69	71	51	62	849
20-40 " -	172	149	151	141	137	129	155	150	163	135	142	149	160	1933
40-60 " -	305	255	223	219	222	221	223	242	243	240	252	213	263	3122
60 yrs. & upwds.	330	333	297	292	270	295	288	270	251	302	269	326	330	3853
Deaths from—														
Small-pox† -	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Measles - - -	40	46	38	31	24	27	17	24	19	23	28	19	27	363
Scarlet Fever -	11	6	7	12	11	7	6	8	9	16	10	10	11	124
Diphtheria - -	9	9	11	7	6	6	6	7	12	10	6	8	12	109
Whooping-cough -	42	26	26	26	18	17	13	33	18	28	22	17	28	314
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	6	2	3	1	5	3	7	3	6	7	2	5	5	55
Pyæmia (origin uncertain).	-	1	-	-	1	-	-	-	-	1	-	-	-	3
Diarrhoea, Dysentery	30	14	14	25	37	58	83	187	314	372	395	390	313	2232
All above Diseases -	138	104	99	103	102	118	132	262	378	457	463	449	396	3201
Dis. of Resp. System -	68	73	53	46	32	48	42	46	42	66	48	44	60	648
Pneumonia - - -	123	116	91	94	58	56	75	70	69	66	69	74	71	1032
Phthisis - - -	134	129	95	104	92	100	97	108	113	113	119	109	118	1431
Dis. of Circ. System -	169	170	162	131	151	143	151	140	131	139	122	153	164	1926
Violence - - -	58	59	45	61	59	53	63	62	54	67	55	51	62	749
Inquest Cases - -	153	120	103	129	109	101	103	126	130	141	122	128	140	1611
Deaths in Institutions	521	488	461	442	394	451	467	462	513	524	519	506	567	6295
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	59.7	59.5	60.9	63.2	64.0	68.9	65.2	66.3	62.2	60.3	62.1	60.2	56.7	61.8
Mean of Highest -	59.2	69.0	72.0	74.0	74.7	80.5	77.7	77.9	73.2	72.0	73.4	71.5	64.6	72.3
Mean of Lowest -	49.5	51.7	51.2	55.0	54.2	60.0	54.0	57.7	54.3	52.2	52.3	51.0	51.1	53.4
Mean Humidity of the Air.	87	81	73	79	69	71	75	77	71	76	69	71	82	75
Rain-fall (in inches) -	2.86	0.95	0.02	0.54	0.03	0.26	0.02	0.53	0.65	0.16	0.03	0.48	1.21	7.74
Registered Sunshine (in hours).	7.8	45.6	58.3	36.8	52.7	55.4	54.0	39.5	47.6	45.7	57.8	47.2	12.1	560.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	9	7	6	4	5	4	3	3	1	-	-	-	-	Means 3
Scarlet Fever -	2285	2356	2427	2473	2499	2520	2485	2550	2632	2670	2735	2762	2873	2559
Diphtheria - -	687	719	723	718	775	764	791	789	753	706	701	668	671	728
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	80	82	83	78	81	89	92	94	100	99	108	114	121	94

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIFTH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 35th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 35th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1459	1548	577	156	62	160	263	330	Meningitis (not tuberc.)	19	17	8	6	1	1	1	1
									Insanity, Gen. Par. of } Insane -	7	12	-	1	-	4	4	3
									Epilepsy -	6	7	-	-	1	5	1	-
Small-pox*	-	-	-	-	-	-	-	-	Convulsions	22	22	20	2	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy -	1	6	-	-	-	-	-	-
Measles (Morbilli)	15	27	7	20	-	-	-	-	Paraplegia, Dis. of Cord	3	20	1	-	1	2	7	9
Scarlet Fever	6	11	1	7	3	-	-	-	Nervous Sys. (other dis.)	22	20	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	28	43	-	-	2	8	13	20
Plague	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	35	29	-	1	1	3	12	12
Influenza	2	2	-	-	1	1	-	-	Apoplexy, Hemiplegia	21	12	-	-	-	-	2	10
Whooping-cough	25	28	15	11	2	-	-	-	Aneurysm	5	5	-	-	-	-	-	1
Diphtheria	8	12	3	4	5	-	-	-	Embolism, Thrombosis }	-	1	-	-	-	1	-	-
									(not cerebral)	-	-	-	-	-	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	72	74	-	-	1	10	23	40
Pyrexia,† (Origin un- }	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	-	-	-	-	-	-	-	-
Enteric Fever -	12	5	-	-	-	2	3	-	Memb.) -	-	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis -	38	48	8	5	-	1	5	29
Epidemic Diarrhoea }	216	225	187	35	-	-	3	-	Asthma, Emphysema -	2	2	-	-	-	-	2	2
(Infective Enteritis)	122	88	70	11	-	1	6	-	Pleurisy -	1	4	-	-	-	1	2	1
Diarrhœa, Dysentery	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	8	6	1	-	-	-	-	5
Tetanus	2	2	1	-	1	-	-	-	Tonsillitis, Quinsy -	-	2	-	-	1	-	1	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	29	26	18	3	-	1	1	3
Glanders	-	-	-	-	-	-	-	-	Gastro-Enteritis -	32	32	28	1	-	1	2	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.) -	3	2	1	-	-	-	-	1
Venereal Dis. -	5	5	5	-	-	-	-	-	Cirrrosis of Liver -	10	12	-	-	-	1	7	4
Puerperal Septicæmia	1	1	-	-	1	-	-	-	Liver Dis. (other) -	8	3	-	-	-	-	2	1
Puerperal Pyæmia	1	1	-	-	-	1	-	-	Digestive Dis., Other	37	31	7	2	4	4	7	7
Puerperal Fever	2	-	-	-	-	-	-	-	Nephritis, Acute -	6	5	-	-	-	1	3	1
Infective Endocarditis	1	2	-	-	1	1	-	-	Bright's Dis., Albumin- }	33	29	-	-	-	4	12	13
Lobar -	7	13	-	2	4	2	5	-	uria	10	9	-	-	-	2	7	-
Pneumonia } Broncho-	25	29	12	9	2	2	4	-	Urinary Sys., Other Dis.	5	3	-	-	-	2	-	1
Epidemic	-	-	-	-	-	-	-	-	Generative Organs Dis.-	2	4	-	-	-	3	1	-
Not defined	27	29	2	6	-	6	9	6	Childbirth (Accid. of)	45	42	-	-	-	-	-	42
Erysipelas	4	3	1	-	-	-	2	-	Old Age -	88	115	87	9	4	3	4	8
Septicæmia (not Puer- }	4	2	-	-	1	-	1	-	Other Diseases	-	-	-	-	-	-	-	-
peral) -	-	1	1	-	-	-	-	-	ACCIDENT.								
Pyæmia (not Puerperal)	-	1	1	-	-	-	-	-	By Railways -	3	2	-	-	-	1	1	-
Other Infective Processes†	7	1	-	-	-	1	-	-	By Vehicles and Horses-	6	13	1	1	2	4	4	1
Tuberculous Phthisis	54	72	-	2	3	35	25	7	In Ships, Boats, Docks, }	-	1	-	-	-	-	1	-
"Phthisis"	51	46	-	-	3	18	24	1	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tuberculous Meningitis	15	19	4	6	8	1	-	-	ing) -	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	16	16	7	3	2	2	1	1	In Building Operations -	-	1	-	-	-	-	1	-
Tabes Mesenterica	2	2	2	-	-	-	-	-	In Conflagrations -	-	-	-	-	-	-	-	-
Tuberculous Dis. (other)-	19	20	6	3	4	4	1	2	By Burns, Scalds, Ex-	1	5	-	2	1	-	1	1
Scrofula	1	-	-	-	-	-	-	-	plosions -	4	5	-	-	2	1	1	1
Alcoholism	9	9	-	-	-	1	7	1	By Suffocation in Bed -	5	7	7	-	-	-	-	-
Rheumatic Fever	4	4	-	-	3	1	-	-	By Poisons or Poisonous }	1	2	-	-	-	-	2	-
Gout -	4	-	-	-	-	-	-	-	Vapours -	14	14	1	3	1	3	2	4
Carcinoma	65	69	-	-	4	29	36	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Sarcoma	4	11	-	-	1	4	2	4	dent -	2	2	1	-	-	-	1	-
Cancer (undefined)	32	30	-	-	2	15	13	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Diabetes Mellitus	9	12	-	2	3	3	4	-	Homicide -	11	10	-	-	-	3	5	-
Premature Birth	37	65	65	-	-	-	-	-	Suicide -	-	-	-	-	-	-	-	2
									Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns,
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd September, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of			Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin uncertain.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2372	1548	577	330	-	27	11	12	28	-	5	-	313	62	140	557	4
WEST DISTRICTS	805,311	339	226	64	57	-	7	1	1	2	-	-	-	42	8	17	83	-
NORTH DISTRICTS	1,056,070	488	288	112	57	-	4	1	2	2	-	2	-	58	9	31	85	1
CENTRAL DISTRICTS	209,465	101	87	13	15	-	-	-	4	4	-	-	-	16	13	18	45	-
EAST DISTRICTS	715,739	449	300	121	55	-	8	1	1	9	-	1	-	63	12	37	129	-
SOUTH DISTRICTS	1,749,844	995	616	246	133	-	8	5	7	11	-	-	2	133	20	37	184	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	31	1	13	-	-	3	-	-	-	-	-	1	-	-	31	-
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	44	25	5	9	-	1	-	-	1	-	-	-	1	-	-	6	-
W,2H																		
St. John Paddington H	33,617	9	9	3	1	-	-	-	-	-	-	-	-	-	1	1	4	-
North-West Paddington	17,181	11	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Kensington Town 2W	128,037	65	47	11	13	-	1	-	1	-	-	-	-	6	2	6	23	-
Brompton 2H	48,591	13	8	1	1	-	-	-	-	-	-	-	-	1	1	1	3	-
North Hammersmith W,w,H	49,192	21	12	5	2	-	-	-	-	-	-	-	-	5	-	1	-	-
South Hammersmith w,2H	63,047	29	15	3	2	-	1	-	-	-	-	-	-	4	1	2	7	-
North-west Fulham W	45,180	33	28	14	8	-	-	-	-	-	-	-	-	10	-	-	13	-
North-east Fulham F	46,405	14	9	4	1	-	1	1	-	-	-	-	-	3	-	-	1	-
South Fulham W	45,704	34	14	7	1	-	-	-	-	-	-	-	-	6	-	-	-	-
Chelsea North W,w,3H	42,514	11	19	5	6	-	-	-	-	-	-	-	-	3	-	1	12	-
Chelsea South W,2H	31,328	12	7	2	2	-	-	-	1	-	-	-	-	1	-	1	4	-
Mayfair and Knightsbridge C. & G.	28,743	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H	55,815	18	11	5	-	-	-	-	-	-	-	-	-	-	1	2	5	-
St. Margaret & St. John 4H	43,698	10	12	2	3	-	3	-	-	-	-	-	-	-	1	1	3	-
St. James Westminster } N. & G.	21,588	7	3	1	2	-	-	-	-	-	-	-	-	-	1	1	1	-
W,H																		
St. Anne Soho 5H	11,493	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H	35,391	6	10	3	2	-	-	-	-	-	-	-	-	1	1	1	3	-
Rectory Marylebone W	19,849	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H	18,099	31	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	21	6	3	1	-	1	-	-	-	-	-	-	2	-	-	-	-
St. John Marylebone 3H	20,426	6	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead W,F,6B	81,942	27	20	5	3	-	-	-	2	1	-	-	-	2	1	1	6	-
West St. Pancras 2H	60,562	24	22	7	7	-	-	-	-	-	-	-	-	2	2	4	5	-
Tottenham-court w,7H	21,258	8	10	1	3	-	-	-	-	-	-	-	-	1	-	-	9	-
Gray's Inn Lane 4H	34,449	18	15	5	11	-	-	-	-	-	-	-	-	1	-	1	8	-
East St. Pancras W,2H	60,320	37	21	10	5	-	-	-	-	-	-	-	-	2	-	4	7	1
North St. Pancras 2W	58,728	24	17	6	2	-	1	-	-	-	-	-	-	4	-	2	3	-
Tufnell W	31,995	12	21	3	7	-	-	-	-	-	-	-	-	3	-	1	14	-
Upper Holloway 2W,w,H	33,978	21	19	7	5	-	-	-	-	-	-	-	-	3	1	3	11	-
Tollington WH	33,922	19	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Lower Holloway	41,424	26	11	6	-	-	-	-	-	-	-	-	-	3	-	1	-	-
Barnsbury	54,478	31	7	5	-	-	-	-	-	-	-	-	-	3	-	1	-	-
Islington South-east F	75,397	29	19	6	6	-	-	-	-	-	-	-	-	4	1	3	-	-
Highbury 2H	63,797	28	11	5	2	-	-	-	-	-	-	-	-	6	-	-	1	-
Stoke Newington H	51,247	16	10	7	3	-	-	-	-	-	-	-	-	2	-	-	-	-
North Hackney	50,560	17	11	3	4	-	-	1	-	-	-	-	-	2	1	2	-	-
Central Hackney 2w,F	50,536	25	12	5	3	-	-	1	-	-	-	-	2	4	-	1	3	-
South-west Hackney 3H	59,921	38	16	10	-	-	-	-	-	-	-	-	-	6	-	1	4	-
South-east Hackney 2W,w,H E. & N.	58,265	18	23	10	3	-	1	-	-	-	-	-	-	7	1	4	10	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd September, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include															
			Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury W,2H N.	31,436	15	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	
Strand W,4H - - - N. & C.	21,674	6	15	3	4	-	-	-	-	-	-	-	-	1	5	5	10	
Strand Union Workhouse, Edmonton-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Holborn W,6H - - - N.	29,612	10	19	11	-	-	-	-	-	-	3	-	-	-	-	4	16	
South Clerkenwell - - - N.	28,676	16	7	3	1	-	-	-	-	-	-	-	-	-	2	3	-	
North Clerkenwell H - - - N.	35,023	17	8	4	2	-	-	-	-	-	-	-	-	-	1	1	-	
Finsbury 3H,L - - - N.	36,116	32	14	7	3	-	-	-	-	-	1	-	-	-	6	3	-	
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Botolph H - - - N. & E.	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,2H - - - - - }	16,624	5	19	4	3	-	-	-	1	-	-	-	-	-	6	6	16	
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																		
Shoreditch South H - - E. & N.	46,362	26	10	5	2	-	-	-	-	-	-	-	-	2	-	-	-	
Shoreditch North-West W,w,H N.	36,127	24	25	8	5	-	-	-	-	-	-	-	-	1	1	2	17	
Shoreditch North-East - N. & E.	36,148	29	15	7	2	-	2	-	-	-	-	-	-	-	-	2	-	
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North 2H - E.	51,514	38	17	10	2	-	1	-	-	-	-	-	-	5	-	-	6	
Bethnal Green South - - E.	33,472	23	10	4	1	-	-	-	-	-	-	-	-	2	1	1	-	
Bethnal Green East 2W,H,L - E.	44,694	32	24	6	9	-	1	-	-	-	-	-	-	3	2	2	16	
Spitalfields - - - E. & N.	27,969	13	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	
Mile End New Town W,H - E.	28,718	23	38	13	3	-	-	-	-	-	-	-	-	4	3	10	34	
Woodman's Fields - - - E.	22,081	5	6	4	2	-	-	-	-	-	-	-	-	2	-	2	-	
St. George and St. John 2W E.	49,068	32	16	2	2	-	1	-	-	1	-	-	-	2	1	7	10	
Shadwell and Ratcliff W,H,E. & N.	25,568	9	21	13	1	-	1	-	-	1	-	-	-	13	-	-	13	
Limehouse W - - - E.	32,369	22	12	6	-	-	-	1	1	-	-	-	-	3	-	2	-	
Mile End Old Town South- } Western H - - - }	63,698	55	16	8	4	-	1	-	-	2	-	-	-	2	-	1	-	
Mile End Old Town North- } Eastern W,w - - - }	49,129	33	17	5	4	-	-	-	-	2	-	-	-	2	1	3	8	
Bow L - - - E.	41,989	21	11	5	2	-	-	-	-	1	-	-	-	5	-	-	1	
Bromley 3w,H - - - E.	68,319	29	42	14	13	-	1	-	-	-	-	1	-	11	2	4	24	
Poplar W,w - - - E.	58,514	35	17	10	3	-	-	-	-	1	-	-	-	5	1	1	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd September, 1905—continued.

REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include															Deaths in Public Institutions	Uncertified Causes of Death.
			Total DEATHS.	Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.			
SOUTH DISTRICTS.																			
Christchurch Southwark W, H, L. & S.	11,283	4	7	3	2	-	-	-	-	-	-	-	-	1	-	1	-		
St. Saviour Southwark H - S.	12,066	6	24	7	3	-	-	-	-	-	-	-	-	7	4	4	22		
Kent-road - - - S. & L.	21,904	14	8	4	-	-	-	-	-	-	-	-	-	4	-	1	-		
St. George the Martyr } S. & L.	39,094	20	13	6	-	-	1	-	-	2	-	-	-	5	-	-	6		
West W, 2H, L - - - }																			
Newington North - S. & L.	49,022	27	11	11	-	-	-	-	-	1	-	-	-	4	-	-	-		
Newington South W - S. & L.	72,841	37	23	8	3	-	-	-	-	-	-	-	-	5	-	1	-		
St. Olave 2W - - - S.	9,817	7	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
Bermondsey W - - - S.	82,483	46	19	11	3	-	-	-	-	1	2	-	-	7	1	4	-		
Rotherhithe W, F - - S. & K.	38,460	31	31	10	7	-	-	-	-	-	1	-	-	3	2	1	15		
Waterloo-road 2H - L. & S.	27,440	22	9	4	3	-	-	-	-	1	-	-	-	2	-	1	2		
Lambeth Church 1st H - L. & S.	18,423	13	17	2	5	-	-	-	-	-	-	-	-	2	3	3	14		
Lambeth Church 2nd 2W - L. & S.	39,818	26	28	5	9	-	-	-	-	1	-	-	-	1	-	1	18		
Kennington 1st H - S. & L.	53,198	33	18	5	4	-	-	-	-	-	-	-	-	5	5	-	-		
Kennington 2nd H - S. & L.	42,896	23	14	10	3	-	-	-	-	-	-	-	-	5	-	1	5		
Brixton F - - - L. & S.	84,232	45	22	8	7	-	-	-	2	1	-	-	1	6	-	-	1		
Norwood W, H - - - L.	35,888	24	8	7	1	-	-	-	-	-	-	-	-	3	-	-	-		
East Battersea H - - S.	72,203	33	20	12	1	-	1	-	-	-	-	-	-	8	1	1	-		
North-west Battersea - - S.	49,656	41	12	8	-	-	-	-	-	1	-	-	-	-	-	2	-		
South-west Battersea 2W, H - S.	47,048	19	21	5	6	-	3	-	-	-	-	-	-	-	1	2	16		
Clapham 2H - - - S.	51,361	31	12	5	3	-	1	-	-	1	-	-	-	-	-	-	1		
Streatham W, 2w, 2F, 3L - L.	88,019	50	35	12	10	-	-	-	1	2	-	-	-	11	-	1	11		
Springfield 2W, L - - S.	27,959	24	10	4	1	-	-	-	-	-	-	-	-	3	1	1	1		
Southfields H - - - S.	40,444	27	19	9	3	-	1	-	-	-	1	-	-	5	-	-	-		
Putney - - - - S.	24,139	7	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-		
Dulwich - - - L. & S.	13,359	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
Camberwell South W, w S. & L.	40,206	20	19	1	10	-	-	-	-	-	-	-	-	-	-	-	12		
Camberwell North W, 2L S. & L.	65,584	41	35	14	6	-	-	-	-	-	-	1	-	6	1	1	18		
St. George - - - L. & S.	47,331	21	19	9	6	-	-	-	-	-	-	-	-	11	-	-	-		
Peckham 2W, w - - S., L. & K.	92,859	55	29	13	5	-	-	-	-	-	-	-	-	7	1	3	-		
Deptford North - - - K.	37,613	21	13	5	2	-	-	-	-	1	-	-	-	6	-	-	-		
Deptford Central - - - K.	45,481	29	8	6	1	-	-	-	-	-	-	-	-	2	-	-	-		
Deptford South - - - K.	34,625	19	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-		
Greenwich West 2H - - K.	23,456	17	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-		
Greenwich East 2W, H - K.	43,859	31	27	4	8	-	-	-	-	-	-	-	-	2	1	1	19		
Eltham w, H - - - K.	7,226	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
Lee w, H - - - K.	25,490	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham w, F - - K.	58,552	43	30	12	9	-	-	-	2	1	-	-	-	3	1	2	15		
Sydenham H - - - L.	43,653	19	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-		
Charlton F, 2H - - - K.	21,134	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Woolwich 5H - - - K.	41,625	22	7	7	1	-	-	-	-	1	-	-	-	4	-	1	2		
Plumstead West W - - K.	18,063	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W, H - K.	50,264	26	12	5	3	-	1	-	-	-	-	-	-	1	-	-	2		
Workhouse:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Small-pox Hospitals:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Joyce Green - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Fever Hospitals:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North-Eastern - - - -	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	2	-		
Northern - - - -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-		
M. A. B. Imbecile Asylums:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Caterham - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-		
Darenth - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Gore Farm (temporary) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leavesden - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-		
London County Lunatic Asylums:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Banstead - - - -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	7	-		
Ellwell (Epileptic Colony) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Horton - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-		
Manor - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-		
Cane Hill - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-		
Dartford Heath - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Hanwell - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-		
Colney Hatch - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-		
Claybury - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd September, 1905.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,602	2,044,973	1240	588	246	131	-	7	2	7	9	3	159	17	42	82	2	
30: 1	Carshalton 2F,2H	12,228	32,997	6	6	-	1	-	-	-	-	-	1	-	3	3	2	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	7	4	1	3	-	-	-	-	1	-	-	-	-	3	-	
37: 1	Godstone, part of* W,F	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,069	8,166	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	16	8	5	1	-	-	-	-	-	-	4	-	1	-	-	
3	West Croydon 3W,F,H	2,168	42,888	30	19	7	5	-	-	-	-	-	-	3	4	1	8	-	
4	North Croydon H	2,644	41,698	35	13	5	2	-	-	-	1	1	-	4	-	1	-	-	
5	Penge w,H	770	22,465	10	8	1	4	-	1	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	21	12	6	3	-	-	-	-	-	-	4	2	3	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	16	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	12	13	4	5	-	-	-	-	-	-	1	-	2	1	-	
3	Surbiton F,H	3,046	15,017	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-	
4	Esher, part of* H	5,402	13,100	7	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
5	Hampton H,F,L	4,564	23,456	10	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,162	28,865	10	8	-	3	-	-	-	1	-	-	-	-	1	2	-	
2	Mortlake F	2,847	20,628	17	9	5	2	-	-	-	-	-	-	1	1	1	-	-	
41: 1	Bromley F,2H	4,703	27,354	15	7	1	1	-	-	-	-	-	-	-	-	-	1	-	
2	Beckenham H	7,825	28,497	13	8	4	1	-	-	-	-	-	-	2	1	2	-	-	
3	Orpington part of* W	10,113	9,857	13	1	2	2	-	-	-	-	-	-	-	-	-	3	-	
4	Chislehurst 2H	7,393	16,446	4	4	1	1	-	-	-	-	-	-	2	-	1	-	-	
42: 1	Bexley w,F,H	8,678	21,151	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	15	5	3	1	-	-	-	-	-	-	1	1	1	-	-	
3	Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
43: 1	Sunbury w	11,054	18,683	10	7	3	3	-	-	-	-	-	-	3	-	-	-	-	
2	Staines W,H	13,277	16,178	9	6	-	1	-	-	-	-	-	-	-	1	1	-	-	
44: 1	Hillingdon W,F,H	6,035	13,661	9	5	4	-	-	-	-	-	-	-	3	-	-	1	-	
2	Uxbridge H	12,757	8,984	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	16	5	3	-	-	-	-	-	-	-	2	-	-	-	-	
45: 1	Isleworth 3W,2F,H	8,659	30,863	20	13	6	4	-	-	-	-	-	-	5	-	-	5	-	
2	Twickenham F,H	2,421	20,991	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H,L	4,319	48,289	37	16	13	1	-	-	-	1	-	-	9	-	1	1	-	
4	Chiswick H	1,249	29,809	28	5	3	-	-	-	-	-	-	-	2	-	-	-	-	
5	Acton w,3H	6,132	48,914	37	14	6	6	-	-	-	-	-	-	3	-	1	-	1	
46: 1	Harrow F,H	13,809	25,523	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware F,2H	8,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	70	31	16	6	-	1	-	-	-	-	8	-	-	3	-	
4	Hendon W,F	8,382	22,450	19	12	6	2	-	2	-	-	-	-	4	1	1	1	-	
47: 1	South Mimms 2F,H	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	7	7	2	1	-	-	-	-	-	-	2	-	-	3	-	
3	Finchley F,2H	4,688	33,692	22	8	2	2	-	-	-	-	-	-	2	1	1	1	-	
48: 1	Hornsey F,H	2,875	72,056	27	7	2	4	-	-	-	-	-	-	1	-	-	-	-	
2	Wood Green H	1,625	34,233	19	10	2	3	-	-	-	1	-	-	1	-	-	-	-	
3	West Tottenham F	996	48,853	36	11	6	6	-	-	-	-	-	-	2	-	1	-	-	
4	East Tottenham 2H	2,017	53,688	32	20	11	1	-	-	-	-	1	-	5	1	4	5	-	
5	Edmonton W,w,2F	7,491	61,892	47	22	4	6	-	-	-	1	-	-	5	-	2	8	-	
6	Enfield 2W,F,H	12,601	42,738	28	17	9	3	-	2	-	-	-	-	6	-	1	2	-	
7	Waltham Abbey F	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
49: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Bushey H	9,333	9,173	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50: 1	Stratford H	1,072	44,827	25	11	5	2	-	-	-	-	-	-	5	-	-	1	-	
2	Plaistow F,3H	1,249	90,921	64	28	17	2	-	-	1	2	-	-	12	1	2	3	-	
3	Canning Town H	1,556	70,718	45	29	12	6	-	-	-	-	-	-	13	-	-	1	-	
4	Forest Gate w	806	60,892	36	15	7	4	-	-	-	-	-	-	4	-	-	-	-	
5	North East Ham w,H	1,333	58,676	40	12	5	4	-	-	-	1	-	-	1	-	1	-	-	
6	South East Ham 2F	1,993	37,342	22	14	8	2	-	-	-	1	-	-	3	2	2	-	1	
7	Wanstead F	1,679	9,179	3	2	1	-	-	-	-	-	1	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	48	15	9	1	-	1	-	-	-	-	8	-	-	3	-	
9	North Leyton 2W,w,F	1,963	48,445	30	35	7	7	-	-	1	1	-	-	7	-	-	17	-	
10	Walthamstow 3H,L	6,504	108,299	69	26	13	5	-	-	-	-	-	-	7	1	4	1	-	
51: 1	Chigwell, part of* 2F,3H	11,778	16,397	12	4	-	-	-	-	1	-	-	-	-	1	1	1	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
52: 1	Romford, part of* W,2F	6,556	6,091	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,234	28	13	7	4	-	-	-	-	-	-	7	-	-	4	-	
3	Barking Town F	3,803	21,547	23	6	3	1	-	-	-	-	-	-	3	-	1	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Leyton Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 14: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Disease.
LONDON - -	4,684,794	September 2	2372	1548	17·2	-	27	11	12	28	5	313
CALCUTTA - -	847,796	July 22	-	295	18·0	2	-	-	-	-	86†	40
BOMBAY - -	776,006	August 15	359	587	39·3	1	3	-	-	-	103†	80†
MADRAS - -	509,346	" 4	482	987	100·7	6	6	-	-	-	129	481‡
PARIS - - -	2,660,559	" 26	981	874	17·0	9	11	-	3	10	4	106
BRUSSELS - -	586,936	" 26	213	186	16·2	-	1	1	1	-	2	33
ANTWERP - -	286,695	" 26	114	87	15·5	-	-	-	-	2	-	31
AMSTERDAM -	551,415	" 19	268	135	12·7	-	1	-	-	3	3	18
COPENHAGEN -	426,000	" 26	192	144	17·5	-	1	-	-	1	-	50
STOCKHOLM -	309,496	" 19	141	86	14·0	-	-	3	-	1	1	14
CHRISTIANIA -	223,649	" 26	121	71	16·6	-	1	1	2	4	-	4
ST. PETERSBURG	1,248,122	" 19	-	546	20·2	-	9	11	18	5	19	146
MOSCOW - -	1,092,360	" 19	561	655	31·3	3	1	8	5	7	6	276
WARSAW - -	"	"	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,019,295	August 12	868	883	22·8	-	8	6	8	17	4	399
HAMBURG - -	772,852	" 26	-	286	19·2	-	-	1	1	7	1	106
BRESLAU - -	462,147	" 26	-	270	30·5	-	-	1	-	8	1	104
MUNICH - - -	528,000	" 26	-	214	21·1	-	1	-	1	3	1	56
VIENNA - - -	1,877,839	" 26	924	698	19·1	-	4	3	5	8	4	176
PRAGUE - - -	430,569	" 12	181	179	20·7	-	1	1	-	3	2	17
BUDA-PESTH -	836,267	" 19	171	150	17·4	-	-	-	1	-	2	16
TRIESTE - - -	191,403	" 26	420	277	17·2	-	-	3	2	-	4	58
ROME - - - -	503,857	" 26	106	118	32·0	-	6	-	-	1	1	23
VENICE - - -	169,417	June 10	212	161	16·3	-	7	1	-	1	3§	13
BUCHAREST -	282,071	August 26	-	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,948,191	" 19	146	119	22·0	-	-	-	-	1	1	30
CHICAGO - - -	1,932,315	" 12	2665	1281	16·9	-	5	3	19	12	25	299
PHILADELPHIA -	1,438,318	" 12	-	539	14·1	-	1	1	6	4	8	200
BOSTON - - -	617,956	" 12	-	438	15·8	-	1	-	5	5	14	91
RIO DE JANEIRO	850,000	" 12	-	-	-	-	-	-	-	-	-	-
		July 30	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 10 deaths from plague in Calcutta, and 56 in Bombay.

‡ Including 14 deaths from cholera in Calcutta, 1 in Bombay, and 315 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd September, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	69·4	47·2	57·9	1·21	BRADFORD - -	68·0	49·0	57·7	0·45
BRIGHTON - -	65·8	45·5	58·7	0·55	LEEDS - - -	69·0	51·0	59·4	0·53
PORTSMOUTH -	68·0	48·5	59·7	0·87	HULL - - -	70·0	47·0	57·8	0·55
NORWICH - - -	65·6	48·0	57·9	1·50	TYNEMOUTH -	66·0	48·0	56·1 (?)	0·44
PLYMOUTH - -	65·2	48·0	58·0	1·04					
BRISTOL - - -	67·0	46·0	57·4	0·93	EDINBURGH -	62·5	42·4	54·5	0·67
BIRMINGHAM -	64·8	46·7	55·4	1·07	GLASGOW - -	63·4	47·4	56·5	0·42
NOTTINGHAM -	65·8	49·6	56·7	0·65					
LIVERPOOL - -	62·0	49·0	56·7	0·57	DUBLIN { Phoenix Park. Fitz- william Square.†	64·9	41·9	55·7	0·99
MANCHESTER -	68·5	44·8	56·4	0·90		66·3	46·0	57·2	1·03
PRESTON - - -	66·2	47·5	57·0	0·79					
HUDDERSFIELD -	68·2	48·5	56·5	1·13	BELFAST - -	63·5	45·5	56·3	0·49

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·5 Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		Phases of the Moon.	BARO-METER.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.		Degree of humidity (Satu- ration equals 100).	TEMPERATURE.		Winds deduced from Anemometers.				Rain collected in a Gauge whose readings are reduced to the average of each Ground.	Ozone.						
MONTH AND DAY	AUGUST.		Mean daily reading (cor- rected to 32° Fahr- en- heit).	High- est.	Of the Air.		Of the Dew point		Mean		Least. value.	Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below Surface.	Oiler's.		Presure on the Square Foot.			Robinson's.					
					Low- est.	High- est.	Low- est.	High- est.	Mean daily value.	De- parture from Average of 50 years.					A.M.	P.M.	Great- est.			Least. est.	Mean of 24 hours obs	Horizontal direction of the Average of 16 years.	Miles. 315	Miles + 77	in. 0.08
SUNDAY	- 27	..	29.527	65.5	51.2	14.3	56.7	- 4.0	51.5	0	5.2	12.1	0.2	83	127.0	48.1	61.95	SW. SSW. & WSW.	2.9	0.0	0.3	315	+ 77	0.08	97
MONDAY	- 28	..	29.153	67.6	52.0	15.6	57.9	- 2.7	54.7	3.2	9.7	2.2	89	127.0	45.1	61.87	SE. S. & WSW.	4.5	0.0	0.3	318	+ 77	0.61	78	
TUESDAY	- 29	..	29.211	66.0	52.6	13.4	57.2	- 3.1	53.2	4.0	12.6	0.4	87	107.8	52.6	61.80	SW. & NNW.	3.8	0.0	0.3	341	+ 97	0.50	07	
WEDNESDAY	30	New	29.636	58.2	52.3	5.9	54.9	- 5.2	49.2	5.7	7.2	3.9	81	69.9	49.6	61.38	NNW. & N.	2.7	0.0	0.5	369	+ 122	0.00	2.3	
THURSDAY- SEPTEMBER.	31	..	30.095	63.5	47.4	16.1	53.6	- 6.3	46.4	7.2	16.2	2.1	77	122.2	34.7	61.06	N. & WSW.	2.2	0.0	2	263	+ 13	0.00	0.0	
FRIDAY	- 1	Perigee. In Eqr.	29.995	62.1	47.2	14.9	55.3	- 4.4	48.5	6.8	11.4	2.1	78	100.9	34.5	60.81	WSW. & W.	1.4	0.0	0.1	297	+ 44	0.00	0.0	
SATURDAY	- 2	..	29.724	63.4	55.2	14.2	61.1	+ 1.4	53.4	7.7	14.0	2.1	76	101.2	53.4	60.64	W. & WSW.	3.7	0.0	0.4	384	+ 128	0.02	0.8	
MEANS	-		29.620	64.6	51.1	13.5	56.7	- 3.5	51.0	5.7	11.9	1.9	82	108.0	45.4	61.33	WSW. & NNW.	Sum 2287	Sum + 553	Sum 1.21	30	
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	REGISTERED SUNSHINE		GENERAL REMARKS.	
AUGUST.			In hours.	Sun above horizon, in hours.		
SUNDAY	- 27	v. P. generally; between 1h. and 4h. P.M.	24	139	Generally cloudy; occasional rain; slight thunderstorm at 1h. P.M.	The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
MONDAY	- 28	w. P. and w. N. till 9h. A.M.; w. P. with occasional s. P. and s. N. afterwards.	23	138	Generally cloudy; frequent rain; thunderstorm in afternoon. Solar halo observed in forenoon.	
TUESDAY	- 29	v. N. till 4h. A.M.; w. P. generally with occasional v. N. afterwards.	15	138	Generally overcast; frequent rain; distant thunder in afternoon.	Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
WEDNESDAY	30	w. P. generally with occasional v. N. afterwards.	00	137	Generally overcast; a few drops of rain occasionally.	
THURSDAY	31	w. P. till 2h. P.M.; m. P. generally afterwards.	38	136	Overcast in morning; fine but cloudy afterwards.	The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
SEPTEMBER, FRIDAY	1	w. P. throughout.	04	136	Generally overcast; occasional fine intervals; light shower at 1h. P.M.	
SATURDAY	2	w. P. throughout.	17	135	Overcast till 2h. P.M.; fine and partially cloudy afterwards; light showers in early morning.	The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
No. of Col.	-		28	29		

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 26th August, 1905.*

BOROUGHS	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	4	-	-	1	-	-	4	-
Kensington - - - - -	180,083	-	5	1	-	-	-	-	2	-
Hammersmith - - - - -	119,037	-	13	5	-	-	-	-	-	-
Fulham - - - - -	157,210	-	24	2	-	5	-	-	2	-
Chelsea - - - - -	74,496	-	5	4	-	1	-	-	3	1
City of Westminster - - - - -	175,606	-	6	1	-	-	-	-	6	-
NORTH.										
St. Marylebone - - - - -	129,453	-	4	5	-	-	-	-	1	-
Hampstead - - - - -	88,142	-	1	1	-	1	-	-	2	-
St. Pancras - - - - -	236,183	-	25	2	-	4	1	-	6	-
Islington - - - - -	342,994	-	17	8	-	5	-	-	5	-
Stoke Newington - - - - -	52,828	-	3	-	-	-	-	-	-	-
Hackney - - - - -	228,479	-	11	4	-	8	-	-	4	-
CENTRAL.										
Holborn - - - - -	56,481	-	-	1	-	-	-	-	1	-
Finsbury - - - - -	98,207	-	12	2	-	-	-	-	4	-
City of London - - - - -	22,425	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - - -	116,566	-	21	4	-	2	-	-	3	-
Bethnal Green - - - - -	130,401	-	13	5	-	1	-	-	2	-
Stepney - - - - -	305,466	-	48	9	-	4	-	-	11	2
Poplar - - - - -	170,280	-	23	3	-	4	-	-	5	-
SOUTH.										
Southwark - - - - -	208,528	-	19	3	-	1	-	-	5	1
Bermondsey - - - - -	129,006	-	15	2	-	-	-	-	4	-
Lambeth - - - - -	313,045	-	16	4	-	-	-	-	7	-
Battersea - - - - -	177,532	-	17	3	-	1	-	-	10	1
Wandsworth - - - - -	265,392	-	27	7	-	-	-	-	4	-
Camberwell - - - - -	271,240	-	22	1	-	2	-	-	5	-
Deptford - - - - -	114,495	-	7	3	-	1	-	-	2	-
Greenwich - - - - -	103,493	-	2	1	-	-	-	-	1	-
Lewisham - - - - -	144,420	-	5	1	-	-	-	-	1	-
Woolwich - - - - -	125,372	-	6	4	-	1	-	-	1	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		-	371	86	-	42	1	-	101	5
AGES.										
Ages 0-1 - - - - -	-	-	9	2	-	-	-	-	6	-
" 1-5 - - - - -	-	-	141	30	-	2	-	-	5	-
" 5- - - - -	-	-	136	24	-	3	-	-	3	-
" 10- - - - -	-	-	48	8	-	6	-	-	6	-
" 15- - - - -	-	-	16	5	-	3	-	-	6	-
" 20- - - - -	-	-	10	8	-	8	-	-	9	1
" 25- - - - -	-	-	6	4	-	12	1	-	16	3
" 35- - - - -	-	-	4	2	-	7	-	-	7	1
" 45- - - - -	-	-	-	2	-	1	-	-	22	-
" 55- - - - -	-	-	-	-	-	-	-	-	12	-
" 65 and upwards - - - - -	-	-	-	1	-	-	-	-	9	-
Age not stated - - - - -	-	-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 36. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, SEPT. 9. [Price 1½d.

General Register Office, Somerset House,
September 11th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·1 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In each of the preceding three weeks the rate had been 17·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·1 in Wigan, 21·2 in Stockport, 21·6 in Preston, 21·9 in Norwich, 22·3 in Salford, 24·0 in Merthyr Tydfil, and 24·6 in Burnley; from *measles*, 1·3 in Rhondda and 2·6 in Barrow in Furness; from *whooping-cough*, 1·4 in Leyton; and from *diarrhoea*, 6·6 in Wigan, 7·1 in Bury, 7·3 in Wolverhampton, 7·7 in Salford, 8·7 in Burnley, and 9·5 in Preston. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2328 BIRTHS and 1432 DEATHS were registered. Allowing for increase of population, the births were 290 and the deaths 149 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 17·0, 16·7, and 17·2 in the preceding three weeks, fell last week to 15·9. During the four weeks ended on Saturday last the death-rate averaged 16·7 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1432 deaths included 20 from measles, 7 from scarlet fever, 5 from diphtheria, 16 from whooping-cough, 10 from enteric fever, and 222 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 280 deaths were referred to these diseases in the aggregate, being 67 below the corrected average weekly number.

The deaths from *measles*, which had been 28, 19, and 27 in the preceding three weeks, fell last week to 20, the corrected average being 21; 3 deaths belonged to the Borough of Southwark. The deaths from *scarlet fever*, which had been 10, 10, and 11 in the preceding three weeks, fell last week to 7, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 6, 8, and 12 in the preceding three weeks, fell last week to 5, and were 21 below the corrected average. The deaths from *whooping-cough*, which had been 22, 17, and 28 in the preceding three weeks, fell last week to 16, and were 12 below the corrected average; 3 deaths belonged to Stepney. The fatal cases of *enteric fever*, which had been 2, 5, and 5 in the preceding three weeks, rose last week to 10, but were 5 below the corrected average; 3 deaths belonged to Hackney. The deaths from *diarrhoea*, which had been 395, 390, and 313 in the preceding three weeks, further fell last week to 222, and were 23 below the corrected average; 22 deaths belonged to Stepney, 19 to Islington, 14 each to Fulham, Southwark, and Battersea, and 13 to Poplar. Of the 222 deaths from diarrhoea, 216 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 25 other deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 4, 3, and 2 in the preceding three weeks. The death of a labourer at electrical works, aged 42 years, was certified after inquest as due to *gastro enteritis* accelerated by *plumbism*, and that of a compositor, aged 43 years, as due to *lead colic*.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 49 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 8 to drowning, 2 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 6 (including 5 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2982 cases of scarlet fever, 686 of diphtheria, and 116 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 443 cases, against 361, 343, and 427; of diphtheria, 107 cases, against 87, 71, and 94; and of enteric fever, 15 cases, against 21, 24, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended September 2nd.

GREATER LONDON.

In Greater London 3492 births and 1988 deaths were registered. Allowing for increase of population these numbers are 435 and 269 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from scarlet fever, 4 from diphtheria, 5 from whooping-cough, 1 from "fever," and 57 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.67 inches, and that of the Thermometer 61°.0, the latter being 2°.0 above the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 40 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 29.5 hours; the measured rainfall amounted to 0.68 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 9th Sept., 1905.	The DEATHS registered in the Week include											TOWNS.	
		Week ended					Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		10th Aug., 1905.	2nd Sept., 1905.	9th Sept., 1905.	Week ended 9th September, 1905.	6.			7.													8.
76 TOWNS	15,609,377	17'3	17'3	17'3	16'1	3'6	8216	4807	1650	1066	-	43	32	30	55	33	897	172	337	1060	41	76 TOWNS.
LONDON -	4,684,704	17'0	16'7	17'2	15'9	3'1	2928	1432	441	333	-	20	7	5	16	10	222	59	135	526	1	LONDON.
CROYDON -	147,704	10'6	12'0	13'8	9'5	2'8	55	27	12	9	-	1	-	1	-	-	6	1	3	3	-	CROYDON.
WILLESDEN -	138,080	12'5	11'3	11'7	14'7	3'8	67	39	18	9	-	-	-	-	-	-	1	1	1	1	-	WILLESDEN.
HORSEY -	84,070	6'2	6'8	4'3	9'3	0'6	37	15	5	4	-	-	-	-	-	-	-	-	-	-	-	HORSEY.
TOTTENHAM -	116,282	11'2	13'0	17'9	10'8	2'7	56	24	11	2	-	-	2	3	1	2	23	4	6	21	-	TOTTENHAM.
WEST HAM -	294,997	21'7	18'0	17'0	16'4	5'5	165	93	39	13	-	-	-	-	-	-	5	1	1	3	-	WEST HAM.
EAST HAM -	123,381	21'1	13'9	12'3	11'4	2'5	72	27	13	5	-	-	-	-	-	-	1	-	1	2	-	EAST HAM.
LEYTON -	114,555	15'5	10'5	15'5	10'9	1'8	59	24	10	5	-	-	-	-	-	-	1	-	1	2	-	LEYTON.
WALTHAMSTOW -	116,297	10'8	18'4	11'7	9'9	3'6	72	22	8	5	-	-	-	1	1	-	6	2	2	4	-	WALTHAMSTOW.
HASTINGS -	66,820	7'0	5'5	17'2	13'3	1'6	23	17	-	8	-	1	-	-	-	-	1	-	1	3	-	HASTINGS.
BRIGHTON -	127,183	10'7	18'4	14'8	17'2	2'5	57	42	10	9	-	-	-	-	-	-	6	-	2	9	-	BRIGHTON.
PORTSMOUTH -	201,975	16'3	21'2	19'1	19'6	5'4	109	76	38	13	-	-	-	3	1	-	17	6	6	16	-	PORTSMOUTH.
BOURNEMOUTH -	66,168	11'0	11'8	11'0	12'6	-	20	16	3	7	-	-	-	-	-	-	-	-	2	2	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	20'4	14'1	18'2	15'9	2'7	61	35	12	8	-	-	-	-	1	-	5	1	4	8	-	SOUTHAMPTON.
READING -	77,674	8'7	12'8	10'1	12'1	0'7	40	18	3	7	-	-	-	-	-	-	1	2	2	3	-	READING.
NORTHAMPTON -	92,441	7'9	6'8	11'3	15'2	2'3	41	27	6	12	-	-	-	-	-	-	4	-	1	4	-	NORTHAMPTON.
IPSWICH -	70,802	22'8	19'9	19'9	11'8	2'9	33	16	2	8	-	-	-	-	-	-	4	-	1	2	-	IPSWICH.
GREAT YARMOUTH -	52,353	18'9	23'9	18'9	14'9	2'0	29	15	4	5	-	-	-	-	-	-	2	1	1	3	-	GREAT YARMOUTH.
NORWICH -	116,741	21'4	21'4	17'4	21'9	5'4	64	49	18	15	-	-	-	-	1	-	1	10	3	5	-	NORWICH.
PLYMOUTH -	116,000	22'5	16'2	19'3	16'2	2'7	49	36	6	13	-	-	-	-	-	-	1	5	5	5	-	PLYMOUTH.
DEVONPORT -	76,894	10'9	12'9	17'0	10'9	0'7	44	16	4	5	-	-	1	-	-	-	-	-	1	5	-	DEVONPORT.
BRISTOL -	358,515	14'3	14'0	12'5	12'1	2'5	183	83	28	16	-	1	-	1	2	-	13	1	4	17	-	BRISTOL.
HANLEY -	64,067	24'2	23'4	25'8	18'5	4'8	40	23	10	5	-	-	-	-	-	-	-	-	2	2	-	HANLEY.
BURTON-ON-TRENT -	52,424	12'9	9'0	8'0	14'9	3'0	21	15	5	5	-	-	-	1	-	-	2	1	2	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	16'8	17'3	14'7	19'4	7'3	58	37	11	8	-	-	-	-	-	-	14	-	3	6	-	WOLVERHAMPTON.
WALSALL -	93,998	15'7	16'8	21'3	11'2	2'8	47	20	10	5	-	-	-	-	-	-	-	1	1	3	-	WALSALL.
HANDSWORTH -	61,721	7'6	10'1	8'4	7'6	1'7	29	9	4	1	-	-	-	-	-	-	-	-	2	5	-	HANDSWORTH.
WEST BROMWICH -	67,823	16'9	17'7	9'2	20'8	5'4	39	27	9	4	-	-	-	-	-	-	-	-	1	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 9th September, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the week ended 9th Sept., 1905.		The DEATHS registered in the Week include											TOWNS,																
		Week ended				Week ended 9th September, 1905.		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.														
		16th Aug., 1905.	26th Aug., 1905.	2nd Sept., 1905.	9th Sept., 1905.	6.	7.																	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.															
HUDDESFIELD -	94,888	22'5	18'1	20'9	16'5	3'3	47	30	9	8	-	-	-	-	-	1	5	1	3	5	-	HUDDESFIELD.															
HALIFAX -	108,419	12'5	13'5	12'5	8'2	0'5	37	17	5	6	-	-	-	-	1	-	-	1	1	4	-	HALIFAX.															
BRADFORD -	286,799	12'7	14'9	12'5	16'0	2'2	116	88	24	27	-	-	-	-	-	-	12	4	7	17	1	BRADFORD.															
LEEDS -	456,787	16'1	17'1	14'6	15'3	2'9	236	134	51	36	-	-	1	2	2	2	26	3	6	18	-	LEEDS.															
SHEFFIELD -	440,414	19'5	19'5	19'9	14'4	3'3	241	122	40	21	-	-	-	-	2	-	26	4	5	18	4	SHEFFIELD.															
ROTHERHAM -	59,794	11'3	13'1	15'7	14'0	5'2	38	16	9	5	-	-	-	-	-	-	6	-	-	-	-	ROTHERHAM.															
YORK -	82,392	22'2	14'6	17'1	13'9	3'2	48	22	11	4	-	-	-	-	-	-	5	1	1	2	-	YORK.															
HULL -	253,127	23'8	22'8	19'4	15'0	3'8	144	74	21	16	-	-	-	-	3	-	16	1	3	15	2	HULL.															
MIDDLESBROUGH -	98,369	13'6	23'9	20'1	19'6	1'1	69	37	19	3	-	-	-	-	-	-	2	3	4	5	-	MIDDLESBROUGH.															
STOCKTON-ON-TEES	52,425	12'9	19'9	14'9	11'9	2'0	38	12	3	4	-	-	-	-	-	-	2	-	-	2	-	STOCKTON-ON-TEES.															
WEST HARTLEPOOL	71,313	13'9	18'3	18'3	20'5	3'7	31	28	6	5	-	-	-	-	-	-	5	3	4	3	-	WEST HARTLEPOOL.															
SUNDERLAND -	152,761	23'2	20'8	26'6	19'8	3'4	116	58	20	13	-	1	-	-	1	1	7	4	9	11	2	SUNDERLAND.															
SOUTH SHIELDS -	109,360	14'8	11'4	14'3	16'7	3'8	49	35	12	6	-	-	-	-	1	-	7	1	4	5	-	SOUTH SHIELDS.															
GATESHEAD -	120,620	12'1	18'6	17'7	17'7	5'2	78	41	14	8	-	-	1	-	2	-	9	1	2	5	-	GATESHEAD.															
NEWCASTLE-ON-TYNE	264,511	15'8	16'6	19'5	17'7	4'3	160	90	37	23	-	-	-	2	-	1	19	4	6	8	-	NEWCASTLE-ON-TYNE.															
TYNE	53,595	27'2	19'5	16'5	19'5	1'9	32	20	5	5	-	-	-	-	-	-	1	1	4	2	-	TYNE.															
NEWPORT MON.) -	72,880	16'5	17'9	13'6	20'0	3'6	42	28	12	4	-	-	-	-	-	-	5	1	1	3	-	NEWPORT MON.).															
CARDIFF -	180,054	11'9	14'5	14'2	11'0	0'9	116	38	14	8	-	-	-	-	1	-	2	1	1	3	1	CARDIFF.															
RHONDDA -	124,983	20'4	25'9	21'3	17'9	4'6	89	43	25	1	-	3	1	-	-	-	7	1	2	-	-	RHONDDA.															
MERTHYR TYDFIL -	73,848	17'7	23'3	18'4	24'0	3'5	59	34	9	9	-	-	-	-	-	1	3	4	3	-	-	MERTHYR TYDFIL.															
SWANSEA -	96,334	14'1	16'2	15'7	11'9	2'7	62	22	8	3	-	1	-	-	-	-	4	-	1	-	-	SWANSEA.															
GREATER LONDON -	7,010,172	16'0	15'7	15'9	14'8	3'1	3,492	1,988	635	479	-	22	12	14	27	13	334	79	163	611	4	GREATER LONDON.															
OUTER RING -	2,925,378	14'1	13'7	13'2	12'5	3'2	1,164	566	214	146	-	2	5	9	11	3	112	20	28	85	3	OUTER RING.															
8 TOWNS IN OUTER RING	1,135,316	15'1	13'9	13'9	12'4	3'4	583	271	116	52	-	2	4	5	6	2	55	12	16	47	1	8 TOWNS IN OUTER RING.															
REMAINDER OF OUTER RING	1,190,062	13'1	13'5	12'5	12'5	3'0	581	285	98	94	-	-	1	4	5	1	57	8	12	38	2	REMAINDER OF OUTER RING.															
EDINBURGH -	335,477	13'3	13'5	14'9	13'5	2'3	151	87	18	25	-	1	1	1	3	1	8	4	?	27	4	EDINBURGH.															
GLASGOW -	809,886	15'6	14'4	15'7	14'2	2'3	440	220	61	38	-	6	-	3	5	5	17	11	?	58	10	GLASGOW.															
DUBLIN† -	378,994	19'9	19'8	22'0	18'4	2'3	247	134	35	36	-	-	-	1	-	4	12	3	6	43	6	DUBLIN.†															
BELFAST† -	358,680	18'2	19'8	15'3	15'8	1'9	235	109	23	20	-	-	-	2	-	1	10	2	4	23	?	BELFAST.†															

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2486	2449	2655	2446	2442	2628	2582	2515	2505	2501	2617·8	2328
Males - - -	1246	1281	1374	1222	1212	1307	1369	1280	1300	1291	1337·5	1194
Females - - -	1240	1168	1281	1224	1230	1321	1213	1235	1205	1213	1280·3	1134
TOTAL Deaths -	1358	1308	1391	2007	1934	1582	1471	1477	1344	1354	1581·0	1432
Males - - -	704	685	708	1049	967	861	759	786	735	754	831·5	757
Females - - -	654	623	683	958	967	721	712	691	609	600	749·5	675

* The numbers in this column are the average weekly numbers in the thirty-sixth week of the ten years 1895–1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	13 Weeks.
TOTAL Births -	2271	2527	2490	2509	2363	2466	2480	2522	2215	2549	2530	2372	2328	31622
TOTAL Deaths -	1191	1047	1080	1006	1047	1137	1285	1404	1555	1533	1497	1548	1432	16752
Ages at Death {														
Under 1 year -	253	196	223	203	222	271	431	515	633	616	584	577	441	5170
1–5 years -	128	126	137	100	115	124	129	161	181	173	174	156	150	1854
5–20 " -	73	54	68	74	65	76	63	71	59	71	51	62	63	850
20–40 " -	149	151	141	137	129	155	150	163	135	142	149	160	164	1925
40–60 " -	255	223	219	222	221	223	242	243	240	252	213	263	281	3097
60 yrs. & upwds.	333	297	292	270	295	238	270	251	302	269	326	330	333	3856
Deaths from—														
Small-pox - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Measles - - -	46	38	31	24	27	17	24	19	23	28	19	27	20	343
Scarlet Fever -	6	7	12	11	7	6	8	9	16	10	10	11	7	120
Diphtheria - -	9	11	7	6	6	6	7	12	10	6	8	12	5	105
Whooping-cough -	26	26	26	18	17	13	33	18	28	22	17	28	16	288
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	2	3	1	5	3	-	3	6	7	2	5	5	10	59
Pyrexia (origin uncertain) -	1	-	-	1	-	7	-	-	1	-	-	-	-	3
Diarrhoea, Dysentery	14	14	25	37	58	83	187	314	372	395	390	313	222	2424
All above Diseases -	104	99	103	102	118	132	262	378	457	463	449	396	230	3343
Dis. of Resp. System	73	53	46	32	48	42	46	42	46	48	44	60	47	627
Pneumonia - - -	116	91	94	58	56	75	70	69	66	69	74	71	86	995
Phthisis - - -	129	95	104	92	100	97	108	113	113	119	109	118	133	1430
Dis. of Circ. System	170	162	131	151	143	151	140	131	139	122	153	164	172	1929
Violence - - -	59	45	61	59	53	63	62	54	67	55	51	62	59	750
Inquest Cases - -	120	103	129	109	101	109	126	130	141	122	128	140	135	1593
Deaths in Institutions	488	461	442	394	451	467	462	513	524	519	506	557	526	6310
TEMPERATURE OF THE AIR.														
Mean - - -	59·5	60·9	63·2	61·0	68·9	65·2	66·3	62·2	60·3	62·1	60·2	56·7	61·0	62·3
Mean of Highest -	69·0	72·0	74·0	74·7	80·5	77·7	77·9	73·2	72·0	73·4	71·5	64·6	70·2	73·1
Mean of Lowest -	51·7	51·2	55·0	54·2	60·0	54·0	57·7	54·3	52·2	52·3	51·0	51·1	55·6	53·9
Mean Humidity of the Air.	81	73	79	69	71	75	77	71	76	69	71	82	84	75
Rain-fall (in inches) -	0·95	0·02	0·54	0·03	0·26	0·02	0·53	0·65	0·16	0·03	0·48	1·21	0·68	5·56
Registered Sunshine (in hours).	45·6	58·3	36·8	52·7	55·4	54·0	39·5	47·6	45·7	57·8	47·2	12·1	29·5	582·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	7	6	4	5	4	3	3	1	-	-	-	-	-	3
Scarlet Fever - -	2356	2427	2473	2499	2520	2485	2550	2632	2670	2735	2762	2873	2982	2613
Diphtheria - - -	719	723	718	775	764	791	789	753	706	701	668	671	686	728
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	82	83	78	81	89	92	94	100	99	108	114	121	116	97

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Means Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds. H. B. Witty Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SIXTH Week of the Year 1905.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 36th week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 36th week of the year 1904.	1905—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1354	1432	441	150	63	164	281	333	Meningitis (not tuberc.)	7	21	8	8	1	3	1	
									Insanity, Gen. Par. of	8	4	-	-	-	3	1	
									Insane - - -	5	6	-	1	-	4	1	
Small-pox ² - - -	-	-	-	-	-	-	-	-	Epilepsy - - -	19	18	16	2	-	-	-	
Cowpox - - -	-	-	-	-	-	-	-	-	<i>Convulsions</i> - - -	1	4	-	-	-	2	2	
Measles (Morbilli) - -	8	20	3	17	-	-	-	-	Locomotor Ataxy -	2	3	-	-	1	1	1	
Scarlet Fever - - -	2	7	-	5	2	-	-	-	Paraplegia, Dis. of Cord	20	14	1	1	-	5	5	
Typhus - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	37	33	-	-	2	8	10	
Plague - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	27	34	-	-	-	8	26	
Influenza - - -	2	2	-	-	-	1	1	-	Cerebr. Hæm. Thromb.-	9	17	-	-	1	7	9	
Whooping-cough - -	16	16	5	11	-	-	-	-	Apoplexy, Hemiplegia	3	12	-	-	2	10	-	
Diphtheria - - -	20	5	-	5	-	-	-	-	Aneurysm - - -	5	-	-	-	-	-	-	
Cerebro Spinal Fever	2	-	-	-	-	-	-	-	Embolism, Thrombosis	79	76	-	1	2	10	21	
<i>Puræxiæ†</i> (Origin un-	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	
certain) - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	
Enteric Fever - - -	8	10	-	1	2	6	1	-	<i>Croup</i> (not Spasm: nor	-	-	-	-	-	-	-	
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Memb.) - - -	-	-	-	-	-	-	-	
Epidemic Diarrhœa	170	147	120	26	1	-	-	-	Bronchitis - - -	51	37	8	-	1	4	23	
(Infected Enteritis)	88	75	53	17	-	2	3	-	Asthma, Emphysema -	3	2	-	-	-	2	-	
Diarrhœa, Dysentery	-	-	-	-	-	-	-	-	Pleurisy - - -	-	5	-	-	2	-	3	
Tetanus - - -	-	1	-	1	-	-	-	-	Respiratory Dis. (other)	7	3	-	-	-	1	2	
Rabies, <i>Hydrophobia</i>	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	-	-	-	-	-	-	-	
Glanders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	15	26	19	5	-	2	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	<i>Gastro-Enteritis</i> - -	11	25	24	1	-	-	-	
Venereal Dis. - - -	6	12	11	1	-	-	-	-	Peritonitis (not Puerp.)	-	2	-	1	-	-	1	
Puerperal Septicæmia	3	5	-	-	4	1	-	-	Cirrhosis of Liver -	14	17	-	-	2	11	4	
Puerperal Pyæmia - -	-	1	-	-	1	-	-	-	Liver Dis. (other) -	10	4	1	-	1	1	1	
Puerperal Fever - -	1	-	-	-	-	-	-	-	Digestive Dis., Other	44	36	11	1	6	1	8	
Infective Endocarditis	1	4	-	-	1	1	2	-	Nephritis, Acute - -	3	10	1	1	2	2	2	
Lobar - - -	10	12	1	-	1	3	7	-	Bright's Dis., Albumin-	28	35	-	-	1	4	13	
Broncho - - -	20	28	14	5	1	2	3	-	uria - - -	11	8	-	-	-	-	8	
Pneumonia	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	4	5	1	-	1	3	-	
Epidemic - - -	-	-	-	-	-	-	-	-	Generative Organs Dis.	4	4	-	-	-	4	-	
Not defined - -	38	46	9	5	3	6	7	16	Childbirth (Accid. of)	42	54	-	-	-	-	54	
Erysipelas - - -	4	8	1	-	-	6	1	-	<i>Old Age</i> - - -	103	89	53	13	4	3	9	
Septicæmia (not Puer-	3	2	1	-	1	-	-	-	Other Diseases - -	-	-	-	-	-	-	-	
peral) - - -	-	-	-	-	-	-	-	-	<i>ACCIDENT.</i>	-	-	-	-	-	-	-	
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	By Railways - - -	1	1	-	-	-	1	-	
Other Infective Processes	16	-	-	-	-	-	-	-	By Vehicles and Horses	1	8	-	2	3	1	1	
Tuberculous Phthisis	62	67	3	-	5	23	27	9	In Ships, Boats, Docks,	1	-	-	-	-	-	-	
<i>"Phthisis"</i> - - -	60	66	-	4	31	20	11	-	(exclusive of Drown-	1	-	-	-	-	-	-	
Tuberculous Meningitis	19	20	8	8	2	1	1	-	ing) - - -	1	2	-	-	1	1	-	
Tuberculous Peritonitis	7	17	9	2	2	1	2	1	In Building Operations	1	-	-	-	-	-	-	
<i>Tabs Mesenterica</i> - -	11	3	3	-	-	-	-	-	In Conflagrations -	1	2	-	1	-	-	-	
Tuberculous Dis. (other)	14	21	5	6	7	2	1	-	By Burns, Scalds, Ex-	10	8	-	-	1	2	4	
Scrofula - - -	-	-	-	-	-	-	-	-	plosions - - -	5	6	5	1	-	-	-	
Alcoholism - - -	11	12	-	-	3	6	3	-	By Drowning - - -	1	5	-	-	-	3	2	
Rheumatic Fever - -	1	6	-	2	-	3	1	-	By Suffocation in Bed	9	17	2	1	3	3	4	
Gout - - -	2	1	-	-	-	-	1	-	By Poisons or Poisonous	-	-	-	-	-	-	-	
Carcinoma - - -	51	58	-	-	1	7	23	21	Vapours - - -	-	-	-	-	-	-	-	
Sarcoma - - -	4	5	-	1	-	2	1	1	Other Deaths by Acci-	-	-	-	-	-	-	-	
Cancer (undefined) -	33	43	-	1	-	2	21	19	dent - - -	-	-	-	-	-	-	-	
Diabetes Mellitus - -	7	4	-	-	1	1	1	1	<i>VIOLENCE OTHER THAN</i>	-	-	-	-	-	-	-	
Premature Birth - -	42	45	45	-	-	-	-	-	<i>ACCIDENTAL.</i>	-	-	-	-	-	-	-	
									Homicide - - -	10	1	-	-	-	1	-	
									Suicide - - -	-	9	-	-	-	3	4	
									Execution - - -	-	-	-	-	-	-	2	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th September, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.				
LONDON - - -	4,536,429	2328	1432	441	333	-	20	7	5	16	-	10	-	222	59	135	526	1		
WEST DISTRICTS - - -	805,311	346	228	63	70	-	5	2	1	1	-	-	-	38	8	20	89	-		
NORTH DISTRICTS - - -	1,056,070	508	272	82	69	-	2	1	-	2	-	-	-	37	11	24	88	-		
CENTRAL DISTRICTS - - -	209,465	98	92	20	19	-	-	-	-	3	-	-	-	8	6	12	50	-		
EAST DISTRICTS - - -	715,739	445	260	94	42	-	4	-	1	4	-	-	-	48	12	34	126	-		
SOUTH DISTRICTS - - -	1,749,844	931	548	182	121	-	9	4	2	6	-	-	3	91	22	45	141	1		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	32	-	12	-	-	-	1	-	-	1	-	-	-	-	32	-		
WEST DISTRICTS.																				
St. Mary Paddington } W2H	G. & W.	93,178	36	28	7	13	-	-	-	-	-	-	-	8	-	-	9	-		
St. John Paddington } H	- G.	33,617	6	9	1	4	-	-	-	-	-	-	-	-	2	4	3	-		
North-West Paddington }	- C.	17,181	7	7	5	1	-	-	-	-	-	-	-	3	-	-	-	-		
Kensington Town 2W w2H G., W. & C.		128,037	48	42	13	13	-	2	-	-	-	-	-	4	1	4	26	-		
Brompton 2H - W. & C.		48,591	19	12	2	8	-	-	-	-	-	-	-	-	1	1	-	-		
North Hammersmith W, w2H } South Hammersmith w2H } W. & G.		49,192 63,047	28 36	8 18	2 6	2 3	-	1	-	-	-	-	-	1 3	-	1 3	-	-		
North-west Fulham W }		45,180	42	15	7	2	-	-	-	-	-	-	-	3	1	3	3	-		
North-east Fulham F }	W. & C.	46,405	23	12	3	3	-	-	2	1	-	-	-	2	-	-	5	-		
South Fulham W }		45,704	26	10	6	1	-	-	-	-	-	-	-	5	-	-	-	-		
Chelsea North W, w3H - - C.		42,514	12	21	3	9	-	-	-	1	-	-	-	1	-	3	15	-		
Chelsea South W2H - - C.		31,328	8	15	5	4	-	-	-	-	-	-	-	3	2	2	7	-		
Mayfair and Knightsbridge C. & G.		28,743	4	4	-	2	-	-	-	-	-	-	-	-	1	1	-	-		
Belgrave W2H - - C.		56,815	22	16	2	3	-	-	-	-	-	-	-	1	-	-	9	-		
St. Margaret & St. John 4H - C.		43,698	19	8	-	1	-	2	-	-	-	-	-	1	-	-	4	-		
St. James Westminster } W, H	N. & G.	21,588	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Anne Soho 5H - - N.		11,493	3	2	1	1	-	-	-	-	-	-	-	1	-	-	1	-		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.		35,391	12	7	3	1	-	-	-	-	-	-	-	1	-	-	1	-		
Rectory Marylebone W G. & W.		19,849	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone 4H G. & W.		18,099	33	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Christchurch Marylebone H- W.		39,536	19	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
St. John Marylebone 3H - W.		20,426	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 6H - N. & W.		81,942	22	20	5	4	-	-	1	-	-	-	-	1	1	1	11	-		
West St. Pancras 2H - - W.		60,562	36	17	6	2	-	-	-	-	-	-	-	2	1	4	3	-		
Tottenham-court w2H N. & W.		21,258	7	9	1	3	-	-	-	-	-	-	-	-	1	1	9	-		
Gray's Inn Lane 4H - - N.		24,449	12	3	1	2	-	-	-	-	-	-	-	1	-	-	1	-		
East St. Pancras W2H - - N.		60,320	40	12	5	2	-	-	-	-	-	-	-	2	1	1	2	-		
North St. Pancras 2W - - N.		58,728	27	18	4	7	-	-	-	-	-	-	-	3	-	1	8	-		
Tufnell W - - N.		31,995	17	25	3	7	-	1	-	-	-	-	-	6	-	1	18	-		
Upper Holloway 2W, w, H - N.		33,978	13	20	6	8	-	-	-	-	-	-	-	-	-	1	13	-		
Tollington WH - - N.		33,922	19	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-		
Lower Holloway - - N.		41,424	17	16	8	5	-	-	-	-	-	-	-	6	-	5	-	-		
Barnsbury - - N.		54,478	34	6	2	-	-	-	-	-	-	-	-	3	-	-	-	-		
Islington South-east F - - N.		75,397	36	15	4	2	-	-	-	-	-	-	-	1	-	1	-	-		
Highbury 2H - - N.		63,797	24	17	9	2	-	1	-	1	-	-	-	2	1	1	-	-		
Stoke Newington H - - N.		51,247	22	3	1	2	-	-	-	-	-	-	-	1	-	-	-	-		
North Hackney - - E. & N.		50,560	21	11	3	2	-	-	-	-	-	-	-	1	-	-	-	-		
Central Hackney 2w, F - E. & N.		50,536	23	16	7	2	-	-	-	-	-	1	-	1	-	-	1	-		
South-west Hackney 3H E. & N.		59,921	17	14	3	5	-	-	-	-	-	-	-	2	1	2	2	-		
South-east Hackney 2W, w, H E. & N.		58,255	44	26	8	8	-	-	-	1	-	1	-	3	4	4	17	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; F, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th September, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total Deaths.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Un- certified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury W,2H N.	31,436	26	8	2	1	-	-	-	-	-	1	-	-	-	-	1	1	-
Strand W,4H - - - N. & C.	21,674	-	16	2	4	-	-	-	-	-	-	-	-	1	-	1	12	-
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn W,6H - - - N.	29,612	15	17	7	2	-	-	-	-	1	-	-	-	3	1	2	12	-
South Clerkenwell - - - N.	28,676	13	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
North Clerkenwell H - - - N.	35,028	13	7	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Finsbury 3H,L - - - N.	36,116	25	8	2	1	-	-	-	-	-	-	-	-	2	1	1	1	-
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph H - - - N. & E.	10,299	3	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows } W,2H - - - - - }	16,624	3	24	4	3	-	-	-	-	-	-	-	-	1	4	6	19	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South H - - E. & N.	46,362	29	8	3	2	-	-	-	-	1	-	-	-	1	1	2	-	-
Shoreditch North-West W,v,H N.	36,127	20	28	6	7	-	-	-	-	-	-	-	-	1	1	5	18	-
Shoreditch North-East - N. & E.	36,148	22	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - - E.	51,514	41	17	11	2	-	-	-	-	-	-	-	-	5	-	1	10	-
Bethnal Green South - - - E.	33,472	21	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Bethnal Green East 2W,H,L - E.	44,694	26	29	2	5	-	-	-	-	-	1	-	-	2	1	4	20	-
Spitalfields - - - E. & N.	27,969	11	5	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-
Mile End New Town W,H - E.	28,718	25	40	14	6	-	-	-	-	-	1	-	-	3	4	7	39	-
Goodman's Fields - - - E.	22,081	14	6	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
St. George and St. John 2W E.	49,068	41	11	3	2	-	1	-	-	-	-	-	-	3	-	-	5	-
Madwell and Ratcliff W,H E. & N.	25,568	13	20	13	1	-	1	-	1	-	-	-	-	9	1	1	13	-
Limhouse W - - - E.	32,369	20	10	5	1	-	-	-	-	2	-	-	-	4	-	-	-	-
Mile End Old Town South- } Western H - - - }	63,698	46	6	5	-	-	-	-	-	-	-	-	-	2	-	-	1	-
Mile End Old Town North- } Eastern W,v - - - }	49,129	22	9	3	2	-	-	-	-	-	-	-	-	1	-	-	4	-
Low La - - - - - E.	41,989	14	7	6	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Ironley 3w,H - - - E.	68,319	51	32	7	6	-	-	-	-	-	-	-	-	5	1	4	15	-
Poplar W,v - - - E.	68,514	29	24	8	4	-	2	-	-	-	-	-	-	8	1	4	1	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th September, 1905—continued.

[illegible]

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th September, 1905.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
LONDON—OUTER RING	368,602	2,044,973	1164	556	214	146	-	2	5	9	11	3	112	20	23	85	3			
0:1 Carshalton 2F,2H	12,228	32,997	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
2 Epsom, part of* W,w,2F,H	10,423	15,548	5	9	3	5	-	-	-	-	2	-	-	-	-	4	-			
7:1 Godstone, part of* W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3:1 Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 South Croydon w	4,200	49,309	23	7	3	3	-	-	-	-	-	-	-	-	-	-	-			
3 West Croydon 3W,F,H	2,168	42,888	21	16	7	5	-	-	-	1	-	-	-	2	3	7	-			
4 North Croydon H	2,644	41,698	11	9	2	2	-	-	1	-	-	-	-	-	1	1	-			
5 Penge w,H	770	22,465	11	7	2	5	-	-	-	-	-	-	-	-	-	-	-			
6 Mitcham w	11,711	30,015	17	10	3	4	-	-	-	-	-	-	-	-	1	-	-			
9:1 Wimbledon F,3H	3,221	41,652	18	14	1	5	-	-	-	1	1	-	-	1	1	1	-			
2 Kingston 2W,H	6,224	42,068	15	10	1	6	-	-	-	-	-	-	-	-	-	-	-			
3 Surbiton F,H	3,046	15,017	7	2	1	1	-	-	-	-	-	-	-	-	-	5	-			
4 Esher, part of* H	5,402	13,100	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
5 Hampton H,F,L	4,564	23,456	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
1:1 Richmond W,H	2,102	28,865	17	9	2	3	-	-	-	-	-	-	-	-	-	-	-			
2 Mortlake F	2,847	20,628	15	5	1	3	-	-	-	-	-	-	-	1	-	-	3			
1:1 Bromley F,2H	4,703	27,354	15	7	1	5	-	-	-	1	-	-	-	-	1	-	-			
2 Beckenham H	7,825	28,497	14	7	4	1	-	-	-	-	-	-	-	-	-	-	-			
3 Orpington part of* W	10,113	9,857	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
4 Chislehurst 2H	7,393	16,446	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
1:1 Bexley w,F,H	8,678	21,151	10	3	2	1	-	-	-	-	-	-	-	-	-	-	1			
2 Erith F,H	3,854	25,296	14	6	3	2	-	-	-	-	-	-	-	-	-	-	-			
3 Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1:1 Sunbury w	11,054	18,683	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-			
2 Staines W,H	13,277	15,178	9	5	3	1	-	-	-	-	-	-	-	2	-	-	2			
1:1 Hillingdon W,F,H	6,035	13,661	9	5	-	4	-	-	-	-	-	-	-	-	-	-	-			
2 Uxbridge H	12,757	8,984	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Hayes w,F,H	8,066	16,358	11	5	3	-	-	-	-	-	-	-	-	1	-	-	-			
1:2 Isleworth 3W,2F,H	6,859	30,883	10	15	3	6	-	-	-	1	-	-	-	2	1	1	5			
2 Twickenham F,H	2,421	20,991	8	6	1	4	-	-	-	-	-	-	-	-	-	-	-			
3 Brentford 3F,2H,L	4,319	48,289	28	11	6	1	-	-	-	2	-	-	-	3	-	3	-			
4 Chiswick H	1,249	29,809	14	6	3	3	-	-	-	-	-	-	-	3	-	-	-			
5 Acton w,3H	6,132	48,914	34	15	8	5	-	-	-	-	-	-	-	8	-	-	-			
1:2 Harrow F,H	13,809	25,523	17	3	1	-	-	-	-	-	1	-	-	-	-	-	-			
2 Edgware F,2H	6,994	4,521	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-			
3 Willesden W,2F,2H	4,384	114,811	67	39	18	9	-	-	1	-	-	-	-	9	3	3	8			
4 Hendon W,F	8,382	22,450	12	9	4	1	-	-	-	-	-	-	-	5	-	-	1			
1:2 South Mimms 2F,H	17,755	7,308	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Barnet W,2H	3,324	17,970	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-			
3 Finchley F,2H	4,688	33,692	21	4	2	1	-	-	-	-	1	-	-	-	-	-	-			
1:1 Hornsey F,H	2,875	72,066	37	14	5	4	-	-	-	-	-	-	-	1	1	1	-			
2 Wood Green H	1,625	34,233	17	9	2	2	-	-	-	-	-	-	-	4	1	-	-			
3 West Tottenham F	996	48,853	29	5	3	1	-	-	-	-	-	-	-	1	-	-	-			
4 East Tottenham 2H	2,017	53,888	27	17	6	1	-	-	-	-	-	-	-	3	1	1	3			
5 Edmonton W,w,2F	7,491	61,892	42	25	13	3	-	-	-	-	-	-	-	7	1	2	3			
6 Enfield 2W,F,H	12,601	42,738	29	11	8	2	-	-	-	-	-	-	-	6	-	-	-			
7 Waltham Abbey F	11,017	6,549	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-			
8 Cheshunt F,H	8,479	12,292	7	4	2	1	-	-	-	-	-	-	-	1	-	-	-			
1:1 Hatfield, part of* W	3,305	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Bushey H	9,173	9,173	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1:2 Stratford H	1,072	44,827	31	13	7	1	-	-	-	1	-	-	3	1	1	1	1			
2 Plaistow F,2H	1,249	90,921	58	32	14	1	-	-	1	2	-	-	9	2	2	-	-			
3 Canning Town H	1,556	70,718	45	21	15	1	-	-	-	-	1	2	10	-	-	-	-			
4 Forest Gate w	806	80,892	31	12	2	4	-	-	1	-	-	-	-	1	1	-	-			
5 North East Ham w,H	1,333	58,676	29	13	7	3	-	-	-	-	-	-	-	1	1	1	-			
6 South East Ham 2F	1,993	37,342	43	12	6	1	-	-	-	-	1	-	-	4	-	-	-			
7 Wanstead F	1,679	9,179	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
8 South Leyton 2W	631	50,467	32	15	5	5	-	-	-	-	-	-	-	-	-	2	-			
9 North Leyton 2W,w,F	1,963	48,445	27	25	6	7	-	-	-	-	3	-	-	2	1	1	16			
10 Walthamstow 3H,L	6,504	108,929	85	19	9	3	-	-	-	-	1	-	-	6	1	1	-			
1:1 Chigwell, part of* 2F,3H	11,778	16,397	12	6	-	5	-	-	-	1	-	-	-	-	-	1	-			
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1:1 Romford, part of* W,2F	6,556	6,091	4	3	1	-	-	-	-	-	-	-	3	-	-	1	-			
2 Ilford F,L	8,496	41,234	27	14	4	5	-	-	-	-	-	-	4	-	1	4	-			
3 Barking Town F	3,803	21,547	10	12	5	-	-	-	-	-	-	-	-	-	-	-	-			
North-Eastern Hosp., Tot-ten-ham.	-	-	-	2	1	-	-	-	2	-	-	-	-	-	-	2	-			
Middlesex County Asylum, Wandsworth.	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	5	-			

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 136: 1, Northaw parish; 187: 1, excepting Epsom Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 13: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoea Dysentery.
LONDON - -	4,684,794	September 9	2328	1432	15·9	-	20	7	5	16	10	28
CALCUTTA -	847,798	July 29	-	396	24·2	3	1	-	2	-	112†	6
BOMBAY - -	778,006	August 22	383	530	35·5	-	3	-	-	-	89†	5
MADRAS - -	509,346	" 11	488	1229	125·4	10	10	-	-	-	152	64
PARIS - - -	2,660,559	September 2	854	774	15·1	5	8	-	3	7	8	8
BRUSSELS - -	586,936	" 2	212	159	13·8	-	1	1	1	-	-	2
ANTWERP - -	286,895	" 2	128	78	13·9	-	-	-	1	-	1	3
AMSTERDAM -	551,415	August 26	279	115	10·8	-	1	-	-	1	1	1
COPENHAGEN -	426,000	September 2	211	139	16·9	-	-	2	-	1	-	3
STOCKHOLM -	309,496	August 26	144	80	13·1	-	-	-	1	2	2	1
CHRISTIANIA -	223,649	September 2	103	52	12·2	-	-	-	1	2	-	1
ST. PETERSBURG	1,248,122	August 26	356	528	19·7	1	6	7	10	7	17	12†
MOSCOW - -	1,092,360	" 26	-	585	27·9	2	2	8	4	10	6	20
WARSAW - - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,019,992	August 19	848	962	24·8	-	5	6	3	14	8	42
HAMBURG - -	772,852	September 2	-	294	19·8	-	-	2	2	8	1	9
BRESLAU - - -	462,147	" 2	-	251	28·3	-	-	-	-	9	-	8
MUNICH - - -	528,000	" 2	-	213	21·0	-	2	-	-	2	1	4
VIENNA - - -	1,877,839	" 2	886	623	17·1	-	-	-	5	7	3	15
PRAGUE - - -	430,569	August 26	173	158	18·3	-	-	2	-	1	1	1
		September 2	184	164	19·0	-	-	-	-	1	1	1
BUDA-PESTH -	836,267	" 2	-	-	-	-	-	-	-	-	-	-
TRIESTE - - -	191,403	" 2	109	105	28·2	-	6	-	-	-	1	4
ROME - - -	503,857	June 17	195	187	18·9	-	2	-	-	-	2	2
VENICE - - -	169,417	August 26	73	97	29·9	-	1	-	-	1	3	2†
BUCHAREST -	282,071	" 26	182	111	20·5	-	-	-	-	-	1	2†
NEW YORK - -	3,948,191	" 26	1983	1395	18·4	-	6	2	15	15	20	308
CHICAGO - - -	1,932,315	" 19	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	" 19	-	438	15·8	-	-	-	4	4	11	8
BOSTON - - -	617,950	" 12	-	236	19·9	-	-	-	1	2	1	6†
RIO DE JANEIRO	850,000	July 30	-	286	16·5	2	2	-	1	-	-	1

* Excluding deaths from croup in the Indian Cities.

† Including 8 deaths from plague in Calcutta, and 48 in Bombay.

‡ Including 26 deaths from cholera in Calcutta, 433 in Madras, and 1 in Hamburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th September, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	75·1	52·3	62·9	0·68	BRADFORD - -	68·0	49·0	58·2	0·88
BRIGHTON - -	68·0	57·0	62·1	1·54	LEEDS - - -	66·0	51·0	59·5	0·36
PORTSMOUTH -	72·0	55·0	63·0	1·17	HULL - - -	68·0	50·0	58·8	0·89
NORWICH - - -	?	?	?	?	TYNEMOUTH -	68·0	48·0	53·5	0·63
PLYMOUTH - -	68·3	52·7	60·1	1·26					
BRISTOL - - -	69·4	51·0	60·1	0·75	EDINBURGH - -	61·7	43·1	55·8	0·32
BIRMINGHAM -	72·5	48·4	58·8	0·61	GLASGOW - - -	66·2	47·0	57·0	1·06
NOTTINGHAM -	71·3	49·6	59·4	0·77					
LIVERPOOL - -	67·0	51·0	58·0	0·93	DUBLIN } Phoenix Park.	67·1	47·1	53·3	0·52
MANCHESTER -	64·2	48·7	57·1	1·65					
PRESTON - - -	64·0	50·2	57·9	1·97	DUBLIN } Fitz- william Square.†	68·1	49·2	59·6	0·46
HUDDERSFIELD -	66·8	48·0	57·7	0·92	BELFAST - - -	66·0	49·5	57·6	0·91

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1905.		FAO-METEOR.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		Wind as deduced from Anemometers.		Rain observed in Gauge whose mouth was 5 inches above the ground.	
MONTH AND DAY	Phases of the Moon.	Of the Air.		Difference between the Air and Dew Point Temperature.		Of Radiation.		General Direction.		Oster's.		Robinson's.	
		High-est.	Low-est.	Mean daily value.	Mean daily value.	High-est in Sun's Rays.	Low-est on the Grass.	A.M.	P.M.	Great-est.	Least-est.	Mean hourly obs.	Horizontal Movement of the Air on each day.
SEPTEMBER.		in.	°	°	°	°	°	°	°	lbs.	lbs.	lbs.	Miles.
SUNDAY - 3	..	29.689	751	57.2	17.9	638	4.2	587	51	167	1.9	83	121.1
MONDAY - 4	..	29.930	732	57.4	15.8	632	3.8	580	52	145	1.0	83	121.2
TUESDAY - 5	..	29.769	717	56.0	15.7	625	3.2	578	47	123	0.8	85	114.6
WEDNESDAY - 6	First Quarter.	29.512	731	57.3	15.8	631	4.0	598	33	10.9	0.6	89	111.0
THURSDAY - 7	Greatest Dec. S.	29.494	680	53.8	12.2	583	0.6	532	51	10.3	3.6	83	102.3
FRIDAY - 8	..	29.681	671	52.3	14.8	589	0.2	481	10.8	16.2	3.4	67	121.0
SATURDAY - 9	..	29.615	650	55.1	9.9	574	1.1	561	1.3	10.3	0.0	96	98.2
MEANS -		29.570	70.2	55.6	14.6	61.0	1.6	58.0	51	13.0	1.6	84	112.9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15

DATE.		ELECTRICITY.		Registered Sun above horizon, in hours.		GENERAL REMARKS.	
SEPTEMBER.		°	°	in hours.	in hours.		
SUNDAY - 3	W. P. throughout.	61	134	13.4	13.4	Generally overcast till 11h. A.M.; very fine generally afterwards; gusty wind prevalent in afternoon and evening.	
MONDAY - 4	W. P. throughout.	30	134	13.4	13.4	Generally cloudy; occasional fine intervals.	
TUESDAY - 5	W. P. throughout.	46	133	13.3	13.3	Generally cloudy; fine in afternoon.	
WEDNESDAY - 6	W. P. generally.	21	132	13.2	13.2	Generally overcast till afternoon, with rain between 4h. and 7h. 30m. A.M.; fine and partially cloudy after 3h. P.M. Solar halo observed at 8h. P.M.	
THURSDAY - 7	W. P. generally; s. N. between noon and 2h. P.M.	25	132	13.2	13.2	Generally cloudy with occasional rain till afternoon; very fine afterwards and cloudy at night; slight thunderstorm with heavy rain at 6h. 30m. P.M.	
FRIDAY - 8	W. P. throughout.	10.9	131	13.1	13.1	Cloudiness in morning; very fine with variable amounts of cloud afterwards; gusty wind prevalent after 8h. A.M. Lunar halo observed in evening.	
SATURDAY - 9	W. P. generally; occasional v. N.	0.3	130	13.0	13.0	Generally overcast; frequent rain after 7h. 30m. A.M.	
No. of Col. -		28	29	29	29		

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 153 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 8h. A.M.; noon; 3h. P.M. and 8h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is 57.0 on a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometer records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.74 in. at the beginning of the week to 29.65 in. by 6h. P.M. on the 3rd; increased to 29.94 in. by 9h. A.M. on the 4th; decreased to 29.40 in. by 4h. P.M. on the 7th; increased to 29.74 in. by midnight on the 8th; decreased to 29.41 in. by 8h. P.M. on the 9th, and increased to 29.51 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 2nd September, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	4	3	-	-	-	-	1	-
Kensington - - - -	150,083	-	5	1	-	1	-	-	1	-
Hammersmith - - - -	119,037	-	11	3	-	-	-	-	5	-
Fulham - - - -	157,210	-	23	5	-	-	-	-	1	-
Onelsea - - - -	74,496	-	4	1	-	-	-	-	3	2
City of Westminster - - - -	175,606	-	3	6	-	-	-	-	3	-
NORTH.										
St. Marylebone - - - -	129,453	-	2	5	-	1	-	-	2	-
Hampstead - - - -	88,142	-	2	1	-	1	-	-	1	-
St. Pancras - - - -	236,183	-	49	12	-	3	-	-	7	1
Islington - - - -	342,994	-	21	5	-	5	-	-	8	2
Stoke Newington - - - -	52,828	-	2	-	-	1	-	-	-	-
Hackney - - - -	238,479	-	21	5	-	3	-	-	12	-
CENTRAL.										
Holborn - - - -	56,481	-	1	-	-	1	-	-	1	-
Finsbury - - - -	98,207	-	11	2	-	-	-	-	-	-
City of London - - - -	22,425	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	14	-	-	2	-	-	1	-
Bethnal Green - - - -	130,401	-	22	6	-	2	-	-	8	-
Stepney - - - -	305,466	-	48	18	-	2	-	-	13	1
Poplar - - - -	170,280	-	17	11	-	4	-	-	5	-
SOUTH.										
Southwark - - - -	208,528	-	35	6	-	1	-	-	8	-
Bermondsey - - - -	129,006	-	13	5	-	2	-	-	4	-
Lambeth - - - -	313,045	-	11	5	-	2	-	-	6	1
Battersea - - - -	177,532	-	12	4	-	-	-	-	2	-
Wandsworth - - - -	265,392	-	29	4	-	3	-	-	12	-
Camberwell - - - -	271,240	-	13	1	-	4	-	-	6	-
Deptford - - - -	114,495	-	7	2	-	1	-	-	1	-
Greenwich - - - -	103,493	-	6	1	-	-	-	-	1	-
Lewisham - - - -	144,420	-	5	2	-	-	-	-	-	-
Woolwich - - - -	125,372	-	5	1	-	1	-	-	2	1
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		-	401	115	-	38	-	-	114	8
Age										
0-1 - - - -	-	-	3	5	-	-	-	-	7	-
" 1-5 - - - -	-	-	118	51	-	-	-	-	6	-
" 5- - - - -	-	-	187	30	-	1	-	-	3	-
" 10- - - - -	-	-	57	12	-	8	-	-	4	-
" 15- - - - -	-	-	13	5	-	4	-	-	6	-
" 20- - - - -	-	-	12	3	-	10	-	-	6	2
" 25- - - - -	-	-	9	5	-	8	-	-	9	5
" 35- - - - -	-	-	2	1	-	5	-	-	22	1
" 45- - - - -	-	-	-	2	-	2	-	-	24	-
" 55- - - - -	-	-	-	-	-	-	-	-	16	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	11	-
Age not stated - - - -	-	-	-	1	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING AUGUST, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th September, 1905.*

SIR, I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of August.

Twelve samples were taken in each of the districts, except the New River, in which fifteen were collected, making a total of 99 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ August 9th, Cab Rank, Victoria St., near Christ Church. }	19.5	26.02	.156	.015	0	.124	.139	1.8	18.4
West Middlesex - -	{ August 9th, Cab Rank, Riding House Street. }	18.0	21.54	.150	.016	0	.061	.077	1.8	15.0
Southwark - - - -	{ August 9th, Cab Rank, High Street, Peckham. }	19.8	26.02	.147	.013	0	.144	.157	1.85	18.3
Grand Junction - -	{ August 9th, Cab Rank, Haymarket, near Charles Street. }	19.1	24.70	.133	.016	0	.123	.139	1.85	17.1
Lambeth - - - -	{ August 9th, Cab Rank, Station Road, Brixton. }	19.6	26.34	.155	.016	0	.147	.163	1.85	18.4
LEA, WELLS, ETC.										
New River - - - -	{ August 9th, Cab Rank, Canonbury Station. }	18.0	30.30	.056	.007	0	.178	.185	1.9	20.1
East London - - - -	{ August 9th, Tap on main at Lea Bridge Works. }	18.0	31.50	.154	.014	0	.063	.077	2.25	19.3
DEEP WELLS.										
Kent- - - - -	{ August 9th, Cab Rank, New Cross Station, opposite Jerningham Road. }	13.0	37.14	.038	.005	0	.496	.501	2.2	26.9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 9th August at the Cab Rank in Victoria Street, had a temperature of 19.5° C.; 100,000 lbs. of it contained 26.02 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .156 lb. of carbon and .015 lb. of nitrogen. The above quantity of water also contained .124 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .139 lb. The above weight of water also contained 1.8 lb. of chlorine and 18.4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 9th August were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was:—Kent 0·7, New River 1·1, Grand Junction 2·5, Southwark 2·7, West Middlesex and East London 2·8, and Chelsea and Lambeth 2·9.

The supplies sent out by the five district works which deal with Thames water contained, in all cases, less organic impurity than in July and all were clear and of good quality. The hardness in the West Middlesex and Grand Junction supplies was again a little lower than usual owing to the continued utilization of a considerable amount of water from the Staines reservoirs.

The New River district water, chiefly obtained from the Lea and wells, was clear and of very good quality. The East London supply was clear and of good quality and the proportion of organic matter in it was practically the same as that observed in the filtered Thames supplies on the same date.

The Kent district deep-well water was of its usual high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and that from the New River district nearly colourless; the samples drawn in the six remaining districts had a very pale yellow colour.

In addition to the above analytical examination, the 99 samples of water, collected during August at various places in the districts supplied by the Water Board, have been examined and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·078	·058	·066	·083	·065	·073	·008	·006	·007
West Middlesex	·076	·063	·071	·084	·068	·076	·009	·0075	·008
Southwark	·083	·065	·072	·087	·069	·077	·0085	·0065	·0075
Grand Junction	·071	·059	·064	·080	·064	·071	·0085	·007	·0075
Lambeth	·080	·072	·074	·088	·074	·081	·008	·007	·0075
LEA, WELLS, THAMES, ETC.									
New River	·054	·023	·035	·056	·024	·037	·0045	·003	·0035
East London	·063	·049	·057	·074	·053	·063	·007	·006	·0065
DEEP WELLS.									
Kent	·011	·006	·008	·014	·007	·010	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results the higher readings being obtained at the higher temperature.

The filtered supplies distributed from the five district works which draw their water from the Thames contained, on the average, smaller proportions of organic impurity than in the previous month, and the maximum amounts of organic matter were also lower. All the samples of filtered Thames water were of good quality.

The New River water was of good quality throughout the month, but the mean amount of organic matter was a little higher than it would have been at this time of year owing to the fact that in parts of the New River district the ordinary supply has received some addition of filtered Thames water.

The twelve samples of the East London district water contained, on the average, slightly less organic impurity than the best of the Thames-derived supplies, and all were of good quality.

All the samples of the Kent district deep-well supply examined during the month were of high organic purity and excellent quality.

All the samples drawn in the Chelsea, Grand Junction, New River, and Kent districts were clear, but on some occasions those taken in the remaining districts contained minute amounts of rust-stained suspended matter.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of August, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 226 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	AUGUST, 1904.	AUGUST, 1905.	AUGUST, 1904.	AUGUST, 1905.
TOTAL SUPPLY - - -	992,215	1,033,732	237,999,015	233,468,750
From Thames - - - - -	471,254	481,293	126,062,965	122,193,571
From Lea and from other Sources -	520,961	552,439	111,936,050	111,275,179
THAMES.				
Chelsea - - - - -	39,866	40,030	12,787,419	12,360,000
West Middlesex - - - - -	91,087	92,191	25,399,597	24,846,097
Southwark and Vauxhall - - -	129,706	131,185	35,059,938	32,788,000
Grand Junction - - - - -	77,110	80,046	18,149,492	17,699,648
Lambeth - - - - -	133,485	137,841	34,663,519	34,499,826
LEA AND OTHER SOURCES.				
New River - - - - -	180,912	206,004	45,615,467	43,982,900
East London - - - - -	229,730	233,673	45,409,000	47,276,200
Kent - - - - -	110,319	112,762	20,911,583	20,016,079

Note.—The Return for August, 1905, as compared with that for the corresponding month of 1904, shows an increase of 41,517 services, and a decrease of 4,530,265 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 37. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, SEPT. 16. [Price 1½d.

General Register Office, Somerset House,

September 18th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·3 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 17·3, and 16·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·8 in Sunderland, 21·2 in Stockport and in Oldham, 21·7 in Middlesbrough, 22·9 in Stockton on Tees and in Gateshead, and 24·9 in Great Yarmouth; from *scarlet fever*, 1·3 in Birkenhead and 1·7 in Bootle; from *diphtheria*, 1·3 in Gateshead; from "*fever*," 2·4 in Wigan; and from *diarrhoea*, 4·2 in Wolverhampton, in Smethwick, and in Stockport, 4·6 in Warrington, 4·8 in Sunderland, 5·6 in Burnley, and 6·5 in Gateshead. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2374 BIRTHS and 1187 DEATHS were registered. Allowing for increase of population, the births were 246 and the deaths 319 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 16·7, 17·2, and 15·9 in the preceding three weeks, further fell last week to 13·2. During the four weeks ended on Saturday last the death-rate averaged 15·8 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1187 deaths included 7 from measles, 8 from scarlet fever, 9 from diphtheria, 14 from whooping-cough, 9 from enteric fever, and 132 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 179 deaths were referred to these diseases in the aggregate, being 117 below the corrected average weekly number.

The deaths from *measles*, which had been 19, 27, and 20 in the preceding three weeks, fell last week to 7, and were 8 below the corrected average. The deaths from *scarlet fever*, which had been 10, 11, and 7 in the preceding three weeks, were 8 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 8, 12, and 5 in the preceding three weeks, rose to 9 last week, but were 20 below the corrected average. The deaths from *whooping-cough*, which had been 17, 28, and 16 in the preceding three weeks, were 14 last week, and were 12 below the corrected average; 5 deaths belonged to the Borough of Stepney. The fatal cases of *enteric fever*, which had been 5, 5, and 10 in the preceding three weeks, were 9 last week, and were 6 below the corrected average. The deaths from *diarrhoea*, which had been 390, 313, and 222 in the preceding three weeks, further fell last week to 132, and were 66 below the corrected average; 16 deaths belonged to Stepney, 14 to Lambeth, 11 to Bethnal Green, 9 to Islington, and 8 each to Fulham, Hackney, and Camberwell. Of the 132 deaths from diarrhoea, 123 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 20 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 3, 2, and 2 in the preceding three weeks. The death of a male, aged 37 years, was certified after inquest as due to *ptomaine poisoning*.

Different forms of *violence* caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 15 were cases of suicide, and 3 of homicide, while the remaining 34 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 3 to burns or scalds, 2 to poisoning by coal gas, 1 to the effects of an anæsthetic administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3150 cases of scarlet fever, 684 of diphtheria, and 122 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 469 cases, against 343, 427, and 443; of diphtheria, 86 cases, against 71, 94, and 107; and of enteric fever, 24 cases, against 24, 23, and 15. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended September 9th.

GREATER LONDON.

In Greater London 3624 births and 1650 deaths were registered. Allowing for increase of population these numbers are 284 and 482 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 3 from diphtheria, 6 from whooping-cough, 4 from "fever," and 39 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·97 inches, and that of the Thermometer 54°·2, the latter being 3°·7 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 25 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 37·8 hours; the measured rainfall amounted to 0·32 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 16th September, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the end of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Births in Cols.		The DEATHS registered in the Week include											TOWNS.	
			Week ended					11-17.	Registered during the Week ended 16th Sept., 1905.	Deaths from						Deaths in Public Institutions.	Uncertified Causes of Death.					
			Week ended							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.			Violence.				
			20th Aug., 1905.	2nd Sept., 1905.	9th Sept., 1905.	16th Sept., 1905.	Week ended Sept., 1905.												Infants under 1 Year of Age.	Persons aged 60 Years and upwards.		Small-pox.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	15,609,377	17.3	17.3	16.1	14.3	2.7	8366	4270	1376	996	-	27	39	46	63	34	612	145	282	979	48	76 TOWNS.
LONDON -	4,684,794	16.7	17.2	15.9	13.2	2.0	2374	1187	349	300	-	7	8	9	14	9	132	52	113	462	3	LONDON.
CROYDON -	147,704	12.0	13.8	9.5	12.7	2.5	70	36	8	15	-	-	-	-	2	-	5	1	3	9	-	CROYDON.
WILLESDEN -	138,080	11.3	11.7	14.7	9.4	2.6	92	25	10	9	-	1	-	-	-	-	-	1	1	5	-	WILLESDEN.
HORNSEY -	84,070	6.8	4.3	9.3	5.6	0.6	24	9	2	3	-	-	-	-	-	-	-	-	1	-	-	HORNSEY.
TOTTENHAM -	116,232	13.0	17.9	10.8	11.7	0.4	72	26	11	7	-	-	-	-	-	1	-	1	2	2	-	TOTTENHAM.
WEST HAM -	294,997	18.0	17.0	16.4	11.8	3.7	169	67	31	9	-	-	-	4	2	-	15	1	3	10	-	WEST HAM.
EAST HAM -	123,381	13.9	12.3	11.4	8.9	2.5	55	21	9	5	-	-	-	1	-	1	4	-	1	3	-	EAST HAM.
LEYTON -	114,555	10.5	15.5	10.9	10.0	1.8	70	22	4	7	-	-	-	-	1	-	3	2	3	3	-	LEYTON.
WALTHAMSTOW -	116,297	18.4	11.7	9.9	13.0	2.7	60	29	8	6	-	-	-	1	1	-	4	1	1	5	-	WALTHAMSTOW.
HASTINGS -	66,820	5.5	17.2	13.3	9.4	0.8	19	12	3	5	-	-	-	-	-	-	1	1	1	1	-	HASTINGS.
BRIGHTON -	127,183	18.4	14.8	17.2	13.9	2.0	46	34	9	15	-	-	-	-	-	-	5	1	1	11	-	BRIGHTON.
PORTSMOUTH -	201,975	21.2	19.1	19.6	17.0	2.6	113	66	20	18	-	-	-	-	-	1	9	2	3	11	1	PORTSMOUTH.
BOURNEMOUTH -	66,168	11.8	11.0	12.6	10.2	0.8	22	13	2	1	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	14.1	18.2	15.9	11.8	2.3	51	26	9	7	-	-	-	-	1	1	3	-	3	5	-	SOUTHAMPTON.
READING -	77,674	12.8	10.1	12.1	8.1	0.7	38	12	2	3	-	-	-	-	-	-	1	-	-	1	-	READING.
NORTHAMPTON -	82,441	6.8	11.3	15.2	14.1	2.3	34	25	9	7	-	-	-	1	1	-	2	1	1	4	-	NORTHAMPTON.
IPSWICH -	70,802	19.9	19.9	11.8	19.9	1.5	35	27	5	8	-	-	-	-	-	1	1	1	2	5	-	IPSWICH.
GREAT YARMOUTH -	52,353	23.9	18.9	14.9	24.9	5.0	39	25	9	8	-	-	-	-	-	1	4	1	1	3	-	GREAT YARMOUTH.
NORWICH -	116,741	21.4	17.4	21.9	10.3	1.3	59	23	9	6	-	-	-	-	-	-	3	-	2	5	-	NORWICH.
PLYMOUTH -	116,000	16.2	19.3	16.2	14.8	2.2	71	33	8	12	-	-	-	-	-	1	4	1	2	1	-	PLYMOUTH.
DEVONPORT -	76,884	12.9	17.0	10.9	14.2	0.7	37	21	2	9	-	-	-	-	-	-	-	-	2	4	-	DEVONPORT.
BRISTOL -	358,515	14.0	12.5	12.1	11.2	1.6	165	77	28	21	-	-	-	1	-	-	10	2	5	21	-	BRISTOL.
HANLEY -	64,067	23.4	25.8	18.5	14.5	2.4	36	18	6	3	-	-	-	-	-	1	2	1	1	4	-	HANLEY.
BURTON-ON-TRENT -	52,424	9.0	8.0	14.9	10.9	1.0	32	11	3	3	-	-	-	-	-	-	1	1	1	1	1	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	17.3	14.7	19.4	13.6	5.8	66	26	8	5	-	-	-	-	-	-	8	-	1	3	1	WOLVERHAMPTON.
WALSALL -	82,998	16.8	21.3	11.2	9.5	1.1	48	17	4	6	-	-	1	1	-	-	1	1	1	1	-	WALSALL.
HANDSWORTH -	61,721	10.1	8.4	7.6	6.8	-	25	8	-	6	-	-	-	-	-	-	-	-	-	3	-	HANDSWORTH.
WEST BROMWICH -	67,823	17.7	9.2	20.8	14.6	3.1	45	19	10	-	-	-	1	-	1	-	2	-	-	3	1	WEST BROMWICH.

* See note † on first page of this return. † These towns are included within the area of Greater London.

TABLE 1 (cont.).—73 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 16th September, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 16th Sept., 1906.		The Deaths registered in the Week include											TOWNS,		
		Week ended				Rate from Diseases in Cols. 11-17.		Registered during the week ended 16th Sept., 1906.		Deaths from								Deaths of Persons aged 60 Years and upwards.				Unascertained Causes of Death.	
		26th Aug., 1906.	2nd Sept., 1906.	9th Sept., 1906.	16th Sept., 1906.	Week ended 16th Sept., 1906.		Registered during the week ended 16th Sept., 1906.		Deaths from								Deaths of Persons aged 60 Years and upwards.					
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.			20.
BIRMINGHAM -	542,959	21.7	17.3	15.8	15.6	2.9	272	162	63	35	-	3	2	2	2	3	-	20	1	6	41	4	BIRMINGHAM.
KINGS NORTON -	99,630	7.5	8.2	6.7	11.2	0.7	31	15	3	4	-	1	-	-	-	-	-	-	2	2	3	1	KINGS NORTON.
SMETHWICK -	92,805	11.7	10.0	10.8	16.7	5.0	44	20	7	5	-	-	1	-	-	-	5	2	2	-	-	-	SMETHWICK.
ASTON MANOR -	81,320	17.3	16.0	12.2	7.7	1.9	39	12	4	1	-	-	-	-	-	1	1	1	-	-	1	1	ASTON MANOR.
COVENTRY -	75,134	16.0	18.7	19.4	6.2	0.7	45	9	2	3	-	-	-	-	-	-	1	-	-	-	-	1	COVENTRY.
LEICESTER -	228,132	12.8	17.1	16.7	13.7	4.1	114	60	26	10	-	-	1	-	3	-	14	1	3	4	-	-	LEICESTER.
GRIMSBY -	68,153	29.8	25.2	19.1	13.8	4.6	36	18	11	3	-	-	-	-	1	-	5	-	-	-	-	-	GRIMSBY.
NOTTINGHAM -	251,671	13.5	14.1	11.6	11.0	1.5	142	53	15	13	-	-	-	-	-	1	6	5	6	13	-	-	NOTTINGHAM.
DERBY -	122,207	15.4	14.5	16.6	11.1	0.4	67	26	6	9	-	-	-	-	-	-	1	-	1	5	-	-	DERBY.
STOCKPORT -	98,320	21.7	20.2	21.2	21.2	4.8	43	40	14	13	-	-	-	-	-	-	1	8	1	3	7	-	STOCKPORT.
BIRKENHEAD -	116,035	13.0	13.9	15.3	14.4	2.7	77	32	6	6	-	1	3	-	-	-	2	-	1	5	-	-	BIRKENHEAD.
WALLASEY -	62,460	12.5	17.5	10.9	7.5	0.8	33	9	3	2	-	-	-	1	-	-	-	-	-	1	-	-	WALLASEY.
LIVERPOOL -	730,143	20.1	22.4	18.7	18.6	4.3	465	260	77	54	-	1	8	7	5	-	39	11	14	75	13	-	LIVERPOOL.
BOOTLE -	62,758	16.6	17.4	19.9	13.3	5.0	41	16	7	1	-	-	2	-	1	-	3	-	-	4	-	-	BOOTLE.
ST. HELENS -	89,843	19.2	16.3	17.4	15.7	0.6	59	27	10	7	-	-	-	-	-	1	1	1	1	3	1	-	ST. HELENS.
WIGAN -	86,581	20.5	20.5	21.1	16.3	6.0	63	27	9	1	-	-	-	-	1	4	5	1	2	3	1	-	WIGAN.
WARRINGTON -	68,301	18.3	16.8	16.0	19.8	4.6	48	26	8	3	-	-	-	-	-	-	6	-	1	1	1	-	WARRINGTON.
BOLTON -	178,111	14.6	21.1	17.3	16.1	4.1	81	55	17	13	-	-	-	-	-	1	13	-	1	6	-	-	BOLTON.
BURY -	58,594	17.8	21.4	19.6	11.6	2.7	25	13	4	1	-	-	-	-	-	-	3	-	-	3	-	-	BURY.
MANCHESTER -	631,185	23.0	22.6	19.6	18.2	4.5	387	220	72	38	-	3	3	2	2	2	43	9	15	46	2	-	MANCHESTER.
SALFORD -	231,514	24.8	21.6	22.3	16.4	4.3	140	73	26	11	-	-	1	-	2	-	16	3	4	9	-	-	SALFORD.
OLDHAM -	140,225	20.1	17.1	19.7	21.2	4.1	79	57	16	15	-	-	1	-	-	-	10	2	3	9	-	-	OLDHAM.
ROCHDALE -	86,390	15.7	16.9	18.1	13.9	1.8	39	23	6	7	-	-	-	-	-	-	3	-	1	3	1	-	ROCHDALE.
BURNLEY -	101,682	26.2	20.5	24.6	13.8	5.6	60	27	10	6	-	-	-	-	-	-	11	2	2	2	2	-	BURNLEY.
BLACKBURN -	133,067	15.3	19.2	17.2	12.5	2.7	55	32	12	8	-	-	-	2	-	-	5	1	3	3	2	-	BLACKBURN.
PRESTON -	115,721	19.4	22.1	21.6	16.7	5.0	58	37	13	8	-	1	-	-	-	1	9	1	1	7	-	-	PRESTON.
BARROW-IN-FURNESS.	60,306	12.1	12.1	10.4	13.0	3.5	37	15	7	-	-	2	-	-	-	-	2	1	2	-	1	-	BARROW-IN-FURNESS.

TOWNS	POPULATION estimated middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Coln. 11-17.		Registered Deaths during the Week ended 16th Sept., 1905.		The DEATHS registered in the Week include												TOWNS,
		Week ended				Week ended 16th Sept., 1905.	Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from													
									Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		26th Aug., 1905.	2nd Sept., 1905.	9th Sept., 1905.	16th Sept., 1905.																	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Coln.	
HUDDESFIELD.	94,888	18'1	20'9	16'5	14'3	2'2	35	26	8	-	-	-	-	-	-	4	2	2	1	-	HUDDESFIELD.	
HALIFAX.	108,419	13'5	12'5	8'2	19'7	3'8	34	41	14	-	-	-	1	1	-	6	1	1	7	1	HALIFAX.	
BRADFORD.	286,799	14'9	12'5	16'0	14'0	2'2	118	77	20	-	-	3	3	-	-	6	3	5	13	1	BRADFORD.	
LEEDS.	456,787	17'1	14'6	15'3	14'0	2'4	222	123	42	-	1	-	-	4	1	15	4	9	13	-	LEEDS.	
SHEFFIELD.	440,414	19'5	19'9	14'4	14'3	3'8	248	121	37	-	-	1	-	3	-	28	3	3	24	-	SHEFFIELD.	
ROTHERHAM.	59,794	13'1	15'7	14'0	7'8	0'9	36	9	3	-	-	-	-	1	-	-	-	3	1	-	ROTHERHAM.	
YORK.	82,362	14'6	17'1	13'9	17'1	3'2	45	27	8	-	-	-	-	-	1	-	2	2	4	-	YORK.	
HULL.	258,127	22'8	19'4	15'0	15'6	3'2	139	77	34	-	-	-	-	1	-	15	-	3	10	1	HULL.	
MIDDLESBROUGH.	92,369	23'9	20'1	19'6	21'7	4'8	77	41	17	-	-	1	-	-	1	7	1	3	7	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	52,425	19'9	14'9	11'9	22'9	4'0	36	23	12	-	-	-	1	-	-	3	-	1	1	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	71,313	18'3	18'3	20'5	13'2	2'2	57	18	4	-	-	-	1	1	-	1	-	-	3	-	WEST HARTLEPOOL.	
SUNDERLAND.	152,761	20'8	26'6	19'8	20'8	6'1	108	61	17	-	1	-	-	1	2	14	1	4	6	4	SUNDERLAND.	
SOUTH SHIELDS.	109,360	11'4	14'3	16'7	17'2	2'4	58	36	11	-	-	-	-	2	-	3	1	2	3	1	SOUTH SHIELDS.	
GATESHEAD.	120,020	18'6	17'7	17'7	22'9	8'2	73	53	22	-	-	1	3	-	-	15	-	7	1	-	GATESHEAD.	
NEWCASTLE-ON-TYNE.	284,511	16'6	19'5	17'7	18'1	3'5	148	92	30	-	-	-	1	3	-	14	3	5	15	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH.	53,595	19'5	16'5	19'5	13'6	2'9	28	14	8	-	-	-	-	-	-	3	-	-	1	1	TYNEMOUTH.	
NEWPORT MON.)	72,880	17'9	13'6	20'0	10'7	1'4	39	15	4	-	-	-	-	-	1	1	-	-	1	-	NEWPORT MON.).	
CARDIFF.	180,054	14'5	14'2	11'0	13'0	1'2	126	45	18	-	-	-	-	1	-	3	1	4	6	-	CARDIFF.	
RHONDDA.	124,988	25'9	21'3	17'9	17'5	4'2	77	42	19	-	2	-	-	2	-	6	3	3	1	-	RHONDDA.	
MERTHYR TYDFIL.	73,848	23'3	18'4	24'0	16'9	2'1	50	24	10	-	-	1	-	-	-	2	3	3	3	-	MERTHYR TYDFIL.	
SWANSEA.	96,384	16'2	15'7	11'9	14'1	3'8	65	26	9	-	1	-	-	-	-	6	1	2	5	-	SWANSEA.	
GREATER LONDON.	7,010,172	15'7	15'9	14'8	12'3	2'2	3624	1650	498	-	15	8	19	26	14	208	63	146	534	5	GREATER LONDON.	
OUTER RING.	2,325,378	13'7	13'2	12'5	10'4	2'5	1250	463	149	-	8	-	10	12	5	76	11	33	72	2	OUTER RING.	
8 TOWNS IN OUTER RING.	1,135,316	13'9	13'9	12'4	10'8	2'4	612	235	61	-	2	-	7	6	1	37	5	14	37	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,190,062	13'5	12'5	12'5	10'0	2'5	638	228	66	-	6	-	3	6	4	39	6	19	35	2	REMAINDER OF OUTER RING.	
EDINBURGH.	336,577	13'5	14'9	13'5	13'9	1'5	132	90	16	-	-	-	2	2	2	4	3	?	29	4	EDINBURGH.	
GLASGOW.	809,986	14'4	15'7	14'2	16'6	2'4	454	258	56	-	2	2	7	4	4	19	11	?	65	8	GLASGOW.	
DUBLIN†.	378,984	19'8	22'0	18'4	16'2	1'7	202	118	33	-	-	1	-	-	1	10	4	5	36	8	DUBLIN†.	
BELFAST†.	368,680	19'8	15'3	15'8	16'6	2'5	209	114	25	-	-	1	-	-	5	11	1	8	20	?	BELFAST†.	

† See note on first page of this return.

† Excluding deaths of persons admitted into Dublin, &c.

* See note on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2557	2440	2633	2499	2675	2519	2442	2370	2584	2514	2620.0	2374
Males - - -	1239	1217	1353	1266	1382	1296	1237	1251	1319	1287	1338.1	1215
Females - - -	1268	1223	1280	1233	1293	1223	1215	1119	1265	1227	1281.9	1159
TOTAL Deaths -	1298	1251	1378	1832	1643	1470	1393	1471	1402	1360	1505.9	1187
Males - - -	659	683	740	972	883	789	758	786	736	703	800.5	633
Females - - -	639	568	638	860	760	681	640	685	666	657	705.4	554

* The numbers in this column are the average weekly numbers in the thirty-seventh week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	13 Weeks.
TOTAL Births -	2527	2490	2509	2363	2466	2480	2522	2215	2549	2530	2372	2328	2374	31725
TOTAL Deaths -	1047	1030	1006	1047	1137	1285	1404	1555	1523	1497	1548	1432	1187	16748
Ages at Death {														
Under 1 year -	198	223	203	222	271	431	515	638	616	584	577	441	349	5266
1–5 years -	126	137	100	115	124	129	161	181	173	174	156	150	98	1824
5–20 " -	54	63	74	65	76	63	71	59	71	51	62	63	59	836
20–40 " -	151	141	137	129	155	150	163	135	142	149	160	164	159	1935
40–60 " -	223	219	222	221	223	242	243	240	252	213	263	281	222	3064
60 yrs. & upwds.	297	292	270	295	238	270	251	302	269	326	330	333	300	3823
Deaths from—														
Small-pox† - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Measles - - -	38	31	24	27	17	24	19	23	28	19	27	20	7	304
Scarlet Fever - - -	7	12	11	7	6	8	9	16	10	10	11	7	8	122
Diphtheria - - -	11	7	6	6	7	7	12	10	6	8	12	5	9	105
Whooping-cough - -	26	26	18	17	13	33	18	28	22	17	28	16	14	276
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	3	1	5	3	7	3	6	7	2	5	5	10	9	66
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	1	-	-	-	-	-	2
Diarrhoea, Dysentery	14	25	37	58	83	187	314	372	395	390	313	222	132	2542
All above Diseases -	99	103	102	118	132	262	378	457	463	449	396	280	179	3418
Dis. of Resp. System	53	46	32	48	42	46	42	46	48	44	60	47	48	602
Pneumonia - - -	91	94	58	56	75	70	69	66	69	74	71	86	65	944
Phthisis - - -	95	104	92	100	97	108	113	113	119	109	118	133	120	1421
Dis. of Circ. System -	162	131	151	143	151	140	131	139	122	153	164	172	155	1914
Violence - - -	45	61	59	53	63	62	54	67	55	51	62	59	52	743
Inquest Cases - - -	103	129	109	101	109	126	130	141	122	128	140	135	113	1586
Deaths in Institutions	461	442	394	451	467	462	513	524	519	506	557	526	462	6284
TEMPERATURE OF THE AIR.														
Mean - - -	60.9	63.2	64.0	68.9	65.2	66.3	62.2	60.3	62.1	60.2	58.7	61.0	54.2	61.9
Mean of Highest - -	72.0	74.0	74.7	80.5	77.7	77.9	73.2	72.0	73.4	71.5	64.6	70.2	54.3	72.0
Mean of Lowest - -	51.2	55.0	54.2	60.0	54.0	57.7	54.3	52.2	52.3	51.0	51.1	55.6	45.7	53.4
Mean Humidity of the Air.	73	79	69	71	75	77	71	76	69	71	82	84	76	75
Rain-fall (in inches) -	0.02	0.54	0.03	0.26	0.02	0.53	0.65	0.16	0.03	0.48	1.21	0.68	0.32	4.93
Registered Sunshine (in hours).	58.3	36.8	52.7	55.4	54.0	39.5	47.6	45.7	57.8	47.2	12.1	29.5	37.8	574.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	6	4	5	4	3	3	1	-	-	-	-	-	-	2
Scarlet Fever - - -	2427	2473	2499	2520	2485	2550	2632	2670	2735	2762	2873	2982	3150	2674
Diphtheria - - -	723	718	775	764	791	789	753	706	701	668	671	686	684	725
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	83	78	81	89	92	94	100	99	108	114	121	116	122	100

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Oreswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SEVENTH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 37th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 37th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.								ALL AGES.	Under 20.					
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1360	1187	349	98	59	159	222	300	Meningitis (not tuberc.)	15	12	3	5	1	2	1	
									Insanity, Gen. Par. of	14	8	-	-	-	1	4	
									Epilepsy	4	5	-	-	1	-	2	
Small-pox*	-	-	-	-	-	-	-	-	Convulsions	24	25	25	-	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy	1	2	-	-	-	1	1	
Measles (Morbilli)	8	7	5	2	-	-	-	-	Paraplegia, Dis. of Cord	2	5	-	-	-	2	3	
Scarlet Fever	14	8	-	6	2	-	-	-	Nervous Sys. (other dis.)	13	15	-	-	1	4	7	
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	35	36	-	-	4	12	9	
Plague	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	40	37	-	-	-	2	26	
Influenza	3	3	-	-	-	-	-	-	Apoplexy, Hemiplegia	14	17	-	-	-	2	14	
Whooping-cough	16	14	6	8	-	-	-	-	Aneurysm	4	6	-	-	-	1	2	
Diphtheria	9	9	-	6	3	-	-	-	Embolism, Thrombosis	1	-	-	-	-	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	(not cerebral)	62	59	-	-	4	5	17	
Pyæmia,† (Origin un- certain)	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.								
Enteric Fever	9	9	-	-	2	5	2	-	Croup (not Spasm: nor	1	-	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Memb.)	48	34	4	3	-	2	4	
Epidemic Diarrhoea } (Infective Enteritis)	112	90	72	13	1	1	3	-	Bronchitis	2	3	-	-	-	1	1	
Diarrhoea, Dysentery	77	42	28	10	-	1	3	-	Asthma, Emphysema	8	9	1	1	2	1	1	
Tetanus	1	-	-	-	-	-	-	-	Pleurisy	8	9	1	1	2	1	3	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	1	2	-	1	-	-	-	
Glanders	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	10	14	13	1	-	-	-	
Anthrax (Splemic Fever)	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	18	20	16	4	-	-	-	
Venereal Dis.	11	8	6	1	-	1	-	-	Gastro-Enteritis	3	1	-	-	-	1	-	
Puerperal Septicæmia	4	2	-	-	-	2	-	-	Peritonitis (not Puerp.)	14	9	-	-	1	2	2	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Cirrhosis of Liver	5	2	-	-	-	1	1	
Puerperal Fever	-	2	-	-	-	2	-	-	Liver Dis. (other)	37	42	10	2	7	6	5	
Infective Endocarditis	2	3	-	-	-	2	1	-	Digestive Dis., Other	8	8	-	-	-	2	4	
Lobar	15	6	2	-	1	1	1	1	Nephritis, Acute	32	19	-	-	1	3	9	
Pneumonia	28	22	6	8	1	1	-	6	Bright's Dis., Albumin- uria	9	10	-	-	-	1	9	
Broncho-	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	4	6	2	-	-	2	-	
Epidemic	-	-	-	-	-	-	-	-	Generative Organs Dis.- Childbirth (Accid. of)	60	39	-	-	-	-	39	
Not defined	39	37	4	2	5	3	13	10	Old Age	78	97	66	5	5	5	8	
Erysipelas	6	9	2	-	-	-	2	5	Other Diseases								
Septicæmia (not Puer- peral)	-	1	-	-	-	1	-	-	ACCIDENT.								
Pyæmia (not Puerperal)	-	3	-	-	-	1	2	-	By Railways	2	2	-	-	-	1	1	
Other Infective Processes†	9	1	-	1	-	-	-	-	By Vehicles and Horses	8	7	-	2	1	2	-	
Tuberculous Phthisis	80	68	-	3	5	22	31	7	In Ships, Boats, Docks, (exclusive of Drown- ing)	1	-	-	-	-	-	-	
"Phthisis"	61	52	-	-	4	28	17	3	In Building Operations	3	1	-	-	-	1	-	
Tuberculous Meningitis	14	13	5	7	-	-	1	-	In Conflagrations	4	3	1	1	-	-	1	
Tuberculous Peritonitis	16	11	9	-	1	1	-	-	By Burns, Scalds, Ex- plosions	2	1	-	-	-	1	-	
Tabes Mesenterica	9	9	7	1	1	-	-	-	By Drowning	5	7	7	-	-	-	-	
Tuberculous Dis. (other)- Scrofula	18	15	3	2	1	6	3	-	By Suffocation in Bed	1	4	-	-	1	1	2	
Alcoholism	10	6	-	-	-	4	2	-	By Poisons or Poisonous Vapours	10	9	2	2	-	1	2	
Rheumatic Fever	2	2	-	-	1	1	-	-	Other Deaths by Acci- dent								
Gout	2	-	-	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Carcinoma	57	48	-	-	-	3	18	27	Homicide	2	3	3	-	-	-	-	
Sarcoma	6	5	-	1	-	1	2	1	Suicide	8	15	-	-	1	5	6	
Cancer (undefined)	31	38	-	-	1	3	20	14	Execution	-	-	-	-	-	-	-	
Diabetes Mellitus	7	7	-	-	-	1	4	2									
Premature Birth	64	42	42	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th September, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic* Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON - - -	4,536,429	2374	1187	349	300	-	7	8	9	14	-	9	-	132	52	113	462	
WEST DISTRICTS	805,311	360	180	44	51	-	4	1	2	2	-	-	-	16	10	19	76	
NORTH DISTRICTS	1,056,070	493	237	67	66	-	-	1	1	1	-	4	-	26	11	26	79	
CENTRAL DISTRICTS	209,465	110	67	17	9	-	-	-	1	-	-	1	-	2	4	5	40	
EAST DISTRICTS	715,739	450	223	70	41	-	-	-	1	7	-	1	-	35	13	31	93	
SOUTH DISTRICTS	1,749,844	961	447	150	123	-	2	4	4	4	-	1	-	51	14	32	141	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	33	1	10	-	1	2	-	-	-	1	-	2	-	-	33	
WEST DISTRICTS.																		
St. Mary Paddington } W2H	G. & W. 93,178	50	10	3	4	-	-	-	-	1	-	-	-	1	-	-	5	
St. John Paddington H	- G. 33,617	2	12	3	2	-	-	-	-	-	-	-	-	-	3	5	8	
North-West Paddington	- C. 17,181	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W w2H	G. W. & C. 128,037	67	33	7	9	-	1	-	-	-	-	-	-	-	1	2	19	
Brompton 2H	- W. & C. 48,591	6	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
North Hammersmith W wH	W. & G. { 49,192	25	12	5	1	-	-	-	-	1	-	-	-	2	-	1	-	
South Hammersmith w2H	{ 63,047	18	11	2	4	-	1	-	-	-	-	-	-	1	1	2	-	
North-west Fulham W	{ 45,180	38	16	6	3	-	-	-	-	-	-	-	-	3	2	4	7	
North-east Fulham F	W. & C. { 46,405	26	10	3	3	-	1	1	2	-	-	-	-	2	2	2	3	
South Fulham W	{ 45,704	20	9	6	1	-	-	-	-	-	-	-	-	4	-	-	-	
Chelsea North W w3H	- C. 42,514	27	20	1	10	-	-	-	-	-	-	-	-	1	-	1	14	
Chelsea South W2H	- C. 31,328	19	7	3	2	-	-	-	-	-	-	-	-	1	-	1	3	
Mayfair and Knightsbridge C. & G.	28,743	3	5	-	3	-	-	-	-	-	-	-	-	-	1	1	-	
Belgrave W2H	- C. 56,816	16	17	4	3	-	-	-	-	-	-	-	-	-	1	1	-	
St. Margaret & St. John 4H	- C. 43,698	20	10	1	2	-	1	-	-	-	-	-	-	1	1	1	11	
St. James Westminster } WH	N. & G. 21,588	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho 5H	- N. 11,493	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone 8H	- W. 35,391	11	5	3	1	-	-	-	-	-	-	-	-	-	-	-	2	
Rectory Marylebone W	G. & W. 19,849	3	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
St. Mary Marylebone 4H	G. & W. 18,099	31	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H-	W. 39,536	15	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H	- W. 20,426	5	3	-	3	-	-	-	-	-	-	-	-	3	-	-	-	
Hampstead W, F, & H	- N. & W. 81,942	24	17	5	5	-	-	1	-	-	1	-	-	-	1	1	9	
West St. Pancras 2H	- W. 60,592	25	9	2	2	-	-	-	-	-	-	-	-	-	-	3	3	
Tottenham-court w, 7H	N. & W. 21,268	5	10	-	4	-	-	-	-	-	-	-	-	-	-	-	7	
Gray's Inn Lane 4H	- N. 34,449	18	7	3	1	-	-	-	-	-	-	1	-	-	1	1	3	
East St. Pancras W2H	- N. 60,320	20	14	2	5	-	-	-	-	-	-	-	-	-	-	1	4	
North St. Pancras 2W	- N. 53,728	24	15	5	3	-	-	-	-	-	-	-	-	2	-	1	6	
Tufnell W	- N. 31,995	23	20	3	4	-	-	-	-	-	-	-	-	4	1	1	15	
Upper Holloway 2W w, H	- N. 33,978	20	19	3	5	-	-	-	-	-	-	-	-	1	3	5	14	
Tollington WH	- N. 33,922	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway	- N. 41,424	24	9	4	1	-	-	-	-	1	-	-	-	-	-	1	-	
Barnsbury	- N. 54,478	32	11	6	1	-	-	-	-	-	-	-	-	3	1	1	-	
Islington South-east F	- N. 75,397	32	19	8	3	-	-	-	-	-	-	-	-	2	2	4	-	
Highbury 2H	- N. 63,797	22	11	3	6	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H	- N. 51,247	30	7	3	3	-	-	-	-	-	-	-	-	1	-	2	-	
North Hackney	- E. & N. 50,560	20	7	-	6	-	-	-	-	-	-	-	-	-	1	1	-	
Central Hackney 2w, F	- E. & N. 50,536	25	7	1	1	-	-	1	-	-	1	-	-	1	-	1	2	
South-west Hackney 3H	E. & N. 59,921	36	15	5	1	-	-	-	-	-	-	-	-	2	1	2	6	
South-east Hackney 2W w, H E. & N.	58,255	35	20	8	7	-	-	-	-	-	1	-	-	5	-	-	8	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—Fever Hospital; H—another Hospital; L—Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies the Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th September, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th September, 1905.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
LONDON—OUTER RING						368,602	2,044,973	1250	463	149	138	-	8	-	10	12	5	76	11	33	72	2
30: 1	Carshalton 2F,2H	12,228	32,997	17	8	2	4	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-
2	Epsom, part of* W,w,2F,H-	10,423	15,548	2	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
37: 1	Godstone, part of* W,F	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,069	8,166	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	19	7	3	4	-	-	-	-	-	-	-	-	1	2	-	1	2	9	-
3	West Croydon 3W,F,H	2,168	42,888	26	19	3	10	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
4	North Croydon H	2,644	41,698	25	10	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
5	Penge w,H	770	22,465	13	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	21	6	2	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
39: 1	Wimbledon F,3H	3,221	41,652	18	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Kingston 2W,H	6,224	42,068	21	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3	Surbiton F,H	3,046	15,017	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
4	Esher, part of* H	5,402	13,100	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Hampton H,F,L	4,564	23,456	12	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
40: 1	Richmond W,H	2,162	28,865	7	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
2	Mortlake F	2,847	20,628	11	7	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
41: 1	Bromley F,2H	4,703	27,354	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	19	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Orpington part of* W	10,113	9,857	3	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
4	Chislehurst 2H	7,333	16,446	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
42: 1	Bexley w F,H	8,678	21,151	12	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2	Erith F,H	3,854	25,296	13	4	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
124: 1	Sunbury w	11,054	18,683	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	10	3	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
125: 1	Hillingdon W,F,H	6,035	13,661	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H	8,066	16,358	22	6	2	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
126: 1	Isleworth 3W,2F,H	8,659	30,863	24	16	5	5	-	-	-	-	-	-	-	-	-	4	-	-	-	9	-
2	Twickenham F,H	2,421	20,991	21	10	4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
3	Brentford 3F,2H,L	4,319	48,289	29	13	3	5	-	-	-	1	1	-	-	-	-	2	-	-	-	1	1
4	Chiswick H-	1,249	29,809	16	5	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
5	Acton w,3H	6,132	48,914	48	14	5	2	-	-	-	-	-	-	-	-	-	3	-	-	1	-	1
127: 1	Harrow F,H	13,809	25,523	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Edgware F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H	4,384	114,811	92	24	10	8	-	-	-	1	-	-	-	-	-	5	-	-	1	4	-
4	Hendon W,F	8,382	22,450	10	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-
128: 1	South Mimms 2F,H	17,755	7,308	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
2	Barnet W,2H	3,324	17,970	17	5	2	1	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-
3	Finchley F,2H	4,688	33,692	17	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
129: 1	Hornsey F,H	2,875	72,056	24	9	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	23	3	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
3	West Tottenham F	996	48,653	29	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	59,688	43	17	8	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-
5	Edmonton W,w,2F	7,491	61,892	50	15	6	4	-	-	-	-	-	-	-	-	-	4	-	-	3	3	-
6	Enfield 2W,F,H	12,601	42,738	33	7	2	2	-	-	1	-	-	-	-	-	-	1	2	-	-	2	-
7	Waltham Abbey F	11,017	6,549	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford H	1,072	44,827	16	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
2	Plaistow F,2H	1,249	90,921	69	21	14	1	-	-	-	3	-	-	-	-	-	4	-	-	-	4	-
3	Canning Town H	1,556	70,718	59	24	11	5	-	-	-	-	-	-	-	-	-	8	-	-	-	1	-
4	Forest Gate w	806	60,892	25	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5	North East Ham w,H	1,333	58,676	26	11	3	5	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1
6	South East Ham 2F	1,993	37,342	29	9	6	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
7	Wanstead F	1,579	9,179	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
8	South Leyton 2W	631	50,467	32	14	2	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
9	North Leyton 2W,w,F	1,963	48,445	38	16	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
10	Walthamstow 3H,L	6,504	108,929	66	27	9	6	-	-	-	1	-	-	-	-	-	5	-	-	1	1	9
187: 1	Chigwell, part of* 2F,3H	11,778	16,397	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of* W,2F	6,556	6,091	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,234	26	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,803	21,547	17	4	-	1	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Theydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring are 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	September 16	2374	1187	13·2	-	7	8	9	14	9	132
CALCUTTA - -	847,796	August 5	-	393	24·1	3	3	-	-	-	128†	61
BOMBAY - -	776,006	" 29	350	505	33·8	-	4	-	-	-	79†	66
MADRAS - -	509,346	" 18	500	1232	125·7	8	9	-	-	-	175	633‡
PARIS - -	2,660,559	September 9	889	739	14·4	-	2	-	1	11	5	69
BRUSSELS - -	586,936	" 9	208	158	13·7	-	-	-	1	2	4	28
ANTWERP - -	286,695	" 9	108	86	15·3	-	-	-	-	1	2	24
AMSTERDAM -	551,415	" 2	247	126	11·9	-	1	-	1	2	-	10
COPENHAGEN -	426,000	" 9	222	122	14·8	-	1	1	-	1	1	35
STOCKHOLM -	309,496	" 2	156	80	13·1	-	-	-	-	2	1	6
CHRISTIANIA -	223,649	" 9	129	68	15·9	-	-	-	2	3	-	8
ST. PETERSBURG	1,243,122	" 2	-	555	20·5	-	8	10	18	14	27	112
MOSCOW - -	1,092,360	" 2	-	577	27·5	1	6	6	10	10	11	193
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,021,254	August 26	868	806	20·8	-	14	3	2	10	6	349
HAMBURG - -	772,852	September 9	-	250	16·8	-	-	-	1	2	1	68‡
BRESLAU - -	462,147	" 9	-	236	26·6	-	-	-	1	14	2	59
MUNICH - -	523,000	" 9	-	193	19·0	-	-	-	2	8	-	54
VIENNA - -	1,877,839	" 9	919	589	16·1	-	4	-	5	8	-	131
PRAGUE - -	430,569	" 9	179	163	18·9	-	-	-	-	-	-	18
BUDA-PESTH -	836,267	" 2	382	255	15·9	-	6	5	-	2	3	36
		" 9	387	270	16·8	-	3	5	1	-	8	33
TRIESTE - -	191,403	" 9	99	107	28·8	-	2	-	-	-	1	38
ROME - -	593,857	June 24	214	153	15·5	-	3	1	-	1	1	23
VENICE - -	169,417	September 2	60	75	23·1	-	-	-	-	-	2	21
BUCHAREST -	282,071	" 2	175	115	21·3	-	-	1	-	1	1	31
NEW YORK - -	3,948,191	" 2	2300	1267	16·7	-	11	2	13	11	21	252
CHICAGO - -	1,932,315	August 26	-	561	14·7	-	2	1	1	4	12	152
PHILADELPHIA -	1,438,318	" 26	-	438	15·8	-	-	-	6	5	10	74
BOSTON - -	617,956	" 19	-	236	19·8	-	-	-	3	2	3	?
RIO DE JANEIRO	850,000	July 30	-	286	16·5	2	2	-	1	-	-	18

* Excluding deaths from croup in the Indian Cities.

† Including 14 deaths from plague in Calcutta, and 35 in Bombay.

‡ Including 15 deaths from cholera in Calcutta, 433 in Madras, and 1 in Hamburg.

§ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th September, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	68·6	41·4	50·0	0·32	BRADFORD - -	63·0	40·0	53·4	0·10
BRIGHTON - -	65·2	43·7	56·7	0·38	LEEDS - - -	66·0	41·0	51·9	0·02
PORTSMOUTH -	66·0	45·0	56·7	0·21	HULL - - -	68·0	37·0	54·2	0·04
NORWICH - -	?	?	?	?	TYNEMOUTH - -	65·0	39·0	52·5	0·09
PLYMOUTH - -	63·3	42·8	54·6	0·04					
BRISTOL - -	64·3	38·0	54·2	0·06	EDINBURGH - -	62·2	43·7	53·4	0·17
BIRMINGHAM -	62·6	41·3	53·1	0·02	GLASGOW - -	62·4	38·2	52·2	0·44
NOTTINGHAM -	62·9	33·5	51·9	0·01					
LIVERPOOL }	62·0	47·0	54·3	0·09					
OBSERVATORY. }	64·4	35·8	52·2	0·31	DUBLIN { Phoenix Park. Fitz- william Square.†	62·8	34·2	51·1	0·15
MANCHESTER -	59·5	43·0	53·2	0·20		63·9	40·0	52·6	0·09
PRESTON - -	61·7	38·5	52·3	0·09	BELFAST - -	62·1	37·8	50·3	0·26
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·3 Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905. MONTH AND DAY		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Phases of the Moon.	Of the Air.				Of the Dew Point		Difference between the Air Temperature and Dew Point Temperature.		Degree of Saturation (Saturation equals 100°).		Of Radiation.		Of the Earth's Surface.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Horizontal direction of the wind on each Day.	Miles in 16 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	General Direction.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hourly obs.	Horizontal direction of the wind on each Day.	Miles in 16 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

DATE.	ELECTRICITY. (Explanation of symbols, see Note.)	Registered barometric pressure in hours.	Sun above horizon, in hours.	GENERAL REMARKS.
SEPTEMBER.				
SUNDAY - 10	w. P. throughout.	32	13°0	Generally overcast; occasional fine intervals; rain between 4h. 45m. and 8h. 30m. A.M., and occasionally in forenoon; strong gusty wind prevalent between 9h. A.M. and 5h. P.M. Overcast till evening, with rain between 0h. 30m. and 6h. P.M.; fine and partially cloudy afterwards.
MONDAY - 11	w. P. generally; with w. N. between 4h. and 6h. P.M.	0°0	12°9	Fine and partially cloudy till evening; cloudless after 7h. 30m. P.M.
TUESDAY - 12	w. P. generally; oc- casional m. P.	74	12°9	Cloudless in morning; fine with variable amounts of cloud till evening; overcast at night with rain between 7h. 40m. and 10h. P.M. Very fine generally; hazy. Solar halo observed in afternoon.
WEDNESDAY 13	w. P. till 5h. P.M.; m. P. till 7h. P.M.; v. N. and w. P. afterwards.	79	12°8	Very fine; hazy; heavy mist in early morning.
THURSDAY - 14	w. P. till 9h. A.M.; m. P. generally after- wards.	69	12°7	Overcast till 8h. A.M.; fine and partially cloudy afterwards.
FRIDAY - 15	w. P. till 9h. A.M.; m. P. till 4h. P.M.; s. P. till 9h. P.M.; m. P. afterwards.	81	12°7	
SATURDAY - 16	m. P. generally; occasional w. P.	43	12°6	
No. of Col- -		28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the column of the barometer is 158 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily value of air temperature and degree of humidity are deduced from the mean daily values of the dry bulb thermometer and the wet bulb thermometer by Clapham's Hygrometric Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 10 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates *higher*, and - *lower*, than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29°51 in. at the beginning of the week to 29°43 in. by 8h. A.M. on the 10th; increased to 30°13 in. by 10h. A.M. on the 12th; decreased to 30°06 in. by 4h. P.M. on the 14th; increased to 30°14 in. by 10h. A.M. on the 15th; decreased to 30°02 in. by 4h. A.M. on the 16th, and increased to 30°17 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED IN THE ADMINISTRATIVE COUNTY OF LONDON during the Week ended 9th September, 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	3	4	-	1	-	-	2	-
Kensington - - - - -	180,083	-	7	9	-	-	-	-	5	-
Hammersmith - - - - -	119,037	-	6	9	-	-	-	-	2	1
Fulham - - - - -	157,210	-	17	7	-	-	-	-	3	-
Chelsea - - - - -	74,496	-	5	1	-	-	-	-	1	-
City of Westminster - - - -	175,606	-	7	-	-	2	-	-	3	-
NORTH.										
St. Marylebone - - - - -	129,453	-	7	6	-	1	-	-	5	-
Hampstead - - - - -	88,142	-	1	1	-	-	-	-	-	-
St. Pancras - - - - -	236,183	-	63	2	-	3	-	-	6	1
Islington - - - - -	342,994	-	29	5	-	3	-	-	7	1
Stoke Newington - - - - -	52,828	-	1	-	-	-	-	-	-	-
Hackney - - - - -	228,479	-	27	5	-	6	-	-	8	-
CENTRAL.										
Holborn - - - - -	56,481	-	2	-	-	-	-	-	-	-
Finsbury - - - - -	98,207	-	9	4	-	3	-	-	2	-
City of London - - - - -	22,425	-	3	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	30	5	-	2	-	-	-	-
Bethnal Green - - - - -	130,401	-	18	7	-	1	-	-	5	-
Stepney - - - - -	305,493	-	60	9	-	2	-	-	25	-
Poplar - - - - -	170,280	-	38	6	-	3	-	-	4	-
SOUTH.										
Southwark - - - - -	208,528	-	30	8	-	3	-	-	5	-
Bermondsey - - - - -	129,006	-	22	5	-	1	-	-	2	-
Lambeth - - - - -	313,045	-	26	5	-	1	-	-	7	-
Battersea - - - - -	177,532	-	10	3	-	-	-	-	8	-
Wandsworth - - - - -	265,392	-	32	5	-	2	-	-	2	-
Camden Town - - - - -	271,240	-	31	3	-	1	-	-	4	1
Deptford - - - - -	114,495	-	11	-	-	1	-	-	4	-
Greenwich - - - - -	103,493	-	1	5	-	1	-	-	3	-
Lewisham - - - - -	144,420	-	5	-	-	4	-	-	-	-
Woolwich - - - - -	125,372	-	8	3	-	2	-	-	-	1
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794										
		-	509	109	-	43	-	-	113	5
Ages										
0-1 - - - - -	-	-	3	2	-	1	-	-	6	-
" 1-5 - - - - -	-	-	142	43	-	2	-	-	6	-
" 5- - - - -	-	-	222	31	-	6	-	-	6	-
" 10- - - - -	-	-	84	17	-	5	-	-	3	-
" 15- - - - -	-	-	36	7	-	7	-	-	5	-
" 20- - - - -	-	-	5	-	-	5	-	-	13	2
" 25- - - - -	-	-	14	7	-	11	-	-	12	1
" 35- - - - -	-	-	1	1	-	1	-	-	20	2
" 45- - - - -	-	-	-	1	-	3	-	-	15	-
" 55- - - - -	-	-	1	-	-	1	-	-	16	-
" 65 and upwards - - - -	-	-	-	-	-	1	-	-	11	-
Age not stated - - - - -	-	-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:

**PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.**

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 38. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, SEPT. 23. [Price 1½d.

General Register Office, Somerset House,
September 25th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·8 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 16·1, and 14·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 17·4 in Leicester, 17·5 in Tynemouth, 19·0 in Gateshead, 19·1 in Stockport, 19·3 in Wigan, 19·8 in Merthyr Tydfil, 20·1 in Middlesbrough, and 22·6 in Burnley; and from *diarrhoea*, 3·0 in Burton on Trent and in Stockton on Tees, 3·6 in Bury, 4·1 in Preston, 4·2 in Wigan, 4·4 in Bolton, 4·6 in West Bromwich, 4·8 in Sunderland, 4·9 in Merthyr Tydfil, 5·1 in Burnley, and 5·8 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2400 BIRTHS and 1195 DEATHS were registered. Allowing for increase of population, the births were 170 and the deaths 295 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 17·2, 15·9, and 13·2 in the preceding three weeks, was 13·3 last week. During the four weeks ended on Saturday last the death-rate averaged 14·9 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1195 deaths included 7 from measles, 6 from scarlet fever, 11 from diphtheria, 14 from whooping-cough, 4 from enteric fever, and 113 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 155 deaths were referred to these diseases in the aggregate, being 98 below the corrected average weekly number.

The deaths from *measles*, which had been 27, 20, and 7 in the preceding three weeks, were again 7 last week, being 7 below the corrected average. The deaths from *scarlet fever*, which had been 11, 7, and 8 in the preceding three weeks, were 6 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 12, 5, and 9 in the preceding three weeks, were 11 last week, and were 20 below the corrected average. The deaths from *whooping-cough*, which had been 28, 16, and 14 in the preceding three weeks, were again 14 last week, being 8 below the corrected average; 3 deaths belonged to the Borough of Islington. The fatal cases of *enteric fever*, which had been 5, 10, and 9 in the preceding three weeks, fell last week to 4, and were 13 below the corrected average. The deaths from *diarrhoea*, which had been 313, 222, and 132 in the preceding three weeks, further fell last week to 113, and were 45 below the corrected average; 13 deaths belonged to Stepney, 10 to Hackney, 8 to Poplar, 7 to Southwark, 7 to Bermondsey, and 6 to Fulham. Of the 113 deaths from diarrhoea, 106 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 22 other deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 2, 2, and 3 in the preceding three weeks.

Different forms of *violence* caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 36 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3424 cases of scarlet fever, 703 of diphtheria, 1 of typhus, and 140 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 546 cases, against 427, 443, and 469; of diphtheria, 131 cases, against 94, 107, and 86; and of enteric fever, 34 cases, against 23, 15, and 24. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended September 16th.

GREATER LONDON.

In Greater London 3608 births and 1655 deaths were registered. Allowing for increase of population, these numbers are 257 and 441 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from scarlet fever, 5 from diphtheria, 1 from whooping-cough, 1 from "fever," and 21 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 54°·3, the latter being 1°·8 below the week's average in the 50 years 1841-90. The general direction of the wind was North-easterly, the horizontal movement of the air being 8 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 27·8 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

These towns are included within the area of Greater London.

TOWNS.	POPULATION estimated at the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Col.		Registered during the Week ended 23rd Sept., 1905.	The DEATHS registered in the Week include											TOWNS;		
		Week ended				11-17.			Deaths of													
		2nd Sept., 1905.	9th Sept., 1905.	16th Sept., 1905.	23rd Sept., 1905.	Week ended 11-17.	11-17.	23rd Sept., 1905.	23rd Sept., 1905.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,609,377	173	161	143	138	22	8147	4124	1301	1016	-	31	40	39	60	23	457	157	319	1053	42	76 TOWNS.
LONDON -	4,684,794	172	159	132	133	17	2400	1185	305	329	-	7	6	11	14	4	113	45	112	483	1	LONDON.
CROYDON -	147,704	138	95	127	109	07	76	31	5	10	-	-	-	-	-	-	1	-	2	6	-	CROYDON.
WILLESDEN -	138,080	117	147	94	121	19	69	32	14	4	-	-	-	-	-	-	-	3	1	6	-	WILLESDEN.
HORNSEY -	84,070	43	93	56	68	-	35	11	1	9	-	-	-	-	-	-	-	2	3	1	-	HORNSEY.
TOTTENHAM -	116,232	179	108	117	103	09	62	23	8	5	-	-	-	-	-	-	-	4	6	-	-	TOTTENHAM.
WEST HAM -	294,987	170	164	118	159	37	168	90	32	21	-	-	-	-	-	-	-	9	12	23	-	WEST HAM.
EAST HAM -	123,381	123	114	89	93	25	65	22	7	3	-	-	-	-	-	-	-	2	4	4	-	EAST HAM.
LEYTON -	114,555	155	109	100	77	09	61	17	4	1	-	-	-	-	-	-	-	3	3	3	-	LEYTON.
WALTHAMSTOW -	116,287	117	99	130	103	09	67	23	5	9	-	-	-	-	-	-	-	2	3	5	-	WALTHAMSTOW.
HASTINGS -	66,820	172	133	94	125	08	29	16	4	8	-	-	-	-	-	-	-	-	-	1	-	HASTINGS.
BRIGHTON -	127,183	148	172	139	131	08	59	32	8	11	-	-	-	-	-	-	-	1	4	10	-	BRIGHTON.
PORTSMOUTH -	201,975	191	136	170	147	31	101	57	12	18	-	-	-	2	1	1	8	2	7	13	1	PORTSMOUTH.
BOURNEMOUTH -	66,168	110	126	102	71	-	28	9	1	4	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	182	159	118	109	09	44	24	3	12	-	-	-	-	-	-	-	-	2	7	-	SOUTHAMPTON.
READING -	77,674	101	121	81	87	13	37	13	4	4	-	-	-	-	1	1	-	-	-	2	-	READING.
NORTHAMPTON -	92,441	113	152	141	107	23	44	19	4	5	-	-	-	-	-	-	-	-	-	3	1	NORTHAMPTON.
IPSWICH -	70,802	199	118	199	103	29	36	14	5	4	-	-	-	-	2	-	-	1	3	3	-	IPSWICH.
GREAT YARMOUTH -	52,353	189	149	249	90	-	33	9	1	5	-	-	-	-	-	-	-	-	2	3	-	GREAT YARMOUTH.
NORWICH -	116,741	174	219	109	138	22	56	31	11	12	-	-	-	-	-	-	-	-	1	7	-	NORWICH.
PLYMOUTH -	116,000	193	162	148	121	27	57	27	7	10	-	-	-	-	-	-	-	-	1	2	-	PLYMOUTH.
DEVONPORT -	76,864	170	109	142	109	14	35	16	6	5	-	-	-	-	-	-	-	-	2	1	-	DEVONPORT.
BRISTOL -	358,515	125	121	112	147	16	192	101	32	27	-	-	-	-	-	-	-	-	10	24	-	BRISTOL.
HANLEY -	64,067	258	185	145	161	32	41	20	5	5	-	-	-	1	1	-	-	-	1	5	-	HANLEY.
BURTON-ON-TRENT -	52,424	80	149	109	70	30	27	7	4	1	-	-	-	-	-	-	-	-	-	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	147	194	136	168	21	38	32	14	8	-	-	-	-	-	-	-	-	-	3	-	WOLVERHAMPTON.
WALSALL -	82,998	213	112	146	146	22	51	26	9	4	-	-	-	-	-	-	-	-	4	2	-	WALSALL.
HANDSWORTH -	61,721	84	76	68	42	-	26	5	-	3	-	-	-	-	-	-	-	-	1	1	-	HANDSWORTH.
WEST BROMWICH -	67,823	92	208	146	138	46	35	18	7	4	-	-	-	-	-	-	-	-	-	3	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 23rd September, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	POPULATION estimated middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 23rd Sept., 1905.		The DEATHS registered in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			Week ended					2nd Sept., 1905.	4th Sept., 1905.	16th Sept., 1905.	23rd Sept., 1905.	Deaths of Infants under 1 year of age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			2.	3.	4.	5.	6.																			7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
BIRMINGHAM -	-	542,859	17.3	15.8	15.6	13.2	2.6	307	137	50	24	-	3	1	1	6	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES FROM ALL CAUSES.				Rate from Diseases during the Week ended 23rd Sept., 1905.		The Deaths registered in the Week include											TOWNS.	
			Week ended				2nd Sept., 1905.	16th Sept., 1905.	28th Sept., 1905.	Deaths of											
			2nd Sept., 1905.	16th Sept., 1905.	28th Sept., 1905.	Deaths of															
						Infants under 1 Year of Age.				Persons aged 10 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD -	94,888	20'9	16'5	14'3	12'1	1'6	41	22	8	-	-	-	-	-	1	2	2	2	2	-	HUDDESFIELD.
HALIFAX -	108,419	12'5	8'2	19'7	15'9	1'0	45	33	13	-	-	-	-	-	-	2	1	2	6	-	HALIFAX.
BRADFORD -	286,769	12'5	16'0	14'0	13'6	0'9	111	75	17	-	-	-	-	-	1	4	2	5	15	-	BRADFORD.
LEEDS -	466,787	14'6	15'3	14'0	14'5	2'1	216	127	37	-	-	3	3	4	-	8	3	7	29	-	LEEDS.
SHEFFIELD -	440,414	19'9	14'4	14'3	12'9	1'2	241	109	32	-	-	-	-	1	-	9	3	8	20	3	SHEFFIELD.
ROTHERHAM -	59,794	15'7	14'0	7'8	7'8	0'9	37	9	2	-	-	-	-	-	-	1	-	2	-	-	ROTHERHAM.
YORK -	82,362	17'1	13'9	17'1	10'1	1'9	49	16	7	-	-	-	-	-	-	3	1	2	-	-	YORK.
HULL -	268,127	19'4	15'0	15'6	13'9	2'6	119	69	26	-	-	-	-	1	-	12	7	10	15	-	HULL.
MIDDLESBROUGH -	98,369	20'1	19'6	21'7	20'1	6'9	62	38	12	-	-	-	1	-	1	11	1	3	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES -	52,425	14'9	11'9	22'9	11'9	4'0	32	12	6	-	1	-	-	-	-	3	-	-	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL -	71,313	18'3	20'5	13'2	7'3	2'2	30	10	5	-	-	-	-	-	-	3	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND -	152,761	26'6	19'8	20'8	16'4	5'5	105	48	18	-	-	-	1	-	-	14	4	4	7	1	SUNDERLAND.
SOUTH SHIELDS -	109,360	14'3	16'7	17'2	15'3	3'3	64	32	10	-	1	-	-	2	2	2	-	-	7	2	SOUTH SHIELDS.
GATEHEAD -	120,620	17'7	17'7	22'9	19'0	3'0	77	44	18	-	1	-	-	-	-	5	1	1	-	3	GATEHEAD.
NEWCASTLE-ON-TYNE -	284,511	19'5	17'7	18'1	15'2	2'0	152	77	16	-	-	-	1	1	-	8	3	6	13	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH -	53,595	16'5	19'5	13'6	17'5	1'9	30	18	6	-	-	-	-	-	-	2	-	-	3	-	TYNEMOUTH.
NEWPORT (MON.) -	72,880	13'6	20'0	10'7	12'9	0'7	34	18	5	-	-	-	-	-	-	1	3	3	3	-	NEWPORT (MON.).
CARDIFF -	180,054	14'2	11'0	13'0	13'0	1'2	123	45	9	-	-	-	2	-	1	1	4	3	8	-	CARDIFF.
RHONDDA -	124,988	21'3	17'9	17'5	10'4	2'5	98	25	12	-	1	-	-	2	1	2	2	2	-	-	RHONDDA.
MERTHYR TYDFIL -	73,848	18'4	24'0	16'9	19'8	5'6	41	28	10	-	-	-	-	-	1	7	1	1	6	-	MERTHYR TYDFIL.
SWANSEA -	96,384	15'7	11'9	14'1	16'2	1'1	71	30	10	-	-	-	-	-	-	2	-	1	4	-	SWANSEA.
GREATER LONDON -	7,010,172	15'9	14'8	12'3	12'3	1'7	3608	1655	443	-	8	14	19	20	8	165	75	163	564	2	GREATER LONDON.
OUTER RING -	2,925,378	13'2	12'5	10'4	10'3	1'5	1208	480	138	-	1	8	8	6	4	42	30	51	81	1	OUTER RING.
8 TOWNS IN OUTER RING	1,135,316	13'9	12'4	10'8	11'4	1'8	603	249	76	-	1	7	3	5	3	21	20	32	54	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,190,082	12'5	12'5	10'0	9'2	1'3	605	211	62	-	-	1	5	1	1	21	10	19	27	1	REMAINDER OF OUTER RING.
EDINBURGH -	336,577	14'9	13'5	13'9	13'8	1'4	126	89	19	-	-	1	-	-	3	5	5	?	20	5	EDINBURGH.
GLASGOW -	809,986	15'7	14'2	16'6	14'2	2'4	408	221	45	-	2	2	3	5	-	25	16	?	57	11	GLASGOW.
DUBLIN† -	378,994	22'0	18'4	16'2	17'9	1'8	201	130	33	-	-	-	-	1	2	10	3	5	42	5	DUBLIN.†
BELFAST† -	368,680	15'3	15'8	16'6	13'7	0'9	216	94	19	-	-	-	1	-	4	1	3	6	20	?	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2541	2537	2492	2574	2531	2448	2355	2598	2403	2272	2570.0	2400
Males - - -	1278	1308	1267	1323	1302	1235	1191	1329	1225	1123	1306.3	1185
Females - - -	1263	1229	1225	1251	1229	1213	1164	1269	1178	1149	1263.7	1215
TOTAL Deaths -	1346	1238	1341	1863	1619	1449	1360	1520	1365	1233	1490.4	1195
Males - - -	703	621	701	1001	859	768	747	850	718	643	790.3	592
Females - - -	643	617	640	862	790	681	613	670	647	580	700.1	603

* The numbers in this column are the average weekly numbers in the thirty-eighth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	13 Weeks.
TOTAL Births -	2490	2509	2363	2466	2480	2522	2215	2549	2530	2372	2338	2374	2400	31598
TOTAL Deaths -	1080	1006	1047	1137	1285	1404	1555	1523	1497	1548	1432	1187	1195	16896
Ages at Death {														
Under 1 year -	223	203	222	271	431	515	638	616	584	577	441	349	305	5575
1-5 years -	137	100	115	124	129	161	181	173	174	156	150	98	109	1807
5-20 " -	68	74	65	76	63	71	59	71	51	62	63	59	68	850
20-40 " -	141	137	129	155	150	163	135	142	149	160	164	159	139	1923
40-60 " -	219	222	221	223	242	243	240	252	213	263	281	222	245	3086
60 yrs. & upwards	292	270	295	288	270	251	302	269	326	330	333	300	329	3855
Deaths from—														
Small-pox - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles - - -	31	24	27	17	24	19	23	23	19	27	20	7	7	273
Scarlet Fever -	12	11	7	6	8	9	16	10	10	11	7	8	6	121
Diphtheria - -	7	6	6	6	7	12	10	6	8	12	5	9	11	105
Whooping-cough -	26	18	17	13	33	18	28	22	17	28	16	14	14	264
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	5	3	7	3	6	7	2	5	5	10	9	4	67
Pyæmia (origin uncertain).	-	1	-	-	-	-	1	-	-	-	-	-	-	2
Diarrhoea, Dysentery	25	37	58	83	187	314	372	395	390	313	222	132	113	2641
All above Diseases -	103	102	118	132	262	378	457	463	449	396	280	179	155	3474
Dis. of Resp. System	46	32	48	42	46	42	48	48	44	60	47	48	57	606
Pneumonia - -	94	58	56	75	70	69	66	69	74	71	86	65	73	926
Phthisis - - -	104	92	100	97	108	113	113	119	109	118	133	120	125	1451
Dis. of Circ. System -	131	151	143	151	140	131	139	122	153	164	173	155	152	1905
Violence - - -	61	59	53	63	62	54	67	55	61	62	59	52	45	743
Inquest Cases - -	129	109	101	103	126	130	141	122	128	140	135	113	112	1595
Deaths in Institutions	442	394	451	467	462	513	524	519	506	557	526	462	483	6306
TEMPERATURE OF THE AIR.														
Mean - - -	63.2	64.0	68.9	65.2	66.3	62.2	60.3	62.1	60.2	56.7	61.0	54.2	54.3	61.4
Mean of Highest -	74.0	74.7	80.5	77.7	77.9	73.2	72.0	73.4	71.5	64.6	70.2	54.3	62.6	71.3
Mean of Lowest -	55.0	54.2	60.0	54.0	57.7	54.3	52.2	52.3	51.0	51.1	55.6	45.7	46.7	53.1
Mean Humidity of the Air.	79	69	71	75	77	71	76	69	71	82	84	76	76	75
Rain-fall (in inches) -	0.54	0.03	0.26	0.02	0.53	0.65	0.16	0.03	0.48	1.21	0.68	0.32	0.01	4.92
Registered Sunshine (in hours).	36.8	52.7	55.4	54.0	39.5	47.6	45.7	57.8	47.2	12.1	29.5	37.8	27.8	543.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	5	4	3	3	1	2	2	2	2	2	2	2	2
Scarlet Fever -	2473	2499	2520	2485	2550	2632	2670	2735	2762	2873	2982	3150	3424	2750
Diphtheria - -	718	775	764	791	789	753	706	701	668	671	686	684	703	724
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	78	81	89	92	94	100	99	108	114	121	116	122	140	104

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunne, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-EIGHTH Week of the Year 1905.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 38th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 38th week of the year 1904.	1905—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.		
			0-1.	1-5.	5-20.		0-1.	1-5.				5-20.	20 and under 40.	40 and under 60.				
ALL CAUSES	1223	1195	305	109	68	139	245	329	Meningitis (not tuberc.)	8	10	2	4	3	-	1		
									Insanity, Gen. Par. of	6	13	-	-	-	1	9		
									Insane	-	-	-	-	-	-	-		
									Epilepsy	6	2	-	-	-	-	1		
									Convulsions	16	19	19	-	-	-	-		
Small-pox*	-	-	-	-	-	-	-	-	Locomotor Ataxy	4	-	-	-	-	-	-		
Cowpox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	5	8	1	-	-	2	3		
Measles (Morbilli)	6	7	1	6	-	-	-	-	Nervous Sys. (other dis.)	17	10	-	-	-	5	5		
Scarlet Fever	3	6	1	4	1	-	-	-	Valv. Dis., Endocarditis	37	39	-	-	6	3	8		
Typhus	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	27	32	-	-	1	2	9		
Plague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	14	13	-	-	-	1	5		
Influenza	2	6	-	-	-	4	1	1	Aneurysm	7	4	-	-	-	-	-		
Whooping-cough	5	14	6	8	-	-	-	-	Embolism, Thrombosis	-	1	-	-	-	1	-		
Diphtheria	19	11	1	5	5	-	-	-	(not cerebral)	-	-	-	-	-	-	-		
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	65	63	-	-	5	11	16		
Pyæmia† (Origin un- certain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	-	-	-	-	-	-	-		
Enteric Fever	13	4	-	-	2	1	1	-	Memb.	-	-	-	-	-	-	-		
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	59	41	7	5	-	2	7		
Epidemic Diarrhoea } (Infective Enteritis) }	71	78	58	20	-	-	-	-	Asthma, Emphysema	1	3	-	-	-	-	1		
Diarrhoea, Dysentery	37	35	24	4	2	-	2	3	Pleurisy	1	3	-	-	1	1	-		
Tetanus	2	-	-	-	-	-	-	-	Respiratory Dis. (other)	12	12	2	4	-	-	5		
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	-	-	-	1	-	-		
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	-	1	-	-	-	-	-		
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-Enteritis	13	16	12	1	-	-	3		
Venereal Dis.	7	7	6	-	-	1	-	-	Peritonitis (not Puerp.)	16	23	18	4	-	-	-		
Puerperal Septicæmia	4	2	-	-	-	2	-	-	Cirrhosis of Liver	3	7	-	-	2	2	3		
Puerperal Pyæmia	1	-	-	-	-	-	-	-	Liver Dis. (other)	10	6	-	-	1	1	2		
Puerperal Fever	-	1	-	-	-	-	1	-	Digestive Dis., Other	4	38	6	1	3	5	18		
Infective Endocarditis	2	3	-	-	-	2	1	-	Nephritis, Acute	2	11	-	-	-	-	7		
Lobar	15	13	-	2	3	-	4	4	Bright's Dis., Albumin-	31	25	-	1	1	5	12		
Pneumonia } Broncho-	38	24	6	8	1	1	2	6	uria	10	9	-	-	-	1	7		
Epidemic	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-		
Not defined	44	36	7	1	1	7	10	10	Generative Organs Dis.	1	5	-	-	-	2	1		
Erysipelas	1	3	-	-	-	1	1	1	Childbirth (Accid. of)	4	4	-	-	-	4	-		
Septicæmia (not Puer-	1	1	-	-	-	-	1	-	Old Age	40	70	-	-	-	-	70		
peral)	-	-	-	-	-	-	-	-	Other Diseases	97	92	68	6	4	5	3		
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	ACCIDENT.									
Other Infective Processes	11	2	-	-	-	2	-	-	By Railways	1	-	-	-	-	-	-		
Tuberculous Phthisis	83	78	1	3	8	30	32	4	By Vehicles and Horses	3	7	-	2	1	-	2		
"Phthisis"	59	47	-	-	3	18	21	5	In Ships, Boats, Docks,	-	-	-	-	-	-	-		
Tuberculous Meningitis	17	12	3	3	5	1	-	-	(exclusive of Drown-	-	-	-	-	-	-	-		
Tuberculous Peritonitis	14	12	4	7	1	-	-	-	ing)	-	-	-	-	-	-	-		
Tabes Mesenterica	5	1	1	-	-	-	-	-	In Building Operations	3	2	-	-	-	-	2		
Tuberculous Dis. (other)	13	15	2	6	3	2	2	-	In Conflagrations	-	-	-	-	-	-	-		
Scrophula	1	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	1	1	-	1	-	-	-		
Alcoholism	10	10	-	-	-	4	4	2	plosions	8	1	-	-	-	-	-		
Rheumatic Fever	5	4	-	1	2	-	1	-	By Drowning	6	9	9	-	-	-	-		
Gout	2	-	-	-	-	-	-	-	By Suffocation in Bed	4	3	-	1	-	1	-		
Carcinoma	65	49	-	-	4	19	26	-	By Poisons or Poisonous	10	13	1	2	1	4	1		
Sarcoma	6	8	-	-	1	1	5	1	Vapours	-	-	-	-	-	-	-		
Cancer (undefined)	23	31	-	-	-	18	13	-	Other Deaths by Acci-	-	-	-	-	-	-	-		
Diabetes Mellitus	7	7	-	-	-	1	3	3	dent	-	-	-	-	-	-	-		
Premature Birth	41	38	38	-	-	-	-	-	VIOLENCE OTHER THAN									
									ACCIDENTAL.									
									Homicide	2	1	1	-	-	-	-		
									Suicide	7	8	-	-	-	2	3		
									Execution	-	-	-	-	-	-	-		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd September, 1905.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Violence.	Inquest Cases.	Deaths Public Institutions.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain).	Diarrhoea.				
LONDON - - -	1,530,429	2400	1195	305	329	-	7	6	11	14	-	4	-	113	45	112	483	
WEST DISTRICTS - - -	805,311	338	198	44	50	-	1	1	1	2	-	1	-	20	8	18	91	
NORTH DISTRICTS - - -	1,056,070	482	232	51	77	-	2	-	1	2	-	-	-	18	9	21	80	
CENTRAL DISTRICTS - - -	209,465	104	68	17	15	-	-	-	2	1	-	-	-	5	6	12	45	
EAST DISTRICTS - - -	715,739	468	217	67	49	-	1	-	-	4	-	2	-	24	8	27	92	
SOUTH DISTRICTS - - -	1,749,844	1008	444	128	123	-	3	4	6	3	-	-	-	44	14	34	139	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	36	-	15	-	-	1	1	-	-	-	-	2	-	-	36	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	39	16	7	5	-	-	-	-	2	-	-	-	1	-	1	6	
W.2H																		
St. John Paddington } H - G.	33,017	9	11	2	2	-	-	-	-	-	-	-	-	1	1	3	6	
North-West Paddington } - C.	17,181	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W } W.2H G. & W. & C.	128,037	50	31	4	11	-	1	-	-	-	-	-	-	4	1	1	19	
Brompton 2H - - W. & C.	48,561	5	7	-	3	-	-	-	-	-	-	-	-	-	-	-	3	
North Hammersmith } W.2H W. & G.	49,192	21	12	6	3	-	-	-	-	-	-	-	-	3	-	-	-	
South Hammersmith } W.2H	63,047	35	18	6	1	-	-	-	-	-	-	-	-	1	2	3	7	
North-west Fulham } W	45,180	38	14	4	3	-	-	-	-	-	-	-	-	3	-	2	11	
North-east Fulham } F	46,405	23	5	2	-	-	-	1	-	-	-	1	-	1	1	1	1	
South Fulham } W	45,704	24	12	2	3	-	-	-	-	-	-	-	-	2	-	-	-	
Chelsea North } W.2H - - C.	42,514	15	23	1	7	-	-	-	1	-	-	-	-	-	-	2	20	
Chelsea South } W.2H - - C.	31,328	13	13	4	3	-	-	-	-	-	-	-	-	2	-	1	3	
Mayfair and Knightsbridge } C. & G.	28,743	5	3	-	1	-	-	-	-	-	-	-	-	-	1	2	-	
Belgrave } W.2H - - C.	55,815	24	19	3	3	-	-	-	-	-	-	-	-	-	1	1	10	
St. Margaret & St. John } 4H - C.	43,698	20	7	2	2	-	-	-	-	-	-	-	-	2	1	1	3	
St. James Westminster } N. & G.	21,588	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1	
W.2H																		
St. Anne Soho } 5H - - N.	11,493	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone } 8H - W.	35,391	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	
Rectory Marylebone } W G. & W.	19,849	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone } 4H G. & W.	18,099	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone } H - W.	39,536	14	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-	
St. John Marylebone } 3H - W.	20,426	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Hampstead } W.2H F. & H - N. & W.	81,942	27	18	2	10	-	-	-	-	-	-	-	-	1	2	3	8	
West St. Pancras } 2H - - W.	60,562	28	5	1	2	-	-	-	-	-	-	-	-	-	2	2	-	
Tottenham-court } W.2H N. & W.	21,258	6	11	-	3	-	-	-	-	-	-	-	-	-	-	1	10	
Gray's Inn Lane } 4H - - N.	34,449	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
East St. Pancras } W.2H - - N.	60,320	40	16	5	8	-	-	-	-	-	-	-	-	-	1	2	8	
North St. Pancras } 2W - - N.	58,728	23	17	3	2	-	-	-	-	-	-	-	-	1	-	2	8	
Tufnell } W - - N.	31,995	12	21	1	7	-	1	-	-	-	-	-	-	1	1	1	12	
Upper Holloway } 2W.2H - - N.	33,978	26	21	3	6	-	-	-	-	3	-	-	-	2	4	12	-	
Tollington } WH - - N.	33,922	16	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-	
Lower Holloway } - - N.	41,424	19	12	5	3	-	-	-	-	1	-	-	-	1	-	-	-	
Barnsbury } - - N.	54,478	33	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Islington South-east } F - - N.	75,397	39	10	5	2	-	-	-	-	-	-	-	-	1	-	-	-	
Highbury } 2H - - N.	63,797	17	8	-	4	-	1	-	-	-	-	-	-	-	1	-	-	
Stoke Newington } H - - N.	51,247	26	9	2	5	-	-	-	-	-	-	-	-	1	-	-	-	
North Hackney } - - E. & N.	50,560	14	8	1	5	-	-	-	-	-	-	-	-	1	-	-	-	
Central Hackney } 2w.F - - E. & N.	50,536	27	11	4	2	-	-	-	1	-	-	-	-	4	-	1	1	
South-west Hackney } 3H - - E. & N.	59,921	27	16	4	4	-	-	-	-	-	-	-	-	2	-	1	7	
South-east Hackney } 2W.2H E. & N.	58,255	36	19	5	7	-	-	-	-	-	-	-	-	3	1	1	10	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; F, East London; and K, the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd September, 1905—continued.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of															Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from														
						small-pox.	Measles.	scarlet fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.				
SOUTH DISTRICTS.																				
Christchurch Southwark W, H, L. & S.	11,263	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. Saviour Southwark H - S.	12,056	2	21	7	2	-	-	-	-	-	-	-	-	-	-	4	4	18		
Kent-road - S. & L.	21,904	16	8	5	1	-	-	-	-	-	-	-	-	-	-	2	-	-		
St. George the Martyr } S. & L.	39,094	22	12	3	-	-	-	-	1	1	-	-	-	-	3	1	2	6		
West W, 2H, L - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Newington North - S. & L.	49,022	25	4	2	1	-	-	-	-	-	-	-	-	-	1	-	3	-		
Newington South W - S. & L.	72,841	43	14	6	3	-	1	-	-	-	-	-	-	-	1	2	3	1		
St. Olave 2W - - - S.	9,817	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Bermondsey W - - - S.	82,483	68	18	7	4	-	-	-	-	-	-	-	-	-	4	-	3	-		
Rotherhithe W, F - - S. & K.	38,460	17	8	2	1	-	-	-	-	-	-	-	-	-	2	-	-	3		
Waterloo-road 2H - L. & S.	27,440	45	9	2	-	-	-	-	-	-	-	-	-	-	-	2	2	1		
Lambeth Church 1st H - L. & S.	18,423	9	17	3	5	-	-	-	-	-	-	-	-	-	-	-	-	16		
Lambeth Church 2nd 2W - L. & S.	39,818	28	15	2	5	-	-	-	-	-	-	-	-	-	-	-	1	9		
Kennington 1st H - S. & L.	53,198	38	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
Kennington 2nd H - S. & L.	42,896	16	8	1	2	-	-	-	-	-	1	-	-	-	2	-	1	2		
Brixton F - - - L. & S.	84,232	25	34	6	14	-	-	-	2	-	-	-	-	-	2	1	2	1		
Norwood W, H - - - L.	36,888	15	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-		
East Battersea H - - S.	72,203	54	12	5	3	-	1	-	-	-	-	-	-	-	2	-	-	-		
North-west Battersea - S.	49,656	32	8	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
South-west Battersea 2W, H - S.	47,048	13	15	2	6	-	1	-	-	-	-	-	-	-	-	-	-	12		
Clapham 2H - - - S.	51,361	24	8	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1		
Streatham W, 2w, 2F, 2L - L.	88,019	49	24	5	12	-	-	-	1	-	-	-	-	-	-	-	1	7		
Springfield 2W, L - - S.	27,959	22	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Southfields H - - - S.	40,444	31	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Putney - - - - S.	24,139	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dulwich - - - L. & S.	13,359	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W, w S. & L.	40,206	24	19	5	7	-	-	-	-	-	-	-	-	-	1	-	1	11		
Camberwell North W, 2L S. & L.	65,584	36	16	5	6	-	-	-	-	-	-	-	-	-	1	-	-	10		
St. George - - - L. & S.	47,331	23	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Peckham 2W, w - - S., L. & K.	92,859	51	11	5	4	-	-	-	-	-	-	-	-	-	3	-	-	-		
Deptford North - - - K.	37,613	35	13	5	2	-	-	-	-	-	-	-	-	-	4	1	2	-		
Deptford Central - - - K.	45,481	31	6	3	2	-	-	-	-	-	-	-	-	-	1	1	3	-		
Deptford South - - - K.	34,625	6	8	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West 2H - - K.	23,456	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1		
Greenwich East 2W, H - K.	43,859	28	21	4	5	-	-	-	-	-	-	-	-	-	1	-	-	15		
Eltham w, H - - - K.	7,226	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Lee w, H - - - K.	25,490	6	7	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-		
Lewisham W, F - - K.	58,352	35	26	8	9	-	2	2	-	-	-	-	-	-	5	-	-	14		
Sydenham H - - - L.	43,653	15	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Charlton 1, 2H - - - K.	21,134	10	6	-	1	-	-	2	-	-	-	1	-	-	-	-	1	4		
Woolwich 5H - - - K.	41,625	26	8	4	-	-	-	-	-	1	-	-	-	-	4	-	-	2		
Plumstead West W - - K.	18,063	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W, H - K.	50,264	30	15	3	3	-	-	-	-	-	-	-	-	-	2	1	2	5		
Workhouse:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
M. A. B. Small-pox Hospitals:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Joyce Green - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Fever Hospitals:—	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2		
North-Eastern - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Northern - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Imbecile Asylums:—	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2		
Caterham - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Darenth - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gore Farm (temporary) - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2		
Leavesden - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Lunatic Asylums:—	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	9		
Banstead - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ewell (Epileptic Colony) -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3		
Horton - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Manor - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dartford Heath - - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hanwell - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Colney Hatch - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Claybury - - - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	2	-	-	6		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd September, 1905.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from												
						Infants under 1 year of age.	Persons aged 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.		
	LONDON—OUTER RING	368,602	2,044,973	1208	460	138	133	-	1	8	8	6	4	42	30	51	81	1		
30:1	Carshalton 2F,2H	12,228	32,997	11	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,2F,H	10,423	15,548	4	5	-	3	-	-	-	-	-	-	-	-	2	2	1	-	-
37:1	Godstone, part of* W,F	2,764	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	23	9	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	30	15	2	3	-	-	-	-	-	-	1	-	-	1	6	-	-
4	North Croydon H	2,644	41,668	23	7	1	4	-	-	-	-	-	-	-	-	1	1	-	-	-
5	Penge w,H	770	22,465	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	19	4	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
39:1	Wimbledon F,3H	3,221	41,652	17	8	2	2	-	-	-	-	1	1	-	-	1	1	1	-	-
2	Kingston 2W,H	6,224	42,068	31	10	3	5	-	-	-	-	-	-	2	-	-	-	4	-	-
3	Surbiton F,H	3,046	15,017	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	11	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond W,H	2,162	28,865	12	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake F	2,847	20,628	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley F,2H	4,703	27,354	11	8	1	1	-	-	-	1	-	-	-	-	1	2	1	-	-
2	Beckenham H	7,825	28,497	9	5	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	2	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-	-
4	Chislehurst 2H	7,333	16,446	8	7	3	-	-	-	-	-	-	-	1	1	1	2	-	-	-
42:1	Bexley w F,H	8,678	21,151	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,296	13	6	2	3	-	-	1	-	-	-	1	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	3	-	1	-	-	1	-	-	-	-	1	1	3	-	-	-
124:1	Sunbury w	11,054	18,683	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon W,F,H	6,035	13,661	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H	8,066	16,358	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126:1	Isleworth 3W,2F,H	6,859	30,863	9	12	4	3	-	-	-	1	-	-	2	-	-	4	-	-	-
2	Twickenham F,H	2,421	20,991	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H,L	4,319	48,289	30	3	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	23	11	3	3	-	-	-	-	-	-	2	-	1	-	-	-	-
5	Acton w,3H	6,132	48,914	44	14	10	3	-	-	-	-	-	-	6	-	-	-	-	-	-
127:1	Harrow F,H	13,809	25,523	13	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H	4,384	114,811	69	32	14	4	-	-	2	-	-	3	-	-	1	6	-	-	-
4	Hendon W,F	8,382	22,450	15	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
128:1	South Mimms 2F,H	17,755	7,308	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	13	5	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-
3	Finchley F,2H	4,688	33,892	21	9	2	3	-	-	-	-	-	-	1	-	1	-	-	-	-
129:1	Hornsey F,H	2,875	72,056	35	10	1	8	-	-	-	-	-	-	-	-	2	3	-	-	-
2	Wood Green H	1,625	34,233	20	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F	996	48,853	29	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,688	33	20	6	4	-	-	-	-	1	1	3	4	7	-	-	-	-
5	Edmonton W,w,2F	7,491	61,892	44	13	5	5	-	-	-	-	-	2	1	3	5	-	-	-	-
6	Enfield 2W,F,H	12,601	42,738	24	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Bushey H	9,333	9,173	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88:1	Stratford H	1,072	44,827	29	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Plaistow F,2H	1,249	90,921	59	30	15	5	-	3	-	1	-	2	2	3	6	-	-	-	-
3	Canning Town H	1,556	70,718	53	25	9	4	-	-	-	-	3	8	5	5	1	-	-	-	-
4	Forest Gate w	806	60,892	27	13	3	6	-	-	-	-	-	-	1	2	2	-	-	-	-
5	North East Ham w,H	1,333	58,676	36	8	4	-	-	1	-	-	-	2	1	2	1	-	-	-	-
6	South East Ham 2F	1,993	37,342	29	12	3	2	-	1	-	-	1	1	1	2	2	-	-	-	-
7	Wanstead F	1,679	9,179	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	28	11	-	5	-	1	-	-	1	-	1	2	7	-	-	-	-
9	North Leyton 2W,w,F	1,963	48,445	33	26	6	4	-	-	-	-	1	3	2	3	16	-	-	-	-
10	Walthamstow 3H,L	6,504	108,929	72	22	5	9	-	-	-	-	1	-	3	4	-	-	-	-	-
87:1	Chigwell, part of* 2F,3H	11,778	16,397	11	3	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89:1	Romford, part of* W,2F	6,556	6,091	2	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Ilford F,L	8,496	41,234	38	12	4	4	-	-	-	-	-	-	-	-	-	2	-	-	-
3	Barking Town F	3,803	21,547	14	7	2	2	-	-	-	-	-	-	-	2	3	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislehurst, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Heydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 43: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	September 23	2400	1195	13·3	-	7	6	11	14	4	113
CALCUTTA -	847,798	August 12	-	405	24·8	1	1	-	1	-	124†	67†
		" 19	-	433	26·5	1	2	-	-	-	154†	57†
BOMBAY - -	776,008	September 5	305	535	35·8	-	3	-	-	-	89†	55†
MADRAS - -	509,340	August 25	495	1202	122·7	8	7	-	-	-	104	626†
PARIS - - -	2,660,559	September 16	853	767	14·9	5	3	-	1	3	10	53
BRUSSELS - -	586,936	" 16	212	133	11·6	-	1	-	1	-	1	13
ANTWERP - -	286,695	" 16	144	47	8·4	-	-	-	2	-	-	12
AMSTERDAM -	554,210	" 9	275	129	12·1	-	4	1	-	1	1	13
COPENHAGEN -	426,000	" 16	226	114	13·8	-	1	-	-	2	-	29
STOCKHOLM -	309,496	" 9	162	62	10·1	-	-	1	1	-	-	3
CHRISTIANIA -	223,649	" 16	112	58	13·5	-	-	-	3	6	1	9
ST. PETERSBURG	1,243,122	" 9	-	564	20·9	-	9	10	14	15	23	95
MOSCOW - -	1,092,360	" 9	-	566	27·0	1	2	15	16	10	16	120
WARSAW - - -			-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,023,054	September 2	889	775	20·0	-	8	9	9	11	9	282
HAMBURG - -	772,852	" 16	-	213	14·3	-	-	-	-	-	1	61
BRESLAU - -	462,147	" 16	-	233	26·3	-	-	-	1	2	2	67
MUNICH - - -	523,000	" 16	-	167	16·4	-	2	-	-	3	-	39
VIENNA - - -	1,897,630	" 16	903	629	17·2	-	5	2	8	10	5	119
PRAGUE - - -	430,569	" 16	168	142	16·5	-	-	-	2	1	1	16
BUDA-PESTH -	836,267	" 16	418	265	16·5	-	2	2	2	2	9	37
TRIESTE - - -	191,403	" 16	96	116	31·2	-	4	-	2	1	3	36
ROME - - -	514,930	July 1	216	214	21·6	-	3	1	-	-	1	43
VENICE - - -	169,417	September 9	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	282,071	" 9	127	123	22·7	-	-	1	3	2	-	30
NEW YORK - -	3,948,191	" 9	2000	1230	16·2	-	7	2	14	7	23	207
CHICAGO - - -	1,932,315	" 2	-	510	13·3	-	-	-	9	8	11	130
PHILADELPHIA -	1,438,318	" 2	-	437	15·8	-	-	-	5	7	15	54
BOSTON - - -	617,950	August 26	-	237	20·8	-	1	-	1	-	3	?
RIO DE JANEIRO	850,000	" 6	-	259	14·9	3	7	-	1	1	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 9 and 12 deaths from plague in Calcutta, 43 in Bombay, and 2 in Rio de Janeiro.

‡ Including 15 and 21 deaths from cholera in Calcutta, 1 in Bombay, and 447 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd September, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	65·3	43·1	54·7	0·01	BRADFORD - -	62·0	39·0	53·2	0·00
BRIGHTON - -	65·4	45·9	56·6	0·03	LEEDS - - -	65·0	43·0	55·5	0·00
PORTSMOUTH -	64·5	46·0	56·3	0·11	HULL - - -	69·0	40·0	54·4	0·02
NORWICH - - -	?	?	?	?	TYNEMOUTH -	62·0	39·0	50·7	0·00
PLYMOUTH - -	62·9	46·8	55·4	0·03					
BRISTOL - - -	65·4	38·0	53·5	0·03	EDINBURGH -	59·7	42·4	52·4	0·00
BIRMINGHAM -	63·1	42·0	52·8	0·02	GLASGOW - -	65·0	34·5	52·8	0·00
NOTTINGHAM -	66·0	39·0	53·6	0·01					
LIVERPOOL }	60·0	44·0	54·0	0·03	DUBLIN } Phoenix Park.	60·8	34·3	51·3	0·02
OBSERVATORY. }	66·6	37·8	53·0	0·01					
MANCHESTER }	60·1	41·3	53·1	0·00	DUBLIN } Fitz- william Square.†	61·7	41·0	52·9	0·01
PRESTON - - -	64·4	36·0	52·8	0·00	BELFAST - -	60·0	35·6	51·7	0·05
HUDDERSFIELD									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th September, 1905.*

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	5	4	-	2	-	-	5	-
Kensington - - - -	180,083	-	3	3	-	-	-	-	6	-
Hammer-smith - - -	119,037	-	3	5	-	-	-	-	3	-
Fulham - - - -	157,210	-	19	4	-	1	-	-	1	1
Chelsea - - - -	74,496	-	2	1	-	-	-	-	3	-
City of Westminster -	175,606	-	7	1	-	-	-	-	3	-
NORTH.										
St. Marylebone - - -	129,453	-	3	5	-	1	-	-	5	-
Hampstead - - - -	88,142	-	-	-	-	-	-	-	1	-
St. Pancras - - - -	236,183	-	40	1	-	4	-	-	2	-
Islington - - - -	342,994	-	33	8	-	4	-	-	5	-
Stoke Newington - -	52,828	-	2	1	-	1	-	-	3	-
Hackney - - - -	228,479	-	22	4	-	3	-	-	8	-
CENTRAL.										
Holborn - - - -	56,481	-	4	1	-	1	-	-	1	1
Finsbury - - - -	98,207	-	20	4	-	3	-	-	4	-
City of London - - -	22,425	-	3	-	-	1	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	35	6	-	3	-	-	7	-
Bethnal Green - - -	130,401	-	19	7	-	2	-	-	5	-
Stepney - - - -	305,466	-	62	5	-	1	-	-	21	-
Poplar - - - -	170,280	-	30	9	-	2	-	-	3	2
SOUTH.										
Southwark - - - -	208,528	-	25	1	-	2	-	-	11	1
Bermondsey - - - -	129,006	-	19	3	-	3	-	-	4	-
Lambeth - - - -	313,045	-	18	10	-	7	-	-	7	-
Battersea - - - -	177,532	-	28	-	-	2	-	-	1	1
Wandsworth - - - -	265,392	-	29	5	-	4	-	-	3	-
Camberwell - - - -	271,240	-	23	7	-	1	-	-	10	-
Deptford - - - -	114,495	-	8	-	-	1	-	-	-	-
Greenwich - - - -	103,493	-	4	-	-	2	-	-	1	1
Lewisham - - - -	144,420	-	8	-	-	-	-	-	-	-
Woolwich - - - -	125,372	-	8	3	-	1	-	-	2	-
Port of London - - -	-	-	-	-	-	3	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	482	95	-	55	-	-	125	7
Ages 0-1 - - - -		-	6	-	-	1	-	-	3	-
" 1-5 - - - -		-	147	32	-	2	-	-	7	-
" 5- - - - -		-	222	36	-	8	-	-	4	-
" 10- - - - -		-	63	13	-	4	-	-	6	-
" 15- - - - -		-	20	5	-	3	-	-	4	-
" 20- - - - -		-	5	4	-	7	-	-	11	2
" 25- - - - -		-	16	5	-	17	-	-	19	1
" 35- - - - -		-	3	-	-	12	-	-	21	4
" 45- - - - -		-	-	-	-	-	-	-	21	-
" 55- - - - -		-	-	-	-	1	-	-	16	-
" 65 and upwards -		-	-	-	-	-	-	-	13	-
Age not stated - -		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 39. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, SEPT. 30. [Price 1½d.

General Register Office, Somerset House,
October 2nd, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·0 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 16·1, 14·3, and 13·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·4 in Plymouth, 18·9 in Swansea, 19·2 in St. Helens, 20·1 in Middlesbrough, 20·2 in Walsall, 20·8 in Bootle, 21·0 in Wolverhampton, and 25·3 in Tynemouth; from *measles*, 2·2 in Swansea; from "*fever*," 1·8 in Wigan; and from *diarrhoea*, 2·5 in West Ham, 2·6 in Willesden, 2·8 in Walsall, 3·1 in Sunderland, 3·7 in Middlesbrough, and 4·6 in Warrington and in Burnley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2171 BIRTHS and 1251 DEATHS were registered. Allowing for increase of population, the births were 379 and the deaths 208 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 15·9, 13·2, and 13·3 in the preceding three weeks, was 13·9 last week. During the four weeks ended on Saturday last the death-rate averaged 14·1 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1251 deaths included 15 from measles, 17 from scarlet fever, 13 from diphtheria, 22 from whooping-cough, 10 from enteric fever, and 90 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 167 deaths were referred to these diseases in the aggregate, being 56 below the corrected average weekly number.

The deaths from *measles*, which had been 20, 7, and 7 in the preceding three weeks, rose to 15 last week, the corrected average being 16. The deaths from *scarlet fever*, which had been 7, 8, and 6 in the preceding three weeks, rose to 17 last week, and were 5 above the corrected average; 4 deaths belonged to the Borough of Stepney. The deaths from *diphtheria*, which had been 5, 9, and 11 in the preceding three weeks, were 13 last week, being 25 below the corrected average. The deaths from *whooping-cough*, which had been 16, 14, and 14 in the preceding three weeks, rose to 22 last week, being equal to the corrected average; 4 deaths belonged to Stepney and 3 to Poplar. The fatal cases of *enteric fever*, which had been 10, 9, and 4 in the preceding three weeks, were 10 last week, and were 5 below the corrected average. The deaths from *diarrhoea*, which had been 222, 132, and 113 in the preceding three weeks, further fell to 90 last week, and were 29 below the corrected average; 9 deaths belonged to Lambeth, 9 to Battersea, 8 to Southwark, 7 to Fulham, 6 to Hackney, and 6 to Bermondsey. Of the 90 deaths from diarrhoea, 82 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 12 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 2, 3, and 6 in the preceding three weeks. The death of the wife of a water-side labourer, aged 39 years, was certified, after inquest, as due to *anthrax*.

Different forms of *violence* caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 51 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 5 to burns or scalds, 4 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 12 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3591 cases of scarlet fever, 733 of diphtheria, 1 of typhus, and 143 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 509 cases, against 443, 469, and 546; of diphtheria, 131 cases, against 107, 86, and 131; and of enteric fever, 22 cases, against 15, 24, and 34. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended September 23rd.

GREATER LONDON.

In Greater London 3371 births and 1734 deaths were registered. Allowing for increase of population, these numbers are 424 and 302 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from scarlet fever, 4 from diphtheria, 5 from whooping-cough, 1 from "fever," and 16 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.60 inches, and that of the Thermometer 53°0, the latter being 1°8 below the week's average in the 50 years 1841-90. The general direction of the wind was North-easterly, the horizontal movement of the air being equal to the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 13.3 hours; the measured rainfall amounted to 1.27 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—70 TOWNS, GREAT LONDON, AND FOUR SCOTISH TOWNS.—BIRTHS, DEATHS AND DEATH-RATES IN THE WEEK ended Saturday, 30th September, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 30th Sept., 1905.		The Deaths registered in the Week include										TOWNS	
		Week ended					Week ended 30th Sept., 1905.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.				
		Week ended																				
		9th Sept., 1905.	16th Sept., 1905.	23rd Sept., 1905.	30th Sept., 1905.	Week ended 30th Sept., 1905.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,609,377	16'1	14'3	13'8	14'0	2'0	7651	4182	1114	1127	-	30	48	46	61	36	367	165	375	1036	37	76 TOWNS.
LONDON -	4,684,794	15'9	13'2	13'3	13'9	1'9	2171	1251	205	340	-	15	17	13	22	10	90	63	157	494	5	LONDON.
(CROYDON -	147,704	9'5	12'7	10'9	10'2	0'4	84	29	4	14	-	-	-	-	-	-	1	-	2	4	-	(CROYDON.
WILLESDEN -	138,080	14'7	9'4	12'1	11'7	3'8	74	31	12	3	-	-	-	-	2	1	7	1	-	13	1	WILLESDEN.
HORNSEY -	84,070	9'3	5'6	6'8	9'3	-	30	15	4	8	-	-	-	-	-	-	-	-	1	6	-	HORNSEY.
TOTTENHAM -	116,292	10'8	11'7	10'3	9'9	0'4	48	22	7	7	-	1	-	3	2	2	14	2	3	11	-	TOTTENHAM.
WEST HAM -	294,997	16'4	11'8	15'9	10'1	3'9	154	57	14	9	-	-	1	1	2	2	3	1	2	3	-	WEST HAM.
EAST HAM -	123,381	11'4	8'9	8'9	9'7	3'0	62	23	4	6	-	-	1	1	2	-	3	1	2	3	-	EAST HAM.
LEYTON -	114,555	10'9	10'0	7'7	9'1	0'9	65	20	8	8	-	-	-	-	-	1	1	-	-	3	1	LEYTON.
(WALTHAMSTOW -	116,297	9'9	13'0	10'3	9'4	2'7	54	21	6	7	-	-	-	-	1	-	5	-	-	5	-	(WALTHAMSTOW.
HASTINGS -	66,820	13'3	9'4	12'5	11'7	-	15	15	1	8	-	-	-	-	-	-	-	1	1	1	-	HASTINGS.
BRIGHTON -	127,183	17'2	13'9	13'1	15'6	1'6	54	38	10	13	-	1	-	1	1	-	1	2	3	11	1	BRIGHTON.
PORTSMOUTH -	201,975	19'6	17'0	14'7	13'9	2'1	74	54	11	16	-	-	-	2	-	-	6	-	4	15	2	PORTSMOUTH.
BOURNEMOUTH -	66,168	12'6	10'2	7'1	6'3	0'8	17	8	1	5	-	-	-	-	1	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	114,897	15'9	11'8	10'9	9'1	0'5	54	20	6	5	-	-	-	-	1	-	-	1	4	2	-	SOUTHAMPTON.
READING -	77,674	12'1	8'1	8'7	14'1	2'7	38	21	5	9	-	-	-	1	-	-	3	-	-	3	1	READING.
NORTHAMPTON -	92,441	15'2	14'1	10'7	10'2	-	38	18	4	11	-	-	-	-	-	-	-	1	1	1	-	NORTHAMPTON.
IPSWICH -	70,802	11'8	10'9	10'3	14'0	1'5	31	19	5	8	-	-	-	-	-	1	1	1	1	4	1	IPSWICH.
GREAT YARMOUTH -	52,363	14'9	24'9	9'0	15'9	-	29	16	8	4	-	-	-	-	-	-	-	1	1	2	-	GREAT YARMOUTH.
NORWICH -	116,741	21'9	10'3	13'8	16'5	2'2	53	37	10	15	-	-	-	-	-	-	5	-	2	4	-	NORWICH.
PLYMOUTH -	116,000	16'2	14'8	12'1	18'4	1'3	50	41	10	13	-	-	-	-	-	-	3	2	3	8	-	PLYMOUTH.
DEVONPORT -	76,864	10'9	14'2	10'9	13'6	-	63	20	5	9	-	-	-	-	-	-	-	2	2	-	-	DEVONPORT.
BRISTOL -	358,515	12'1	11'2	14'7	11'6	1'2	175	80	14	27	-	-	2	1	3	-	2	4	6	21	-	BRISTOL.
HANLEY -	64,067	18'5	14'5	16'1	17'7	1'6	47	22	7	7	-	-	-	1	-	-	1	-	2	3	-	HANLEY.
BURTON-ON-TRENT -	52,424	14'9	10'9	7'0	9'0	2'0	22	9	2	1	-	-	-	-	-	-	2	1	1	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	19'4	13'6	16'8	21'0	3'7	56	40	14	12	-	-	1	1	1	-	-	5	4	-	-	WOLVERHAMPTON.
WALSALL -	82,068	11'2	9'5	14'6	20'2	3'4	57	36	13	7	-	-	-	1	-	-	5	-	-	1	1	WALSALL.
HANDSWORTH -	61,721	7'6	6'8	4'2	12'7	0'8	26	15	8	4	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	67,823	20'8	14'6	13'8	7'7	-	31	10	1	5	-	-	-	-	-	-	1	-	-	1	-	WEST BROMWICH.

* See note † on first page of this return. † These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GRAMETER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 30th September, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 30th Sept., 1905.		Deaths of Persons under 1 Year of Age.		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.	Cols
		Week ended				11-17.		30th Sept., 1905.		under 1 Year of Age.		Deaths from								Violence.				
		10th Sept., 1905.				11-17.		30th Sept., 1905.		under 1 Year of Age.		Deaths from												
		9th Sept., 1905.	16th Sept., 1905.	23rd Sept., 1905.	30th Sept., 1905.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.						
		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.			
BIRMINGHAM	-	542,659	15.8	15.6	13.2	14.5	2.4	151	47	41	-	3	2	1	5	1	13	9	12	36	3	BIRMINGHAM.		
KINGS NORTON	-	69,630	6.7	11.2	7.5	7.5	-	24	1	4	-	-	-	-	-	-	-	1	2	1	-	KINGS NORTON.		
SMETHWICK	-	62,605	10.8	16.7	11.7	10.8	2.5	33	7	3	-	-	-	-	-	1	2	-	-	1	-	SMETHWICK.		
ASTON MANOR	-	31,320	12.2	7.7	13.5	14.1	0.6	28	6	6	-	-	-	-	-	-	1	-	2	2	-	ASTON MANOR.		
COVENTRY	-	75,134	19.4	6.2	14.6	7.6	1.4	35	1	1	-	-	-	-	-	-	2	-	-	1	-	COVENTRY.		
LEICESTER	-	228,132	16.7	13.7	17.4	12.1	1.8	101	11	14	-	-	2	1	1	-	4	-	3	14	-	LEICESTER.		
GRIMSBY	-	68,153	19.1	13.8	13.0	12.2	0.8	24	4	7	-	-	-	-	1	-	-	2	4	4	-	GRIMSBY.		
NOTTINGHAM	-	251,671	11.6	11.0	17.0	13.5	1.5	95	19	23	-	-	1	1	-	-	5	5	9	13	-	NOTTINGHAM.		
DERBY	-	122,207	16.6	11.1	11.9	13.2	2.1	52	13	9	-	-	-	-	1	-	4	-	3	7	-	DERBY.		
STOCKPORT	-	83,320	21.2	21.2	19.1	10.1	-	47	4	5	-	-	-	-	-	-	-	-	2	3	-	STOCKPORT.		
BIRKENHEAD	-	116,035	15.3	14.4	13.0	9.9	0.9	73	7	9	-	-	-	-	-	-	2	-	2	4	-	BIRKENHEAD.		
WALLASEY	-	62,460	10.9	7.5	10.0	6.7	-	31	-	4	-	-	-	-	-	-	-	-	-	1	-	WALLASEY.		
LIVERPOOL	-	730,143	18.7	18.6	17.2	15.9	2.6	474	61	50	-	-	9	2	3	2	20	11	17	61	2	LIVERPOOL.		
BOOTLE	-	62,758	19.9	13.3	10.8	20.8	1.7	24	1	5	-	-	2	-	-	-	2	-	3	5	1	BOOTLE.		
ST. HELENS	-	89,843	17.4	15.7	11.0	19.2	1.7	69	33	8	6	-	1	-	1	-	1	3	3	9	1	ST. HELENS.		
WIGAN	-	88,681	21.1	16.3	19.3	16.9	3.6	49	28	9	4	-	-	-	-	-	3	-	1	5	-	WIGAN.		
WARRINGTON	-	68,901	16.0	19.8	14.5	18.3	6.1	30	6	3	-	-	1	1	-	-	6	2	3	3	1	WARRINGTON.		
BOLTON	-	178,111	17.3	16.1	17.3	17.9	3.2	69	18	15	-	-	-	-	-	-	8	-	3	9	-	BOLTON.		
BURY	-	58,584	19.6	11.6	16.0	16.0	0.9	26	2	7	-	-	-	-	-	-	1	1	2	1	1	BURY.		
MANCHESTER	-	631,185	19.6	18.1	16.2	18.3	2.2	303	51	51	-	4	1	5	1	2	14	8	11	65	6	MANCHESTER.		
SALFORD	-	231,514	22.3	16.4	13.3	16.0	2.3	121	22	13	-	-	-	1	-	-	9	1	4	13	-	SALFORD.		
OLDHAM	-	140,225	19.7	21.2	12.3	13.0	1.1	61	35	9	7	-	-	-	-	-	2	1	3	3	-	OLDHAM.		
ROCHDALE	-	86,390	18.1	13.9	13.9	16.3	-	60	27	13	-	-	-	-	-	-	-	-	2	6	-	ROCHDALE.		
BURNLEY	-	101,682	24.6	13.8	22.6	11.8	5.1	55	23	11	3	-	-	1	-	-	9	1	1	3	-	BURNLEY.		
BLACKBURN	-	133,067	17.2	12.5	13.7	9.8	1.6	46	6	8	-	-	-	-	-	-	4	-	2	4	-	BLACKBURN.		
PRESTON	-	115,721	21.6	16.7	14.9	18.0	4.1	67	9	11	-	-	-	-	-	-	5	4	4	10	-	PRESTON.		
BARROW-IN-FURNESS.	-	60,306	10.4	13.0	10.4	10.4	1.7	30	6	2	-	-	-	-	-	-	2	-	-	-	-	BARROW-IN-FURNESS.		

TOWNS.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from all Causes in Colk.		Registered during the week ended 30th Sept., 1905.		The DEATHS registered in the Week include										TOWNS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Week ended				11-17.		30th Sept., 1905.		Deaths of	Deaths from					Deaths in Public Institutions.	Unidentified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		9th Sept., 1905.	16th Sept., 1905.	23rd Sept., 1905.	30th Sept., 1905.	Week ended September, 1905.	Births.	Deaths.	Small-pox.		Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.			Diarrhea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		1.	2.	3.	4.	5.	6.	7.		8.						9.	10.				11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Colk.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2618	2316	2503	2614	2399	2239	2581	2457	2296	2537	2550·1	2171
Males - - -	1378	1200	1246	1299	1223	1138	1317	1216	1186	1285	1296·7	1066
Females - - -	1240	1116	1257	1315	1176	1101	1264	1241	1110	1252	1253·4	1105
TOTAL Deaths -	1532	1264	1313	1700	1456	1471	1304	1489	1244	1279	1459·1	1251
Males - - -	784	637	707	930	752	709	692	782	630	673	762·8	637
Females - - -	748	627	606	770	704	762	612	707	614	606	696·3	614

* The numbers in this column are the average weekly numbers in the thirty-ninth week of the ten years 1895–1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	13 Weeks.
TOTAL Births -	2509	2363	2466	2480	2522	2215	2549	2530	2372	2328	2374	2400	2171	31279
TOTAL Deaths -	1006	1047	1137	1285	1404	1555	1523	1497	1548	1432	1187	1195	1251	17067
Ages at Death														
Under 1 year -	203	222	271	431	515	638	616	584	577	441	349	305	295	5447
1–5 years -	100	115	124	129	161	181	173	174	156	150	98	109	131	1801
5–20 " -	74	65	76	63	71	59	71	51	62	63	59	68	62	844
20–40 " -	137	129	155	150	163	135	142	149	160	164	159	139	165	1947
40–60 " -	222	221	223	242	243	240	252	213	263	281	222	245	258	3125
60 yrs.& upwds	270	295	288	270	251	302	269	326	330	333	300	329	310	3903
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	24	27	17	21	19	23	28	19	27	20	7	7	15	257
Scarlet Fever - -	11	7	6	8	9	16	10	10	11	7	8	6	17	126
Diphtheria - - -	6	6	6	7	12	10	6	8	12	5	9	11	13	111
Whooping-cough -	18	17	13	33	18	28	22	17	28	16	14	14	22	260
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	3	7	3	6	7	2	5	5	10	9	4	10	76
Pyrexia (origin uncertain).	1	-	-	-	-	1	-	-	-	-	-	-	-	2
Diarrhoea, Dysentery	37	58	83	187	314	372	395	390	313	222	132	113	90	2706
All above Diseases -	102	118	132	262	378	457	463	449	396	280	179	155	167	3538
Dis. of Resp. System														
Pneumonia - - -	32	48	42	46	42	46	48	44	60	47	48	57	64	624
Phthisis - - -	58	56	75	70	69	68	69	74	71	86	65	73	91	923
Dis. of Circ. System -	92	100	97	108	113	113	119	109	118	133	120	125	125	1472
Violence - - -	151	143	151	140	131	139	122	153	164	173	155	152	170	1944
Inquest Cases - -	59	53	63	62	54	67	55	51	62	59	52	45	63	745
Deaths in Institutions	109	101	109	126	130	141	122	128	140	135	113	112	157	1623
TEMPERATURE OF THE AIR.														
Mean - - -	64·0	68·9	65·2	66·3	62·2	60·3	62·1	60·2	56·7	61·0	54·2	54·3	53·0	60·6
Mean of Highest - -	74·7	80·5	77·7	77·9	73·2	72·0	73·4	71·5	64·6	70·2	64·3	62·6	58·6	70·9
Mean of Lowest - -	54·2	60·0	54·0	57·7	54·3	52·2	52·3	51·0	51·1	55·6	46·7	46·7	48·4	52·6
Mean Humidity of the Air.	69	71	75	77	71	76	69	71	82	84	76	76	83	75
Rain-fall (in inches) -	0·03	0·26	0·02	0·53	0·65	0·16	0·03	0·48	1·21	0·68	0·32	0·01	1·27	5·65
Registered Sunshine (in hours).	52·7	55·4	54·0	39·5	47·6	45·7	57·8	47·2	12·1	29·5	37·8	27·8	13·3	520·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	5	4	3	3	1	-	-	-	-	-	-	-	-	1
Scarlet Fever - -	2499	2520	2485	2550	2632	2670	2735	2762	2373	2382	3150	3424	3591	2836
Diphtheria - - -	775	764	791	789	753	706	701	668	671	686	684	703	733	725
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Enteric Fever - -	81	89	92	94	100	99	108	114	121	116	122	140	143	109

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.O.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-NINTH Week of the Year 1905.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 39th week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 39th week of the year 1904.	1905—Deaths of Persons of the Ages								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.	5-20.		0-1.				1-5.	5-20.						
ALL CAUSES	1279	1251	295	131	62	165	258	340	Meningitis (not tuberc.)	13	8	3	3	2	-	-		
									Insanity, Gen. Par. of	20	18	-	-	6	5	-		
									Insane	4	5	-	-	1	3	-		
									Epilepsy	19	26	24	2	-	-	-		
									Convulsions	3	1	-	-	-	-	1		
									Locomotor Ataxy	5	8	-	-	-	-	4		
									Paraplegia, Dis. of Cord	12	19	1	-	1	10	7		
									Nervous Sys. (other dis.)	34	36	-	-	4	9	11		
									Valv. Dis., Endocarditis	24	36	-	-	-	3	8		
									Cerebr. Hæm. Thromb.	17	15	-	-	-	6	9		
									Apoplexy, Hemiplegia	6	9	-	-	-	2	6		
									Aneurysm	-	-	-	-	-	-	1		
									Embolism, Thrombosis	71	74	-	-	-	-	-		
									(not cerebral)	-	-	-	-	-	-	-		
									Heart & Blood Vessel Dis.	2	-	-	-	-	-	-		
									Croup (not Spasm: nor Memb.)	73	51	8	6	-	4	33		
									Bronchitis	1	3	-	-	-	1	-		
									Asthma, Emphysema	3	2	1	-	-	-	1		
									Pleurisy	6	8	2	1	1	-	3		
									Respiratory Dis. (other)	-	-	-	-	-	-	-		
									Tonsillitis, Quinsy	18	18	11	4	-	1	1		
									Enteritis (not Epid.)	15	12	8	4	-	-	-		
									Gastro-Enteritis	2	4	-	-	1	1	2		
									Peritonitis (not Puerp.)	10	13	-	-	-	1	10		
									Cirrhus of Liver	3	9	-	-	-	1	3		
									Liver Dis. (other)	44	36	4	3	4	11	6		
									Digestive Dis., Other	8	11	-	1	3	2	2		
									Nephritis, Acute	29	38	-	-	2	2	14		
									Bright's Dis., Albuminuria	9	13	1	-	-	1	3		
									Urinary Sys., Other Dis.	2	2	2	-	-	-	-		
									Generative Organs Dis.	7	4	-	-	-	4	-		
									Childbirth (Accid. of)	56	40	-	-	-	-	-		
									Old Age	91	81	55	10	3	3	4		
									Other Diseases	-	-	-	-	-	-	-		
									ACCIDENT.									
									By Railways	1	3	-	-	-	2	-		
									By Vehicles and Horses	4	7	-	1	1	2	-		
									In Ships, Boats, Docks, (exclusive of Drowning)	1	1	-	-	-	1	-		
									In Building Operations	-	1	-	-	-	-	1		
									In Conflagrations	-	-	-	-	-	-	-		
									By Burns, Scalds, Explosions	5	5	-	1	-	2	1		
									By Drowning	2	4	1	-	-	2	1		
									By Suffocation in Bed	8	12	12	-	-	-	-		
									By Poisons or Poisonous Vapours	1	3	-	1	1	-	1		
									Other Deaths by Accident	19	16	-	3	1	3	2		
									VIOLENCE OTHER THAN ACCIDENTAL.									
									Homicide	-	1	-	-	-	1	-		
									Suicide	8	11	-	-	-	5	3		
									Execution	-	-	-	-	-	-	-		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th September, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.
LONDON - - -		4,530,420	2171	1251	295	340	-	15	17	13	22	-	10	-	90	63	157	494	5
WEST DISTRICTS - - -		805,311	308	193	32	57	-	3	2	1	6	-	1	-	10	9	18	78	2
NORTH DISTRICTS - - -		1,056,070	438	240	43	74	-	4	4	3	1	-	1	-	14	16	38	77	-
CENTRAL DISTRICTS - - -		209,465	101	63	15	14	-	-	-	-	2	-	1	-	4	7	15	38	-
EAST DISTRICTS - - -		715,739	395	227	54	50	-	1	1	2	9	-	2	-	14	5	27	110	-
SOUTH DISTRICTS - - -		1,748,844	929	501	150	136	-	7	8	6	4	-	5	-	47	26	59	164	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	27	1	9	-	-	2	1	-	-	-	-	1	-	-	27	-
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	47	23	3	3	-	1	-	-	2	-	-	-	-	2	1	3	10	-
W ^{2H}																			
St. John Paddington } - G.	33,617	5	14	1	1	-	-	-	-	-	-	-	-	-	-	4	4	9	-
North-west Paddington } - C.	17,181	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W W ^{2H} G. & W. & C.		128,037	52	32	6	13	-	1	-	-	-	-	-	-	-	-	3	14	-
Brompton 2H - - W. & C.		48,591	6	9	-	7	-	-	-	-	-	-	-	-	-	-	1	1	-
North Hammersmith W, w ^H } W. & G.	{	49,192	29	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith w ^{2H}		63,047	22	14	5	3	-	-	-	-	-	-	-	-	-	-	1	2	3
North-west Fulham W		45,180	25	20	4	7	-	1	-	-	1	-	-	-	-	2	-	-	9
North-east Fulham F		46,405	14	9	1	2	-	-	1	1	1	-	1	-	-	1	-	-	4
South Fulham W		45,704	21	13	5	2	-	-	-	-	1	-	-	-	-	3	2	3	-
Chelsea North W, w ^{3H} - - - C.		42,514	11	18	1	7	-	-	-	-	-	-	-	-	-	1	1	2	15
Chelsea South W ^{2H} - - - C.		31,328	19	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge C. & G.		28,743	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W ^{2H} - - - C.		55,815	15	10	1	2	-	1	-	-	-	-	-	-	-	-	-	4	-
St. Margaret & St. John 4H - - C.		43,698	17	18	3	5	-	-	-	-	1	-	-	-	-	-	-	9	2
St. James Westminster } N. & G.	{	21,588	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
W ^H																			
St. Anne Soho 5H - - - N.		11,493	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - W.		35,391	3	10	-	4	-	-	-	-	1	-	-	-	-	1	1	3	-
Rectory Marylebone W G. & W.		19,349	6	4	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary Marylebone 4H G. & W.		18,099	27	3	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Christchurch Marylebone H- W.		39,536	13	5	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
St. John Marylebone 3H - - W.		20,426	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead W, F, 6H - - N. & W.		81,942	23	21	1	5	-	-	2	2	-	-	-	-	-	2	3	11	-
West St. Pancras 2H - - W.		60,562	22	15	4	3	-	1	-	-	-	-	-	-	1	3	4	1	-
Tottenham-court w ^{7H} N. & W.		21,258	8	12	-	5	-	-	-	-	-	-	-	-	-	-	1	8	-
Gray's Inn Lane 4H - - N.		34,449	16	3	1	1	-	-	-	-	-	-	-	-	2	-	-	1	-
East St. Pancras W ^{2H} - - N.		60,320	35	26	4	11	-	-	-	1	-	-	-	-	2	2	7	10	-
North St. Pancras 2W - - N.		58,728	22	18	4	5	-	1	-	-	-	-	-	-	-	1	2	5	-
Tufnell W - - - N.		31,995	9	14	2	4	-	1	-	-	-	-	-	-	1	-	-	11	-
Upper Holloway 2W, w ^H - - N.		33,978	23	17	1	6	-	-	-	-	-	-	1	-	1	1	2	12	-
Tollington WH - - - N.		33,922	11	5	1	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Lower Holloway - - - N.		41,424	14	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Barnsbury - - - N.		54,478	34	10	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Islington South-east F - - N.		75,397	34	8	3	1	-	-	-	-	-	-	-	-	1	-	2	-	-
Highbury 2H - - - N.		63,797	23	13	2	6	-	-	-	-	-	-	-	-	1	-	3	-	-
Stoke Newington H - - - N.		51,247	19	8	3	3	-	-	-	-	-	-	-	-	2	-	-	-	-
North Hackney - - - E. & N.		50,560	15	5	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Central Hackney 2w, F - - E. & N.		50,536	22	13	4	4	-	-	2	-	-	-	-	-	1	1	2	3	-
South-west Hackney 3H E. & N.		59,921	27	5	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
South-east Hackney 2W, w, H E. & N.		58,255	25	18	5	2	-	-	-	-	-	-	-	-	1	2	4	7	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; F, East London; and K, the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th September, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Deaths from															
					Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhæa.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
Giles and Bloomsbury W,2H N.	31,436	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	
Grand W,4H - - - N. & C.	21,674	5	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-	
Grand Union Workhouse, Edmonton-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Albion W,6H - - - N.	29,612	13	22	9	2	-	-	-	-	-	2	-	-	-	-	3	-	18	-	
North Clerkenwell - - - N.	28,676	18	7	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
North Clerkenwell H - - - N.	35,028	16	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Bloomsbury 3H,L - - - N.	36,116	30	6	-	2	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
Albion Union Workhouse, } Mitcham - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botolph H - - - N. & E.	10,299	1	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Sepulchre and Allhallows } W,2H - - - N.	16,624	3	15	2	2	-	-	-	-	-	-	1	-	1	5	6	13	-	-	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
Beddington South H - E. & N.	46,362	28	9	5	1	-	-	1	-	-	-	-	-	-	2	1	2	-	-	
Beddington North-West W,6,H N.	36,127	22	21	5	5	-	-	-	-	1	-	-	-	-	-	-	3	14	-	
Beddington North-East - N. & E.	34,148	19	6	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Beddington Union Workhouse, Wood } Green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Beckton Green North 2H - E.	51,514	24	8	3	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	
Beckton Green South - - E.	33,472	21	5	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	
Beckton Green East 2W,H,L - E.	44,694	26	22	4	5	-	-	-	-	-	1	-	-	1	-	1	1	13	-	
Beckton Fields - - - E. & N.	27,969	13	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Beckton End New Town W,H - E.	28,718	10	35	8	3	-	-	-	1	-	-	-	-	-	1	-	4	32	-	
Beckton's Fields - - - E.	22,081	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
George and St. John 2W E.	49,068	26	13	5	3	-	-	-	-	1	-	-	-	-	-	1	4	4	-	
Beddington and Ratcliff W,H E. & N.	25,568	4	14	5	1	-	-	-	-	2	-	-	-	-	1	1	2	11	-	
Beddington Union Workhouse W - E.	32,369	25	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Beckton End Old Town South- } Western H - - - E.	63,698	34	14	4	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Beckton End Old Town North- } Eastern W,6 - - - E.	49,129	32	23	2	11	-	-	-	-	-	-	-	-	-	-	-	1	14	-	
Beckton L - - - E.	41,989	27	4	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
Beckton W,6,H - - - E.	68,319	37	35	9	11	-	1	-	-	1	-	1	-	-	3	1	7	19	-	
Beckton W,6 - - - E.	68,514	37	11	3	2	-	-	-	-	1	-	-	-	-	1	-	1	1	-	

[illegible]

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA: POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th September, 1905.

Regis- tration District and Sub- district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthra.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,602	2,044,973	1200	483	121	152	-	1	4	8	12	5	47	16	32	104	3
30: 1	Carshalton 2F,2H	12,228	32,997	12	4	-	4	-	-	-	-	-	-	-	-	1	-	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	10	1	-	3	-	-	-	-	1	-	-	-	-	3	-
37: 1	Godstone, part of* W,F	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Conisdon	11,069	8,166	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	22	11	-	6	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	42	12	5	12	-	-	-	-	-	1	-	-	12	4	-
4	North Croydon H	2,644	41,698	26	8	1	5	-	-	-	-	-	-	-	-	-	12	-
5	Penge w,H	770	22,465	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	27	2	-	1	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon E,3H	3,221	41,652	26	5	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	21	16	3	7	-	-	-	-	-	-	-	1	3	4	-
3	Surbiton F,H	3,046	15,017	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	4	2	-	2	-	-	-	-	-	-	-	1	2	1	-
5	Hampton H,F,L	4,564	23,456	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H	2,162	28,865	14	6	1	1	-	-	-	-	-	1	1	1	1	4	-
2	Mortlake F	2,847	20,628	19	8	1	3	-	-	-	1	-	-	-	-	1	-	-
41: 1	Bromley E,2H	4,703	27,354	4	4	1	1	-	-	-	1	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	7	4	-	3	-	-	-	-	-	-	-	-	-	1	-
3	Orpington part of* W	10,113	8,857	3	7	2	2	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	8	6	1	2	-	-	-	-	-	-	-	-	-	1	-
42: 1	Bexley w,F,H	8,678	21,151	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	17	7	2	1	-	-	-	-	-	-	-	2	3	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24: 1	Sunbury w	11,054	18,683	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	10	8	2	5	-	-	-	-	-	-	1	-	-	3	-
25: 1	Hillingdon W,F,H	6,035	13,661	6	4	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,767	8,984	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H	8,066	16,358	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-
26: 1	Isleworth 3W,2F,H	6,869	30,863	18	25	7	8	-	-	1	1	-	2	1	1	14	-	-
2	Twickenham F,H	2,421	20,991	11	3	1	1	-	-	-	1	-	1	-	-	-	-	-
3	Brentford 3F,2H,L	4,310	48,289	27	12	4	3	-	-	1	-	-	-	1	1	1	-	-
4	Chiswick H	1,249	29,809	24	9	2	1	-	-	-	1	-	-	1	1	1	-	-
5	Acton w,3H	6,132	43,914	42	9	1	4	-	-	-	-	-	-	-	-	-	-	-
27: 1	Harrow F,H	13,809	25,523	15	7	2	1	-	-	-	-	2	-	-	1	1	-	1
2	Edgware F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H	4,384	114,811	74	29	12	3	-	-	-	-	2	-	7	1	11	1	-
4	Hendon W,F	8,382	22,450	20	5	1	1	-	-	-	-	-	1	-	-	-	-	-
28: 1	South Mimms 2F,H	17,755	7,308	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,070	7	8	3	3	-	-	-	-	-	-	1	2	2	3	-
3	Finchley F,2H	4,688	33,692	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-
29: 1	Hornsey F,H	2,875	72,056	30	14	4	7	-	-	-	-	-	-	-	1	2	-	-
2	Wood Green H	1,625	34,233	31	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F	996	48,853	21	7	3	1	-	1	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,686	27	10	4	4	-	-	-	-	-	-	-	-	-	1	-
5	Edmonton W,w,2F	7,491	61,892	49	17	6	6	-	-	-	-	-	3	-	-	1	6	-
6	Enfield 2W,F,H	12,601	42,738	28	11	3	2	-	1	-	-	-	1	-	-	-	2	-
7	Waltham Abbey F	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	6	3	2	-	-	-	-	-	-	-	-	-	1	-
35: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Bushey H	9,333	9,173	5	5	2	3	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
36: 1	Stratford H	1,072	44,827	21	9	2	2	-	-	-	-	-	-	2	-	1	1	-
2	Plaistow E,2H	1,249	90,921	48	17	6	2	-	-	-	1	1	1	4	2	2	2	-
3	Canning Town H	1,556	70,718	61	18	5	2	-	-	-	1	1	1	7	-	1	-	-
4	Forest Gate w	806	60,892	21	5	1	1	-	1	-	-	-	-	-	-	-	-	-
5	North East Ham w,H	1,333	58,676	33	10	2	2	-	-	1	1	1	-	2	1	1	-	-
6	South East Ham 2F	1,993	37,342	29	11	2	2	-	1	-	-	-	1	-	1	1	-	-
7	Wanstead F	1,579	61,779	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	23	6	1	4	-	-	-	-	-	-	-	-	-	3	-
9	North Leyton 2W,w,F	1,963	48,445	42	28	8	10	-	-	-	-	-	1	3	-	-	14	1
10	Walthamstow 3H,L	6,504	108,929	60	21	5	6	-	-	-	-	1	-	4	-	-	1	-
37: 1	Chigwell, part of* 2F,3H	11,778	16,397	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
38: 1	Romford, part of* W,2F	6,556	8,091	3	6	2	3	-	-	-	-	-	-	2	-	-	2	-
2	Ilford F,L	8,496	41,234	29	12	4	2	-	-	-	-	-	-	-	-	1	1	-
3	Barking Town F	3,803	21,547	22	5	1	1	-	-	-	-	-	-	1	-	-	-	-
	Western Hospital, Fulham -	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,684,794	September 30	2171	1251	13·9	-	15	17	13	22	10	90
CALCUTTA - -	847,796	August 26	-	437	26·8	2	-	-	-	-	166†	~ 84‡
BOMBAY - -	776,008	September 12	366	560	37·5	-	2	-	-	-	100†	56
MADRAS - -	599,346	" 1	490	986	100·6	16	7	-	-	-	151	489‡
PARIS - -	2,660,559	" 23	886	750	14·6	2	2	1	4	4	12	40
BRUSSELS - -	586,936	" 23	237	131	11·4	-	-	-	2	-	1	18
ANTWERP - -	286,695	" 23	146	77	13·7	-	1	-	-	-	-	9
AMSTERDAM -	554,240	" 16	238	125	11·8	-	6	2	-	-	2	12
COPENHAGEN -	426,000	" 23	221	127	15·4	-	3	1	-	-	5	17
STOCKHOLM -	309,496	" 16	155	78	12·7	-	-	1	1	1	-	5
CHRISTIANIA -	223,649	" 23	105	52	12·2	-	-	-	1	4	-	8
ST. PETERSBURG	1,248,122	" 16	-	527	19·7	-	6	11	14	20	34	72
MOSCOW - -	1,092,360	" 16	-	497	23·7	2	-	14	7	9	13	91
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,023,169	September 9	839	741	19·1	-	8	6	3	9	5	203
HAMBURG - -	772,652	" 23	-	237	15·9	-	-	-	2	4	-	44
BRESLAU - -	462,147	" 23	-	221	24·9	-	1	1	2	2	-	58
MUNICH - -	528,000	" 23	-	200	19·7	-	2	-	1	6	-	44
VIENNA - -	1,897,630	" 23	927	599	16·4	-	4	3	6	8	1	94
PRAGUE - -	430,569	" 23	197	142	16·5	-	-	-	2	-	-	14
BUDA-PESTH -	836,267	" 23	472	253	15·7	-	6	2	1	-	5	39
TRIESTE - -	191,403	" 23	116	112	30·1	-	2	-	-	1	2	38
ROME - -	514,930	July 8	201	324	32·7	-	5	-	2	1	4‡	70
VENICE - -	169,417	September 9	73	71	21·9	-	-	-	-	1	3	14
BUCHAREST -	282,071	" 16	138	115	21·3	-	-	-	1	-	1	31
NEW YORK -	3,948,191	" 16	2074	1296	17·1	-	2	4	23	10	22	185
CHICAGO - -	1,932,315	" 9	-	500	13·1	-	1	-	8	7	5	124
PHILADELPHIA -	1,438,318	" 9	-	374	13·5	-	2	1	4	5	12	44
BOSTON - -	617,950	" 2	-	212	18·6	-	1	-	1	2	5	7
RIO DE JANEIRO	850,000	August 13	-	292	16·8	5	5	1	1	-	2‡	2‡

* Excluding deaths from croup in the Indian Cities.

† Including 13 deaths from plague in Calcutta, 39 in Bombay, and 2 in Rio de Janeiro.

‡ Including 34 deaths from cholera in Calcutta, and 328 in Madras.

§ Including one death from malarial fever.

¶ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th September, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	64·6	44·7	53·5	1·27	BRADFORD - -	58·0	47·0	52·3	0·66
BRIGHTON - -	65·4	50·0	55·6	0·51	LEEDS - - -	60·0	45·0	53·6	1·10
PORTSMOUTH - -	61·7	46·0	54·1	0·87	HULL - - -	60·0	45·0	52·2	0·21
NORWICH - -	65·0	45·0	53·9	1·46	TYNEMOUTH - -	58·0	41·0	51·3	0·49
PLYMOUTH - -	62·4	43·4	54·9	0·04					
BRISTOL - -	61·8	41·0	51·4	0·14	EDINBURGH - -	53·7	39·7	48·9	0·69
BIRMINGHAM - -	58·2	40·3	50·4	0·34	GLASGOW - - -	60·8	32·6	50·8	0·10
NOTTINGHAM -	59·0	33·3	50·6	0·70					
LIVERPOOL }	59·0	40·0	51·3	0·14	DUBLIN { Phoenix Park.	57·3	33·1	49·4	0·33
OBSERVATORY. }	59·5	39·8	50·0	0·14	DUBLIN { Fitz- william Square.†	59·9	38·5	51·9	0·54
MANCHESTER -	58·6	44·5	51·9	0·24					
PRESTON - -	56·6	41·0	50·4	0·58	BELFAST - - -	-	-	-	-
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·2° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[See also one page in the *Astronomer Royal*.]

1905. MONTH AND DAY	Phases of the Moon.	TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				WIND AS DEDUCED FROM ANEMOMETERS.				Rain collected in a Gauge receiving surface 5 inches above the Ground.	Ozone.					
		Of the Air.		Of the point.		Difference between the Air Temperature and Dew Point Temperature.		Degrees of the midday radiation (Sak- ration 100).		Of Radiation.		Of the Earth 3 feet below Surface.		General Direction.		Pressure on the Square Foot.				Robinson's.				
		High- est.	Low- est.	Daily Range.	Mean daily value.	De- pense Average value.	Mean of 24 hours.	Mean of 24 hours.	Great est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hours on each Day.			Horizontal distance of 24 hours on each Day.	Miles.	Miles		
SEPTEMBER.		in.	in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
SUNDAY - 24	..	28°50	58°3	11°0	53°0	- 21	42°0	11°0	14°2	4°6	66	99°0	41°0	ENE. & NE.	ENE. & NNE.	3°8	0°0	0°3	332	73	0°0			
MONDAY - 25	..	28°52	58°0	49°7	63°5	- 25	51°1	14	3°4	0°6	95	65°7	49°0	NNE.	N.	2°4	0°0	0°3	296	+ 39	0°4	0°0		
TUESDAY - 26	..	28°37	55°0	49°7	53°1	- 32	49°9	1°8	3°6	0°4	94	63°1	47°6	NNE.	N.	2°6	0°0	0°1	181	- 75	0°36	0°0		
WEDNESDAY - 27	..	28°54	57°9	49°7	52°8	- 21	50°8	2°0	7°0	0°0	93	76°8	42°1	NNE. calm & SE.	E. & ENE.	0°1	0°0	0°0	116	- 139	0°19	2°0		
THURSDAY - 28	New	28°53	63°0	47°0	15°1	55°0	49°7	5°3	11°8	0°0	82	118°9	40°4	E. & NE. ENE.	E. & ENE.	1°5	0°0	0°1	226	- 28	0°00	6°0		
FRIDAY - 29	In Equ. Perigee.	28°65	64°6	50°0	14°6	56°2	45°0	1°0	14°0	1°0	85	109°6	44°6	NNE. & NE.	NNE. & NE.	1°7	0°0	0°2	289	+ 36	0°27	0°0		
SATURDAY - 30	..	28°11	55°5	44°7	10°8	49°6	39°9	9°7	16°6	2°4	69	98°9	39°0	NNE. & N.	NNE. & N.	3°2	0°0	0°4	346	+ 94	0°00	4°0		
MEANS	-	28°63	58°6	48°4	10°2	53°0	51°0	1°3	83	90°0	57°43	43°4	16	NE.		Sum	Sum	1°27	1°7		
No. of Columns -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
DATE.	SEPTEMBER.																							
SUNDAY - 24																								
MONDAY - 25																								
TUESDAY - 26																								
WEDNESDAY - 27																								
THURSDAY - 28																								
FRIDAY - 29																								
SATURDAY - 30																								
No. of Columns -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.	
The height of the cistern of the barometer is 159 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.	
Observations are usually taken at 9h. A.M. ; noon ; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer the combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.	
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1875.	
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.	
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.	
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive ; N, negative ; w, weak ; m, moderate ; s, strong ; and v, variable.	
The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.	
The reading of the barometer decreased from 29°59 in. at the beginning of the week to 29°46 in. by 5h. A.M. on the 25th ; increased to 29°63 in. by 11h. A.M. on the 26th ; decreased to 29°52 in. by 4h. P.M. on the 27th ; and increased to 29°87 in. by midnight on the 30th.	
ERRATA : -Report for week ending Sept. 16th, 1905, Col. 5, Mean for week, for 54°·3 read 64°·3. -Report for week ending Sept. 23rd. Reading of Barometer at midnight on the 23rd, for 29°49 in. read 29°59 in.	

GENERAL REMARKS.	
12	121
00	120
00	120
00	119
36	118
31	118
54	117
Sum 153	Sum 883
26	29

W. P. generally ; occasional w. N. at night.	W. P. till 10h. P.M. ; v. P. and v. N. afterwards.	W. P. and v. N. till 1h. A.M. ; v. N. till 9h. P.M. ; insulation defective afterwards.	W. P. and v. N. between 2h. and 4h. P.M.	W. P. throughout.	W. P. generally ; v. P. and v. N. between 6h. and 8h. A.M.	W. P. throughout.
--	--	--	--	-------------------	--	-------------------

GENERAL REMARKS.

Fine but cloudy till 10h. A.M.; generally overcast afterwards with slight rain in evening.
Overcast; occasional thin rain till evening followed by heavy shower at 9h. 40m. P.M.
Overcast; rain in early morning and in afternoon.
Overcast, with occasional showers till evening; fine and partially cloudy but misty afterwards.
Very misty in morning; fine and partially cloudy till evening; overcast with light showers at night. Bright solar halo observed in afternoon.
Generally overcast till afternoon, very fine till evening; generally overcast at night; heavy shower between 6h. 30m. and 8h. A.M., and occasional slight rain in forenoon.
Overcast generally till 6h. A.M.; fine and partially cloudy afterwards; a cold day.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.59 in. at the beginning of the week to 29.46 in. by 5h. A.M. on the 24th; increased to 29.63 in. by 11h. A.M. on the 26th; decreased to 29.62 in. by 4h. P.M. on the 27th; and increased to 29.87 in. by midnight on the 30th.
Remarks. - Report for week ending Sept. 16th, 1905. Col. 6. Mean for week, for 54° 3' rain for 29.46 in. read 29.59 in. for 29.49 in. read 29.59 in.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 23rd September, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	147,935	-	6	2	-	1	-	-	3	-	
Kensington - - - - -	180,083	-	8	3	-	1	-	-	1	-	
Hammersmith - - - - -	119,037	-	3	7	-	-	-	-	2	-	
Fulham - - - - -	157,210	-	29	3	-	1	-	-	1	-	
Onelsea - - - - -	74,496	-	10	1	-	-	-	-	1	-	
City of Westminster - - - - -	175,606	-	11	1	-	3	-	-	6	1	
NORTH.											
St. Marylebone - - - - -	129,453	-	14	1	-	1	-	-	5	-	
Hampstead - - - - -	88,142	-	1	1	-	1	-	-	1	-	
St. Pancras - - - - -	236,183	-	53	5	-	-	-	-	3	1	
Islington - - - - -	342,994	-	38	10	-	5	-	-	11	-	
Stoke Newington - - - - -	52,828	-	4	4	-	-	-	-	1	-	
Hackney - - - - -	228,479	-	24	7	-	4	-	-	5	1	
CENTRAL.											
Holborn - - - - -	56,481	-	12	1	-	-	-	-	2	-	
Finsbury - - - - -	98,207	-	27	3	-	4	-	-	5	-	
City of London - - - - -	22,425	-	3	1	-	-	-	-	-	-	
EAST.											
Shoreditch - - - - -	116,565	-	38	8	-	2	-	-	2	-	
Bethnal Green - - - - -	130,401	-	23	7	-	1	-	-	5	-	
Stepney - - - - -	305,466	-	75	15	1	2	-	-	16	-	
Poplar - - - - -	170,280	-	45	15	-	8	-	-	1	-	
SOUTH.											
Southwark - - - - -	208,528	-	14	10	-	3	-	-	10	-	
Bermondsey - - - - -	129,006	-	21	4	-	2	-	-	4	1	
Lambeth - - - - -	313,045	-	20	17	-	3	-	-	7	-	
Battersea - - - - -	177,532	-	21	3	-	-	-	-	2	1	
Wandsworth - - - - -	265,392	-	30	8	-	2	-	-	5	-	
Camberwell - - - - -	271,240	-	24	5	-	2	-	-	3	1	
Deptford - - - - -	114,495	-	22	3	-	-	-	-	2	1	
Greenwich - - - - -	103,493	-	4	7	-	-	-	-	1	-	
Lewisham - - - - -	144,420	-	9	2	-	1	-	-	2	1	
Woolwich - - - - -	125,372	-	9	4	-	-	-	-	-	-	
Port of London - - - - -	-	-	-	-	-	2	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,684,794	-	598	158	1	49	-	-	107	8
AGES.											
Ages 0-1 - - - - -	-	-	10	6	-	-	-	-	3	-	
" 1-5 - - - - -	-	-	189	56	-	3	-	-	3	-	
" 5- - - - -	-	-	272	53	-	11	-	-	3	-	
" 10- - - - -	-	-	87	19	-	6	-	-	5	-	
" 15- - - - -	-	-	24	8	1	5	-	-	8	1	
" 20- - - - -	-	-	9	3	-	6	-	-	9	2	
" 25- - - - -	-	-	6	12	-	10	-	-	9	5	
" 35- - - - -	-	-	-	1	-	5	-	-	26	-	
" 45- - - - -	-	-	-	-	-	2	-	-	23	-	
" 55- - - - -	-	-	-	-	-	1	-	-	9	-	
" 65 and upwards - - - - -	-	-	-	-	-	-	-	-	9	-	
Age not stated - - - - -	-	-	1	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 40. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, OCT. 7. [Price 1½d.

General Register Office, Somerset House,
October 9th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·5 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 14·3, 13·8, and 14·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 17·8 in Wolverhampton, 17·9 in Swansea, 18·0 in Blackburn, 18·6 in Newport (Mon.), 18·7 in Bury, 20·5 in Wigan and in Sunderland, 21·9 in Merthyr Tydfil, and 26·3 in Tynemouth; from *measles*, 1·2 in Blackburn, 1·3 in Gateshead, and 1·6 in Swansea; from *scarlet fever*, 1·6 in Blackburn and 2·5 in Bootle; from *diphtheria*, 1·4 in South Shields; and from *diarrhoea*, 2·6 in Burnley, 2·7 in Sunderland, 3·3 in Smethwick, and 3·6 in Bury. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2380 BIRTHS and 1189 DEATHS were registered. Allowing for increase of population, the births were 200 and the deaths 234 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 13·2, 13·3, and 13·9 in the preceding three weeks, was 13·2 last week. During the four weeks ended on Saturday last the death-rate averaged 13·4 per 1000, being 3·0 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901 and on the increase in the last intercensal period.

The 1189 deaths included 15 from measles, 7 from scarlet fever, 9 from diphtheria, 18 from whooping-cough, 5 from enteric fever, and 59 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 113 deaths were referred to these diseases in the aggregate, being 76 below the corrected average weekly number.

The deaths from *measles*, which had been 7, 7, and 15 in the preceding three weeks, were again 15 last week, the corrected average being 13; 4 deaths belonged to the Borough of Lambeth and 3 to Kensington. The deaths from *scarlet fever*, which had been 8, 6, and 17 in the preceding three weeks, fell to 7 last week, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 9, 11, and 13 in the preceding three weeks, fell to 9 last week, and were 30 below the corrected average. The deaths from *whooping-cough*, which had been 14, 14, and 22 in the preceding three weeks, were 18 last week, the corrected average being 15. The fatal cases of *enteric fever*, which had been 9, 4, and 10 in the preceding three weeks, fell to 5 last week, and were 12 below the corrected average. The deaths from *diarrhœa*, which had been 132, 113, and 90 in the preceding three weeks, further fell to 59 last week, and were 31 below the corrected average; 5 deaths belonged to Islington, 5 to Stepney, and 4 each to Kensington, Finsbury, Southwark, Bermondsey, and Camberwell. Of the 59 deaths from diarrhœa, 50 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 10 other deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 3, 6, and 3 in the preceding three weeks.

Different forms of *violence* caused 61 deaths, concerning all of which inquests were held. Of these 61 deaths, 17 were cases of suicide, and 3 of homicide, while the remaining 41 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 8 to burns or scalds, 3 to drowning, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3789 cases of scarlet fever, 775 of diphtheria, and 161 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 527 cases, against 469, 546, and 509; of diphtheria, 139 cases, against 86, 131, and 131; and of enteric fever, 36 cases, against 24, 34, and 22. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended September 30th.

GREATER LONDON.

In Greater London 3641 births and 1621 deaths were registered. Allowing for increase of population, these numbers are 230 and 371 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from diphtheria, 2 from "fever," and 9 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.71 inches, and that of the thermometer 48°.8, the latter being 4°.4 below the week's average in the 50 years 1841-90. The general direction of the wind was Westerly, the horizontal movement of the air being 51 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 19.5 hours; the measured rainfall amounted to 0.16 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

† These towns are included within the area of Greater London.

* See note f on first page of this return.

DEATHS AND BIRTHS — TOWNS OF IRISH DESCENT IN THE WEEK

TOWNS.	DEATH-RATES FROM all Causes.										Rate from Diseases in Cols. 11-17.		The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Week ended				Registered during the week ended 7th Oct., 1905.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	30th Sept., 1905.		30th Oct., 1905.		5th Oct., 1905.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	1905.	1906.	1905.	1906.	1905.	1906.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
POPULATION estimated to the middle of the year 1905.*	30th Sept., 1905.		30th Oct., 1905.		5th Oct., 1905.		Week ended 7th Oct., 1905.		Deaths of Persons under 1 Year of Age, and upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Fever.		Diarrhoea.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
TOWNS	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	BIRMINGHAM.	KINGS NORTON.	SMETHWICK.	ASTON MANOR.	COVENTRY.	LEICESTER.	GRIMSBY.	NOTTINGHAM.	DERBY.	STOCKPORT.	BIRKENHEAD.	WALLASEY.	LIVERPOOL.	BOOTLE.	ST. HELENS.	WIGAN.	WARRINGTON.	BOLTON.	BURY.	MANCHESTER.	SALFORD.	OLDHAM.	ROCHDALE.	BURNLEY.	BLACKBURN.	PRESTON.	BARROW-IN-FURNESS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
BIRMINGHAM -	-	542,958	15'6	13'2	14'5	14'0	1'4	261	146	40	28	-	-	-	5	3	-	7	5	6	25	1	BIRMINGHAM.	-	-	-	-	-	5	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TOWNS.	COLS.	POPULATION estimated to the middle of the year 1905.	DEATHS IN COLS.				Week ended 11-17.	DEATHS REGISTERED in the Week ended 7th Oct., 1905.		The DEATHS registered in the Week include																					
			Week ended					Infants under 1 year of age.	Petron aged and upwards.	Deaths from						Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Rever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.						
			1905.							Small-pox.	11.	12.	13.	14.	15.											16.	17.	18.	19.	20.	21.
			16th Sept., 1905.	23rd Sept., 1905.	30th Sept., 1905.	7th Oct., 1905.																									
			1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.							
HUDDESFIELD -	-	94,888	14'3	12'1	14'8	12'1	1'6	40	22	1	8	-	-	-	-	1	-	1	1	-	1	3	-	HUDDESFIELD.							
HALIFAX -	-	108,419	19'7	15'9	11'1	13'0	1'0	31	27	7	10	-	-	-	-	-	-	1	1	-	3	6	-	HALIFAX.							
BRADFORD -	-	286,789	14'0	13'6	14'7	13'5	1'1	96	74	13	20	-	-	1	3	-	-	-	2	5	9	16	1	BRADFORD.							
LEEDS -	-	456,787	14'0	14'5	12'3	11'8	1'4	218	103	25	30	-	-	3	-	3	1	-	5	6	13	16	-	LEEDS.							
SHEFFIELD -	-	440,414	14'3	12'9	15'6	13'0	1'7	193	110	21	25	-	-	-	2	1	2	1	8	1	2	20	1	SHEFFIELD.							
ROTHERHAM -	-	59,784	7'8	7'8	9'6	14'0	-	31	16	2	4	-	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.							
YORK -	-	82,362	17'1	10'1	8'2	7'6	-	41	12	4	1	-	-	-	-	-	-	-	-	-	-	3	-	YORK.							
HULL -	-	258,127	15'6	13'9	15'8	14'7	2'0	135	73	19	17	-	-	-	1	2	-	-	7	6	9	8	2	HULL.							
MIDDLESBROUGH -	-	66,969	21'7	20'1	20'1	17'0	2'1	72	32	9	8	-	-	-	-	1	-	-	3	3	4	5	-	MIDDLESBROUGH.							
STOCKTON-ON-TEES -	-	52,425	22'9	11'9	9'9	9'9	-	30	10	3	1	-	-	-	-	-	-	-	-	-	1	1	-	STOCKTON-ON-TEES.							
WEST HARTLEPOOL -	-	71,313	13'2	7'3	11'0	13'9	2'2	33	19	5	4	-	-	-	-	-	2	-	1	-	-	2	-	WEST HARTLEPOOL.							
SUNDERLAND -	-	152,781	20'8	16'4	16'4	20'5	3'4	85	60	21	11	-	-	-	-	1	-	1	8	1	3	8	3	SUNDERLAND.							
SOUTH SHIELDS -	-	109,360	17'2	15'3	9'1	16'2	2'9	70	34	10	7	-	-	-	-	3	1	1	1	1	1	5	3	SOUTH SHIELDS.							
GATESHEAD -	-	120,620	22'9	19'0	13'4	15'1	3'0	79	35	11	5	-	-	3	-	-	-	1	3	-	-	1	1	GATESHEAD.							
NEWCASTLE-ON-TYNE -	-	264,511	18'1	15'2	17'2	13'2	0'8	160	67	23	20	-	-	-	-	1	-	-	3	4	4	10	1	NEWCASTLE-ON-TYNE.							
TYNEMOUTH -	-	53,595	13'6	17'5	25'3	26'3	1'9	36	27	9	5	-	-	-	-	-	1	-	1	1	1	5	2	TYNEMOUTH.							
NEWPORT (MON.) -	-	72,880	10'7	12'9	17'9	18'6	0'7	33	26	5	6	-	-	-	-	-	-	-	1	-	1	7	-	NEWPORT (MON.).							
CARDIFF -	-	180,054	13'0	13'0	13'9	10'1	-	106	35	10	12	-	-	-	-	-	-	-	-	2	3	6	2	CARDIFF.							
RHONDDA -	-	124,988	17'5	10'4	10'8	14'2	1'3	79	34	9	5	-	-	-	-	1	1	-	1	3	4	1	-	RHONDDA.							
MERTHYR TYDFIL -	-	73,848	16'9	19'8	17'7	21'9	4'9	48	31	5	4	-	-	1	2	1	-	1	2	1	2	3	-	MERTHYR TYDFIL.							
SWANSEA -	-	96,384	14'1	16'2	18'9	17'9	2'2	44	33	8	11	-	-	3	-	-	-	-	1	1	3	7	-	SWANSEA.							
GREATER LONDON -	-	7,010,172	12'3	12'3	12'9	12'1	1'2	364	162	398	466	-	-	18	11	13	20	12	89	70	166	549	8	GREATER LONDON.							
OUTER RING -	-	2,925,378	10'4	10'3	10'8	9'7	1'1	126	432	122	121	-	-	3	4	4	2	7	30	9	35	84	3	OUTER RING.							
8 TOWNS IN OUTER RING	-	1,135,316	10'8	11'1	10'0	10'4	1'7	626	227	76	45	-	-	1	4	3	2	5	21	4	22	43	-	8 TOWNS IN OUTER RING.							
REMAINDER OF OUTER RING	-	1,190,062	10'0	9'2	11'6	9'0	0'6	635	205	46	76	-	-	2	-	1	-	2	9	5	13	41	3	REMAINDER OF OUTER RING.							
EDINBURGH -	-	336,577	13'9	13'8	12'4	15'2	1'5	138	98	13	35	-	-	-	-	2	1	-	7	9	3	33	6	EDINBURGH.							
GLASGOW -	-	809,986	16'6	14'2	16'5	15'1	1'9	464	234	51	48	-	-	7	2	1	2	-	18	12	2	75	6	GLASGOW.							
DUBLIN† -	-	378,994	16'2	17'9	22'3	19'8	0'4	189	144	20	38	-	-	-	-	-	-	2	1	2	5	60	5	DUBLIN†.							
BELFAST† -	-	358,680	16'6	13'7	16'1	16'9	0'9	193	116	31	24	-	-	-	-	1	-	-	5	2	4	33	2	BELFAST†.							

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTIETH Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2417	2814	2460	2554	2540	2319	2499	2335	2378	2470	2579.8	2380
Males - - -	1223	1473	1252	1277	1285	1150	1269	1204	1209	1253	1308.3	1214
Females - - -	1219	1371	1208	1277	1255	1169	1230	1131	1169	1217	1271.5	1166
TOTAL Deaths -	1342	1276	1324	1620	1561	1391	1281	1331	1283	1243	1422.9	1189
Males - - -	697	616	695	811	799	719	665	707	682	641	731.5	618
Females - - -	645	630	629	806	765	672	615	624	601	602	691.4	571

* The numbers in this column are the average weekly numbers in the fortieth week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	13 Weeks.
TOTAL Births -	2363	2466	2480	2522	2215	2549	2530	2372	2328	2374	2400	2171	2380	31150
TOTAL Deaths -	1047	1137	1285	1404	1555	1523	1497	1548	1432	1187	1195	1251	1189	17250
Ages at Death {														
Under 1 year -	222	271	431	515	638	616	584	577	411	349	305	295	276	5520
1–5 years -	115	124	129	161	181	173	174	156	150	98	109	131	103	1804
5–20 " -	65	76	63	71	69	71	51	42	63	59	68	62	73	843
20–40 " -	129	155	150	163	135	142	149	160	164	159	139	165	154	1964
40–60 " -	221	223	212	243	240	252	213	263	281	222	245	258	238	3141
60 yrs. & upwds	295	238	270	251	302	269	326	330	333	300	329	310	345	3978
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	27	17	21	19	23	28	19	27	20	7	15	15	15	248
Scarlet Fever - -	7	6	8	9	18	10	10	11	7	8	6	17	7	122
Diphtheria - - -	6	6	7	12	10	6	8	12	5	9	11	13	9	114
Whooping-cough -	17	13	31	18	28	22	17	28	16	14	14	22	18	260
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	7	3	6	7	2	5	5	10	9	4	10	5	76
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	58	83	187	314	372	395	390	313	222	132	113	90	59	2728
All above Diseases -	118	132	262	378	457	463	449	396	280	179	155	167	113	3549
Dis. of Resp. System	48	42	46	42	48	48	44	60	47	48	57	64	67	659
Pneumonia - - -	56	75	70	69	66	69	74	71	86	65	73	91	85	959
Phthisis - - -	100	97	108	113	113	119	109	118	133	120	125	125	104	1484
Dis. of Circ. System	143	151	140	131	139	122	153	164	173	155	152	170	165	1958
Violence - - -	53	63	62	54	67	55	61	62	59	52	45	63	61	747
Inquest Cases - -	101	101	126	130	141	122	128	140	135	113	112	157	131	1645
Deaths in Institutions	451	467	462	513	524	519	506	557	526	462	483	494	465	6429
TEMPERATURE OF THE AIR.														
Mean - - -	68.9	65.2	66.3	62.2	60.3	62.1	60.2	56.7	61.0	51.2	54.3	53.0	46.8	59.5
Mean of Highest -	80.5	77.7	77.9	73.2	72.0	73.4	71.5	64.6	70.2	61.3	62.6	58.6	54.9	69.3
Mean of Lowest -	60.0	54.0	57.7	51.3	52.2	52.3	51.0	51.1	55.6	45.7	46.7	48.4	42.9	51.7
Mean Humidity of the Air.	71	75	77	71	76	69	71	83	84	76	76	83	73	76
Rain-fall (in inches) -	0.26	0.02	0.53	0.65	0.16	0.03	0.48	1.21	0.68	0.32	0.01	1.27	0.16	5.78
Registered Sunshine (in hours)	55.4	54.0	39.5	47.6	45.7	57.8	47.2	12.1	29.5	37.8	27.8	13.3	19.5	487.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	3	3	2	2670	2735	2762	2873	2982	3150	3424	3591	3789	2936
Scarlet Fever - -	2520	2485	2550	2632	706	701	668	671	686	684	703	733	775	725
Diphtheria - - -	764	791	789	753	-	-	-	-	-	-	1	1	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	89	92	94	100	99	108	114	121	116	122	140	143	161	115

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Oreswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th October, 1905.

REGISTRATION SUB-DISTRICTS,	Enum- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														
				Deaths of			Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin uncertain.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,536,429	2380	1189	276	345	-	15	7	9	18	-	5	-	59	61	131	465	5
WEST DISTRICTS - - -	805,311	330	199	44	58	-	3	1	1	1	-	-	-	11	10	20	74	3
NORTH DISTRICTS - - -	1,066,070	517	232	46	75	-	2	1	-	1	-	-	-	10	10	20	79	-
CENTRAL DISTRICTS - - -	209,465	113	62	15	12	-	-	-	-	1	-	-	-	4	8	17	30	1
EAST DISTRICTS - - -	715,739	475	212	60	45	-	1	1	2	6	-	-	-	13	16	33	96	-
SOUTH DISTRICTS - - -	1,749,844	945	445	111	137	-	9	4	4	9	-	2	-	19	17	41	147	1
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	39	-	18	-	-	-	2	-	-	1	-	2	-	-	39	-
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	43	28	5	10	-	-	-	-	-	-	-	-	2	3	3	9	-
W,2H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Paddington H - G.	33,617	6	8	2	1	-	-	-	-	-	-	-	-	1	2	2	6	-
North-West Paddington - C.	17,181	5	4	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Kensington Town 2W w,2H G, W. & C.	128,037	55	49	9	12	-	3	-	-	-	-	-	-	4	1	3	21	-
Brompton 2H - - W. & C.	48,591	13	8	1	3	-	-	-	-	-	-	-	-	-	-	1	2	-
North Hammersmith W,w,H } W. & G.	49,192	28	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
South Hammersmith w,2H - -	63,047	28	15	4	6	-	-	-	-	-	-	-	-	-	-	1	3	-
North-west Fulham W } W. & C.	45,180	32	18	5	6	-	-	-	1	-	-	-	-	1	-	1	13	-
North-east Fulham F - -	46,405	24	6	3	3	-	-	1	1	-	-	-	-	1	-	2	-	-
South Fulham W - - -	45,704	21	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - C.	42,514	12	12	1	7	-	-	-	-	-	-	-	-	-	-	1	5	-
Chelsea South W,2H - - C.	31,328	13	7	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Mayfair and Knightsbridge C. & G.	28,743	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - C.	55,815	17	12	3	2	-	-	-	-	-	-	-	-	-	1	1	4	2
St. Margaret & St. John 4H - C.	43,698	14	12	3	1	-	-	-	-	-	-	-	-	1	1	1	8	-
St. James Westminster } N. & G.	21,588	9	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
W,H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho 5H - - N.	11,493	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	6	13	2	5	-	-	-	-	-	-	-	-	-	1	1	7	-
Rectory Marylebone W G. & W.	19,849	10	6	1	2	-	-	-	-	-	-	-	-	-	1	1	2	-
St. Mary Marylebone 4H G. & W.	18,099	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	11	6	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone 3H - W.	20,426	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead W,F,8H - N. & W.	81,942	21	15	1	7	-	-	1	-	-	-	-	-	1	2	2	3	-
West St. Pancras 2H - - W.	60,562	28	13	3	3	-	1	-	-	-	-	-	-	-	-	1	3	-
Tottenham-court w,7H N. & W.	21,258	8	14	1	3	-	-	-	-	-	-	-	-	1	-	-	12	-
Gray's Inn Lane 4H - - N.	24,449	17	6	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-
East St. Pancras W,2H - - N.	60,320	36	18	1	8	-	1	-	-	-	-	-	-	-	-	-	7	-
North St. Pancras 2W - - N.	58,728	26	17	5	5	-	-	-	-	-	-	-	-	1	1	3	7	-
Tufnell W - - - N.	31,995	14	9	1	1	-	-	-	-	-	-	-	-	2	-	-	7	-
Upper Holloway 2W,w,H - N.	33,978	9	13	4	3	-	-	-	-	-	-	-	-	1	-	-	9	-
Tollington WH - - - N.	33,922	18	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,424	26	7	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Barnsbury - - - N.	54,478	34	9	3	2	-	-	-	-	1	-	-	-	-	1	2	-	-
Islington South-east F - - N.	75,397	51	10	2	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Highbury 2H - - - N.	63,797	27	16	3	6	-	-	-	-	-	-	-	-	2	-	1	-	-
Stoke Newington H - - N.	51,247	19	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - - E. & N.	50,560	20	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - E. & N.	50,536	24	9	3	2	-	-	-	-	-	-	1	-	1	-	2	3	-
South-west Hackney 3H E. & N.	59,921	41	12	3	2	-	-	-	-	-	-	-	-	-	-	-	5	-
South-east Hackney 2W,w,H E. & N.	58,255	26	17	3	6	-	-	-	-	-	-	1	-	1	1	1	12	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; F. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th October, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																
				Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
Giles and Bloomsbury W,2H N.	31,436	23	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
Grand W,4H - - - N. & C.	21,674	3	5	-	2	-	-	-	-	-	-	-	-	-	-	1	1	3	-	
Grand Union Workhouse, Edmonton-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	
Isle of Dogs W,6H - - - N.	29,612	12	17	5	2	-	-	-	-	-	1	-	-	-	1	-	-	14	-	
North Clerkenwell - - - N.	28,676	10	5	3	1	-	-	-	-	-	-	-	-	-	1	1	3	-	1	
North Clerkenwell H - - - N.	35,028	26	7	2	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	
Northbury 3H,L - - - N.	36,118	28	9	3	2	-	-	-	-	-	-	-	-	-	2	2	4	-	-	
Northbury Union Workhouse, } Mitcham - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botolph H - - - N. & E.	10,299	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Sepulchre and Allhallows } W,2H - - - N.	16,624	6	13	2	2	-	-	-	-	-	-	-	-	-	-	4	5	9	-	
St. Dunstons Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
Beddington South H - E. & N.	46,362	18	5	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Beddington North-West W,w,H N.	36,127	20	23	6	6	-	-	-	-	-	1	-	-	-	1	1	2	13	-	
Beddington North-East - N. & E.	36,148	31	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
Beddington Union Workhouse, Wood } Green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Beckton Green North 2H - E.	51,514	34	12	2	1	-	-	-	-	-	-	-	-	-	-	1	3	2	-	
Beckton Green South - E.	33,472	23	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Beckton Green East 2W,H,L - E.	44,694	26	23	4	8	-	-	-	-	-	1	-	-	-	-	1	1	17	-	
Beckton Fields - - - E. & N.	27,969	18	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Beckton New Town W,H - E.	28,718	27	32	10	3	-	-	-	-	-	-	-	-	-	5	4	5	30	-	
Beckton's Fields - - - E.	22,081	10	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
George and St. John 2W E.	49,068	29	19	7	3	-	-	-	-	-	-	-	-	-	2	1	2	8	-	
Edwell and Ratcliff W,H E. & N.	25,568	15	11	5	2	-	-	-	-	-	2	-	-	-	2	1	1	8	-	
Edwell W - - - E.	32,369	29	6	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Edwell Old Town South- } Western H - - - E.	63,698	43	8	2	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
Edwell Old Town North- } Western W,w - - - E.	49,129	32	12	4	3	-	-	-	-	-	-	-	-	-	-	-	1	4	-	
Edwell L - - - E.	41,989	24	4	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	
Edwell 3w,H - - - E.	68,319	51	24	2	9	-	-	-	-	1	-	-	-	-	1	5	8	12	-	
Edwell W,w - - - E.	58,514	45	23	8	3	-	-	-	-	-	1	-	-	-	1	-	2	-	-	

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the week ended Saturday, 7th October, 1905.

Regis- tration district and sub- district num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,602	2,044,973	1261	432	122	121	-	3	4	4	2	7	30	9	35	84	3	
0:1	Carshalton 2F,2H	12,228	32,997	20	7	3	-	-	-	-	-	-	-	-	1	1	1	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	5	3	-	1	-	-	-	-	-	-	-	-	-	3	-	
7:1	Godstone, part of* W,F	2,754	2,692	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
8:1	Coulsdon	11,089	8,166	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	27	8	-	6	-	-	-	-	-	-	-	-	2	-	-	
3	West Croydon 3W,F,H	2,168	42,888	28	16	4	3	-	1	-	-	1	-	1	-	-	8	-	
4	North Croydon H	2,644	41,698	18	2	-	2	-	-	-	-	-	-	-	-	-	1	-	
5	Penge w,H	770	22,465	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	20	8	2	2	-	-	-	-	-	-	-	-	2	-	-	
9:1	Wimbledon F,3H	3,221	41,652	22	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	23	14	4	5	-	-	-	-	-	-	2	-	1	9	-	
3	Surbiton F,H	3,046	15,017	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-	
4	Esher, part of* H	5,402	13,100	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,466	16	5	1	2	-	-	-	-	-	-	-	-	1	1	-	
0:1	Richmond W,H	2,162	28,865	7	4	-	2	-	-	-	-	-	-	-	1	1	1	-	
2	Mortlake F	2,847	20,628	14	4	-	3	-	-	-	-	-	-	-	1	1	-	-	
1:1	Bromley F,2H	4,703	27,354	11	9	3	5	-	-	-	-	-	-	2	-	1	1	-	
2	Beckenham H	7,325	28,497	18	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	6	3	-	1	-	-	-	-	-	-	-	-	-	1	1	
4	Chislehurst 2H	7,333	16,446	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2:1	Bexley w F,H	8,678	21,151	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,354	25,296	28	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
4:1	Sunbury w	11,054	18,683	17	4	-	2	-	-	-	1	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
5:1	Hillingdon W,F,H	6,035	13,661	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6:1	Isleworth 3W,2F,H	6,859	30,863	12	12	4	3	-	-	-	-	-	-	-	1	-	5	-	
2	Twickenham F,H	2,421	20,991	15	9	4	2	-	-	-	-	-	-	1	-	-	-	1	
3	Brentford 3F,2H,L	4,319	48,289	29	8	2	5	-	-	-	-	-	-	-	-	-	-	-	
4	Chiswick H	1,249	29,809	16	7	1	2	-	-	-	-	-	-	-	1	-	-	-	
5	Acton w,3H	6,132	48,914	42	14	5	5	-	-	-	-	2	-	-	-	1	-	-	
7:1	Harrow F,H	13,809	25,523	14	8	1	5	-	-	-	-	-	-	-	-	-	-	1	
2	Edgware F,2H	6,994	4,521	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	62	31	11	4	-	1	1	1	-	-	1	-	3	4	-	
4	Hendon W,F	8,382	22,450	17	5	2	-	-	-	-	-	-	-	-	-	-	2	-	
8:1	South Mimms 2F,H	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	3	3	1	1	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley F,2H	4,688	33,692	17	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
9:1	Hornsey F,H	2,875	72,056	37	6	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Wood Green H	1,625	34,233	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	39	16	5	5	-	-	-	-	-	-	-	-	1	-	-	
4	East Tottenham 2H	2,017	53,688	41	17	4	3	-	1	-	-	-	-	1	1	1	5	-	
5	Edmonton W,w,2F	7,491	61,892	47	15	1	7	-	1	-	-	-	-	-	1	3	5	-	
6	Enfield 2W,F,H	12,601	42,738	24	6	2	1	-	-	-	-	-	-	2	1	1	-	-	
7	Waltham Abbey F	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
5:1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7:1	Bushey H	9,333	9,173	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6:1	Stratford H	1,072	44,827	27	10	3	2	-	-	-	-	-	-	-	1	1	1	2	
2	Plaistow F,2H	1,249	90,921	66	19	7	2	-	-	-	1	2	2	-	-	1	2	6	
3	Canning Town H	1,556	70,718	53	20	12	2	-	-	-	-	-	-	8	1	4	1	-	
4	Forest Gate w	806	60,892	25	7	1	2	-	-	-	-	-	-	-	-	1	-	-	
5	North East Ham w,H	1,333	58,676	39	14	6	1	-	-	-	-	-	-	-	-	1	-	-	
6	South East Ham 2F	1,993	37,342	25	9	2	2	-	-	-	-	2	-	-	-	2	-	-	
7	Wanstead F	1,679	9,179	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	27	12	5	2	-	-	-	-	-	-	-	1	3	1	-	
9	North Leyton 2W,w,F	1,963	48,445	29	24	6	7	-	-	1	-	-	-	2	1	2	17	-	
10	Walthamstow 3H,L	6,504	108,929	95	17	9	2	-	-	1	-	-	1	2	-	1	-	-	
7:1	Chigwell, part of* 2F,3H	11,778	16,397	6	3	1	-	-	-	-	2	-	-	-	-	-	2	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9:1	Romford, part of* W,2F	6,556	6,091	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford F,L	8,496	41,234	30	6	-	-	-	-	-	-	-	-	-	-	-	2	-	
3	Barking Town F	3,803	21,547	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
	Brook Hospital, Charlton	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	2	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Beadon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea
LONDON - -	4,684,794	October 7	2380	1189	13·2	-	15	7	9	18	5	-
CALCUTTA - -	847,796	September 2	-	455	27·9	-	1	-	1	1	154†	7
BOMBAY - -	776,006	" 19	372	519	34·8	-	3	-	-	-	78†	6
MADRAS - -	599,346	" 8	484	1120	114·3	16	15	?	?	?	157	56
		" 15	514	893	91·1	21	5	?	?	?	157	36
PARIS - - -	2,660,559	" 30	882	728	13·2	2	10	1	3	5	10	2
BRUSSELS - -	586,936	" 30	203	143	12·4	-	-	-	1	-	4	1
ANTWERP - -	286,695	" 30	118	83	14·7	-	-	1	1	-	-	1
AMSTERDAM -	554,240	" 23	248	132	12·4	-	2	-	-	-	3	1
COPENHAGEN -	426,000	" 30	221	117	14·2	-	-	1	3	3	1	1
STOCKHOLM -	309,496	" 23	157	74	12·1	-	1	1	2	-	-	-
CHRISTIANIA -	223,649	" 30	136	77	18·0	-	1	-	-	1	1	-
ST. PETERSBURG	1,248,122	" 23	648	537	20·1	2	10	15	7	8	29	5
MOSCOW - -	1,092,360	" 23	-	449	21·4	-	1	9	10	11	12	7
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,025,478	September 16	893	580	14·9	-	6	4	2	12	6	12
HAMBURG - -	772,852	" 30	-	182	12·2	-	-	-	4	2	-	3
BRESLAU - -	462,147	" 30	-	175	19·7	-	-	-	2	1	-	3
MUNICH - - -	528,000	" 30	-	197	19·4	-	1	1	1	4	-	5
VIENNA - - -	1,897,630	" 30	970	628	17·2	-	5	6	11	14	1	8
PRAGUE - - -	430,569	" 30	189	173	20·0	-	-	1	1	2	4	11
BUDA-PESTH -	836,267	" 30	-	-	-	-	-	-	-	-	-	-
TRIESTE - -	191,403	" 30	107	119	32·0	-	3	2	-	-	1	2
ROME - - -	514,930	July 15	219	196	19·8	-	-	-	1	-	5	5
VENICE - - -	169,417	September 16	-	-	-	-	-	-	-	-	-	-
BUCHAREST - -	282,071	" 23	184	111	20·5	-	-	1	2	1	3	2†
NEW YORK - -	3,948,191	" 23	-	-	-	-	-	-	-	-	-	-
CHICAGO - - -	1,932,315	" 16	-	514	13·5	1	-	-	9	5	4	11†
		" 23	-	512	13·4	-	1	-	8	8	9	114
PHILADELPHIA -	1,438,318	" 16	-	399	14·4	-	1	2	4	4	10	11
BOSTON - - -	617,956	" 9	-	200	17·5	-	-	-	1	-	1	?
RIO DE JANEIRO	850,000	August 20	-	266	15·3	7	4	-	5	-	1	?
		" 27	-	277	15·9	3	12	-	-	-	4†	?

* Excluding deaths from croup in the Indian Cities.

† Including 11 deaths from plague in Calcutta, 31 in Bombay, and 2 in Rio de Janeiro.

‡ Including 28 deaths from cholera in Calcutta, 6 in Bombay, and 399 and 242 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th October, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	57·2	38·9	48·9	0·16	BRADFORD - -	56·6	36·8	47·8	0·83
BRIGHTON - -	58·8	38·7	50·2	0·28	LEEDS - - -	60·0	33·0	50·4	0·45
PORTSMOUTH - -	59·0	39·4	51·3	0·20	HULL - - -	58·0	37·0	47·6	0·46
NORWICH - - -	58·0	40·0	48·2	1·19	TYNEMOUTH - -	57·0	35·0	45·4	0·38
PLYMOUTH - -	61·4	39·0	52·1	0·36					
BRISTOL - - -	59·8	36·4	50·4	0·53	EDINBURGH - -	58·6	37·2	48·2	0·46
BIRMINGHAM -	56·2	37·1	47·7	0·45	GLASGOW - - -	59·8	33·6	47·7	1·03
NOTTINGHAM -	57·8	38·0	48·0	0·75					
LIVERPOOL - -	56·0	42·0	50·0	0·68	Phoenix Park.	57·7	34·8	48·3	0·78
OBSERVATORY. }					Fitz-				
MANCHESTER -	57·8	34·0	47·1	1·25	william	59·1	38·0	50·4	0·65
PRESTON - - -	56·2	38·2	48·6	1·37	Square.†				
HUDDERSFIELD -	57·0	38·0	47·4	0·90	BELFAST - - -	57·0	40·0	49·4	0·66

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 30th September, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	12	1	-	2	-	-	5	-
Kensington - - - -	180,083	-	14	5	-	1	-	-	7	-
Hammersmith - - - -	119,037	-	8	3	-	1	-	-	3	-
Fulham - - - -	157,210	-	21	8	-	-	-	-	6	-
Chelsea - - - -	74,496	-	8	1	-	1	-	-	3	-
City of Westminster - - - -	175,606	-	13	6	-	2	-	-	5	-
NORTH.										
St. Marylebone - - - -	129,453	-	14	4	-	4	-	-	2	-
Hampstead - - - -	88,142	-	-	-	-	1	-	-	-	-
St. Pancras - - - -	236,183	-	26	3	-	1	-	-	6	-
Islington - - - -	342,994	-	43	10	-	6	-	-	9	1
Stoke Newington - - - -	52,828	-	2	1	-	1	-	-	1	-
Hackney - - - -	238,479	-	31	5	-	9	-	-	4	-
CENTRAL.										
Holborn - - - -	56,481	-	1	1	-	1	1	-	1	-
Finsbury - - - -	98,207	-	20	3	-	4	-	-	4	-
City of London - - - -	22,425	-	3	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	116,565	-	24	4	-	-	-	-	2	-
Bethnal Green - - - -	130,401	-	21	5	-	4	-	-	5	-
Stepney - - - -	305,466	-	62	14	-	3	-	-	17	-
Poplar - - - -	170,280	-	28	9	-	3	-	-	7	-
SOUTH.										
Southwark - - - -	208,528	-	23	5	-	7	-	-	9	-
Bermondsey - - - -	129,006	-	25	2	-	-	-	-	8	-
Lambeth - - - -	313,045	-	17	21	-	2	-	-	4	-
Battersea - - - -	177,532	-	17	4	-	1	-	-	8	1
Wandsworth - - - -	265,392	-	33	11	-	3	-	-	6	-
Camberwell - - - -	271,240	-	25	7	-	2	-	-	6	-
Deptford - - - -	114,495	-	25	4	-	2	-	-	5	1
Greenwich - - - -	103,493	-	8	3	-	2	-	-	1	-
Lewisham - - - -	144,420	-	13	1	-	-	-	-	2	-
Woolwich - - - -	125,372	-	6	6	-	-	-	-	3	-
Port of London - - - -	-	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		-	543	147	-	64	1	-	140	3
Ages										
0-1 - - - -	-	-	4	5	-	-	-	-	8	-
1-5 - - - -	-	-	158	50	-	1	-	-	7	-
5- - - - -	-	-	249	52	-	16	-	-	6	-
10- - - - -	-	-	78	19	-	5	-	-	10	-
15- - - - -	-	-	25	5	-	7	1	-	8	-
20- - - - -	-	-	12	4	-	12	-	-	11	-
25- - - - -	-	-	11	9	-	9	-	-	21	3
30- - - - -	-	-	1	-	-	9	-	-	19	-
35- - - - -	-	-	3	1	-	3	-	-	22	-
40- - - - -	-	-	-	1	-	2	-	-	15	-
45- - - - -	-	-	-	1	-	-	-	-	13	-
50 and upwards - - - -	-	-	-	-	-	-	-	-	-	-
Age not stated - - - -	-	-	2	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS OF PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 30th SEPTEMBER, 1905.

BOROUGHs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	<i>Pyæmia</i> *(origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON	16,425	-	255	126	109	251	-	75	2	2,665	1,423	5,341	171
West.													
PADDINGTON -	397	-	9	2	1	9	-	3	-	58	31	104	131
KENSINGTON -	519	-	18	5	2	5	-	3	-	63	40	149	172
HAMMERSMITH -	372	-	7	6	3	4	-	3	-	63	31	131	166
FULHAM -	605	-	9	4	3	8	-	1	-	161	37	280	220
CHELSEA -	239	-	-	3	3	3	-	1	-	23	30	47	117
CITY OF WESTMINSTER	536	-	22	5	2	4	-	1	-	32	58	90	126
North.													
ST. MARYLEBONE -	403	-	5	1	3	4	-	3	1	38	39	90	96
HAMPSTEAD -	197	-	1	1	-	3	-	-	-	7	20	37	100
ST. PANCRAS -	828	-	10	2	5	11	-	3	-	105	76	252	175
ISLINGTON -	1,076	-	20	5	8	18	-	6	-	135	98	316	155
STOKE NEWINGTON -	154	-	1	-	-	-	-	-	-	27	11	51	178
HACKNEY -	780	-	8	1	7	5	-	10	-	196	44	298	205
Central.													
HOLBORN -	205	-	1	1	2	7	-	-	-	14	34	44	107
FINSBURY -	460	-	9	2	3	9	-	4	-	80	37	141	172
CITY OF LONDON	73	-	-	-	1	-	-	-	-	3	2	10	151
East.													
SHOREDITCH -	608	-	8	6	2	16	-	1	-	127	62	248	255
BETHNAL GREEN -	571	-	6	5	7	8	-	5	-	98	55	205	181
STEPNEY -	1,308	-	18	21	8	44	-	5	1	277	114	483	185
POPLAR -	753	-	6	8	8	19	-	6	-	162	54	262	207
South.													
SOUTHWARK -	860	-	21	11	7	6	-	2	-	145	89	304	202
BERMONDSEY -	600	-	9	1	4	7	-	3	-	112	46	206	193
LAMBETH -	1,187	-	12	8	11	17	-	6	-	171	100	367	168
BATTERSEA -	607	-	12	8	2	15	-	-	-	119	42	235	194
WANDSWORTH -	822	-	20	7	5	15	-	2	-	122	61	317	182
CAMBERWELL -	779	-	6	6	3	5	-	4	-	114	63	254	149
DEPTFORD -	394	-	4	2	2	2	-	-	-	61	41	130	154
GREENWICH -	353	-	6	-	2	1	-	1	-	59	37	102	151
LEWISHAM -	349	-	2	-	3	6	-	1	-	34	29	100	110
WOOLWICH -	390	-	5	5	2	3	-	1	-	54	47	108	122

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 431 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 642 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING SEPTEMBER, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th October, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of September.

Fifteen samples were taken in the New River district, fourteen in the East London, and thirteen in each of the six remaining districts, making a total of 107 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ September 20th, Drinking Fountain, Moore Park Road. }	15·7	25·06	·130	·014	0	·148	·162	1·85	18·0
West Middlesex - -	{ September 20th, Cab Rank, Uxbridge Road, by Holland Park. }	15·4	24·20	·145	·018	0	·114	·132	1·85	16·9
Southwark - - - -	{ September 20th, Drinking fountain, Victoria Circus, Battersea. }	15·8	27·14	·160	·019	0	·168	·187	1·80	19·0
Grand Junction - -	{ September 20th, Cab Rank, Shepherd's Bush Green. }	15·9	23·20	·172	·019	0	·070	·089	1·85	16·1
Lambeth - - - -	{ September 20th, Cab Rank, Waterloo Road, opposite St. John's Church. }	15·3	26·34	·146	·017	0	·164	·181	1·85	18·4
LEA, WELLS, ETC.										
New River - - - -	{ September 20th, Cab Rank, near Hamp- stead Heath Station. }	14·0	32·10	·065	·007	0	·193	·200	1·7	23·2
East London - - -	{ September 20th, Cab Rank, Sidney Street, E. }	14·9	31·04	·140	·016	0	·056	·072	2·15	17·4
DEEP WELLS.										
Kent - - - -	{ September 20th, Police Station, Blackheath Road. }	12·5	37·98	·039	·004	0	·496	·500	1·95	27·5
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 20th September at the drinking fountain in Moore Park Road, had a temperature of 15·7° C.; 100,000 lbs. of it contained 25·06 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·130 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·148 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·162 lb. The above weight of water also contained 1·85 lb. of chlorine and 18·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 20th September were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was:— Kent 0·7, New River 1·2, Chelsea 2·4, East London 2·6, West Middlesex and Lambeth 2·8, Southwark 3·0, and Grand Junction 3·2.

The five filtered Thames supplies, sampled on the 20th September, contained, on the average, approximately the same proportion of organic matter as was found in the corresponding August examination, and all were clear and of good quality. The degree of hardness of the Grand Junction and West Middlesex supplies was again slightly lower than in the other Thames-derived waters, owing to the continued utilization of a considerable quantity of the stored water from the Staines reservoirs.

The New River district water, obtained chiefly from the river Lea and wells, was clear and of very good quality. The East London supply, consisting chiefly of stored and filtered Lea water, was clear and of good quality.

The deep-well water from the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that from the New River area nearly colourless; the samples collected in the six remaining districts had a very pale yellow colour.

In addition to the above analytical examination, the 107 samples of water, collected during September at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	“Oxygen consumed.”						“Albuminoid Ammonia.”		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·067	·054	·060	·077	·062	·069	·0065	·006	·0065
West Middlesex	·069	·058	·063	·075	·064	·067	·008	·007	·0075
Southwark	·075	·066	·070	·080	·071	·075	·0075	·0065	·007
Grand Junction	·072	·059	·067	·078	·066	·072	·009	·0075	·0085
Lambeth	·074	·066	·068	·081	·069	·073	·0075	·007	·007
LEA, WELLS, THAMES, ETC.									
New River	·057	·020	·030	·061	·021	·032	·0045	·003	·0035
East London	·065	·041	·053	·069	·043	·057	·007	·0055	·006
DEEP WELLS.									
Kent	·008	·006	·007	·010	·007	·008	·0015	·0015	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The tabulated results show that the organic impurity in the five filtered Thames supplies was always small in amount, and the monthly average for all the samples examined was the lowest so far recorded this year. All the Thames-derived waters were of good quality.

The New River district supply was of good quality throughout the month, but the continued use of a small proportion of filtered Thames water, in certain parts of the district, caused the average amount of organic matter in the water to be slightly higher than it otherwise would have been.

The East London district water contained, on the average, slightly less organic impurity than the Thames-derived supplies and was of good quality during the whole month.

The thirteen samples of deep-well water collected in the Kent district were all of uniform high organic purity and excellent quality.

All the samples examined were clear.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of September, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 217 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	SEPTEMBER, 1904.	SEPTEMBER, 1905.	SEPTEMBER, 1904.	SEPTEMBER, 1905.
TOTAL SUPPLY - - -	994,198	1,035,827	227,611,279	224,352,205
From Thames - - - -	472,287	482,481	120,138,498	118,426,843
From Lea and from other Sources -	521,911	553,346	107,472,781	105,925,362
THAMES.				
Chelsea - - - - -	39,887	40,080	12,538,667	12,181,333
West Middlesex - - - -	91,317	92,341	24,591,407	24,461,833
Southwark and Vauxhall - - -	129,834	131,369	33,247,000	31,981,000
Grand Junction - - - -	77,875	80,491	16,986,607	16,940,347
Lambeth - - - - -	133,874	138,200	32,774,817	32,862,330
LEA AND OTHER SOURCES.				
New River - - - - -	181,194	206,197	43,957,916	43,293,134
East London - - - - -	230,238	234,146	44,615,000	43,768,433
Kent - - - - -	110,479	113,003	18,899,865	18,863,795

Note.—The Return for September, 1905, as compared with that for the corresponding month of 1904, shows an increase of 41,629 services, and a decrease of 3,259,074 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 41. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, OCT. 14. [Price 1½d.

General Register Office, Somerset House,
October 16th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·7 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 13·8, 14·0, and 13·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 19·7 in Norwich, 19·8 in Huddersfield, 19·9 in Burton on Trent, 21·6 in Bootle, 21·9 in Great Yarmouth, 22·3 in Wigan, 23·1 in Bury, and 24·9 in Middlesbrough; from *measles*, 1·1 in Willesden; from *scarlet fever*, 2·0 in Blackburn; from *diphtheria*, 1·4 in Southampton; and from *diarrhoea*, 1·3 in Norwich and in Sheffield, 1·4 in Hull, 1·7 in Walsall, 1·8 in Wigan and in Preston, and 2·3 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2386 BIRTHS and 1255 DEATHS were registered. Allowing for increase of population, the births were 243 and the deaths 221 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 13·3, 13·9, and 13·2 in the preceding three weeks, rose last week to 14·0. During the four weeks ended on Saturday last the death-rate averaged 13·6 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1255 deaths included 15 from measles, 9 from scarlet fever, 12 from diphtheria, 11 from whooping-cough, 10 from enteric fever, and 55 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 112 deaths were referred to these diseases in the aggregate, being 69 below the corrected average weekly number.

The deaths from *measles*, which had been 7, 15, and 15 in the preceding three weeks, were again 15 last week, and were 5 below the corrected average; 6 deaths belonged to the Borough of Kensington, 3 to Bethnal Green, and 3 to Southwark. The deaths from *scarlet fever*, which had been 6, 17, and 7 in the preceding three weeks, were 9 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 11, 13, and 9 in the preceding three weeks, were 12 last week, and were 27 below the corrected average. The deaths from *whooping-cough*, which had been 14, 22, and 18 in the preceding three weeks, fell to 11 last week, and were 5 below the corrected average. The fatal cases of *enteric fever*, which had been 4, 10, and 5 in the preceding three weeks, rose again to 10 last week, but still were 8 below the corrected average; 4 deaths belonged to Stepney. The deaths from *diarrhoea*, which had been 113, 90, and 59 in the preceding three weeks, further fell to 55 last week, and were 18 below the corrected average; 6 deaths belonged to Islington, 5 each to Bethnal Green and Stepney, and 4 apiece to Finsbury, Southwark, and Lewisham. Of the 55 deaths from diarrhoea, 50 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 12 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 6, 3, and 10 in the preceding three weeks.

Different forms of *violence* caused 38 deaths, concerning all of which inquests were held. Of these 38 deaths, 1 was a case of suicide, while the remaining 37 cases were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 6 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 5 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3954 cases of scarlet fever, 781 of diphtheria, and 167 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 511 cases, against 546, 509, and 527; of diphtheria, 115 cases, against 131, 131, and 139; and of enteric fever, 30 cases, against 34, 22, and 36. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended October 7th.

GREATER LONDON.

In Greater London 3667 births and 1722 deaths were registered. Allowing for increase of population, these numbers are 268 and 299 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from diphtheria, 1 from "fever," and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·11 inches, and that of the Thermometer 48°·6, the latter being 2°·4 below the week's average in the 50 years 1841-90. The general direction of the wind was North-north-westerly, the horizontal movement of the air being 13 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 6·6 hours; the measured rainfall amounted to 0·16 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 14th October, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the year 1905.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 14th Oct., 1905.		The DEATHS registered in the Week include										Deaths of		Deaths from										Persons aged 60 Years and upwards.		Infants under 1 Year of Age.		Deaths of		Deaths from										Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS
		Week ended				11-17.		14th Oct., 1905.		1.	2.		3.		4.		5.		6.		7.		8.		9.		10.		11.		12.		13.		14.		15.		16.		17.		18.		19.		20.		21.					
		23rd Sept., 1905.				7th Oct., 1905.		14th Oct., 1905.			13th Sept., 1905.		10th Oct., 1905.		7th Oct., 1905.		4th Oct., 1905.		1st Oct., 1905.		28th Sept., 1905.		25th Sept., 1905.		22nd Sept., 1905.		19th Sept., 1905.		16th Sept., 1905.		13th Sept., 1905.		10th Sept., 1905.		7th Sept., 1905.		4th Sept., 1905.		1st Sept., 1905.		28th Aug., 1905.													
		1905.				1905.		1905.			1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.		1905.											
Cols.	L.	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	76 TOWNS.																																
-	15,609,377	138	140	135	137	13	8002	4093	908	1168	-	34	43	46	35	38	180	142	314	1069	41	76 TOWNS.																																
LONDON -	4,684,794	133	139	132	140	12	2386	1255	286	380	-	15	9	12	11	10	55	38	95	512	6	LONDON.																																
CROYDON -	147,704	109	102	85	138	14	80	30	10	11	-	-	-	1	1	-	2	3	7	13	-	CROYDON.																																
WILLESDEN -	138,080	121	117	121	113	15	67	30	4	9	-	-	-	-	-	1	-	1	1	7	-	WILLESDEN.																																
HORNSEY -	84,070	68	93	43	62	06	31	10	1	4	-	-	-	-	-	-	1	-	1	-	-	HORNSEY.																																
TOTTENHAM -	116,232	103	99	144	76	-	65	17	6	4	-	-	-	-	-	-	6	2	7	17	-	TOTTENHAM.																																
WEST HAM -	294,997	159	101	113	147	19	182	83	20	19	-	-	2	2	1	-	1	1	2	2	-	WEST HAM.																																
EAST HAM -	123,381	89	97	101	80	17	72	19	5	4	-	-	1	-	1	1	1	-	-	5	-	EAST HAM.																																
LEYTON -	114,555	77	91	105	96	05	65	21	4	4	-	-	-	-	-	-	1	1	1	5	-	LEYTON.																																
WALTHAMSTOW -	116,297	103	94	94	72	13	59	16	3	4	-	-	-	1	-	-	2	-	1	5	-	WALTHAMSTOW.																																
HASTINGS -	66,820	125	117	55	140	-	18	18	2	11	-	-	-	-	-	-	-	-	1	2	-	HASTINGS.																																
BRIGHTON -	127,183	131	156	102	107	12	61	26	5	10	-	-	-	1	-	-	2	1	5	4	-	BRIGHTON.																																
PORTSMOUTH -	201,975	147	139	145	121	13	118	47	20	12	-	-	-	2	-	-	3	1	4	11	-	PORTSMOUTH.																																
BOURNEMOUTH -	66,168	71	63	158	118	-	17	15	-	8	-	-	-	-	-	-	-	1	2	2	-	BOURNEMOUTH.																																
SOUTHAMPTON -	114,897	109	91	73	127	23	62	28	4	7	-	-	-	3	-	1	1	1	2	5	-	SOUTHAMPTON.																																
READING -	77,674	87	141	107	107	07	43	16	6	7	-	-	-	-	-	-	1	-	4	2	-	READING.																																
NORTHAMPTON -	92,441	107	102	118	135	23	32	24	7	12	-	1	-	-	-	1	2	-	-	4	-	NORTHAMPTON.																																
IPSWICH -	70,802	103	140	118	88	-	27	12	3	4	-	-	-	-	-	-	-	-	-	4	-	IPSWICH.																																
GREAT YARMOUTH -	52,353	90	159	120	219	10	27	22	5	8	-	-	-	-	-	-	1	-	1	4	-	GREAT YARMOUTH.																																
NORWICH -	116,741	138	165	130	197	27	60	44	11	11	-	-	-	2	-	1	3	1	4	4	-	NORWICH.																																
PLYMOUTH -	116,000	121	184	99	189	18	58	42	10	19	-	-	-	-	-	-	2	2	4	3	-	PLYMOUTH.																																
DEVONPORT -	76,884	109	136	102	115	-	42	17	5	7	-	-	-	-	-	-	-	-	1	3	-	DEVONPORT.																																
BRISTOL -	358,515	147	116	128	125	06	158	86	10	28	-	-	1	-	-	1	1	2	10	14	-	BRISTOL.																																
HANLEY -	64,967	181	177	131	145	08	27	18	7	3	-	-	-	-	-	-	1	1	2	1	-	HANLEY.																																
BURTON-ON-TRENT -	52,424	70	90	109	199	-	25	20	3	10	-	-	-	-	-	-	-	1	5	5	-	BURTON-ON-TRENT.																																
WOLVERHAMPTON -	98,456	168	210	178	68	-	56	13	3	5	-	-	-	-	-	-	-	-	1	1	-	WOLVERHAMPTON.																																
WALSALL -	82,968	146	202	163	112	17	41	20	4	8	-	-	-	-	-	-	3	-	1	3	-	WALSALL.																																
HANDSWORTH -	61,721	42	127	101	59	-	22	7	-	5	-	-	-	-	-	-	-	-	1	1	-	HANDSWORTH.																																
WEST BROMWICH -	67,823	138	77	138	146	-	41	19	7	5	-	-	-	-	-	-	-	1	2	2	-	WEST BROMWICH.																																

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREAT BRITAIN, LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 14th October, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	COLS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in 1905.		Registered during the week ended 14th Oct., 1905.		The DEATHS registered in the Week include										TOWNS,		
			Week ended					BIRTHS.	DEATHS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- Cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death				
			23rd Sept., 1905.	30th Sept., 1905.	7th Oct., 1905.	14th Oct., 1905.	Week ended 14th Oct., 1905.																	
																					9.		10.	11.
BIRMINGHAM	-	542,959	13'2	14'5	14'0	13'0	1'8	259	135	34	35	-	1	3	2	5	2	6	8	11	36	4	BIRMINGHAM.	
KINGS NORTON	-	68,630	7'5	7'5	3'7	13'5	1'5	26	18	4	3	-	1	-	-	-	-	1	-	1	1	1	1	KINGS NORTON.
SMETHWICK	-	62,605	11'7	10'8	10'0	14'2	-	37	17	8	3	-	-	-	-	-	-	-	-	2	2	1	1	SMETHWICK.
ASTON MANOR	-	81,320	13'5	14'1	9'0	11'5	0'6	35	18	6	5	-	-	-	-	-	-	1	-	-	2	-	-	ASTON MANOR.
COVENTRY	-	75,134	14'6	7'6	14'6	10'4	-	32	15	2	6	-	-	-	-	-	-	-	1	3	1	-	-	COVENTRY.
LEICESTER	-	228,132	17'4	12'1	10'1	14'9	0'9	98	65	16	20	-	-	1	1	1	-	1	2	4	17	1	1	LEICESTER.
GRIMSBY	-	68,153	13'0	12'2	8'4	6'9	0'8	48	9	3	1	-	-	-	-	-	1	-	2	3	1	-	-	GRIMSBY.
NOTTINGHAM	-	251,671	17'0	13'5	13'3	14'9	0'4	125	72	16	23	-	-	-	1	-	-	1	4	5	13	-	-	NOTTINGHAM.
DERBY	-	122,207	11'9	13'2	11'1	10'2	0'9	66	24	7	6	-	-	-	-	-	-	2	-	3	5	-	-	DERBY.
STOCKPORT	-	98,320	19'1	10'1	11'7	12'7	0'5	33	24	3	6	-	-	-	-	-	-	1	1	1	4	-	-	STOCKPORT.
BIRKENHEAD	-	116,035	13'0	9'9	15'7	11'2	0'9	71	25	7	9	-	-	1	-	-	-	1	1	1	3	-	-	BIRKENHEAD.
WALLASEY	-	62,460	10'0	6'7	7'5	5'0	-	32	6	1	5	-	-	-	-	-	-	-	-	-	1	-	-	WALLASEY.
LIVERPOOL	-	730,143	17'2	15'9	17'1	16'4	1'8	453	230	48	57	-	2	10	1	3	-	9	10	16	92	5	5	LIVERPOOL.
BOOTLE	-	62,758	10'8	23'8	15'8	21'6	1'7	45	26	8	5	-	-	1	-	-	-	1	3	3	7	1	1	BOOTLE.
ST. HELENS	-	89,843	11'0	19'2	13'9	10'4	1'2	44	18	4	5	-	-	-	-	-	-	2	3	3	4	1	1	ST. HELENS.
WIGAN	-	86,581	19'3	16'9	20'5	22'3	2'4	42	37	9	9	-	-	-	-	-	1	3	-	2	2	-	-	WIGAN.
WARRINGTON	-	68,301	14'5	18'3	11'5	10'7	4'6	47	14	2	2	-	-	-	1	2	-	3	-	-	1	1	1	WARRINGTON.
BOLTON	-	178,111	17'3	17'9	15'5	12'0	0'9	64	41	10	12	-	-	-	-	-	1	2	3	4	7	1	1	BOLTON.
BURY	-	58,594	16'0	16'0	18'7	23'1	0'9	24	26	2	9	-	-	-	-	-	1	-	2	2	2	7	-	BURY.
MANCHESTER	-	631,185	16'2	18'3	16'4	14'2	1'2	346	172	30	44	-	1	2	2	2	-	8	7	9	44	3	3	MANCHESTER.
SALFORD	-	231,514	13'3	16'0	17'1	16'0	1'8	114	71	18	16	-	-	2	1	1	1	2	3	7	14	-	-	SALFORD.
OLDHAM	-	140,225	12'3	13'0	16'0	17'1	1'1	61	46	7	14	-	-	1	-	-	-	2	-	1	6	-	-	OLDHAM.
ROCHDALE	-	86,300	13'9	16'3	13'3	13'3	-	37	22	4	8	-	-	-	-	-	-	-	-	-	4	-	-	ROCHDALE.
BURNLEY	-	101,682	22'6	11'8	16'9	11'3	1'0	42	22	3	11	-	-	-	-	-	-	2	1	1	5	-	-	BURNLEY.
BLACKBURN	-	133,067	13'7	9'8	18'0	13'7	3'1	52	35	4	14	-	-	2	5	-	-	-	1	1	10	2	2	BLACKBURN.
PRESTON	-	115,721	14'9	18'0	16'7	12'6	2'7	60	28	5	9	-	-	1	-	-	-	1	4	1	2	1	1	PRESTON.
BARROW-IN-FURNESS.	-	60,306	10'4	10'4	11'2	12'1	0'9	28	14	5	2	-	-	1	-	-	-	-	-	-	1	-	-	BARROW-IN-FURNESS.

ended Saturday, 14th October, 1905, and DEATH-RATES in each of the preceding three weeks,

TOWNS.	POPULATION estimated at middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in 1905.		Registered Deaths in Week ended 14th Oct., 1905.		The DEATHS registered in the Week include												
		Week ended				Week ended		BIRTHS.	DEATHS.	Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		1905.				1905.				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				Diarrhoea.	Violence.
		23rd Sept., 1905.	30th Sept., 1905.	7th Oct., 1905.	14th Oct., 1905.	11th Sept., 1905.	18th Oct., 1905.															
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,888	12.1	14.8	12.1	19.8	1.6	44	36	4	11	-	-	-	1	-	1	1	-	1	5	1	HUDDESFIELD.
HALIFAX.	108,419	15.9	11.1	13.0	12.5	0.5	39	26	4	12	-	-	-	-	-	-	1	2	4	6	-	HALIFAX.
BRADFORD.	286,769	13.6	14.7	13.5	10.7	1.1	122	59	10	19	-	-	-	1	3	1	5	4	7	15	2	BRADFORD.
LEEDS.	456,787	14.5	12.3	11.8	11.5	1.1	214	101	26	23	-	1	1	-	-	1	4	6	14	14	-	LEEDS.
SHEFFIELD.	440,414	12.9	15.6	13.0	16.2	2.2	228	137	35	31	-	-	1	2	1	4	11	5	9	25	4	SHEFFIELD.
ROTHERHAM.	59,794	7.8	9.6	14.0	15.7	0.9	41	18	4	5	-	-	-	1	-	-	-	-	3	3	-	ROTHERHAM.
YORK.	82,362	10.1	8.2	7.6	11.4	-	37	18	4	5	-	-	-	-	-	2	7	1	3	2	-	YORK.
HULL.	258,127	13.9	15.8	14.7	13.3	2.2	137	66	17	18	-	-	1	1	-	-	1	3	3	14	-	HULL.
MIDDLESBROUGH.	98,869	20.1	20.1	17.0	24.9	2.1	49	47	12	12	-	-	-	2	-	1	1	3	5	10	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,425	11.9	9.9	9.9	10.9	-	21	11	3	5	-	-	-	-	-	-	-	1	1	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	71,313	7.3	11.0	13.9	14.6	2.2	37	20	5	6	-	-	-	-	1	1	1	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND.	152,761	16.4	16.4	20.5	18.1	0.7	107	53	9	14	-	-	-	1	-	-	1	1	2	8	-	SUNDERLAND.
SOUTH SHIELDS.	109,360	15.3	9.1	16.2	14.8	1.0	63	31	8	7	-	1	-	-	-	-	1	1	1	3	-	SOUTH SHIELDS.
GATESHEAD.	120,620	19.0	13.4	15.1	19.0	2.2	82	44	10	15	-	2	-	1	1	-	1	-	6	13	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	264,511	15.0	16.8	13.2	18.6	1.2	164	69	15	15	-	-	-	2	1	1	2	2	-	-	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	53,595	17.5	25.3	26.3	18.5	1.0	29	19	7	6	-	-	-	-	-	-	1	-	-	2	1	TYNEMOUTH.
NEWPORT (MON.).	72,880	12.9	17.9	18.6	15.0	0.7	27	21	7	4	-	-	-	-	-	-	1	1	2	4	-	NEWPORT (MON.).
CARDIFF.	180,054	13.0	13.9	10.1	8.1	-	95	28	7	6	-	-	-	-	-	-	-	1	3	5	-	CARDIFF.
RHONDDA.	124,988	10.4	10.8	14.2	9.6	0.4	88	23	6	5	-	-	-	-	-	-	-	1	1	-	-	RHONDDA.
MERTHYR TYDFIL.	73,848	18.8	17.7	21.9	14.1	0.7	65	20	7	4	-	1	-	-	-	-	-	-	1	1	-	MERTHYR TYDFIL.
SWANSEA.	96,334	16.2	18.9	17.9	17.3	1.1	52	32	11	7	-	1	-	-	-	-	1	2	4	3	-	SWANSEA.
GREATER LONDON.	7,010,172	12.3	12.9	12.1	12.8	1.1	3687	1722	365	593	-	18	12	21	14	13	71	50	135	603	8	GREATER LONDON.
OUTER RING.	2,325,378	10.3	10.8	9.7	10.5	0.8	1281	467	49	143	-	3	3	9	3	3	16	12	40	91	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,135,316	11.4	10.0	10.4	10.8	1.3	621	235	53	59	-	3	3	4	3	2	13	8	19	54	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,190,092	9.2	11.6	9.0	10.2	0.4	680	232	46	84	-	-	-	5	-	1	3	4	21	37	2	REMAINDER OF OUTER RING.
EDINBURGH.	338,577	13.8	12.4	15.2	17.0	1.4	149	110	25	32	-	-	-	2	2	-	5	1	?	?	6	EDINBURGH.
GLASGOW.	808,986	14.2	16.5	15.1	16.7	1.9	446	250	67	53	-	8	1	2	4	1	13	13	?	5/	14	GLASGOW.
DUBLIN.†	378,994	17.9	23.3	19.8	18.3	0.7	191	133	22	39	-	-	-	-	-	1	4	4	4	50	3	DUBLIN.†
BELFAST.†	365,680	13.7	16.1	16.9	17.7	1.5	210	122	28	34	-	-	-	-	1	5	4	3	5	35	?	BELFAST.†

* See note in first page of this volume

Universities of Dublin and Belfast respectively.

Universities of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIRST Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2622	2536	2633	2454	2549	2429	2676	2489	2437	2491	2628.6	2386
Males - - -	1355	1344	1347	1219	1317	1198	1368	1287	1266	1268	1346.6	1210
Females - - -	1267	1192	1286	1235	1232	1231	1308	1202	1171	1223	1282.0	1176
TOTAL Deaths -	1435	1378	1381	1600	1637	1305	1309	1552	1351	1270	1476.3	1255
Males - - -	733	743	721	812	882	679	667	775	727	639	766.1	667
Females - - -	702	635	660	788	755	626	642	777	624	631	710.2	588

* The numbers in this column are the average weekly numbers in the forty-first week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	13 Weeks.
TOTAL Births -	2466	2480	2522	2215	2549	2530	2372	2328	2374	2400	2171	2380	2386	31173
TOTAL Deaths -	1137	1285	1404	1555	1523	1497	1548	1432	1187	1195	1251	1189	1255	17458
Ages at Death {														
Under 1 year -	271	431	515	638	616	584	577	411	349	305	295	276	266	5564
1-5 years -	124	129	161	181	173	174	156	150	98	109	131	103	116	1805
5-20 " -	76	63	71	59	71	51	42	63	59	68	62	73	73	851
20-40 " -	155	150	163	135	142	139	160	164	159	139	165	154	173	2068
40-60 " -	223	242	243	240	252	213	263	281	222	245	258	238	267	3187
60 yrs. & upwds.	238	270	251	302	269	326	330	333	300	329	340	345	360	4043
Deaths from—														
Small-pox†	-	-	-	23	-	-	-	-	7	-	-	15	-	236
Measles - - -	17	24	19	23	28	19	27	20	7	7	15	15	15	124
Scarlet Fever -	6	8	9	18	10	10	11	7	8	6	17	7	9	120
Diphtheria - -	6	7	12	10	6	8	12	5	9	11	13	9	12	254
Whooping-cough	13	33	18	28	22	17	28	16	14	14	22	18	11	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	7	3	6	7	2	5	5	10	9	4	10	5	10	83
Pyæmia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	83	187	314	372	395	390	313	222	132	113	90	59	55	2725
All above Diseases -	132	262	378	457	463	449	396	280	179	155	167	113	112	3543
Dis. of Resp. System	42	46	42	46	48	44	60	47	48	57	64	67	101	712
Pneumonia - -	75	70	69	66	69	74	71	86	65	73	91	85	90	984
Phthisis - - -	97	108	113	113	119	109	118	133	120	125	125	104	151	1535
Dis. of Circ. System	151	140	131	139	122	153	164	173	155	152	170	165	166	1981
Violence - - -	63	62	54	67	55	51	62	59	52	45	63	61	38	732
Inquest Cases -	109	126	130	141	122	128	140	135	113	112	157	131	95	1639
Deaths in Institutions	467	462	513	524	519	506	557	526	462	483	494	465	512	6490
TEMPERATURE OF THE AIR.														
Mean - - - -	65.2	66.3	62.2	60.3	62.1	60.2	56.7	61.0	54.2	54.3	53.0	48.8	48.6	57.9
Mean of Highest	77.7	77.9	73.2	72.0	73.4	71.5	64.0	70.2	64.3	62.6	58.6	54.9	54.9	67.4
Mean of Lowest	54.0	57.7	54.3	52.2	52.3	51.0	51.1	55.6	45.7	46.7	48.4	42.9	42.7	50.4
Mean Humidity of the Air.	75	77	71	76	69	71	82	84	76	76	83	73	81	76
Rain-fall (in inches) -	0.02	0.53	0.65	0.16	0.03	0.48	1.21	0.68	0.32	0.01	1.27	0.16	0.16	5.68
Registered Sunshine (in hours).	54.0	39.5	47.6	45.7	57.8	47.2	12.1	29.5	37.8	27.8	13.3	19.5	6.6	438.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	3	1	-	-	-	-	-	-	-	-	-	-	1
Scarlet Fever -	2485	2550	2632	2670	2735	2762	2873	2982	3150	3424	3591	3789	3954	3046
Diphtheria - -	791	789	753	706	701	668	671	686	684	703	733	775	781	726
Typhus - - -	-	-	-	-	-	-	-	-	-	1	1	-	-	1
Enteric Fever -	92	94	100	99	108	114	121	116	122	140	143	161	167	121

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 41st week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 41st week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		Under 20.	Under 20.	Under 20.	Under 20.	Under 20.	Under 20.	Under 20.			Under 20.	Under 20.	Under 20.	Under 20.	Under 20.	Under 20.	
ALL CAUSES	1270	1255	268	116	73	173	267	300	Meningitis (not tuberc.)	14	14	8	4	1	1	-	
									Insanity, Gen. Par. of	15	13	-	-	-	4	5	
									Epilepsy	10	3	-	-	-	-	-	
Small-pox*	-	-	-	-	-	-	-	-	Convulsions	27	17	14	3	-	1	1	
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy	1	3	-	-	-	-	-	
Measles (Morbilli)	15	15	3	12	-	-	-	-	Paraplegia, Dis. of Cord	7	2	-	1	1	1	-	
Scarlet Fever	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	18	10	-	1	1	4	3	
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	44	50	-	1	6	8	21	
Plague	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	36	28	-	-	1	5	19	
Influenza	22	11	-	1	-	2	4	4	Apoplexy, Hemiplegia	18	14	-	-	-	3	11	
Whooping-cough	5	11	4	7	-	-	-	-	Aneurysm	5	7	-	-	-	-	4	
Diphtheria	17	12	2	4	6	-	-	-	Embolism, Thrombosis	2	1	-	-	-	1	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	(not cerebral)	74	68	-	-	5	4	20	
Purpura, (Origin un- certain)	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	39	
Enteric Fever	15	10	-	-	-	7	2	1	Croup (not Spasm: nor Memb.)	-	2	2	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	79	75	12	8	-	10	44	
Epidemic Diarrhoea (Infective Enteritis)	25	35	32	3	-	-	-	-	Asthma, Emphysema	5	4	-	-	-	3	1	
Diarrhoea, Dysentery	24	20	12	3	-	2	3	-	Pleurisy	2	9	4	1	-	3	1	
Tetanus	-	1	1	-	-	-	-	-	Respiratory Dis. (other)	8	11	3	1	-	2	4	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	2	-	1	-	1	-	
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	9	15	13	2	-	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-Enteritis	5	12	11	1	-	-	-	
Venereal Dis.	7	9	6	1	-	2	-	-	Peritonitis (not Puerp.)	6	8	1	-	1	4	2	
Puerperal Septicæmia	2	4	-	-	-	4	-	-	Cirrhosis of Liver	21	14	-	-	2	7	5	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Liver Dis. (other)	3	3	-	-	-	1	-	
Puerperal Fever	-	-	-	-	-	-	-	-	Digestive Dis., Other	22	41	5	1	7	15	6	
Infective Endocarditis	3	4	-	-	3	-	1	-	Nephritis, Acute	4	6	-	1	2	1	2	
Lobar	9	13	-	-	1	6	3	3	Bright's Dis., Albumin- uria	26	29	-	-	1	7	9	
Broncho	43	40	14	17	1	2	-	6	Urinary Sys., Other Dis.	12	17	-	-	-	2	14	
Pneumonia	-	-	-	-	-	-	-	-	Generative Organs Dis. Childbirth (Accid. of)	5	4	-	-	-	1	2	
Epidemic	-	-	-	-	-	-	-	-	Childbirth	-	2	-	-	-	-	-	
Not defined	48	37	2	3	4	3	15	10	Old Age	48	49	-	-	-	-	49	
Erysipelas	8	3	1	-	-	1	1	-	Other Diseases	83	84	57	9	-	5	2	
Septicæmia (not Puer- peral)	3	4	2	-	-	1	1	-	ACCIDENT.								
Pyæmia (not Puerperal)	2	-	-	-	-	-	-	-	By Railways	1	2	-	-	-	-	2	
Other Infective Processes	4	4	1	-	1	1	1	-	By Vehicles and Horses	6	6	-	1	3	-	2	
Tuberculous Phthisis	75	93	2	3	3	44	36	5	In Ships, Boats, Docks, (exclusive of Drown- ing)	-	2	-	-	-	-	-	
"Phthisis"	-	58	-	1	3	29	23	2	In Building Operations	-	-	-	-	-	-	-	
Tuberculous Meningitis	14	19	5	10	4	-	-	-	In Conflagrations	-	-	-	-	-	-	-	
Tuberculous Peritonitis	13	10	3	1	3	1	2	-	By Burns, Scalds, Ex- plosions	4	6	1	2	2	-	1	
Tabes Mesenterica	2	3	1	2	-	-	-	-	By Drowning	3	1	-	-	1	-	-	
Tuberculous Dis. (other)	23	11	2	2	3	-	3	1	By Suffocation in Bed	9	5	5	-	-	-	-	
Scrofula	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	3	2	-	1	-	1	-	
Alcoholism	13	9	-	-	-	5	4	-	Other Deaths by Acci- dent	7	13	1	-	-	3	2	
Rheumatic Fever	7	10	1	-	5	2	2	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Gout	-	3	-	-	-	-	1	2	Homicide	-	-	-	-	-	-	-	
Carcinoma	55	46	-	-	-	2	21	23	Suicide	8	1	-	-	-	-	1	
Sarcoma	8	3	-	-	-	1	1	1	Execution	-	-	-	-	-	-	-	
Cancer (undefined)	27	46	-	-	-	2	15	29									
Diabetes Mellitus	10	10	-	-	1	3	2	4									
Premature Birth	43	39	39	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

* Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th October, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2386	1255	266	360	-	15	9	12	11	-	10	-	55	38	95	512
WEST DISTRICTS - - -	805,311	332	214	36	59	-	7	-	2	4	-	2	-	10	4	10	100
NORTH DISTRICTS - - -	1,066,070	483	258	51	83	-	-	1	3	-	-	4	-	9	9	22	92
CENTRAL DISTRICTS - - -	209,465	113	67	17	13	-	-	-	-	-	-	-	-	4	-	4	41
EAST DISTRICTS - - -	715,739	452	250	63	47	-	4	-	-	1	-	2	-	10	10	23	99
SOUTH DISTRICTS - - -	1,749,844	1006	453	99	149	-	4	6	6	2	-	2	-	21	15	31	147
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	33	-	9	-	-	2	1	-	-	-	-	1	-	-	33
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	36	24	7	8	-	-	-	-	-	-	-	-	1	1	3	8
W, 2H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Paddington H - G.	33,617	3	16	2	6	-	-	-	-	-	-	-	-	1	2	2	9
North-West Paddington - C.	17,181	2	4	2	1	-	-	-	-	1	-	-	-	1	-	-	-
Kensington Town 2W w 2H G. W. & C.	128,937	65	50	4	13	-	6	-	-	2	-	-	-	1	-	1	34
Brompton 2H - - W. & C.	48,591	13	7	1	4	-	-	-	-	-	-	-	-	5	-	-	1
North Hammersmith W, w, w, H } W. & G.	49,192	30	7	1	2	-	-	-	-	1	-	-	-	-	-	-	-
South Hammersmith w, 2H - - -	63,047	35	17	1	4	-	-	-	-	-	-	-	-	1	-	1	5
North-west Fulham W - - -	45,180	29	16	6	2	-	1	-	-	-	-	-	-	2	-	-	9
North-east Fulham F } W. & C.	48,405	28	10	4	3	-	-	-	2	-	-	-	-	-	-	-	2
South Fulham W - - -	45,704	26	6	1	1	-	-	-	-	-	-	1	-	-	-	-	-
Chelsea North W, w, 3H - - C.	42,514	17	18	1	5	-	-	-	-	-	-	-	-	-	-	1	14
Chelsea South W, 2H - - C.	31,328	11	4	2	1	-	-	-	-	-	-	-	-	2	-	-	1
Mayfair and Knightsbridge C. & G.	28,743	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W, 2H - - C.	56,815	15	21	2	7	-	-	-	-	-	-	1	-	1	-	-	9
St. Margaret & St. John 4H - C.	43,698	13	10	2	2	-	-	-	-	-	-	-	-	1	1	1	5
St. James Westminster } N. & G.	21,588	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W, H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho 5H - - N.	11,493	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	12	15	1	1	-	-	-	-	-	-	-	-	-	1	1	4
Rectory Marylebone W G. & W.	19,849	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	3
St. Mary Marylebone 4H G. & W.	18,099	39	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	18	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, F, 8H - N. & W.	81,942	20	24	4	11	-	-	1	1	-	-	-	-	-	-	-	13
West St. Pancras 2H - - W.	60,562	16	9	3	1	-	-	-	-	-	-	-	-	2	-	1	3
Tottenham-court w, 7H - N. & W.	21,258	3	11	2	1	-	-	-	-	-	-	-	-	-	-	1	3
Gray's Inn Lane 4H - - N.	34,449	20	10	3	5	-	-	-	-	1	-	-	-	-	2	2	3
East St. Pancras W, 2H - - N.	60,320	33	12	4	4	-	-	-	-	-	-	-	-	1	1	3	3
North St. Pancras 2W - - N.	58,728	27	16	1	5	-	-	-	-	-	-	-	-	-	-	2	7
Tufnell W - - - N.	31,995	19	20	5	10	-	-	-	-	-	-	-	-	3	-	1	10
Upper Holloway 2W, w, H - N.	33,978	18	16	1	5	-	-	-	-	-	-	-	-	-	-	-	11
Tollington WH - - - N.	33,922	11	5	2	1	-	-	-	-	1	-	-	-	1	-	-	-
Lower Holloway - - - N.	41,424	24	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - N.	54,478	40	12	6	2	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east F - - N.	75,397	34	11	1	5	-	-	-	-	-	-	-	-	-	2	2	-
Highbury 2H - - - N.	63,797	15	7	1	3	-	-	-	-	-	-	-	-	1	-	2	-
Stoke Newington H - - N.	51,247	17	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - - E. & N.	50,560	15	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w, F - E. & N.	50,536	21	12	-	3	-	-	-	-	2	-	-	3	-	1	2	5
South-west Hackney 3H - E. & N.	59,921	34	17	4	4	-	-	-	-	-	-	-	-	-	1	1	7
South-east Hackney 2W, w, H E. & N.	58,265	38	25	4	9	-	-	-	-	-	-	-	-	-	1	2	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; F, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th October, 1905—continued.

REGISTRATIONSUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarthæa.	Violence.	Inquest Cases.					
CENTRAL DISTRICTS.																					
St. Giles and Bloomsbury W,2H N.	31,436	24	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-		
Strand W,4H - - - N. & C.	21,674	1	12	1	3	-	-	-	-	-	-	-	-	-	-	-	2	10	-		
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Holborn W,6H - - - N.	29,612	14	16	7	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-		
South Clerkenwell - - - N.	28,676	9	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	12		
North Clerkenwell H - - - N.	35,028	20	6	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
Finsbury 3H,L - - - N.	36,116	38	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1		
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - - N. & E.	10,299	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre and Allhallows } W,2H - - - - - }	16,824	2	16	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	15		
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																					
Shoreditch South H - E. & N.	46,362	30	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
Shoreditch North-West W,w,H N.	36,127	28	19	3	6	-	-	-	-	-	-	-	-	-	-	-	2	12	-		
Shoreditch North-East - N. & E.	36,148	27	8	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North 2H - E.	51,514	36	16	9	1	-	3	-	-	-	-	-	-	-	-	2	1	2	3		
Bethnal Green South - - E.	33,472	22	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Bethnal Green East 2W,H,L - E.	44,694	33	25	9	5	-	-	-	-	-	-	-	-	-	-	1	-	-	13		
Spitalfields - - - E. & N.	27,969	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Mile End New Town W,H - E.	28,718	18	40	9	3	-	-	-	-	-	-	-	-	-	-	2	2	6	37		
Goodman's Fields - - - E.	22,081	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George and St. John 2W E.	40,068	28	12	3	1	-	1	-	-	-	-	-	-	-	-	1	1	4	3		
Shadwell and Ratcliff W,H E. & N.	25,568	16	10	3	1	-	-	-	-	1	-	-	-	-	-	2	1	1	3		
Limhouse W - - - E.	32,369	21	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Mile End Old Town South- Western H - - - E.	63,698	40	12	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1		
Mile End Old Town North- Eastern W,w - - - E.	49,129	27	12	1	2	-	-	-	-	-	-	-	2	-	-	-	-	-	2		
Bow L - - - E.	41,989	26	9	3	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-		
Bromley 3w,E - - - E.	68,219	41	32	5	8	-	-	-	-	-	-	-	-	-	-	1	3	7	25		
Poplar W,w - - - E.	58,514	40	13	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th October, 1905—continued.

REGISTRATION SUB-DISTRICTS.			The DEATHS registered during the Week include														
Enume- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases,	Deaths in Public Institutions	Uncertified Causes of Death.
			Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																	
Christchurch Southwark W, H, & S.	11,283	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,066	16	19	5	1	-	1	-	-	-	-	-	-	1	-	1	17
Kent-road - S. & L.	21,904	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,094	21	8	2	-	-	1	-	-	-	1	-	-	-	1	-	2
West W, H, L } S. & L.	49,022	28	7	2	1	-	-	-	-	-	-	-	-	-	1	1	2
Newington North - S. & L.	72,841	48	16	3	3	-	1	-	-	-	-	-	-	-	1	3	-
Newington South W - S. & L.																	
St. Olave 2W - - - S.	9,817	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - S.	82,483	42	13	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe W, F - - S. & K.	38,460	25	8	-	4	-	-	-	-	-	-	-	-	-	-	5	-
Waterloo-road 2H - - L. & S.	27,440	30	6	4	1	-	-	-	-	-	-	-	-	-	1	-	-
Lambeth Church 1st H - L. & S.	18,423	9	11	-	2	-	-	-	-	-	-	-	-	-	-	3	8
Lambeth Church 2nd 2W - L. & S.	39,818	35	23	4	10	-	-	-	-	-	-	-	-	-	1	1	15
Kennington 1st H - - S. & L.	53,198	36	10	1	7	-	-	-	-	-	-	-	-	-	-	1	5
Kennington 2nd H - - S. & L.	42,896	19	10	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Brixton F - - - L. & S.	84,232	36	18	3	7	-	1	-	-	-	-	-	-	-	-	1	3
Norwood W, H - - - L.	35,888	17	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea H - - S.	72,203	51	13	6	1	-	-	-	-	-	-	-	-	-	1	1	-
North-west Battersea - - S.	49,656	35	9	5	2	-	-	-	-	-	-	-	-	-	1	1	2
South-west Battersea 2W, H - S.	47,046	19	20	4	7	-	-	-	-	-	1	-	-	-	-	-	13
Clapham 2H - - - S.	51,381	39	13	4	5	-	-	-	-	-	-	-	-	-	-	-	7
Streatham W, 2w, 2F, 2L - L.	88,019	45	20	4	9	-	1	4	-	-	-	-	-	-	1	1	-
Springfield 2W, L - - S.	27,969	16	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1
Southfields H - - - S.	40,444	27	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - S.	24,139	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w - S. & L.	40,206	19	25	4	12	-	-	-	-	-	-	-	-	-	1	-	18
Camberwell North W, 2L - S. & L.	65,584	32	28	3	12	-	1	-	-	-	-	-	-	-	-	1	16
St. George - - - L. & S.	47,331	30	4	2	2	-	-	-	-	-	-	-	-	-	1	1	2
Peckham 2W, w - - S., L. & K.	92,859	38	18	7	4	-	-	-	-	-	-	-	-	-	1	1	-
Deptford North - - - K.	37,613	23	12	3	3	-	-	-	-	-	-	-	-	-	-	1	1
Deptford Central - - - K.	45,481	33	11	4	3	-	-	-	-	-	-	-	-	-	1	-	-
Deptford South - - - K.	34,625	18	10	2	5	-	-	-	1	-	-	-	-	-	-	1	1
Greenwich West 2H - - K.	23,456	10	10	3	3	-	-	-	-	-	-	-	-	-	1	1	2
Greenwich East 2W, H - K.	43,859	24	18	1	8	-	-	-	-	-	-	-	-	-	1	1	13
Eltham w, H - - - K.	7,226	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
Lee w, H - - - K.	25,490	7	4	-	3	-	-	-	-	-	-	-	-	-	4	-	13
Lewisham W, w, F - - K.	58,352	29	24	4	10	-	1	1	-	-	-	-	-	-	-	-	-
Sydenham H - - - L.	43,653	24	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.	21,134	9	7	-	-	-	-	2	-	-	-	1	-	-	-	-	4
Woolwich 5H - - - K.	41,625	25	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West W - - K.	18,063	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	4
Plumstead East 2W, H - K.	50,264	40	13	2	5	-	-	-	-	-	-	-	-	-	1	-	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
North-Eastern - - - -			2	-	-	-	1	1	-	-	-	-	-	-	-	-	3
Northern - - - -			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Imbecile Asylums:—																	
Caterham - - - -			2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Darenth - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gore Farm (temporary) - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - -			1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Lunatic Asylums. —																	
Banstead - - - -			6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Ewell (Epileptic Colony) - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - -			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - -			1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Dartford Heath - - - -			3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell - - - -			2	-	3	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch - - - -			5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
Claybury - - - -			-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th October, 1905.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 80 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
	LONDON—OUTER RING	368,602	2,044,973	1281	437	99	143	-	3	3	9	3	3	16	12	40	91	2			
30:1	Carshalton 2F,2H	12,228	32,997	14	3	-	12	-	-	-	-	-	-	-	-	1	-	-			
2	Epsom, part of* W,w,2F,H-	10,423	15,548	10	2	-	12	-	-	-	-	-	-	-	-	-	1	-			
37:1	Godstone, part of* W,F	2,754	2,692	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-			
38:1	Coulsdon	11,069	8,166	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
2	South Croydon w	4,200	49,309	21	10	4	-	-	-	-	-	1	-	-	-	3	-	-			
3	West Croydon 3W,F,H	2,168	42,888	30	26	5	5	5	-	-	1	-	-	1	3	4	18	-			
4	North Croydon H	2,644	41,698	29	8	12	12	12	-	-	-	-	-	-	-	-	-	-			
5	Penge w,H-	770	22,465	11	6	1	1	1	5	5	-	-	-	-	1	1	-	-			
6	Mitcham w	11,711	30,015	20	4	1	1	-	-	-	-	-	-	-	-	-	-	-			
39:1	Wimbledon F,3H	3,221	41,652	30	8	2	2	-	-	-	-	-	-	-	-	-	-	-			
2	Kingston 2W,H	8,224	42,068	30	10	2	6	-	-	-	-	-	-	-	-	-	-	-			
3	Surrey F,H	3,046	15,017	6	3	1	1	-	-	-	-	-	-	-	-	2	2	-			
4	Esher, part of* H	5,402	13,100	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-			
5	Hampton H,F,L-	4,564	23,456	12	3	1	-	-	-	-	-	-	-	-	-	2	-	-			
40:1	Richmond W,H-	2,162	28,866	10	15	-	6	-	-	-	-	-	-	-	2	2	4	-			
2	Mortlake F	2,847	20,628	14	7	3	2	-	-	-	-	-	-	-	-	-	-	-			
1:1	Bromley F,2H	4,703	27,354	12	6	1	3	-	-	-	2	-	-	1	-	-	3	-			
2	Beckenham H	7,825	28,497	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-			
3	Orrington part of* W	10,113	9,857	1	3	1	1	-	-	-	-	-	-	-	-	-	2	-			
4	Chislehurst 2H	7,333	16,446	12	2	-	1	-	-	-	-	-	-	-	-	1	1	-			
2:1	Bexley w F,H	8,678	21,151	12	5	3	-	-	-	-	-	-	-	-	-	1	-	1			
2	Erith F,H	3,854	25,296	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-			
3	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-			
4:1	Sunbury w	11,054	18,683	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
2	Staines W,H	13,277	15,178	11	3	-	1	-	-	-	-	-	-	-	-	-	3	-			
5:1	Hillingdon W,F,H	6,035	13,661	4	5	2	-	-	-	-	-	-	-	-	-	-	1	-			
2	Uxbridge H	12,767	8,984	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	Hayes w,F,H	8,066	16,358	20	5	-	-	-	-	-	-	-	-	1	1	-	-	-			
6:1	Iseleworth 3W,2F,H	6,859	30,863	16	6	2	1	-	-	-	-	-	-	-	-	-	1	-			
2	Twickenham F,H	2,421	20,991	17	3	1	2	-	-	-	-	-	-	1	-	-	-	-			
3	Brentford 3F,2H,L	4,319	43,289	37	11	2	5	-	-	-	1	-	-	-	-	-	-	-			
4	Chiswick H	1,249	28,809	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
5	Acton w,3H	6,132	48,914	34	13	2	3	-	-	-	-	-	-	-	-	-	1	-			
7:1	Harrow F,H	13,809	25,523	19	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
2	Edgeware F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	Willesden W,2F,2H	4,384	114,811	67	30	4	9	-	3	-	-	-	1	-	-	-	7	-			
4	Hendon W,F	8,382	22,450	12	5	-	2	-	-	-	-	-	-	-	-	-	2	-			
8:1	South Mimms 2F,H	17,755	7,308	3	4	1	3	-	-	-	-	-	-	-	-	-	-	-			
2	Barnet W,2H	3,324	17,970	9	6	-	2	-	-	-	1	-	-	-	-	-	-	-			
3	Finchley F,2H	4,688	33,692	19	11	-	7	-	-	-	-	-	-	-	-	2	-	-			
9:1	Hornsey F,H	2,875	72,056	31	10	1	4	-	-	-	-	-	-	1	1	-	-	-			
2	Wood Green H	1,825	34,233	18	6	-	3	-	-	-	-	-	-	-	-	-	1	-			
3	West Tottenham F	996	48,853	33	9	2	3	-	-	-	-	-	-	-	-	-	-	-			
4	East Tottenham 2H	2,017	53,688	32	8	4	1	-	-	-	-	-	-	-	1	2	2	-			
5	Edmonton W,w,2F	7,491	61,892	52	15	3	4	-	-	-	-	-	-	-	3	3	6	-			
6	Enfield 2W,F,H	12,601	42,738	28	10	5	3	-	-	-	-	-	-	-	2	3	-	-			
7	Waltham Abbey F	11,017	6,549	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
8	Cheshunt F,H	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
5:1	Hatfield, part of* W	3,305	864	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
7:1	Bushey H	9,333	9,173	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1	Stratford H	1,072	44,827	29	9	2	1	-	-	-	-	-	-	1	1	-	-	-			
2	Plaistow F,2H	1,249	90,921	67	20	4	4	-	-	2	1	-	-	1	3	3	-	-			
3	Canning Town H	1,558	70,718	55	28	11	5	-	-	-	1	1	-	3	3	2	-	-			
4	Forest Gate w	806	60,892	31	14	2	6	-	-	-	-	-	-	-	-	-	-	-			
5	North East Ham w,H	1,333	58,676	29	7	1	2	-	-	-	-	-	-	-	-	-	-	-			
6	South East Ham 2F	1,993	37,342	43	8	4	1	-	-	1	-	-	-	-	-	-	1	-			
7	Wanstead F	1,579	9,179	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-			
8	South Leyton 2W	631	50,467	37	9	1	4	-	-	-	-	-	-	-	-	-	3	-			
9	North Leyton 2W,w,F	1,963	48,446	28	29	5	4	-	-	-	-	-	-	4	1	1	19	-			
10	Walthamstow 3H,L	6,504	108,020	70	14	3	2	-	-	-	-	-	-	1	-	2	-	-			
1	Chigwell, part of* 2F,3H	11,778	18,397	9	3	-	2	-	-	-	1	-	-	-	-	-	2	-			
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
1	Romford, part of* W,2F	6,556	6,091	5	2	1	1	-	-	-	-	-	-	-	-	-	1	-			
2	Ilford F,L	8,496	41,234	41	15	4	6	-	-	1	-	-	1	-	-	1	4	-			
3	Barking Town F	3,803	21,547	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-			

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer areas are as follows:—30: 2, excepting Ashted parish; 37: 1, Warlingham and Earley parishes; 39: 4, excepting Esherish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Ecydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Dysentery.
LONDON - -	4,684,794	October 14	2386	1255	14·0	-	15	9	14	11	10	5
CALCUTTA - -	847,796	September 9	-	451	27·6	1	1	-	-	2	150†	4
BOMBAY - -	776,006	" 26	414	520	34·8	-	1	-	-	-	79†	-
MADRAS - -	509,346	" 22	-	-	-	-	-	-	-	-	-	-
PARIS - -	2,660,559	October 7	890	705	14·2	2	-	2	2	2	1	2
BRUSSELS - -	586,936	" 7	167	132	11·5	-	-	3	2	-	3	1
ANTWERP - -	286,695	" 7	133	80	14·2	-	-	-	1	1	-	1
AMSTERDAM - -	554,240	September 30	275	121	11·4	-	1	-	-	1	3	1
COPENHAGEN - -	426,000	October 7	234	140	17·0	-	-	1	1	4	-	1
STOCKHOLM - -	309,496	September 30	130	92	15·0	-	-	2	-	1	1	1
CHRISTIANIA - -	223,849	October 7	122	45	10·5	-	-	-	2	2	-	-
ST. PETERSBURG - -	1,248,122	September 30	556	465	17·4	-	2	12	6	11	21	4
MOSCOW - -	1,092,360	" 30	-	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,027,122	September 23	918	544	14·0	-	3	5	7	8	4	10
HAMBURG - -	772,852	October 7	-	205	13·8	-	-	-	-	4	2	3
BRESLAU - -	462,147	" 7	-	178	20·1	-	-	-	3	4	2	2
MUNICH - -	528,900	" 7	-	-	-	-	-	-	-	-	-	-
VIENNA - -	1,897,630	" 7	805	508	13·8	-	1	3	8	4	4	4
PRAGUE - -	430,569	" 7	178	151	17·8	-	-	-	1	-	-	1
BUDA-PESTH - -	836,267	September 30	483	269	16·7	-	1	5	2	1	4	3
TRIESTE - -	191,403	October 7	468	248	15·4	-	4	-	-	5	8	2
		" 7	116	110	29·3	-	3	1	-	-	-	-
ROME - -	514,930	July 22	238	205	20·7	-	1	-	2	1	8	4
VENICE - -	169,417	September 16	76	98	30·2	-	-	-	-	-	3	1
		" 23	79	69	21·2	-	-	-	-	-	3	1
BUCHAREST - -	282,071	" 30	131	131	24·2	-	-	-	-	2	3	2
NEW YORK - -	3,948,191	" 23	1880	1311	17·3	-	1	1	18	9	15	17
		" 30	1990	1192	15·7	-	2	5	18	3	24	14
CHICAGO - -	1,932,315	" 30	-	481	12·5	1	-	2	12	4	9	7
PHILADELPHIA - -	1,438,318	" 23	-	409	14·8	-	-	-	2	2	11	5
BOSTON - -	617,956	" 16	-	188	16·5	-	1	-	-	1	8	2
RIO DE JANEIRO - -	850,000	" 3	-	274	15·8	1	9	-	-	2	5	1

* Excluding deaths from croup in the Indian Cities.

† Including 15 deaths from plague in Calcutta, 36 in Bombay, and 5 in Rio de Janeiro.

‡ Including 34 deaths from cholera in Calcutta, 1 in Bombay, and 1 in Berlin.

§ Including 4 deaths from malarial fever.

¶ Dysentery only.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th October, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	59·0	36·3	48·8	0·16	BRADFORD - -	62·0	33·0	49·2	0·56
BRIGHTON - -	59·4	35·5	51·3	0·00	LEEDS - -	66·0	35·0	53·0	0·57
PORTSMOUTH - -	59·5	38·7	52·1	0·00	HULL - -	63·0	33·0	49·3	0·60
NORWICH - -	58·4	34·0	48·4	0·69	TYNEMOUTH - -	63·0	31·0	48·4	0·65
PLYMOUTH - -	63·7	42·3	52·2	0·05					
BRISTOL - -	65·2	33·8	51·5	0·00	EDINBURGH - -	60·9	34·0	51·2	0·77
BIRMINGHAM - -	55·7	35·1	48·4	0·07	GLASGOW - -	62·0	36·2	51·1	0·43
NOTTINGHAM - -	61·8	32·1	49·8	0·05					
LIVERPOOL - -	55·0	39·0	50·0	0·23	Phoenix Park.	62·9	33·1	49·6	0·04
OBSERVATORY, }	57·2	30·8	48·2	0·82	DUBLIN Fitzwilliam Square.†	62·9	36·1	51·6	0·03
MANCHESTER - -	58·0	34·8	49·4	0·86					
PRESTON - -	61·2	32·2	48·3	0·58	BELFAST - -	57·5	37·0	50·7	0·15
HUDDERSFIELD - -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTH AND
DAY

OCTOBER.

SUNDAY - 8

MONDAY - 9

TUESDAY - 10

WEDNESDAY - 11

THURSDAY - 12

FRIDAY - 13

SATURDAY - 14

MEANS

No. of Column -

DATE.

OCTOBER.

SUNDAY - 8

MONDAY - 9

TUESDAY - 10

WEDNESDAY - 11

THURSDAY - 12

FRIDAY - 13

SATURDAY - 14

No. of Col. -

PHASES
OF THE
MOON.

..

..

..

..

In
Equator.

Full

Apogee

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

BARO-
METER.

Mean
daily
reading
(cor-
rected
to sea
level
at
33°
Fahren-
heit).

30.175

30.204

30.246

30.250

30.088

29.879

29.910

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

30.107

TEMPERATURE.

Of the Air.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

TEMPERATURE.

Of the Air.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

TEMPERATURE.

Of the Air.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

TEMPERATURE.

Of the Air.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

TEMPERATURE.

Of the Air.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

High-
est.

Mean
daily
range.

Low-
est.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 7th October, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,985	-	10	1	-	1	-	-	4	-
Kensington - - - -	180,083	-	7	2	-	1	-	-	5	1
Hammersmith - - - -	119,037	-	7	5	-	-	-	-	5	1
Fulham - - - -	157,210	-	18	10	-	3	-	-	4	-
Chelsea - - - -	74,496	-	10	1	-	1	-	-	1	-
City of Westminster - - -	175,606	-	12	2	-	-	-	-	3	-
NORTH.										
St. Marylebone - - - -	129,453	-	8	2	-	-	-	-	3	-
Hampstead - - - -	88,142	-	3	3	-	1	-	-	-	-
St. Pancras - - - -	236,183	-	23	5	-	2	-	-	4	-
Islington - - - -	342,994	-	33	9	-	2	-	-	10	1
Stoke Newington - - - -	52,828	-	3	2	-	1	-	-	2	-
Hackney - - - -	228,479	-	27	10	-	7	-	-	4	-
CENTRAL.										
Holborn - - - -	56,481	-	3	1	-	-	-	-	1	-
Finsbury - - - -	98,207	-	18	2	-	1	-	-	8	-
City of London - - - -	22,425	-	5	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,566	-	20	5	-	1	-	-	3	1
Bethnal Green - - - -	130,401	-	25	9	-	1	-	-	6	-
Stepney - - - -	305,466	-	56	9	-	5	-	-	15	-
Poplar - - - -	170,280	-	49	19	-	3	-	-	7	2
SOUTH.										
Southwark - - - -	208,528	-	28	14	-	7	-	-	5	-
Bermondsey - - - -	129,006	-	21	2	-	-	-	-	3	-
Lambeth - - - -	313,045	-	22	12	-	1	1	-	3	-
Battersea - - - -	177,532	-	31	2	-	4	-	-	2	-
Wandsworth - - - -	265,392	-	56	18	-	3	-	-	3	1
Camberwell - - - -	271,240	-	25	4	-	1	-	-	14	1
Deptford - - - -	114,495	-	23	7	-	1	-	-	4	-
Greenwich - - - -	103,493	-	6	2	-	-	-	-	3	-
Lewisham - - - -	144,420	-	16	5	-	-	-	-	3	-
Woolwich - - - -	125,372	-	8	4	-	-	-	-	2	-
Port of London - - - -	-	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		-	567	167	-	48	1	-	127	8
Age.										
0-1 - - - -	-	-	4	4	-	-	-	-	3	-
" 1-5 - - - -	-	-	149	63	-	3	-	-	6	-
" 5- - - - -	-	-	256	58	-	5	-	-	3	-
" 10- - - - -	-	-	115	15	-	-	-	-	3	-
" 15- - - - -	-	-	17	10	-	5	1	-	10	-
" 20- - - - -	-	-	13	7	-	4	-	-	7	3
" 25- - - - -	-	-	11	4	-	13	-	-	22	4
" 35- - - - -	-	-	2	4	-	10	-	-	16	1
" 45- - - - -	-	-	-	2	-	4	-	-	29	-
" 55- - - - -	-	-	-	-	-	1	-	-	15	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	13	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 42. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, OCT. 21. [Price 1½d.

*General Register Office, Somerset House,
October 23rd, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·1 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 14·0, 13·5, and 13·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 18·1 in Liverpool, 18·2 in Barrow in Furness, 19·3 in Birkenhead, 20·4 in Tynemouth, 21·8 in Sunderland, and 25·4 in Rochdale; from *measles*, 1·3 in Rhondda, 1·6 in Wolverhampton, and 2·2 in Swansea; from *scarlet fever*, 1·2 in Blackburn; from *diphtheria*, 1·8 in Birkenhead; and from *diarrhœa*, 1·2 in Bolton, 1·3 in Birkenhead, 1·4 in Merthyr Tydfil, 1·6 in Wolverhampton, 1·7 in Smethwick, and 2·4 in Hanley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2372 BIRTHS and 1331 DEATHS were registered. Allowing for increase of population, the births were 213 and the deaths 169 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 13·9, 13·2, and 14·0 in the preceding three weeks, rose last week to 14·8. During the four weeks ended on Saturday last the death-rate averaged 14·0 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1331 deaths included 33 from measles, 16 from scarlet fever, 3 from diphtheria, 19 from whooping-cough, 8 from enteric fever, and 31 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 110 deaths were referred to these diseases in the aggregate, being 53 below the corrected average weekly number.

The deaths from *measles*, which had been 15, 15, and 15 in the preceding three weeks, rose to 33 last week, and were 8 above the corrected average; 13 deaths belonged to the Borough of Southwark, 5 to Stepney, and 3 to Lambeth. The deaths from *scarlet fever*, which had been 17, 7, and 9 in the preceding three weeks, rose last week to 16, and were 4 above the corrected average; 3 deaths belonged to Islington and 3 to Camberwell. The deaths from *diphtheria*, which had been 13, 9, and 12 in the preceding three weeks, fell last week to 3, and were 39 below the corrected average. The deaths from *whooping-cough*, which had been 22, 18, and 11 in the preceding three weeks, rose last week to 19, and were 4 above the corrected average; 4 deaths belonged to Stepney, and 3 to Bethnal Green. The fatal cases of *enteric fever*, which had been 10, 5, and 10 in the preceding three weeks, were 8 last week, and were 12 below the corrected average. The deaths from *diarrhoea*, which had been 90, 59, and 55 in the preceding three weeks, further fell last week to 31, and were 16 below the corrected average; 3 deaths apiece belonged to Fulham, St. Marylebone, St. Pancras, Hackney, Poplar, and Battersea. Of the 31 deaths from diarrhoea, 30 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 3, 10, and 11 in the preceding three weeks.

Different forms of *violence* caused 63 deaths, concerning all but 1 of which inquests were held. Of these 63 deaths, 10 were cases of suicide, while the remaining 53 cases were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 6 to burns or scalds, 4 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 6 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4153 cases of scarlet fever, 797 of diphtheria, and 161 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 522 cases, against 509, 527, and 511; of diphtheria, 124 cases, against 131, 139, and 115; and of enteric fever, 18 cases, against 22, 36, and 30. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended October 14th.

GREATER LONDON.

In Greater London 3648 births and 1807 deaths were registered. Allowing for increase of population, these numbers are 199 and 240 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 1 from whooping-cough, 1 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.85 inches, and that of the Thermometer 41°·0, the latter being 8°·4 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 34.6 hours; the measured rainfall amounted to 0.13 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FIVE SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 21st October, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 21st Oct., 1905.		The DEATHS registered in the Week include										TOWNS.			
		Week ended				Week ended		BIRTHS.	DEATHS.	Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.		Unspecified Causes of Death.		
		21st Oct., 1905.				21st Oct., 1905.				under 1 Year of Age.	Persons 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.					Diarrhoea.	Violence.
		20th Sept., 1905.	7th Oct., 1905.	14th Oct., 1905.	21st Oct., 1905.	11th Oct., 1905.	18th Oct., 1905.																
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM -	542,959	14.5	14.0	13.0	14.5	1.0	298	151	38	46	-	2	1	1	2	4	4	5	31	4	BIRMINGHAM.		
KINGS NORTON -	93,630	7.5	3.7	13.5	7.5	0.7	43	10	4	-	1	-	-	-	-	-	-	-	1	1	KINGS NORTON.		
SMETHWICK -	62,605	10.8	10.0	14.2	16.7	2.5	34	20	9	4	-	-	-	-	1	2	-	-	-	1	SMETHWICK.		
ASTON MANOR -	81,320	14.1	9.0	11.5	9.6	1.3	48	15	4	3	-	-	1	1	-	-	3	3	-	-	ASTON MANOR.		
COVENTRY -	75,184	7.6	14.6	10.4	9.7	-	51	14	1	8	-	-	-	-	-	-	-	1	-	-	COVENTRY.		
LEICESTER -	228,132	12.1	10.1	14.9	12.6	1.1	105	55	11	26	-	-	1	-	-	4	1	3	9	-	LEICESTER.		
GRIMSBY -	88,153	12.2	8.4	6.9	12.2	0.8	46	16	2	6	-	-	-	-	1	-	2	2	3	-	GRIMSBY.		
NOTTINGHAM -	251,671	13.5	13.3	14.9	13.1	0.8	124	63	11	23	-	2	-	-	-	2	3	3	17	1	NOTTINGHAM.		
DERBY -	122,207	13.2	11.1	10.2	12.4	1.3	66	29	7	10	-	-	1	1	-	1	1	3	5	-	DERBY.		
STOCKPOET -	93,320	10.1	11.7	12.7	12.7	0.5	43	24	4	9	-	-	1	-	-	-	2	2	3	-	STOCKPOET.		
BIRKENHEAD -	116,035	9.9	15.7	11.2	19.3	4.0	64	43	10	10	-	-	2	4	-	3	-	2	7	-	BIRKENHEAD.		
WALLASEY -	82,480	6.7	7.5	5.0	10.0	1.7	27	12	3	2	-	-	1	-	-	-	1	3	1	-	WALLASEY.		
LIVERPOOL -	730,143	15.9	17.1	16.4	18.1	2.6	497	254	45	62	-	1	12	6	4	5	5	23	90	7	LIVERPOOL.		
BOOTLE -	82,768	20.8	15.8	21.6	15.8	0.8	50	19	3	2	-	-	-	-	-	-	-	2	6	2	BOOTLE.		
ST. HELENS -	89,843	19.2	13.9	10.4	12.8	1.2	64	22	2	5	-	-	-	1	-	1	-	-	7	1	ST. HELENS.		
WIGAN -	86,561	16.9	20.5	22.3	17.5	2.4	64	29	14	6	-	-	-	2	-	1	-	-	2	1	WIGAN.		
WARRINGTON -	88,301	18.3	11.5	10.7	13.7	0.8	39	18	2	2	-	-	-	-	1	-	-	2	4	3	WARRINGTON.		
BOLTON -	178,111	17.9	15.5	12.0	15.2	1.2	108	52	11	12	-	-	-	-	-	4	2	4	5	-	BOLTON.		
BURY -	58,594	16.0	18.7	23.1	16.9	1.8	25	19	4	9	-	-	1	-	-	-	1	1	3	-	BURY.		
MANCHESTER -	631,185	18.3	16.4	14.2	17.7	0.8	298	214	45	63	-	-	2	2	1	5	11	15	48	3	MANCHESTER.		
SALFORD -	231,514	16.0	17.1	16.0	13.3	1.6	116	59	10	17	-	-	1	1	1	3	1	4	15	-	SALFORD.		
OLDHAM -	140,225	13.0	16.0	17.1	16.4	0.7	56	44	9	13	-	-	1	-	1	1	2	6	9	-	OLDHAM.		
ROCHDALE -	86,390	16.3	13.3	13.3	25.4	0.6	29	42	7	13	-	-	-	-	-	-	-	2	5	2	ROCHDALE.		
BURNLEY -	101,682	11.8	16.9	11.3	11.3	0.5	48	22	5	7	-	1	-	-	-	1	-	1	6	-	BURNLEY.		
BLACKBURN -	133,067	9.8	18.0	13.7	14.9	2.4	70	38	7	11	-	1	3	-	-	-	-	1	6	-	BLACKBURN.		
PRESTON -	115,721	18.0	16.7	12.6	14.4	2.3	51	32	9	13	-	-	-	1	-	2	-	-	1	2	PRESTON.		
BARROW-IN-FURNESS.	60,306	10.4	11.2	12.1	18.2	0.9	37	21	2	8	-	-	-	-	-	1	3	3	4	1	BARROW-IN-FURNESS.		

* See note + on final page of this return

ended Saturday, 21st October, 1905, and DEATH-RATES in each of one preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 21st Oct., 1905.		The DEATHS registered in the Week include										TOWNS								
		Week ended				Week ended		Births.	Deaths.	Deaths from																		
		30th Sept., 1905.				14th Oct., 1905.				21st Oct., 1905.				Persons aged 60 Years and upwards.				Small-pox.	Measles.		Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		
		2.	3.	4.	5.	6.	7.			8.	9.	10.	11.	12.	13.	14.	15.										16.	17.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.						
HUDDESFIELD.	-	94,888	14'8	12'1	19'8	14'8	1'1	42	27	6	8	-	-	-	1	-	1	1	1	-	-	-	HUDDESFIELD.					
HALIFAX.	-	108,419	11'1	13'0	12'5	13'5	0'5	35	28	3	9	-	-	1	-	-	-	1	5	6	1	-	HALIFAX.					
BRADFORD.	-	286,799	14'7	13'5	10'7	12'5	0'7	89	69	16	24	-	-	-	-	-	3	3	5	12	-	-	BRADFORD.					
LEEDS.	-	456,787	12'3	11'8	11'5	11'0	0'7	220	96	25	27	-	1	-	2	-	3	3	4	21	-	-	LEEDS.					
SHEFFIELD.	-	440,414	15'6	13'0	16'2	12'3	0'9	244	104	23	33	-	2	-	-	2	4	1	3	17	5	-	SHEFFIELD.					
ROTHERHAM.	-	59,794	9'6	14'0	15'7	11'3	0'9	35	13	6	2	-	-	-	-	1	-	-	1	1	-	-	ROTHERHAM.					
YORK.	-	82,362	8'2	7'6	11'4	10'8	-	45	17	4	6	-	-	-	-	-	-	-	2	3	-	-	YORK.					
HULL.	-	258,127	15'8	14'7	13'3	13'1	0'4	168	65	15	15	-	-	-	-	-	2	4	6	14	-	-	HULL.					
MIDDLESBROUGH.	-	95,369	20'1	17'0	24'9	14'8	2'1	61	28	5	7	-	-	1	1	1	1	-	1	3	-	-	MIDDLESBROUGH.					
STOCKTON-ON-TEES.	-	52,425	9'9	9'9	10'9	16'9	3'0	26	17	4	5	-	1	1	-	-	1	1	1	4	-	-	STOCKTON-ON-TEES.					
WEST HARTLEPOOL.	-	71,313	11'0	13'9	14'6	10'2	1'5	32	14	2	3	-	-	-	-	1	1	-	2	-	-	-	WEST HARTLEPOOL.					
SUNDERLAND.	-	152,761	16'4	20'5	18'1	21'8	1'7	90	64	17	23	-	-	1	-	-	2	2	-	6	2	-	SUNDERLAND.					
SOUTH SHIELDS.	-	109,360	9'1	16'2	14'8	13'8	-	75	29	11	9	-	-	-	-	-	-	-	-	3	1	-	SOUTH SHIELDS.					
GATESHEAD.	-	120,620	13'4	15'1	19'0	17'3	0'4	63	40	13	16	-	-	-	-	-	1	1	1	1	3	-	GATESHEAD.					
NEWCASTLE-ON-TYNE.	-	284,511	16'8	13'2	13'6	13'2	1'4	152	67	17	15	-	1	-	2	-	4	5	13	6	2	-	NEWCASTLE-ON-TYNE.					
TYNEMOUTH.	-	53,695	25'3	26'3	18'5	20'4	-	36	21	3	12	-	-	-	-	-	-	1	3	1	-	-	TYNEMOUTH.					
NEWPORT (MON.).	-	72,880	17'9	18'6	15'0	15'7	0'7	48	22	4	8	-	-	-	-	-	1	-	1	5	-	-	NEWPORT (MON.).					
CARDIFF.	-	180,054	13'9	10'1	8'1	13'0	0'9	79	45	8	9	-	-	1	1	-	1	3	5	8	-	-	CARDIFF.					
RHONDDA.	-	124,988	10'8	14'2	9'6	10'8	1'3	97	26	10	5	-	3	-	-	-	-	2	3	-	1	-	RHONDDA.					
MERTHYR TYDFIL.	-	73,848	17'7	21'9	14'1	14'1	1'4	38	20	8	6	-	-	-	-	-	2	-	1	3	-	-	MERTHYR TYDFIL.					
SWANSEA.	-	96,384	18'9	17'9	17'3	14'1	2'7	65	26	4	7	-	-	-	-	-	1	3	3	4	-	-	SWANSEA.					
GREATER LONDON.	-	7,010,172	12'9	12'1	12'8	13'4	1'1	3648	1807	342	582	-	40	20	12	10	42	77	169	610	4	-	GREATER LONDON.					
OUTER RING.	-	2,325,378	10'8	9'7	10'5	10'7	0'9	1276	476	98	161	-	7	4	9	5	11	14	31	70	3	-	OUTER RING.					
8 TOWNS IN OUTER RING.	-	1,135,316	10'0	10'4	10'8	10'1	1'0	629	221	46	69	-	1	3	5	4	7	5	10	34	-	-	8 TOWNS IN OUTER RING.					
REMAINDER OF OUTER RING.	-	1,190,062	11'6	9'0	10'2	11'2	0'7	647	255	52	92	-	6	1	4	1	4	9	21	36	3	-	REMAINDER OF OUTER RING.					
EDINBURGH.	-	336,577	12'4	15'2	17'0	15'3	1'2	149	99	19	38	-	1	1	2	-	4	2	?	31	4	-	EDINBURGH.					
GLASGOW.	-	809,986	16'5	15'1	16'7	18'4	3'0	462	286	63	50	-	19	2	4	4	16	11	?	91	9	-	GLASGOW.					
DUBLIN.†	-	378,904	23'2	19'8	18'3	18'3	1'0	176	133	21	41	-	-	-	1	1	1	8	7	54	5	-	DUBLIN.†					
BELFAST.†	-	365,680	16'1	16'9	17'7	18'9	0'7	209	130	25	29	-	1	-	1	1	2	7	11	27	?	-	BELFAST.†					

* See note at first page of this return.

† Excluding Deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SECOND Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	5629	2516	2610	2468	2529	2485	2389	2486	2345	2442	2585·3	2372
Males - - -	1308	1261	1343	1248	1284	1267	1201	1281	1231	1244	1315·2	1222
Females - - -	1321	1255	1268	1220	1245	1218	1188	1205	1114	1198	1270·1	1150
TOTAL Deaths -	1518	1333	1442	1497	1567	1392	1391	1496	1333	1476	1500·2	1331
Males - - -	766	706	708	795	789	694	700	760	680	739	761·8	683
Females - - -	752	627	734	702	778	698	694	736	653	737	738·4	648

* The numbers in this column are the average weekly numbers in the forty-second week of the ten years 1895–1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	13 Weeks.
TOTAL Births -	2480	2523	2215	2549	2530	2372	2328	2374	2400	2171	2380	2386	2372	31079
TOTAL Deaths -	1285	1404	1555	1523	1497	1548	1432	1187	1195	1251	1189	1255	1331	17652
Ages at Death {														
Under 1 year -	431	515	638	616	584	577	441	349	305	295	276	268	244	5537
1–5 years -	129	161	181	173	174	156	150	98	109	131	103	116	135	1816
5–20 " -	63	71	59	71	51	62	63	59	68	62	73	73	70	845
20–40 " -	150	163	135	142	149	160	164	159	139	165	154	173	178	2031
40–60 " -	242	243	240	252	213	263	281	222	245	258	238	267	283	3247
60 yrs. & upwds.	270	251	302	269	326	330	333	300	329	340	345	360	421	4176
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	24	19	23	28	19	27	20	7	7	15	15	15	33	252
Scarlet Fever - -	8	9	16	10	10	11	7	8	6	17	7	9	16	134
Diphtheria - - -	7	12	10	6	8	12	5	9	11	13	9	12	3	117
Whooping-cough -	33	18	28	22	17	28	16	14	14	22	18	11	19	260
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	6	7	2	5	5	10	9	4	10	5	10	8	84
Pyæmia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	187	314	372	395	390	313	222	132	113	90	59	55	31	2673
All above Diseases -	262	378	457	463	449	396	280	179	155	167	113	112	110	3521
Dis. of Resp. System														
Pneumonia - - -	46	42	46	48	44	60	47	48	57	64	67	101	112	782
Phthisis - - -	70	69	66	69	74	71	86	65	73	91	85	90	136	1045
Dis. of Circ. System -	108	113	113	119	109	118	133	120	125	125	104	151	121	1559
Violence - - -	140	131	139	122	153	164	173	155	152	170	165	166	191	2021
Inquest Cases - - -	62	54	67	55	51	62	59	52	45	63	61	38	63	732
Deaths in Institutions	126	130	141	122	128	140	135	113	112	157	131	95	138	1668
TEMPERATURE OF THE AIR.														
Mean - - -	66·3	62·2	60·3	62·1	60·2	56·7	61·0	54·2	54·3	53·0	48·8	48·6	41·0	56·1
Mean of Highest -	77·9	73·2	72·0	73·4	71·5	64·6	70·2	64·3	62·6	58·6	54·9	54·9	50·0	65·2
Mean of Lowest -	57·7	54·3	52·2	52·3	51·0	51·1	55·6	45·7	46·7	48·4	42·9	42·7	32·2	48·7
Mean Humidity of the Air.	77	71	76	69	71	82	84	76	76	83	73	81	75	76
Rain-fall (in inches) -	0·53	0·65	0·16	0·03	0·48	1·21	0·68	0·32	0·01	1·27	0·16	0·16	0·13	5·79
Registered Sunshine (in hours).	39·5	47·6	45·7	57·8	47·2	12·1	29·5	37·8	27·8	13·3	19·5	6·6	34·6	419·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2550	2632	2670	2735	2762	2873	2982	3150	3424	3591	3789	3954	4153	3174
Diphtheria - - -	789	753	706	701	668	671	686	684	703	733	775	781	797	727
Typhus - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Enteric Fever - -	94	100	99	108	114	121	116	122	140	143	161	167	161	127

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Council; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SECOND Week of the Year 1905.

the terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 42nd week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 42nd week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.			1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.		
ALL CAUSES - - -	1476	1331	244	135	70	178	283	421	Meningitis (not tuberc.)	17	10	3	4	1	2	-	-
Small-pox*	-	-	-	-	-	-	-	-	Insanity, Gen. Par. of }	17	16	-	-	1	4	6	5
Cowpox - - -	-	-	-	-	-	-	-	-	Insane - - -	5	13	1	-	1	6	3	2
Measles (Morbilli) - -	26	33	5	27	1	-	-	-	Epilepsy - - -	22	19	17	2	-	-	-	-
Scarlet Fever - - -	6	16	1	10	4	-	1	-	Convulsions - -	3	1	-	-	-	-	-	1
Typhus - - -	-	-	-	-	-	-	-	-	Locomotor Ataxy -	4	2	-	-	-	-	1	1
Plague - - -	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	20	22	2	-	-	4	8	8
Influenza - - -	16	4	-	-	-	2	2	-	Nervous Sys. (other dis.)	44	43	-	-	4	7	15	17
Whooping-cough - -	11	19	4	15	-	-	-	-	Cerebr. Hæm. Thromb. -	34	36	-	-	1	4	10	21
Diphtheria - - -	13	3	-	3	-	-	-	-	<i>Apoplexy, Hemiplegia</i>	17	17	-	-	-	-	-	17
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Aneurysm - - -	5	2	-	-	-	1	1	-
<i>Pyrexia,† (Origin un-</i>	1	-	-	-	-	-	-	-	Embolism, Thrombosis }	-	-	-	-	-	-	-	-
<i>certain) -</i>	11	8	-	-	2	4	2	-	(not cerebral) }	97	93	-	2	1	7	23	60
Enteric Fever - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	1	-	-	-	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	<i>Group (not Spasm : nor</i>	110	98	9	5	-	1	11	72
Epidemic Diarrhoea }	24	19	15	4	-	-	-	-	<i>Membr.) -</i>	2	4	-	1	-	-	1	2
<i>(Infective Enteritis) -</i>	21	12	8	3	-	1	-	-	Asthma, Emphysema -	1	4	1	1	-	-	1	1
Diarrhoea, Dysentery	1	-	-	-	-	-	-	-	Pleurisy - - -	13	6	-	2	1	-	-	3
Tetanus - - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	1	-	-	-	-	-	-	-
Rabies, <i>Hydrophobia</i>	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	11	12	11	-	-	-	-	1
Glanders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	9	6	5	1	-	-	-	-
Anthrax (Splenic Fever)	7	5	5	-	-	-	-	-	<i>Gastro-Enteritis -</i>	2	5	1	-	2	1	-	1
Venereal Dis. - - -	6	2	-	-	-	2	-	-	<i>Peritonitis (not Puerp.)</i>	11	18	-	-	-	2	10	6
Puerperal Septicæmia	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	8	4	-	-	-	1	2	1
Puerperal Pyæmia - -	-	1	-	-	-	1	-	-	Liver Dis. (other) -	45	35	3	2	5	7	11	7
Puerperal Fever - - -	2	1	-	-	-	1	-	-	Digestive Dis., Other	7	7	-	-	-	1	3	3
Infective Endocarditis	11	20	1	1	1	3	5	9	Nephritis, Acute - -	40	30	-	-	-	6	12	12
Pneumonia { Lobar -	65	45	10	13	3	1	11	7	Bright's Dis., Albumin-	15	10	1	1	-	-	1	6
{ Broncho - - -	-	-	-	-	-	-	-	-	uria - - -	2	4	-	-	-	1	3	-
{ Epidemic - - -	48	71	3	11	8	12	16	21	Urinary Sys., Other Dis.	2	5	-	-	-	1	3	-
{ Not defined - -	6	1	1	-	-	-	-	-	Generative Organs Dis.	3	6	-	-	-	1	3	1
Erysipelas - - -	1	4	-	-	-	3	1	-	Childbirth (Accid. of)	59	49	-	-	-	-	-	49
Septicæmia (not Puer-	-	3	1	-	-	2	-	-	<i>Old Age - - -</i>	94	95	64	6	4	3	10	8
peral) - - -	11	4	-	-	-	2	2	-	Other Diseases - - -	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	95	68	-	4	3	33	21	7	ACCIDENT.	-	-	-	-	-	-	-	-
Other Infective Processes	79	53	-	-	7	30	14	2	By Railways - - -	6	3	-	-	-	2	-	1
Tuberculous Phthisis	12	18	3	8	6	1	-	-	By Vehicles and Horses-	-	7	-	1	3	1	2	-
" <i>Phthisis</i> " - - -	1	1	1	-	-	-	-	-	In Ships, Boats, Docks, }	-	-	-	-	-	-	-	-
Tuberculous Meningitis	27	15	9	3	2	1	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	-	-	-	-	-	-	-	-	ing) - - -	-	2	-	-	-	-	2	-
<i>Tabes Mesenterica</i> -	-	-	-	-	-	-	-	-	In Building Operations	8	-	-	-	-	-	-	-
Tuberculous Dis. (other)	6	7	-	-	-	1	5	1	In Conflagrations - -	2	6	1	1	3	1	-	-
<i>Scrofula</i> - - -	4	5	-	-	2	3	-	-	By Burns, Scalds, Ex-	4	4	-	-	-	-	1	3
Alcoholism - - -	2	4	-	-	-	2	2	-	plosions - - -	8	6	6	-	-	-	-	-
Rheumatic Fever - -	65	48	-	-	-	4	20	24	By Suffocation in Bed	1	3	-	-	-	-	3	-
Gout - - -	8	5	-	-	-	5	-	-	By Poisons or Poisonous }	19	22	5	-	1	1	6	9
Carcinoma - - -	42	42	-	-	1	16	25	-	Vapours - - -	-	-	-	-	-	-	-	-
Sarcoma - - -	10	12	-	-	2	1	5	4	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Cancer (undefined) -	55	47	47	-	-	-	-	-	dent - - -	-	-	-	-	-	-	-	-
Diabetes Mellitus - -	-	-	-	-	-	-	-	-	VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-
Premature Birth - - -	-	-	-	-	-	-	-	-	ACCIDENTAL.	-	-	-	-	-	-	-	-
									Homicide - - -	5	10	-	-	-	5	4	1
									Suicide - - -	-	-	-	-	-	-	-	-
									Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st October, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2372	1331	244	421	-	33	16	3	19	-	8	-	31	63	138	540
WEST DISTRICTS - - -	805,311	308	230	34	75	-	1	2	-	2	-	1	-	5	15	30	96
NORTH DISTRICTS - - -	1,056,070	528	265	50	98	-	2	5	-	2	-	2	-	9	12	27	96
CENTRAL DISTRICTS - - -	209,465	111	67	10	18	-	-	-	-	-	-	-	-	3	3	7	39
EAST DISTRICTS - - -	715,739	471	230	53	59	-	5	-	-	9	-	-	-	8	13	34	113
SOUTH DISTRICTS - - -	1,740,844	954	490	97	158	-	25	8	2	6	-	5	-	5	20	39	147
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	49	-	13	-	-	1	1	-	-	-	-	1	-	1	49
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	49	24	2	8	-	-	-	-	-	-	-	-	-	-	-	8
W ^{2H} - - -																	
St. John Paddington H - G.	33,617	7	12	-	4	-	-	-	-	-	-	-	-	-	-	-	9
North-West Paddington - C.	17,181	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w, 2H G., W. & C.	128,037	49	44	5	16	-	-	-	-	1	-	-	-	-	2	6	27
Brompton 2H - - W. & C.	48,591	10	9	-	3	-	-	-	-	-	-	-	-	-	1	2	1
North Hammersmith W, w, H } W. & G.	49,192	33	7	3	-	-	-	-	-	-	-	-	-	-	1	3	-
South Hammersmith w, 2H } W. & G.	63,047	30	17	1	7	-	-	-	-	-	-	1	-	-	2	2	5
North-west Fulham W } W. & C.	45,180	24	18	4	3	-	-	-	-	1	-	-	-	-	1	3	10
North-east Fulham F } W. & C.	48,406	21	15	3	5	-	-	2	-	-	-	-	-	2	-	-	3
South Fulham W } W. & C.	45,704	18	9	1	5	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North W, w, 3H - - C.	42,514	7	22	3	6	-	-	-	-	-	-	-	-	1	-	2	16
Chelsea South W, 2H - - C.	31,328	14	13	4	4	-	-	-	-	-	-	-	-	1	1	3	3
Mayfair and Knightsbridge C. & G.	28,743	3	5	-	2	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave W, 2H - - C.	55,815	16	20	6	8	-	-	-	-	-	-	-	-	1	5	7	10
St. Margaret & St. John 4H - C.	43,698	11	10	1	3	-	1	-	-	-	-	-	-	-	-	-	2
St. James Westminster } N. & G.	21,588	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
W, H - - -																	
St. Anne Soho 5H - - N.	11,493	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	6	12	-	4	-	-	-	-	-	-	-	-	-	1	-	8
Rector Marylebone W G. & W.	19,349	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone 4H G. & W.	18,999	34	6	4	1	-	-	-	-	-	-	-	-	-	-	1	5
Christchurch Marylebone H- W.	39,536	18	11	4	4	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, F, 6H - N. & W.	81,942	28	17	-	5	-	-	5	-	-	-	-	-	-	2	3	8
West St. Pancras 2H - - W.	60,562	29	10	3	3	-	-	-	-	-	-	-	-	-	-	1	-
Tottenham-court w, 7H - N. & W.	21,268	7	10	-	4	-	-	-	-	-	-	1	-	-	2	3	8
Gray's Inn Lane 4H - - N.	34,449	20	9	-	2	-	-	1	-	-	-	-	-	-	1	3	4
East St. Pancras W, 2H - - N.	60,320	30	21	4	7	-	-	-	-	-	-	-	-	-	2	2	13
North St. Pancras 2W - - N.	58,728	34	14	4	4	-	-	-	-	-	-	-	-	2	1	5	-
Tufnell W - - N.	31,995	11	15	4	7	-	-	-	-	-	-	-	-	1	-	-	13
Upper Holloway 2W, w, H - N.	33,978	16	18	3	9	-	-	-	-	-	-	1	-	-	-	-	15
Tollington WH - - N.	33,922	15	11	3	1	-	-	1	-	-	-	-	-	-	-	1	-
Lower Holloway - - N.	41,424	28	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - N.	54,478	43	8	2	3	-	-	-	-	1	-	-	-	-	-	-	-
Islington South-east F - - N.	75,397	34	14	4	5	-	-	-	-	-	-	-	-	-	1	1	-
Highbury 2H - - N.	63,797	21	8	1	4	-	-	-	-	-	-	-	-	1	-	-	-
Stoke Newington H - - N.	51,247	20	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	50,560	18	13	3	5	-	-	-	-	-	-	-	-	-	1	3	-
Central Hackney 2w, F - E. & N.	50,536	32	7	1	4	-	-	-	-	-	-	-	-	-	1	2	-
South-west Hackney 3H - E. & N.	59,921	32	10	-	4	-	-	-	-	-	-	-	-	-	1	2	-
South-east Hackney 2W, w, H, E. & N.	58,255	41	35	7	13	-	-	-	-	-	-	-	-	3	-	3	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifi-Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River F, East London; and K, the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st October, 1905—continued.

		The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St. Giles and Bloomsbury W, 2H N.	31,436	21	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-	1	
Strand W, 4H - - - N. & C.	21,874	6	13	1	1	-	-	-	-	-	-	-	-	-	-	2	2	9	
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Holborn W, 6H - - - N.	29,612	12	21	6	3	-	-	-	-	-	-	-	-	-	-	-	2	16	
South Clerkenwell - - - N.	28,676	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Clerkenwell H - - N.	35,028	19	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury 3H, L - - - N.	36,116	38	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Botolph H - - - N. & E.	10,299	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Sepulchre and Allhallows } W, 2H - - - - - }	16,824	1	9	1	1	-	-	-	-	-	-	-	-	-	-	1	2	8	
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
EAST DISTRICTS.																			
Shoreditch South H - E. & N.	46,362	28	8	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Shoreditch North-West W, w, H N.	36,127	31	22	6	7	-	-	-	-	-	-	-	-	-	-	-	1	15	
Shoreditch North-East - N. & E.	36,148	26	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North 2H - E.	51,514	36	18	5	3	-	-	-	-	-	-	-	-	-	2	1	2	10	
Bethnal Green South - - E.	33,472	18	3	2	-	-	-	-	-	1	-	-	-	-	-	1	1	-	
Bethnal Green East 2W, H, L - E.	44,694	27	24	1	4	-	-	-	-	2	-	-	-	-	-	-	1	17	
Spitalfields - - - E. & N.	27,969	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
Mile End New Town W, H - E.	28,718	21	39	5	-	-	-	-	-	1	-	-	-	-	1	4	8	36	
Goodman's Fields - - - E.	22,081	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George and St. John 2W E.	49,068	36	15	5	2	-	1	-	-	1	-	-	-	-	-	1	2	4	
Shadwell and Ratcliff W, H E. & N.	25,568	7	14	5	2	-	1	-	-	2	-	-	-	-	2	-	1	7	
Limehouse W - - - E.	32,369	30	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	
Mile End Old Town South- } Western H - - - }	63,698	48	11	5	3	-	3	-	-	-	-	-	-	-	-	1	3	-	
Mile End Old Town North- } Eastern W, w - - - }	49,129	26	21	3	12	-	-	-	-	-	-	-	-	-	1	-	2	11	
Bow L - - - - - E.	41,989	33	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bromley 3w, H - - - E.	68,319	50	24	3	8	-	-	-	-	-	-	-	-	-	1	5	6	12	
Poplar W, w - - - E.	58,514	28	15	3	5	-	-	-	-	2	-	-	-	-	1	-	2	1	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st October, 1905—continued.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
					Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions	Unrecorded Causes of Death.
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																			
Christchurch Southwark W, H, & S.		11,263	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.		12,066	6	15	1	1	-	1	-	-	-	-	-	-	-	2	3	13	-
Kent-road - S. & L.		21,904	11	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr S. & L.		39,094	28	18	7	2	-	2	-	-	1	-	-	-	1	-	-	6	-
West W, H, L - - -		49,022	28	9	3	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Newington North S. & L.		72,841	41	24	3	5	-	7	-	-	-	-	-	-	-	-	3	-	-
Newington South W - S. & L.																			
St. Olave 2W - - - S.		9,817	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey W - - - S.		82,483	53	20	5	6	-	2	-	-	1	-	-	-	1	1	4	-	-
Rotherhithe W, F - - S. & K.		38,480	23	15	4	3	-	-	-	-	-	-	-	-	-	1	2	6	-
Waterloo-road 2H - - L. & S.		27,440	32	8	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st H - L. & S.		18,423	10	15	1	4	-	-	-	-	-	-	-	-	-	-	1	12	-
Lambeth Church 2nd 2W - L. & S.		39,818	33	23	2	7	-	-	-	1	-	-	-	-	-	1	1	15	-
Kennington 1st H - - S. & L.		53,198	23	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd H - - S. & L.		42,896	20	14	6	2	-	-	-	1	-	-	-	-	-	-	1	4	-
Brixton F - - - L. & S.		84,232	37	14	-	6	-	-	4	-	-	-	-	-	-	-	-	5	-
Norwood W, H - - - S.		36,888	12	7	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
East Battersea H - - S.		72,203	46	18	6	4	-	1	-	1	-	1	-	1	-	-	-	-	-
North-west Battersea - - S.		49,656	31	10	3	1	-	-	-	1	-	-	-	1	1	2	-	-	-
South-west Battersea 2W, H - S.		47,048	24	26	6	11	-	1	-	-	-	-	-	-	-	-	1	19	-
Clapham 2H - - - S.		51,361	28	13	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham W, 2W, 2F, 2L - L.		88,019	58	23	2	9	-	-	2	-	1	-	-	-	-	2	2	15	-
Springfield 2W, L - - S.		27,959	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.		40,444	24	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - S.		24,139	7	8	1	4	-	-	-	-	-	1	-	-	-	1	-	-	-
Dulwich - - - L. & S.		13,359	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w S. & L.		40,206	11	21	1	10	-	1	-	-	-	-	-	-	1	1	14	-	-
Camberwell North W, 2L S. & L.		65,584	24	26	-	13	-	1	-	-	-	-	-	-	1	1	12	-	-
St. George - - - L. & S.		47,331	25	9	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Peckham 2W, w - - S., L. & K.		92,859	50	21	7	7	-	-	-	1	-	1	-	-	-	2	-	-	-
Deptford North - - - K.		37,613	22	5	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-
Deptford Central - - - K.		45,481	35	9	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Deptford South - - - K.		34,625	15	3	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-
Greenwich West 2H - - K.		28,456	13	12	2	4	-	1	-	-	-	-	-	-	3	5	1	-	-
Greenwich East 2W, H - K.		43,859	25	21	5	10	-	-	-	-	-	-	-	-	2	2	10	-	-
Eltham w, H - - - K.		7,226	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Lee w H - - - K.		25,490	6	9	2	5	-	-	-	-	-	-	-	-	-	1	1	1	-
Lewisham w w, F - - K.		58,352	39	18	2	6	-	-	1	1	-	-	-	-	-	-	1	9	-
Sydenham H - - - L.		43,653	31	10	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.		21,134	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich 5H - - - K.		41,625	21	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West W - - K.		18,063	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.		50,264	26	7	1	5	-	-	-	-	-	-	-	-	-	-	-	3	-
Workhouse:-																			
Central London Sick Asylum -				3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
(Westminster, St. Giles, and Strand Unions.)																			
M. A. B. Small-pox Hospitals:-																			
Joyce Green - - -																			
Long Reach - - -																			
M. A. B. Fever Hospitals:-																			
North-Eastern - - -				2	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-
Northern - - -																			
M. A. B. Imbecile Asylums:-																			
Caterham - - -				3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth - - -				3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Gore Farm (temporary) - -																			
Leavesden - - -				3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Lunatic Asylums:-																			
Banstead - - -				7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Ewell (Epileptic Colony) -																			
Horton - - -				5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor - - -				1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill - - -				2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath - - -				3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell - - -				7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Colney Hatch - - -				5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Claybury - - -				5	-	1	-	-	-	-	-	-	-	-	1	-	1	5	-

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st October, 1905.

REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths from														
						Deaths of 1 Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING		368,602	2,044,973	1276	476	98	161	-	7	4	9	5	2	11	14	31	70	3		
1	Carshalton 2F,2H	12,228	32,997	23	7	1	4	-	-	-	-	-	-	-	-	-	-	-		
2	Epsom, part of* W,w,2F,H	10,423	15,548	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
7	Godstone, part of* W,F	2,754	2,692	4	3	-	1	-	1	-	-	-	-	-	1	1	1	-		
3	Coulsdon	11,069	8,166	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-		
2	South Croydon w	4,200	49,309	25	10	-	6	-	-	-	-	-	-	-	-	-	-	-		
3	West Croydon 3W,F,H	2,168	42,888	33	13	3	4	-	-	-	-	-	-	1	1	1	5	-		
4	North Croydon H	2,644	41,698	17	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
5	Penge w,H	770	22,465	15	6	2	3	-	-	-	-	-	-	-	-	-	-	-		
6	Mitcham w	11,711	30,015	18	8	2	3	-	-	-	-	-	-	-	-	1	-	-		
9	Wimbledon F,3H	3,221	41,652	26	6	1	1	-	-	-	-	-	-	-	1	1	-	-		
2	Kingston 2W,H	6,224	42,068	22	17	3	8	-	-	-	-	-	-	1	-	-	1	4		
3	Surbiton F,H	3,046	15,017	4	6	-	3	-	-	-	-	-	-	-	-	-	1	-		
4	Esher, part of* H	5,402	13,100	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
5	Hampton H,F,L	4,564	23,456	11	7	1	3	-	-	-	-	-	-	-	-	-	-	-		
0	Richmond W,H	2,162	28,865	15	3	1	1	-	-	-	-	-	-	-	-	1	1	-		
2	Mortlake F	2,847	20,628	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
1	Bromley F,2H	4,703	27,354	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	7,825	28,497	17	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington part of* W	10,113	9,857	13	9	2	6	-	-	-	-	-	-	1	-	-	8	-		
4	Chislehurst 2H	7,333	16,446	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
2	Bexley w,F,H	8,678	21,151	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Erith F,H	3,854	25,296	22	5	2	-	-	2	-	1	-	-	-	-	-	3	-		
3	Dartford W,F, part of*	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
4	Sunbury w	11,054	18,683	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Staines W,H	13,277	15,178	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
5	Hillingdon W,F,H	6,035	13,661	12	5	-	3	-	-	-	-	-	-	-	-	-	1	-		
1	Uxbridge H	12,757	8,984	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes w,F,H	8,066	16,358	8	6	2	-	-	-	-	-	-	-	-	-	1	1	-		
6	Isleworth 3W,2F,H	6,859	30,863	19	12	5	2	-	-	-	1	-	1	-	-	-	1	5		
1	Twickenham F,H	2,421	20,991	11	6	3	1	-	-	-	-	-	-	-	2	-	-	1		
3	Brentford 3F,2H,L	4,319	48,289	27	13	3	7	-	-	-	-	-	-	-	-	-	-	-		
4	Chiswick H	1,249	29,809	19	8	-	4	-	-	-	-	-	-	-	-	-	-	-		
5	Acton w,3H	6,132	48,914	32	7	-	2	-	-	-	-	-	-	-	-	-	-	-		
7	Harrow F,H	13,809	25,523	17	6	4	1	-	1	-	-	-	-	-	-	-	-	-		
2	Edgware F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,2F,2H	4,384	114,811	78	27	5	7	-	1	-	-	2	-	1	-	-	3	-		
4	Hendon W,F	8,382	22,450	13	7	-	4	-	-	-	-	-	-	-	-	-	-	-		
8	South Mimms 2F,H	17,755	7,308	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W,2H	3,324	17,970	14	5	-	3	-	-	-	-	-	-	-	-	1	1	-		
3	Finchley F,2H	4,688	33,692	21	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
9	Hornsey F,H	2,875	72,056	32	12	-	6	-	-	-	-	-	-	-	-	-	-	-		
2	Wood Green H	1,625	34,233	24	7	1	3	-	-	-	-	-	-	-	-	1	2	1		
4	West Tottenham F	996	48,853	31	7	1	1	-	-	-	1	-	-	-	-	-	-	-		
3	East Tottenham 2H	2,017	53,688	36	7	-	1	-	-	-	-	-	-	-	-	-	1	2		
6	Edmonton W,w,2F	7,491	61,892	50	23	4	7	-	-	-	2	1	-	1	1	4	1	2		
7	Enfield 2W,F,H	12,601	42,738	14	9	1	1	-	1	1	-	-	-	-	-	-	-	-		
8	Waltham Abbey F	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt F,H	8,479	12,292	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7	Bushey H	9,333	9,173	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Stratford H	1,072	44,827	26	13	1	6	-	-	1	-	-	-	-	2	2	2	-		
2	Plaistow F,2H	1,249	90,921	72	19	8	4	-	-	-	-	-	-	-	-	-	1	2		
3	Canning Town H	1,556	70,718	56	15	7	3	-	-	-	-	-	-	-	-	-	-	-		
4	Forest Gate w	806	60,892	26	13	2	5	-	-	-	-	-	-	-	-	-	-	-		
6	North East Ham w,H	1,333	58,676	40	12	2	4	-	-	1	-	-	-	-	-	-	-	-		
8	South East Ham 2F	1,993	37,342	41	18	8	4	-	-	1	1	2	-	-	-	-	-	-		
7	Wanstead F	1,679	9,179	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton 2W	631	50,467	24	10	1	5	-	-	-	-	-	-	-	-	-	-	-		
9	North Leyton 2W,w,F	1,963	48,445	20	18	1	8	-	-	-	-	-	-	-	-	-	-	-		
10	Walthamstow 3H,L	6,504	108,929	79	22	6	3	-	-	-	-	-	-	-	-	-	-	-		
37	Chigwell, part of* 2F,3H	11,778	16,397	11	4	1	1	-	-	-	2	-	-	-	-	-	-	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
39	Romford, part of* W,2F	6,556	6,091	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	Ilford F,L	8,496	41,234	33	14	3	4	-	-	-	-	-	-	-	-	-	-	3		
3	Barking Town F	3,803	21,547	23	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
North-Eastern Hosp., Tot- tenham.		-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theobalds Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,684,794	October 21	2372	1331	14·8	-	33	16	3	19	8	3
CALCUTTA - -	847,796	September 16	-	483	29·6	2	-	-	-	1	164†	-
BOMBAY - -	776,006	October 3	372	543	36·4	-	-	-	-	1	91†	-
MADRAS - -	509,346	September 22	512	865	88·3	13	10	?	?	?	152	34
		" 29	481	677	69·1	6	9	-	-	-	132	21
PARIS - -	2,860,559	October 14	905	812	15·8	1	7	1	3	4	11	1
BRUSSELS - -	586,936	" 14	179	150	13·0	-	-	1	1	-	1	1
ANTWERP - -	286,695	" 14	115	71	12·6	-	-	-	-	1	1	-
AMSTERDAM -	554,240	" 7	315	87	8·2	-	3	-	-	-	2	-
COPENHAGEN -	426,000	" 14	205	109	13·2	-	-	-	1	6	-	1
STOCKHOLM -	309,496	" 7	161	75	12·2	-	-	3	-	2	-	-
CHRISTIANIA -	223,649	" 14	118	64	15·0	-	-	-	4	1	-	-
ST. PETERSBURG	1,248,122	" 7	-	538	20·1	-	6	14	12	12	24	48
MOSCOW - -	1,092,360	September 30	-	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,027,727	September 30	908	598	15·4	-	4	6	7	12	8	8
HAMBURG - -	772,852	October 14	-	213	14·3	-	1	-	1	6	2	26
BRESLAU - -	462,147	" 14	-	146	16·4	-	-	-	-	1	1	16
MUNICH - -	523,000	" 7	281	178	17·5	-	1	2	3	1	-	40
		" 14	-	212	20·9	-	4	-	2	1	-	34
VIENNA - -	1,897,630	" 14	925	645	17·5	-	5	8	8	7	2	60
PRAGUE - -	430,589	" 14	163	146	16·9	-	-	-	2	-	1	15
BUDA-PESTH -	836,267	" 14	435	236	14·7	-	2	1	2	-	5	26
TRIESTE - -	161,403	" 14	109	135	35·9	-	2	-	-	-	3	20
ROME - -	514,930	July 29	243	192	19·4	-	-	-	3	1	11§	35
VENICE - -	169,417	September 30	65	64	19·7	-	-	-	-	-	1	10
BUCHAREST -	282,071	" 30	131	131	24·2	-	-	-	-	2	3	24
NEW YORK - -	3,948,191	October 7	2166	1214	16·0	-	2	4	20	4	14	134
CHICAGO - -	1,932,315	" 7	-	472	12·4	-	-	2	8	1	6	67
PHILADELPHIA -	1,438,318	September 30	-	384	13·9	-	-	-	4	2	14	32
BOSTON - -	617,956	" 23	-	260	17·5	-	-	-	2	2	8	?
RIO DE JANEIRO	850,000	" 10	-	284	16·4	4	9	-	-	2	3†	?

* Excluding deaths from croup in the Indian Cities.

† Including 17 deaths from plague in Calcutta, 36 in Bombay, and 2 in Rio de Janeiro.

‡ Including 37 deaths from cholera in Calcutta, 3 in Bombay, and 225 and 120 in Madras.

§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st October, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	56·0	26·1	41·1	0·13	BRADFORD - -	47·5	32·8	40·8	0·52
BRIGHTON - -	55·6	30·7	43·9	0·21	LEEDS - - -	55·0	33·0	43·0	0·34
PORTSMOUTH - -	56·2	30·0	43·8	0·17	HULL - - -	54·0	30·0	41·3	0·36
NORWICH - -	52·0	29·4	40·7	0·93	TYNEMOUTH - -	50·0	30·0	39·3	0·90
PLYMOUTH - -	58·1	30·9	43·9	0·02	CARDIFF - -	58·0	25·0	40·8	0·03
BRISTOL - -	54·8	29·3	42·0	0·13	EDINBURGH - -	52·7	31·1	39·3	0·10
BIRMINGHAM - -	54·8	30·6	40·8	0·14	GLASGOW - - -	55·2	22·8	38·6	0·08
NOTTINGHAM -	52·2	27·2	40·1	0·27	Phoenix Park.	54·6	23·2	40·0	0·10
LIVERPOOL - -	52·0	34·0	42·1	0·66	DUBLIN { Fitz- william Square,†	56·1	29·0	42·2	0·15
MANCHESTER -	51·5	26·7	39·8	0·51	BELFAST - - -	54·0	26·5	42·6	0·18
PRESTON - -	49·8	30·5	40·5	0·33					
HUDDERSFIELD -	46·3	29·0	39·0	0·59					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1905.

[illegible]

The results apply to the civil day, or from midnight to midnight of the sea level. The height of the cipher of the barometer is 150 feet above the mean level of the sea. No correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during 1887 and 1888 for the years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 34 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; v, variable.

The following remarks apply to the observations made by the Campbell-Stokes Sunshine Instrument showing the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.67 in. at the beginning of the week to 29.33 in. by 5h. P.M. on the 15th; increased to 30.12 in. by 11h. A.M. on the 20th; decreased to 29.83 in. by 3h. P.M. on the 21st, and was 29.86 in. at midnight on the same day.

GENERAL REMARKS.

Generally overcast; brisk wind at times.
Rain in evening.

Cloudy in early morning; very fine, with little cloud, till evening; foggy at night.

Heat fog, with hoar frost, in morning; very fine but hazy, with small amounts of cloud generally afterwards. (An abnormally low minimum temperature for this month recorded in the morning.)

Cloudy in morning; very fine after 5 h. A.M.
Hoar frost at night.

Cloudy in morning; very fine, with small amounts of cloud, till evening; cloudless, with slight exceptions, at night.

Very fine generally; hoar frosts in morning and at night. Slight fog prevalent after the p.m.

Partially cloudy with slight fog, in morning; generally overcast in forenoon, variable with light showers, till evening; cloudless at night.

OCTOBER.	(For explanation of symbols, <i>see</i> Note.	Sunshine in hours.	Horizon in hours.
SUNDAY - 15	w. P. till 5h. p.m.; w. P. and w. N. till 8h. p.m. in P. afterwards.	0'0	10'7
MONDAY - 16	m. P. generally till 9h. a.m.; s. P. till 10h. p.m. in P. afterwards.	8'6	10'6
TUESDAY - 17	m. P. till 6h. a.m.; s. P. generally afterwards.	3'8	10'6
WEDNESDAY - 18	m. P. till 9h. a.m.; w. P. till 8h. p.m.; w. P. afterwards.	7'4	10'5
THURSDAY - 19	w. P. till 9h. a.m.; s. P. afterwards.	8'1	10'5
FRIDAY - 20	m. P. generally till 10h. a.m.; s. P. till 9h. p.m. in P. afterwards.	6'5	10'4
SATURDAY - 21	m. P. till 5h. a.m.; w. P. till 9h. a.m.; s. P. till 3h. p.m.; s. P. and s. N. till 5h. p.m.; m.	0'2	10'3
		Sum	Sum

27

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th October, 1905 *

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	4	3	-	2	-	-	4	-
Kensington - - - - -	180,083	-	2	2	-	1	-	-	1	-
Hammersmith - - - - -	119,037	-	8	5	-	4	-	-	5	-
Fulham - - - - -	157,210	-	23	5	-	4	-	-	6	-
Chelsea - - - - -	74,496	-	7	-	-	2	-	-	-	1
City of Westminster - - - -	175,606	-	12	5	-	-	-	-	5	-
NORTH.										
St. Marylebone - - - - -	129,453	-	5	1	-	1	-	-	3	-
Hampstead - - - - -	88,142	-	2	-	-	-	-	-	1	-
St. Pancras - - - - -	236,183	-	33	-	-	5	-	-	5	-
Islington - - - - -	342,994	-	27	8	-	3	-	-	10	-
Stoke Newington - - - - -	52,828	-	1	4	-	1	-	-	-	-
Hackney - - - - -	228,479	1	25	7	-	3	-	-	10	-
CENTRAL.										
Holborn - - - - -	56,481	-	2	1	-	2	-	-	-	-
Finsbury - - - - -	98,207	-	12	5	-	6	-	-	5	-
City of London - - - - -	22,425	-	2	1	-	-	-	-	1	-
EAST.										
Shoreditch - - - - -	116,565	-	24	2	-	2	-	-	4	-
Bethnal Green - - - - -	130,401	-	17	2	-	1	-	-	-	-
Stepney - - - - -	305,466	-	53	4	-	9	-	-	11	1
Poplar - - - - -	170,380	-	46	24	-	1	-	-	6	-
SOUTH.										
Southwark - - - - -	208,528	-	30	7	-	2	-	-	8	-
Bermondsey - - - - -	129,006	-	13	2	-	1	-	-	5	-
Lambeth - - - - -	313,045	-	31	16	-	3	-	-	6	1
Battersea - - - - -	177,532	-	26	4	-	1	-	-	2	-
Wandsworth - - - - -	265,392	-	35	11	-	2	-	-	10	-
Camberwell - - - - -	271,240	-	64	4	-	1	-	-	15	-
Deptford - - - - -	114,495	-	18	5	-	1	-	-	4	-
Greenwich - - - - -	103,493	-	5	1	-	3	-	-	3	-
Lewisham - - - - -	144,420	-	10	5	-	-	-	-	5	1
Woolwich - - - - -	125,372	-	10	4	-	-	-	-	2	-
Port of London - - - - -	-	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		1	547	137	-	58	-	-	140	4
Ages 0-1 - - - - -		-	8	5	-	-	-	-	4	-
" 1-5 - - - - -		-	173	52	-	-	-	-	2	-
" 5- - - - -		-	219	40	-	10	-	-	10	-
" 10- - - - -		-	96	17	-	5	-	-	4	-
" 15- - - - -		-	20	12	-	8	-	-	15	-
" 20- - - - -		-	18	5	-	13	-	-	6	2
" 25- - - - -		1	13	4	-	9	-	-	17	1
" 35- - - - -		-	-	2	-	9	-	-	23	1
" 45- - - - -		-	-	-	-	4	-	-	31	-
" 55- - - - -		-	-	-	-	-	-	-	17	-
" 65 and upwards - - - -		-	-	-	-	-	-	-	11	-
Age not stated - - - - -		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 43. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, OCT. 28. [Price 1½d

General Register Office, Somerset House,
October 30th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·8 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 13·5, 13·7, and 14·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 18·0 in Middlesbrough, 18·1 in Newcastle upon Tyne, 18·3 in West Hartlepool, 18·4 in Plymouth, 19·2 in Liverpool and in Blackburn, 19·5 in Nottingham, 20·4 in Wolverhampton, and 22·6 in Hanley; from *measles*, 1·6 in Swansea, 1·9 in Willesden, 2·5 in Rhondda, and 3·1 in Wolverhampton; from *scarlet fever*, 2·5 in Bootle; and from *diarrhoea*, 1·6 in Hanley, in Huddersfield, and in Middlesbrough, 1·7 in Wallasey, and 1·9 in Tynemouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2362 BIRTHS and 1433 DEATHS were registered. Allowing for increase of population, the births were 276 and the deaths 85 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 13·2, 14·0, and 14·8 in the preceding three weeks, further rose last week to 15·9. During the four weeks ended on Saturday last the death-rate averaged 14·5 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1433 deaths included 31 from measles, 13 from scarlet fever, 12 from diphtheria, 7 from whooping-cough, 4 from enteric fever, and 34 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 101 deaths were referred to these diseases in the aggregate, being 54 below the corrected average weekly number.

The deaths from *measles*, which had been 15, 15, and 33 in the preceding three weeks, were 31 last week, the corrected average being 29; 11 deaths belonged to the Borough of Southwark, 3 to Islington, and 3 to Lambeth. The deaths from *scarlet fever*, which had been 7, 9, and 16 in the preceding three weeks, were 13 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 9, 12, and 3 in the preceding three weeks, rose to 12 last week, but were 30 below the corrected average. The deaths from *whooping-cough*, which had been 18, 11, and 19 in the preceding three weeks, fell to 7 last week, and were 7 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 10, and 8 in the preceding three weeks, fell to 4 last week, and were 14 below the corrected average. The deaths from *diarrhœa*, which had been 59, 55, and 31 in the preceding three weeks, were 34 last week, the corrected average being 38; 4 deaths apiece belonged to Hammersmith, St. Pancras, and Bermondsey. Of the 34 deaths from diarrhœa, 28 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 13, having been 10, 11, and 4 in the preceding three weeks.

Different forms of *violence* caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 7 were cases of suicide, while the remaining 50 cases were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, 2 to conflagrations, 5 to burns or scalds, 2 to drowning, and 16 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4222 cases of scarlet fever, 799 of diphtheria, and 157 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 506 cases, against 527, 511, and 522; of diphtheria, 115 cases, against 139, 115, and 124; and of enteric fever, 20 cases, against 36, 30, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended October 21st.

GREATER LONDON.

In Greater London 3602 births and 1955 deaths were registered. Allowing for increase of population, these numbers are 348 and 112 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 3 from whooping-cough, 2 from "fever," and 9 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30 inches, and that of the Thermometer 41°·5, the latter being 6°·3 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 20 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 18·4 hours; the measured rainfall amounted to 0·05 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	The DEATHS registered in the Week include										The DEATHS registered in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		POPULATION estimated to the middle of the year 1905.*										DEATH-RATES from all Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		Week ended					Rate from Diseases in 1905.					Deaths from					Deaths of Persons aged under 15 years and upwards.						Inquest Cases.					Deaths in Public Institutions.					Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		7th Oct., 1905.	14th Oct., 1905.	21st Oct., 1905.	28th Oct., 1905.	Week ended 11-17.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.		16.	17.	18.	19.	20.	21.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
76 TOWNS		15,609,377	13'5	13'7	14'1	14'8	1'2	8137	4432	934	1362	-	72	52	42	40	34	114	153	345	1124	59																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 28th October, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 28th Oct., 1905.		The DEATHS registered in the Week include										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of	
-------	---	------------------------------	--	--	--	------------------------------------	--	---	--	---	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--

TOWNS.	POPULATION to the middle of the year 1905.	DEATH-RATES from all Causes.				Rate from Diseases 11-17.		Registered Deaths in the Week ended 28th Oct., 1905.		The DEATHS registered in the Week include												TOWNS
		Week ended				Deaths of		Deaths from														
		7th Oct., 1905.	14th Oct., 1905.	21st Oct., 1905.	28th Oct., 1905.	Week ended 28th Oct., 1905.		Causes of Death.														
		2.	3.	4.	5.	6.	7.	8.	9.	10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthra.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	-	12.1	19.8	14.8	17.6	2.2	30	32	4	11	-	-	1	-	-	3	-	1	1	5	-	HUDDESFIELD.
HALIFAX	-	13.0	12.5	13.5	13.9	1.4	25	29	2	8	-	-	-	1	1	1	-	4	4	7	-	HALIFAX.
BRADFORD	-	13.5	10.7	12.5	13.8	0.9	97	76	13	24	-	-	2	1	-	2	-	1	3	13	2	BRADFORD.
LEEDS	-	11.8	11.5	11.0	13.4	0.6	244	117	31	28	-	2	-	-	-	1	7	11	17	-	-	LEEDS.
SHEFFIELD	-	13.0	16.2	12.3	13.4	1.5	271	113	31	28	-	1	4	2	2	1	3	4	6	26	2	SHEFFIELD.
ROTHERHAM	-	14.0	15.7	11.3	13.1	0.9	34	15	4	3	-	-	-	-	-	1	-	-	-	1	1	ROTHERHAM.
YORK	-	7.6	11.4	10.8	13.3	1.3	35	21	1	12	-	1	-	-	-	1	-	-	-	5	-	YORK.
HULL	-	25.8	13.3	13.1	13.5	0.8	146	67	13	23	-	-	-	1	3	-	2	3	13	3	3	HULL.
MIDDLESBROUGH	-	17.0	24.9	14.8	18.0	3.2	57	34	7	6	-	-	1	-	-	3	-	-	8	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	9.9	10.9	16.9	9.0	-	39	9	-	6	-	-	-	-	-	-	-	1	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	13.9	14.6	10.2	18.3	1.5	39	25	3	8	-	-	2	-	-	-	2	2	4	-	-	WEST HARTLEPOOL.
SUNDERLAND	-	20.5	18.1	21.8	15.7	1.0	96	46	7	12	-	-	-	-	-	1	2	3	5	3	1	SUNDERLAND.
SOUTH SHIELDS	-	109.360	16.2	14.8	13.8	16.7	59	35	11	8	-	1	-	1	1	-	-	1	1	6	1	SOUTH SHIELDS.
GATESHEAD	-	120.620	15.1	19.0	17.3	15.1	81	35	8	10	-	-	-	-	1	1	1	2	2	6	3	GATESHEAD.
NEWCASTLE-ON-TYNE	-	284.511	13.2	13.6	13.2	18.1	171	92	15	30	-	-	-	2	4	-	1	5	6	14	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	-	53.595	26.3	18.5	20.4	15.6	32	16	3	6	-	-	-	-	-	-	2	2	2	1	-	TYNEMOUTH.
NEWPORT (MON.)	-	72.880	18.6	15.0	15.7	16.5	42	23	6	6	-	-	-	-	-	1	1	2	3	1	1	NEWPORT (MON.).
CARDIFF	-	180.054	10.1	8.1	13.0	13.3	85	46	10	17	-	-	-	-	-	-	1	3	5	2	-	CARDIFF.
RHONDDA	-	124.988	14.2	9.6	10.8	15.4	75	37	11	6	-	6	1	-	1	-	2	-	-	1	-	RHONDDA.
MERTHYR TYDFIL	-	73.848	21.9	14.1	14.1	16.9	47	24	9	5	-	-	-	-	-	-	2	1	1	3	-	MERTHYR TYDFIL.
SWANSEA	-	96.384	17.9	17.3	14.1	11.9	54	22	4	5	-	3	-	-	-	-	1	1	2	2	-	SWANSEA.
GREATER LONDON	-	7,010,172	12.1	12.8	13.4	14.5	3602	1855	385	640	-	43	16	20	14	9	51	73	181	661	3	GREATER LONDON.
OUTER RING	-	2,325,378	9.7	10.5	10.7	11.7	1240	522	99	174	-	12	3	8	7	5	17	16	34	91	2	OUTER RING.
8 TOWNS IN OUTER RING	-	1,135,316	10.4	10.8	10.1	12.1	615	264	50	83	-	10	2	4	4	3	8	9	18	52	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,190,062	9.0	10.2	11.2	11.3	635	258	49	91	-	2	1	4	3	2	9	7	16	39	1	REMAINDER OF OUTER RING.
EDINBURGH	-	338,577	15.2	17.0	15.3	17.5	152	113	25	35	-	-	-	1	1	-	4	3	?	33	10	EDINBURGH.
GLASGOW	-	808,986	15.1	16.7	18.4	18.5	403	288	53	68	-	13	-	2	6	1	7	12	?	75	8	GLASGOW.
DUBLIN†	-	378,994	19.8	18.3	18.3	17.9	175	130	23	43	-	1	1	-	2	-	3	6	6	56	6	DUBLIN†.
BELFAST†	-	358,680	16.9	17.7	18.9	22.2	204	153	35	36	-	-	3	2	-	-	1	4	5	43	?	BELFAST†.

* See note † on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-THIRD Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2447	2755	2540	2652	2495	2238	2655	2469	2567	2583	2637.7	2637.7
Males - - -	1220	1426	1261	1369	1261	1146	1386	1255	1294	1282	1339.5	1339.5
Females - - -	1227	1329	1279	1283	1234	1092	1269	1214	1273	1303	1298.2	1298.2
TOTAL Deaths -	1470	1450	1514	1411	1844	1403	1404	1407	1401	1311	1517.5	1517.5
Males - - -	744	773	814	725	941	705	748	745	725	675	788.6	788.6
Females - - -	726	677	700	686	903	698	656	662	676	636	728.9	728.9

* The numbers in this column are the average weekly numbers in the forty-third week of the ten years 1895-1904, raised by 3.333 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	1st Week
TOTAL Births -	2522	2215	2549	2530	2372	2328	2374	2400	2171	2380	2386	2372	2362	306
TOTAL Deaths -	1404	1555	1523	1497	1548	1432	1187	1195	1251	1189	1255	1331	1433	178
Deaths from—														
Under 1 year -	515	638	616	584	577	441	349	305	295	276	266	244	286	18
1—5 years -	161	181	173	174	156	150	98	109	131	103	116	135	124	18
5—20 " -	71	59	71	51	62	63	59	68	82	73	73	70	71	18
20—40 " -	163	135	142	149	160	164	159	139	165	154	173	178	206	20
40—60 " -	243	240	252	213	263	281	222	245	258	238	267	283	280	35
60 yrs. & upwds.	251	302	269	326	330	333	300	329	340	345	360	421	466	45
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	19	23	28	19	27	20	7	7	15	15	15	33	31	2
Scarlet Fever -	9	18	10	10	11	7	3	6	17	7	9	16	13	3
Diphtheria -	12	10	6	8	12	5	9	11	13	9	12	3	12	1
Whooping-cough -	18	28	22	17	28	16	14	14	22	18	11	19	7	1
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	6	7	2	5	5	10	9	4	10	5	10	8	4	1
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	314	372	395	390	313	222	132	113	90	59	55	31	34	28
All above Diseases -	378	457	463	449	396	280	179	155	167	113	112	110	101	38
Dis. of Resp. System	42	46	48	44	60	47	48	57	64	67	101	112	157	8
Pneumonia -	69	66	69	74	71	86	65	73	91	85	90	136	129	13
Phthisis -	113	113	119	109	118	133	120	125	125	104	151	121	174	16
Dis. of Circ. System -	131	139	122	153	164	173	155	152	170	165	166	191	211	20
Violence -	54	67	55	51	62	59	52	45	63	61	38	63	57	7
Inquest Cases -	130	141	122	128	140	135	113	112	157	131	95	138	147	16
Deaths in Institutions	513	524	519	506	557	526	462	483	494	465	512	540	573	16
TEMPERATURE OF THE AIR.														
Mean -	62.2	60.3	62.1	60.2	56.7	61.0	54.2	54.3	53.0	48.8	48.6	41.0	41.5	5
Mean of Highest -	73.2	72.0	73.4	71.5	64.6	70.2	64.3	62.6	58.6	54.9	54.9	50.0	48.9	6
Mean of Lowest -	54.3	52.2	52.3	51.0	51.1	55.6	45.7	46.7	48.4	42.9	42.7	32.2	33.0	4
Mean Humidity of the Air.	71	76	69	71	82	84	76	76	83	73	81	75	81	5
Rain-fall (in inches) -	0.65	0.16	0.03	0.48	1.21	0.68	0.32	0.01	1.27	0.16	0.16	0.13	0.05	5
Registered Sunshine (in hours).	47.6	45.7	57.8	47.2	12.1	29.5	37.8	27.8	13.3	19.5	6.6	34.6	18.4	39
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	Mea
Scarlet Fever -	2632	2670	2735	2762	2873	2982	3150	3424	3591	3789	3954	4153	4222	3
Diphtheria -	753	706	701	668	671	686	684	703	733	775	781	797	799	5
Typhus -	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Enteric Fever -	100	89	108	114	121	116	122	140	143	161	167	161	157	-

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M. Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Council; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-THIRD Week of the Year 1905.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 43rd week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 43rd week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1311	1433	286	124	71	206	280	466	Meningitis (not tuberc.)	9	13	8	3	-	1	-	1
									Insanity, Gen. Par. of }	16	18	-	-	-	5	7	6
									Insane - - - - - }								
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy - - - - -	2	8	-	-	-	5	-	3
Cowpox	-	-	-	-	-	-	-	-	Convulsions - - - -	20	16	15	1	-	-	-	-
Measles (Morbilli)	20	31	4	22	4	1	-	-	Locomotor Ataxy - -	1	1	-	-	-	1	-	1
Scarlet Fever	-	8	13	-	7	5	1	-	Paraplegia, Dis. of Cord	4	6	-	-	-	-	1	4
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	11	19	1	1	-	2	4	11
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	57	54	-	-	-	6	10	19
Influenza	29	13	-	2	-	1	4	6	Cerebr. Hem. Thromb.	35	35	-	-	-	1	8	26
Whooping-cough	7	7	2	4	1	-	-	-	Apoplexy, Hemiplegia	10	14	-	-	-	-	3	11
Diphtheria	12	12	1	9	2	-	-	-	Aneurysm - - - - -	3	6	-	-	-	1	3	2
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	-	4	-	-	-	-	3	1
Pyæmia,† (Origin un- }	-	-	-	-	-	-	-	-	(not cerebral) - - -	71	98	-	1	6	12	21	58
Enteric Fever - - - }	7	4	-	-	1	2	1	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	-	-	-	-	-	-	-	-
Epidemic Diarrhœa }	14	14	13	1	-	-	-	-	Membr. - - - - - }	-	-	-	-	-	-	-	-
(Infective Enteritis)	-	-	-	-	-	-	-	-	Bronchitis - - - - -	128	134	20	10	-	-	19	85
Diarrhœa, Dysentery	11	20	12	2	-	2	4	-	Asthma, Emphysema -	4	7	-	-	-	1	2	4
Tetanus	-	-	-	-	-	-	-	-	Pleurisy - - - - -	1	2	-	1	-	-	1	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	12	14	2	3	-	2	1	6
Glanders - - - - -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	-	3	-	-	2	1	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	9	5	4	1	-	-	-	-
Venereal Dis. - - -	9	8	6	1	-	1	-	-	Gastro-Enteritis - - -	4	8	5	2	-	-	-	1
Puerperal Septicæmia	2	4	-	-	-	4	-	-	Peritonitis (not Puerp.)	2	2	-	-	-	1	1	-
Puerperal Pyæmia -	-	-	-	-	-	-	-	-	Cirrhosis of Liver - -	11	15	-	-	-	-	12	3
Puerperal Fever - -	3	1	-	-	-	1	-	-	Liver Dis. (other) - -	5	2	-	-	-	-	1	1
Infective Endocarditis	2	1	-	1	-	-	-	-	Digestive Dis., Other	33	54	8	3	9	10	8	16
Lobar - - - - -	12	20	-	1	-	6	7	6	Nephritis, Acute - - -	3	6	-	-	-	4	2	-
Broncho - - - -	70	51	26	13	2	1	4	5	Bright's Dis., Albumin-	35	33	-	-	2	2	12	17
Epidemic - - - -	-	-	-	-	-	-	-	-	uria - - - - -	12	8	-	-	-	2	6	-
Not defined - - -	62	58	6	5	3	5	15	24	Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-
Erysipelas - - - -	7	4	1	-	-	2	-	1	Generative Organs Dis.-	4	3	-	1	-	2	-	-
Septicæmia (not Puer- }	3	2	-	-	-	-	-	-	Childbirth (Accid. of)	2	5	-	-	-	4	1	-
peral) - - - - - }	-	1	-	-	1	-	-	-	Old Age - - - - -	43	52	-	-	-	-	-	52
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	Other Diseases - - -	94	85	60	5	3	4	6	7
Other Infective Processes	8	5	1	-	2	-	2	-	ACCIDENT.	-	-	-	-	-	-	-	-
Tuberculous Phthisis	79	97	3	1	7	47	26	13	By Railways - - - - -	2	1	-	-	-	1	-	-
"Phthisis" - - - -	65	77	-	-	5	33	31	8	By Vehicles and Horses-	5	11	-	-	-	2	3	4
Tuberculous Meningitis	13	21	6	10	5	-	-	-	In Ships, Boats, Docks, }	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	4	6	3	3	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tubes Mesenterica - -	3	1	-	1	-	-	-	-	ing) - - - - - }	2	1	-	-	-	1	-	-
Tuberculous Dis. (other)	18	9	1	3	1	3	1	-	In Building Operations-	-	2	-	-	-	1	-	1
Scrofula - - - - -	-	-	-	-	-	-	-	-	In Conflagrations - -	-	-	-	-	-	-	-	-
Alcoholism - - - - -	10	10	-	-	-	4	4	2	By Burns, Scalds, Ex-	4	5	-	4	-	1	-	-
Rheumatic Fever - -	7	3	-	-	1	-	1	1	plosions - - - - - }	3	2	-	-	-	2	-	-
Gout - - - - -	-	2	-	-	-	-	2	-	By Drowning - - - -	7	16	16	-	-	-	-	-
Sarcinoma - - - - -	44	41	-	-	-	5	17	19	By Suffocation in Bed	3	3	-	-	-	1	1	1
Sarcoma - - - - -	3	5	-	-	-	1	2	2	By Poisons or Poisonous	16	9	-	-	-	2	3	1
Cancer (undefined) -	25	32	-	-	-	16	16	-	Vapours - - - - - }	-	-	-	-	-	-	-	-
Diabetes Mellitus - -	6	11	-	-	-	1	3	7	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Premature Birth - - -	54	62	62	-	-	-	-	-	dent - - - - - }	-	-	-	-	-	-	-	-
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - - - -	1	-	-	-	-	-	-	-
									Suicide - - - - -	4	7	-	-	-	2	3	-
									Execution - - - - -	-	-	-	-	-	-	-	2

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th October, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions	Uncertified Causes of Death		
					Deaths of		Deaths from															
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.					
LONDON	- - -	4,536,429	2362	1433	286	466	-	31	13	12	7	-	4	-	34	57	147	573	-			
WEST DISTRICTS	- - -	805,311	356	236	35	88	-	6	2	1	3	-	1	-	6	8	22	107	-			
NORTH DISTRICTS	- - -	1,056,070	498	297	57	116	-	5	4	1	-	-	1	-	5	10	28	102	-			
CENTRAL DISTRICTS	- - -	209,465	97	86	18	23	-	-	-	-	-	-	-	-	5	7	11	41	-			
EAST DISTRICTS	- - -	715,739	485	238	66	57	-	1	-	1	4	-	1	-	5	11	40	110	-			
SOUTH DISTRICTS	- - -	1,749,844	926	530	110	162	-	19	6	7	-	-	-	-	12	21	46	167	-			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	46	-	20	-	-	1	2	-	-	1	-	1	-	-	46	-			
WEST DISTRICTS.																						
St. Mary Paddington } G. & W.	93,178	48	31	3	14	-	2	-	-	1	-	-	-	1	1	2	7	-	-			
W2H																						
St. John Paddington } - G.	33,617	9	9	1	4	-	-	-	-	-	-	-	-	-	-	1	8	-	-			
North-West Paddington } - C.	17,181	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
Kensington Town 2W w2H G. W. & C.	128,037	54	54	7	25	-	1	-	-	-	-	-	-	-	2	4	36	-	-			
Brompton 2H - - W. & C.	48,591	12	8	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-	-			
North Hammersmith W, w3H } W. & G.	49,192	35	10	3	2	-	-	-	-	-	-	-	-	1	-	2	-	-	-			
South Hammersmith w3H } W. & G.	63,047	37	18	2	10	-	-	-	-	-	-	-	-	-	2	3	7	-	-			
North-west Fulham W } W. & C.	45,180	25	23	5	5	-	1	-	-	1	-	1	-	3	1	2	15	-	-			
North-east Fulham F } W. & C.	46,405	27	10	4	1	-	-	2	1	1	-	-	-	-	-	-	4	-	-			
South Fulham W } W. & C.	45,704	28	13	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Chelsea North W, w3H - - C.	42,514	15	20	1	7	-	1	-	-	-	-	-	-	1	-	1	15	-	-			
Chelsea South W2H - - C.	31,328	14	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
Mayfair and Knightsbridge C. & G.	28,743	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Belgrave W2H - - C.	55,815	18	17	1	7	-	-	-	-	-	-	-	-	-	1	4	5	-	-			
St. Margaret & St. John 4H - C.	43,698	14	5	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-			
St. James Westminster } N. & G.	21,588	3	7	-	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-			
W, H																						
St. Anne Soho 5H - - N.	11,493	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
NORTH DISTRICTS.																						
All Souls Marylebone 8H - W.	35,391	10	13	1	9	-	-	-	-	-	-	-	-	-	-	-	-	8	-			
Rectory Marylebone W G. & W.	19,849	8	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
St. Mary Marylebone 4H G. & W.	18,099	27	4	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-			
Christchurch Marylebone H- W.	39,536	21	8	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. John Marylebone 3H - W.	20,426	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
Hampstead W, P, 3H - N. & W.	81,942	25	25	4	7	-	-	4	-	-	-	-	-	-	2	4	17	-	-			
West St. Pancras 2H - - W.	60,562	34	15	4	5	-	-	-	-	-	-	-	-	-	1	1	4	-	-			
Tottenham-court w, 7H N. & W.	21,258	3	12	3	3	-	-	-	-	-	-	-	-	1	-	1	8	-	-			
Gray's Inn Lane 4H - - N.	34,449	16	9	2	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-			
East St. Pancras W2H - - N.	60,320	37	16	2	10	-	-	-	-	-	-	-	-	-	1	-	7	-	-			
North St. Pancras 2W - - N.	58,728	24	18	3	5	-	2	-	-	-	-	-	-	-	-	2	8	-	-			
Tufnell W - - N.	31,995	12	20	-	10	-	-	-	-	-	-	-	-	-	-	-	18	-	-			
Upper Holloway 2W, w, H - N.	33,978	21	21	7	8	-	-	-	-	-	-	-	-	-	1	1	10	-	-			
Tollington WH - - N.	33,922	12	4	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-			
Lower Holloway - - N.	41,424	20	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Barnsbury - - N.	54,478	31	10	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
Islington South-east F - - N.	75,397	42	23	6	7	-	-	-	-	-	-	-	-	-	-	4	-	-	-			
Highbury 2H - - N.	63,797	20	16	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Stoke Newington H - - N.	51,247	20	14	2	8	-	-	-	1	-	-	-	-	-	-	2	-	-	-			
North Hackney - - E. & N.	50,560	18	11	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Central Hackney 2w, F - E. & N.	50,538	25	6	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-			
South-west Hackney 3H E. & N.	59,921	38	18	4	5	-	-	-	-	-	-	-	-	1	3	4	6	-	-			
South-east Hackney 2W, w, H E. & N.	58,255	20	19	4	3	-	-	-	-	-	-	1	-	1	1	1	12	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; O, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; F, East London; and K, the Kent District.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever,"

LE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th October, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				Deaths of	Deaths from										Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).		Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 28th October, 1905.

Regis- tration district and sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthra.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,602	2,044,973	1240	522	99	174	-	12	3	8	7	5	17	16	34	91	2	
30: 1	Carshalton 2F,2H	12,228	32,997	12	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H-	10,423	15,548	6	5	1	1	-	-	-	-	-	-	1	-	-	2	-	
37: 1	Godstone, part of* W,F	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,069	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	16	8	3	1	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	25	25	1	10	-	1	-	-	-	1	-	-	1	12	-	
4	North Croydon H	2,844	41,698	19	7	2	4	-	-	-	-	-	-	2	-	-	-	-	
5	Penge w,H-	770	22,465	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	22	9	2	2	-	-	-	-	1	-	1	-	-	-	-	
39: 1	Wimbledon F,3H	3,321	41,652	18	5	3	1	-	-	-	-	-	1	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	21	16	5	4	-	-	-	-	-	-	1	-	2	2	-	
3	Surbiton F,H	3,046	15,017	1	4	1	1	-	-	1	-	-	-	-	-	-	1	-	
4	Esher, part of* H	5,402	13,100	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L-	4,564	23,456	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
10: 1	Richmond W,H	2,162	28,865	10	10	1	4	-	-	-	-	-	-	-	-	2	3	-	
2	Mortlake F	2,847	20,628	12	9	4	-	-	-	-	-	-	-	1	-	1	-	-	
11: 1	Bromley F,2H	4,703	27,354	15	3	-	1	-	-	-	1	-	-	-	-	-	1	-	
2	Beckenham H	7,825	28,497	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	8	3	2	1	-	-	-	-	-	-	-	-	-	1	-	
4	Chislehurst 2H	7,333	16,446	9	5	1	2	-	-	-	-	-	-	-	-	-	1	-	
12: 1	Bexley w F,H	8,678	21,151	10	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
2	Erith F,H	3,854	26,296	14	9	-	2	-	2	-	-	-	-	1	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	
13: 1	Sunbury w	11,054	18,683	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
15: 1	Hillingdon W,F,H	9,035	13,661	10	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
2	Uxbridge H	12,757	8,984	5	4	-	1	-	-	-	-	-	-	-	1	1	-	-	
3	Hayes w,F,H	8,066	16,358	11	4	1	1	-	-	-	-	-	-	-	1	1	-	-	
16: 1	Isleworth 3W,2F,H	6,859	30,893	16	11	1	3	-	-	-	1	-	-	-	-	1	1	2	
2	Twickenham F,H	2,421	20,991	17	5	2	1	-	-	-	-	1	-	-	-	-	-	-	
3	Brentford 3F,2H,L	4,319	48,289	31	9	1	3	-	-	-	-	-	-	-	-	1	1	1	
4	Chiswick H-	1,249	29,809	24	7	1	2	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,3H	6,132	48,914	43	11	4	4	-	-	-	-	-	-	-	-	1	1	-	
7: 1	Harrow F,H	13,809	25,523	21	8	-	4	-	-	-	-	-	-	-	1	-	1	-	
2	Edgware F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	100	36	8	10	-	5	-	-	1	1	-	2	3	4	1	
4	Hendon W,F	8,382	22,450	12	7	-	6	-	-	-	-	-	-	-	-	-	2	-	
8: 1	South Mimms 2F,H	17,755	7,308	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
2	Barnet W,2H	3,324	17,970	12	6	-	3	-	-	-	-	-	-	-	-	-	4	-	
3	Finchley F,2H	4,688	33,692	18	4	1	1	-	-	-	-	-	-	1	-	-	-	-	
9: 1	Hornsey F,H	2,875	72,056	29	5	1	3	-	-	-	-	1	-	-	-	-	-	-	
2	Wood Green H	1,625	34,233	17	10	1	3	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	31	8	2	2	-	-	-	-	-	-	1	1	-	-	-	
4	East Tottenham 2H	2,017	53,688	38	12	3	2	-	-	-	-	-	-	-	-	2	1	-	
5	Edmonton W,w,2F	7,491	61,892	50	22	7	7	-	-	1	-	-	-	2	-	-	1	3	
6	Enfield 2W,F,H	12,601	42,738	24	4	1	1	-	-	-	-	-	-	-	-	-	1	-	
7	Waltham Abbey F	11,017	6,549	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	5	6	-	2	-	-	-	-	-	-	-	-	-	-	1	
5: 1	Hatfield, part of* W	3,305	604	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7: 1	Bushey H	9,333	9,173	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6: 1	Stratford H	1,072	44,827	17	9	2	2	-	-	-	1	-	-	-	-	-	-	-	
2	Plaistow F,2H	1,249	90,921	77	43	13	10	-	4	1	1	1	1	1	2	2	8	-	
3	Canning Town H	1,556	70,718	54	20	5	2	-	-	1	-	-	-	2	1	2	1	-	
4	Forest Gate w	806	60,892	35	11	2	2	-	-	-	-	1	-	-	-	-	-	-	
5	North East Ham w,H	1,333	58,676	34	17	3	8	-	-	-	-	-	-	-	2	-	-	-	
6	South East Ham 2F	1,993	37,342	25	9	-	2	-	-	-	1	-	-	-	-	1	2	-	
7	Wanstead F	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	28	16	2	8	-	-	-	-	-	-	1	-	-	6	-	
9	North Leyton 2W,w,F	1,963	48,445	28	23	3	8	-	-	-	-	-	-	-	1	2	15	-	
10	Walthamstow 3H,L	6,504	108,929	68	19	4	9	-	-	-	-	-	-	1	2	2	-	-	
7: 1	Chigwell, part of* 2F,3H	11,778	16,397	15	8	2	3	-	-	-	1	-	-	-	-	-	1	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9: 1	Romford, part of* W,2F	6,556	8,091	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
2	Ilford F,L	8,496	41,234	32	10	1	4	-	-	-	-	-	1	-	-	-	3	-	
3	Barking Town F	3,803	21,547	16	3	-	-	-	-	-	-	-	-	-	-	1	1	-	
	Eastern Hosp., Hackney	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-	4	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Heydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 45: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea
LONDON - -	4,684,794	October 28	2362	1433	15·9	-	31	13	12	7	4	-
JALOUTTA - -	847,796	September 23	-	481	29·5	2	-	-	-	-	159†	-
BOMBAY - -	776,008	October 10	407	589	39·5	-	5	-	-	-	86†	-
MADRAS - -	509,346	" 6	-	-	-	-	-	-	-	-	-	-
PARIS - -	3,680,559	" 21	877	828	17·1	3	1	-	-	3	3	2
BRUSSELS - -	586,936	" 21	206	149	12·9	-	-	1	2	2	-	-
ANTWERP - -	286,695	" 21	129	80	14·2	-	-	1	-	2	1	1
AMSTERDAM -	554,240	" 14	246	137	12·9	-	4	1	1	-	3	-
COPENHAGEN -	426,000	" 21	214	126	15·3	-	-	1	1	3	-	-
STOCKHOLM -	309,496	" 14	139	80	13·1	-	-	2	4	-	1	-
CHRISTIANIA -	223,649	" 21	106	46	10·7	-	1	-	1	-	-	-
ST. PETERSBURG	1,248,122	" 14	-	543	20·1	-	6	13	12	7	30	4
MOSCOW - -	1,092,360	September 30	-	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,026,836	October 7	880	584	15·0	-	5	10	3	8	4	7
HAMBURG - -	772,852	" 21	-	189	12·7	-	-	1	-	4	-	1
BRESLAU - -	462,147	" 21	-	169	19·0	-	-	-	1	3	-	1
MUNICH - -	523,000	" 21	-	-	-	-	-	-	-	-	-	-
VIENNA - -	1,897,630	" 21	846	538	14·6	-	-	4	5	5	3	4
PRAGUE - -	430,569	" 21	164	133	15·4	-	-	1	1	2	1	-
BUDA-PESTH -	836,267	" 21	461	258	16·0	-	4	5	4	-	7	1
TRIESTE - -	191,403	" 21	107	102	27·1	-	1	-	-	-	2	1
ROME - -	514,930	August 5	216	187	18·9	-	-	-	-	-	7§	3
VENICE - -	169,417	October 7	78	46	14·2	-	-	-	1	-	2	-
BUCHAREST -	282,071	" 14	151	101	18·7	-	-	-	2	-	2	1
NEW YORK - -	3,948,191	" 14	2030	1175	15·5	-	5	4	19	4	20	12
CHICAGO - -	1,932,315	" 14	-	477	12·5	-	1	1	7	5	13	6
PHILADELPHIA -	1,438,318	" 7	-	404	14·6	-	1	3	9	7	16	4
BOSTON - -	617,950	September 30	-	187	16·4	-	-	-	1	-	5	?
RIO DE JANEIRO	850,000	" 17	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 13 deaths from plague in Calcutta, and 26 in Bombay.

‡ Including 38 deaths from cholera in Calcutta.

§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th October, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	53·7	26·5	40·9	0·05	BRADFORD - -	52·0	32·8	42·9	0·33
BRIGHTON - -	55·4	29·9	42·4	0·24	LEEDS - - -	?	35·0	?	0·05
PORTSMOUTH - -	55·5	29·0	42·4	0·23	HULL - - -	54·0	33·0	42·2	0·45
NORWICH - -	53·2	28·8	40·8	0·54	TYNEMOUTH - -	54·0	35·0	42·9	1·13
PLYMOUTH - -	55·5	30·1	43·5	0·21	CARDIFF - - -	55·2	23·2	39·6	0·54
BRISTOL - -	56·1	25·7	42·4	0·22	EDINBURGH - -	49·8	32·7	42·6	0·13
BIRMINGHAM - -	54·3	28·8	41·7	0·08	GLASGOW - - -	53·4	21·5	41·2	0·48
NOTTINGHAM - -	52·3	31·2	41·5	0·25	DUBLIN } Phoenix Park, Fitz- william Square.†	51·3	26·1	41·1	0·30
LIVERPOOL OBSERVATORY. }	51·0	31·0	44·0	0·21		51·9	34·1	43·8	0·27
MANCHESTER - -	51·8	29·8	41·0	0·52		-	-	-	-
PRESTON - -	52·0	30·5	42·5	0·51	BELFAST - - -	53·0	25·8	39·4	0·22
HUDDERSFIELD -	51·3	32·3	42·1	0·32					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·9° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 21st October, 1905.*

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	2	1	-	2	-	-	8	-
Kensington - - - -	180,083	-	5	2	-	1	-	-	6	-
Hammer Smith - - -	119,037	-	9	5	-	2	-	-	6	-
Fulham - - - -	157,210	-	23	4	-	1	-	-	3	-
Chelsea - - - -	74,496	-	5	3	-	-	-	-	3	-
City of Westminster -	175,606	-	6	6	-	1	-	-	-	-
NORTH.										
St. Marylebone - - -	129,453	-	10	4	-	-	-	-	5	-
Hampstead - - - -	88,142	-	6	2	-	-	-	-	2	-
St. Pancras - - - -	236,183	-	33	3	-	1	-	-	6	1
Islington - - - -	342,994	-	32	11	-	3	-	-	6	1
Stoke Newington - -	52,828	-	7	4	-	-	-	-	-	-
Hackney - - - -	228,479	-	38	5	-	8	-	-	10	1
CENTRAL.										
Holborn - - - -	56,481	-	4	3	-	1	-	-	2	-
Finsbury - - - -	98,207	-	13	3	-	-	-	-	-	-
City of London - - -	22,425	-	5	-	-	-	-	-	2	-
EAST.										
Shoreditch - - - -	116,565	-	20	1	-	1	-	-	-	-
Bethnal Green - - -	130,401	-	24	5	-	3	-	-	4	-
Stepney - - - -	305,466	-	44	7	1	3	-	-	14	-
Poplar - - - -	170,280	-	29	9	-	-	-	-	6	-
SOUTH.										
Southwark - - - -	208,528	-	26	10	-	4	-	-	7	-
Bermondsey - - - -	129,006	-	28	4	-	1	-	-	5	-
Lambeth - - - -	313,045	-	30	12	-	1	-	-	8	-
Battersea - - - -	177,532	-	34	4	-	2	-	-	1	-
Wandsworth - - - -	265,392	-	39	16	-	3	-	-	4	-
Camberwell - - - -	271,240	-	40	6	-	2	-	-	5	-
Deptford - - - -	114,495	-	15	2	-	1	-	-	6	-
Greenwich - - - -	103,493	-	16	6	-	1	-	-	1	-
Lewisham - - - -	144,420	-	15	5	-	1	-	-	2	1
Woolwich - - - -	125,372	-	14	1	-	-	1	-	2	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	571	144	1	43	1	-	124	4
Ages 0-1		-	6	3	-	-	-	-	2	-
" 1-5		-	178	42	-	1	-	-	4	-
" 5-		-	249	48	-	6	-	-	4	-
" 10-		-	93	22	-	5	-	-	7	-
" 15-		-	23	9	1	10	-	-	5	-
" 20-		-	12	11	-	7	1	-	6	2
" 25-		-	7	5	-	9	-	-	21	1
" 35-		-	3	1	-	4	-	-	28	1
" 45-		-	-	2	-	1	-	-	18	-
" 55-		-	-	1	-	-	-	-	18	-
" 65 and upwards		-	-	-	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 44. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, NOV. 4. [Price 1½d.

*General Register Office, Somerset House,
November 6th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·6 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 13·7, 14·1, and 14·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·1 in Middlesbrough, 20·2 in Hanley, 20·5 in Bournemouth, 20·8 in Bootle, 22·0 in Gateshead and in Huddersfield, 22·3 in Blackburn, and 23·4 in Oldham; from *measles*, 1·7 in Rhondda, 2·7 in Preston, and 3·5 in Barrow in Furness; from *scarlet fever*, 1·5 in Warrington and in Oldham, and 2·5 in Smethwick; from *diphtheria*, 1·2 in Hull and 1·4 in Merthyr Tydfil; and from *diarrhoea*, 1·3 in Gateshead and 1·5 in West Bromwich. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2494 BIRTHS and 1494 DEATHS were registered. Allowing for increase of population, the births were 247 and the deaths 92 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 14·0, 14·8, and 15·9 in the preceding three weeks, further rose last week to 16·6. During the four weeks ended on Saturday last the death-rate averaged 15·3 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1494 deaths included 34 from measles, 17 from scarlet fever, 13 from diphtheria, 19 from whooping-cough, 5 from enteric fever, and 21 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 109 deaths were referred to these diseases in the aggregate, being 45 below the corrected average weekly number.

The deaths from *measles*, which had been 15, 33, and 31 in the preceding three weeks, were 34 last week, the corrected average being 33; 6 deaths belonged to the Borough of St. Pancras, 6 to Southwark, and 4 apiece to Islington, Lambeth, and Wandsworth. The deaths from *scarlet fever*, which had been 9, 16, and 13 in the preceding three weeks, rose to 17 last week, and were 3 above the corrected average; 3 deaths belonged to Battersea. The deaths from *diphtheria*, which had been 12, 3, and 12 in the preceding three weeks, were 13 last week, and were 28 below the corrected average; 5 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 11, 19, and 7 in the preceding three weeks, rose to 19 last week, and were 5 above the corrected average; 4 deaths belonged to Poplar and 3 to Stepney. The fatal cases of *enteric fever*, which had been 10, 8, and 4 in the preceding three weeks, were 5 last week, and were 16 below the corrected average. The deaths from *diarrhœa*, which had been 55, 31, and 34 in the preceding three weeks, fell to 21 last week, and were 9 below the corrected average; 5 deaths belonged to Stepney and 3 to Bermondsey. Of the 21 deaths from diarrhœa, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 11, 4, and 13 in the preceding three weeks.

Different forms of *violence* caused 65 deaths, concerning all but 1 of which inquests were held. Of these 65 deaths, 13 were cases of suicide, while the remaining 52 cases were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 5 to burns or scalds, 4 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4200 cases of scarlet fever, 804 of diphtheria, and 160 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 522 cases, against 511, 522, and 506; of diphtheria, 95 cases, against 115, 124, and 115; and of enteric fever, 17 cases, against 30, 18, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended October 28th.

GREATER LONDON.

In Greater London 3736 births and 2072 deaths were registered. Allowing for increase of population, these numbers are 368 and 77 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 4 from scarlet fever, 6 from diphtheria, 1 from whooping-cough, 2 from "fever," and 3 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·26 inches, and that of the Thermometer 47°·3, the latter being 0°·7 above the week's average in the 50 years 1841-90. The general direction of the wind was Southerly, the horizontal movement of the air being 9 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 15·5 hours; the measured rainfall amounted to 1·6 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the week include

TOWNS.	Cols.	POPULATION estimated at the middle of the year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 4th Nov., 1905.	Deaths from Causes of Death.											TOWNS		
			Week ended					Week ended Nov. 1905.	Deaths of Persons aged under 1 Year		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
			14th Dec. 1905.	21st Dec. 1905.	28th Dec. 1905.	4th Nov. 1905.	6.																7.	8.
76 TOWNS		15,609,377	13'7	14'1	14'8	15'6	1'2	8238	4683	960	1412	-	80	64	69	56	29	75	207	423	1131	55	76 TOWNS.	
LONDON - - -		4,684,794	14'0	14'8	15'9	16'6	1'2	2494	1494	273	501	-	34	17	13	19	5	21	65	168	551	1	LONDON.	
(CROYDON - - -		147,701	13'8	9'5	14'1	13'1	0'4	53	37	7	16	-	1	-	-	-	-	-	2	4	7	-	(CROYDON.	
WILLESDEN - -		138,080	11'3	10'2	14'0	9'1	1'1	65	24	4	4	-	-	-	2	-	-	-	1	3	2	-	WILLESDEN.	
HORNSEY - - -		84,070	6'2	7'4	3'7	6'2	-	31	10	2	4	-	-	-	-	-	-	-	-	3	-	-	HORNSEY.	
TOTTENHAM - -		116,232	7'6	5'8	8'5	13'5	1'3	74	30	6	11	-	1	-	1	-	-	1	2	4	4	-	TOTTENHAM.	
WEST HAM - - -		294,497	14'7	12'5	17'1	17'1	2'1	185	97	16	26	-	4	-	1	2	3	2	6	9	20	-	WEST HAM.	
EAST HAM - - -		123,381	8'0	13'1	11'8	14'4	2'1	53	34	6	13	-	1	1	-	-	2	1	2	4	4	-	EAST HAM.	
LEYTON - - -		114,555	9'6	8'2	9'1	8'2	0'9	63	18	3	7	-	-	1	1	-	-	-	-	-	3	1	LEYTON.	
(WALTHAMSTOW -		116,297	7'2	9'9	7'6	12'6	0'9	69	28	8	8	-	-	1	1	-	-	1	1	1	3	-	(WALTHAMSTOW.	
HASTINGS - - -		66,820	14'0	12'5	8'6	11'7	0'8	21	15	1	6	-	-	-	-	-	1	-	-	1	1	-	HASTINGS.	
BRIGHTON - - -		127,183	10'7	15'2	13'9	16'0	0'4	44	39	10	11	-	-	-	-	1	-	-	3	5	5	-	BRIGHTON.	
PORTSMOUTH - -		201,975	12'1	15'7	12'7	15'5	0'5	104	60	6	20	-	-	-	1	-	-	1	3	5	12	4	PORTSMOUTH.	
BOURNEMOUTH -		66,168	11'8	10'2	14'2	20'5	0'8	12	26	-	9	-	1	-	-	-	-	-	-	-	3	-	BOURNEMOUTH.	
SOUTHAMPTON -		114,897	12'7	14'1	12'3	11'3	0'5	44	25	6	8	-	-	1	-	-	-	-	-	-	3	-	SOUTHAMPTON.	
READING - - -		77,674	10'7	10'1	11'4	9'4	0'7	32	14	-	5	-	-	-	1	-	-	-	-	-	5	-	READING.	
NORTHAMPTON -		92,441	13'5	6'2	10'2	11'3	1'1	33	20	2	10	-	-	-	1	-	1	-	-	1	1	-	-	NORTHAMPTON.
IPSWICH - - -		70,802	8'8	9'6	11'0	11'0	-	27	15	-	4	-	-	-	-	-	-	-	-	2	3	-	-	IPSWICH.
GREAT YARMOUTH -		52,353	21'9	16'9	11'0	19'9	2'0	26	20	1	10	-	-	-	-	-	-	1	1	1	8	-	-	GREAT YARMOUTH.
NORWICH - - -		116,741	19'7	14'3	13'4	9'8	-	69	22	7	11	-	-	-	-	-	-	-	-	1	1	3	-	NORWICH.
PLYMOUTH - - -		116,000	18'9	11'7	18'4	18'4	-	55	41	4	16	-	-	-	-	-	-	-	1	1	4	-	-	PLYMOUTH.
DEVONPORT - - -		73,864	11'5	8'1	11'5	14'2	1'4	37	21	5	4	-	-	-	1	-	1	-	1	4	2	-	-	DEVONPORT.
BRISTOL - - -		358,515	12'5	14'0	14'3	14'7	1'2	202	101	12	40	-	2	3	1	1	1	-	5	10	27	-	-	BRISTOL.
HANLEY - - -		64,067	14'5	8'9	22'6	20'2	1'6	42	25	9	9	-	-	1	-	-	-	1	-	1	3	1	-	HANLEY.
BURTON-ON-TRENT		52,424	19'9	13'9	9'9	9'9	1'0	17	10	1	2	-	-	-	-	-	1	-	2	3	1	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -		99,456	6'8	14'7	20'4	12'6	1'0	39	24	4	6	-	-	-	-	-	-	1	1	3	3	4	-	WOLVERHAMPTON.
WALSALL - - -		92,968	11'2	9'5	14'0	11'8	0'6	48	21	4	9	-	-	-	1	-	-	-	3	3	5	-	-	WALSALL.
HANDSWORTH - -		61,721	5'9	9'3	5'1	9'3	-	29	11	2	2	-	-	-	-	-	-	-	-	2	-	-	-	HANDSWORTH.
WEST BROMWICH -		67,823	14'6	17'7	10'0	11'5	2'3	34	15	7	5	-	-	-	-	-	-	-	1	2	-	-	-	WEST BROMWICH.

* See note on first page of this return. † These towns are included within the area of Greater London.

TABLE 1 (cont.).—70 GREAT TOWNS, GREAT LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 4th November, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Cols.	PopULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 4th Nov., 1905.		The DEATHS registered in the Week include											TOWNS,	
			Week ended				14th Oct., 1905.	28th Oct., 1905.	4th Nov., 1905.	Week ended Nov., 1905.	Deaths of Persons aged 60 Years and upwards.	Deaths from											
			14th Oct., 1905.	21st Oct., 1905.	28th Oct., 1905.	4th Nov., 1905.						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.
BIRMINGHAM -	-	642,959	13'0	14'5	14'0	16'7	17'4	174	34	54	-	7	2	2	1	-	8	14	49	9	BIRMINGHAM.		
KINGS NORTON -	-	99,830	13'5	7'5	9'7	0'7	25	13	3	5	-	1	-	-	-	-	-	1	-	-	KINGS NORTON.		
SMETHWICK -	-	92,805	14'2	16'7	10'0	16'7	2'5	39	20	3	5	-	3	-	-	2	2	2	4	1	SMETHWICK.		
ASTON MANOR -	-	91,320	11'5	9'6	11'5	12'2	-	43	19	2	4	-	-	-	-	-	1	1	-	1	ASTON MANOR.		
COVENTRY -	-	75,134	10'4	9'7	15'3	14'6	-	34	21	3	8	-	-	-	-	-	-	-	4	1	COVENTRY.		
LEICESTER -	-	228,132	14'9	12'6	10'3	13'5	0'7	118	59	11	20	-	-	-	-	-	2	4	5	1	LEICESTER.		
GRIMSBY -	-	68,153	6'9	12'2	6'1	9'9	-	37	13	2	5	-	-	-	-	-	2	4	2	-	GRIMSBY.		
NOTTINGHAM -	-	251,671	14'9	13'1	19'5	12'8	0'6	123	62	9	26	-	-	-	-	1	3	6	17	-	NOTTINGHAM.		
DERBY -	-	122,207	10'2	12'4	9'4	12'4	1'7	53	29	7	8	-	-	1	2	-	1	1	5	-	DERBY.		
STOCKPORT -	-	93,320	12'7	12'7	13'8	15'9	-	51	30	10	10	-	-	-	-	-	2	3	4	-	STOCKPORT.		
BIRKENHEAD -	-	116,085	11'2	19'3	13'0	12'6	0'4	61	28	6	8	-	-	-	-	-	1	1	2	6	BIRKENHEAD.		
WALLASEY -	-	62,460	5'0	10'0	12'5	12'5	2'5	34	15	2	6	-	-	1	1	-	-	1	4	-	WALLASEY.		
LIVERPOOL -	-	730,143	16'4	18'1	19'2	17'9	1'9	464	251	63	61	-	3	9	5	4	11	18	74	8	LIVERPOOL.		
BOOTLE -	-	62,758	21'6	15'8	16'6	20'8	1'7	29	25	4	6	-	-	1	-	-	2	2	6	-	BOOTLE.		
ST. HELENS -	-	89,843	10'4	12'8	12'2	12'8	-	55	22	7	5	-	-	-	-	-	1	1	2	2	ST. HELENS.		
WIGAN -	-	86,581	22'3	17'5	10'2	10'2	1'8	56	17	3	3	-	-	1	-	-	1	1	2	-	WIGAN.		
WARRINGTON -	-	66,301	10'7	13'7	13'7	19'8	3'1	47	26	6	5	-	-	2	-	1	2	2	7	-	WARRINGTON.		
BOLTON -	-	178,111	12'0	15'2	16'1	17'3	0'6	80	59	16	14	-	-	-	-	-	2	4	6	-	BOLTON.		
BURY -	-	58,594	23'1	16'9	15'1	15'1	0'9	29	17	2	2	-	-	-	-	-	1	2	1	-	BURY.		
MANCHESTER -	-	631,185	14'2	17'7	16'5	17'3	1'4	356	209	51	53	-	1	4	3	2	5	8	15	56	3	MANCHESTER.	
SALFORD -	-	231,514	16'0	13'3	16'2	13'3	1'4	119	59	12	12	-	-	1	3	-	2	4	17	1	SALFORD.		
OLDHAM -	-	140,225	17'1	16'4	11'5	23'4	3'0	69	63	14	15	-	-	4	1	-	3	7	10	-	OLDHAM.		
ROCHDALE -	-	86,390	13'3	25'4	15'7	14'5	0'6	49	24	7	6	-	-	1	-	-	1	2	2	2	ROCHDALE.		
BURNLEY -	-	101,682	11'3	11'3	10'8	14'9	1'0	46	29	6	6	-	-	-	-	-	-	2	2	-	BURNLEY.		
BLACKBURN -	-	133,067	13'7	14'9	19'2	22'3	2'4	52	57	16	15	-	-	2	1	-	1	3	6	5	3	BLACKBURN.	
PRESTON -	-	115,721	12'6	14'4	12'2	17'6	4'1	61	39	3	10	-	-	6	-	-	1	1	1	5	1	PRESTON.	
BARROW-IN-FURNESS.	-	60,306	12'1	18'2	9'5	16'4	4'3	36	19	2	3	-	-	-	1	-	-	2	2	-	-	BARROW-IN-FURNESS.	

TOWNS	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Deaths from Diseases in Cols. 11-17.		Registered during the week ended 4th Nov., 1905.		The Deaths registered in the Week include										Deaths in Public Institutions.	Un-certified Causes of Death.	TOWNS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Week ended				Week ended Nov. 11-17, 1905.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		14th Oct. 1905.	21st Oct. 1905.	28th Oct. 1905.	4th Nov. 1905.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.				19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2693	2819	2751	2530	2613	2392	2737	2723	2563	2581	2741·4	2494
Males - - -	1368	1405	1379	1275	1305	1266	1385	1415	1261	1286	1385·6	1279
Females - -	1325	1414	1372	1255	1308	1126	1352	1308	1302	1295	1355·8	1215
TOTAL Deaths -	1789	1709	1585	1394	1626	1466	1516	1433	1426	1330	1585·9	1494
Males - - -	921	873	818	713	838	772	783	747	764	714	824·7	728
Females - -	868	836	767	681	788	694	733	686	662	616	761·2	766

* The numbers in this column are the average weekly numbers in the forty-fourth week of the ten years 1895-1904, raised by 3·833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	13 Weeks.
TOTAL Births -	2215	2549	2530	2372	2328	2374	2400	2171	2380	2336	2372	2362	2494	30933
TOTAL Deaths -	1555	1523	1497	1548	1432	1187	1195	1251	1189	1255	1331	1433	1494	17890
Ages at Death {														
Under 1 year -	638	616	584	577	441	349	305	295	276	266	244	286	273	5150
1-5 years -	181	173	174	156	150	98	109	131	103	116	135	124	146	1796
5-20 " -	59	71	51	62	63	59	68	62	73	73	70	71	77	859
20-40 " -	135	142	149	160	164	159	139	165	154	173	178	166	177	2101
40-60 " -	240	252	213	263	281	222	245	258	238	267	283	280	320	3362
60 yrs. & upwds.	302	269	326	330	333	300	329	340	345	360	421	466	501	4622
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	23	28	19	27	20	7	7	15	15	15	33	31	34	274
Scarlet Fever - -	16	10	10	11	7	8	6	17	7	9	16	13	17	147
Diphtheria - - -	10	6	8	12	5	9	11	13	9	12	3	12	13	123
Whooping-cough -	28	22	17	28	16	14	14	22	18	11	19	7	19	235
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	2	5	5	10	9	4	10	5	10	8	4	5	84
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	372	395	390	313	222	132	113	90	59	55	31	34	21	2227
All above Diseases -	457	463	449	396	280	179	155	167	113	112	110	101	109	3091
Dis. of Resp. System	46	48	44	60	47	48	57	64	67	90	112	157	177	1028
Pneumonia - - -	68	69	74	71	86	65	73	91	85	90	136	129	163	1198
Phthisis - - -	113	119	109	118	133	120	125	125	104	151	121	174	129	1641
Dis. of Circ. System -	139	122	153	164	173	155	152	170	165	166	191	211	211	2172
Violence - - -	67	55	51	62	59	52	45	63	61	38	63	57	65	738
Inquest Cases - - -	141	122	128	140	135	113	112	157	131	95	138	147	168	1727
Deaths in Institutions	524	519	506	557	526	462	483	494	465	512	540	573	551	6712
TEMPERATURE OF THE AIR.														
Mean - - -	60·3	62·1	60·2	56·7	61·0	54·2	54·3	53·0	48·8	48·6	41·0	41·5	47·3	53·0
Mean of Highest -	72·0	73·4	71·5	64·6	70·2	64·3	62·6	58·6	54·9	54·9	50·0	48·9	53·8	61·5
Mean of Lowest -	52·2	52·3	51·0	51·1	55·6	45·7	46·7	48·4	42·9	42·7	32·2	33·0	41·1	45·8
Mean Humidity of the Air.	76	69	71	82	84	76	76	83	73	81	75	81	86	78
Rain-fall (in inches) -	0·16	0·03	0·48	1·21	0·88	0·32	0·01	1·27	0·16	0·16	0·13	0·05	1·60	6·26
Registered Sunshine (in hours).	45·7	57·8	47·2	12·1	29·5	37·8	27·8	13·3	19·5	6·6	34·6	18·4	15·5	365·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2670	2735	2762	2873	2982	3150	3424	3591	3789	3954	4153	4222	4200	3423
Diphtheria - - -	706	701	668	671	686	684	703	733	775	781	797	799	804	731
Typhus - - -	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Enteric Fever - -	93	108	114	121	116	122	140	143	161	167	161	157	160	136

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE B.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.L.C.E., Plymouth; R. C. Cannon Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clun, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witt, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Council; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FOURTH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 44th week of the year 1904.	1905—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 44th week of the year 1904.	1905—Deaths of Persons of the Ages								
			ALL AGES.	Under 20.							ALL AGES.	Under 20.							
				0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.				60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	
ALL CAUSES	- - -	1330	1494	273	146	77	177	320	501	Meningitis (not tuberc.)	10	16	7	3	2	1	2	1	
										Insanity, Gen. Par. of	14	17	-	1	-	2	8		
										Insane - - -	4	6	-	1	-	1	2	2	
										Epilepsy - - -	17	29	28	1	-	-	-	-	
										Convulsions - - -	6	-	-	-	-	-	-	-	
										Locomotor Ataxy -	1	5	-	-	-	-	-	-	
										Paraplegia, Dis. of Cord	20	21	-	2	1	3	7	8	
										Nervous Sys. (other dis.)	34	49	-	-	5	5	14	25	
										Valv. Dis., Endocarditis-	31	41	-	-	-	2	8	31	
										Cerebr. Hæm. Thromb.-	14	18	-	-	-	-	2	16	
										Apoplexy, Hemiplegia	8	10	-	-	-	2	6	2	
										Aneurysm - - -	3	-	-	-	-	-	-	-	
										Embolism, Thrombosis }	79	93	-	-	9	10	22	52	
										(not cerebral) - - -									
										Heart & Blood Vessel Dis.									
										Croup (not Spasm: nor }	1	-	-	-	-	-	-	-	
										Memb.) - - -	139	153	30	10	-	4	22	87	
										Bronchitis - - -	6	1	-	-	-	-	-	1	
										Asthma, Emphysema -	3	7	-	1	-	1	5	-	
										Pleurisy - - -	9	16	2	3	2	2	1	6	
										Respiratory Dis. (other)									
										Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	
										Enteritis (not Epid.) -	7	11	7	2	-	-	-	2	
										Gastro-Enteritis - - -	6	3	2	1	-	-	-	-	
										Peritonitis (not Puerp.)	4	2	1	-	-	1	-	-	
										Cirrhosis of Liver - -	10	19	-	-	-	2	11	6	
										Liver Dis. (other) - -	6	3	-	-	-	2	-	1	
										Digestive Dis., Other -	28	34	5	2	4	8	9	6	
										Nephritis, Acute - - -	11	8	-	1	3	1	2	1	
										Bright's Dis., Albumin- }	33	48	-	1	2	3	23	19	
										uria - - -	12	10	-	-	-	-	4	6	
										Urinary Sys., Other Dis.									
										Generative Organs Dis.-	3	4	-	-	-	2	2	-	
										Childbirth (Accid. of)	4	7	-	-	-	6	1	-	
										Old Age - - -	40	76	-	-	-	-	-	76	
										Other Diseases - - -	93	88	57	6	3	1	7	12	
ACCIDENT.																			
										By Railways - - -	1	2	-	-	-	2	-	-	
										By Vehicles and Horses-	2	7	-	1	1	2	1	2	
										In Ships, Boats, Docks, }	2	-	-	-	-	-	-	-	
										(exclusive of Drown-									
										ing) - - -									
										In Building Operations -	1	-	-	-	-	-	-	-	
										In Conflagrations - - -	-	-	-	-	-	-	-	-	
										By Burns, Scalds, Ex-	7	5	-	4	1	-	-	-	
										plosions - - -									
										By Drowning - - -	3	4	-	-	1	2	1	-	
										By Suffocation in Bed -	7	8	8	-	-	-	-	-	
										By Poisons or Poisonous }	1	2	1	-	-	1	-	-	
										Vapours - - -									
										Other Deaths by Acci-	16	24	3	2	1	3	5	10	
										dent - - -									
VIOLENCE OTHER THAN ACCIDENTAL.																			
										Homicide - - -	1	-	-	-	-	-	-	-	
										Suicide - - -	11	13	-	-	1	4	5	3	
										Execution - - -	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis- in each SUB-DISTRICT during the Week ended Saturday, 4th November, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from													
				Deaths of Age.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	
					Infants under 1 Year	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).			Diarrhoea.
LONDON - - -	4,536,429	2494	1494	273	501	-	34	17	13	19	-	5	-	21	65	168	551
WEST DISTRICTS - - -	805,311	349	228	31	85	-	7	3	12	-	-	2	-	2	5	21	90
NORTH DISTRICTS - - -	1,058,070	529	329	48	122	-	10	5	1	3	-	1	-	-	16	36	109
CENTRAL DISTRICTS - - -	209,465	92	67	6	14	-	1	-	-	1	-	-	-	2	7	10	31
EAST DISTRICTS - - -	715,739	501	275	82	67	-	1	-	4	9	-	-	-	6	13	42	114
SOUTH DISTRICTS - - -	1,749,844	1023	545	106	190	-	15	7	6	6	-	2	-	10	24	59	157
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	50	-	23	-	-	2	-	-	-	-	-	1	-	-	50
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	44	28	6	10	-	1	-	-	-	-	-	-	-	1	5	9
W.2H																	
St. John Paddington } - G.	33,617	9	11	1	2	-	-	-	-	-	-	1	-	-	1	1	7
North-West Paddington } - C.	17,181	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town } W.2H G., W. & C.	128,037	50	37	3	15	-	2	-	-	-	-	-	-	-	-	1	19
Brompton } 2H - - W. & C.	48,591	10	17	1	10	-	-	-	-	-	-	-	-	-	-	2	3
North Hammersmith } W. & G.	49,192	35	9	1	4	-	-	-	-	-	-	-	-	-	-	2	3
South Hammersmith } W.2H	63,047	27	7	1	2	-	-	-	-	-	-	-	-	-	1	1	3
North-west Fulham } W. & C.	45,180	36	19	4	4	-	1	-	-	-	-	-	-	2	2	4	14
North-east Fulham } F	46,405	21	17	3	7	-	1	3	2	-	-	1	-	-	-	-	6
South Fulham } W	45,704	39	10	1	6	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North } W.2H	42,514	11	25	2	10	-	-	-	-	-	-	-	-	-	-	-	17
Chelsea South } W.2H	31,328	20	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Mayfair and Knightsbridge } C. & G.	28,743	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	8
Belgrave } W.2H	55,815	19	20	3	5	-	-	-	-	-	-	-	-	-	-	1	8
St. Margaret & St. John } 4H - C.	43,698	17	17	3	7	-	2	-	-	-	-	-	-	-	-	3	2
St. James Westminster } W.2H	21,588	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho } 5H - - N.	11,493	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone } 8H - W.	35,391	10	14	1	3	-	-	-	-	-	-	1	-	-	-	2	5
Rectory Marylebone } W G. & W.	19,849	6	7	1	3	-	-	-	-	-	-	-	-	-	-	1	2
St. Mary Marylebone } 4H G. & W.	18,099	42	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone } H- W.	39,536	16	7	1	2	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone } 3H - W.	20,426	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2
Hampstead } W.F. & H	81,942	36	21	3	6	-	-	5	-	-	-	-	-	-	2	2	10
West St. Pancras } 2H - - W.	60,562	27	20	2	10	-	2	-	-	-	-	-	-	-	2	7	5
Tottenham-court } W.7H N. & W.	21,258	8	16	2	4	-	-	-	-	-	-	-	-	-	2	3	12
Gray's Inn Lane } 4H - N.	24,449	14	8	1	1	-	-	-	-	-	-	-	-	-	1	1	6
East St. Pancras } W.2H - N.	60,320	36	29	3	12	-	1	-	1	2	-	-	-	-	3	3	9
North St. Pancras } 2W - N.	58,728	26	19	4	6	-	3	-	-	-	-	-	-	-	1	3	8
Tufnell } W - - N.	31,995	11	16	3	8	-	-	-	-	-	-	-	-	-	-	1	11
Upper Holloway } 2W, W.2H - N.	33,978	16	18	1	7	-	-	-	-	-	-	-	-	-	-	-	13
Tollington } WH - N.	33,922	15	9	1	5	-	2	-	-	-	-	-	-	-	-	-	-
Lower Holloway } - - N.	41,424	22	12	2	5	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury } - - N.	54,478	32	11	2	3	-	1	-	-	-	-	-	-	-	-	1	-
Islington South-east } F - N.	75,397	32	17	2	6	-	-	-	-	-	-	-	-	-	-	1	-
Highbury } 2H - - N.	63,797	25	13	1	6	-	1	-	-	-	-	-	-	-	2	3	-
Stoke Newington } H - - N.	51,247	18	12	2	6	-	-	-	-	1	-	-	-	-	-	-	-
North Hackney } - E. & N.	50,560	19	17	3	9	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney } 2W, F - E. & N.	50,536	26	11	4	5	-	-	-	-	-	-	-	-	-	-	-	-
South-west Hackney } 3H E. & N.	59,921	48	16	5	2	-	-	-	-	-	-	-	-	-	1	2	8
South-east Hackney } 2W, W.2H E. & N.	58,255	37	30	4	10	-	-	-	-	-	-	-	-	-	2	3	18

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies the Grand Junction; W, West Middlesex; O, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th November, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include																
			Total DEATHS.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
Filles and Bloomsbury W,2H N.	31,436	17	7	2	2	-	-	-	-	-	-	-	-	1	1	2	2	-	
and W,4H - - - N. & C.	21,674	4	10	1	2	-	-	-	-	-	-	-	-	-	1	2	8	-	
and Union Workhouse, Edmonton-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
born W,6H - - - N.	29,612	7	11	1	1	-	1	-	-	-	-	-	-	1	1	2	5	-	
th Clerkenwell - - - N.	28,676	14	4	1	2	-	-	-	-	-	-	-	-	-	2	2	-	-	
th Clerkenwell H - - - N.	35,028	22	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
rbury 3H,L - - - N.	36,116	26	8	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
born Union Workhouse, } Mcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botolph H - - - N. & E.	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spulchre and Allhallows } 2H - - - - - } N.	16,824	-	19	-	5	-	-	-	-	-	-	-	-	-	2	2	15	-	
of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
EAST DISTRICTS.																			
editch South H - - E. & N.	46,362	31	10	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-	
editch North-West W,w,H N.	36,127	34	26	2	15	-	-	-	-	1	-	-	-	-	1	4	20	-	
editch North-East - N. & E.	34,148	26	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
editch Union Workhouse, Wood } een - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
inal Green North 2H - E.	51,514	30	23	11	5	-	-	-	1	-	-	-	-	1	1	3	8	-	
inal Green South - - E.	33,472	26	13	5	3	-	-	-	-	-	-	-	-	-	1	1	-	1	
inal Green East 2W,H,L - E.	44,694	22	24	5	6	-	-	-	-	-	-	-	-	-	-	-	16	-	
alfields - - - E. & N.	27,969	12	6	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	
End New Town W,H - E.	28,718	31	30	7	6	-	-	-	2	-	-	-	-	-	-	1	29	-	
iman's Fields - - - E.	22,081	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
George and St. John 2W E.	49,068	46	18	7	2	-	-	-	-	-	-	-	-	1	1	4	5	-	
owell and Ratchiff W,H,E. & N.	25,568	10	14	6	1	-	-	-	1	1	-	-	-	1	2	3	10	-	
ebhouse W - - - E.	32,369	18	13	5	3	-	-	-	-	1	1	-	-	1	1	2	-	-	
End Old Town South- } stern H - - - - - } E.	63,698	51	12	4	3	-	-	-	-	-	-	-	-	-	-	2	-	-	
End Old Town North- } stern W,w - - - - } E.	49,129	37	24	7	6	-	1	-	-	1	-	-	-	1	-	2	11	-	
L - - - - - E.	41,989	34	8	3	2	-	-	-	-	-	-	-	-	-	1	5	-	-	
ley 3w,H - - - E.	68,319	49	35	12	5	-	-	-	-	-	-	-	-	1	4	9	13	-	
ar W,w - - - E.	68,514	38	15	3	4	-	-	-	-	2	-	-	-	-	-	3	2	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th November, 1905—continued.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					Deaths of	Deaths from										Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).		Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 4th November, 1905.

					The DEATHS registered in the Week include														
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		368,602	2,044,973	1242	578	98	211	-	13	7	12	3	7	7	20	47	96	2	
1	Carshalton 2F,2H	12,228	32,997	13	8	1	4	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	8	6	4	-	-	-	-	-	1	-	-	-	-	1	-	
1	Godstone, part of* W,F	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Coulsdon	11,089	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	10	7	-	4	-	1	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	24	22	6	10	-	-	-	-	-	-	-	2	4	9	-	
4	North Croydon H	2,644	41,698	19	10	1	4	-	-	-	-	-	-	-	-	-	-	-	
5	Penge w,H	770	22,465	10	14	-	5	-	-	-	-	1	-	-	-	2	-	-	
6	Mitcham w	11,711	30,015	13	13	-	5	-	-	-	-	-	-	-	-	3	-	-	
1	Wimbledon F,3H	3,221	41,652	14	3	-	1	-	-	1	-	-	-	-	-	-	1	4	
2	Kingston 2W,H	6,224	42,068	31	11	1	6	-	-	-	-	-	-	1	-	1	-	-	
3	Surbiton F,H	3,046	15,017	7	3	-	1	-	-	-	-	-	-	-	-	-	1	-	
4	Esher, part of* H	5,402	13,100	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
6	Hampton H,F,L	4,564	23,456	17	7	1	3	-	-	-	-	-	-	-	-	-	-	-	
1	Richmond W,H	2,162	28,865	11	9	-	5	-	-	-	-	-	-	-	-	2	-	-	
2	Mortlake F	2,847	20,628	19	7	3	4	-	-	-	-	-	-	-	-	1	-	-	
1	Bromley F,2H	4,703	27,354	12	6	-	2	-	-	-	1	-	-	-	-	-	1	-	
2	Beckenham H	7,825	28,497	17	5	1	3	-	-	-	-	-	-	-	-	-	1	-	
3	Orpington part of* W	10,113	9,857	8	5	-	3	-	-	-	-	-	-	-	-	-	2	-	
4	Chislehurst 2H	7,333	16,446	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	Bexley w,F,H	8,678	21,151	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	12	5	1	1	-	2	-	-	-	-	-	-	1	-	-	
3	Dartford W,F, part of*	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
1	Sunbury w	11,054	18,683	10	11	1	4	-	-	-	-	-	-	-	-	-	2	-	
2	Staines W,H	13,277	15,178	4	8	1	6	-	-	-	-	-	-	-	-	-	2	-	
1	Hillingdon W,F,H	6,035	13,661	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	16	3	-	1	-	-	-	-	-	-	-	1	1	-	-	
1	Isleworth 3W,2F,H	6,859	30,863	23	21	3	11	-	-	-	-	-	-	-	-	1	14	-	
2	Twickenham F,H	2,421	20,991	15	10	3	4	-	-	-	1	-	-	-	-	2	-	1	
3	Brentford 3F,2H,L	4,319	48,289	31	16	6	5	-	-	2	-	-	-	-	-	-	3	-	
4	Chiswick H	1,249	29,809	22	11	4	2	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,3H	6,132	48,914	41	12	2	1	-	-	1	-	-	-	-	-	-	-	-	
1	Harrow F,H	13,809	25,523	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware F,2H	6,994	4,521	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	65	23	4	7	-	1	-	2	-	-	-	-	1	3	-	
4	Hendon W,F	8,382	22,450	18	9	2	2	-	2	-	-	-	-	-	-	-	2	-	
1	South Mimms 2F,H	17,755	7,308	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,688	33,692	25	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
1	Hornsey F,H	2,875	72,056	31	11	2	4	-	-	1	-	-	-	-	-	3	1	-	
2	Wood Green H	1,825	34,233	21	6	-	4	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	35	13	5	4	-	-	1	-	-	-	-	-	-	-	-	
4	East Tottenham 2H	2,017	53,688	39	17	1	7	-	-	-	-	-	-	-	-	-	-	-	
5	Edmonton W,w,2F	7,491	61,892	38	17	3	5	-	2	-	-	-	-	-	-	-	-	-	
6	Enfield 2W,F,H	12,601	42,738	24	7	1	4	-	-	-	-	-	-	-	-	-	-	-	
7	Waltham Abbey F	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Bushey H	9,333	9,173	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Stratford H	1,072	44,827	20	10	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Plaistow F,2H	1,249	90,921	69	35	5	6	-	4	-	1	-	1	-	-	-	-	-	
3	Canning Town H	1,556	70,718	66	24	6	6	-	-	-	1	-	1	-	-	-	-	-	
4	Forest Gate w	806	60,892	30	16	4	6	-	-	-	-	-	-	-	-	-	-	-	
5	North East Ham w,H	1,333	58,676	31	15	4	4	-	1	-	-	-	-	-	-	-	-	-	
6	South East Ham 2F	1,993	57,342	22	16	2	8	-	-	-	-	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	32	14	-	8	-	-	1	-	-	-	-	-	-	-	-	
9	North Leyton 2W,w,F	1,963	48,445	31	21	1	7	-	-	1	-	2	1	1	1	16	1	-	
10	Walthamstow 3H,L	6,504	108,929	78	32	8	9	-	-	1	1	-	-	-	2	2	1	-	
1	Chigwell, part of* 2F,3H	11,778	16,397	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	Romford, part of* W,2F	6,556	6,091	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,234	34	14	2	6	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town F	3,803	21,547	27	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
Middlesex County Asylum, Wandsworth.		-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	6	-	

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringtonham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Epton Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping cough.	Fever.
LONDON - -	4,684,794	November 4	2494	1494	16'6	-	34	17	13	19	5
CALCUTTA - -	847,796	September 30	-	-	-	-	-	-	-	-	-
BOMBAY - -	778,006	October 17	392	558	37'4	2	-	-	-	-	80†
MADRAS - -	509,346	" 6	426	660	67'3	3	9	?	?	?	144
PARIS - -	2,860,559	" 28	894	852	16'6	-	4	1	2	1	5
BRUSSELS - -	586,936	" 28	192	159	13'8	-	-	-	2	-	2
ANTWERP - -	286,695	" 28	120	71	12'6	-	-	-	1	1	1
AMSTERDAM -	554,240	" 21	258	131	12'3	-	5	-	-	2	2
COPENHAGEN -	426,000	" 28	229	110	13'3	-	-	1	1	2	-
STOCKHOLM -	306,496	" 21	161	70	11'4	-	-	1	3	1	1
CHRISTIANIA -	223,649	" 28	93	69	16'1	-	-	1	5	1	-
ST. PETERSBURG	1,248,122	" 21	-	-	-	-	-	-	-	-	-
MOSCOW - -	1,092,360	September 30	-	524	25'0	3	1	8	5	9	9
WARSAW - -	"	October 7	-	480	22'9	5	4	13	12	5	13
BERLIN - -	2,026,836	October 14	-	-	-	-	-	-	-	-	-
HAMBURG - -	772,852	" 28	-	208	14'0	-	-	2	1	8	1
BRESLAU - -	462,147	" 28	-	182	20'5	-	-	-	4	1	1
MUNICH - -	528,000	" 21	298	198	19'5	-	2	1	3	2	1
		" 28	-	173	17'0	-	4	-	1	-	-
VIENNA - -	1,897,630	" 28	847	516	14'0	-	3	4	3	5	3
PRAGUE - -	430,569	" 28	158	146	16'7	-	-	-	-	-	-
BUDA-PESTH -	836,267	" 28	347	264	16'4	-	4	6	3	1	4
TRIESTE - -	191,403	" 28	99	113	30'1	-	5	-	1	-	1
ROME - -	514,930	August 12	217	202	20'4	-	-	-	-	-	17§
VENICE - -	169,417	October 14	64	73	22'5	-	1	-	2	-	2
BUCHAREST - -	282,071	" 21	161	94	17'4	-	-	-	1	-	1
NEW YORK - -	3,948,191	" 21	1990	1287	17'0	-	2	6	28	7	17
CHICAGO - -	1,932,315	" 21	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	" 14	-	368	13'3	-	-	-	-	1	12
BOSTON - -	617,950	" 7	-	196	17'2	-	-	-	1	1	5
RIO DE JANEIRO	850,000	September 17	-	262	15'1	1	11	-	2	-	7†

* Excluding deaths from croup in the Indian Cities.

† Including 14 deaths from plague in Bombay, and 7 in Rio de Janeiro.

‡ Including 119 deaths from cholera.

§ Including 5 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th November, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	56'4	39'2	47'5	1'60	BRADFORD - -	52'0	35'0	44'2	2'61
BRIGHTON - -	54'4	39'5	49'8	3'37	LEEDS - -	57'0	38'0	47'4	1'28
PORTSMOUTH - -	57'0	42'5	50'2	2'54	HULL - -	54'0	30'0	45'3	0'65
NORWICH - -	54'2	35'4	47'0	0'58	TYNEMOUTH - -	53'0	34'0	44'1	1'23
PLYMOUTH - -	55'7	35'3	48'2	2'29	CARDIFF - -	55'7	31'8	46'4	1'81
BRISTOL - -	56'2	33'0	46'5	1'68	EDINBURGH - -	50'5	39'4	44'3	2'05
BIRMINGHAM -	53'3	34'8	44'6	1'61	GLASGOW - -	53'6	38'0	44'9	0'46
NOTTINGHAM -	54'0	32'2	44'9	0'81	DUBLIN Phoenix Park. Fitz- william Square.†	51'8	28'9	42'7	1'19
LIVERPOOL OBSERVATORY.	51'0	37'0	44'3	0'82		51'9	34'6	45'1	1'08
MANCHESTER -	52'7	33'8	44'7	0'88					
PRESTON - -	51'5	37'3	44'9	0'59	BELFAST - -	52'5	34'5	44'1	1'10
HUDDERSFIELD -	53'0	32'8	43'3	1'41					

* Those figures in this column which are compiled by the Meteorological Office (see footnotes to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTH AND DAY

OCTOBER.

SUNDAY - 29

MONDAY - 30

TUESDAY - 31

WEDNESDAY - 1

THURSDAY - 2

FRIDAY - 3

SATURDAY - 4

MEANS

No. of Column -

DATE.

OCTOBER.

SUNDAY - 29

MONDAY - 30

TUESDAY - 31

WEDNESDAY - 1

THURSDAY - 2

FRIDAY - 3

SATURDAY - 4

No. of Col.

Phases of the Moon.

Mean daily reading (corrected to 32° Fahrenheit).

High-est.

Low-est.

Daily Range.

Mean daily value.

Mean value from average of 50 years.

Of the Air.

Difference between the Air Temperature and Dew Point Temperature.

Of the Radiation.

Of the Earth's Surface.

General Direction.

Pressure on the Square Foot.

Robinson's.

Horizontal Movement of the Air on each Day.

Vertical Movement of the Air on each Day.

Average of 10 years.

Barometer.

Mean daily reading (corrected to 32° Fahrenheit).

High-est.

Low-est.

Daily Range.

Mean daily value.

Mean value from average of 50 years.

Of the Air.

Difference between the Air Temperature and Dew Point Temperature.

Of the Radiation.

Of the Earth's Surface.

General Direction.

Pressure on the Square Foot.

Robinson's.

Horizontal Movement of the Air on each Day.

Vertical Movement of the Air on each Day.

Average of 10 years.

Barometer.

Mean daily reading (corrected to 32° Fahrenheit).

High-est.

Low-est.

Daily Range.

Mean daily value.

Mean value from average of 50 years.

Of the Air.

Registered Sunshine in hours.

45

07

59

00

02

26

18

Sum 155

28

29

Variable; occasional showers. Solar halo in forenoon. Heavy squall at 6h. 15m. P.M.

Cloudless till 3h. A.M.; generally overcast with frequent rain afterwards. Solar halo observed at 12h. 20m. P.M.

Overcast with slight rain till 2h. A.M.; very fine generally with occasional light showers till evening; cloudless at night. Solar halo in forenoon. Generally overcast; frequent rain; brisk wind at night.

Generally overcast; occasional showers; gusty wind in early morning.

Variable; occasional showers.

Variable and showery in early morning; fine till noon; generally overcast afterwards with rain after 7h. 30m. P.M. Solar halo in forenoon.

Sum 674

29

Sum 155

28

29

Variable; occasional showers. Solar halo in forenoon. Heavy squall at 6h. 15m. P.M.

Cloudless till 3h. A.M.; generally overcast with frequent rain afterwards. Solar halo observed at 12h. 20m. P.M.

Overcast with slight rain till 2h. A.M.; very fine generally with occasional light showers till evening; cloudless at night. Solar halo in forenoon. Generally overcast; frequent rain; brisk wind at night.

Generally overcast; occasional showers; gusty wind in early morning.

Variable; occasional showers.

Variable and showery in early morning; fine till noon; generally overcast afterwards with rain after 7h. 30m. P.M. Solar halo in forenoon.

Sum 674

29

Sum 155

28

29

Variable; occasional showers. Solar halo in forenoon. Heavy squall at 6h. 15m. P.M.

Cloudless till 3h. A.M.; generally overcast with frequent rain afterwards. Solar halo observed at 12h. 20m. P.M.

Overcast with slight rain till 2h. A.M.; very fine generally with occasional light showers till evening; cloudless at night. Solar halo in forenoon. Generally overcast; frequent rain; brisk wind at night.

Generally overcast; occasional showers; gusty wind in early morning.

Variable; occasional showers.

Variable and showery in early morning; fine till noon; generally overcast afterwards with rain after 7h. 30m. P.M. Solar halo in forenoon.

Sum 674

29

Sum 155

in.

29.389

29.086

29.138

29.067

29.183

29.502

29.555

29.263

Sum 2111

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

in.

29.389

29.086

29.138

29.067

29.183

29.502

29.555

29.263

Sum 2111

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

in.

29.389

29.086

29.138

29.067

29.183

29.502

29.555

29.263

Sum 2111

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

in.

29.389

29.086

29.138

29.067

29.183

29.502

29.555

29.263

Sum 2111

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

0.24

0.24

0.26

Sum 160

24

Sum 160

25

1.5

0.26

0.26

0.01

0.33

in.

29.389

29.086

29.138

29.067

29.183

29.502

29.555

29.263

Sum 2111

24

Sum 160

25

1.5

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 28th October, 1905.*

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	7	1	-	2	-	-	4	-
Kensington - - - -	180,083	-	12	3	-	1	-	-	4	-
Hammersmith - - - -	119,037	-	9	3	-	5	-	-	2	-
Fulham - - - -	157,210	-	18	7	-	3	-	-	2	1
Chelsea - - - -	74,496	-	9	-	-	-	-	-	2	1
City of Westminster - - - -	175,606	-	11	2	-	1	-	-	2	1
NORTH.										
St. Marylebone - - - -	129,453	-	4	4	-	-	-	-	4	1
Hampstead - - - -	88,142	-	3	1	-	-	-	-	-	-
St. Pancras - - - -	236,133	-	27	6	-	6	-	-	8	1
Islington - - - -	342,994	-	28	9	-	1	-	-	9	-
Stoke Newington - - - -	52,828	-	3	-	-	-	-	-	-	-
Hackney - - - -	228,479	-	27	10	-	3	-	-	7	-
CENTRAL.										
Holborn - - - -	56,481	-	2	6	-	1	-	-	2	-
Finsbury - - - -	98,207	-	14	7	-	1	-	-	1	-
City of London - - - -	22,425	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	19	2	-	1	-	-	7	-
Bethnal Green - - - -	130,401	-	25	6	-	1	-	-	5	1
Stepney - - - -	305,466	-	55	8	-	3	-	-	13	-
Poplar - - - -	170,280	-	38	8	-	2	-	-	7	-
SOUTH.										
Southwark - - - -	208,528	-	23	5	-	3	-	-	7	-
Bermondsey - - - -	129,006	-	29	4	-	5	-	-	5	1
Lambeth - - - -	313,045	-	31	7	-	3	-	-	12	1
Battersea - - - -	177,532	-	22	1	-	-	-	-	1	1
Wandsworth - - - -	265,392	-	33	8	-	4	-	-	6	3
Camberwell - - - -	271,240	-	42	8	-	1	-	-	9	1
Deptford - - - -	114,495	-	21	6	-	1	-	-	4	-
Greenwich - - - -	103,493	-	6	8	-	-	-	-	1	-
Lewisham - - - -	144,420	-	18	6	-	-	-	-	2	-
Woolwich - - - -	125,372	-	11	6	-	1	-	-	2	1
Port of London - - - -	-	-	-	-	-	3	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }										
	4,684,794	-	554	142	-	52	-	-	128	14
Ages										
0-1 - - - -	-	-	11	3	-	-	-	-	7	-
1-5 - - - -	-	-	153	49	-	1	-	-	3	-
5- - - - -	-	-	251	49	-	6	-	-	1	-
10- - - - -	-	-	89	18	-	7	-	-	9	-
15- - - - -	-	-	16	5	-	5	-	-	4	-
20- - - - -	-	-	17	4	-	10	-	-	8	8
25- - - - -	-	-	11	14	-	12	-	-	18	5
35- - - - -	-	-	5	-	-	8	-	-	29	1
45- - - - -	-	-	-	-	-	3	-	-	23	-
55- - - - -	-	-	1	-	-	-	-	-	16	-
65 and upwards - - - -	-	-	-	-	-	-	-	-	10	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 45. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, NOV. 11. [Price 1½d.

General Register Office, Somerset House,
November 13th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·6 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 14·1, 14·8, and 15·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 19·2 in Blackburn, 19·8 in Warrington, 19·9 in Liverpool, 20·3 in Salford, 20·7 in Gateshead, 20·9 in Great Yarmouth, 21·2 in Middlesbrough, and 22·6 in Merthyr Tydfil; from *measles*, 1·1 in Croydon, 1·2 in Blackburn, 1·3 in Aston Manor, and 2·2 in Swansea; from *scarlet fever*, 1·0 in Liverpool and in Halifax, and 1·2 in Rochdale; from *whooping-cough*, 1·3 in Aston Manor and in Gateshead; and from *diarrhoea*, 2·3 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2485 BIRTHS and 1489 DEATHS were registered. Allowing for increase of population, the births were 185 and the deaths 130 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 14·8, 15·9, and 16·6 in the preceding three weeks, was again 16·6 last week. During the four weeks ended on Saturday last the death-rate averaged 16·0 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1489 deaths included 47 from measles, 13 from scarlet fever, 9 from diphtheria, 13 from whooping-cough, 7 from enteric fever, and 27 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 116 deaths were referred to these diseases in the aggregate, being 42 below the corrected average weekly number.

The deaths from *measles*, which had been 33, 31, and 34 in the preceding three weeks, rose to 47 last week, and were 5 above the corrected average; 12 deaths belonged to the Borough of Southwark, 7 to Lambeth, 4 to Fulham, 3 to Paddington, and 3 to Battersea. The deaths from *scarlet fever*, which had been 16, 13, and 17 in the preceding three weeks, fell to 13 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 3, 12, and 13 in the preceding three weeks, fell to 9 last week, and were 31 below the corrected average; 3 deaths belonged to Fulham. The deaths from *whooping-cough* which had been 19, 7, and 19 in the preceding three weeks, fell to 13 last week, and were equal to the corrected average; 3 deaths belonged to Islington and 3 to Poplar. The fatal cases of *enteric fever*, which had been 8, 4, and 5 in the preceding three weeks, were 7 last week, and were 16 below the corrected average. The deaths from *diarrhœa*, which had been 31, 34, and 21 in the preceding three weeks, rose to 27 last week, the corrected average being 25; 4 deaths belonged to Islington, 4 to Southwark, 3 to Stepney, and 3 to Poplar. Of the 27 deaths from diarrhœa, 22 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 4, 13, and 11 in the preceding three weeks.

Different forms of *violence* caused 48 deaths, concerning all but 3 of which inquests were held. Of these 48 deaths, 12 were cases of suicide, 1 of execution, while the remaining 35 cases were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 8 to burns or scalds, 3 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4154 cases of scarlet fever, 786 of diphtheria, and 157 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 494 cases, against 522, 506, and 522; of diphtheria, 111 cases, against 124, 115, and 95; and of enteric fever, 19 cases, against 18, 20, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended November 4th.

GREATER LONDON.

In Greater London 3802 births and 1990 deaths were registered. Allowing for increase of population, these numbers are 175 and 221 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 2 from whooping-cough, 1 from "fever," and 3 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.54 inches, and that of the Thermometer 43°.1, the latter being 1°.5 below the week's average in the 50 years 1841-90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 33 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 16.9 hours; the measured rainfall amounted to 0.65 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 11th Nov., 1905.		Deaths of		Deaths from								The DEATHS registered in the Week include				TOWNS
		Week ended				Week ended		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		21st Oct., 1905.	28th Oct., 1905.	4th Nov., 1905.	11th Nov., 1905.	11th Nov., 1905.	11th Nov., 1905.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
HUDDESFIELD	94,888	14'8	17'6	22'0	18'7	1'1	39	34	4	14	-	-	-	1	1	-	-	2	3	-	1	HUDDESFIELD.		
HALIFAX	108,419	13'5	13'9	15'4	13'9	1'4	44	29	5	11	-	-	-	-	-	1	-	-	3	6	2	HALIFAX.		
BRADFORD	286,799	12'5	13'8	10'9	14'5	1'3	117	80	12	22	-	-	2	3	-	-	2	5	10	22	2	BRADFORD.		
LEEDS	456,787	11'0	13'4	16'1	15'9	1'6	223	139	29	43	-	7	1	2	2	1	1	6	17	19	-	LEEDS.		
SHEFFIELD	440,414	12'3	13'4	14'6	12'9	0'9	234	109	35	23	-	1	2	3	-	-	2	2	7	11	2	SHEFFIELD.		
ROTHERHAM	59,704	11'3	13'1	17'4	17'4	0'9	35	20	2	3	-	-	1	-	-	-	-	1	2	4	-	ROTHERHAM.		
YORK	82,362	10'8	13'3	13'9	15'2	-	49	24	6	13	-	-	-	-	-	-	-	1	4	2	2	YORK.		
HULL	258,127	13'1	13'5	17'2	13'3	1'4	124	66	10	19	-	-	-	4	2	-	1	3	4	18	2	HULL.		
MIDDLESBROUGH	85,369	14'8	18'0	20'1	21'2	1'1	54	40	14	5	-	-	-	-	-	-	2	1	1	6	-	MIDDLESBROUGH.		
STOCKTON-ON-TEES	52,425	16'9	9'0	13'9	15'9	1'0	28	16	3	7	-	-	-	-	-	-	1	-	-	-	-	STOCKTON-ON-TEES.		
WEST HARTLEPOOL	71,313	10'2	18'3	11'0	16'1	2'2	33	22	5	7	-	-	1	1	1	-	-	-	-	4	-	WEST HARTLEPOOL.		
SUNDERLAND	152,761	21'8	15'7	14'7	15'4	1'0	94	45	10	13	-	2	1	-	-	-	-	1	2	11	2	SUNDERLAND.		
SOUTH SHIELDS	109,360	13'8	16'7	19'5	15'3	0'5	56	32	9	3	-	-	-	1	-	-	-	2	3	8	2	SOUTH SHIELDS.		
GATESHEAD	120,620	17'3	15'1	22'0	20'7	2'6	69	48	15	13	-	1	-	-	3	-	2	1	1	2	3	GATESHEAD.		
NEWCASTLE-ON-TYNE	264,511	13'2	13'1	17'2	16'8	0'2	127	85	18	24	-	-	-	1	-	-	-	4	7	20	-	NEWCASTLE-ON-TYNE.		
TYNEMOUTH	53,595	20'4	15'6	12'6	17'5	1'0	34	18	3	7	-	-	-	-	-	-	1	1	3	2	-	TYNEMOUTH.		
NEWPORT (MON.)	72,880	15'7	16'5	15'0	11'4	0'7	35	16	2	5	-	-	-	1	-	-	-	2	2	5	-	NEWPORT (MON.).		
CARDIFF	180,054	13'0	13'3	13'6	13'9	-	80	48	8	19	-	-	-	-	-	-	-	-	3	9	-	CARDIFF.		
RHONDDA	124,488	10'8	15'4	15'4	12'5	1'3	93	30	6	7	-	-	-	-	1	1	1	3	4	2	-	RHONDDA.		
MERTHYR TYDFIL	73,648	14'1	16'9	17'7	22'6	0'7	55	32	8	8	-	-	1	-	-	-	-	1	3	2	-	MERTHYR TYDFIL.		
SWANSEA	96,384	14'1	11'9	17'3	16'8	3'2	50	31	7	7	-	4	-	1	1	-	-	-	-	4	-	SWANSEA.		
GREATER LONDON	7,010,172	13'4	14'5	15'4	14'8	1'2	3802	1990	414	621	-	59	19	18	16	10	35	61	141	682	4	GREATER LONDON.		
OUTER RING	2,325,378	10'7	11'7	13'0	11'2	0'9	1317	501	116	169	-	12	6	9	3	3	8	13	32	91	4	OUTER RING.		
8 TOWNS IN OUTER RING	1,135,316	10'1	12'1	12'8	12'9	1'2	624	281	76	82	-	8	4	7	1	2	5	10	21	59	2	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING	1,190,062	11'2	11'3	13'1	9'6	0'6	693	220	40	87	-	4	2	2	2	1	3	3	11	32	-	REMAINDER OF OUTER RING.		
EDINBURGH	338,577	15'3	17'5	15'2	13'9	1'4	129	90	16	30	-	1	-	1	-	-	7	7	?	25	5	EDINBURGH.		
GLASGOW	809,986	18'4	18'5	19'3	19'3	1'8	466	300	68	75	-	15	-	3	4	1	5	14	?	74	8	GLASGOW.		
DUBLIN†	376,994	18'3	17'9	25'6	20'1	1'0	239	146	24	37	-	-	1	-	-	3	3	2	5	50	9	DUBLIN†.		
BELFAST†	358,680	18'9	22'2	18'9	20'5	1'0	205	141	36	35	-	-	-	1	-	-	3	3	6	26	?	BELFAST†.		

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	5252	2736	2507	2696	2711	2500	2437	2657	2466	2476	2669.7	2485
Males - - -	1314	1381	1221	1348	1380	1257	1257	1344	1278	1248	1353.1	1263
Females - - -	1211	1352	1286	1348	1331	1243	1180	1313	1188	1228	1316.6	1222
TOTAL Deaths -	1790	1713	1660	1405	1503	1498	1688	1501	1476	1357	1619.2	1489
Males - - -	910	847	881	768	784	742	899	782	768	699	836.9	804
Females - - -	880	866	779	637	722	756	789	719	708	658	782.3	685

* The numbers in this column are the average weekly numbers in the forty-fifth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	13 Weeks.
TOTAL Births -	2549	2530	2372	2328	2374	2400	2171	2380	2386	2372	2362	2494	2485	31203
TOTAL Deaths -	1523	1497	1548	1432	1187	1195	1251	1189	1255	1331	1433	1494	1489	17824
Ages at Death {														
Under 1 year -	616	584	577	441	349	305	295	276	266	244	266	273	293	4810
1-5 years -	173	174	156	150	98	109	131	103	116	135	124	146	156	1771
5-20 " -	71	51	62	63	59	68	62	73	73	70	71	77	71	871
20-40 " -	142	149	160	164	159	139	165	154	173	178	206	177	197	2163
40-60 " -	252	213	263	281	222	245	258	238	267	283	280	320	315	3437
60 yrs. & upwds.	269	326	330	333	300	329	310	345	360	421	466	501	452	4772
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	23	19	27	20	7	7	15	15	15	33	31	34	47	298
Scarlet Fever -	10	10	11	7	8	6	17	7	9	16	13	17	13	144
Diphtheria -	6	8	12	5	9	11	13	9	12	3	12	13	9	122
Whooping-cough -	22	17	28	16	14	14	22	18	11	19	7	19	13	220
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	2	5	5	10	9	4	10	5	-	8	-	5	7	84
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	10	-	-	4	-	-
Diarrhoea, Dysentery	395	390	313	222	132	113	90	59	55	31	34	21	27	1882
All above Diseases -	463	449	396	280	179	155	167	113	112	110	101	109	116	2750
Dis. of Resp. System														
Pneumonia -	48	44	60	47	48	57	64	67	101	112	157	177	209	1191
Phthisis -	69	74	71	86	65	73	91	85	90	136	129	163	174	1306
Dis. of Circ. System -	119	109	118	133	120	125	125	104	151	121	174	129	145	1673
Violence -	122	153	164	173	155	152	170	165	166	191	211	211	196	2229
Inquest Cases -	55	51	62	59	62	45	63	61	38	63	57	65	48	719
Deaths in Institutions	122	128	140	135	113	112	157	131	95	138	147	168	109	1685
TEMPERATURE OF THE AIR.														
Mean -	62.1	60.2	56.7	61.0	54.2	54.3	53.0	48.8	48.6	41.0	41.5	47.3	43.1	51.7
Mean of Highest -	73.4	71.5	64.6	70.2	64.3	62.6	58.6	54.9	54.9	50.0	48.9	53.8	50.2	59.8
Mean of Lowest -	52.3	51.0	51.1	55.6	45.7	46.7	48.4	42.9	42.7	32.2	33.0	41.1	36.1	44.5
Mean Humidity of the Air.	69	71	82	84	76	76	83	73	81	75	81	86	91	79
Rain-fall (in inches) -	0.03	0.48	1.21	0.68	0.32	0.01	1.27	0.16	0.16	0.13	0.05	1.60	0.65	6.75
Registered Sunshine (in hours).	57.8	47.2	12.1	29.5	37.8	27.8	13.3	19.5	6.6	34.6	18.4	15.5	16.9	337.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	2735	2762	2873	2982	3150	3424	3591	3789	3954	4153	4222	4200	4154	3538
Diphtheria -	701	668	671	686	684	703	733	775	781	797	799	804	786	738
Typhus -	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Enteric Fever -	108	114	121	116	122	140	143	161	167	161	157	160	157	141

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; V. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Council; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIFTH Week of the Year 1905.

the terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 45th week of the year 1904.	1905—Deaths of Persons of the Ages							Deaths in the 45th week of the year 1905.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.						0-1.	1-5.	5-20.			
ALL CAUSES - - -	1357	1489	298	156	71	197	315	452								
Small-pox* - - -	-	-	-	-	-	-	-	-								
Cowpox - - -	-	-	-	-	-	-	-	-								
Measles (Morbilli) - - -	15	47	7	39	1	-	-	-								
Scarlet Fever - - -	9	13	1	8	4	-	-	-								
Typhus - - -	-	-	-	-	-	-	-	-								
Plague - - -	-	-	-	-	-	-	-	-								
Influenza - - -	24	11	-	-	1	4	4	2								
Whooping-cough - - -	4	13	5	8	-	-	-	-								
Diphtheria - - -	13	9	-	7	2	-	-	-								
Cerebro Spinal Fever - - -	-	1	-	1	-	-	-	-								
Pyæmia,† (Origin un- certain) - - -	-	-	-	-	-	-	-	-								
Enteric Fever - - -	11	7	-	-	5	1	1	-								
Asiatic Cholera - - -	-	-	-	-	-	-	-	-								
Epidemic Diarrhœa } (Infective Enteritis)	11	10	7	3	-	-	-	-								
Diarrhœa, Dysentery - - -	16	17	11	1	-	1	3	1								
Tetanus - - -	2	-	-	-	-	-	-	-								
Rabies, <i>Hydrophobia</i> - - -	-	-	-	-	-	-	-	-								
Glanders - - -	-	-	-	-	-	-	-	-								
Anthrax (Splemic Fever) - - -	-	-	-	-	-	-	-	-								
Venereal Dis. - - -	11	10	8	-	-	-	2	-								
Puerperal Septicæmia - - -	2	2	-	-	-	2	-	-								
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-								
Puerperal Fever - - -	1	1	-	-	-	1	-	-								
Infective Endocarditis - - -	2	4	-	-	-	2	1	-								
Lobar - - -	13	16	1	2	2	5	4	-								
Broncho- - -	72	83	32	24	4	7	5	11								
Pneumonia } Epidemic - - -	-	-	-	-	-	-	-	-								
Not defined - - -	68	75	9	8	3	8	20	27								
Erysipelas - - -	6	8	1	-	-	1	4	2								
Septicæmia (not Puer- peral) - - -	4	1	-	-	-	1	-	-								
Pyæmia (not Puerperal) - - -	2	2	-	1	-	-	1	-								
Other Infective Processes - - -	14	1	-	-	-	-	-	-								
Tuberculous Phthisis - - -	75	91	1	2	8	44	27	9								
"Phthisis" - - -	65	54	-	1	5	25	18	5								
Tuberculous Meningitis - - -	12	12	4	7	1	-	-	-								
Tuberculous Peritonitis - - -	3	6	-	2	-	1	2	1								
Tubes Mesenterica - - -	5	3	1	1	-	-	1	-								
Tuberculous Dis. (other) - - -	14	15	4	3	2	2	3	1								
Scrofula - - -	-	-	-	-	-	-	-	-								
Alcoholism - - -	11	8	-	-	-	6	2	-								
Rheumatic Fever - - -	9	4	-	-	1	2	1	-								
Gout - - -	1	2	-	-	-	-	1	1								
Carcinoma - - -	49	66	-	-	-	4	37	25								
Sarcoma - - -	8	7	-	1	2	1	1	2								
Cancer (undefined) - - -	29	29	-	1	-	2	11	15								
Diabetes Mellitus - - -	10	6	-	-	1	2	2	1								
Premature Birth - - -	50	59	59	-	-	-	-	-								
Meningitis (not tuberc.) - - -	7	14	3	6	2	1	1	1								
Insanity, Gen. Par. of } Insane - - -	15	16	-	-	-	7	2	7								
Epilepsy - - -	4	8	-	-	-	-	-	-								
Convulsions - - -	23	11	11	-	-	-	-	-								
Locomotor Ataxy - - -	2	3	-	-	-	-	-	-								
Paraplegia, Dis. of Cord - - -	6	4	-	-	1	1	1	1								
Nervous Sys. (other dis.) - - -	17	15	-	1	-	2	5	7								
Valv. Dis., Endocarditis - - -	47	61	-	-	4	12	27	18								
Cerebr. Hæm. Thromb. - - -	25	38	-	-	-	1	16	21								
Apoplexy, Hemiplegia - - -	15	12	-	-	-	2	-	10								
Aneurysm - - -	4	5	-	-	-	-	1	1								
Embolism, Thrombosis } (not cerebral) - - -	1	3	-	-	1	-	2	-								
Heart & Blood Vessel Dis. - - -	77	77	-	-	4	2	24	47								
Croup (not Spasm; nor } Membr.) - - -	1	-	-	-	-	-	-	-								
Bronchitis - - -	146	179	37	8	2	7	18	107								
Asthma, Emphysema - - -	7	11	-	-	-	1	3	7								
Pleurisy - - -	4	5	-	1	1	1	1	1								
Respiratory Dis. (other) - - -	13	14	4	1	-	2	2	5								
Tonsillitis, Quinsy - - -	1	1	-	-	-	-	-	1								
Enteritis (not Epid.) - - -	6	13	8	2	-	1	2	-								
Gastro-Enteritis - - -	1	6	5	-	-	-	-	1								
Peritonitis (not Puerp.) - - -	5	2	-	-	-	-	-	2								
Cirrhosis of Liver - - -	6	14	-	-	-	5	8	1								
Liver Dis. (other) - - -	7	4	-	-	-	-	-	1								
Digestive Dis., Other - - -	35	34	2	-	7	5	8	12								
Nephritis, Acute - - -	15	2	-	-	-	-	1	1								
Bright's Dis., Albumin- uria - - -	29	33	-	-	-	4	8	21								
Urinary Sys., Other Dis. - - -	4	6	-	-	-	-	3	3								
Generative Organs Dis. - - -	2	3	-	-	-	-	2	1								
Childbirth (Accid. of) - - -	2	4	-	-	-	3	1	-								
Old Age - - -	49	48	-	-	-	-	1	47								
Other Diseases - - -	94	102	69	12	2	7	7	5								
ACCIDENT.																
By Railways - - -	-	-	-	-	-	-	-	-								
By Vehicles and Horses - - -	6	2	-	-	1	-	1	-								
In Ships, Boats, Docks, (exclusive of Drown- ing) - - -	-	2	-	-	-	1	1	-								
In Building Operations - - -	-	2	-	-	-	1	1	-								
In Conflagrations - - -	1	-	-	-	-	-	-	-								
By Burns, Scalds, Ex- plosions - - -	6	8	1	4	-	2	-	1								
By Drowning - - -	5	3	-	-	-	1	2	-								
By Suffocation in Bed - - -	8	6	6	-	-	-	-	-								
By Poisons or Poisonous Vapours - - -	2	-	-	-	-	-	-	-								
Other Deaths by Acci- dent - - -	12	12	1	1	1	2	2	5								
VIOLENCE OTHER THAN ACCIDENTAL.																
Homicide - - -	-	-	-	-	-	-	-	-								
Suicide - - -	6	12	-	-	-	5	5	1								
Execution - - -	-	1	-	-	-	-	1	-								

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th November, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total DEATHS.	Deaths of													
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Unquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2435	1489	298	452	-	47	13	9	13	-	7	-	27	48	109	591
WEST DISTRICTS - - -	805,311	377	231	41	85	-	12	2	3	1	-	1	-	2	9	14	112
NORTH DISTRICTS - - -	1,066,070	507	238	53	91	-	4	3	1	6	-	4	-	5	7	23	91
CENTRAL DISTRICTS - - -	209,465	97	66	10	16	-	-	-	1	-	-	-	-	1	4	3	40
EAST DISTRICTS - - -	715,739	482	270	73	73	-	3	-	1	5	-	-	-	7	10	26	124
SOUTH DISTRICTS - - -	1,749,844	1022	557	116	168	-	28	6	3	1	-	2	-	9	18	43	477
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	47	-	19	-	-	2	-	-	-	-	-	3	-	-	47
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	56	25	9	7	-	3	-	-	-	-	-	-	-	2	3	6
W.2H																	
St. John Paddington H - G.	33,617	10	13	1	1	-	-	-	-	-	-	-	-	-	1	2	11
North-West Paddington - C.	17,181	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w.2H G., W. & C.	128,037	59	62	8	27	-	1	-	-	-	-	-	-	-	2	2	37
Brompton 2H - - W. & C.	48,591	8	10	2	5	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith W.w.H } W. & G.	49,192	30	13	5	1	-	-	-	-	-	-	-	-	-	1	1	-
South Hammersmith w.2H	63,047	32	24	4	9	-	-	-	-	-	-	-	-	-	1	1	2
North-west Fulham W	45,180	37	25	5	6	-	5	-	-	-	-	-	-	-	1	1	15
North-east Fulham F } W. & C.	46,405	26	18	1	6	-	1	2	3	-	1	-	-	-	-	1	5
South Fulham W	45,704	28	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W.w.3H - - C.	42,514	12	18	-	7	-	-	-	-	-	-	-	-	-	-	-	15
Chelsea South W.2H - - C.	31,328	10	9	1	4	-	1	-	-	-	-	-	-	-	-	-	2
Mayfair and Knightsbridge C. & G.	28,743	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W.2H - - C.	55,815	20	14	2	5	-	-	-	-	-	-	-	-	-	-	-	7
St. Margaret & St. John 4H - C.	43,698	39	16	3	1	-	1	-	-	1	-	-	-	-	1	1	7
St. James Westminster } N. & G.	21,588	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
W.H																	
St. Anne Soho 5H - - N.	11,493	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	9	11	1	2	-	-	-	-	-	-	-	-	-	-	-	5
Rectory Marylebone W G. & W.	19,349	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone 4H G. & W.	18,099	39	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	19	7	1	2	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone 3H - W.	20,426	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W.F. & H - N. & W.	81,942	27	23	5	3	-	-	2	1	-	-	1	-	1	1	1	9
West St. Pancras 2H - - W.	60,562	30	15	5	4	-	1	-	-	-	-	-	-	1	-	3	2
Tottenham-court w.7H N. & W.	21,258	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Gray's Inn Lane 4H - - N.	34,449	18	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
East St. Pancras W.2H - - N.	60,320	28	29	6	15	-	-	-	-	2	-	-	-	-	1	6	13
North St. Pancras 2W - - N.	58,728	25	19	4	6	-	1	-	-	-	-	-	-	-	1	1	3
Tufnell W - - N.	31,995	15	22	4	10	-	1	-	-	1	-	-	-	-	1	1	15
Upper Holloway 2W.w.H - N.	33,978	25	20	3	5	-	-	-	-	-	-	-	-	-	-	-	16
Tollington WH - - N.	33,922	16	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - N.	41,424	21	15	5	1	-	-	-	-	-	1	-	-	-	1	1	-
Barnsbury - - N.	54,478	31	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Islington South-east F - - N.	75,397	43	18	6	4	-	-	-	-	-	1	-	-	1	-	2	-
Highbury 2H - - N.	63,797	19	11	-	7	-	-	-	-	-	-	1	-	-	-	-	1
Stoke Newington H - - N.	51,247	11	15	2	8	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	50,560	14	10	2	5	-	-	-	-	-	-	1	-	-	-	2	-
Central Hackney 2w.F - E. & N.	50,536	33	9	-	2	-	-	1	-	-	-	1	-	-	-	-	4
South-west Hackney 3H E. & N.	59,921	30	10	2	2	-	-	-	-	-	1	-	-	-	1	2	2
South-east Hackney 2W.w.H E. & N.	58,255	37	24	5	10	-	-	-	-	-	-	-	-	1	-	1	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th November, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from										Inquest Cases.				
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
Giles and Bloomsbury W,2H N.	31,436	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Grand W,4H - - - N. & C.	21,674	1	10	1	2	-	-	-	-	-	-	-	-	-	-	2	2	10		
Grand Union Workhouse, Edmonton-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	1	-	3		
Isle of Dogs W,6H - - - N.	29,612	21	18	5	2	-	-	-	-	-	-	-	-	-	1	1	-	11		
North Clerkenwell - - - N.	28,676	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Clerkenwell H - - - N.	35,028	20	6	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-		
Northbury 3H,L - - - N.	36,116	29	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Northbury Union Workhouse, } Mitcham - - - - - }	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3		
St. Botolph H - - - N. & E.	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre and Allhallows } W,2H - - - - - } N.	16,624	1	13	1	-	-	-	-	-	1	-	-	-	-	-	-	-	13		
St. Mary of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																				
Beddington South H - - E. & N.	46,362	30	7	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Beddington North-West W,w,H N.	36,127	27	21	3	10	-	-	-	-	-	-	-	-	-	-	1	-	13		
Beddington North-East - - N. & E.	36,148	26	7	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-		
Beddington Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North 2H - - E.	51,514	38	30	10	7	-	-	-	-	-	-	-	-	-	-	1	3	7		
Bethnal Green South - - - E.	33,472	21	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
Bethnal Green East 2W,H,L - E.	44,694	29	26	4	11	-	-	-	-	-	1	-	-	-	-	-	-	20		
Brickfields - - - E. & N.	27,969	14	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Brick End New Town W,H - - E.	28,718	33	43	12	5	-	-	-	-	1	-	-	-	-	-	2	6	37		
Brickman's Fields - - - E.	22,081	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Brick Lane and St. John 2W E.	49,068	44	20	6	5	-	-	-	-	-	-	-	-	-	-	1	1	4		
Brick Lane and Ratcliff W,H,E. & N.	25,568	13	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-	8		
Brick Lane Union W - - - E.	32,369	11	7	4	-	-	-	-	-	-	1	-	-	-	-	2	-	-		
Brick Lane Old Town South- } Western H - - - } E.	63,698	53	15	7	5	-	1	-	-	-	-	-	-	-	-	-	1	2		
Brick Lane Old Town North- } Eastern W,w - - - } E.	49,129	31	13	1	6	-	-	-	-	-	-	-	-	-	-	-	1	7		
Brick Lane L - - - - E.	41,989	20	11	5	3	-	-	-	-	-	-	-	-	-	-	-	1	2		
Brick Lane 3w,H - - - E.	68,319	44	32	3	12	-	-	2	-	-	2	-	-	-	-	4	-	23		
Brick Lane W,w - - - E.	58,514	39	11	2	3	-	-	-	-	-	1	-	-	-	-	3	5	3		

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS (from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 11th November, 1905—*continued*).

The DEATHS registered during the Week include.																			
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pneumonia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W, H, L. & S.	11,203	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Saviour Southwark H - S.	12,056	7	15	1	1	-	-	-	-	-	-	-	1	-	-	-	3	3	13
Kent-road - - S. & L.	21,904	16	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,094	21	9	1	4	-	1	-	-	-	-	-	-	-	-	-	1	1	2
West W, H, L - - }																			
Newington North - S. & L.	49,022	31	9	2	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Newington South W - S. & L.	72,941	47	11	3	1	-	6	-	-	-	-	-	-	-	-	-	-	1	-
St. Olave 2W - - - S.	9,817	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - S.	82,483	64	15	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Rotherhithe W, F - - S. & K.	38,460	20	15	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6
Waterloo-road 2H - - L. & S.	27,440	26	15	3	4	-	1	-	-	-	-	-	-	-	-	-	1	5	1
Lambeth Church 1st H - L. & S.	18,423	12	20	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	4
Lambeth Church 2nd 2W - L. & S.	39,818	26	26	3	8	-	2	-	-	-	-	-	-	-	-	-	-	-	14
Kennington 1st H - - S. & L.	53,198	29	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Kennington 2nd H - - S. & L.	42,896	17	19	5	7	-	2	-	-	-	-	-	-	-	-	-	1	2	2
Brixton F - - - L. & S.	84,232	41	13	2	5	-	1	1	1	-	-	-	-	-	-	-	-	1	3
Norwood W, H - - - L.	35,888	12	11	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H - - - S.	72,203	53	18	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
North-west Battersea - - S.	49,656	31	15	6	3	-	1	-	-	-	-	-	-	-	-	-	1	2	-
South-west Battersea 2W, H - S.	47,048	26	31	3	12	-	3	-	-	-	-	-	-	-	-	-	1	1	20
Clapham 2H - - - S.	51,361	23	13	2	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham W, 2W, 2F, 2L - L.	88,019	54	32	3	12	-	2	1	2	-	-	-	-	-	-	-	1	1	12
Springfield 2W, L - - - S.	27,959	31	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.	40,444	28	10	3	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Putney - - - - S.	24,139	15	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, 2W - S. & L.	40,206	19	27	5	12	-	-	-	-	-	-	-	-	-	-	-	-	-	18
Camberwell North W, 2L - S. & L.	65,584	24	44	7	15	-	2	-	-	-	-	-	-	-	-	1	-	2	26
St. George - - - L. & S.	47,331	26	11	3	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Peckham 2W, 2W - S., L. & K.	92,859	56	22	8	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Deptford North - - - K.	37,613	21	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - K.	45,481	39	8	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Deptford South - - - K.	34,625	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East 2W, H - K.	43,859	24	34	5	8	-	-	-	-	-	-	-	-	-	-	-	1	3	22
Eltham W, H - - - K.	7,226	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee W, H - - - K.	25,490	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W, W, F - - K.	58,352	36	19	1	11	-	3	-	3	-	-	-	-	-	-	-	-	1	10
Sydenham F - - - L.	43,663	27	12	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.	21,134	11	7	3	1	-	-	-	1	-	-	-	1	-	-	-	1	1	2
Woolwich 5H - - - K.	41,625	26	10	5	1	-	-	-	-	-	1	-	-	-	-	-	2	5	-
Plumstead West W - - K.	18,063	9	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead East 2W, H - K.	50,264	30	14	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	8
Workhouse:-																			
Central London Sick Asylum	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3
(Westminster, St. Giles, and Strand Unions.)																			
M. A. B. Small-pox Hospitals:-																			
Joyce Green - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:-																			
North-Eastern - - - -	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Northern - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:-																			
Caterham - - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Darenth - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Gore Farm (temporary) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:-																			
Banstead - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Ewell (Epileptic Colony) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Manor - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Hanwell - - - -	-	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	8
Colney Hatch - - - -	-	-	9	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	9
Claybury - - - -	-	-	9	-	6	-	-	-	-	-	-	-	-	-	-	-	2	-	9

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th November, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ONDON—OUTER RING	368,602	2,044,973	1317	501	116	169	-	12	6	9	3	3	8	13	32	91	4
Carshalton 2F,2H	12,228	32,997	22	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Epsom, part of* W,2F,H	10,423	15,548	6	3	-	3	-	-	-	-	-	-	-	-	-	1	-
Godstone, part of* W,F	2,754	2,692	3	3	2	1	-	-	-	-	-	-	-	-	-	1	-
Coulsdon	11,069	8,166	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon W	4,200	49,309	16	10	3	6	-	-	-	-	-	-	1	1	3	9	-
West Croydon 3W,F,H	2,168	42,888	38	24	6	3	-	3	-	-	-	1	-	-	-	-	-
North Croydon H	2,644	41,698	22	8	1	1	-	-	-	-	-	-	-	-	-	-	-
Penge W,H	770	22,465	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham W	11,711	30,015	22	7	3	3	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F,3H	3,221	41,652	15	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Kingston 2W,H	6,224	42,068	22	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Surbiton F,H	3,046	15,017	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Esher, part of* H	5,402	13,100	10	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,564	23,456	5	4	1	2	-	-	-	-	-	-	1	-	-	-	1
Richmond W,H	2,162	28,865	8	6	-	3	-	-	-	-	-	-	-	-	-	1	-
Mortlake F	2,847	20,628	15	7	1	2	-	-	-	-	-	-	-	1	1	-	-
Bromley F,2H	4,703	27,354	10	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Beckenham H	7,825	28,497	13	9	2	3	-	-	-	1	-	-	-	-	-	-	-
Orpington part of* W	10,113	8,857	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Chislehurst 2H	7,333	16,446	9	6	-	2	-	-	-	-	-	-	1	1	1	-	-
Bexley W,F,H	8,678	21,151	19	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	25,296	19	8	1	2	-	2	-	-	-	-	-	1	1	-	-
Dartford W,F, part of*	-	-	-	4	1	2	-	-	-	-	-	-	-	-	-	4	-
Sunbury W	11,054	18,683	17	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	14	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Hillingdon W,F,H	6,035	13,661	14	4	-	1	-	-	-	-	-	-	-	-	-	2	-
Uxbridge H	12,757	8,984	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes W,F,H	8,066	16,358	15	3	-	1	-	-	-	1	-	-	-	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	23	10	2	7	-	-	-	-	-	-	-	-	-	3	-
Twickenham F,H	2,421	20,991	16	6	1	1	-	-	-	-	-	-	-	-	1	-	-
Brentford 3F,2H,L	4,319	48,289	29	15	4	5	-	-	-	-	-	-	-	-	1	-	-
Chiswick H	1,249	29,809	16	6	1	2	-	-	-	-	-	-	-	-	-	-	-
Acton W,3H	6,132	48,914	49	13	3	7	-	-	-	-	-	-	-	-	2	-	1
Harrow F,H	13,809	25,523	24	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Edgware F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	84	26	6	8	-	1	-	1	-	-	2	-	1	5	-
Hendon W,F	8,362	22,450	16	6	1	3	-	-	-	-	-	-	-	-	1	2	-
South Mimms 2F,H	17,755	7,308	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	10	4	-	2	-	-	-	-	-	-	-	-	-	3	-
Finchley F,2H	4,688	33,692	21	9	1	4	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	36	9	-	6	-	-	-	-	-	-	-	-	-	-	-
Wood Green H	1,625	34,233	30	4	1	2	-	-	-	-	-	-	-	-	-	1	-
West Tottenham F	996	48,853	29	8	2	2	-	-	-	-	-	-	-	-	-	-	-
East Tottenham 2H	2,017	53,888	38	19	6	5	-	-	-	-	-	-	-	1	1	2	7
Edmonton W,2F	7,491	61,892	58	17	3	6	-	2	-	-	-	1	-	-	-	2	4
Enfield 2W,F,H	12,801	42,738	32	7	2	1	-	-	1	-	1	-	-	-	-	-	2
Waltham Abbey F	11,017	6,549	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	26	10	2	1	-	-	1	1	-	-	-	1	1	1	-
Plaistow F,2H	1,249	90,921	70	33	14	7	-	2	-	-	-	1	-	-	-	2	1
Canning Town H	1,555	70,718	54	30	10	2	-	1	1	-	-	1	-	-	2	5	-
Forest Gate W	806	60,892	23	11	4	6	-	-	-	-	-	-	-	-	-	-	-
North East Ham W,H	1,333	58,676	39	7	3	1	-	-	1	-	-	-	-	-	-	-	-
South East Ham 2F	1,993	37,342	38	14	6	1	-	-	1	-	-	-	-	1	2	-	-
Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	30	11	2	4	-	-	-	-	-	-	-	-	-	6	-
North Leyton 2W,W,F	1,963	48,445	23	38	5	10	-	-	-	1	-	-	-	1	2	27	1
Walthamstow 3H,L	6,504	108,929	67	23	6	10	-	-	-	1	-	-	-	2	3	1	1
Chigwell, part of* 2F,3H	11,778	18,397	9	4	-	1	-	-	1	1	-	-	-	-	-	2	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	6,091	3	5	2	1	-	-	-	-	-	-	-	-	-	-	2
Ilford F,L	8,496	41,234	26	8	1	4	-	-	-	-	-	-	1	-	-	2	-
Barking Town F	3,803	21,547	15	6	-	1	-	-	-	-	1	-	-	-	1	-	-
Eastern Hosp., Hackney	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 3, excepting Ashstead parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Epsom Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Other†
LONDON - -	4,684,794	November 11	2485	1489	16·6	-	47	13	9	13	7	
CALCUTTA - -	847,798	September 30	-	467	28·6	-	-	-	-	-	144†	
BOMBAY - -	776,006	October 24	396	494	33·1	-	2	-	-	-	80†	
MADRAS - -	509,346	" 13	503	758	77·3	6	10	?	?	?	170	
PARIS - - -	2,660,559	November 4	1034	921	17·9	1	2	1	3	3	1	
BRUSSELS - -	586,936	" 4	194	158	13·7	-	1	1	-	1	1	
ANTWERP - -	286,695	" 4	137	69	12·3	-	-	-	2	-	-	
AMSTERDAM -	554,240	October 28	298	145	13·6	-	6	2	-	3	3	
COPENHAGEN -	426,000	November 4	214	130	15·8	-	-	1	1	-	1	
STOCKHOLM -	309,496	October 28	138	94	15·4	-	-	1	2	1	-	
CHRISTIANIA -	223,649	November 4	127	59	13·8	-	-	-	1	2	1	
ST. PETERSBURG	1,248,122	October 21	531	555	20·8	-	10	17	11	8	23	
MOSCOW - -	1,092,360	" 14	-	495	23·6	2	-	9	12	7	13	
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	
BERLIN - -	2,025,794	October 14	795	538	13·8	-	3	18	6	10	5	
HAMBURG - -	772,852	November 4	-	212	14·3	-	1	-	-	2	-	
BRESLAU - -	462,147	" 4	-	188	21·2	-	-	-	1	3	-	
MUNICH - -	523,000	" 4	-	198	19·5	-	2	-	2	-	1	
VIENNA - -	1,897,630	" 4	882	608	16·5	-	3	7	10	3	2	
PRAGUE - -	430,569	" 4	140	118	13·5	-	-	1	1	-	1	
BUDA-PESTH -	836,267	" 4	392	244	15·2	-	7	1	5	-	3	
TRIESTE - -	191,403	" 4	129	107	28·5	-	7	-	1	-	2	
ROME - -	514,930	August 19	237	166	16·8	-	-	-	1	1	12§	
VENICE - -	169,417	October 21	47	70	21·5	-	1	-	1	-	1	
BUCHAREST -	282,071	" 28	122	100	18·5	-	-	-	-	1	4	
NEW YORK - -	3,948,191	" 28	1892	1138	15·0	-	2	4	17	4	19	
CHICAGO - -	1,932,315	" 21	-	-	-	-	-	-	-	-	-	
PHILADELPHIA -	1,438,318	" 21	-	398	14·4	-	1	1	8	-	7	
BOSTON - -	617,950	" 14	-	199	17·4	-	-	-	2	-	4	
RIO DE JANEIRO	850,000	September 24	-	313	18·0	2	13	-	1	1	5†	
		October 1	-	284	16·4	4	10	-	1	-	8†	

* Excluding deaths from croup in the Indian Cities.

† Including 14 deaths from plague in Calcutta, 19 in Bombay, and 4 and 8 in Rio de Janeiro.

‡ Including 45 deaths from cholera in Calcutta, 1 in Bombay, and 100 in Madras.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th November, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	53·0	28·2	43·1	0·65	BRADFORD - -	52·2	33·0	43·8	1·40
BRIGHTON - -	54·4	32·7	45·5	1·38	LEEDS - - -	52·0	33·0	45·5	0·78
PORTSMOUTH - -	55·5	34·0	45·5	1·16	HULL - - -	50·0	37·0	41·0	0·78
NORWICH - -	50·0	30·4	42·3	0·55	TYNEMOUTH - -	51·0	35·0	43·4	1·27
PLYMOUTH - -	54·9	32·0	45·3	1·75	CARDIFF - -	53·4	23·5	42·3	1·05
BRISTOL - -	53·7	30·3	42·8	0·97	EDINBURGH - -	48·5	33·9	42·2	0·63
BIRMINGHAM - -	49·8	33·4	43·0	1·05	GLASGOW - -	51·2	31·5	43·8	0·86
NOTTINGHAM - -	51·0	34·0	42·5	0·61	DUBLIN } Phoenix Park. Fitz- william Square.†	51·8	22·9	43·0	0·25
LIVERPOOL	52·0	36·0	43·6	1·05		51·0	30·4	41·7	0·20
MANCHESTER	51·8	33·8	43·4	1·21					
PRESTON - -	50·0	37·0	43·7	1·26	BELFAST - -	52·5	30·5	41·0	1·19
HUDDERSFIELD -	52·2	34·5	43·3	1·04					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·6° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.																									
MONTH AND DAY																									
BAROMETER.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.		TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in the gauges whose surfaces receive the fall of the ground.											
Phases of the Moon.	Mean daily reading reduced to 32° Fahr. (32° Cent. = 89° Fahr.).	Of the Air.			Of the Day point	Of Radiation.			Degree of Humidity (Saturation in 100°).	General Direction.		Pressure on the Square Foot.		Robinson's.	Horizontal Movement of the Air on each Day.	Departure from the Average of 16 years.	Ozone								
		High- est.	Low- est.	Daily Range.		Mean from Average of 50 years.	De- parture from Average of 50 years.	A.M.		P.M.	Great- est.	Least.	Mean of 94 hourly observations.					Miles.	lbs.						
NOVEMBER.																									
SUNDAY	5	29.157	52.1	40.5	11.6	45.2	- 0.7	43.3	0	1.9	3.8	0	1.3	83	0	34.5	49.08	ENE. & SW. & SSW.	17	0.0	0.0	172	1.06	in.	0.715
MONDAY	6	29.317	52.3	37.1	15.2	44.2	- 1.3	39.4	0	4.8	10.0	0.5	83	0	28.6	49.10	SSW. & SSW. & SSW.	17	0.0	0.1	250	- 28	0.00	0.00	
TUESDAY	7	29.572	51.0	30.4	20.6	39.8	- 5.3	37.0	0	2.8	9.7	0.0	80	0	32.0	48.80	SSW. & SSW. & SSW.	0.0	0.0	0.0	122	- 157	0.00	0.00	
WEDNESDAY	8	29.808	46.2	28.2	18.0	38.8	- 5.8	37.2	0	1.6	4.4	0.0	94	0	36.8	48.47	SSW. & SSW. & SSW.	0.0	0.0	0.0	139	- 140	0.02*	0.00	
THURSDAY	9	29.931	45.0	35.6	9.4	40.6	- 3.4	39.0	0	1.6	3.7	0.0	94	0	50.2	48.10	Variable, S. & S.E. & S.S.E. & N.W.	0.0	0.0	0.0	102	- 178	0.00	0.00	
FRIDAY	10	29.837	51.7	35.3	16.4	44.5	+ 0.9	40.8	0	3.7	8.9	0.0	87	0	31.4	48.00	SSW. & SSW. & SSW.	17	0.0	0.1	191	- 80	0.02	0.02	
SATURDAY	11	29.169	53.0	45.6	7.4	48.5	+ 5.3	47.2	0	1.3	3.8	0.0	85	0	54.0	47.80	SSW. & SSW. & SSW.	67	0.0	0.5	329	+ 47	0.46	0.46	
MEANS	-	29.542	50.2	36.1	14.1	43.1	- 1.5	40.6		2.5	6.3		91		68.7	48.48	SW.	Sum 1306	Sum - 662	Sum 0.65	Sum 0.65	
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement is that which the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

* Derived from fog.

The reading of the barometer decreased from 29.734 in. at the beginning of the week to 29.433 in. by 2h. P.M. on the 6th; increased to 29.95 in. by 11h. P.M. on the 8th; decreased to 29.90 in. by 10h. P.M. on the 11th; and increased to 29.91 in. by midnight on the same day.

GENERAL REMARKS.

SUNDAY	-	5	w. P. generally; occasional w. N.	0.2	9.4	Generally overcast with occasional rain till 5h. P.M.; very fine afterwards. Lunar halo observed at 8h. P.M.
MONDAY	-	6	w. P. throughout.	7.4	9.3	Very fine with small amounts of cloud till evening; cloudless at night.
TUESDAY	-	7	w. P. generally; m. P. in forenoon.	4.5	9.3	Very fine till 2h. A.M.; thick fog prevalent till 5h. A.M.; very fine afterwards with slight fogs in forenoon and at night; hoar frost after 5h. P.M.
WEDNESDAY	-	8	w. P. generally.	1.6	9.2	Cloudless with hoar frost and slight fog in morning; fine and partially cloudy in forenoon; generally overcast with slight fog afterwards.
THURSDAY	-	9	w. P. till afternoon; m. P. generally afterwards.	0.0	9.2	Generally overcast; variable slight fog.
FRIDAY	-	10	w. P. generally.	3.2	9.1	Overcast and foggy in morning; very fine in forenoon; overcast with occasional slight rain after 1h. P.M. Solar halo observed at 0h. 50m. P.M.
SATURDAY	-	11	w. P. throughout.	0.0	9.1	Overcast; frequent rain; brisk wind between 6h. and 11h. A.M.; mild.
No. of Col.-	-	-		Sum 16.9	Sum 64.6	
				28	29	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 4th November, 1905.*

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	4	4	-	4	-	-	4	-
Kensington - - - -	180,083	-	2	2	-	2	-	-	3	-
Hammersmith - - - -	119,037	-	7	1	-	-	-	-	6	-
Fulham - - - -	157,210	-	19	9	-	1	-	-	5	-
Chelsea - - - -	74,496	-	6	1	-	-	-	-	-	-
City of Westminster - - - -	175,606	-	11	2	-	-	-	-	2	-
NORTH.										
St. Marylebone - - - -	129,453	-	2	2	-	1	-	-	3	-
Hampstead - - - -	88,142	-	4	1	-	-	-	-	1	-
St. Pancras - - - -	236,183	-	33	4	-	-	-	-	4	1
Islington - - - -	342,994	-	29	3	-	2	-	-	14	-
Stoke Newington - - - -	52,828	-	4	1	-	-	-	-	1	-
Hackney - - - -	228,470	-	33	5	-	2	-	-	6	-
CENTRAL.										
Holborn - - - -	56,481	-	6	2	-	1	-	-	1	-
Finsbury - - - -	98,207	-	11	7	-	1	-	-	2	-
City of London - - - -	22,425	-	3	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,585	-	21	3	-	-	-	-	4	-
Bethnal Green - - - -	130,401	-	15	8	-	-	-	-	2	-
Stepney - - - -	305,466	-	48	8	-	-	-	-	16	-
Poplar - - - -	170,280	-	37	11	-	6	-	-	6	-
SOUTH.										
Southwark - - - -	208,528	-	31	6	-	1	-	-	11	1
Bermondsey - - - -	129,008	-	22	2	-	2	-	-	11	-
Lambeth - - - -	313,045	-	20	16	-	3	-	-	10	-
Battersea - - - -	177,532	-	33	5	-	-	-	-	5	-
Wandsworth - - - -	265,392	-	30	9	-	2	-	-	-	-
Camberwell - - - -	271,240	-	38	1	-	1	-	-	14	-
Deptford - - - -	114,495	-	26	8	-	2	-	-	4	-
Greenwich - - - -	103,493	-	15	3	-	2	-	-	2	-
Lewisham - - - -	144,420	-	12	7	-	1	-	-	12	-
Woolwich - - - -	125,372	-	19	6	-	-	-	-	4	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,684,794		-	541	135	-	34	-	-	152	2
Ages										
0-1 - - - -	-	-	11	5	-	-	-	-	7	-
" 1-5 - - - -	-	-	162	51	-	2	-	-	4	-
" 5- - - - -	-	-	236	38	-	7	-	-	8	-
" 10- - - - -	-	-	86	14	-	6	-	-	5	-
" 15- - - - -	-	-	23	4	-	2	-	-	12	-
" 20- - - - -	-	-	9	8	-	3	-	-	7	1
" 25- - - - -	-	-	13	7	-	5	-	-	18	1
" 35- - - - -	-	-	1	7	-	4	-	-	28	-
" 45- - - - -	-	-	-	1	-	3	-	-	18	-
" 55- - - - -	-	-	-	-	-	2	-	-	23	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	12	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING OCTOBER, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th November, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of October.

Eighteen samples were taken in the Kent district, and thirteen in each of the seven remaining districts, making a total of 109 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ October 16th, Cab Rank, Horse Guards, Whitehall. }	11·9	26·96	·129	·014	0	·186	·200	1·8	19·0
West Middlesex - -	{ October 16th, Cab Rank, Maida Vale, by St. John's Wood Road. }	10·9	25·94	·133	·013	0	·164	·177	1·8	18·3
Southwark - - - -	{ October 16th, Cab Rank, Bricklayers' Arms, Old Kent Road. }	11·9	28·24	·132	·015	0	·223	·238	1·8	19·9
Grand Junction - -	{ October 16th, Cab Rank, Kensington Park Road. }	11·0	25·28	·133	·017	0	·144	·161	1·8	17·3
Lambeth - - - -	{ October 16th, Cab Rank, St. George's Road, Southwark. }	11·2	26·82	·127	·017	0	·181	·198	1·85	18·9
LEA, WELLS, ETC.										
New River - - - -	{ October 16th, Cab Rank, Tottenham Court Road. }	10·3	33·92	·044	·006	0	·211	·217	1·95	22·4
East London - - -	{ October 16th, Poplar Police Station. }	11·0	35·26	·131	·015	0	·066	·081	2·55	21·2
DEEP WELLS.										
Kent- - - - -	{ October 16th, Cab Rank, Woolwich Arsenal Station. }	12·6	53·50	·058	·008	0	·683	·691	6·1	32·2
Do. - - - - -	{ October 20th, Plumstead Pumping Station. }	11·6	70·92	·069	·010	0	·757	·767	10·2	35·6
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 16th October at the Horse Guards cab rank had a temperature of 11·9° C.; 100,000 lbs. of it contained 26·96 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·129 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·186 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·200 lb. The above weight of water also contained 1·8 lb. of chlorine and 19·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

All the samples collected on the 16th and a sample taken from the Plumstead well in the Kent district on the 20th October were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an

equal volume of water supplied from the several District Works was:—New River 0·8, Kent (16th October) 1·1, Kent district, Plumstead well (20th October) 1·3, Chelsea and Lambeth 2·4, and West Middlesex, Southwark, Grand Junction, and East London 2·5.

All the filtered supplies distributed on the 16th October from the five district works dealing with water abstracted from the Thames contained approximately the same amount of organic matter, and the average proportion was slightly less than that found in the corresponding analyses in September. All these supplies were clear and of good quality.

Of the supplies chiefly obtained from the River Lea and wells, that from the New River district works contained only a very small amount of organic impurity, and was clear and of good quality; and the supply distributed from the East London works contained about the same amount of organic matter as the filtered Thames waters, and was of good quality.

The water collected in the Kent district from the standpipe near Woolwich Arsenal Station on the 16th October gave unusual results, which pointed to some change in the quality of the water obtained from the local well, and the analysis of a sample of water, drawn on the 20th, from the rising main at the Plumstead pumping station confirmed this surmise. The analytical data exhibited distinct increments in the proportions of organic matter, nitrates, hardening ingredients, and chlorides, and altogether the water had seriously deteriorated in quality. Immediately the abnormal results were noted I communicated with the Water Examiner, Mr. C. Perrin, and I also wrote to the Local Government Board on the subject, expressing the opinion that the use of the water should be discontinued, and I have since been informed that the supply from the Plumstead well has been shut off from distribution, and that the matter is under the observation of the Water Board's officers. Samples taken near Woolwich Arsenal Station on the 24th, 26th, and 31st October were also examined and the data obtained afforded proof that the Plumstead supply had been withdrawn from the district, and that the water being distributed was of good quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that from the New River area nearly colourless; the samples collected in the six remaining districts had a very pale yellow colour.

In addition to the above analytical examination, the 109 samples of water, collected during October at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·071	·058	·063	·080	·061	·069	·007	·006	·0065
West Middlesex	·062	·057	·060	·069	·063	·066	·007	·006	·0065
Southwark	·067	·058	·064	·074	·063	·070	·007	·006	·0065
Grand Junction	·078	·064	·069	·091	·068	·077	·010	·0075	·0085
Lambeth	·070	·062	·066	·078	·065	·072	·0075	·0065	·007
LEA, WELLS, ETC.									
New River	·023	·016	·020	·028	·020	·023	·003	·002	·0025
LEA, WELLS, THAMES, ETC.									
East London	·063	·044	·053	·066	·050	·058	·006	·005	·0055
DEEP WELLS.									
Kent	·012	·006	·008	·013	·007	·009	·002	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The proportion of organic matter in all the samples drawn in the five districts supplied with filtered Thames water was small throughout the month, and the supplies well maintained the good quality noted in the previous month.

All the samples taken in the New River district contained only small amounts of organic impurity, and were of good quality.

The East London district supply contained, on the average, slightly less organic matter than the Thames-derived waters, and was of good quality throughout the month.

The water supplied in the Kent district was of its usual purity and good quality, except in the neighbourhood of the Plumstead well on certain occasions to which I have already referred.

All the samples drawn in the Chelsea, Grand Junction, and New River districts were clear, but on some occasions those taken in the remaining districts contained minute amounts of rust-stained suspended matter.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of October, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 206 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	OCTOBER, 1904.	OCTOBER, 1905.	OCTOBER, 1904.	OCTOBER, 1905.
TOTAL SUPPLY - - -	995,890	1,037,382	219,593,515	213,465,989
From Thames - - - -	473,083	483,204	115,558,724	114,509,345
From Lea and from other Sources -	522,807	554,178	104,034,791	98,956,644
THAMES.				
Chelsea - - - -	39,884	39,960	12,526,452	11,838,710
West Middlesex - - - -	91,404	92,372	23,613,000	23,682,774
Southwark and Vauxhall - - - -	129,925	131,493	31,739,000	31,292,000
Grand Junction - - - -	77,691	80,795	16,390,385	16,416,135
Lambeth - - - -	134,179	138,584	31,289,887	31,279,726
LEA AND OTHER SOURCES.				
New River - - - -	181,433	206,492	43,352,802	40,006,364
East London - - - -	230,656	234,503	42,323,000	40,487,581
Kent - - - -	110,718	113,183	18,358,989	18,462,699

Note.—The Return for October, 1905, as compared with that for the corresponding month of 1904, shows an increase of 41,492 services, and a decrease of 6,127,526 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 46. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, NOV. 18. [Price 1½d.

General Register Office, Somerset House,
November 20th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 14·8, 15·6, and 15·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 19·1 in Stockport, 19·7 in Liverpool, 20·3 in Gateshead, 23·1 in Oldham, 23·3 in Tynemouth, 25·0 in Wallasey, and 30·7 in Bootle; from *measles*, 1·5 in Willesden, 2·0 in Blackburn, and 2·7 in Preston; from *scarlet fever*, 2·1 in Merthyr Tydfil; from *diphtheria*, 2·0 in Reading; from *whooping-cough*, 2·2 in Kings Norton and 2·5 in Bootle; from "*fever*," 2·4 in Wigan; and from *diarrhoea*, 1·9 in York. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2298 BIRTHS and 1552 DEATHS were registered. Allowing for increase of population, the births were 366 and the deaths 63 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 15·9, 16·6, and 16·6 in the preceding three weeks, rose last week to 17·3. During the four weeks ended on Saturday last the death-rate averaged 16·6 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1552 deaths included 54 from measles, 8 from scarlet fever, 19 from diphtheria, 20 from whooping-cough, 8 from enteric fever, and 13 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 122 deaths were referred to these diseases in the aggregate, being 31 below the corrected average weekly number.

The deaths from *measles*, which had been 31, 34, and 47 in the preceding three weeks, further rose to 54 last week, and were 13 above the corrected average; 13 deaths belonged to the Borough of Southwark, 9 to Lambeth, 7 to Stepney, and 7 to Lewisham. The deaths from *scarlet fever*, which had been 13, 17, and 13 in the preceding three weeks, fell to 8 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 12, 13, and 9 in the preceding three weeks, rose to 19 last week, but were 22 below the corrected average; 5 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 7, 19, and 13 in the preceding three weeks, rose to 20 last week, the corrected average being 18; 6 deaths belonged to Stepney, 3 to Fulham, and 3 to St. Pancras. The fatal cases of *enteric fever*, which had been 4, 5, and 7 in the preceding three weeks, were 8 last week, and were 14 below the corrected average. The deaths from *diarrhoea*, which had been 34, 21, and 27 in the preceding three weeks, fell to 13 last week, and were 6 below the corrected average. Of the 13 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 13, 11, and 11 in the preceding three weeks.

Different forms of *violence* caused 68 deaths, concerning all of which inquests were held. Of these 68 deaths, 14 were cases of suicide, while the remaining 54 cases were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 10 to burns or scalds, 6 to drowning, 3 to conflagrations, and 11 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4120 cases of scarlet fever, 790 of diphtheria, and 154 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 425 cases, against 506, 522, and 494; of diphtheria, 111 cases, against 115, 95, and 111; and of enteric fever, 22 cases, against 20, 17, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended November 11th.

GREATER LONDON.

In Greater London 3526 births and 2050 deaths were registered. Allowing for increase of population, these numbers are 401 and 160 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 3 from diphtheria, 5 from whooping-cough, and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.49 inches, and that of the Thermometer 39.1, the latter being 3.4 below the week's average in the 50 years 1841-90. The general direction of the wind was Northerly, the horizontal movement of the air being 1 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 9.3 hours; the measured rainfall amounted to 0.64 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated middle of the Year 1905.*		CAUSES.				Week ended		BIRTHS, DEATHS.		DEATHS FROM										TOWNS			
	1.	Cols.	2.	3.	4.	5.	6.	7.	8.	Infants under 1 Year of Age.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Cause of Death.	
										82th Nov., 1905.	4th Nov., 1905.													11th Nov., 1905.
76 TOWNS	15,609,377		14'8	15'6	15'6	15'5	1'1	7804	4641	1003	1356	-	107	45	61	49	33	42	185	405	1125	51	76 TOWNS.	
LONDON -	-	4,684,794	15'9	16'6	16'6	17'3	1'4	2298	1552	302	453	-	-	54	8	19	20	8	13	68	170	606	3	LONDON.
CROYDON -	-	147,704	14'1	13'1	14'1	14'1	2'1	66	40	8	17	-	2	1	2	-	-	1	1	3	8	-	-	CROYDON.
WILLESDEN -	-	136,080	14'0	9'1	9'8	11'0	1'5	74	29	7	10	-	4	-	-	-	-	-	2	4	4	-	-	WILLESDEN.
HORNSEY -	-	84,070	3'7	6'2	6'2	8'1	0'6	22	13	2	5	-	1	-	-	-	-	-	-	-	1	-	-	HORNSEY.
TOTTENHAM -	-	116,232	8'5	13'5	10'8	9'4	2'2	72	21	7	7	-	-	-	2	-	1	2	-	6	4	-	-	TOTTENHAM.
WEST HAM -	-	294,897	17'1	17'1	18'6	15'6	1'2	171	88	26	24	-	4	-	-	1	-	2	2	6	18	-	-	WEST HAM.
EAST HAM -	-	123,381	11'8	14'4	10'6	11'0	0'8	58	26	7	8	-	2	-	-	-	-	-	-	1	1	-	-	EAST HAM.
LEYTON -	-	114,555	9'1	8'2	10'0	9'6	-	61	21	6	10	-	-	-	-	-	-	-	1	2	2	-	-	LEYTON.
WALTHAMSTOW -	-	116,297	7'6	12'6	13'0	16'6	1'8	68	37	10	5	-	-	-	2	1	1	-	1	3	11	-	-	WALTHAMSTOW.
HASTINGS -	-	66,820	8'6	11'7	13'3	4'7	-	19	6	-	1	-	-	-	-	-	-	-	1	1	2	-	-	HASTINGS.
BRIGHTON -	-	127,183	13'9	16'0	10'7	8'6	0'4	72	21	2	7	-	-	-	-	-	-	1	1	1	6	-	-	BRIGHTON.
PORTSMOUTH -	-	201,975	12'7	15'5	16'8	14'2	1'0	105	55	9	20	-	-	1	3	-	-	-	1	1	8	1	-	PORTSMOUTH.
BOURNEMOUTH -	-	66,168	14'2	20'5	17'3	10'2	-	18	13	1	8	-	-	-	-	-	-	-	-	2	1	-	-	BOURNEMOUTH.
SOUTHAMPTON -	-	114,897	12'3	11'3	11'8	10'9	-	45	24	4	8	-	-	-	-	-	-	-	-	1	4	-	-	SOUTHAMPTON.
READING -	-	77,674	11'4	9'4	14'8	12'1	2'0	28	18	-	9	-	-	-	3	-	-	-	2	2	3	-	-	READING.
NORTHAMPTON -	-	92,441	10'2	11'3	13'0	12'4	-	35	22	9	5	-	-	-	-	-	-	-	3	3	-	-	-	NORTHAMPTON.
IPSWICH -	-	70,802	11'0	11'0	13'3	11'0	-	36	15	5	2	-	-	-	-	-	-	-	1	1	2	-	-	IPSWICH.
GREAT YARMOUTH -	-	52,353	11'0	10'9	20'9	11'0	-	15	11	3	4	-	-	-	-	-	-	-	-	1	2	-	-	GREAT YARMOUTH.
NORWICH -	-	116,741	13'4	9'8	13'4	15'2	0'9	67	34	4	17	-	-	-	2	-	-	-	2	3	5	-	-	NORWICH.
PLYMOUTH -	-	116,000	18'4	18'4	14'8	15'3	-	57	34	4	20	-	-	-	-	-	-	-	-	2	1	-	-	PLYMOUTH.
DEVONPORT -	-	76,884	11'5	14'2	14'9	10'9	-	39	16	3	5	-	-	-	-	-	-	-	1	2	3	-	-	DEVONPORT.
BRISTOL -	-	358,515	14'3	14'7	14'5	12'7	0'4	141	87	11	38	-	-	-	1	-	-	-	2	5	16	-	-	BRISTOL.
HANLEY† -	-	64,667	22'6	20'2	8'9	16'9	-	33	21	11	1	-	-	-	-	-	-	-	4	4	3	1	-	HANLEY†.
BURTON-ON-TRENT -	-	52,424	9'9	9'9	13'9	9'0	-	32	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	99,456	20'4	12'6	12'6	14'2	1'0	58	27	8	8	-	-	-	-	-	-	1	1	3	5	-	-	WOLVERHAMPTON.
WALSALL -	-	82,938	14'0	11'8	10'7	12'3	0'6	56	22	2	2	-	-	-	-	-	-	1	1	2	7	-	-	WALSALL.
HANDSWORTH -	-	61,721	5'1	9'3	12'7	11'0	-	19	13	2	2	-	-	-	-	-	-	-	-	-	2	-	-	HANDSWORTH.
WEST BROMWICH -	-	67,823	10'0	11'5	12'3	13'1	-	32	17	2	8	-	-	-	-	-	-	-	-	2	5	1	-	WEST BROMWICH.

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ The recent extension of the Borough of Hanley will not be taken into account in the Weekly Returns until next year.

TABLE 1 (cont.).—73 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 18th November, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Cols.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Registered Diseases during the week ended 18th Nov., 1905.		The DEATHS registered in the Week include										Deaths of		Deaths from										TOWNS,																																																																				
			Week ended				6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	21.	Cols.	BIRMINGHAM.	KINGS NORTON.	SMETHWICK.	ASTON MANOR.	COVENTRY.	LEICESTER.	GRIMSBY.	NOTTINGHAM.	DERBY.	STOCKPORT.	BIRKENHEAD.	WALLASEY.	LIVERPOOL†	BOOTLE†	ST. HELENS.	WIGAN.	WARRINGTON.	BOLTON.	BURY.	MANCHESTER.	SALFORD.	OLDHAM.	ROCHDALE.	BURNLEY.	BLACKBURN.	PRESTON.	BARROW-IN-FURNESS.																																															
			28th Oct., 1905.	4th Nov., 1905.	11th Nov., 1905.	18th Nov., 1905.																																															Persons aged 60 Years and upwards	Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.																																						
			1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32.	33.	34.	35.	36.	37.	38.	39.	40.	41.	42.	43.	44.	45.	46.	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.	57.	58.	59.	60.	61.	62.	63.	64.	65.	66.	67.	68.	69.	70.	71.	72.	73.	74.	75.	76.	77.	78.	79.	80.	81.	82.	83.	84.	85.	86.	87.	88.	89.	90.	91.	92.	93.	94.	95.	96.	97.
BIRMINGHAM -	-	542,959	14'0	16'7	14'9	14'4	0'8	288	150	41	38	-	5	-	1	1	1	-	8	12	28	3	21.	BIRMINGHAM.	21.	28	3	1	1	1	3	BIRMINGHAM.																																																																			
KINGS NORTON -	-	69,680	9'7	9'7	7'5	9'0	2'2	39	12	2	5	-	-	-	-	-	3	-	-	2	3	1	1	1	KINGS NORTON.	1	1	1	-	-	-	-	KINGS NORTON.																																																																		
SMETHWICK -	-	62,905	10'0	16'7	16'7	12'5	-	33	15	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	SMETHWICK.	-	-	-	-	-	-	-	SMETHWICK.																																																																		
ASTON MANOR -	-	31,320	11'5	12'2	12'8	9'0	1'3	36	14	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	ASTON MANOR.	-	-	-	-	-	-	-	ASTON MANOR.																																																																		
COVENTRY -	-	75,134	15'3	14'6	14'6	11'1	-	41	16	1	9	-	-	-	-	-	-	-	-	2	2	3	-	-	COVENTRY.	-	3	-	-	-	-	-	COVENTRY.																																																																		
LEICESTER -	-	228,132	10'3	13'5	13'3	12'1	0'5	104	53	19	16	-	-	-	1	-	-	3	5	9	-	-	-	-	LEICESTER.	-	9	-	-	-	-	-	LEICESTER.																																																																		
GRIMSBY -	-	68,163	6'1	9'9	16'1	9'2	1'5	33	12	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	GRIMSBY.	-	-	-	-	-	-	-	GRIMSBY.																																																																		
NOTTINGHAM -	-	251,671	19'5	12'8	17'0	13'3	0'8	108	64	16	16	-	-	-	-	2	2	-	-	-	-	3	10	1	NOTTINGHAM.	1	10	1	-	-	-	-	NOTTINGHAM.																																																																		
DERBY -	-	125,207	9'4	12'4	13'2	12'4	1'3	52	29	6	10	-	-	-	1	1	-	-	-	-	-	2	7	-	-	DERBY.	-	7	-	-	-	-	-	DERBY.																																																																	
STOCKPORT -	-	98,320	13'8	15'9	13'8	19'1	-	42	36	7	14	-	-	-	-	-	-	-	-	-	-	1	6	1	-	STOCKPORT.	1	6	-	-	-	-	-	STOCKPORT.																																																																	
BIRKENHEAD -	-	116,035	13'0	12'6	13'9	16'6	0'4	73	37	9	14	-	-	-	-	-	-	1	2	8	-	-	8	-	-	BIRKENHEAD.	-	8	-	-	-	-	-	BIRKENHEAD.																																																																	
WALLASEY -	-	62,460	12'5	12'5	16'7	25'0	2'5	32	30	6	8	-	-	-	-	-	-	7	7	4	-	-	4	-	-	WALLASEY.	-	4	-	-	-	-	-	WALLASEY.																																																																	
LIVERPOOL† -	-	730,143	19'2	17'9	19'9	19'7	1'5	455	276	63	73	-	-	-	-	-	-	15	15	70	9	-	-	-	LIVERPOOL†.	9	70	-	-	-	-	-	LIVERPOOL†.																																																																		
BOOTLE† -	-	62,758	16'6	20'8	15'0	30'7	3'3	39	37	10	5	-	-	-	-	-	-	1	1	12	-	-	12	-	-	BOOTLE†.	12	12	-	-	-	-	-	BOOTLE†.																																																																	
ST. HELENS -	-	89,843	12'2	12'8	16'3	11'0	1'2	55	19	8	3	-	-	-	-	-	-	-	-	-	-	4	-	-	-	ST. HELENS.	-	4	-	-	-	-	-	ST. HELENS.																																																																	
WIGAN -	-	83,551	10'2	10'2	13'9	15'1	3'0	43	25	3	6	-	-	-	-	-	-	-	-	-	-	5	-	-	-	WIGAN.	-	5	-	-	-	-	-	WIGAN.																																																																	
WARRINGTON -	-	68,801	13'7	19'8	19'8	16'0	0'8	41	21	6	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	WARRINGTON.	1	2	-	-	-	-	-	WARRINGTON.																																																																	
BOLTON -	-	178,111	16'1	17'3	13'2	16'7	0'9	89	57	16	13	-	-	-	-	-	-	5	8	-	-	5	8	-	-	BOLTON.	-	8	-	-	-	-	-	BOLTON.																																																																	
BURY -	-	58,594	15'1	15'1	17'8	13'3	-	14	15	1	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	BURY.	-	2	-	-	-	-	-	BURY.																																																																	
MANCHESTER -	-	631,185	16'5	17'3	15'7	17'8	1'2	333	215	43	65	-	2	6	4	1	-	12	6	14	-	-	52	4	-	MANCHESTER.	4	52	-	-	-	-	-	MANCHESTER.																																																																	
SALFORD -	-	231,514	16'2	13'3	20'3	15'1	0'9	128	67	17	16	-	-	-	-	-	-	2	6	14	-	-	14	-	-	SALFORD.	-	14	-	-	-	-	-	SALFORD.																																																																	
OLDHAM -	-	140,225	11'5	23'4	16'0	23'1	1'5	73	62	16	12	-	-	-	-	-	-	2	6	14	-	-	14	-	-	OLDHAM.	-	14	-	-	-	-	-	OLDHAM.																																																																	
ROCHDALE -	-	86,890	15'7	14'5	13'9	6'6	1'2	27	11	2	4	-	-	-	-	-	-	2	6	14	-	-	14	-	-	ROCHDALE.	-	14	-	-	-	-	-	ROCHDALE.																																																																	
BURNLEY -	-	101,682	10'8	14'9	12'8	15'4	2'1	37	30	1	10	-	-	-	-	-	-	2	6	14	-	-	14	-	-	BURNLEY.	-	14	-	-	-	-	-	BURNLEY.																																																																	
BLACKBURN -	-	133,067	19'2	22'3	19'2	13'7	2'0	52	35	4	7	-	-	-	-	-	-	2	6	14	-	-	14	-	-	BLACKBURN.	2	5	6	-	-	-	-	BLACKBURN.																																																																	
PRESTON -	-	115,721	12'2	17'6	16'7	17'6	3'2	57	39	2	13	-	-	-	-	-	-	2	6	14	-	-	14	-	-	PRESTON.	1	4	-	-	-	-	-	PRESTON.																																																																	
BARROW-IN-FURNESS.	-	60,306	9'5	16'4	8'6	13'8	1'7	28	16	5	1	-	-	-	-	-	-	1	1	1	-	-	1	-	-	BARROW-IN-FURNESS.	1	1	-	-	-	-	-	BARROW-IN-FURNESS.																																																																	

TOWNS,	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered deaths during the week ended 18th Nov., 1905.		The Deaths registered in the Week include												TOWNS																
		Week ended				18th Nov., 1905.	Week ended 18th Nov., 1905.	BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Causes of Death.																	
		28th Oct., 1905.	4th Nov., 1905.	11th Nov., 1905.	Infants under 1 Year of Age.					Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.																				
		2.	3.	4.		5.	6.	7.	8.										9.	10.	11.		12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																
HUDDESFIELD -	94,888	17.6	22.0	18.7	18.5	1.1	42	30	1	15	-	-	-	-	1	1	-	2	4	2	-	HUDDESFIELD.																
HALIFAX -	108,419	13.9	15.4	13.9	11.5	0.5	40	24	3	7	-	-	1	-	-	-	2	2	4	2	1	HALIFAX.																
BRADFORD -	286,799	13.8	10.9	14.5	15.8	0.5	104	87	13	41	-	-	1	1	-	-	1	2	4	2	2	BRADFORD.																
LEEDS -	466,787	13.4	16.1	15.9	16.6	1.0	192	145	36	42	-	4	-	1	1	3	7	18	22	2	LEEDS.																	
SHEFFIELD -	440,414	13.4	14.6	12.9	14.8	0.8	228	125	37	39	-	1	3	-	2	1	2	7	12	31	1	SHEFFIELD.																
ROTHERHAM -	59,794	13.1	17.4	17.4	14.0	2.6	31	16	6	4	-	-	2	-	-	-	1	1	2	1	1	ROTHERHAM.																
YORK -	82,362	13.3	13.9	15.2	15.2	2.5	33	24	6	10	-	-	-	-	-	1	3	-	-	-	-	YORK.																
HULL -	268,127	13.5	17.2	13.3	8.7	0.8	131	43	13	11	-	-	-	1	3	-	-	4	5	6	1	HULL.																
MIDDLESBROUGH -	98,369	18.0	20.1	21.2	15.9	1.1	57	30	8	9	-	-	-	-	-	-	2	-	1	6	-	MIDDLESBROUGH.																
STOCKTON-ON-TEES -	52,425	9.0	13.9	15.9	13.9	1.0	23	14	2	3	-	-	-	-	-	1	-	-	-	4	-	STOCKTON-ON-TEES.																
WEST HARTLEPOOL -	71,313	18.3	11.0	16.1	17.5	2.2	97	24	7	3	-	1	1	-	1	-	-	-	-	2	-	WEST HARTLEPOOL.																
SUNDERLAND -	152,761	15.7	14.7	15.4	18.4	1.0	97	54	14	14	-	1	-	2	-	-	-	1	2	8	2	SUNDERLAND.																
SOUTH SHIELDS -	109,360	16.7	19.5	15.3	18.1	1.4	63	38	9	9	-	-	-	1	-	2	-	2	3	3	3	SOUTH SHIELDS.																
GATESHEAD -	120,620	15.1	22.0	20.7	20.3	1.3	78	47	14	6	-	1	-	-	2	-	-	-	3	-	1	8	GATESHEAD.															
NEWCASTLE-ON-TYNE.	264,511	18.1	17.2	16.8	18.1	0.8	161	92	25	22	-	1	-	1	2	-	-	3	8	12	1	NEWCASTLE-ON-TYNE.																
TYNEMOUTH -	53,595	15.6	12.6	17.5	23.3	-	21	24	4	8	-	-	-	-	-	-	-	1	2	3	-	TYNEMOUTH.																
NEWPORT (MON.) -	72,880	16.5	15.0	11.4	14.3	-	47	20	5	6	-	-	-	-	-	-	-	2	2	2	-	NEWPORT (MON.).																
CARDIFF -	180,064	13.3	13.6	13.9	12.5	-	89	43	13	10	-	-	-	-	-	-	-	-	3	2	-	CARDIFF.																
RHONDDA -	124,988	15.4	15.4	12.5	12.9	1.3	80	31	9	5	-	3	-	-	-	-	-	2	3	2	-	RHONDDA.																
MERTHYR TYDFIL -	75,848	16.9	17.7	22.6	15.5	4.2	49	22	4	5	-	-	3	1	1	1	-	1	2	2	-	MERTHYR TYDFIL.																
SWANSEA -	96,384	11.9	17.3	16.8	12.4	1.1	52	23	6	3	-	2	-	-	-	-	-	1	1	1	-	SWANSEA.																
GREATER LONDON -	7,010,172	14.5	15.4	14.8	15.2	1.3	3526	2050	412	623	-	76	9	28	27	10	22	85	219	704	3	GREATER LONDON.																
OUTER RING -	2,325,378	11.7	13.0	11.2	11.2	1.1	1,228	498	110	170	-	22	1	9	7	2	9	17	49	98	-	OUTER RING.																
8 TOWNS IN OUTER RING	1,135,316	12.1	12.8	12.9	12.6	1.3	592	275	73	86	-	13	1	6	2	2	5	7	25	49	-	8 TOWNS IN OUTER RING.																
REMAINDER OF OUTER RING	1,190,062	11.3	13.1	9.6	9.8	0.9	636	223	37	84	-	9	-	3	5	-	4	10	24	49	-	REMAINDER OF OUTER RING.																
EDINBURGH -	335,577	17.5	15.2	13.9	19.1	1.1	140	123	29	39	-	-	-	1	1	1	4	12	?	39	10	EDINBURGH.																
GLASGOW -	809,886	18.5	19.3	19.3	17.7	2.3	442	275	65	51	-	25	-	3	1	-	6	9	?	57	6	GLASGOW.																
DUBLIN† -	378,994	17.9	25.6	20.1	20.8	0.7	205	151	25	39	-	-	1	1	1	-	2	3	4	69	7	DUBLIN†.																
BELFAST† -	368,680	22.2	18.9	20.5	21.3	0.9	199	150	38	37	-	-	1	1	-	3	1	4	7	22	?	BELFAST†.																

* See note f on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2576	2675	2780	2585	2674	2323	2574	2679	2331	2455	2663.5	2298
Males - - -	1323	1375	1407	1303	1357	1133	1350	1401	1212	1242	1361.0	1111
Females - - -	1248	1300	1373	1282	1317	1190	1224	1278	1119	1213	1302.5	1187
TOTAL Deaths -	1510	1675	1617	1436	1528	1505	1744	1558	1473	1505	1614.7	1552
Males - - -	758	815	838	728	769	815	870	797	767	784	824.5	776
Females - - -	752	860	779	708	759	690	874	761	706	721	790.2	776

* The numbers in this column are the average weekly numbers in the forty-sixth week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	13 Weeks.
TOTAL Births -	2530	2372	2328	2374	2400	2171	2380	2386	2372	2362	2494	2485	2298	30952
TOTAL Deaths -	1497	1548	1432	1187	1195	1251	1189	1255	1331	1433	1494	1489	1552	17853
Ages at Death -														
Under 1 year -	584	577	441	349	305	295	276	266	244	286	273	293	302	4196
1-5 years -	174	156	150	98	109	131	103	116	135	124	146	156	183	1781
5-20 " -	51	62	63	69	68	62	73	73	70	71	77	71	73	873
20-40 " -	149	160	164	159	139	165	154	173	178	236	177	197	197	2218
40-60 " -	213	263	281	222	245	258	238	267	263	280	320	315	344	3529
60 yrs. & upwds.	326	330	333	300	329	340	345	360	421	466	501	452	453	4966
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	324
Measles - - -	19	27	20	7	7	15	15	15	33	31	34	47	54	142
Scarlet Fever -	10	11	7	8	6	17	7	9	16	13	17	13	8	185
Diphtheria - -	8	12	5	9	11	13	9	12	3	12	13	9	19	218
Whooping-cough	17	28	16	14	14	22	18	11	19	7	19	13	20	301
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	5	10	9	4	10	5	10	8	4	5	7	8	90
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	390	313	222	132	113	90	59	55	31	34	21	27	13	1500
All above Diseases -	449	396	280	179	155	167	113	112	110	101	109	116	122	2499
Dis. of Resp. System														
Pneumonia - -	44	60	47	48	57	64	67	101	112	157	177	209	188	1331
Phthisis - - -	74	71	86	65	73	91	85	90	136	129	163	174	214	1451
Dis. of Circ. System	109	118	133	120	125	125	104	151	121	174	129	145	135	1689
Violence - - -	153	164	173	155	152	170	165	166	191	211	211	196	200	2307
Inquest Cases -	51	62	59	53	45	63	61	38	63	57	65	48	68	732
Deaths in Institutions	128	140	135	113	112	167	131	95	138	147	168	109	170	1743
TEMPERATURE OF THE AIR.														
Mean - - - -	60.2	56.7	61.0	54.2	54.3	53.0	48.8	48.6	41.0	41.5	47.3	43.1	39.1	49.9
Mean of Highest	71.5	64.6	70.2	64.3	62.6	58.6	54.9	54.9	50.0	48.9	53.8	50.2	42.8	57.6
Mean of Lowest	51.0	51.1	55.6	45.7	46.7	48.4	42.9	42.7	32.2	33.0	41.1	36.1	35.7	43.2
Mean Humidity of the Air.	71	82	84	76	76	83	73	81	75	81	86	91	87	80
Rain-fall (in inches) -	0.48	1.21	0.68	0.32	0.01	1.27	0.16	0.16	0.13	0.05	1.60	0.65	0.64	7.36
Registered Sunshine (in hours).	47.2	121	29.5	37.8	27.8	13.3	19.5	6.6	34.6	18.4	15.5	16.9	9.3	288.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means†
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	364.4
Scarlet Fever -	2762	2873	2982	3150	3424	3591	3789	3954	4153	4222	4200	4154	4120	744
Diphtheria - -	668	671	686	684	703	733	775	781	797	799	804	786	790	144
Typhus - - -	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Enteric Fever -	114	121	116	122	140	143	161	167	161	157	160	157	154	144

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 5.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. E. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Council; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY SIXTH Week of the Year 1905.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 46th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 46th week of the year 1904.	1905—Deaths of Persons of the Ages								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.					
ALL CAUSES	1505	1552	302	183	73	197	314	453	Meningitis (not tuberc.)	14	10	6	2	-	1	1	-		
									Insanity, Gen. Par. of	19	11	-	-	1	3	3	4		
									Insane	6	10	1	-	-	4	4	1		
small-pox*	-	-	-	-	-	-	-	-	Epilepsy	34	13	10	3	-	-	-	-		
cowpox	-	-	-	-	-	-	-	-	Convulsions	3	2	-	-	-	1	1	-		
Measles (Morbilli)	15	54	15	38	1	-	-	-	Locomotor Ataxy	5	4	-	-	-	1	2	1		
Scarlet Fever	8	8	1	5	1	1	-	-	Paraplegia, Dis. of Cord	14	21	-	-	-	5	4	12		
									Nervous Sys. (other dis.)										
									Valv. Dis., Endocarditis	46	56	-	-	7	13	13	23		
typhus	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	36	22	-	-	-	-	6	16		
lague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	21	17	-	-	-	-	4	13		
fluenza	18	12	1	1	-	2	3	5	Aneurysm	5	2	-	-	-	-	2	-		
whooping-cough	12	20	6	13	1	-	-	-	Embolism, Thrombosis	2	3	-	-	-	-	2	1		
diphtheria	24	19	2	11	6	-	-	-	(not cerebral)	75	100	-	-	6	4	35	55		
cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.										
varicella,† (Origin uncertain)	10	8	-	-	1	6	1	-	Croup (not Spasm: nor Memb.)	1	1	-	1	-	-	-	-		
enteric Fever	-	-	-	-	-	-	-	-	Bronchitis	160	157	38	12	-	1	24	82		
infantile Cholera	11	7	6	1	-	-	-	-	Asthma, Emphysema	5	9	-	-	-	-	2	7		
epidemic Diarrhoea	14	6	5	-	-	1	-	-	Pleurisy	2	9	-	1	-	2	4	2		
(Infective Enteritis)	1	4	-	-	2	1	1	-	Respiratory Dis. (other)	7	12	3	-	1	-	4	4		
shigellosis, Dysentery	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	-	-	-	-	-	-	-		
typhoid	1	-	-	-	-	-	-	-	Enteritis (not Epid.)	7	10	4	-	-	2	4	-		
scarlatina, Hydrophobia	1	-	-	-	-	-	-	-	Gastro-Enteritis	4	9	6	2	1	-	-	-		
landers	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2	2	-	1	-	1	-	-		
thrax (Splenic Fever)	-	-	-	-	-	-	-	-	Cirrhosis of Liver	10	17	-	-	-	3	9	5		
cerebral Dis.	11	10	9	-	-	1	-	-	Liver Dis. (other)	4	8	-	-	-	3	2	3		
septicæmia	2	6	-	-	-	4	2	-	Digestive Dis., Other	37	36	4	1	6	3	8	14		
purpura	-	-	-	-	-	-	-	-	Nephritis, Acute	11	9	-	-	2	4	2	1		
septicæmia	1	4	-	-	-	4	-	-	Bright's Dis., Albuminuria	42	36	-	-	-	1	5	13		
septic Endocarditis	1	7	-	-	2	2	2	1	Urinary Sys., Other Dis.	10	15	-	1	2	-	3	9		
lobar	14	21	-	1	1	6	10	3	Generative Organs Dis.	9	5	-	-	-	3	2	-		
broncho	109	92	46	36	-	3	5	2	Childbirth (Accid. of)	1	4	-	-	-	3	1	-		
epidemic	-	-	-	-	-	-	-	-	Old Age	40	53	-	-	-	-	-	53		
Not defined	63	101	17	16	5	15	19	29	Other Diseases	95	81	49	13	2	7	6	4		
scabies	3	7	3	-	-	1	1	2	ACCIDENT.										
phlegmonia (not Puerperal)	1	1	-	-	1	-	-	-	By Railways	2	1	-	-	-	1	-	-		
emia (not Puerperal)	1	2	2	-	-	-	-	-	By Vehicles and Horses	2	9	-	-	2	2	4	1		
her Infective Processes	10	7	1	-	-	1	2	3	In Ships, Boats, Docks, (exclusive of Drowning)	1	2	-	-	-	1	1	-		
tuberculous Phthisis	100	79	-	1	6	40	24	8	In Building Operations	-	2	-	-	-	-	1	1		
"Phthisis"	70	56	-	-	2	15	33	6	In Conflagrations	1	3	-	2	-	-	-	-		
tuberculous Meningitis	15	13	4	7	2	-	-	-	By Burns, Scalds, Explosions	2	10	-	6	2	2	-	-		
tuberculous Peritonitis	5	7	2	2	1	-	2	-	By Drowning	1	6	-	-	-	2	4	-		
Enteritis Mesenterica	-	-	-	-	-	-	-	-	By Suffocation in Bed	7	11	11	-	-	-	-	-		
tuberculous Dis. (other)	17	15	3	3	3	2	3	1	By Poisons or Poisonous Vapours	2	2	-	-	-	-	-	2		
leucæmia	-	1	-	1	-	-	-	-	Other Deaths by Accident	16	8	1	3	1	-	-	3		
alcoholism	11	3	-	-	-	-	3	-	VIOLENCE OTHER THAN ACCIDENTAL.										
rheumatic Fever	8	6	-	-	1	1	4	-	Homicide	-	-	-	-	-	-	-	-		
scrub	4	4	-	-	-	-	2	2	Suicide	11	14	-	-	1	9	3	1		
sarcoma	62	55	-	-	-	5	25	25	Execution	-	-	-	-	-	-	-	-		
carcinoma	6	7	-	-	1	2	2	2											
neuro (undefined)	36	46	-	-	-	2	23	21											
diabetes Mellitus	10	6	-	-	-	1	1	4											
immature Birth	59	46	46	-	-	-	-	-											

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th November, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Deaths from														
			Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia* (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2298	1552	302	453	-	54	8	19	20	-	8	-	13	68	170	606
WEST DISTRICTS - - -	805,311	340	240	42	78	-	4	1	4	5	-	-	-	3	10	23	93
NORTH DISTRICTS - - -	1,056,070	510	355	65	126	-	4	-	1	2	-	-	-	4	16	45	121
CENTRAL DISTRICTS - - -	209,465	107	85	13	15	-	-	-	-	-	-	1	-	-	6	10	43
EAST DISTRICTS - - -	716,739	430	264	71	71	-	-	-	2	8	-	-	-	1	11	41	115
SOUTH DISTRICTS - - -	1,749,844	911	567	111	152	-	37	6	12	4	-	4	-	4	25	51	193
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	41	-	11	-	-	1	-	-	-	-	-	1	-	-	41
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	40	28	6	11	-	1	-	-	-	-	-	-	1	1	2	4
W,2H - - -																	
St. John Paddington H - G.	33,617	9	19	1	3	-	-	-	-	-	-	-	-	-	2	2	13
North-West Paddington - C.	17,181	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w,2H G., W. & C.	128,037	54	49	9	24	-	-	-	-	-	-	-	-	1	-	1	23
Brompton 2H - - W. & C.	48,591	7	13	2	4	-	-	-	-	-	-	-	-	-	2	4	2
North Hammersmith W, w, H } W. & G.	49,192	22	11	5	3	-	-	-	-	1	-	-	-	-	-	1	5
South Hammersmith w, 2H - - -	63,047	33	23	4	7	-	-	-	-	-	-	-	-	-	2	6	4
North-west Fulham W } W. & C.	45,180	45	21	5	5	-	3	-	-	4	-	-	-	1	-	1	13
North-east Fulham F - - -	46,406	23	11	2	-	-	-	1	4	-	-	-	-	-	1	1	6
South Fulham W - - -	45,704	31	14	6	2	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W, w, 3H - - C.	42,514	14	15	-	7	-	-	-	-	-	-	-	-	-	1	1	12
Chelsea South W, 2H - - C.	31,328	10	7	-	3	-	-	-	-	-	-	-	-	-	1	3	1
Mayfair and Knightsbridge C. & G.	28,743	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W, 2H - - C.	56,815	16	9	1	2	-	-	-	-	-	-	-	-	-	-	-	5
St. Margaret & St. John 4H - C.	43,696	18	12	1	3	-	-	-	-	-	-	-	-	-	-	1	7
St. James Westminster } N. & G.	21,588	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
W, H - - -																	
St. Anne Soho 5H - - N.	11,493	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	11	9	1	2	-	-	-	-	-	-	1	-	-	-	1	5
Rectory Marylebone W G. & W.	19,849	5	6	-	4	-	-	-	-	-	-	-	-	-	-	-	2
Gray's Inn Lane 4H G. & W.	18,099	27	4	1	1	-	-	-	-	-	-	-	-	-	2	2	-
Christchurch Marylebone H- W.	39,536	15	9	4	3	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone 3H - W.	20,426	5	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead W, F, 6H - N. & W.	81,942	26	25	2	11	-	-	-	-	-	-	-	-	-	2	4	7
West St. Pancras 2H - - W.	60,562	38	16	4	2	-	-	-	-	1	-	-	-	1	1	2	2
Tottenham-court w, 7H - N. & W.	21,268	6	23	4	9	-	-	-	-	-	-	-	-	1	-	2	16
Gray's Inn Lane 4H - - N.	34,449	16	10	2	3	-	-	-	-	-	-	-	-	-	1	3	4
East St. Pancras W, 2H - - N.	60,320	33	24	2	11	-	-	-	-	1	-	-	-	-	1	2	14
North St. Pancras 2W - - N.	58,728	31	20	3	6	-	1	-	-	-	-	-	-	-	-	2	9
Tufnell W - - - N.	31,995	11	19	2	8	-	-	-	-	-	-	-	-	-	-	3	11
Upper Holloway 2W, w, H - N.	33,978	18	35	5	10	-	-	-	-	-	-	1	-	-	4	6	26
Tollington WH - - - N.	33,922	15	6	1	2	-	1	-	-	-	-	-	-	-	-	2	-
Lower Holloway - - - N.	41,424	22	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - N.	54,478	24	12	2	4	-	1	-	-	-	-	-	-	-	-	1	-
Islington South-east F - - N.	76,397	45	16	5	6	-	-	-	-	-	-	-	-	1	1	2	-
Highbury 2H - - - N.	63,797	23	9	2	3	-	1	-	-	-	-	-	-	-	-	1	-
Stoke Newington H - - N.	51,247	23	16	3	9	-	-	-	-	-	-	-	-	1	-	2	-
North Hackney - - - E. & N.	50,560	25	12	3	6	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney 2w, F - E. & N.	50,536	26	8	1	3	-	-	-	1	-	-	-	-	-	-	-	1
South-west Hackney 3H - E. & N.	59,921	42	31	9	7	-	-	-	-	-	-	-	-	-	1	3	10
South-east Hackney 2W, w, H E. & N.	58,265	23	28	3	13	-	-	-	-	-	-	-	-	-	2	5	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifi-
Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River
E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th November, 1905—continued.

ADMINISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of	Deaths from																
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
Isles and Bloomsbury W, 2H N.	31,436	19	7	-	3	-	-	-	-	-	-	-	-	-	-	-	1	5	-		
St. Andrew W, 4H - - - N. & C. St. Andrew Union Workhouse, Edmonton -	21,674	2	14	-	2	-	-	-	-	-	-	1	-	-	-	1	2	10	-		
St. Andrew W, 6H - - - N.	29,612	6	18	5	4	-	2	-	-	-	1	-	-	-	1	1	9	-			
St. Andrew Clerkenwell - - - N.	28,676	20	6	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Clerkenwell H - - - N.	35,028	28	12	23	1	-	-	-	-	-	-	-	-	-	2	1	-	-			
St. Andrewbury 3H, L - - - N.	36,116	29	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. Andrew Union Workhouse, } St. Andrewcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Cololph H - - - N. & E.	10,209	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. Andrew Epiphany and Allhallows } N.	16,624	1	19	1	1	-	-	-	-	-	-	-	-	-	2	2	18	-			
St. Andrew of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
CENTRAL DISTRICTS.																					
St. Andrew Editch South H - E. & N.	46,362	24	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Editch North-West W, w, H N.	36,127	25	26	5	9	-	-	-	-	-	-	-	-	-	1	5	18	-			
St. Andrew Editch North-East - N. & E.	36,148	22	10	2	4	-	-	-	-	-	-	-	-	-	1	3	-	-			
St. Andrew Editch Union Workhouse, Wood } St. Andrewden - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Green North 2H - E.	51,514	34	20	8	2	-	-	-	1	-	-	-	-	-	-	-	10	-			
St. Andrew Green South - - E.	33,472	9	2	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-			
St. Andrew Green East 2W, H, L - E.	44,694	24	29	7	12	-	-	-	-	-	-	-	-	-	1	-	17	-			
St. Andrew Hildes - - - E. & N.	27,969	12	3	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-			
St. Andrew End New Town W, H - E.	28,718	32	36	7	5	-	1	-	-	-	-	-	-	-	4	9	30	-			
St. Andrew Hman's Fields - - - E.	22,081	8	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-			
St. Andrew George and St. John 2W E.	49,068	26	14	4	5	-	2	-	-	2	-	-	-	-	-	2	4	-			
St. Andrew Well and Ratcliff - W, H, E. & N.	25,568	15	19	7	3	-	-	-	1	-	1	2	-	-	-	1	4	10			
St. Andrew Workhouse W - - - E.	52,369	21	11	6	-	-	1	-	-	2	-	-	-	-	-	-	-	-			
St. Andrew End Old Town South- } St. Andrew Eastern H - - - - }	63,698	49	15	5	6	-	-	-	-	-	-	-	-	-	1	3	-	-			
St. Andrew End Old Town North- } St. Andrew Eastern W, w - - - }	49,129	22	20	3	9	-	1	-	-	-	-	-	-	-	1	1	10	-			
St. Andrew L - - - - E.	41,989	22	8	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. Andrewley 3w, H - - - - E.	68,319	50	50	8	7	-	1	-	-	1	-	1	-	-	1	5	16	-			
St. Andrewar W, w - - - - E.	58,514	35	12	5	2	-	-	-	-	1	-	-	-	-	-	2	-	-			

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 18th November, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of 1 Infants under Year of Age. Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING	366,602	2,044,973	1228	498	110	170	-	22	1	9	7	2	9	17	49	98	-
1 Carshalton 2F,2H	12,228	32,997	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, part of * W,w,2F,H	10,423	15,548	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Godstone, part of * W,F	2,754	2,002	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Coulsdon	11,089	8,166	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	22	9	3	3	-	1	-	-	-	-	1	-	-	-	-
3 West Croydon 3W,F,H	2,168	42,888	21	23	3	13	-	-	1	2	-	-	-	1	3	8	-
4 North Croydon H	2,644	41,898	23	8	2	2	-	1	-	-	-	-	-	-	-	-	-
5 Penge w,H	770	22,465	6	4	1	1	-	-	-	-	-	-	-	-	1	2	-
6 Mitcham w	11,711	30,015	18	8	1	4	-	-	-	1	-	-	-	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	16	7	-	4	-	-	-	-	-	-	-	-	-	-	-
2 Kingston 2W,H	6,224	42,068	30	5	2	1	-	-	-	-	-	-	-	1	2	2	-
3 Surbiton F,H	3,046	15,017	5	2	2	-	-	-	-	-	-	-	-	1	1	1	-
4 Esher, part of * H	5,402	13,100	9	5	2	3	-	-	-	-	-	-	-	-	1	-	-
5 Hampton H,F,L	4,504	23,456	17	3	1	1	-	-	-	-	-	-	-	1	-	-	-
1 Richmond W,H	2,162	28,885	12	11	1	7	-	-	-	3	-	-	-	-	-	8	-
2 Mortlake F	2,847	20,628	10	1	1	-	-	-	-	-	-	-	-	1	1	-	-
1 Bromley F,2H	4,703	27,354	13	5	1	2	-	-	-	-	-	-	-	-	-	2	-
2 Beckenham H	7,325	28,497	13	4	1	1	-	-	-	1	-	-	-	1	1	-	-
3 Orpington part of * W	10,113	9,857	5	4	-	2	-	-	-	-	-	-	-	-	-	3	-
4 Chislehurst 2H	7,333	16,446	10	1	-	-	-	-	-	-	-	-	-	1	1	1	-
1 Bexley w,F,H	8,673	21,151	10	5	1	1	-	-	-	-	-	-	-	1	1	1	-
2 Erith F,H	3,854	25,296	18	5	2	-	-	-	-	-	-	-	-	1	1	1	-
3 Dartford W,F, part of *	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury w	11,054	18,683	12	3	-	1	-	-	-	-	-	-	-	-	1	-	-
2 Staines W,H	13,277	15,178	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
1 Hillingdon W,F,H	6,035	13,661	6	8	1	2	-	-	-	-	-	-	-	-	-	4	-
2 Uxbridge H	12,757	8,984	4	4	-	1	-	-	-	-	-	-	-	1	1	-	-
3 Hayes w,F,H	8,008	16,358	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-
1 Isleworth 3W,2F,H	6,859	30,863	24	11	2	5	-	-	-	-	-	-	-	-	-	8	-
2 Twickenham F,H	2,421	20,991	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Brentford 3F,2H,L	4,319	48,289	29	10	1	6	-	-	-	1	-	-	-	-	-	2	-
4 Chiswick H	1,249	29,809	23	3	1	1	-	-	-	-	-	-	-	-	-	-	-
5 Acton w,3H	6,132	48,914	39	12	3	5	-	-	-	-	-	-	2	-	-	-	-
1 Harrow F,H	13,809	25,523	14	7	-	1	-	2	-	-	-	-	-	-	-	1	-
2 Edgware F,2H	6,994	4,521	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
3 Willesden W,2F,2H	4,384	114,811	74	29	7	10	-	4	-	-	-	-	-	2	4	4	-
4 Hendon W,F	8,382	22,450	19	7	3	1	-	3	-	-	-	-	-	-	2	1	-
1 South Mimms 2F,H	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3 Finchley F,2H	4,688	33,692	21	6	-	5	-	-	-	-	-	-	-	-	-	1	-
1 Hornsey F,H	2,875	72,056	22	12	2	4	-	1	-	-	-	-	-	-	-	-	-
2 Wood Green H	1,625	34,233	24	6	4	4	-	-	-	-	-	-	-	-	-	4	-
3 West Tottenham F	996	48,853	25	11	4	3	-	-	1	-	-	-	2	-	-	-	-
4 East Tottenham 2H	2,017	53,868	47	9	3	3	-	-	-	-	-	-	-	-	2	3	-
5 Edmonton W,w,2F	7,491	61,892	39	18	1	7	-	3	-	-	-	-	-	1	4	3	-
6 Enfield 2W,F,H	12,601	42,738	39	8	-	5	-	-	-	1	-	-	-	-	1	1	-
7 Waltham Abbey F	11,017	6,549	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of * W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3 Watford W,2F part of *	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
1 Stratford H	1,072	44,827	24	12	2	3	-	-	-	-	-	-	-	1	2	1	-
2 Plaistow F,2H	1,249	90,921	73	26	8	6	-	4	-	-	-	-	-	-	1	2	-
3 Canning Town H	1,556	70,718	50	24	12	3	-	-	-	1	-	-	1	-	2	-	-
4 Forest Gate w	806	60,892	24	11	4	4	-	-	-	-	-	-	-	-	-	-	-
5 North East Ham w,H	1,333	58,676	33	15	4	5	-	2	-	-	-	-	-	-	1	-	-
6 South East Ham 2F	1,993	37,342	25	10	3	2	-	-	-	-	-	-	-	-	-	-	-
7 Wanstead F	1,679	9,179	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	24	14	3	9	-	-	-	-	-	-	-	-	1	4	-
9 North Leyton 2W,w,F	1,963	48,445	37	25	3	7	-	-	-	-	1	1	1	1	1	16	-
10 Walthamstow 3H,L	6,504	108,929	79	29	10	4	-	-	-	-	1	-	-	-	4	1	-
1 Chigwell, part of * 2F,3H	11,778	16,397	6	4	1	1	-	-	-	2	-	-	-	-	-	2	-
2 Epping W,F, part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of * W,2F	6,556	6,091	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Ilford F,L	8,496	41,234	30	12	1	5	-	-	-	-	-	-	-	-	-	5	-
3 Barking Town F	3,803	21,547	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern Hosp., Homerton	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Fountain Hosp., Tooting	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hosp., Tottenham	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
City of London Asylum, Stone.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Ohelsfield, Uddham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Epsom Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	November 18	2298	1552	17·3	-	54	8	20	20	8
CALCUTTA - -	847,796	October 7	-	475	29·1	1	1	-	1	-	156†
BOMBAY - -	776,006	" 31	281	498	33·4	-	-	-	-	-	67‡
MADRAS - -	509,346	" 20	523	709	72·3	7	6	?	?	?	162
PARIS - - -	2,660,559	November 11	9014	889	18·4	2	6	-	5	4	3
BRUSSELS - -	586,936	" 11	186	139	12·0	-	-	-	-	2	-
ANTWERP - -	286,695	" 11	120	59	10·5	-	-	-	1	-	1
AMSTERDAM -	554,240	" 4	255	129	12·1	-	7	-	2	1	1
COPENHAGEN -	426,000	" 11	189	120	14·6	-	-	1	-	2	1
STOCKHOLM -	309,496	" 4	121	86	14·0	-	-	3	1	1	-
CHRISTIANIA -	223,649	" 11	122	48	11·2	-	-	1	6	1	-
ST. PETERSBURG	1,248,122	October 28	672	529	19·8	2	12	21	10	7	21
MOSCOW - -	1,092,360	" 21	-	449	21·4	1	-	11	9	3	6
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,031,157	October 21	883	579	14·9	-	2	9	7	8	2
HAMBURG - -	772,852	November 11	-	182	12·2	-	-	-	1	4	-
BRESLAU - -	462,147	" 11	-	152	17·1	-	-	-	1	3	-
MUNICH - - -	528,000	" 11	-	195	19·2	-	1	3	1	3	-
VIENNA - - -	1,897,630	" 11	780	584	15·8	-	-	7	9	3	2
PRAGUE - - -	430,569	" 11	176	171	19·5	-	-	1	-	-	-
BUDA-PESTH -	836,267	" 11	364	272	16·9	-	8	6	2	5	1
TRIESTE - - -	191,403	" 11	95	91	21·2	-	3	-	-	-	-
ROME - - - -	514,930	August 26	206	174	17·6	-	2	-	-	-	10§
VENICE - - -	169,417	November 4	64	84	25·9	-	2	-	-	1	1
BUCHAREST - -	282,071	" 4	124	129	23·8	-	-	1	2	-	5
NEW YORK - -	3,948,191	" 4	2139	1187	15·7	-	5	6	22	3	11
CHICAGO - - -	1,932,315	October 28	-	470	12·3	-	1	1	16	1	8
PHILADELPHIA -	1,438,318	" 28	-	-	-	-	-	-	-	-	-
BOSTON - - -	617,950	" 21	-	179	15·7	-	1	-	-	2	5
RIO DE JANEIRO	850,000	" 8	-	286	16·5	3	14	-	2	2	7†

* Excluding deaths from croup in the Indian Cities.

† Including 6 deaths from plague in Calcutta, 7 in Bombay, and 5 in Rio de Janeiro.

‡ Including 42 deaths from cholera in Calcutta, and 85 in Madras.

§ Including 4 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th November, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inch.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	50·5	30·2	39·3	0·64	BRADFORD - -	49·8	27·1	39·6	0·4
BRIGHTON - -	50·8	30·9	40·5	0·94	LEEDS - - - -	51·0	30·0	41·9	0·4
PORTSMOUTH - -	50·7	30·0	40·4	0·59	HULL - - - - -	49·0	23·0	38·6	0·6
NORWICH - - -	48·2	28·6	39·5	0·49	TYNEMOUTH - -	50·0	27·0	39·7	1·3
PLYMOUTH - -	51·3	27·8	41·3	0·83	CARDIFF - - -	50·9	21·0	38·9	0·5
BRISTOL - - -	49·8	25·3	38·5	0·50	EDINBURGH - -	46·6	26·8	37·9	0·6
BIRMINGHAM -	48·0	28·1	38·1	0·12	GLASGOW - - -	48·4	23·0	37·3	0·2
NOTTINGHAM -	50·4	29·6	39·1	0·34	DUBLIN { Phoenix Park. Fitz- william Square.†	48·7	22·1	38·0	1·4
LIVERPOOL }	49·0	30·0	39·7	0·09		49·1	27·3	40·0	1·5
OBSERVATORY. }	48·8	25·9	38·0	0·09	BELFAST - - -	52·0	25·5	42·8	0·2
MANCHESTER -	48·8	28·0	?	0·03					
PRESTON - - -	48·8	28·0	?	0·03					
HUDDERSFIELD -	50·5	26·2	37·8	0·45					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.

MONTH AND DAY

NOVEMBER.

SUNDAY - 12

MONDAY - 13

TUESDAY - 14

WEDNESDAY - 15

THURSDAY - 16

FRIDAY - 17

SATURDAY - 18

MEANS

No. of Column -

Full

..

..

..

..

..

..

..

..

..

in.

20-147

28-875

29-277

29-526

29-683

29-961

29-971

29-493

4

423

411

391

336

398

368

367

428

5

505

481

436

441

398

368

367

428

5

82

70

45

105

326

302

310

357

6

459

439

414

381

364

339

341

391

8

30

11

4

3

9

8

7

35

90

423

411

391

336

398

368

367

428

5

82

70

45

105

326

302

310

357

6

459

439

414

381

364

339

341

391

8

30

11

4

3

9

8

7

35

90

423

411

391

336

398

368

367

428

5

82

70

45

105

326

302

310

357

6

459

439

414

381

364

339

341

391

8

30

11

4

3

9

8

7

35

90

423

411

391

336

398

368

367

428

5

82

70

45

105

326

302

310

357

6

459

439

414

381

364

339

341

391

8

30

11

4

3

9

8

7

35

90

423

411

391

336

398

368

367

428

5

82

70

45

105

326

302

310

357

6

459

439

414

381

364

339

341

391

8

30

11

4

3

9

8

7

35

90

423

411

391

336

398

368

367

428

5

82

70

45

105

326

302

310

357

6

459

439

414

381

364

339

341

391

8

30

11

4

3

9

8

7

35

90

DATE.

NOVEMBER.

SUNDAY - 12

MONDAY - 13

TUESDAY - 14

WEDNESDAY - 15

THURSDAY - 16

FRIDAY - 17

SATURDAY - 18

MEANS

No. of Col. -

W. P. generally ; occasional w. N.

W. P. throughout.

W. P. generally ; occasional w. N.

W. P. and w. N. till 5h. A.M. ; m. P. generally afterwards.

m. P. generally.

m. P. throughout.

W. P. till 9h. A.M. ; m. P. afterwards.

Sum 93

28

35

00

00

43

15

Registered Sunshine in hours.

Sun above Horizon in hours.

Overcast with rain in morning ; fine in forenoon ; generally overcast afterwards with rain after 8h. P.M. Lunar halo observed in evening.

Overcast ; frequent rain.

Generally overcast ; occasional rain.

Overcast in morning with rain till 4h. A.M. ; fine and partially cloudy afterwards with slight showers of rain and snow at 3h. 30m. P.M. Aurora Borealis observed in evening.

Fine and partially cloudy till evening ; overcast at night ; hear frost in morning ; slight snow showers at and about 10h. 30m. A.M. Lunar halo observed at 1h. A.M.

Generally overcast ; cold.

Generally overcast ; cold.

Sum 621

29

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 139 feet above the sea.

Observations have been applied to the readings to reduce each to the mean level of the sea ; the eye-readings of the barometer, and the dry bulb thermometer, and the wet bulb thermometer, are converted to mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1888 for the thermometer. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean dew point temperature and degree of humidity are deduced from the mean values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 11th November, 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	8	1	-	1	-	-	-	1
Kensington - - - -	180,083	-	7	3	-	-	-	-	4	1
Hammersmith - - - -	119,037	-	3	3	-	-	-	-	7	-
Fulham - - - -	157,210	-	24	9	-	1	-	-	5	1
C Chelsea - - - -	74,496	-	12	-	-	1	-	-	1	1
City of Westminster - - - -	175,606	-	7	3	-	-	-	-	5	2
NORTH.										
St. Marylebone - - - -	129,453	-	5	2	-	1	-	-	3	-
Hampstead - - - -	88,142	-	3	-	-	-	-	-	2	-
St. Pancras - - - -	236,183	-	43	4	-	-	-	-	6	-
Islington - - - -	342,994	-	38	8	-	1	-	-	12	1
Stoke Newington - - - -	52,828	-	4	3	-	-	-	-	2	-
Hackney - - - -	228,479	-	41	7	-	6	-	-	5	-
CENTRAL.										
Holborn - - - -	56,481	-	8	-	-	-	-	-	-	-
Finsbury - - - -	98,207	-	16	2	-	1	-	-	5	-
City of London - - - -	22,425	-	1	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	116,565	-	22	-	-	-	-	-	6	1
Bethnal Green - - - -	130,401	-	26	5	-	2	-	-	7	-
Stepney - - - -	305,466	-	48	10	-	1	-	-	15	-
Poplar - - - -	170,280	-	26	7	-	2	-	-	4	-
SOUTH.										
Southwark - - - -	208,528	-	32	8	-	2	-	-	11	-
Bermondsey - - - -	129,006	-	32	5	-	1	-	-	3	-
Lambeth - - - -	313,045	-	23	11	-	5	-	-	7	-
Battersea - - - -	177,532	-	32	4	-	-	-	-	10	1
Wandsworth - - - -	265,392	-	29	7	-	1	-	-	3	-
Camberwell - - - -	271,240	-	39	8	-	1	-	-	11	-
Deptford - - - -	114,495	-	19	5	-	-	-	-	7	-
Greenwich - - - -	103,493	-	4	3	-	-	-	-	5	-
Lewisham - - - -	144,420	-	12	6	-	1	-	-	3	-
Woolwich - - - -	125,372	-	12	4	-	-	-	-	2	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	76	128	-	28	-	-	152	9
Ages										
0-1 - - - -	-	-	9	4	-	-	-	-	2	-
" 1-5 - - - -	-	-	158	49	-	1	-	-	2	-
" 5- - - - -	-	-	267	41	-	2	-	-	7	-
" 10- - - - -	-	-	89	16	-	2	-	-	12	-
" 15- - - - -	-	-	18	2	-	4	-	-	12	-
" 20- - - - -	-	-	15	3	-	5	-	-	7	4
" 25- - - - -	-	-	15	9	-	8	-	-	21	4
" 30- - - - -	-	-	4	2	-	3	-	-	20	1
" 35- - - - -	-	-	-	1	-	3	-	-	28	-
" 40- - - - -	-	-	-	-	-	-	-	-	22	-
" 45- - - - -	-	-	-	-	-	-	-	-	19	-
" 50- - - - -	-	-	-	-	-	-	-	-	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	-	-
" 60- - - - -	-	-	-	-	-	-	-	-	-	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	-	-
Age not stated - - - -	-	-	1	1	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 47. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, NOV. 25. [Price 1½d.

General Register Office, Somerset House,
November 27th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·6, 15·6, and 15·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·1 in Rochdale, 21·6 in Preston, 22·0 in Wolverhampton, 22·1 in Burnley, 23·6 in Huddersfield, 24·9 in Liverpool and in West Hartlepool, and 27·1 in Oldham; from *measles*, 1·1 in Croydon and in Swansea, 1·2 in Birmingham, 1·3 in East Ham and in Aston Manor, 2·0 in Blackburn, and 4·5 in Preston; from *scarlet fever*, 1·7 in Rotherham; from *diphtheria*, 1·1 in Huddersfield; from *whooping-cough*, 1·5 in Ipswich and in Burnley; from "*fever*," 1·3 in York; and from *diarrhœa*, 1·5 in Warrington and in Oldham, and 1·6 in Wolverhampton and in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2366 BIRTHS and 1739 DEATHS were registered. Allowing for increase of population, the births were 197 below and the deaths 82 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 16·6, 16·6, and 17·3 in the preceding three weeks, further rose last week to 19·4. During the four weeks ended on Saturday last the death-rate averaged 17·5 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901. and on the increase in the last intercensal period.

The 1739 deaths included 48 from measles, 6 from scarlet fever, 10 from diphtheria, 24 from whooping-cough, 3 from enteric fever, and 11 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 102 deaths were referred to these diseases in the aggregate, being 62 below the corrected average weekly number.

The deaths from *measles*, which had been 34, 47, and 54 in the preceding three weeks, were 48 last week, the corrected average being 49; 12 deaths belonged to the Borough of Lambeth, 8 to Islington, 6 to Southwark, and 5 each to Fulham and Stepney. The deaths from *scarlet fever*, which had been 17, 13, and 8 in the preceding three weeks, further fell to 6 last week, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 13, 9, and 19 in the preceding three weeks, fell to 10 last week, and were 29 below the corrected average; 3 deaths belonged to Camberwell. The deaths from *whooping-cough*, which had been 19, 13, and 20 in the preceding three weeks, rose to 24 last week, and were 2 above the corrected average; 4 deaths belonged to Fulham, 4 to Stepney, and 3 to Wandsworth. The fatal cases of *enteric fever*, which had been 5, 7, and 8 in the preceding three weeks, fell to 3 last week, and were 17 below the corrected average; 2 deaths belonged to Hackney. The deaths from *diarrhoea*, which had been 21, 27, and 13 in the preceding three weeks, fell to 11 last week, and were 5 below the corrected average. Of the 11 deaths from diarrhoea, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 15, having been 11, 11, and 12 in the preceding three weeks.

Different forms of *violence* caused 70 deaths, concerning all but 1 of which inquests were held. Of these 70 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 57 cases were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 14 to burns or scalds, 5 to drowning, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4127 cases of scarlet fever, 755 of diphtheria, and 132 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 470 cases, against 522, 494, and 425; of diphtheria, 92 cases, against 95, 111, and 111; and of enteric fever, 10 cases, against 17, 19, and 22. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended November 18th.

GREATER LONDON.

In Greater London 3569 births and 2342 deaths were registered. Allowing for increase of population, these numbers are 244 below and 50 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 4 from whooping-cough, 1 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·71 inches, and that of the Thermometer 38°·5, the latter being 3°·6 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 17·9 hours; the measured rainfall amounted to 0·17 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated at the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rates from Diseases in Cols. 11-17.		Registered during the week ended 25th Nov., 1905.		The DEATHS registered in the Week include												
		Week ended				6.	BIRTHS.		8.	Deaths of						Deaths from				19.	20.	21.
		4th Nov., 1905.	11th Nov., 1905.	18th Nov., 1905.	25th Nov., 1905.		7.	8.		9.	10.	11.	12.	13.	14.	15.	16.	17.	18.			
76 TOWNS.	15,609,377	15'6	15'6	15'5	17'9	1'2	77'99	5360	1215	1591	-	110	39	53	76	24	54	210	447	1295	49	
LONDON -	4,684,704	16'6	16'6	17'3	19'4	1'1	23'66	1739	352	542	-	48	6	10	24	3	11	70	169	636	1	
CROYDON -	147,704	13'1	14'1	14'1	11'3	1'1	63	32	5	14	-	3	-	-	-	-	-	1	7	2	-	
WILLESDEN -	136,080	9'1	9'8	11'0	9'8	0'8	66	26	3	12	-	2	-	-	-	-	-	1	3	1	-	
HORNSEY -	84,070	6'2	6'2	8'1	10'5	0'6	24	17	2	7	-	1	-	-	-	-	-	6	7	1	-	
TOTTENHAM -	116,232	13'5	13'8	9'4	19'3	0'9	61	43	6	12	-	4	-	1	1	1	1	3	8	14	-	
WEST HAM -	294,997	17'1	18'6	15'9	16'6	1'2	152	94	22	24	-	4	-	-	-	-	2	3	7	7	-	
EAST HAM -	123,381	14'4	10'6	11'0	20'3	2'5	73	48	12	11	-	3	-	-	2	-	1	2	3	7	-	
LEYTON -	114,555	8'2	10'0	9'6	10'9	0'9	60	24	8	5	-	1	-	-	-	1	3	3	5	-	-	
WALTHAMSTOW -	116,237	12'6	13'0	16'6	12'1	1'8	65	27	10	7	-	-	-	1	1	1	1	1	4	-	-	
HASTINGS -	66,820	11'7	13'3	4'7	10'9	1'6	18	14	2	9	-	1	-	-	-	1	1	-	2	-	-	
BRIGHTON -	127,183	16'0	10'7	8'6	13'5	0'4	57	33	12	10	-	-	-	-	-	1	-	1	11	-	-	
PORTSMOUTH -	201,975	15'5	16'8	14'2	16'0	1'0	119	62	8	27	-	-	3	-	-	1	-	-	9	1	-	
BOURNEMOUTH -	68,168	20'5	17'3	10'2	10'2	0'8	12	13	1	7	-	-	1	-	-	-	2	-	2	-	-	
SOUTHAMPTON -	114,897	11'3	11'8	10'9	18'2	0'9	64	40	6	19	-	-	-	-	-	2	2	5	6	-	-	
READING -	77,674	9'4	14'8	12'1	15'4	1'3	44	23	3	11	-	-	1	1	-	-	1	2	5	2	-	
NORTHAMPTON -	92,441	11'3	13'0	12'4	10'2	1'1	35	18	6	7	-	-	1	1	1	-	-	-	1	1	-	
IPSWICH -	70,802	11'0	13'3	11'0	14'0	2'2	37	19	4	6	-	-	1	2	-	-	-	-	1	-	-	
GREAT YARMOUTH -	52,853	19'9	20'9	11'0	15'9	1'0	30	16	2	12	-	-	1	-	-	-	-	2	-	-	-	
NORWICH -	116,741	9'8	13'4	15'2	16'1	-	52	36	5	20	-	-	-	-	-	-	-	2	10	-	-	
PLYMOUTH -	116,000	18'4	14'8	15'3	18'4	0'4	41	41	8	12	-	-	1	-	-	-	1	4	5	-	-	
DEVONPORT -	73,884	14'2	14'9	10'9	15'6	2'0	29	23	5	6	-	-	1	-	1	-	1	-	1	-	-	
BRISTOL -	358,515	14'7	14'5	12'7	15'1	1'0	165	104	15	37	-	1	-	2	3	1	-	8	13	22	1	
HANLEY																						

† See note † on first page of this return.

* See note † on first page of this return.

t The recent extension of the Borough of Hanley will not be taken into account in the Weekly Returns until next year.

TOWNS,	POPULATION estimated at the middle of the Year 1905.*	DEATH-RATES from all Causes.				Registered during the week ended 25th Nov., 1905.		Deaths from										The DEATHS registered in the week include				TOWNS	
		Week ended		In Colls.		BIRTHS.	DEATHS.	Deaths of										Deaths in Public Institutions.					Unidentified Causes of Death.
		4th Nov., 1905.	11th Nov., 1905.	18th Nov., 1905.	25th Nov., 1905.			Infants under 1 year of age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.					
		2.	3.	4.	5.	6.	7.												8.	9.	10.		11.
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.	
HUDDESFIELD -	94,888	22'0	18'7	16'5	23'6	1'6	46	43	5	18	-	-	-	2	-	-	1	-	9	1	HUDDESFIELD.		
HALIFAX -	108,419	15'4	13'9	11'5	15'4	1'0	26	32	4	14	-	-	-	1	-	-	1	-	4	-	HALIFAX.		
BRADFORD -	286,769	10'9	14'5	15'8	14'9	0'9	103	82	14	34	-	-	1	2	2	-	-	8	12	-	BRADFORD.		
LEEDS -	466,787	16'1	15'9	16'6	17'4	1'5	214	152	43	38	-	1	2	1	6	3	-	9	16	-	LEEDS.		
SHEFFIELD -	440,414	14'6	12'9	14'8	16'5	0'9	205	139	30	40	-	-	2	3	-	1	1	3	29	3	SHEFFIELD.		
ROTHERHAM -	59,794	17'4	17'4	14'0	14'0	1'7	29	16	5	4	-	-	2	-	-	-	3	3	4	-	ROTHERHAM.		
YORK -	82,362	13'9	15'2	15'2	18'4	1'3	39	29	4	7	-	-	-	-	-	2	-	1	6	-	YORK.		
HULL -	258,127	17'2	13'3	8'7	20'0	1'6	116	99	19	32	-	-	-	3	4	-	1	4	10	17	HULL.		
MIDDLESBROUGH -	98,369	20'1	21'2	15'9	19'1	2'1	63	36	14	5	-	-	-	-	-	1	3	2	5	3	MIDDLESBROUGH.		
STOCKTON-ON-TEES -	52,425	13'9	15'9	13'9	11'9	1'0	35	12	4	4	-	-	-	1	-	-	-	1	1	-	STOCKTON-ON-TEES.		
WEST HARTLEPOOL -	71,313	11'0	16'1	17'5	24'9	0'7	39	34	12	8	-	-	1	-	-	-	-	1	3	3	WEST HARTLEPOOL.		
SUNDERLAND -	152,761	14'7	15'4	18'4	17'1	1'4	103	50	16	11	-	2	-	-	1	-	1	3	5	11	SUNDERLAND.		
SOUTH SHIELDS -	109,380	19'5	15'3	18'1	13'8	1'0	65	29	8	8	-	-	-	1	-	-	1	-	2	4	SOUTH SHIELDS.		
GATESHEAD -	130,620	22'0	20'7	20'3	15'6	1'7	74	36	14	8	-	1	-	-	2	-	1	-	1	4	GATESHEAD.		
NEWCASTLE-ON-TYNE -	264,511	17'2	16'8	18'1	18'5	0'4	154	94	22	28	-	1	-	-	1	-	-	4	8	10	NEWCASTLE-ON-TYNE.		
TYNEMOUTH -	53,595	12'6	17'5	23'3	17'5	1'0	36	18	5	7	-	-	-	-	1	-	-	-	3	-	TYNEMOUTH.		
NEWPORT (MON.) -	72,880	15'0	11'4	14'3	20'0	0'7	45	28	8	4	-	-	-	1	-	-	-	-	2	3	NEWPORT (MON.).		
CARDIFF -	180,054	13'6	13'9	12'5	12'7	0'9	88	44	14	13	-	-	-	-	2	-	1	2	6	6	CARDIFF.		
RHONDDA -	124,988	15'4	12'5	12'9	14'2	0'8	68	34	11	5	-	1	-	-	-	1	2	2	-	-	RHONDDA.		
MERTHYR TYDFIL -	73,848	17'7	22'6	15'5	16'2	0'7	35	23	8	5	-	-	-	-	1	-	-	1	3	-	MERTHYR TYDFIL.		
SWANSEA -	96,394	17'3	16'8	12'4	18'4	1'1	56	34	5	10	-	2	-	-	-	-	-	1	3	8	SWANSEA.		
GREATER LONDON -	7,010,172	15'4	14'8	15'2	17'4	1'1	3569	2342	472	741	-	66	8	18	32	7	18	219	713	2	GREATER LONDON.		
OUTER RING -	2,325,378	13'0	11'2	11'2	13'5	1'1	1203	603	120	199	-	18	2	8	8	4	7	22	50	82	OUTER RING.		
8 TOWNS IN OUTER RING	1,135,316	12'8	12'9	12'6	14'3	1'2	564	311	69	92	-	15	-	2	4	3	3	11	31	41	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING	1,190,062	13'1	9'6	9'8	12'8	0'9	639	292	51	107	-	3	2	6	4	1	4	11	19	41	REMAINDER OF OUTER RING.		
EDINBURGH -	356,577	15'2	13'9	19'1	17'4	0'8	142	112	26	30	-	-	-	1	1	1	2	5	?	?	EDINBURGH.		
GLASGOW -	809,986	19'3	19'3	17'7	23'6	2'8	460	366	90	79	-	23	-	5	6	1	8	41	?	?	GLASGOW.		
DUBLIN† -	378,694	25'6	20'1	20'8	22'7	1'0	177	165	34	55	-	-	1	-	3	-	3	2	3	?	DUBLIN†.		
BELFAST† -	358,880	18'9	20'5	21'8	20'1	0'9	200	138	28	28	-	-	-	-	-	3	2	9	13	?	BELFAST†.		

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2596	2688	2523	2155	2556	2538	2519	2410	2342	2356	2562.9	2366
Males - - -	1314	1400	1295	1082	1267	1311	1316	1207	1186	1254	1311.6	1202
Females - - -	1282	1388	1228	1073	1289	1227	1203	1203	1156	1102	1251.3	1164
TOTAL Deaths -	1483	1683	1793	1439	1526	1515	1939	1532	1536	1502	1657.0	1739
Males - - -	770	838	891	719	798	761	997	811	791	772	846.1	831
Females - - -	718	850	902	720	728	754	942	721	745	730	810.9	858

* The numbers in this column are the average weekly numbers in the forty-seventh week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	13 Weeks.
TOTAL Births -	2372	2328	2374	2400	2171	2380	2386	2372	2362	2494	2485	2298	2366	30788
TOTAL Deaths -	1548	1432	1187	1195	1251	1189	1255	1331	1433	1494	1489	1552	1739	18095
Ages at Death -														
Under 1 year -	577	441	349	305	295	276	266	244	286	273	293	302	352	4261
1-5 years -	156	150	98	109	131	103	116	135	124	146	156	183	205	1812
5-20 " -	62	63	59	68	62	73	73	70	71	77	71	73	82	904
20-40 " -	160	164	159	139	165	154	173	178	236	177	197	197	197	2266
40-60 " -	263	281	222	245	258	238	267	283	280	320	315	344	361	3677
60 yrs. & up wds.	330	333	300	329	310	345	360	421	466	501	452	453	542	5172
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	27	20	7	7	15	15	15	33	31	34	47	54	48	353
Scarlet Fever -	11	7	8	6	17	7	9	16	13	17	13	8	6	138
Diphtheria - -	12	5	9	11	13	9	12	3	12	13	9	19	10	137
Whooping-cough -	28	16	14	14	22	18	11	19	7	19	13	20	24	225
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	10	9	4	10	5	10	8	4	5	7	8	3	88
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	313	222	132	113	90	59	55	31	34	21	27	13	11	1121
All above Diseases -	396	280	179	155	167	113	112	110	101	109	116	122	102	2062
Dis. of Resp. System -														
Pneumonia - - -	60	47	48	57	64	67	101	112	157	177	209	187	282	1568
Phthisis - - -	71	86	65	73	91	85	90	136	129	163	174	214	208	1585
Dis. of Circ. System -	118	133	120	125	125	104	151	121	174	129	145	136	161	1742
Violence - - -	164	173	155	152	170	165	166	191	211	211	196	200	229	2383
Inquest Cases - -	62	59	52	45	63	61	38	63	57	65	48	68	70	751
Deaths in Institutions	140	135	113	112	157	131	95	138	147	168	109	170	169	1784
TEMPERATURE OF THE AIR.														
Mean - - -	56.7	61.0	54.2	54.3	58.0	48.8	48.6	41.0	41.5	47.3	43.1	39.1	38.5	48.2
Mean of Highest -	64.6	70.2	64.3	62.6	58.6	54.9	50.0	48.9	53.8	50.2	42.8	41.4	41.4	55.4
Mean of Lowest -	51.1	55.6	45.7	46.7	48.4	42.9	42.7	32.2	33.0	41.1	36.1	35.7	30.9	41.7
Mean Humidity of the Air.	82	84	76	76	83	73	81	75	81	86	91	87	84	81
Rain-fall (in inches) -	1.21	0.68	0.32	0.01	1.27	0.16	0.16	0.13	0.05	1.60	0.65	0.64	0.17	7.05
Registered Sunshine (in hours).	12.1	29.5	37.8	27.8	13.3	19.5	6.6	34.6	18.4	15.5	16.9	9.3	17.9	259.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	2873	2982	3150	3424	3591	3789	3954	4153	4222	4200	4154	4120	4127	3749
Scarlet Fever - -	671	686	684	703	733	775	781	797	799	804	786	790	755	751
Diphtheria - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Typhus - - -	121	116	122	140	143	161	167	161	157	160	157	154	132	145
Enteric Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Oann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witt, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SEVENTH Week of the Year 1905.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 47th week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 47th week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1502	1739	352	205	82	197	361	542	Meningitis (not tuberc.)	17	14	3	5	1	4	1	-
									Insanity, Gen. Par. of	9	17	-	-	-	2	10	5
Small-pox*	-	-	-	-	-	-	-	-	Insane -	9	8	-	-	1	2	1	4
Cowpox -	-	-	-	-	-	-	-	-	Epilepsy -	22	19	18	1	-	-	-	-
Measles (Morbilli) -	14	48	10	35	3	-	-	-	Convulsions -	2	2	-	-	-	-	1	1
Scarlet Fever -	19	6	2	2	2	-	-	-	Locomotor Ataxy -	5	8	1	-	1	2	2	2
Typhus -	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	14	12	-	1	-	1	6	4
Plague -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	45	56	-	-	9	6	23	18
Influenza -	30	15	-	-	1	3	4	7	Valv. Dis., Endocarditis-	31	40	-	1	-	3	14	22
Whooping-cough -	10	24	9	14	1	-	-	-	Cerebr. Hæm. Thromb.-	14	14	-	-	-	-	6	8
Diphtheria -	11	10	-	4	6	-	-	-	Apoplexy, Hemiplegia	5	7	-	-	-	1	5	1
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Aneurysm -	1	1	-	-	-	-	-	1
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	95	111	-	1	5	11	22	72
certain) -	-	-	-	-	-	-	-	-	(not cerebral)								
Enteric Fever -	3	3	-	-	2	1	-	-	Heart & Blood Vessel Dis.	1	3	-	2	1	-	-	-
Asiatic Cholera -	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	1	207	23	67	18	-	8	27
Epidemic Diarrhoea }	7	3	2	1	-	-	-	-	Membr.) -	7	15	-	1	-	-	6	8
(Infective Enteritis) }	-	-	-	-	-	-	-	-	Bronchitis -	1	6	1	2	-	-	2	1
Diarrhoea, Dysentery	11	8	4	2	-	-	2	-	Asthma, Emphysema -	12	15	2	2	1	1	1	8
Tetanus -	1	1	1	-	-	-	-	-	Pleurisy -	-	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	3	11	6	2	1	-	-	2
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	9	6	4	1	-	1	-	-
Venereal Dis. -	6	9	7	1	-	1	-	-	Gastro-Enteritis -	3	2	-	-	-	-	1	1
Puerperal Septicæmia	4	4	-	-	1	3	-	-	Peritonitis (not Puerp.)	10	18	-	-	-	3	11	4
Puerperal Pyæmia -	-	1	-	-	1	-	-	-	Cirrhosis of Liver -	8	9	-	-	2	2	1	4
Puerperal Fever -	1	-	-	-	-	-	-	-	Liver Dis. (other) -	28	50	12	1	4	12	7	14
Infective Endocarditis	1	2	-	-	-	1	1	-	Digestive Dis., Other	8	4	-	-	2	-	1	1
Lobar -	13	20	4	5	-	1	3	7	Nephritis, Acute -	46	47	-	-	2	8	15	22
Broncho -	84	115	46	42	1	3	6	17	Bright's Dis., Albumin-	11	10	-	-	-	-	1	9
Epidemic -	-	-	-	-	-	-	-	-	uria -	2	4	-	-	-	1	1	2
Not defined -	60	73	15	16	2	6	20	14	Urinary Sys., Other Dis.	3	2	-	-	-	1	1	-
Erysipelas -	13	9	4	-	1	3	1	-	Generative Organs Dis.-	62	61	-	-	-	-	1	60
Septicæmia (not Puer-	2	-	-	-	-	-	-	-	Childbirth (Accid. of)	98	81	53	1	6	7	3	11
peral) -	2	2	-	1	1	-	-	-	Old Age -								
Pyæmia (not Puerperal)	5	4	-	-	2	2	-	-	Other Diseases -								
Other Infective Processes	88	98	1	5	6	38	40	8	ACCIDENT.								
Tuberculous Phthisis	75	63	-	-	5	30	25	3	By Railways -	-	1	-	-	-	1	-	-
"Phthisis" -	16	23	6	12	4	-	1	-	By Vehicles and Horses-	5	6	-	-	1	1	2	2
Tuberculous Meningitis	2	10	3	4	1	1	1	-	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	2	2	-	-	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tabes Mesenterica -	2	2	-	-	-	-	-	-	ing) -	-	1	-	-	-	-	1	-
Tuberculous Dis. (other)-	18	26	1	7	4	4	8	2	In Building Operations	-	-	-	-	-	-	-	-
Scrofula -	1	2	1	-	-	-	-	1	In Conflagrations -	-	-	-	-	-	-	-	-
Alcoholism -	10	15	-	-	-	2	10	3	By Burns, Scalds, Ex-	4	14	-	11	1	-	1	1
Rheumatic Fever -	12	4	-	1	1	1	1	-	plosions -	1	5	1	-	1	-	3	-
Gout -	2	2	-	-	-	-	-	2	By Drowning -	14	7	7	-	-	-	-	-
Carcinoma -	41	63	-	-	-	3	35	25	By Suffocation in Bed	3	-	-	-	-	-	-	-
Sarcoma -	2	8	-	-	-	2	2	4	By Poisons or Poisonous	15	23	4	3	1	3	4	8
Cancer (undefined) -	27	34	-	-	-	4	11	19	Vapours -								
Diabetes Mellitus -	10	11	-	-	-	2	2	7	Other Deaths by Acci-								
Premature Birth -	51	55	55	-	-	-	-	-	dent -								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide -	1	1	-	-	-	1	-	-
									Suicide -	11	12	-	-	1	6	5	-
									Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th November, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.
				Deaths of Age.	Deaths from															
					Infants under 1 Year of Age. Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.					
LONDON - - -	4,530,429	2366	1739	352	542	-	48	6	10	24	-	3	-	11	70	169	636			
WEST DISTRICTS - - -	805,311	356	285	61	94	-	6	-	1	6	-	-	-	1	11	28	105			
NORTH DISTRICTS - - -	1,056,070	482	371	61	123	-	10	2	2	1	-	2	-	1	9	25	124			
CENTRAL DISTRICTS - - -	209,465	93	84	17	18	-	-	-	-	1	-	-	-	1	10	15	36			
EAST DISTRICTS - - -	715,739	419	348	73	111	-	8	-	-	8	-	1	-	6	16	51	147			
SOUTH DISTRICTS - - -	1,749,844	1016	619	139	180	-	24	3	6	8	-	-	-	2	24	52	192			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	32	1	16	-	-	1	1	-	-	-	-	-	-	-	32			
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.	93,178	51	31	9	8	-	-	-	-	1	-	-	-	-	1	2	9			
W ² H																				
St. John Paddington H - G.	33,617	8	11	1	5	-	-	-	-	-	-	-	-	-	-	-	6			
North-West Paddington - C.	17,181	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Kensington Town 2W W ² H G. & W. & C.	128,037	49	45	6	17	-	1	-	-	-	-	-	-	-	3	7	29			
Brompton 2H - W. & C.	48,591	10	12	1	5	-	-	-	1	-	-	-	-	-	-	1	2			
North Hammersmith W ² H W. & G.	49,192	20	16	5	3	-	-	-	-	-	-	-	-	-	-	-	1			
South Hammersmith W ² H	63,047	29	19	8	4	-	-	-	-	-	-	-	-	-	-	2	3			
North-west Fulham W	45,180	37	37	10	7	-	5	-	-	4	-	-	-	-	2	2	18			
North-east Fulham F } W. & C.	46,405	23	16	4	7	-	-	-	-	-	-	-	-	-	-	-	-			
South Fulham W	45,704	32	12	5	3	-	-	-	-	-	-	-	-	-	-	1	-			
Chelsea North W ² H 3H - C.	42,514	14	41	4	19	-	-	-	-	-	-	-	-	-	2	3	26			
Chelsea South W ² H - C.	31,328	17	11	1	4	-	-	-	-	-	-	-	-	-	1	3	-			
Mayfair and Knightsbridge C. & G.	28,743	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Belgrave W ² H - C.	55,815	23	15	2	7	-	-	-	-	1	-	-	-	-	-	-	6			
St. Margaret & St. John 4H - C.	43,698	24	8	3	1	-	-	-	-	-	-	-	-	-	1	4	3			
St. James Westminster } N. & G.	21,588	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1			
W ² H																				
St. Anne Soho 5H - N.	11,493	2	3	-	1	-	-	-	-	-	-	-	-	-	1	1	1			
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.	35,391	9	19	-	8	-	-	-	-	-	-	-	-	-	1	2	10			
Rectory Marylebone W G. & W.	19,849	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1			
St. Mary Marylebone 4H G. & W.	18,099	30	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Christchurch Marylebone H- W.	39,536	24	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. John Marylebone 3H - W.	20,426	7	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-			
Hampstead W ² F, 3H - N. & W.	81,942	16	22	3	19	-	-	1	1	-	-	-	-	-	-	-	8			
West St. Pancras 2H - W.	60,562	35	23	4	5	-	-	-	-	-	-	-	-	-	-	1	9			
Tottenham-court W ² H N. & W.	21,258	14	11	-	5	-	-	-	-	-	-	-	-	-	-	1	10			
Gray's Inn Lane 4H - N.	34,449	13	14	3	2	-	-	-	-	-	-	-	-	-	1	1	6			
East St. Pancras W ² H - N.	60,320	30	29	8	10	-	-	-	-	-	-	-	-	-	-	1	8			
North St. Pancras 2W - N.	58,728	27	26	4	12	-	2	-	-	-	-	-	-	-	-	2	8			
Tufnell W - N.	31,995	8	23	2	9	-	-	-	-	-	-	-	-	-	-	-	16			
Upper Holloway 2W ² H N.	33,978	19	28	4	12	-	-	-	-	-	-	-	-	-	-	-	18			
Tollington WH - N.	33,922	15	9	1	3	-	3	-	-	-	-	-	-	-	-	-	-			
Lower Holloway - N.	41,424	23	13	6	2	-	-	-	-	-	-	-	-	-	-	-	-			
Barnsbury - N.	54,478	37	12	2	3	-	1	-	-	-	-	-	-	-	1	2	-			
Islington South-east F - N.	76,397	38	21	5	4	-	-	-	-	-	-	-	-	-	-	1	-			
Highbury 2H - N.	63,797	23	21	2	10	-	4	-	-	-	-	-	-	1	1	4	-			
Stoke Newington H - N.	51,247	15	14	3	4	-	-	-	-	-	-	-	-	-	-	-	-			
North Hackney - E. & N.	50,560	15	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-			
Central Hackney 2W ² F - E. & N.	50,536	23	14	3	2	-	-	1	1	-	-	2	-	-	-	-	4			
South-west Hackney 3H E. & N.	59,921	28	23	3	4	-	-	-	-	-	-	-	-	-	-	3	10			
South-east Hackney 2W ² H E. & N.	58,255	30	25	4	7	-	-	-	-	-	-	-	-	-	4	5	15			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enume- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St Giles and Bloomsbury W, 2H N.	31,436	15	10	-	3	-	-	-	-	-	-	-	-	-	-	2	2	-	
St Andrew W, 4H - - - N. & C.	21,674	5	10	-	3	-	-	-	-	-	-	-	-	-	-	1	1	6	
St Andrew Union Workhouse, Edmonton-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
St John W, 6H - - - N.	29,612	4	17	4	2	-	-	-	-	-	1	-	-	-	-	1	-	9	
St John Clerkenwell - - - N.	28,676	15	7	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
St John Clerkenwell H - - - N.	35,028	16	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Mary 3H, L - - - N.	36,116	32	9	4	3	-	-	-	-	-	-	-	-	-	-	1	2	1	
St Mary Union Workhouse, } St Mary - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Paul's H - - - N. & E.	10,209	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Paul's Spicque and Allhallows } St Paul's H - - - - }	16,624	4	22	2	3	-	-	-	-	-	-	-	-	-	-	6	7	19	
St Paul's London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																			
St Giles South H - - E. & N.	46,362	17	16	7	3	-	-	-	-	-	-	-	-	-	2	-	1	-	
St Giles North-West W, 6H N.	36,137	14	47	4	25	-	1	-	-	-	-	-	-	-	1	3	11	33	
St Giles North-East - N. & E.	39,148	18	14	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	
St Giles Union Workhouse, Wood } St Giles - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles Green North 2H - E.	51,514	38	17	5	2	-	-	-	-	2	-	-	-	-	-	2	2	7	
St Giles Green South - - E.	33,472	22	4	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-	
St Giles Green East 2W, H, L - E.	44,694	25	30	4	15	-	-	-	-	1	-	-	-	-	-	-	1	18	
St Giles Fields - - - E. & N.	27,969	11	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
St Giles New Town W, H - E.	28,718	18	43	2	8	-	-	-	-	-	-	1	-	-	-	4	8	37	
St Giles Man's Fields - - E.	22,081	10	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
St George and St. John 2W E.	49,068	44	25	5	4	-	1	-	-	1	-	-	-	-	-	1	8	7	
St Giles Well and Ratcliff W, H, E. & N.	25,568	6	21	10	2	-	-	-	-	3	-	-	-	-	-	3	3	10	
St Giles House W - - - E.	32,369	11	8	4	2	-	1	-	-	1	-	-	-	-	-	1	2	-	
St Giles End Old Town South- } St Giles Eastern H - - - }	63,698	42	13	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles End Old Town North- } St Giles Western W, 6 - - }	49,129	29	23	3	8	-	3	-	-	-	-	-	-	-	-	-	2	10	
St Giles Ley 3W																			
St Giles Ley 3W, H - - - E.	41,989	30	13	5	3	-	-	-	-	-	-	-	-	-	-	-	3	-	
St Giles Ley 3W, H - - - E.	48,319	39	47	11	19	-	1	-	-	-	-	-	-	-	-	1	2	23	
St Giles Ley 3W, H - - - E.	58,514	45	19	3	7	-	-	-	-	-	-	-	-	-	-	1	5	2	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th November, 1905—continued.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases.
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Ptyeisia (Origin un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																
Christchurch Southwark W,H,L.&S.	11,263	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	5	23	6	3	-	-	-	-	1	-	-	-	-	1	1
Kent-road - - - S. & L.	21,904	17	10	6	2	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,094	23	12	7	1	-	-	-	-	-	-	-	-	-	1	2
West W,H,L. - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington North - - S. & L.	49,022	33	17	4	3	-	1	-	-	-	-	-	-	-	-	2
Newington South W - S. & L.	72,841	42	20	3	7	-	3	-	-	-	-	-	-	-	-	4
St. Olave 2W - - - S.	9,817	6	4	-	2	-	-	-	-	-	-	-	-	-	1	1
Bermondsey W - - - S.	82,483	63	25	11	6	-	-	-	-	-	-	-	-	-	1	2
Rotherhithe W,F - - S. & K.	38,460	22	29	5	6	-	-	-	-	-	-	-	-	-	1	4
Waterloo-road 2H - - L. & S.	27,440	40	5	3	-	-	2	-	-	-	-	-	-	-	-	-
Lambeth Church 1st H - L. & S.	18,423	7	15	1	1	-	-	-	-	-	-	-	-	-	1	2
Lambeth Church 2nd 2W - L. & S.	39,818	29	35	5	12	-	6	-	-	2	-	-	-	-	-	-
Kennington 1st H - - S. & L.	53,198	37	16	6	3	-	1	-	-	-	-	-	-	-	1	2
Kennington 2nd H - - S. & L.	42,896	18	13	-	4	-	2	-	-	1	-	-	-	-	2	2
Brixton F - - - L. & S.	84,232	43	23	6	8	-	-	-	2	-	-	-	-	-	1	1
Norwood W,H - - - L.	35,888	14	8	2	2	-	1	-	-	1	-	-	-	-	-	-
East Battersea H - - S.	72,203	52	12	2	4	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea - - S.	49,656	30	10	4	4	-	-	-	-	-	-	-	-	-	2	2
South-west Battersea 2W,H - S.	47,048	19	38	5	13	-	2	-	-	2	-	-	-	-	3	5
Clapham 2H - - - L.	51,361	26	12	3	3	-	-	-	-	-	-	-	-	-	1	1
Streatham W 2w,2F,2L - - S.	88,019	53	42	8	17	-	1	-	-	-	-	-	-	-	2	4
Springfield 2W,L - - - S.	27,959	19	11	4	3	-	-	-	-	-	-	-	-	-	2	2
Southfields H - - - S.	40,444	26	9	2	3	-	-	-	-	2	-	-	-	-	1	1
Putney - - - S.	24,139	12	3	1	-	-	-	-	-	1	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w - S. & L.	40,206	25	28	2	6	-	2	-	-	-	-	-	-	-	-	-
Camberwell North W,2L - S. & L.	65,584	40	39	8	9	-	1	-	-	-	-	-	-	-	1	-
St. George - - - L. & S.	47,331	27	10	2	2	-	-	-	-	1	1	-	-	-	-	-
Peckham 2W,w - - S., L. & K.	92,859	36	22	6	8	-	1	-	-	-	-	-	-	-	1	5
Deptford North - - - K.	37,613	30	14	3	5	-	-	-	-	-	-	-	-	-	-	1
Deptford Central - - - K.	45,481	30	7	4	1	-	-	-	-	-	-	-	-	-	1	2
Deptford South - - - K.	34,625	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	12	5	2	2	-	-	-	-	-	-	-	-	-	-	1
Greenwich East 2W,H - K.	43,559	25	25	2	14	-	-	-	-	-	-	-	-	-	2	3
Eltham w,H - - - K.	7,226	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Lee w,H - - - K.	25,490	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham w w,F - - K.	58,352	32	25	7	7	-	2	-	-	-	-	-	-	-	-	-
Sydenham H - - - L.	43,653	22	5	-	2	-	1	-	-	-	-	-	-	-	-	-
Charlton F,2H - - - K.	21,134	7	9	1	3	-	-	1	2	-	-	-	-	-	-	-
Woolwich 5H - - - K.	41,625	17	11	4	3	-	-	-	-	-	-	-	-	-	1	3
Plumstead West W - - K.	18,063	10	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Plumstead East 2W,H - K.	50,264	31	12	3	5	-	-	-	-	-	-	-	-	-	-	2
Workhouse:—																
Central London Sick Asylum	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)																
M. A. B. Small-pox Hospitals:—																
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
North-Eastern	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																
Caterham	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-
Darenth	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																
Banstead	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Hanwell	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-
Claybury	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th November, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1203	603	120	199	-	18	2	8	8	4	7	23	50	82	1
Carshalton 2F,2H	12,228	32,997	18	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Epsom, part of* W,2F,H-	10,423	15,548	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Godstone, part of* W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon W	4,200	49,309	16	11	1	4	-	1	-	-	-	-	-	-	3	-	-
West Croydon 3W,F,H	2,168	42,888	25	14	2	6	-	-	-	-	-	-	-	-	-	5	-
North Croydon H	2,644	41,698	22	10	2	5	-	1	-	-	-	-	-	1	-	-	-
Penge W,H-	770	22,465	7	5	2	1	-	-	-	-	-	-	-	1	-	-	-
Mitcham W	11,711	30,015	29	7	1	1	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F,3H	3,221	41,652	17	12	-	5	-	-	-	-	-	-	-	-	-	-	-
Kingston 2W,H-	6,224	42,068	25	11	2	5	-	-	-	-	-	1	-	-	-	1	-
Surbiton F,H	3,046	15,017	7	2	-	1	-	-	-	1	-	-	1	1	1	4	-
Esher, part of* H	5,402	13,100	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L-	4,564	23,456	16	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Richmond W,H-	2,162	28,865	12	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Mortlake F	2,847	20,628	18	5	1	1	-	-	-	-	-	-	-	-	-	1	-
Bromley F,2H	4,703	27,354	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Beckenham H	7,825	28,497	20	6	2	2	-	-	-	1	-	-	-	-	1	3	-
Orpington part of* W	10,113	9,857	6	7	1	3	-	-	-	-	-	-	-	-	1	2	-
Chislehurst 2H	7,333	16,446	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Bexley W,F,H	8,678	21,151	13	7	3	1	-	1	-	-	-	-	-	-	-	-	-
Erith F,H	3,354	25,296	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Sunbury W-	11,054	18,683	14	8	2	2	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	5	4	2	1	-	-	-	-	-	-	-	-	1	1	-
Hillingdon W,F,H	6,035	13,661	12	13	3	5	-	-	-	-	1	-	-	-	-	3	-
Uxbridge H	12,757	8,984	4	5	-	4	-	-	-	-	-	-	-	-	-	-	-
Hayes W,F,H	8,066	16,358	16	2	2	-	-	-	-	-	-	-	-	-	1	1	-
Isleworth 3W,2F,H	6,859	30,863	12	14	1	5	-	-	-	1	-	-	-	-	-	3	-
Twickenham F,H	2,421	20,991	17	7	2	3	-	-	-	-	-	-	1	-	-	-	-
Brentford 3F,2H,L	4,319	48,289	27	12	1	2	-	-	-	-	-	-	-	-	-	-	-
Chiswick H-	1,249	29,809	12	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Acton W,3H	6,132	48,914	43	14	3	8	-	-	-	-	-	-	-	-	1	2	-
Harrow F,H	13,809	25,523	19	8	2	2	-	-	-	-	-	-	-	-	-	-	-
Edgware F,2H	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Willesden W,2F,2H	4,384	114,811	66	26	3	12	-	-	-	-	-	-	-	-	-	1	-
Hendon W,F	8,382	22,450	10	9	1	4	-	2	-	-	-	-	-	-	1	3	2
South Mimms 2F,H	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H	4,688	33,662	14	12	1	3	-	1	-	-	1	-	1	-	-	-	-
Hornsey F,H	2,875	72,056	24	17	2	7	-	-	1	-	-	-	-	-	-	1	-
Wood Green H	1,625	34,233	17	13	5	4	-	-	-	1	-	-	-	-	1	1	-
West Tottenham F	996	48,853	35	18	1	6	-	-	-	-	-	-	-	-	-	3	-
East Tottenham 2H	2,017	53,688	26	21	5	3	-	-	-	-	-	-	-	-	-	-	-
Edmonton W,2F	7,491	61,892	46	33	2	13	-	-	-	-	-	-	-	-	-	11	-
Enfield 2W,F,H	12,601	42,738	21	17	1	9	-	2	-	-	1	-	-	-	2	2	-
Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,305	664	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bushey H	9,333	9,173	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	20	12	2	4	-	-	-	-	-	-	-	-	-	-	-
Plaistow F,2H	1,249	90,921	56	29	9	5	-	4	-	-	-	-	-	-	1	1	-
Canning Town H	1,556	70,718	46	21	7	3	-	-	4	-	1	-	-	-	-	3	-
Forest Gate W	806	60,892	30	21	4	5	-	-	-	-	1	-	-	-	-	1	-
North East Ham W,H	1,333	58,676	32	21	5	5	-	3	-	-	-	-	-	-	1	1	-
South East Ham 2F*	1,993	37,342	41	21	6	3	-	-	-	-	-	-	-	-	1	1	-
Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-
South Leyton 2W	631	50,467	26	15	5	5	-	1	-	-	-	-	-	-	-	-	-
North Leyton 2W,W,F	1,963	48,445	34	28	6	10	-	-	-	-	-	-	-	-	2	2	-
Walthamstow 3H,L	6,504	108,929	80	30	11	9	-	-	-	1	1	-	2	-	1	2	-
Chigwell, part of* 2F,3H	11,778	16,397	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	6,091	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Ilford F,L	8,496	41,234	31	13	3	3	-	-	-	1	-	-	-	-	-	2	-
Barking Town F	3,803	21,547	19	7	2	-	-	-	-	-	-	-	-	-	-	-	-
Eastern Hosp., Hackney	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
N.E. Hosp., Tottenham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
City of London Asylum, Stone.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Ases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	November 25	2366	1739	19'4	-	48	6	13	24	3
CALCUTTA - -	847,796	October 14	-	481	29'5	1	3	-	2	-	133†
BOMBAY - -	776,006	November 7	378	526	35'2	1	2	-	-	1	65†
MADRAS - -	509,346	October 27	446	560	57'1	2	5	?	?	?	127
PARIS - -	2,660,559	November 18	979	765	14'0	-	7	1	2	1	6
BRUSSELS - -	586,936	" 18	217	152	13'2	-	-	-	-	-	2
ANTWERP - -	286,695	" 18	117	57	10'2	-	-	-	1	-	-
AMSTERDAM -	554,240	" 11	270	138	12'9	-	2	-	4	2	3
COPENHAGEN -	426,000	" 18	214	93	11'3	-	-	-	-	-	1
STOCKHOLM -	309,496	" 11	175	85	13'9	-	-	1	1	-	-
CHRISTIANIA -	223,649	" 18	90	74	17'3	-	-	-	5	2	-
ST. PETERSBURG	1,248,122	" 4	777	560	20'9	1	13	27	15	5	18
MOSCOW - -	1,092,360	October 28	-	464	23'1	-	-	11	10	5	9
		November 4	-	497	23'7	6	-	16	9	6	10
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,033,166	November 4	921	530	13'6	-	3	6	3	6	2
HAMBURG - -	772,852	" 18	-	185	12'4	-	-	-	1	5	-
BRESLAU - -	462,147	" 18	-	188	21'2	-	-	-	3	4	2
MUNICH - -	533,000	" 18	-	180	17'7	-	1	-	3	2	-
VIENNA - -	1,897,630	" 18	942	618	16'8	-	5	7	10	3	2
PRAGUE - -	430,569	" 18	175	167	19'1	-	1	1	1	-	1
BUDA-PESTH -	836,267	" 18	411	234	14'6	-	8	3	4	-	3
TRIESTE - -	191,403	" 18	118	74	19'7	-	3	-	-	-	-
ROME - -	514,930	September 2	205	154	15'6	-	-	-	-	1	4
VENICE - -	169,417	November 11	64	65	20'0	-	2	-	-	-	-
BUCHAREST -	282,071	" 11	153	118	21'8	-	-	2	1	1	4
NEW YORK - -	3,948,191	" 11	2003	1127	14'6	-	8	5	22	3	12
CHICAGO - -	1,932,315	" 11	-	469	12'3	-	-	2	17	1	8
PHILADELPHIA -	1,438,318	" 4	-	394	14'2	-	-	-	10	4	7
BOSTON - -	617,956	October 28	-	182	15'9	-	-	-	1	-	4
RIO DE JANEIRO	850,000	" 15	-	320	18'4	6	7	-	-	-	7†

* Excluding deaths from croup in the Indian Cities.

† Including 6 deaths from plague in Calcutta, 14 in Bombay, and 5 in Rio de Janeiro.

‡ Including 40 deaths from cholera in Calcutta, and 38 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th November, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	51'6	23'1	37'6	0'17	BRAIFORD - -	49'6	26'0	39'4	0'0
BRIGHTON - -	53'2	28'9	39'7	0'48	LEEDS - - -	49'0	28'0	40'8	0'0
PORTSMOUTH - -	54'7	24'0	39'8	0'53	HULL - - -	49'0	23'0	37'3	0'0
NORWICH - - -	50'0	23'6	37'1	0'29	TYNEMOUTH - -	50'0	25'0	38'0	0'0
PLYMOUTH - -	53'0	27'0	41'3	0'95	CARDIFF - - -	52'2	20'0	36'8	0'0
BRISTOL - - -	53'7	23'0	39'2	0'45	EDINBURGH - -	53'2	24'0	40'2	0'0
BIRMINGHAM - -	49'0	27'0	38'4	0'17	GLASGOW - - -	53'8	19'0	39'8	0'0
NOTTINGHAM - -	51'0	23'7	36'8	0'11	DUBLIN { Phoenix Park. Fitz- william Square.†	53'6	17'4	40'0	0'0
LIVERPOOL } OBSERVATORY.	52'0	25'0	39'8	0'59		55'9	23'6	42'0	0'0
MANCHESTER - -	48'8	26'9	38'6	0'92		54'5	19'3	37'6	0'0
PRESTON - - -	49'5	26'5	39'3	0'69					
HUDDERSFIELD -	46'6	27'2	39'5	0'62					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'3° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1905.

MONTH AND
DAY

NOVEMBER.

		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
--	--	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

DATE.		ELECTRICITY.		REGISTERED SUNSHINE.		GENERAL REMARKS.	
NOVEMBER.		(For explanation of symbols, see Note.		Sunshine in hours.		Horizon, in hours.	
SUNDAY - 19		w. P. in morning; m. P. afterwards.		00	86	Overcast till afternoon; cloudy with fine intervals after 3h. P.M.	
MONDAY - 20		m. P. till 9h. A.M.; s. P. generally after- wards.		49	86	Cloudy in morning; very fine afternoons; slight fog and hoar frost at night.	
TUESDAY - 21		m. P. in morning; s. P. afterwards.		17	86	Fog and hoar frost in morning; generally cloudless afterwards with variable fog after noon; hoar frost at night; a very cold day.	
WEDNESDAY 22		s. P. till 4h. A.M.; m. P. till 8h. P.M.; w. P. afterwards.		49	85	Very fine with little cloud till evening; overcast at night; hoar frost in morning.	
THURSDAY - 23		w. P. and w. N. till 11h. A.M.; w. P. with occasional m. P. after- wards.		00	85	Overcast till evening with frequent rain till noon; cloudless at night.	
FRIDAY - 24		w. P. in morning; m. P. afterwards.		64	84	Cloudless with slight exceptions; a very fine day; hoar frost in morning.	
SATURDAY - 25		m. P. till 11h. A.M.; w. P. afterwards.		00	84	Cloudless with hoar frost in morning; cloudy in forenoon; overcast afterwards with frequent thin rain after 7h. 30m. P.M.	
No. of Col -				Sum 179	Sum 596		

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 159 feet above the mean level of the sea;
no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of
the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb
thermometer are converted into mean daily values by the application of corrections
deduced from a discussion of the photographic records made during the twenty years
ending 1873 for the barometer, and during the twenty years ending 1888 for the
thermometers. With the corrected mean readings of the dry bulb thermometer is
combined the corrected mean of the readings of the maximum and minimum
thermometers, forming the mean daily value of temperature of the air (column 8). The
mean daily dew point temperature and degree of humidity are deduced from the mean
daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations
made at Greenwich during the 50 years ending 1890, and that of horizontal movement
of the air from a discussion of the anemometric records for the 16 years ending 1876.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and
- "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer,
which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer.
The symbols employed are: -P. positive; N. negative; w. weak; m. moderate;
s. strong; and v. variable.
The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument
show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.79 in. at the beginning of the week to
29.52 in. by 3h. P.M. on the 19th; increased to 30.03 in. by 10h. A.M. on the 21st; decreased
to 29.43 in. by noon on the 23rd; increased to 29.72 in. by 11h. P.M. on the 24th; and
decreased to 29.28 in. by midnight on the 25th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 18th November, 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	4	-	-	-	-	-	2	1
Kensington - - - - -	180,083	-	14	7	-	1	-	-	4	-
Hammersmith - - - - -	119,037	-	6	4	-	1	-	-	6	-
Fulham - - - - -	157,210	-	18	13	-	-	-	-	4	-
Chelsea - - - - -	74,496	-	13	6	-	-	-	-	2	1
City of Westminster - - - -	175,006	-	8	4	-	1	-	-	4	-
NORTH.										
St. Marylebone - - - - -	129,453	-	9	2	-	1	-	-	4	-
Hampstead - - - - -	88,142	-	-	1	-	-	-	-	2	-
St. Pancras - - - - -	236,183	-	27	5	-	1	-	-	7	1
Islington - - - - -	342,994	-	25	13	-	3	-	-	1	-
Stoke Newington - - - - -	52,828	-	7	5	-	-	-	-	-	-
Hackney - - - - -	228,479	-	38	4	-	9	-	-	11	-
CENTRAL.										
Holborn - - - - -	56,481	-	10	-	-	-	-	-	-	-
Finsbury - - - - -	98,207	-	3	6	-	-	-	-	4	-
City of London - - - - -	22,425	-	4	2	-	-	-	-	3	-
EAST.										
Shoreditch - - - - -	116,565	-	15	2	-	2	-	-	3	-
Bethnal Green - - - - -	130,401	-	15	4	-	2	-	-	7	-
Stepney - - - - -	305,466	-	35	11	-	2	-	-	10	1
Poplar - - - - -	170,280	-	19	2	-	4	-	-	5	-
SOUTH.										
Southwark - - - - -	208,528	-	17	5	-	2	-	-	14	-
Bermondsey - - - - -	129,006	-	26	3	-	1	-	-	5	-
Lambeth - - - - -	313,045	-	25	14	-	2	1	-	7	-
Battersea - - - - -	177,532	-	24	1	-	-	-	-	4	-
Wandsworth - - - - -	265,392	-	27	5	-	5	-	-	5	-
Camberwell - - - - -	271,240	-	32	9	-	2	-	-	8	2
Deptford - - - - -	114,495	-	21	3	-	2	-	-	6	-
Greenwich - - - - -	103,493	-	10	5	-	-	-	-	2	-
Lewisham - - - - -	144,420	-	6	3	-	-	-	-	1	-
Woolwich - - - - -	125,372	-	9	1	-	1	-	-	1	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	467	140	-	42	1	-	132	6
AGES.										
Ages 0-1 - - - - -	-	-	7	3	-	-	-	-	6	-
" 1-5 - - - - -	-	-	143	55	-	3	-	-	6	-
" 5- - - - -	-	-	213	46	-	7	-	-	4	-
" 10- - - - -	-	-	71	16	-	4	-	-	7	-
" 15- - - - -	-	-	16	5	-	4	-	-	9	-
" 20- - - - -	-	-	8	5	-	9	-	-	4	1
" 25- - - - -	-	-	9	9	-	10	-	-	21	4
" 35- - - - -	-	-	-	-	-	5	-	-	21	1
" 45- - - - -	-	-	-	1	-	-	-	-	24	-
" 55- - - - -	-	-	-	-	-	-	1	-	14	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	16	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~  
**By Authority of the Registrar General.**  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 48. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, DEC. 2. [Price 1½d.

*General Register Office, Somerset House,
December 4th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·6, 15·5, and 17·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·1 in Wigan, 21·3 in Liverpool, 21·6 in Gateshead, 21·8 in Derby, 22·5 in Wolverhampton, 22·6 in Merthyr Tydfil, 23·3 in Tynemouth, 24·1 in Bootle, and 26·6 in Rochdale; from *measles*, 1·3 in Birmingham, 1·6 in Blackburn, 2·1 in Middlesbrough, and 4·1 in Preston; from *diphtheria*, 1·6 in Blackburn, 2·2 in West Hartlepool, and 2·5 in Bootle; from *whooping-cough*, 1·5 in Burnley, 1·7 in Gateshead, and 2·4 in Rochdale; and from "*fever*," 1·8 in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2275 BIRTHS and 1623 DEATHS were registered. Allowing for increase of population, the births were 252 and the deaths 102 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 16·6, 17·3, and 19·4 in the preceding three weeks, fell last week to 18·1. During the four weeks ended on Saturday last the death-rate averaged 17·9 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1623 deaths included 53 from measles, 18 from scarlet fever, 5 from diphtheria, 25 from whooping-cough, 3 from enteric fever, and 16 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 120 deaths were referred to these diseases in the aggregate, being 38 below the corrected average weekly number.

The deaths from *measles*, which had been 47, 54, and 48 in the preceding three weeks, rose to 53 last week, and were 3 above the corrected average; 16 deaths belonged to the Borough of Southwark, 9 to Lambeth, and 4 each to Fulham, Islington, Stepney, and Camberwell. The deaths from *scarlet fever*, which had been 13, 8, and 6 in the preceding three weeks, rose to 18 last week, and were 6 above the corrected average. The deaths from *diphtheria*, which had been 9, 19, and 10 in the preceding three weeks, fell to 5 last week, and were 33 below the corrected average. The deaths from *whooping-cough*, which had been 13, 20, and 24 in the preceding three weeks, were 25 last week, and were 3 above the corrected average; 5 deaths belonged to St. Pancras and 4 to Islington. The fatal cases of *enteric fever*, which had been 7, 8, and 3 in the preceding three weeks, were again 3 last week, and were 14 below the corrected average; the 3 deaths belonged to Hackney. The deaths from *diarrhoea*, which had been 27, 13, and 11 in the preceding three weeks, were 16 last week, and were equal to the corrected average; 3 deaths belonged to Lambeth. Of the 16 deaths from diarrhoea, 15 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 11, 12 and 15 in the preceding three weeks. The deaths of a van-builder and a house-painter, aged 42 and 43 years respectively, were certified as due to *plumbism*.

Different forms of *violence* caused 77 deaths, concerning all but 1 of which inquests were held. Of these 77 deaths, 13 were cases of suicide, while the remaining 64 cases were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 13 to burns or scalds, 4 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 11 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4021 cases of scarlet fever, 725 of diphtheria, and 115 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 375 cases, against 494, 425, and 470; of diphtheria, 93 cases, against 111, 111, and 92; and of enteric fever, 15 cases, against 19, 22, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended November 25th.

GREATER LONDON.

In Greater London 3514 births and 2163 deaths were registered. Allowing for increase of population, these numbers are 254 and 232 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 5 from diphtheria, 2 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the thermometer 42·9, the latter being 1·8 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 6·8 hours; the measured rainfall amounted to 0·61 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the year 1906.*	DEATH-RATES from all Causes.					Registered during the Week ended 2nd Dec., 1905.		The DEATHS registered in the Week include											TOWNS	
		Week ended					11-17.	8.	Deaths of												
		1905.							Deaths from												
		11th Nov., 1905.	18th Nov., 1905.	25th Nov., 1905.	2nd Dec., 1905.	Week ended 2nd Dec., 1905.			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.		Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
76 TOWNS	15,609,377	15'6	15'5	17'9	16'7	1'3	7750	5005	1159	1486	-	113	55	56	81	26	49	200	440	1214	51
LONDON -	4,684,794	16'6	17'3	19'4	18'1	1'3	2275	1623	341	507	-	53	18	5	25	3	16	77	191	606	-
(CROYDON.	147,704	14'1	14'1	11'3	12'4	1'8	71	35	5	14	-	2	-	2	1	-	-	2	6	9	-
WILLESDEN -	138,080	9'8	11'0	9'8	10'2	1'5	82	27	8	6	-	3	-	-	-	-	1	1	2	4	-
HORNSEY -	84,070	6'2	8'1	10'5	10'5	-	33	17	8	6	-	-	-	-	-	-	-	-	2	1	-
TOTTENHAM -	116,232	10'8	9'4	19'3	13'5	0'9	82	30	6	8	-	-	-	1	1	-	-	2	3	5	-
WEST HAM -	294,997	18'6	15'6	16'6	17'3	0'9	177	98	33	13	-	3	1	-	-	-	1	3	6	19	-
EAST HAM -	123,381	10'6	11'0	20'3	13'5	1'7	54	32	10	3	-	2	-	1	1	-	1	1	6	7	-
LEYTON -	114,555	10'0	9'6	10'9	13'7	0'5	61	30	14	9	-	-	1	-	-	-	-	-	1	3	-
(WALTHAMSTOW	116,397	13'0	16'6	12'1	12'1	2'2	57	27	6	7	-	-	1	2	2	-	-	2	3	5	-
HASTINGS -	66,820	13'3	4'7	10'9	17'9	0'8	29	23	4	8	-	1	-	-	-	-	1	1	1	4	-
BRIGHTON -	127,183	10'7	8'6	13'5	11'9	-	43	29	2	16	-	-	-	-	-	-	-	-	2	6	-
PORTSMOUTH -	201,975	16'8	14'2	16'0	16'3	0'5	114	63	14	25	-	-	1	-	-	-	1	3	6	4	2
BOURNEMOUTH -	66,168	17'3	10'2	10'2	8'7	0'8	20	11	4	6	-	-	-	1	-	-	-	1	4	2	-
SOUTHAMPTON -	114,897	11'8	10'9	18'2	10'0	-	37	22	6	5	-	-	-	-	-	-	-	-	1	5	-
READING -	77,674	14'8	12'1	15'4	15'4	0'7	28	23	3	10	-	-	1	-	-	-	-	-	1	5	1
NORTHAMPTON -	92,441	13'0	12'4	10'2	11'3	0'6	36	20	5	5	-	-	-	-	1	-	-	-	1	2	-
IPSWICH -	70,802	13'3	11'0	14'0	9'6	0'7	45	13	5	4	-	-	-	-	1	-	2	2	2	5	-
GREAT YARMOUTH -	52,353	20'9	11'0	15'9	19'9	1'0	23	20	1	12	-	-	-	-	1	-	1	1	1	7	-
NORWICH -	116,741	13'4	15'2	16'1	17'4	1'3	45	39	8	14	-	-	-	1	1	-	1	2	4	8	1
PLYMOUTH -	116,000	14'8	15'3	18'4	18'4	0'4	51	41	5	15	-	-	-	1	-	-	-	2	4	7	-
DEVONPORT -	76,864	14'9	10'9	15'6	9'5	0'7	43	14	3	5	-	-	-	-	1	-	-	1	1	3	-
BRISTOL -	358,515	14'5	12'7	15'1	18'8	1'6	169	129	24	46	-	1	3	3	4	-	-	3	9	33	1
HANLEY† -	64,967	8'9	16'9	17'7	17'7	0'8	31	22	6	4	-	-	-	1	-	-	-	3	5	1	-
BURTON-ON-TRENT -	52,424	13'9	9'0	9'9	11'9	-	25	12	1	6	-	-	-	-	-	-	-	1	2	1	-
WOLVERHAMPTON -	99,456	12'6	14'2	22'0	22'5	2'6	35	43	9	11	-	2	1	-	-	1	1	2	3	7	-
WALSALL -	62,998	10'7	12'3	17'4	12'9	0'6	48	23	5	8	-	-	-	-	-	-	1	2	4	1	1
HANDSWORTH -	61,721	12'7	11'0	9'3	14'4	1'7	27	17	4	7	-	-	-	-	-	-	-	-	1	2	1
WEST BROMWICH -	67,823	12'3	13'1	13'1	18'5	-	46	24	5	7	-	-	-	-	-	-	-	-	3	4	1

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ The recent extension of the Borough of Hanley will not be taken into account in the Weekly Returns until next year.

TOWNS

TOWNS.	COLS.	POPULATION estimated to the middle of 1905.*	DEATH-RATES FROM ALL CAUSES.				Rate from Diseases in 1905.		Registered Deaths in the Week ended 2nd Dec., 1905.		The DEATHS registered in the Week include														
			Week ended		Week ended		11th Nov., 1905.	2nd Dec., 1905.	11th Nov., 1905.	DEATHS. 2nd Dec., 1905.	Deaths from						Deaths in Public Institutions.						Unidentified Causes of Death.		
			1905.		1905.						Violence.						Deaths in Public Institutions.								
			11th Nov., 1905.	25th Dec., 1905.	11th Nov., 1905.	25th Dec., 1905.					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.				
BIRMINGHAM	-	542,959	14.9	14.4	17.8	17.5	2.5	27.3	182	41	56	-	14	1	3	4	3	1	6	9	35	6	BIRMINGHAM.		
KINGS NORTON	-	69,830	7.5	9.0	11.2	5.2	0.7	22	7	3	1	-	-	-	-	1	-	-	-	-	1	-	-	KINGS NORTON.	
SMETHWICK	-	62,805	16.7	12.5	11.7	0.8	31	14	14	6	-	-	-	-	-	-	1	-	-	1	-	1	-	SMETHWICK.	
ASTON MANOR	-	81,320	12.8	9.0	10.9	10.9	1.3	42	17	3	5	-	1	-	-	1	-	-	-	-	-	-	-	ASTON MANOR.	
COVENTRY	-	73,134	14.6	11.1	10.4	16.0	0.7	32	23	10	8	-	-	-	-	-	-	1	1	1	4	-	-	COVENTRY.	
LEICESTER	-	228,132	13.3	12.1	16.5	11.2	0.7	121	49	12	19	-	-	1	-	2	-	-	1	2	-	-	-	LEICESTER.	
GRIMSEY	-	68,163	16.1	9.2	16.1	6.9	-	45	9	2	1	-	-	-	-	-	-	-	1	1	-	-	-	GRIMSEY.	
NOTTINGHAM	-	251,671	17.0	13.3	14.1	13.7	-	100	66	11	27	-	-	-	-	-	-	-	5	7	12	-	-	NOTTINGHAM.	
DERBY	-	122,207	13.2	12.4	15.8	21.8	0.9	45	51	12	16	-	-	-	-	1	1	-	2	9	10	-	-	DERBY.	
STOCKPORT	-	93,320	13.8	19.1	17.5	19.1	0.5	63	36	14	12	-	-	-	-	1	-	-	-	2	2	1	-	-	STOCKPORT.
BIRKENHEAD	-	116,085	13.9	16.6	17.1	14.4	1.3	69	32	10	5	-	-	2	1	-	-	-	4	4	7	-	-	-	BIRKENHEAD.
WALLASEY	-	62,460	16.7	25.0	16.7	10.0	0.8	23	12	3	2	-	-	-	-	-	1	-	-	-	2	-	-	-	WALLASEY.
LIVERPOOL†	-	730,143	19.9	19.7	24.9	21.3	1.8	463	298	77	75	-	2	5	5	4	4	5	6	11	79	9	-	-	LIVERPOOL.†
BOOTLE†	-	62,768	15.0	30.7	20.8	24.1	4.2	43	29	7	7	-	-	-	1	3	1	-	-	-	6	-	-	-	BOOTLE.†
ST. HELENS	-	39,843	16.3	11.0	19.7	15.1	0.6	52	23	10	5	-	-	-	-	1	-	-	-	-	5	3	-	-	ST. HELENS.
WIGAN	-	88,551	13.9	15.1	19.3	21.1	1.8	73	35	5	11	-	-	-	-	-	3	-	2	3	10	1	-	-	WIGAN.
WARRINGTON	-	68,301	19.8	16.0	19.8	16.8	0.8	39	22	9	4	-	-	-	-	1	-	1	1	1	4	-	-	-	WARRINGTON.
BOLTON	-	178,111	13.2	16.7	15.5	14.6	0.6	65	50	11	13	-	-	-	-	-	1	1	2	4	7	-	-	-	BOLTON.
BURY	-	58,594	17.8	13.3	16.0	16.9	-	19	19	1	3	-	-	-	-	-	-	-	3	4	1	1	-	-	BURY.
MANCHESTER	-	631,185	15.7	17.8	20.2	17.3	0.7	312	209	47	54	-	-	-	-	-	-	-	3	16	21	65	2	-	MANCHESTER.
SALFORD	-	231,514	20.3	15.1	17.8	19.8	2.3	114	88	20	26	-	1	1	1	-	2	5	1	3	20	-	-	-	SALFORD.
OLDHAM	-	140,225	16.0	23.1	27.1	17.5	0.7	59	47	7	14	-	-	1	-	-	-	1	1	4	10	-	-	-	OLDHAM.
GOCHDALE	-	86,390	13.9	6.6	21.1	26.6	4.8	31	44	13	13	-	-	2	1	4	-	1	2	4	5	1	-	-	ROCHDALE.
BURNLEY	-	101,682	12.8	15.4	22.1	15.9	1.5	75	31	8	9	-	-	-	-	3	-	-	-	3	4	-	-	-	BURNLEY.
BLACKBURN	-	133,067	19.2	13.7	18.8	17.6	3.9	57	45	10	12	-	4	1	4	-	-	-	1	2	6	2	-	-	BLACKBURN.
PRESTON	-	115,721	16.7	17.6	21.6	17.1	4.5	55	38	4	12	-	-	-	-	-	-	-	-	-	3	1	-	-	PRESTON.
BARROW-IN-FURNESS.	-	60,306	8.6	13.8	17.3	9.5	-	25	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	BARROW-IN-FURNESS.

TOWNS	POPULATION estimated to the middle of the year 1905.	DEATH-RATES from all Causes.				DISEASES during the Week ending 11-17.		Registered Deaths during the Week ending 2nd Dec., 1905.		The DEATHS registered in the Week include											TOWNS	
		Week ended				11-17.		BIRTHS.		Deaths of Persons aged 60 Years and upwards.	Deaths from											
		11th Nov., 1905.	18th Nov., 1905.	25th Nov., 1905.	2nd Dec., 1905.	Week ending 11-17.		2nd Dec., 1905.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD -	94,888	18'7	16'5	23'6	20'3	-	40	37	5	14	-	-	-	-	-	-	-	2	3	4	-	HUDDESFIELD.
HALIFAX -	108,419	13'9	11'5	15'4	11'5	0'5	31	24	4	12	-	-	-	1	-	-	-	-	1	5	-	HALIFAX.
BRADFORD -	286,799	14'5	15'8	14'9	15'6	0'2	96	86	21	32	-	-	-	-	-	1	-	1	2	15	-	BRADFORD.
LEEDS -	456,787	15'9	16'6	17'4	15'6	1'5	216	137	30	45	-	7	-	-	4	1	1	2	8	18	-	LEEDS.
SHEFFIELD -	440,414	12'9	14'8	16'5	14'3	1'4	207	121	29	31	-	2	6	-	2	-	2	3	8	21	2	SHEFFIELD.
ROTHERHAM -	59,794	17'4	14'0	14'0	19'2	2'6	31	22	6	6	-	-	1	-	-	-	2	2	2	6	-	ROTHERHAM.
YORK -	82,382	15'2	15'2	18'4	13'9	0'6	46	22	2	6	-	-	-	1	-	-	-	-	3	3	-	YORK.
HULL -	258,127	13'3	8'7	20'0	14'1	0'8	125	70	17	23	-	-	2	1	1	1	-	1	7	13	1	HULL.
MIDDLESBROUGH -	98,369	21'2	15'9	19'1	16'4	2'7	54	31	10	9	-	4	-	1	-	-	-	1	2	6	-	MIDDLESBROUGH.
STOCKTON-ON-TEES -	52,425	15'9	13'9	11'9	16'9	-	17	17	3	6	-	-	-	-	-	-	-	2	2	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL -	71,313	16'1	17'5	24'9	17'5	3'7	38	24	6	4	-	-	1	3	1	-	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND -	152,761	15'4	18'4	17'1	17'4	1'0	90	51	22	10	-	-	-	-	-	2	1	1	2	5	2	SUNDERLAND.
SOUTH SHIELDS -	109,360	15'3	18'1	13'8	12'9	0'5	66	27	10	4	-	-	-	1	-	-	-	3	3	7	2	SOUTH SHIELDS.
GATESHEAD -	120,620	20'7	20'3	15'6	21'6	3'0	68	50	12	10	-	1	-	2	4	-	-	1	2	4	4	GATESHEAD.
NEWCASTLE-ON-TYNE -	264,511	16'8	18'1	18'5	19'5	1'8	132	99	31	25	-	4	-	3	1	-	1	4	7	13	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH -	53,595	17'5	23'3	17'5	23'3	-	27	24	3	10	-	-	-	-	-	-	-	-	1	3	-	TYNEMOUTH.
NEWPORT (MON.) -	72,880	11'4	14'3	20'0	14'3	-	45	20	5	4	-	-	-	-	-	-	-	-	1	4	3	NEWPORT (MON.).
CARDIFF -	180,054	13'9	12'5	12'7	13'6	0'9	86	47	10	15	-	-	-	2	1	-	-	2	8	10	1	CARDIFF.
RHONDDA -	124,988	12'5	12'9	14'2	15'0	0'8	64	36	9	8	-	-	1	-	1	-	-	2	3	-	-	RHONDDA.
MERTHYR TYDFIL -	73,648	22'6	15'5	16'2	22'6	1'4	52	32	11	5	-	-	-	1	1	-	-	2	3	3	-	MERTHYR TYDFIL.
SWANSEA -	96,384	16'8	12'4	18'4	16'8	2'2	68	31	8	9	-	2	-	1	-	-	1	1	1	5	-	SWANSEA.
GREATER LONDON -	7,010,172	14'8	15'2	17'4	16'1	1'2	3514	2163	488	654	-	68	21	16	32	3	19	90	229	683	1	GREATER LONDON.
OUTER RING -	2,325,378	11'2	11'2	13'5	12'1	0'9	1239	540	147	147	-	15	3	11	7	-	3	13	38	77	1	OUTER RING.
8 TOWNS IN OUTER RING -	1,135,316	12'9	12'6	14'3	13'6	1'2	617	296	90	63	-	10	3	6	5	-	2	11	29	53	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING -	1,190,062	9'6	9'8	12'8	10'7	0'6	622	244	57	81	-	5	-	5	2	-	1	2	9	24	1	REMAINDER OF OUTER RING.
EDINBURGH -	338,577	13'9	19'1	17'4	13'5	0'8	118	87	12	27	-	-	-	1	2	-	2	3	?	31	4	EDINBURGH.
GLASGOW -	809,986	19'3	17'7	23'6	20'8	1'8	452	323	74	63	-	16	-	4	3	-	5	8	?	68	12	GLASGOW.
DUBLIN -	378,494	20'1	20'8	22'7	20'4	1'0	198	148	26	44	-	-	-	-	1	2	4	3	2	46	4	DUBLIN.
BELFAST -	358,680	20'5	21'8	20'1	20'4	1'0	205	140	27	38	-	-	1	1	1	4	-	3	5	23	?	BELFAST.

* See note on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2159	2530	2459	2575	2439	2338	2460	2373	2480	2542	2526.8	2275
Males - - -	1081	1324	1253	1358	1259	1191	1234	1171	1244	1296	1288.7	1122
Females - - -	1078	1206	1206	1217	1180	1147	1226	1202	1216	1246	1238.1	1153
TOTAL Deaths -	1455	1596	1725	1569	1695	1572	1785	1708	1578	1932	1725.2	1023
Males - - -	745	846	836	797	879	804	910	854	789	983	876.6	838
Females - - -	710	750	889	772	816	768	875	854	789	949	848.6	785

* The numbers in this column are the average weekly numbers in the forty-eighth week of the ten years 1895-1904, raised by 3.633 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	13 Weeks.
TOTAL Births -	2328	2374	2400	2171	2380	2386	2372	2362	2494	2485	2298	2366	2275	30631
TOTAL Deaths -	1432	1187	1195	1251	1189	1255	1331	1433	1494	1489	1552	1739	1623	18170
Ages at Death -														
Under 1 year -	441	349	305	295	276	266	244	286	273	293	302	352	341	4028
1-5 years -	150	98	109	131	103	116	135	124	146	156	183	205	209	1885
5-20 " -	63	59	68	62	73	73	70	71	77	71	73	82	76	918
20-40 " -	164	159	139	165	154	173	178	206	177	197	197	174	174	2280
40-80 " -	231	222	245	258	238	267	283	280	320	315	344	361	316	3730
(60 yrs. & upwds.)	333	300	329	340	345	360	421	466	501	452	453	542	507	5349
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	20	7	7	15	15	15	33	31	34	47	54	48	53	379
Scarlet Fever - -	7	8	6	17	7	9	16	13	17	13	8	6	18	146
Diphtheria - - -	5	9	11	13	9	12	3	12	13	9	19	10	5	130
Whooping-cough -	16	14	14	22	18	11	19	7	19	13	20	24	25	222
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	10	9	4	10	5	10	8	4	5	7	8	3	3	86
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	222	132	113	90	59	55	31	34	21	27	13	11	16	824
All above Diseases -	280	179	155	167	113	112	110	101	109	116	122	102	120	1786
Dis. of Resp. System -														
Pneumonia - - -	47	48	57	64	67	101	112	157	177	209	187	282	245	1753
Phthisis - - -	86	65	73	91	85	90	136	129	163	174	214	208	233	1747
Dis. of Circ. System -	133	120	125	125	104	151	121	174	129	145	136	161	130	1754
Violence - - -	173	155	152	170	165	166	191	211	221	196	200	229	243	242
Inquest Cases - - -	59	52	45	63	61	36	63	57	65	43	68	70	77	766
Deaths in Institutions	135	113	112	157	131	95	138	147	168	109	170	169	191	1835
TEMPERATURE OF THE AIR.														
Mean - - -	61.0	54.2	54.3	53.0	48.8	48.6	41.0	41.5	47.3	43.1	39.1	38.5	42.9	47.2
Mean of Highest -	70.2	61.3	62.6	58.6	54.9	54.9	50.0	43.9	53.8	50.2	42.8	44.4	47.6	54.1
Mean of Lowest -	55.6	45.7	46.7	48.4	42.9	42.7	32.2	33.0	41.1	36.1	35.7	30.9	35.9	40.5
Mean Humidity of the Air.														
Rain-fall (in inches) -	0.68	0.32	0.01	1.27	0.16	0.16	0.13	0.05	1.60	0.65	0.64	0.17	0.61	6.45
Registered Sunshine (in hours).														
Sunshine - - -	29.5	37.8	27.8	13.3	19.5	6.6	34.6	18.4	15.5	16.9	9.3	17.9	6.8	253.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	2982	3150	3424	3591	3789	3954	4153	4222	4200	4154	4120	4127	4021	3837
Diphtheria - - -	686	684	703	733	775	781	797	799	804	786	790	755	725	755
Typhus - - -	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	116	122	140	143	161	167	161	157	160	157	154	132	115	145

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Oreswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Croxther, Esq., Leeds; H. B. Witt, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 2. LONDON.—DEATHS Registered in the FORTY-EIGHTH Week of the Year 1905.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanted.

CAUSES OF DEATH.	Deaths in the 48th week of the year 1904.	1905—Deaths of Persons of the Ages								CAUSES OF DEATH.	Deaths in the 48th week of the year 1904.	1905—Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.			40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.			40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.	0-1.	1-5.	5-20.						0-1.	1-5.	5-20.					
L. CAUSES	1932	1823	341	209	76	174	316	507	Meningitis (not tuberc.)	15	13	5	5	1	-	1	1				
									Insanity, Gen. Par. of	18	17	-	-	-	2	5	11				
									Insane	5	10	-	-	1	1	4	4				
									Epilepsy	34	21	18	2	1	-	-	-				
									Convulsions	4	4	-	-	-	-	3	1				
									Locomotor Ataxy	7	2	-	-	-	-	2	2				
									Paraplegia, Dis. of Cord	26	17	-	1	1	1	6	8				
									Nervous Sys. (other dis.)	56	57	-	-	7	9	17	24				
									Valv. Dis., Endocarditis	45	54	-	-	-	4	8	42				
									Cerebr. Hem. Thromb.	20	13	-	-	-	1	3	9				
									Apoplexy, Hemiplegia	4	9	-	-	-	2	4	3				
									Aneurysm	-	4	-	-	-	1	1	2				
									Embolism, Thrombosis	130	106	-	2	1	4	32	67				
									(not cerebral)												
									Heart & Blood Vessel Dis.												
									Croup (not Spasm: nor	1	-	-	-	-	-	-	-				
									Membr.)	323	221	62	15	3	6	24	111				
									Bronchitis	11	11	-	-	-	2	3	6				
									Asthma, Emphysema	4	5	-	-	1	-	-	4				
									Pleurisy	18	8	3	-	-	-	2	3				
									Respiratory Dis. (other)												
									Tonsillitis, Quinsy	13	5	1	-	1	1	1	1				
									Enteritis (not Epid.)	2	9	6	-	-	1	1	1				
									Gastro-Enteritis	4	3	-	-	-	3	-	4				
									Peritonitis (not Puerp.)	9	12	-	-	1	2	6	3				
									Cirrhosis of Liver	3	33	4	-	-	5	12	9				
									Liver Dis. (other)	36	33	4	-	-	-	-	-				
									Digestive Dis., Other												
									Nephritis, Acute	9	6	-	-	1	2	2	1				
									Bright's Dis., Albumin-	54	34	-	1	-	3	11	19				
									uria	14	12	1	-	-	2	3	6				
									Urinary Sys., Other Dis.	6	2	-	-	-	-	1	1				
									Generative Organs Dis.	4	-	-	-	-	-	-	-				
									Childbirth (Accid. of)	70	54	-	-	-	-	-	54				
									Old Age	107	99	61	14	3	3	8	10				
									Other Diseases												
									ACCIDENT.												
									By Railways	6	1	-	-	2	1	4	-				
									By Vehicles and Horses	-	9	-	-	-	-	-	-				
									In Ships, Boats, Docks,	-	1	-	-	-	-	1	-				
									(exclusive of Drown-	-	-	-	-	-	-	-	-				
									ing)	-	1	-	-	-	-	-	-				
									In Building Operations	-	1	-	-	-	-	1	-				
									In Conflagrations	1	-	-	-	-	-	-	-				
									By Burns, Scalds, Ex-	12	13	-	7	3	-	2	1				
									plosions	3	4	-	-	-	2	1	1				
									By Drowning	18	11	11	-	-	-	-	-				
									By Suffocation in Bed	1	3	-	-	1	-	1	1				
									By Poisons or Poisonous	21	21	2	-	1	4	6	8				
									Vapours												
									Other Deaths by Acci-												
									dent												
									VIOLENCE OTHER THAN												
									ACCIDENTAL.												
									Homicide	13	13	-	-	1	6	5	1				
									Suicide	-	-	-	-	-	-	-	-				
									Execution	-	-	-	-	-	-	-	-				

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MR SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE. &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd December, 1905.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	1,536,429	2275	1623	341	507	-	53	18	5	25	-	3	-	16	77	191	60	
WEST DISTRICTS	805,311	313	236	33	92	-	8	2	-	4	-	-	-	3	11	23	8	
NORTH DISTRICTS	1,056,070	442	365	67	110	-	5	5	3	11	-	3	-	2	18	51	10	
CENTRAL DISTRICTS	209,465	103	71	16	20	-	-	1	-	-	-	-	-	-	6	11	3	
EAST DISTRICTS -	715,739	473	327	82	88	-	4	-	1	5	-	-	-	3	20	64	15	
SOUTH DISTRICTS	1,749,844	944	561	143	171	-	36	8	1	5	-	-	-	8	22	51	18	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	63	-	26	-	-	2	-	-	-	-	-	-	-	1	6	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	46	35	7	14	-	1	-	-	1	-	-	-	-	1	1	6	
W ₂ H																		
St. John Paddington H - G.	33,617	6	11	2	2	-	-	-	-	-	-	-	-	-	1	1	6	
North-West Paddington - C.	17,181	3	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W w ₂ H G., W. & C.	128,037	53	41	5	18	-	2	-	-	-	-	-	-	-	2	6	14	
Brompton 2H - - W. & C.	48,591	5	4	-	2	-	-	-	-	-	-	-	-	-	-	1	1	
North Hammersmith W, w ₂ H } W. & G.	49,192	18	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Hammersmith w ₂ H	63,047	28	19	1	8	-	-	-	-	-	-	-	-	-	-	2	7	
North-west Fulham W } W. & C.	45,180	37	22	4	9	-	1	-	-	2	-	-	-	1	1	1	16	
North-east Fulham F	46,405	16	13	6	2	-	2	-	-	-	-	-	-	-	1	3	2	
South Fulham W	45,704	29	10	2	4	-	1	-	-	1	-	-	-	-	-	3	-	
Chelsea North W, w ₂ H - - C.	42,514	8	18	-	11	-	-	-	-	-	-	-	-	-	1	2	16	
Chelsea South W ₂ H - - C.	31,328	19	12	1	5	-	-	-	-	-	-	-	-	-	1	1	4	
Mayfair and Knightsbridge C. & G.	28,743	6	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
Belgrave W ₂ H - - C.	55,815	17	17	-	8	-	-	-	-	-	-	-	-	-	1	-	5	
St. Margaret & St. John 4H - C.	43,698	12	13	-	4	-	1	-	-	-	-	-	-	-	1	1	4	
St. James Westminster } N. & G.	21,588	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
W, H																		
St. Anne Soho 5H - - N.	11,493	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	7	7	1	3	-	-	-	-	-	-	-	-	-	-	2	2	
St. Mary Marylebone W, 4H G. & W.	37,948	27	6	1	2	-	-	-	-	-	-	-	-	-	1	1	1	
Christchurch Marylebone H- W.	39,536	18	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.	20,426	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, P, 6H - N. & W.	81,942	20	23	1	10	-	-	4	-	-	-	-	-	-	1	2	4	
West St. Pancras 2H - - W.	60,562	28	18	5	4	-	-	-	-	-	-	-	-	-	1	4	3	
Tottenham-court w ₂ H N. & W.	21,258	10	16	2	3	-	-	-	-	-	-	-	-	-	-	2	9	
Gray's Inn Lane 4H - - N.	34,449	16	5	2	-	-	-	-	-	-	-	-	-	-	1	2	2	
East St. Pancras W ₂ H - - N.	60,320	21	26	2	5	-	-	-	-	1	-	-	-	-	2	6	12	
North St. Pancras 2W - - N.	58,728	21	20	4	8	-	1	-	-	5	-	-	-	-	1	1	11	
Tufnell W - - N.	31,995	18	19	1	6	-	-	-	-	-	-	-	-	-	1	2	13	
Upper Holloway 2W, w, H - N.	33,978	25	23	3	6	-	-	-	-	-	-	-	-	-	3	3	16	
Tollington WH - - N.	33,922	13	9	3	2	-	-	-	1	-	-	-	-	-	1	1	-	
Lower Holloway - - N.	41,424	25	14	2	5	-	1	-	-	1	-	-	-	-	1	4	-	
Barnsbury - - N.	54,478	25	15	4	5	-	2	-	-	-	-	-	-	-	1	2	-	
Islington South-east F - - N.	75,397	32	31	9	9	-	-	-	-	2	-	-	-	-	2	2	-	
Highbury 2H - - N.	63,797	17	17	1	7	-	1	-	-	2	1	-	-	-	-	1	-	
Stoke Newington H - - N.	51,247	16	13	2	7	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - E. & N.	50,560	22	14	2	6	-	-	-	-	-	-	-	-	1	-	1	-	
Central Hackney 2w, F - E. & N.	50,536	30	19	6	5	-	-	1	2	-	-	3	-	-	1	4	6	
South-west Hackney 3H - E. & N.	59,921	20	24	6	2	-	-	-	-	-	-	-	-	-	2	2	6	
South-east Hackney 2W, w, H E. & N.	58,255	27	38	9	12	-	-	-	-	1	-	-	-	1	2	7	18	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifying Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd December, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Violence.	Inquest Cases.		
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) fever.	Pyrexia (Origin un- certain).	Diarrhoea.					
CENTRAL DISTRICTS.																			
Filles and Bloomsbury W,2H N.	31,436	14	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
and W,4H - - - N. & C.	21,874	3	14	2	1	-	-	-	-	-	-	-	-	-	1	2	13	-	-
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born W,6H - - - N.	29,612	14	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-
th Clerkenwell - - - N.	28,676	12	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
th Clerkenwell H - - - N.	35,028	19	10	4	5	-	-	-	-	-	-	-	-	-	-	1	3	-	-
sbury 3H,L - - - N.	36,116	33	8	3	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-
born Union Workhouse, }	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
itcham - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph H - - - N. & E.	10,299	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Repulchre and Allhallows } N.	16,624	7	15	1	2	-	-	1	-	-	-	-	-	-	2	3	11	-	-
2H - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
EAST DISTRICTS.																			
Reditch South H - - E. & N.	46,362	36	15	7	3	-	-	-	-	1	-	-	-	-	-	1	5	-	-
Reditch North-West W,w,H N.	36,127	25	28	1	9	-	-	-	-	-	-	-	-	-	-	2	4	19	-
Reditch North-East - - N. & E.	39,148	25	5	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Reditch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
den - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
inal Green North 2H - - E.	51,514	35	16	4	1	-	-	-	-	-	-	-	-	-	-	1	1	9	-
inal Green South - - - E.	33,472	12	10	6	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
inal Green East 2W,H,L - E.	44,694	24	37	3	15	-	-	-	-	-	-	-	-	-	2	3	6	23	-
alfields - - - - E. & N.	27,969	18	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
End New Town W,H - - E.	28,718	24	47	7	11	-	2	-	-	-	-	-	-	-	-	4	12	44	-
aman's Fields - - - E.	22,081	20	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
George and St. John 2W E.	49,068	34	23	10	6	-	-	-	1	-	-	-	-	-	-	2	3	8	-
lwell and Ratcliff W,H,E. & N.	25,568	15	20	6	2	-	-	-	-	1	-	-	-	-	-	2	5	11	-
ehouse W - - - - E.	32,369	22	9	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
End Old Town South- }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
estern H - - - - E.	63,698	49	17	7	5	-	-	-	-	-	-	-	-	-	-	-	3	-	-
End Old Town North- }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
estern W,w - - - - E.	49,129	25	29	2	11	-	1	-	-	-	-	-	-	-	-	-	4	14	-
L - - - - - E.	41,989	20	9	6	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
aley 3w,H - - - - E.	68,219	46	34	4	12	-	-	-	-	-	-	-	-	-	-	1	3	20	-
ar W,w - - - - E.	58,514	43	21	11	5	-	-	-	-	2	-	-	-	-	-	-	1	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., regist. in each SUB-DISTRICT during the Week ended Saturday, 2nd December, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include—													Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.	
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																	
Christchurch Southwark W, H, L. & S.	11,283	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,066	6	14	2	-	-	-	-	-	-	-	-	-	-	2	3	10
Kent-road - S. & L.	21,904	10	9	4	1	-	1	-	-	-	-	-	-	-	1	4	-
St. George the Martyr S. & L.	39,094	16	18	6	4	-	1	-	-	-	-	-	-	-	1	1	7
West W, H, L. - S. & L.	49,022	22	6	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Newington North - S. & L.	72,841	47	21	4	5	-	5	-	-	-	-	-	-	-	-	1	-
Newington South W - S. & L.																	
St. Olave 2W - - - S.	9,817	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey W - - - S.	82,483	61	25	7	6	-	1	1	-	-	-	-	-	-	1	4	-
Rotherhithe W, F - - S. & K.	38,460	24	20	5	6	-	1	-	-	-	-	-	-	-	-	-	13
Waterloo-road 2H - - L. & S.	27,440	23	11	4	1	-	-	-	-	-	-	-	-	-	1	-	2
Lambeth Church 1st H - L. & S.	18,423	8	16	-	1	-	-	-	-	-	-	-	-	-	1	3	14
Lambeth Church 2nd 2W - L. & S.	39,818	31	28	6	12	-	3	-	-	1	-	-	-	-	1	2	19
Kennington 1st H - S. & L.	53,198	21	13	3	9	-	-	-	-	-	-	-	-	-	1	1	-
Kennington 2nd H - S. & L.	42,896	17	12	3	2	-	1	-	-	-	-	-	-	-	-	1	3
Brixton F - L. & S.	84,232	46	13	-	7	-	3	-	-	-	-	-	-	-	1	2	-
Norwood W, H - - - L.	36,888	18	7	1	4	-	1	-	-	-	-	-	-	-	-	-	1
East Battersea H - - - S.	72,203	34	16	4	8	-	1	-	-	-	-	-	-	-	-	-	1
North-west Battersea - S.	49,656	19	8	3	-	-	-	-	-	-	-	-	-	-	1	3	-
South-west Battersea 2W, H - S.	47,048	21	17	1	8	-	1	-	-	1	-	-	-	-	-	-	9
Clapham 2H - - - S.	51,361	30	11	2	4	-	1	-	-	-	-	-	-	-	-	2	1
Streatham W, 2W, 2F, 2L - L.	88,019	38	43	11	18	-	-	5	-	-	-	-	-	-	-	1	21
Springfield 2W, L - - - S.	27,959	18	7	4	1	-	-	-	-	-	-	-	-	-	1	2	1
Southfields H - - - S.	40,444	23	11	5	3	-	-	-	-	-	-	-	-	-	1	1	-
Putney - - - S.	24,139	11	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	5	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w - S. & L.	40,206	15	35	5	14	-	5	-	-	-	-	-	-	-	1	1	25
Camberwell North W, 2L - S. & L.	65,584	37	31	5	8	-	3	-	-	-	-	-	-	-	-	3	11
St. George - - - L. & S.	47,331	29	10	6	1	-	1	-	-	-	-	-	-	-	-	2	-
Peckham North* - S., L. & K.	48,913	36	19	7	5	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South* 2W, w - S., L. & K.	43,946														1	1	-
Deptford North - - - K.	37,613	31	13	5	4	-	1	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - K.	45,481	35	11	4	2	-	1	-	-	-	-	-	-	-	1	1	2
Deptford South - - - K.	34,825	11	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - - K.	23,456	8	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich East 2W, H - K.	43,859	30	19	6	7	-	-	-	-	-	-	-	-	-	2	2	11
Eltham w, H - - - K.	7,226	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w, H - - - K.	26,490	10	4	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham W, w, F - - K.	56,352	26	21	3	9	-	1	1	-	-	-	-	-	-	1	-	12
Sydenham H - - - L.	43,053	25	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.	21,134	9	5	-	2	-	-	-	1	1	-	-	-	-	-	-	2
Woolwich 5H - - - K.	41,625	31	14	5	4	-	-	-	-	-	1	-	-	-	1	1	2
Plumstead West W - - K.	18,063	14	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.	50,204	29	11	4	3	-	-	-	-	-	1	-	-	-	-	1	1
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)			1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
North-Eastern - - -			2	-	-	-	-	2	-	-	-	-	-	-	-	-	2
Northern - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham - - - -			6	-	3	-	-	-	-	-	-	-	-	-	-	1	6
Darenth - - - -			4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Gore Farm (temporary) -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - -			5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
London County Lunatic Asylums:—																	
Banstead - - - -			7	-	3	-	-	-	-	-	-	-	-	-	-	-	7
Ewell (Epileptic Colony) -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - -			6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Manor - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - -			4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Partford Heath - - - -			3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell - - - -			4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch - - - -			-	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Claybury - - - -			14	-	7	-	-	-	-	-	-	-	-	-	-	-	17

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North and Peckham South, respectively.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd December, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1239	540	147	147	-	15	3	11	7	-	3	13	38	77	1
1 Carshalton 2F,2H	12,228	32,997	20	5	-	1	-	-	-	-	-	-	-	-	-	1	-
2 Epsom, part of* W,w,2F,H	10,423	15,548	5	3	1	-	-	-	-	-	-	-	-	-	-	2	-
1 Godstone, part of* W,F	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	11	5	1	3	-	1	-	-	-	-	-	-	-	-	-
3 West Croydon 3W,F,H	2,168	42,888	34	21	3	7	-	-	-	2	1	-	-	2	3	11	-
4 North Croydon H	2,644	41,698	26	11	1	5	-	1	-	-	-	-	-	-	-	-	-
5 Penge w,H	770	22,465	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham w	11,711	30,015	18	10	5	3	-	-	-	-	-	-	-	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	22	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2 Kingston 2W,H	6,224	42,068	20	9	2	5	-	-	-	-	-	-	-	-	-	1	-
3 Surbiton F,H	3,046	15,017	8	5	1	1	-	-	-	-	-	-	-	-	-	1	-
4 Esher, part of* H	5,402	13,100	7	1	1	1	-	-	-	-	-	-	-	-	1	1	-
5 Hampton H,F,L	4,564	23,456	17	7	2	2	-	-	-	-	-	-	-	-	-	-	-
1 Richmond W,H	2,162	28,865	4	5	-	4	-	-	-	-	-	-	-	-	-	1	-
2 Mortlake F	2,847	20,628	15	5	2	1	-	-	-	-	-	-	1	-	-	-	-
1 Bromley F,2H	4,703	27,354	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham H	7,825	28,497	16	5	1	4	-	-	-	-	-	-	-	-	-	-	-
3 Orpington part of* W	10,113	9,867	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4 Chislehurst 2H	7,333	16,446	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Bexley w,F,H	8,678	21,151	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2 Erith F,H	3,854	25,296	16	4	-	2	-	-	-	1	-	-	-	-	-	1	-
3 Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Sunbury w	11,054	18,683	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Staines W,H	13,277	15,178	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-
1 Hillingdon W,F,H	6,035	13,661	5	8	2	3	-	-	-	-	-	-	-	-	-	1	-
2 Uxbridge H	12,767	8,984	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w,F,H	8,066	16,358	15	5	2	-	-	-	-	1	1	-	-	-	-	-	-
1 Isleworth 3W,2F,H	6,859	30,863	26	13	4	3	-	-	-	2	-	-	-	-	-	5	-
2 Twickenham F,H	2,421	20,991	17	7	3	1	-	-	-	-	-	-	-	-	-	1	-
3 Brentford 3F,2H,L	4,319	43,289	32	8	-	3	-	-	-	-	-	-	-	-	-	-	-
4 Chiswick H	1,249	29,809	14	5	-	3	-	-	-	-	-	-	-	-	1	-	-
5 Acton w,3H	6,132	48,914	35	6	3	1	-	-	-	-	-	-	-	-	-	-	-
1 Harrow F,H	13,809	25,525	17	4	1	2	-	-	-	-	1	-	-	-	-	-	1
2 Edgware F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W,2F,2H	4,384	114,811	82	27	8	6	-	3	-	-	-	-	1	1	2	4	-
4 Hendon W,F	8,382	22,450	18	8	-	4	-	2	-	-	-	-	-	-	-	1	-
1 South Mimms 2F,H	17,755	7,308	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Finchley F,2H	4,688	33,692	15	10	3	6	-	-	-	-	-	-	-	1	2	1	-
1 Hornsey F,H	2,875	72,056	33	16	8	5	-	-	-	-	-	-	-	-	2	-	-
2 Wood Green H	1,625	34,233	17	9	1	3	-	-	-	-	-	-	-	-	1	-	-
3 West Tottenham F	996	48,853	37	14	4	3	-	-	1	-	-	-	-	-	1	-	-
4 East Tottenham 2H	2,017	53,688	45	14	2	4	-	-	-	-	1	-	-	-	2	3	-
5 Edmonton W,w,2F	7,491	61,892	39	23	5	7	-	3	-	-	-	-	-	-	-	4	-
6 Enfield 2W,F,H	12,601	42,738	25	8	1	4	-	-	-	-	-	-	-	1	1	-	-
7 Waltham Abbey F	11,017	6,549	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Stratford H	1,072	44,827	31	11	5	-	-	-	-	-	-	-	1	1	2	-	-
3 Plaistow F,2H	1,249	90,921	61	29	14	3	-	2	1	-	-	-	-	-	1	1	-
4 Canning Town H	1,555	70,718	57	26	5	4	-	1	-	-	-	-	-	-	1	-	-
5 Forest Gate w	806	60,892	28	14	7	1	-	-	-	-	-	-	-	2	2	-	-
6 North East Ham w,H	1,333	58,676	31	15	7	1	-	2	-	-	1	1	-	1	4	1	-
7 South East Ham 2F	1,993	57,342	23	12	3	2	-	-	-	1	1	-	-	-	2	1	-
8 Wanstead F	1,679	9,179	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9 South Leyton 2W	631	50,467	27	15	6	5	-	-	-	-	-	-	-	-	1	4	-
10 North Leyton 2W,w,F	1,963	48,445	34	38	10	9	-	-	1	-	-	-	-	-	-	22	-
1 Walthamstow 3H,L	6,504	108,929	62	27	7	7	-	-	-	2	2	-	-	2	3	1	-
1 Chigwell, part of* 2F,3H	11,778	16,397	7	2	-	-	-	-	1	-	-	-	-	-	1	1	-
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* W,2F	6,556	6,091	5	3	1	2	-	-	-	-	-	-	-	-	-	2	-
2 Ilford F,L	8,496	41,234	39	16	3	3	-	-	-	-	-	-	-	-	-	4	-
3 Barking Town F	3,803	21,547	23	14	6	2	-	-	-	1	-	-	-	-	2	1	-
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30; 2, excepting Ashted parish; 37; 1, Warringham and Farley parishes; 39; 4, excepting Esher parish; 41; 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135; 1, Northaw parish; 137; 1, excepting Heydon Bois parish, and part of Epping parish; 189; 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42; 3, 137; 2, and 137; 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,704	December 2	2275	1623	18'1	-	53	18	5	25	3
CALCUTTA - -	847,798	October 21	-	475	29'1	-	-	-	-	-	155†
BOMBAY - -	776,006	November 14	354	563	37'6	-	-	-	-	-	71†
MADRAS - -	509,248	" 3	488	536	54'7	20	9	?	?	?	146
PARIS - - -	2,660,569	" 25	950	872	16'9	2	8	1	6	3	3
BRUSSELS - -	586,936	" 25	235	182	15'8	-	-	1	-	1	-
ANTWERP - -	286,695	" 25	128	86	15'3	-	1	-	-	-	-
AMSTERDAM -	554,240	" 18	278	124	11'6	-	1	-	2	3	4
COPENHAGEN -	426,000	" 25	187	115	13'9	-	-	2	-	1	-
STOCKHOLM -	309,496	" 18	167	95	15'5	-	-	1	-	-	-
CHRISTIANIA -	223,649	" 25	138	48	11'2	-	-	-	-	-	-
ST. PETERSBURG	1,248,122	" 11	625	536	20'0	-	10	7	6	5	22
MOSCOW - - -	1,092,360	" 11	-	588	28'1	-	2	18	13	6	12
WARSAW - - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,039,895	" 11	865	573	14'6	-	2	8	8	3	-
HAMBURG - - -	772,852	" 25	-	214	14'4	-	5	-	1	6	-
BRESLAU - - -	462,147	" 25	-	-	-	-	-	-	-	-	-
MUNICH - - -	528,000	" 25	-	162	16'0	-	3	-	2	2	-
VIENNA - - -	1,897,630	" 25	866	601	16'5	-	1	5	7	4	3
PRAGUE - - -	430,569	" 25	164	176	20'1	-	3	-	2	2	1
BUDA-PESTH -	836,267	" 25	549	255	15'9	-	11	2	3	2	3
TRIESTE - - -	161,403	" 25	101	75	20'0	-	3	-	-	1	-
ROME - - -	514,930	September 9	227	178	18'0	-	-	-	1	-	68
VENICE - - -	169,417	November 18	60	59	18'2	-	-	-	-	-	1
BUCHAREST - -	282,071	" 18	128	113	20'9	-	-	1	2	-	6
NEW YORK - -	3,948,191	" 18	1833	1271	16'5	-	6	4	17	3	16
CHICAGO - - -	1,932,315	" 18	-	510	13'3	-	1	2	13	-	4
PHILADELPHIA -	1,438,318	" 11	-	438	15'8	-	-	-	12	4	6
BOSTON - - -	617,956	" 4	-	190	16'6	-	-	-	-	-	3
RIO DE JANEIRO	850,000	October 22	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 6 deaths from plague in Calcutta, and 14 in Bombay.

‡ Including 51 deaths from cholera in Calcutta, and 20 in Madras.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd December, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	54'9	27'5	41'7	0'61	BRADFORD - -	50'6	37'0	43'1	1'10
BRIGHTON - -	54'0	36'5	44'3	0'57	LEEDS - - -	51'0	37'0	44'0	0'8
PORTSMOUTH - -	55'0	38'0	44'8	0'99	HULL - - -	52'0	36'0	41'7	0'8
NORWICH - - -	54'2	33'0	41'3	0'69	TYNEMOUTH - -	52'0	35'0	41'5	0'4
PLYMOUTH - -	53'9	36'0	45'8	1'21	CARDIFF - - -	53'7	29'8	41'9	0'8
BRISTOL - - -	53'2	30'8	41'9	0'71	EDINBURGH - -	51'5	33'2	41'2	0'5
BIRMINGHAM - -	51'0	35'4	41'9	0'71	GLASGOW - - -	53'8	25'8	42'2	0'4
NOTTINGHAM - -	51'6	33'9	40'8	1'00	DUBLIN } Phoenix Park. Fitz- william Square.†	52'8	30'5	44'1	0'6
LIVERPOOL } OBSERVATORY.	53'0	38'0	43'7	1'07		54'5	34'1	45'4	0'5
MANCHESTER - -	51'4	36'8	42'8	1'28		-	-	-	-
PRESTON - - -	50'0	38'0	42'3	1'42	BELFAST - - -	52'5	29'0	41'3	1'4
HUDDERSFIELD -	51'4	35'0	42'5	0'99					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905. MONTH AND DAY		Phases of the Moon.	BARO- METER.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in Gage whose receiving surfaces are above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Mean daily reading	Mean corrected and re- duced to 32° Fahr. (Fah.).	Of the Air.				Of the Earth 3 feet below the Surface.	Of Radiation.	General Direction.		Measure on the Square Foot.		Robertson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					High- est.	Low- est.	Daily Range.	Mean Daily Average value.			De- parture from Average of 50 years	Mean daily value.	Greatest value.	A.M.	P.M.	lbs.	lbs.	lbs.	Miles.		Mean of 24 hours	Hourly on each Day.	Mean of 24 hours	Hourly on each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometers 159 feet above the mean level of the sea. A correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer the combined mean of the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.28 in. at the beginning of the week to 29.79 in. by 11h. P.M. on Nov. 28; increased to 29.61 in. by 11h. P.M. on Nov. 27; decreased to 29.21 in. by 5h. P.M. on Nov. 28; increased to 30.28 in. by 11h. A.M. on Dec. 2; and was 29.27 in. at midnight on the same day.

GENERAL REMARKS:

DATE.	NOVEMBER.	ELECTRICITY. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Registered Sunbore Horizon, in hours.	GENERAL REMARKS.
SUNDAY	- 26	w. P. till 10h. A.M.; w. P. and w. N. after- wards.	01	83	Generally overcast; fine in afternoon; fre- quent rain; gusty wind till evening, increas- ing to a gale at night.
MONDAY	- 27	w. P. till 11h. A.M.; m. P. afterwards.	52	83	Cloudy with gale in early morning; very fine afterwards with brisk wind at times.
TUESDAY	- 28	w. P. generally till 11h. A.M.; w. P. and w. N. afterwards.	03	82	Fine and partially cloudy till 11h. A.M.; overcast afterwards with frequent thin rain till 8h. P.M. Solar halo observed in forenoon.
WEDNESDAY	29	w. P. and w. N. till 9h. A.M.; w. P. till 3h. P.M.; m. P. after- wards.	05	82	Overcast till 2h. P.M. with frequent thin rain till 9h. 30m. A.M.; very fine afterwards with hoar frost and slight fog at night.
THURSDAY	30	m. P. till noon; w. N. P. till 9h. P.M.; w. N. and w. P. afterwards.	00	81	Cloudless with hoar frost and slight fog in early morning; fine but cloudy in forenoon; overcast afterwards with rain after 4h. 45m. P.M.
FRIDAY	- 1	w. P. generally.	00	81	Generally overcast; misty rain in early morning; slight fog at times.
SATURDAY	2	w. P. generally.	07	81	Overcast till 11h. A.M.; very fine after- wards and cloudless with slight hoar frost at night; variable fog after 5h. P.M.
			Sum 68	Sum 573	
No. of Col.	-		28	29	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 25th November, 1905.*

BOROUGHES.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	7	-	-	1	-	-	6	-
Kensington - - - -	180,083	-	3	12	-	-	-	-	3	-
Hammersmith - - -	119,037	-	5	3	-	1	-	-	4	-
Fulham - - - - -	157,210	-	18	8	-	-	-	-	2	-
Chelsea - - - - -	74,498	-	5	1	-	-	-	-	1	1
City of Westminster -	175,606	-	10	4	-	1	-	-	3	-
NORTH.										
St. Marylebone - - -	129,453	-	9	-	-	2	-	-	5	-
Hampstead - - - -	88,142	-	3	1	-	1	-	-	-	-
St. Pancras - - - -	236,183	-	25	5	-	1	-	-	8	-
Islington - - - - -	342,994	-	39	3	-	-	-	-	6	1
Stoke Newington - -	52,828	-	6	1	-	-	-	-	2	-
Hackney - - - - -	228,479	-	35	9	-	2	-	-	10	-
CENTRAL.										
Holborn - - - - -	56,481	-	7	-	-	1	-	-	1	-
Finsbury - - - - -	98,207	-	16	4	-	1	-	-	2	-
City of London - - -	22,425	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,565	-	13	1	-	-	-	-	3	-
Bethnal Green - - -	130,401	-	31	3	-	1	-	-	2	-
Stepney - - - - -	305,466	-	43	4	-	-	-	-	14	-
Poplar - - - - -	170,280	-	15	5	-	1	-	-	4	-
SOUTH.										
Southwark - - - - -	208,528	-	18	6	-	1	-	-	4	-
Bermondsey - - - -	129,006	-	34	6	-	-	-	-	7	-
Lambeth - - - - -	313,045	-	24	7	-	1	-	-	12	-
Battersea - - - - -	177,532	-	26	2	-	1	-	-	6	-
Wandsworth - - - -	285,392	-	37	5	-	-	-	-	5	-
Camden Town - - - -	271,240	-	22	3	-	-	-	-	8	-
Deptford - - - - -	114,495	-	20	4	-	2	-	-	2	2
Greenwich - - - - -	103,493	-	5	3	-	-	-	-	2	1
Lewisham - - - - -	144,420	-	11	2	-	-	-	-	5	-
Woolwich - - - - -	125,372	-	12	5	-	1	-	-	3	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	501	97	-	19	-	-	130	5
4,684,794		-	-	-	-	-	-	-	-	-
Age										
0-1 - - - - -	-	-	-	1	-	-	-	-	12	-
" 1-5 - - - - -	-	-	161	42	-	-	-	-	5	-
" 5- - - - -	-	-	215	32	-	1	-	-	4	-
" 10- - - - -	-	-	81	11	-	-	-	-	8	-
" 15- - - - -	-	-	11	5	-	3	-	-	6	-
" 20- - - - -	-	-	12	2	-	3	-	-	10	2
" 25- - - - -	-	-	11	3	-	4	-	-	7	3
" 35- - - - -	-	-	5	-	-	6	-	-	31	-
" 45- - - - -	-	-	-	1	-	2	-	-	23	-
" 55- - - - -	-	-	-	-	-	-	-	-	13	-
" 65 and upwards -	-	-	-	-	-	-	-	-	11	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 49. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, DEC. 9. [Price 1½d.

General Register Office, Somerset House,
December 11th, 1905.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·1 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 15·5, 17·9, and 16·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·8 in Rotherham, 22·7 in Swansea, 23·4 in Preston, 23·6 in Liverpool, 25·0 in Hanley, and 25·8 in Bootle; from *measles*, 1·6 in Hastings and in Blackburn, 2·2 in Swansea, and 5·4 in Preston; from *scarlet fever*, 1·2 in Blackburn; from *diphtheria*, 1·4 in Southampton; and from *whooping-cough*, 1·3 in Gateshead and 2·3 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2462 BIRTHS and 1460 DEATHS were registered. Allowing for increase of population, the births were 2 and the deaths 239 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 17·3, 19·4, and 18·1 in the preceding three weeks, fell last week to 16·3. During the four weeks ended on Saturday last the death-rate averaged 17·8 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1460 deaths included 45 from measles, 13 from scarlet fever, 21 from diphtheria, 25 from whooping-cough, 4 from enteric fever, and 14 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 122 deaths were referred to these diseases in the aggregate, being 43 below the corrected average weekly number.

The deaths from *measles*, which had been 54, 48, and 53 in the preceding three weeks, fell to 45 last week, and were 5 below the corrected average; 12 deaths belonged to the Borough of Southwark, 6 to Lambeth, 5 to Fulham, and 5 to Stepney. The deaths from *scarlet fever*, which had been 8, 6, and 18 in the preceding three weeks, fell to 13 last week, and were equal to the corrected average; 3 deaths belonged to Finsbury and 3 to Lambeth. The deaths from *diphtheria*, which had been 19, 10, and 5 in the preceding three weeks, rose to 21 last week, but were 20 below the corrected average; 4 deaths belonged to Islington and 3 to Stepney. The deaths from *whooping-cough*, which had been 20, 24, and 25 in the preceding three weeks, were 25 last week, the corrected average being 28; 4 deaths belonged to St. Pancras and 3 each to Shoreditch, Bethnal Green, Stepney, and Deptford. The fatal cases of *enteric fever*, which had been 8, 3, and 3 in the preceding three weeks, were 4 last week, and were 13 below the corrected average. The deaths from *diarrhoea*, which had been 13, 11, and 16 in the preceding three weeks, were 14 last week, the corrected average being 15. Of the 14 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 21, having been 12, 15 and 6 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all but 1 of which inquests were held. Of these 59 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 51 cases were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 9 to burns or scalds, 4 to building operations, 3 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3888 cases of scarlet fever, 727 of diphtheria, and 102 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 355 cases, against 425, 470, and 375; of diphtheria, 95 cases, against 111, 92, and 93; and of enteric fever, 12 cases, against 22, 10, and 15. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended December 2nd.

GREATER LONDON.

In Greater London 3716 births and 1996 deaths were registered. Allowing for increase of population, these numbers are 37 above and 359 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 6 from diphtheria, 3 from whooping-cough, 1 from "fever," and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 43°·8, the latter being 2°·9 above the week's average in the 50 years 1841-90. The direction of the wind was South-Westerly, the horizontal movement of the air being 3 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 9·5 hours; the measured rainfall amounted to 0·31 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Cols.	DEATH-RATES FROM ALL CAUSES.					POPULATION estimated to the middle of the year 1905.*		Rate from Diseases 11-17.		Registered Births and Deaths Week ended 9th Dec., 1905.		The DEATHS registered in the Week include									
		Week ended			9th Dec., 1905.	Week ended 9th Dec., 1905.	18th Nov., 1905.	2nd Dec., 1905.	9th Dec., 1905.	Week ended 9th Dec., 1905.	8.	7.	6.	5.	4.	3.	2.	1.	Cols.			
		18th Nov., 1905.	2nd Dec., 1905.	9th Dec., 1905.																		
76 TOWNS		15,609	377								8,400	4,816	1,162	1,420								
LONDON -		4,684	794		16 ¹	16 ³	17 ³	19 ⁴	16 ⁷	1 ²	3,462	4,816	1,162	1,420								
CROYDON.		147,704			12 ⁷	12 ⁷	11 ³	11 ³	16 ³	0 ⁷	71	36	4	19								
WILLESDEN -		138,080			12 ¹	12 ¹	11 ⁰	9 ⁸	10 ²	1 ⁹	75	32	8	5								
HORNSEY -		84,070			8 ¹	10 ⁵	8 ¹	10 ⁵	8 ¹	-	17	13	3	9								
TOTTENHAM -		116,232			11 ⁷	11 ⁷	9 ⁴	19 ³	13 ⁵	1 ³	62	26	8	7								
WEST HAM -		294,997			11 ³	11 ³	15 ⁶	16 ⁶	17 ³	1 ⁴	161	64	17	17								
EAST HAM -		123,381			13 ⁵	13 ⁵	11 ⁰	20 ³	13 ⁵	3 ⁴	66	32	10	8								
LEYTON -		114,555			10 ⁵	10 ⁵	10 ⁹	13 ⁷	10 ⁵	0 ⁵	64	23	8	6								
WALTHAMSTOW -		116,297			12 ¹	12 ¹	16 ⁶	12 ¹	12 ¹	0 ⁹	77	29	7	11								
HASTINGS -		66,820			17 ⁹	17 ⁹	4 ⁷	10 ⁹	17 ⁹	1 ⁶	20	9	1	5								
BRIGHTON -		127,183			10 ²	10 ²	8 ⁶	13 ⁵	11 ⁹	0 ⁴	53	25	6	13								
PORTSMOUTH -		201,975			16 ³	16 ³	14 ²	16 ⁰	16 ³	0 ³	108	60	8	21								
BOURNEMOUTH -		66,168			10 ²	10 ²	10 ²	10 ²	8 ⁷	1 ⁸	15	13	-	7								
SOUTHAMPTON -		114,897			18 ²	10 ⁰	10 ⁹	18 ²	10 ⁰	0 ⁴	66	45	8	15								
READING -		77,674			15 ⁴	13 ⁴	12 ¹	15 ⁴	15 ⁴	0 ⁷	44	20	5	11								
NORTHAMPTON -		92,441			11 ³	14 ¹	12 ⁴	10 ²	11 ³	1 ¹	18	25	7	7								
IPSWICH -		70,802			9 ⁶	15 ⁵	11 ⁰	14 ⁰	9 ⁶	0 ⁷	37	21	5	10								
GREAT YARMOUTH -		52,353			19 ⁹	18 ⁹	11 ⁰	15 ⁹	19 ⁹	1 ⁰	30	19	6	8								
NORWICH -		116,741			17 ⁴	16 ⁵	15 ²	16 ¹	17 ⁴	0 ⁴	57	37	9	13								
PLYMOUTH -		116,000			18 ⁴	18 ⁴	15 ³	18 ⁴	18 ⁴	1 ³	67	41	8	17								
DEVONPORT -		76,864			9 ⁵	14 ⁹	10 ⁹	15 ⁶	9 ⁵	0 ⁷	46	22	5	7								
BRISTOL -		358,515			18 ⁸	14 ⁷	12 ⁷	15 ¹	18 ⁸	1 ²	196	101	27	27								
HANLEY† -		64,067			17 ⁷	25 ⁰	16 ⁹	17 ⁷	17 ⁷	1 ⁶	41	31	15	3								
BURTON-ON-TRENT -		52,424			11 ⁹	14 ⁹	9 ⁰	9 ⁹	11 ⁹	1 ⁰	33	15	3	4								
WOLVERHAMPTON -		99,456			22 ⁵	14 ⁷	14 ²	22 ⁰	22 ⁵	1 ⁶	51	28	8	11								
WALSALL -		82,988			17 ⁴	11 ²	12 ³	17 ⁴	12 ⁹	0 ⁶	49	20	2	12								
HANDSWORTH -		61,721			14 ⁴	11 ⁸	11 ⁰	9 ³	14 ⁴	-	32	14	1	5								
WEST BROMWICH -		67,823			13 ¹	18 ⁵	13 ¹	13 ¹	18 ⁵	0 ⁸	48	25	8	5								

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ The recent extension of the Borough of Hanley will not be taken into account in the Weekly Returns until next year.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTLISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 9th December, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 9th Dec., 1905.		The DEATHS registered in the Week include											TOWNS,		
		Week ended				Week ended 9th Dec., 1905.		Deaths of 50 years and upwards.	Deaths of 1 Year under 1 Age.	Deaths from													
		1905.				1905.				Measles, Scarlet Fever, Diphtheria, Whooping-cough, Fever, Diarrhoea, Violence.													
		1st, 1905.	2nd, 1905.	3rd, 1905.	4th, 1905.	1st, 1905.	2nd, 1905.			Small-pox, Measles, Scarlet Fever, Diphtheria, Whooping-cough, Fever, Diarrhoea, Violence.													
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols	
BIRMINGHAM -	-	542,859	14'4	17'8	17'5	18'2	2'0	309	189	47	56	-	6	1	1	8	2	3	7	11	45	8	BIRMINGHAM.
KINGS NORTON -	-	69,830	9'0	11'2	5'2	9'0	-	39	12	2	6	-	-	-	-	-	-	-	-	-	1	1	KINGS NORTON.
SMETHWICK -	-	62,605	12'5	19'2	11'7	18'3	0'8	29	22	6	5	-	-	-	-	1	-	2	2	1	1	-	SMETHWICK.
ASTON MANOR -	-	81,320	9'0	10'9	10'9	18'0	1'9	53	28	9	7	-	1	-	-	-	-	-	1	2	2	-	ASTON MANOR.
COVENTRY -	-	75,134	11'1	10'4	16'0	9'0	-	36	13	2	3	-	-	-	-	-	-	2	3	3	-	-	COVENTRY.
LEICESTER -	-	228,132	12'1	16'5	11'2	12'6	1'4	105	56	13	19	-	-	2	-	2	-	1	6	6	1	1	LEICESTER.
GRIMSBY -	-	68,153	9'2	16'1	6'9	10'7	0'8	38	14	3	5	-	-	-	-	-	1	-	1	1	1	1	GRIMSBY.
NOTTINGHAM -	-	251,671	13'3	14'1	13'7	16'0	0'4	107	77	19	30	-	-	1	-	-	1	7	11	14	1	1	NOTTINGHAM.
DERBY -	-	122,207	12'4	15'8	21'8	14'1	0'4	65	33	7	9	-	-	-	-	-	1	-	-	2	-	-	DERBY.
STOCKPORT -	-	98,320	19'1	17'5	19'1	14'3	-	62	27	4	10	-	-	-	-	-	-	-	1	1	-	-	STOCKPORT.
BIRKENHEAD -	-	116,035	16'6	17'1	14'4	18'0	0'9	82	40	10	15	-	-	2	-	-	1	2	7	7	-	-	BIRKENHEAD.
WALLASEY -	-	62,460	25'0	16'7	10'0	15'0	0'8	27	18	2	7	-	-	1	-	-	3	4	6	-	-	-	WALLASEY.
LIVERPOOL† -	-	730,143	19'7	24'9	21'3	23'6	1'6	483	330	88	81	-	3	10	2	2	1	5	11	23	98	13	LIVERPOOL.†
BOOTLE† -	-	62,758	30'7	20'8	24'1	25'8	1'7	40	31	12	7	-	-	-	-	1	-	2	3	6	1	1	BOOTLE.†
ST. HELENS -	-	89,843	11'0	19'7	15'1	16'8	0'6	73	29	8	7	-	-	1	-	-	-	-	-	5	1	1	ST. HELENS.
WIGAN -	-	86,681	15'1	19'3	21'1	10'8	1'2	51	18	5	2	-	-	-	1	1	-	3	5	1	1	1	WIGAN.
WARRINGTON -	-	68,301	16'0	19'8	16'8	19'1	3'1	33	25	6	8	-	-	-	-	3	1	-	-	2	2	2	WARRINGTON.
BOLTON -	-	178,111	16'7	15'5	14'6	14'3	0'3	92	49	12	19	-	-	-	-	-	1	2	4	7	1	1	BOLTON.
BURY -	-	58,594	13'3	16'0	16'9	19'6	-	21	22	5	6	-	-	-	-	-	-	2	2	4	-	-	BURY.
MANCHESTER -	-	631,185	17'8	20'2	17'3	15'5	1'1	335	188	42	44	-	3	1	1	2	1	5	12	39	8	8	MANCHESTER.
SALFORD -	-	231,514	15'1	17'8	19'8	13'5	1'4	148	60	16	15	-	1	1	1	1	1	3	6	11	-	-	SALFORD.
OLDHAM -	-	140,225	23'1	27'1	17'5	15'6	0'7	34	28	11	4	-	-	2	-	2	-	1	4	4	-	-	OLDHAM.
ROCHDALE -	-	86,390	6'6	21'1	26'6	16'9	1'8	34	28	11	4	-	-	1	-	2	-	-	-	4	1	2	ROCHDALE.
BURNLEY -	-	101,682	15'4	22'1	15'9	20'5	1'0	59	40	12	11	-	-	1	-	1	-	3	4	4	-	-	BURNLEY.
BLACKBURN -	-	133,067	13'7	18'3	17'6	18'0	3'5	64	46	16	11	-	-	3	2	-	-	-	2	7	1	1	BLACKBURN.
PRESTON -	-	115,751	17'6	21'6	17'1	23'4	6'3	71	52	9	12	-	-	4	-	-	-	1	1	1	1	1	PRESTON.
BARROW-IN-FORTH	-	60,306	13'8	17'3	9'5	20'8	0'9	38	24	1	13	-	-	1	-	-	-	1	1	3	-	-	BARROW-IN-FORTH.

TOWNS	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases during the Week ended 11-17.		Registered during the Week ended 9th Dec., 1905.		The DEATHS registered in the Week include													TOWNS
		Week ended				11-17.		9th Dec., 1905.		Deaths from													
		2nd Dec. 1905, 1905.				11-17.		9th Dec., 1905.		Deaths of													
		18th Nov., 1905.	2nd Dec. 1905.	9th Dec. 1905.	11-17.	11-17.	9th Dec. 1905.	11-17.	Infants under 1 year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Kever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDERSFIELD.	94,888	16'5	23'6	20'3	13'7	-	40	25	8	11	-	-	-	-	-	-	-	-	1	-	-	-	
HALIFAX.	108,419	11'5	15'4	11'5	12'0	0'5	36	25	5	8	-	-	1	-	-	-	-	2	3	2	-	-	
BRADFORD.	286,789	15'8	14'9	15'6	17'8	0'5	124	98	15	36	-	-	-	3	-	-	-	3	9	16	1	-	
LEEDS.	456,787	16'6	17'4	15'6	18'7	1'5	227	164	48	56	-	5	1	-	3	1	3	5	12	24	24	4	
SHEFFIELD.	440,414	14'8	16'5	14'3	14'7	1'3	254	124	27	37	-	2	2	2	5	-	-	3	6	24	4	-	
ROTHERHAM.	59,794	14'0	14'0	19'2	21'8	0'9	39	25	11	9	-	-	-	-	-	-	1	1	1	5	-	-	
YORK.	82,382	15'2	18'4	13'9	18'4	-	39	29	5	8	-	-	-	-	-	-	-	2	3	5	-	-	
HULL.	258,127	8'7	20'0	14'1	11'5	0'8	150	57	14	15	-	-	-	3	-	1	-	3	3	10	-	-	
MIDDLESBROUGH.	98,369	15'9	19'1	16'4	15'4	1'1	58	29	8	3	-	-	1	-	-	1	-	1	2	5	1	-	
STOCKTON-ON-TEES	52,425	13'9	11'9	16'9	9'0	-	32	8	2	3	-	-	-	-	-	-	-	1	2	1	-	-	
WEST HARTLEPOOL	71,313	17'5	24'9	17'5	17'5	1'5	33	24	9	7	-	-	1	-	-	-	-	1	5	-	-	-	
SUNDERLAND.	152,761	18'4	17'1	17'4	18'4	-	95	54	18	11	-	-	-	-	-	-	-	2	7	2	2	-	
SOUTH SHIELDS.	109,360	18'1	13'8	12'9	12'4	1'0	66	26	4	5	-	-	1	1	-	-	-	2	2	6	1	-	
GATESHEAD.	120,620	20'3	15'6	21'6	19'5	2'2	78	45	9	12	-	1	-	-	3	1	-	2	5	2	4	-	
NEWCASTLE-ON-TYNE	264,511	18'1	18'5	19'5	17'5	0'8	162	89	22	22	-	2	-	2	-	-	-	7	10	16	-	-	
TYNEMOUTH.	53,595	23'3	17'5	23'3	13'6	-	32	14	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
NEWPORT (MON.).	72,880	14'3	20'0	14'3	16'5	-	45	23	3	7	-	-	-	-	-	-	-	-	-	1	-	-	
CARDIFF.	180,054	12'5	12'7	13'6	16'2	0'9	88	56	11	17	-	-	-	1	2	-	-	3	5	5	-	-	
RHONDDA.	124,988	12'9	14'2	15'0	16'3	2'1	76	39	17	8	-	2	-	2	1	-	-	4	5	2	1	-	
MERTHYR TYDFIL.	73,848	15'5	16'2	22'6	14'8	1'4	54	21	8	4	-	-	1	-	-	1	-	-	3	1	-	-	
SWANSEA.	96,384	12'4	18'4	16'8	22'7	4'3	52	42	9	9	-	4	1	-	1	1	1	2	3	8	-	-	
GREATER LONDON.	7,010,172	15'2	17'4	16'1	14'8	1'2	3716	1996	458	613	-	62	16	29	34	8	18	81	180	597	6	-	
OUTER RING.	2,325,378	11'2	13'5	12'1	12'0	1'0	1254	536	123	189	-	17	3	8	9	4	4	22	50	88	4	-	
8 TOWNS IN OUTER RING	1,135,316	12'6	14'3	13'6	11'7	1'3	593	255	65	82	-	12	3	2	6	3	3	12	24	43	1	-	
REMAINDER OF OUTER RING	1,190,062	9'8	12'8	10'7	12'3	0'7	661	281	58	107	-	5	-	6	3	1	1	10	26	45	3	-	
EDINBURGH.	336,577	19'1	17'4	13'5	19'2	0'6	116	124	22	42	-	-	-	1	1	-	2	4	?	43	3	-	
GLASGOW.	809,986	17'7	23'6	20'8	19'4	2'0	407	301	71	60	-	20	1	2	3	1	4	17	?	84	11	-	
DUBLIN†.	376,994	20'8	22'7	20'4	22'0	1'1	191	160	32	41	-	-	1	1	2	2	2	1	2	69	5	-	
BELFAST†.	368,680	21'8	20'1	20'4	21'5	1'0	199	148	21	37	-	-	-	-	1	4	2	3	7	34	?	-	

* See note on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-NINTH Week of the Year 1905.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 49th week of the year 1904.	1905—Deaths of Persons of the Ages								CAUSES OF DEATH.	Deaths in the 49th week of the year 1904.	1905—Deaths of Persons of the Ages							
		ALL AGES.										ALL AGES.							
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.	1-5.			5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				
ALL CAUSES	1613	1460	335	201	75	159	266	424	Meningitis (not tuberc.)	10	13	4	4	-	1	-			
									Insanity, Gen. Par. of	13	13	-	-	-	3	4			
									Insane -	5	7	-	-	2	3	-			
									Epilepsy -	18	17	16	1	-	-	2			
									Convulsions -	1	2	-	-	-	1	1			
									Locomotor Ataxy -	8	6	-	-	-	2	3			
									Paraplegia, Dis. of Cord	18	16	-	1	1	5	8			
									Nervous Sys. (other dis.)										
									Valv. Dis., Endocarditis-	49	52	-	1	4	11	14			
									Cerebr. Hem. Thromb.-	34	29	-	-	-	1	6			
									Apoplexy, Hemiplegia -	25	26	-	-	-	-	4			
									Aneurysm -	2	4	-	-	-	1	2			
									Embolism, Thrombosis }	2	1	-	-	-	1	-			
									(not cerebral) -										
									Heart & Blood Vessel Dis.	99	76	-	1	4	6	16			
									Croup (not Spasm: nor	-	-	-	-	-	-	-			
									Memb.) -										
									Bronchitis -	242	176	67	20	1	-	16			
									Asthma, Emphysema -	9	5	-	-	-	1	4			
									Pleurisy -	2	2	-	-	-	2	-			
									Respiratory Dis. (other)	13	9	4	2	-	-	1			
									Tonsillitis, Quinsy -	-	2	-	1	1	-	-			
									Enteritis (not Epid.) -	9	14	7	-	-	1	2			
									Gastro-Enteritis -	1	5	3	2	-	-	-			
									Peritonitis (not Puerp.)	1	3	-	1	1	-	-			
									Cirrhosis of Liver -	9	9	-	-	-	5	4			
									Liver Dis. (other) -	3	6	1	-	-	-	1			
									Digestive Dis., Other	40	29	-	1	5	7	9			
									Nephritis, Acute -	8	5	-	1	-	-	2			
									Bright's Dis., Albumin-	41	26	-	1	-	2	12			
									uria -	14	10	-	-	-	1	4			
									Urinary Sys., Other Dis.							5			
									Generative Organs Dis.-	4	8	-	-	-	4	4			
									Childbirth (Accid. of)	6	6	-	-	-	5	1			
									Old Age -	49	59	-	-	-	-	59			
									Other Diseases -	91	79	60	10	3	3	-			
									ACCIDENT.										
									By Railways -	2	2	-	-	1	1	-			
									By Vehicles and Horses-	3	5	-	-	1	2	2			
									In Ships, Boats, Docks,										
									(exclusive of Drown-	1	1	-	-	-	1	-			
									ing) -										
									In Building Operations-	1	4	-	-	-	1	2			
									In Conflagrations -	1	1	-	-	1	-	-			
									By Burns, Scalds, Ex-	6	9	-	7	-	-	1			
									plosions -										
									By Drowning -	2	3	-	-	-	-	3			
									By Suffocation in Bed	17	10	10	-	-	-	-			
									By Poisons or Poisonous										
									Vapours -	2	1	-	-	-	-	1			
									Other Deaths by Acci-	11	15	2	-	1	-	5			
									dent -										
									VIOLENCE OTHER THAN										
									ACCIDENTAL.										
									Homicide -	1	1	1	-	-	-	-			
									Suicide -	8	7	-	-	1	3	-			
									Execution -	-	-	-	-	-	-	3			

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th December, 1905.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 50 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON - - -	4,536,429	2462	1460	335	424	-	45	13	21	25	-	4	-	14	59	130	509	
WEST DISTRICTS	805,311	364	258	52	83	-	10	2	2	3	-	1	-	1	12	24	92	
NORTH DISTRICTS	1,056,070	546	317	67	93	-	5	2	8	3	-	2	-	3	15	25	115	
CENTRAL DISTRICTS	209,465	133	69	12	13	-	-	-	-	-	-	-	-	1	3	4	34	
EAST DISTRICTS -	715,739	447	232	76	167	-	25	7	9	10	-	1	-	2	13	32	84	
SOUTH DISTRICTS	1,749,844	972	547	123	157	-	-	-	-	5	-	-	-	5	16	45	147	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	37	-	21	-	-	2	1	-	-	-	-	2	-	-	37	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	46	31	7	11	-	-	-	-	-	-	-	-	-	2	5	9	
W ² H																		
St. John Paddington H - G.	33,617	6	15	2	3	-	-	-	-	1	-	-	-	-	2	3	9	
North-West Paddington - C.	17,181	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W w ² H G., W. & C.	128,037	57	43	13	14	-	2	-	-	-	-	-	-	-	-	3	23	
Brompton 2H - W. & C.	48,591	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
North Hammersmith W, w ² H } W. & G.	49,192	33	9	4	-	-	-	-	-	-	-	-	-	-	1	1	2	
South Hammersmith w ² H	63,047	39	15	3	8	-	-	-	-	1	-	-	-	-	1	3	2	
North-west Fulham W } W. & C.	45,180	46	26	5	2	-	3	-	-	1	-	-	-	-	1	1	10	
North-east Fulham F	46,405	23	19	2	5	-	1	2	2	-	-	1	-	-	-	1	4	
South Fulham W	45,704	26	9	2	4	-	1	-	-	-	-	-	-	-	-	-	-	
Chelsea North W, w ³ H - C.	42,514	14	31	2	16	-	-	-	-	-	-	-	-	1	-	1	20	
Chelsea South W ² H - C.	31,328	18	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	
Mayfair and Knightsbridge C. & G.	28,743	3	6	-	1	-	-	-	-	-	-	-	-	-	2	2	-	
Belgrave W ² H - C.	55,815	12	16	3	6	-	-	-	-	-	-	-	-	-	3	3	7	
St. Margaret & St. John 4H - C.	43,698	19	20	5	5	-	3	-	-	-	-	-	-	-	1	1	5	
St. James Westminster } N. & G.	21,588	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
W ² H																		
St. Anne Soho 5H - N.	11,493	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	14	21	3	3	-	-	-	-	-	-	-	-	-	1	2	13	
St. Mary Marylebone W, 4H G. & W.	37,948	50	15	6	3	-	-	-	-	1	-	-	-	1	-	-	5	
Christchurch Marylebone H - W.	39,536	16	7	4	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. John Marylebone 3H - W.	20,426	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, F, 6H - N. & W.	81,942	25	20	2	4	-	-	2	4	-	-	-	-	-	3	5	9	
West St. Pancras 2H - N. & W.	60,562	29	17	6	7	-	-	-	-	1	-	-	-	-	-	1	1	
Tottenham-court w, 7H - N. & W.	21,258	12	17	2	2	-	-	-	-	1	1	-	-	-	1	-	15	
Gray's Inn Lane 4H - N.	34,449	19	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	
East St. Pancras W, 2H - N.	60,320	33	21	7	8	-	-	-	-	1	-	-	-	-	3	5	9	
North St. Pancras 2W - N.	58,728	26	24	4	8	-	1	-	-	-	-	-	-	-	1	1	11	
Tufnell W - N.	31,995	20	15	1	10	-	-	-	-	-	-	-	-	-	-	-	13	
Upper Holloway 2W, w, H - N.	33,978	23	23	3	9	-	-	-	-	-	-	1	-	-	1	1	13	
Tollington WH - N.	33,922	22	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - N.	41,424	20	12	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - N.	54,478	29	14	4	3	-	1	-	-	-	-	-	-	-	-	1	-	
Islington South-east F - N.	75,397	32	15	5	5	-	-	-	1	1	-	-	-	-	-	-	-	
Highbury 2H - N.	63,797	22	11	2	5	-	2	-	-	-	-	-	-	-	1	1	-	
Stoke Newington H - N.	51,247	14	12	1	4	-	-	-	-	-	-	-	-	-	1	2	-	
North Hackney - E. & N.	50,560	26	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w, F - E. & N.	50,536	24	9	3	-	-	-	-	-	1	1	-	-	-	2	2	3	
South-west Hackney 3H E. & N.	59,921	45	13	2	3	-	-	-	-	-	-	-	-	-	1	1	6	
South-east Hackney 2W, w, H E. & N.	58,265	34	25	2	8	-	-	-	-	-	-	1	-	-	-	1	14	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifi- Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th December, 1905—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury W,2H N.	31,436	24	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Strand W,4H - - - N. & C.	21,074	4	10	2	1	-	-	-	-	-	-	-	-	-	1	1	9	
Strand Union Workhouse, Edmonton-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isleborn W,6H - - - N.	29,012	21	10	3	-	-	-	-	-	1	-	-	-	1	-	1	8	
South Clerkenwell - - - N.	28,676	24	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
North Clerkenwell H - - - N.	35,028	20	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Isleborn 3H,L - - - N.	36,116	32	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
Isleborn Union Workhouse, } Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	2	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,2H - - - - -	16,624	6	22	3	2	-	-	-	-	-	-	-	-	-	2	2	14	
City of London Asylum, Stone -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	
EAST DISTRICTS.																		
Isleborn South H - - E. & N.	46,362	17	13	5	2	-	-	-	-	2	-	-	-	-	1	1	-	
Isleborn North-West W,w,H N.	36,127	21	20	3	12	-	-	-	-	1	-	-	-	-	2	3	15	
Isleborn North-East - - N. & E.	34,148	23	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-	
Isleborn Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isleborn Green North 2H - - E.	51,514	31	13	6	3	-	-	-	-	1	-	-	-	-	-	1	5	
Isleborn Green South - - - E.	33,472	20	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-	
Isleborn Green East 2W,H,L - E.	44,604	28	31	7	13	-	-	-	-	2	-	-	-	-	1	5	15	
Islebornfields - - - - E. & N.	27,969	13	6	1	-	-	1	-	-	-	-	-	-	1	-	-	-	
Isleborn End New Town W,H - E.	28,718	29	30	7	5	-	-	-	1	-	-	-	-	-	2	2	25	
Islebornman's Fields - - - E.	22,081	7	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. George and St. John 2W E.	49,068	43	10	5	1	-	1	-	-	1	-	-	-	-	-	-	1	
Islebornwell and Ratcliff W,H,E. & N.	25,568	14	15	5	1	-	-	-	-	1	-	-	-	-	-	1	9	
Islebornhouse W - - - - E.	32,369	19	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
Isleborn End Old Town South- } Western H - - - - E.	63,698	36	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	
Isleborn End Old Town North- } Eastern W,w - - - - E.	49,129	34	13	1	3	-	2	-	-	-	-	-	-	-	-	-	5	
Islebornow L - - - - - F.	41,989	19	11	5	1	-	-	-	-	-	-	-	-	-	2	2	-	
Islebornromley 3w,H - - - - E.	68,319	50	29	12	9	-	1	-	-	-	-	-	-	-	1	2	9	
Islebornoplal W,w - - - - - E.	58,514	43	18	9	5	-	-	-	-	1	-	-	-	-	2	4	2	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th December, 1905—continued.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Total Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				Total DEATHS.	Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North and Peckham South, respectively.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th December, 1905.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
					Deaths of 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from										Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.							
LONDON—OUTER RING	368,602	2,044,973	1254	536	123	189	-	17	3	8	9	4	4	22	50	88	4			
Carshalton 2F,2H	12,228	32,997	11	9	-	2	-	-	-	1	-	-	-	-	-	1	-			
Epsom, part of* W,w,2F,H	10,423	15,548	6	7	-	4	-	-	-	-	-	-	-	-	-	3	1			
Godstone, part of* W,F	2,764	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
South Croydon w	4,200	49,309	19	10	-	4	-	-	-	-	-	-	-	2	3	-	-			
West Croydon 3W,F,H	2,168	42,888	33	20	3	9	-	1	1	-	-	-	-	3	4	12	-			
North Croydon H	2,644	41,668	19	9	1	7	-	-	-	-	-	-	-	-	-	-	-			
Penge w,H	770	22,465	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
Mitcham w	11,711	30,015	42	10	1	3	-	-	-	-	-	1	-	-	1	-	-			
Wimbledon F,3H	3,221	41,652	22	8	2	4	-	-	-	-	-	-	-	-	-	-	-			
Kingston 2W,H	6,224	42,068	28	12	2	6	-	-	-	-	-	-	-	1	3	3	-			
Surbiton F,H	3,046	15,017	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Esher, part of* H	5,402	13,100	3	4	1	3	-	-	-	-	-	-	-	-	-	-	-			
Hampton H,F,L	4,564	23,456	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-			
Richmond W,H	2,162	28,865	13	8	-	2	-	-	-	-	-	-	-	1	1	-	-			
Mortlake F	2,847	20,628	12	3	-	2	-	-	-	-	-	-	-	-	1	-	-			
Bromley F,2H	4,703	27,354	15	8	3	3	-	-	-	-	1	-	-	-	-	1	-			
Beckenham H	7,825	28,497	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
Orpington part of* W	10,113	9,857	6	8	1	4	-	-	-	-	-	-	-	-	-	5	-			
Chislehurst 2H	7,333	16,446	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
Bexley w,F,H	8,678	21,151	14	6	1	4	-	-	-	-	-	-	-	-	-	1	-			
Erith F,H	3,854	25,296	21	2	1	-	-	-	-	-	-	-	-	-	-	1	-			
Dartford W,F, part of*	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-			
Sunbury w	11,054	18,683	7	4	1	3	-	-	-	-	-	-	-	-	-	-	-			
Staines W,H	13,277	15,178	9	4	-	2	-	-	-	1	-	-	-	-	-	-	-			
Hillingdon W,F,H	6,035	13,861	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-			
Uxbridge H	12,757	8,984	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-			
Hayes w,F,H	8,066	16,358	6	3	1	1	-	-	-	-	-	-	-	1	1	-	-			
Isleworth 3W,2F,H	6,859	30,863	30	14	3	5	-	-	-	1	-	-	-	-	-	11	1			
Twickenham F,H	2,421	20,991	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
Brentford 3F,2H,L	4,319	48,289	39	14	4	2	-	-	-	1	-	-	-	1	1	-	1			
Chiswick H	1,249	29,809	15	6	4	-	-	-	-	-	-	-	-	-	-	-	-			
Acton w,3H	6,132	48,914	35	11	2	4	-	-	-	-	-	-	-	1	1	-	-			
Harrow F,H	13,809	25,523	10	4	-	1	-	-	-	-	-	-	-	-	-	1	-			
Edgware F,2H	6,994	4,621	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Willesden W,2F,2H	4,384	114,811	75	32	8	5	-	3	-	-	2	-	-	2	5	5	1			
Hendon W,F	8,382	22,450	14	4	-	1	-	1	-	-	1	-	-	-	-	1	-			
South Mimms 2F,H	17,755	7,308	7	2	-	1	-	-	-	-	-	-	-	1	1	-	-			
Barnet W,2H	3,324	17,970	8	7	1	2	-	-	-	-	-	-	-	1	1	3	-			
Finchley F,2H	4,688	33,692	15	7	1	4	-	-	-	-	-	-	-	1	1	-	-			
Hornsey F,H	2,875	72,056	17	13	3	9	-	-	-	-	-	-	-	-	-	-	-			
Wood Green H	1,625	34,233	28	10	2	2	-	-	-	-	-	-	-	-	2	-	-			
West Tottenham F	996	48,853	34	13	6	4	-	1	-	-	-	-	-	4	2	-	-			
East Tottenham 2H	2,017	53,888	28	12	2	3	-	1	-	-	1	-	-	-	-	-	-			
Edmonton W,w,2F	7,491	61,892	54	26	9	7	-	4	-	-	-	-	-	-	4	5	-			
Enfield 2W,F,H	12,601	42,738	27	11	3	3	-	-	-	-	-	-	-	-	1	1	-			
Waltham Abbey F	11,017	6,549	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Cheshunt F,H	8,479	12,292	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bushey H	9,333	9,173	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-			
Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-			
Stratford H	1,072	44,827	23	6	1	2	-	-	-	-	-	-	-	-	-	-	-			
Plaistow F,2H	1,249	90,921	66	20	7	3	-	3	-	-	-	1	1	1	1	1	-			
Canning Town H	1,556	70,718	51	18	9	3	-	-	-	-	1	-	1	1	3	4	-			
Forest Gate w	806	60,892	21	9	-	6	-	-	-	-	-	-	-	-	-	-	-			
North East Ham w,H	1,333	58,676	37	14	6	2	-	2	1	-	-	-	-	-	-	2	-			
South East Ham 2F	1,993	37,342	29	13	4	2	-	-	1	-	2	1	1	-	-	1	-			
Wanstead F	1,579	9,179	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
South Leyton 2W	631	50,467	30	10	3	4	-	1	-	-	-	-	-	-	1	1	4			
North Leyton 2W,w,F	1,963	48,445	34	32	5	10	-	-	-	-	-	-	-	-	1	2	19			
Walthamstow 3H,L	6,504	108,929	84	27	7	11	-	-	-	1	-	1	-	1	1	-	-			
Chigwell, part of* 2F,3H	11,778	16,397	10	5	3	2	-	-	-	-	-	-	-	-	-	-	-			
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Romford, part of* W,2F	6,556	6,091	2	4	-	1	-	-	-	-	-	-	-	-	-	1	1			
Ilford F,L	8,496	41,234	39	15	4	7	-	-	-	1	-	-	-	-	-	4	-			
Barking Town F	3,803	21,547	19	11	5	2	-	-	-	1	1	1	-	-	-	1	-			
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-			

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Sydenham parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	December 9	2462	1460	16·3	-	45	13	21	25	4
CALCUTTA - -	847,796	October 28	-	421	25·8	2	2	-	1	-	127†
BOMBAY - -	776,006	November 21	379	527	35·3	-	2	-	-	-	79†
MADRAS - -	509,346	" 10	429	506	51·6	7	4	?	?	?	150
PARIS - - -	2,660,559	December 2	963	923	18·0	-	9	-	6	-	6
BRUSSELS - -	586,936	" 2	210	147	12·8	-	1	-	1	1	-
ANTWERP - -	286,695	" 2	133	64	11·4	-	-	-	-	-	-
AMSTERDAM -	554,240	November 25	294	153	14·3	-	3	-	1	4	-
COPENHAGEN -	426,000	December 2	214	124	15·0	-	1	-	1	1	-
STOCKHOLM -	309,496	November 25	143	78	12·7	-	-	2	1	-	-
CHRISTIANIA -	223,649	December 2	111	71	16·6	-	1	-	4	2	-
ST. PETERSBURG	1,248,122	November 18	-	-	-	-	-	-	-	-	-
MOSCOW - -	1,092,360	" 18	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,043,513	November 18	871	581	14·8	-	7	5	4	6	4
HAMBURG - -	772,852	December 2	-	212	14·3	-	3	-	2	3	-
BRESLAU - -	462,147	" 2	-	175	19·7	-	-	-	-	2	1
MUNICH - - -	523,000	" 2	-	163	16·3	-	2	-	1	4	-
VIENNA - - -	1,897,630	" 2	859	609	16·5	-	6	4	15	5	1
PRAGUE - - -	430,569	" 2	201	147	16·8	-	-	1	1	2	2
BUDA-PESTH -	836,267	" 2	518	237	14·7	-	8	3	1	4	3
TRIESTE - - -	191,403	" 2	128	92	24·5	-	3	-	1	-	-
ROME - - -	514,930	September 16	232	140	14·1	-	1	-	-	2	6§
VENICE - - -	169,417	November 25	76	71	21·9	-	-	-	2	-	-
BUCHAREST -	282,071	" 25	147	112	20·7	-	-	-	2	-	1
NEW YORK - -	3,948,191	" 25	1852	1295	16·8	-	11	11	31	3	9
CHICAGO - - -	1,932,315	" 25	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	" 18	-	407	14·7	-	-	-	12	3	6
BOSTON - - -	617,956	" 11	-	188	16·5	-	-	-	3	-	2
		" 18	-	169	14·8	-	1	1	4	-	2
RIO DE JANEIRO	850,000	October 22	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 6 deaths from plague in Calcutta, and 8 in Bombay.

‡ Including 23 deaths from cholera in Calcutta, and 6 in Madras.

§ Including 2 deaths from malarial fever.

TABLE 8.--METEOROLOGY in certain towns during the week ended Saturday, 9th December, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	57·3	30·1	43·6	0·31	BRADFORD - -	52·0	37·2	44·9	0·14
BRIGHTON - -	51·6	38·5	44·8	0·48	LEEDS - - -	55·0	39·0	46·0	0·12
PORTSMOUTH - -	54·5	37·0	45·4	0·41	HULL - - -	53·0	32·0	41·7	0·03
NORWICH - - -	55·4	33·0	41·5	0·54	TYNEMOUTH - -	53·0	37·0	45·1	0·02
PLYMOUTH - - -	53·9	34·7	46·5	0·60	CARDIFF - - -	53·0	23·0	42·3	1·34
BRISTOL - - -	52·5	28·3	43·2	0·68	EDINBURGH - -	53·1	35·2	45·4	0·53
BIRMINGHAM - -	54·4	28·2	42·0	0·36	GLASGOW - - -	53·1	36·4	45·6	1·31
NOTTINGHAM - -	54·9	29·2	41·4	0·20	DUBLIN { Phoenix Park. Fitz- william Square.f	53·8	36·0	43·6	0·13
LIVERPOOL - - -	53·0	39·0	46·0	0·12		55·3	39·6	43·5	0·13
MANCHESTER - -	52·7	34·8	43·8	0·36		51·5	36·0	48·0	0·57
PRESTON - - -	51·5	37·0	44·7	0·33					
HUDDERSFIELD -	50·4	36·5	44·3	0·33					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		MONTH AND DAY		BAROMETER.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		WIND AS DEDUCED FROM ANEMOMETERS.		Rain collected in a Gauge whose surface is 6 inches above the level of the ground.	
Phases of the Moon.	Mean daily reading (corrected and reduced to height).	Of the Air.		Of the Dew point.		Difference between the Air and Dew point.		Of the Earth's surface.		General Direction.		Oster's.		Robinson's.	
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average value.	Mean daily value.	Highest on the Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great-est.	Least.	Mean hourly obs.	Horizontal Movement of the Air in 24 hours.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°	lbs.	lbs.	Miles.	Miles.
SUNDAY - 3	First Quarter.	30.232	40.3	30.1	10.2	37.1	- 3.7	35.9	0	1.2	2.1	0	0	95	0
MONDAY - 4	..	30.062	38.6	35.9	2.7	37.0	- 4.1	36.0	1.0	1.8	0	0	0	96	0
TUESDAY - 5	..	29.776	47.5	38.6	8.9	42.1	+ 0.8	40.1	2.0	3.7	1.1	93	0	93	0
WEDNESDAY - 6	In Equator	29.687	51.0	40.6	10.4	45.8	+ 4.5	40.7	5.1	8.0	1.3	82	0	82	0
THURSDAY - 7	Apogee	29.804	57.3	50.4	6.9	53.7	+12.7	49.1	4.6	6.8	0.8	85	0	85	0
FRIDAY - 8	..	29.944	53.9	40.0	13.9	47.9	+ 7.3	46.0	1.9	4.3	0.8	93	0	93	0
SATURDAY - 9	..	30.133	48.5	38.0	10.5	43.1	+ 2.8	38.7	4.4	6.0	1.4	85	0	85	0
MEANS	-	29.853	48.2	39.1	9.1	43.8	+ 2.9	40.9	2.9	4.7	0.8	90	0	90	0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

DATE.		ELOGRAPHY.		Registered Sun above Horizon.		GENERAL REMARKS.	
DECEMBER.		(For explanation of symbols, see Note.		in hours.			
SUNDAY - 3	..	w. P. throughout.		00		Generally overcast; fog in morning.	
MONDAY - 4	..	w. P. till 1h. P.M.; w. P. afterwards.		00		Overcast; slight fog with gloomy intervals in forenoon.	
TUESDAY - 5	..	m. P. till 2h. A.M.; w. P. afterwards.		00		Overcast; occasional misty rain till evening; continuous slight rain at night.	
WEDNESDAY - 6	..	w. P. till 9h. A.M.; m. P. generally till 8h. P.M.; w. P. afterwards.		46		Overcast till 2h. A.M.; very fine generally till evening; overcast with rain at night.	
THURSDAY - 7	..	w. P. throughout.		1.2		Generally overcast; fine in afternoon; very mild.	
FRIDAY - 8	..	w. P. throughout.		00		Overcast till 4h. 30m. P.M.; fine afterwards; rain, fog, and gloom in forenoon. Lunar halo at night; very mild.	
SATURDAY - 9	..	w. P. till 6h. P.M.; m. P. generally afterwards.		37		Cloudless with hoar frost in morning; fine with variable amounts of cloud till evening; cloudless at night.	
No. of Col. -	27			Sum 95		Sum 55.9	

* Dew.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 133 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean readings of the maximum and minimum thermometers, the mean daily temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1875. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30.27 in. at the beginning of the week to 29.57 in. by midnight on the 5th, and increased to 30.35 in. by midnight on the 9th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd December, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	6	-	-	-	-	-	1	-
Kensington - - - -	180,083	-	8	5	-	2	-	-	6	1
Hammersmith - - -	119,037	-	9	3	-	1	-	-	1	-
Fulham - - - - -	157,210	-	13	3	-	-	-	-	4	-
Chelsea - - - - -	74,496	-	5	1	-	1	-	-	2	-
City of Westminster -	175,606	-	11	2	-	1	-	-	1	-
NORTH.										
St. Marylebone - - -	129,453	-	2	3	-	1	-	-	4	-
Hampstead - - - -	88,142	-	3	1	-	-	-	-	-	-
St. Pancras - - - -	236,183	-	21	7	-	-	-	-	8	-
Islington - - - - -	342,994	-	29	10	-	3	-	-	6	-
Stoke Newington - -	52,828	-	4	2	-	-	-	-	-	-
Hackney - - - - -	228,479	-	44	8	-	4	-	-	3	-
CENTRAL.										
Holborn - - - - -	56,481	-	1	-	-	-	-	-	-	-
Finsbury - - - - -	98,207	-	8	-	-	-	-	-	4	-
City of London - - -	22,425	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	116,585	-	20	4	-	2	-	-	2	-
Bethnal Green - - -	130,401	-	20	6	-	4	-	-	7	1
Stepney - - - - -	305,466	-	37	12	-	2	-	-	17	-
Poplar - - - - -	170,280	-	24	10	-	-	-	-	4	-
SOUTH.										
Southwark - - - -	208,528	-	17	8	-	1	-	-	7	1
Bermondsey - - - -	129,006	-	22	3	-	-	-	-	5	-
Lambeth - - - - -	313,045	-	19	7	-	7	-	-	3	-
Battersea - - - - -	177,532	-	28	-	-	-	-	-	7	-
Wandsworth - - - -	265,392	-	28	6	-	-	-	-	8	-
Camberwell - - - -	271,240	-	24	10	-	1	-	-	9	-
Deptford - - - - -	114,495	-	14	3	-	-	-	-	1	-
Greenwich - - - - -	103,493	-	3	2	-	-	-	-	1	-
Lewisham - - - - -	144,420	-	8	-	-	3	-	-	5	-
Woolwich - - - - -	125,372	-	12	2	-	1	-	-	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,681,794										
		-	440	124	-	40	-	-	117	3
AGES.										
Ages 0-1 - - - - -	-	-	13	3	-	-	-	-	7	-
" 1-5 - - - - -	-	-	131	53	-	2	-	-	3	-
" 5- - - - -	-	-	191	38	-	7	-	-	10	-
" 10- - - - -	-	-	57	8	-	5	-	-	5	-
" 15- - - - -	-	-	19	4	-	3	-	-	4	-
" 20- - - - -	-	-	14	4	-	6	-	-	4	1
" 25- - - - -	-	-	12	12	-	6	-	-	17	2
" 35- - - - -	-	-	2	2	-	8	-	-	25	-
" 45- - - - -	-	-	-	-	-	2	-	-	22	-
" 55- - - - -	-	-	-	-	-	1	-	-	13	-
" 65 and upwards -	-	-	-	-	-	-	-	-	7	-
Age not stated - -	-	-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING NOVEMBER, 1905.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th December, 1905.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of November.

Fourteen samples were taken in the East London and Kent districts, and thirteen in each of the remaining districts, making a total of 106 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ November 20th, Cab Rank, Fulham Road, near Hospital for Women. }	6·3	27·78	·174	·024	0	·223	·247	1·9	19·3
West Middlesex - -	{ November 20th, Cab Rank, Albert Road, N.W. }	6·0	26·08	·169	·022	0	·147	·169	1·85	18·0
Southwark - - -	{ November 20th, Cab Rank, St. George's Church, Borough. }	6·8	30·88	·273	·032	·003	·226	·261	1·9	20·2
Grand Junction - -	{ November 20th, Cab Rank, Piccadilly, opposite Bolton Street. }	6·5	23·38	·210	·026	0	·074	·100	1·75	15·9
Lambeth - - - -	{ November 20th, Cab Rank, Westminster Bridge Road. }	6·2	29·94	·276	·028	·001	·239	·268	1·95	20·3
LEA, WELLS, ETC.										
New River - - -	{ November 20th, Cab Rank, Bayham Street, Camden Town. }	5·8	34·60	·074	·009	0	·285	·294	1·9	23·6
LEA, THAMES, ETC.										
East London - - -	{ November 20th, Cab Rank, High Street, Shoreditch. }	7·5	33·88	·273	·024	0	·386	·410	2·25	21·9
DEEP WELLS.										
Kent- - - - -	{ November 20th, Cab Rank, Amersham Road, near New Cross Station. }	11·5	33·68	·050	·006	0	·504	·510	2·05	27·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 20th November at the Cab Rank in Fulham Road, had a temperature of 6·3° C.; 100,000 lbs. of it contained 27·78 lbs. of solid matter; the organic substances constituting a portion of this matter contained ·174 lb. of carbon and ·024 lb. of nitrogen. The above quantity of water also contained ·223 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·247 lb. The above weight of water also contained 1·9 lb. of chlorine and 19·3 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 20th November were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was :— Kent 1·0, New River 1·4, West Middlesex 3·2, Chelsea 3·4, Grand Junction 4·0, East London 5·0, and Southwark and Lambeth 5·2.

The supplies distributed from the five District Works dealing with filtered Thames water contained, in all cases, more organic impurity than had been found for several months past. The increments in organic matter were smallest in the Chelsea, West Middlesex, and Grand Junction waters, and these supplies were clear and of good quality; the water from the Southwark and Lambeth District Works was also clear, but its quality was a little inferior to that of the other Thames supplies owing to its higher organic content and colour.

The filtered Lea and deep well water supplied from the New River works was clear and of good quality. The East London district water, collected on the 20th November, was taken in the area partly supplied with filtered water from the Thames at Sunbury and gravel wells at Hanworth; the supply was clear, but in regard to organic purity and colour it was somewhat inferior to that furnished during the seven previous months.

The deep well water drawn in the Kent district was of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless; the samples taken in the New River, Chelsea, West Middlesex, and Grand Junction districts were very pale yellow, and the Southwark, Lambeth, and East London waters had a pale yellow colour.

In addition to the above analytical examination, the 106 samples of water, collected during November at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."			
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)			Mean.	Max.	Min.	Max.	Min.	M	
	Max.	Min.	Mean.	Max.	Min.	Mean.							
THAMES.													
Chelsea	·112	·060	·078	·121	·065	·085	0	0	0	·009	·0065	0	
West Middlesex	·091	·058	·070	·098	·065	·077	0	0	0	·0095	·006	0	
Southwark	·139	·065	·106	·151	·070	·116	·0045	0	·0015	·012	·008	0	
Grand Junction	·095	·060	·081	·105	·067	·089	0	0	0	·0115	·0095	0	
Lambeth	·133	·063	·095	·145	·069	·103	·002	0	·001	·0105	·0065	0	
LEA, WELLS, ETC.													
New River	·039	·019	·027	·044	·020	·031	0	0	0	·003	·0025	0	
LEA, WELLS, THAMES.													
East London	·133	·047	·079	·142	·051	·086	0	0	0	·011	·006	0	
DEEP WELLS.													
Kent	·003	·005	·007	·009	·005	·008	0	0	0	·0015	·0015	0	

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

Owing to the less favourable condition of the Thames during the past month, all the supplies drawn from this river contained, on the average, more organic impurity than had been found in the three preceding months. Through the regular use of stored water at the Chelsea and West Middlesex works, the supplies distributed in their districts were the least affected, and the water was of good quality throughout the month. The Grand Junction district water exhibited only a small increment of organic matter and was of good quality, this favourable result following from the regular use of a considerable volume of water daily drawn from the new Staines reservoirs. The Southwark and Lambeth district supplies were of good quality in the early part of the month, but their purity fell off later, and the worst samples were observed from the 20th to the 25th of the month. As the Water Examiner's returns show that the Southwark and the Lambeth works now possess nearly as much available storage as the Chelsea and West Middlesex works, the fact that the water supplied by the former was of inferior quality to that from the latter is proof that the new storage had not been used to the extent it might have been during the time the Thames was in bad condition.

All the samples taken in the New River district were of good quality.

The East London district water contained on the average more organic impurity than had been observed since April. The samples taken in the area chiefly supplied with filtered Lea and well water were all of good quality, but those drawn in the district partly supplied with filtered Thames water from Sunbury (particularly on the 17th and 20th November) contained more organic matter and were not so good as they had been for some time past.

All the samples collected in the Kent district were of high organic purity and excellent quality.

All the samples examined during the month were clear, except one, taken in the Kent district on the 13th, and this was turbid with rust of iron evidently caused by some disturbance in the main.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of November, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 201 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	NOVEMBER, 1904.	NOVEMBER, 1905.	NOVEMBER, 1904.	NOVEMBER, 1905.
TOTAL SUPPLY - - -	997,595	1,038,753	210,663,378	209,065,857
From Thames - - - - -	473,582	483,876	110,850,494	111,124,289
From Lea and from other Sources -	524,013	554,877	99,817,884	97,941,568
THAMES.				
Chelsea - - - - -	39,902	39,980	11,988,000	11,777,333
West Middlesex - - - - -	91,347	92,424	22,426,000	23,494,600
Southwark and Vauxhall - - - -	129,999	131,575	30,389,000	29,655,000
Grand Junction - - - - -	77,904	80,969	15,810,374	16,032,693
Lambeth - - - - -	134,430	138,928	30,237,120	30,164,663
LEA AND OTHER SOURCES.				
New River - - - - -	181,948	206,681	41,166,993	40,290,978
East London - - - - -	231,034	234,768	40,585,000	39,574,733
Kent - - - - -	111,031	113,428	18,065,891	18,075,857

Note.—The Return for November, 1905, as compared with that for the corresponding month of 1904, shows an increase of 41,158 services, and a decrease of 1,602,521 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 50. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, DEC. 16. [Price 1½d.

*General Register Office, Somerset House,
December 18th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 17·9, 16·7, and 16·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·2 in Tottenham, 20·7 in Middlesbrough, 20·8 in Bootle, 21·1 in Liverpool, 21·2 in Halifax, 22·6 in Hanley, and 27·0 in Preston; from *measles*, 1·5 in Bristol, 1·6 in Leeds, 1·7 in Barrow in Furness, 2·0 in Blackburn, and 5·4 in Preston; from *whooping-cough*, 1·3 in Gateshead, 1·4 in Devonport, 1·5 in West Bromwich and in Warrington, and 2·5 in Bootle; and from *diarrhœa*, 1·2 in Cardiff, 1·3 in Reading, and 2·1 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2279 BIRTHS and 1725 DEATHS were registered. Allowing for increase of population, the births were 241 below and the deaths 38 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 19·4, 18·1, and 16·3 in the preceding three weeks, rose last week to 19·2. During the four weeks ended on Saturday last the death-rate averaged 18·3 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1725 deaths included 58 from measles, 20 from scarlet fever, 11 from diphtheria, 28 from whooping-cough, 2 from enteric fever, and 13 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 132 deaths were referred to these diseases in the aggregate, being 35 below the corrected average weekly number.

The deaths from *measles*, which had been 48, 53, and 45 in the preceding three weeks, rose to 58 last week, and were 1 above the corrected average; 14 deaths belonged to the Borough of Southwark, 10 to Islington, 6 to Lambeth, 4 to Stepney, 4 to Camberwell, 3 to Paddington, and 3 to Bethnal Green. The deaths from *scarlet fever*, which had been 6, 18, and 13 in the preceding three weeks, rose to 20 last week, and were 9 above the corrected average; 3 deaths belonged to Deptford. The deaths from *diphtheria*, which had been 10, 5, and 21 in the preceding three weeks, fell to 11 last week, and were 28 below the corrected average. The deaths from *whooping-cough*, which had been 24, 25, and 25 in the preceding three weeks, rose to 28 last week, and were equal to the corrected average; 5 deaths belonged to St. Pancras, 5 to Stepney, and 3 to Poplar. The fatal cases of *enteric fever*, which had been 3, 3, and 4 in the preceding three weeks, fell to 2 last week, and were 12 below the corrected average. The deaths from *diarrhoea*, which had been 11, 16, and 14 in the preceding three weeks, were 13 last week, and were 1 below the corrected average; 3 deaths belonged to Stepney. Of the 13 deaths from diarrhoea, 8 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 13, having been 15, 6, and 21 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all but 1 of which inquests were held. Of these 56 deaths, 7 were cases of suicide, while the remaining 49 cases were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 6 to burns or scalds, 3 to poisoning by coal gas, 5 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3670 cases of scarlet fever, 713 of diphtheria, and 92 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 341 cases, against 470, 375, and 355; of diphtheria, 103 cases, against 92, 93, and 95; and of enteric fever, 11 cases, against 10, 15, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended December 9th.

GREATER LONDON.

In Greater London 3512 births and 2295 deaths were registered. Allowing for increase of population, these numbers are 271 and 28 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 2 from whooping-cough, 3 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·45 inches, and that of the Thermometer 36°·6, the latter being 3°·5 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 57 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 4·0 hours; the measured rainfall amounted to 0·02 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 16th December, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 16th Dec., 1905.		The DEATHS registered in the Week include										TOWNS	
		Week ended					Deaths of Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	Deaths from	Deaths from												
		25th Nov. 1905.	2nd Dec. 1905.	3rd Dec. 1905.	16th Dec. 1905.	Week ended 16th December, 1905.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,609,377	179	167	161	170	13	8179	5076	1148	1493	-	125	54	48	83	22	57	165	380	1166	45	76 TOWNS.
LONDON -	4,684,794	194	181	163	192	15	279	1725	333	535	-	58	20	11	28	2	13	56	144	612	3	LONDON.
(CROYDON	147,704	113	124	127	102	07	55	29	7	7	-	2	-	-	-	-	-	1	3	6	-	(CROYDON.
WILLESDEN -	138,080	98	102	121	140	11	64	37	13	9	-	-	-	-	-	-	1	3	4	6	1	WILLESDEN.
HORNSEY -	84,070	105	105	81	93	06	25	15	2	5	-	-	-	-	1	-	-	1	1	1	-	HORNSEY.
(TOTTENHAM -	116,232	193	135	117	202	13	85	45	17	15	-	1	-	1	-	1	1	1	5	4	-	TOTTENHAM.
EAST HAM -	294,997	166	173	113	154	07	170	87	25	18	-	2	1	1	-	1	-	2	10	20	-	EAST HAM.
WEST HAM -	123,381	203	135	135	127	08	66	30	10	6	-	-	-	1	1	-	-	2	2	3	-	WEST HAM.
LEYTON -	114,555	109	137	105	159	09	80	35	11	8	-	-	-	-	2	-	-	2	2	8	-	LEYTON.
(WALTHAMSTOW	116,297	121	121	130	126	04	83	28	10	10	-	-	-	-	-	-	1	-	3	4	-	(WALTHAMSTOW.
HASTINGS -	66,820	109	179	70	109	08	19	14	-	10	-	1	-	-	-	-	-	1	1	2	-	HASTINGS.
BRIGHTON -	127,183	135	119	102	148	-	60	36	5	14	-	-	-	-	-	-	-	-	-	8	-	BRIGHTON.
PORTSMOUTH -	201,975	160	163	155	137	13	106	53	6	23	-	-	5	-	-	-	-	1	6	13	1	PORTSMOUTH.
BOURNEMOUTH -	66,168	102	87	102	95	-	18	12	-	7	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
(SOUTHAMPTON -	114,897	182	100	204	141	05	56	31	5	14	-	-	-	-	-	-	1	1	1	5	-	SOUTHAMPTON.
READING -	77,674	154	154	134	107	13	37	16	4	7	-	-	-	-	-	-	2	-	-	3	1	READING.
NORTHAMPTON -	92,441	102	113	141	175	-	36	31	7	13	-	-	-	-	-	-	-	1	1	6	-	NORTHAMPTON.
IPSWICH -	70,802	140	96	155	133	-	36	18	3	8	-	-	-	-	-	-	-	-	-	1	-	IPSWICH.
GREAT YARMOUTH -	52,353	159	109	189	149	-	25	15	6	6	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH -	116,741	161	174	165	138	-	70	31	11	5	-	-	-	-	-	-	-	-	4	6	-	NORWICH.
PLYMOUTH -	116,000	184	184	184	130	13	47	29	6	6	-	-	1	1	-	1	-	-	2	5	-	PLYMOUTH.
DEVONPORT -	76,864	156	95	149	136	20	51	20	5	4	-	-	-	-	2	1	-	1	3	3	-	DEVONPORT.
BRISTOL -	358,515	151	188	147	170	23	181	117	22	32	-	10	3	1	1	1	1	4	16	20	-	BRISTOL.
HANLEY -	64,067	177	177	250	226	16	39	28	7	9	-	-	1	1	1	-	-	1	2	5	1	HANLEY +
BURTON-ON-TRENT -	52,424	99	119	149	90	10	19	9	2	1	-	-	-	-	1	-	-	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	98,456	220	225	147	168	81	63	32	10	7	-	2	1	-	-	1	2	1	1	2	-	WOLVERHAMPTON.
WALSALL -	82,988	174	129	112	140	06	63	25	7	8	-	-	-	-	-	-	1	2	2	3	1	WALSALL.
HANDSWORTH -	61,721	93	144	118	152	-	43	18	4	5	-	-	-	-	-	-	-	-	2	-	-	HANDSWORTH.
WEST BROMWICH -	67,823	131	185	192	177	23	42	23	10	8	-	-	-	-	2	-	1	-	2	1	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London. ‡ The recent extension of the Borough of Hanley will not be taken into account in the Weekly Returns until next year.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 16th December, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Cols.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.					Rates from Diseases in Coler. 11-17.		Registered during the week ended 16th Dec., 1905.			The DEATHS registered in the Week include										TOWNS.	
			Week ended			16th Dec., 1905.	18th Dec., 1905.	BIRTHS.	DEATHS.	Under 1 Year of Age.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
			25th Nov., 1905.	2nd Dec., 1905.	9th Dec., 1905.																			
			1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.		21.
BIRMINGHAM -	-	542,959	17'8	17'5	18'2	19'1	2'4	303	199	56	48	-	5	1	1	9	5	4	4	5	28	5	BIRMINGHAM.	
KINGS NORTON -	-	69,630	11'2	5'2	9'0	9'0	-	32	12	5	5	-	-	-	-	-	1	1	1	1	1	1	KINGS NORTON.	
SMETHWICK -	-	62,605	19'2	11'7	18'3	15'8	-	29	19	6	6	-	-	-	-	-	-	-	-	-	2	-	SMETHWICK.	
ASTON MANOR -	-	31,320	10'9	10'9	18'0	19'2	0'6	44	30	6	10	-	-	-	-	1	-	-	-	-	4	1	ASTON MANOR.	
COVENTRY -	-	75,134	10'4	16'0	9'0	14'6	-	39	21	6	6	-	-	-	-	-	-	-	-	-	4	1	COVENTRY.	
LEICESTER -	-	228,132	16'5	11'2	12'6	12'6	0'5	114	55	11	11	-	-	-	-	1	4	6	11	-	-	-	LEICESTER.	
GRIMSBY -	-	68,153	16'1	6'9	10'7	13'8	-	30	18	6	5	-	-	-	-	-	1	2	2	-	2	2	GRIMSBY.	
NOTTINGHAM -	-	251,671	14'1	13'7	16'0	14'9	0'2	132	72	16	24	-	-	-	-	1	-	4	12	1	4	1	NOTTINGHAM.	
DERBY -	-	122,207	15'8	21'8	14'1	17'5	0'4	47	41	12	14	-	-	-	-	-	2	5	7	-	-	-	DERBY.	
STOCKPORT -	-	98,320	17'5	19'1	14'3	18'	1'6	55	35	10	9	-	-	-	-	-	1	2	4	-	4	-	STOCKPORT.	
BIRKENHEAD -	-	116,035	17'1	14'4	18'0	16'6	0'9	64	37	13	12	-	-	1	1	-	4	6	8	-	8	-	BIRKENHEAD.	
WALLASEY -	-	62,460	16'7	10'0	15'0	13'4	-	21	16	-	8	-	-	-	-	-	2	2	3	2	3	2	WALLASEY.	
LIVERPOOL† -	-	730,143	24'9	21'3	23'6	21'1	1'4	437	295	78	75	-	5	10	2	2	9	16	89	9	16	9	LIVERPOOL.†	
BOOTLE† -	-	62,758	20'8	24'1	25'8	20'8	2'5	35	25	6	6	-	-	-	-	-	-	-	4	1	4	1	BOOTLE.†	
ST. HELENS -	-	89,843	19'7	15'1	16'8	9'9	1'7	73	17	4	3	-	-	2	-	-	1	1	6	-	1	6	ST. HELENS.	
WIGAN -	-	88,681	19'3	21'1	10'8	19'9	-	59	33	10	8	-	-	-	-	-	1	2	4	-	4	-	WIGAN.	
WARRINGTON -	-	68,301	19'8	16'8	19'1	14'5	1'5	37	19	1	3	-	-	-	-	-	2	2	4	-	4	-	WARRINGTON.	
BOLTON -	-	178,111	15'5	14'6	14'3	13'8	0'6	92	47	7	12	-	-	-	-	-	1	4	6	12	4	-	BOLTON.	
BURY -	-	58,594	16'0	16'9	19'6	13'3	0'9	25	15	3	4	-	1	-	-	-	2	3	1	-	3	1	BURY.	
MANCHESTER -	-	831,185	20'2	17'3	15'5	15'9	1'6	337	193	40	60	-	1	4	5	2	8	14	49	2	14	49	2	MANCHESTER.
SALFORD -	-	231,514	17'8	19'8	13'5	16'4	1'6	117	73	21	16	-	-	3	2	-	1	7	13	-	7	13	-	SALFORD.
OLDHAM -	-	140,225	27'1	17'5	15'6	13'8	0'7	64	37	8	10	-	-	-	-	-	2	5	5	-	5	-	OLDHAM.	
ROCHDALE -	-	86,390	21'1	26'6	16'9	19'3	1'2	43	32	4	14	-	-	2	-	-	-	9	9	3	9	3	ROCHDALE.	
BURNLEY -	-	101,682	22'1	15'9	20'5	17'4	1'0	51	34	9	8	-	-	-	-	-	1	2	6	1	2	6	1	BURNLEY.
BLACKBURN -	-	138,067	18'8	17'6	18'0	17'6	2'7	59	45	7	16	-	-	-	-	-	1	1	4	-	1	4	-	BLACKBURN.
PRESTON -	-	115,721	21'6	17'1	23'4	27'0	5'9	58	60	12	19	-	-	-	1	-	-	2	8	-	-	8	-	PRESTON.
BARROW-IN-FURNESS.	-	60,306	17'3	9'5	20'8	11'2	1'7	30	13	1	5	-	2	-	-	-	-	-	2	1	-	2	1	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases 11-17.		Registered Deaths Week ended 16th Dec., 1905.		The DEATHS registered in the Week include											TOWNS				
		Week ended				Week ended 16th Dec., 1905.	Deaths 11-17.	BIRTHS.	DEATHS.	Deaths of															
		25th Nov., 1905.								Persons aged and upwards.															
		25th Nov., 1905.	2nd Dec., 1905.	9th Dec., 1905.	16th Dec., 1905.					Infants under 1 year of age.	Persons aged 1 to 60 years.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.				
HUDDESFIELD -	94,888	23'6	20'3	13'7	18'7	1'1	48	34	12	-	-	1	-	1	-	-	-	1	5	-	HUDDESFIELD.				
HALIFAX -	108,419	15'4	11'5	12'0	21'2	1'4	41	44	7	12	-	1	-	-	1	1	3	5	7	-	HALIFAX.				
BRADFORD -	286,789	14'9	15'6	17'8	13'8	0'2	113	76	11	28	-	-	-	-	-	-	1	6	14	-	BRADFORD.				
LEEDS -	456,787	17'4	15'6	17'7	17'4	2'5	216	152	34	44	-	14	1	2	1	3	7	13	19	-	LEEDS.				
SHEFFIELD -	440,414	16'5	14'3	14'7	13'9	1'1	257	117	28	32	-	1	3	1	2	2	6	14	24	3	SHEFFIELD.				
ROTHERHAM -	68,794	14'0	19'2	21'8	14'8	-	40	17	9	1	-	-	-	-	-	-	-	-	-	-	ROTHERHAM.				
YORK -	82,382	18'4	13'9	18'4	13'3	-	40	21	2	10	-	-	-	-	-	-	1	3	-	-	YORK.				
HULL -	268,127	20'0	14'1	11'5	17'0	1'2	154	84	18	29	-	-	5	1	-	-	4	6	18	-	HULL.				
MIDDLESBROUGH -	98,369	19'1	16'4	15'4	20'7	3'2	62	39	5	-	-	-	-	2	-	4	1	1	3	1	MIDDLESBROUGH.				
STOCKTON-ON-TEES	52,425	11'9	16'9	8'0	19'9	-	26	20	6	5	-	-	-	-	-	-	1	1	2	-	STOCKTON-ON-TEES.				
WEST HARTLEPOOL	71,313	24'9	17'5	17'5	18'3	1'5	43	25	11	6	-	-	1	-	1	-	1	2	-	-	WEST HARTLEPOOL.				
SUNDERLAND -	152,761	17'1	17'4	18'4	17'4	0'3	100	51	16	12	-	-	-	-	1	-	1	2	7	-	SUNDERLAND.				
SOUTH SHIELDS -	109,380	13'8	12'9	12'4	14'8	0'5	67	31	7	8	-	-	1	-	-	-	1	1	-	-	SOUTH SHIELDS.				
GATESHEAD -	120,620	15'6	21'6	19'5	16'0	1'7	78	37	6	9	-	1	-	3	-	-	1	1	2	3	GATESHEAD.				
NEWCASTLE-ON-TYNE	264,511	18'5	19'5	17'5	13'0	0'8	153	66	19	16	-	-	-	3	1	-	3	7	6	-	NEWCASTLE-ON-TYNE.				
TYNEMOUTH -	53,595	17'5	23'3	13'6	10'7	-	36	11	-	5	-	-	-	-	-	-	-	-	2	-	TYNEMOUTH.				
NEWPORT (MON.) -	72,880	20'0	14'3	16'5	15'7	0'7	37	22	4	9	-	-	-	1	-	-	-	1	-	-	NEWPORT (MON.).				
CARDIFF -	180,054	12'7	13'6	16'2	16'5	1'7	106	57	14	15	-	-	1	1	-	4	-	-	7	-	CARDIFF.				
RHONDDA -	124,988	14'2	15'0	16'3	14'6	0'8	101	35	12	9	-	-	-	-	-	1	2	1	-	1	RHONDDA.				
MERTHYR TYDFIL -	73,848	18'2	22'6	14'8	16'9	1'4	56	24	4	-	-	1	-	-	-	1	1	1	-	-	MERTHYR TYDFIL.				
SWANSEA -	96,384	18'4	16'8	22'7	16'8	2'2	60	31	7	10	-	-	1	-	-	-	-	-	2	-	SWANSEA.				
GREATER LONDON -	7,010,172	17'4	16'1	14'8	17'1	1'2	3512	2295	487	710	-	67	21	18	6	18	71	139	705	8	GREATER LONDON.				
OUTER RING -	2,325,378	13'5	12'1	12'0	12'8	0'8	1233	570	154	175	-	9	1	7	4	5	15	45	93	5	OUTER RING.				
8 TOWNS IN OUTER RING	1,135,316	14'3	13'6	11'7	14'1	0'8	628	306	95	78	-	5	-	3	6	1	3	9	30	52	1	8 TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING	1,190,062	12'8	10'7	12'3	11'6	0'7	605	53	97	-	4	1	4	2	3	2	6	15	41	4	REMAINDER OF OUTER RING.				
EDINBURGH -	335,577	17'4	13'5	19'2	16'9	0'5	136	109	16	42	-	1	-	1	-	1	8	?	34	7	EDINBURGH.				
GLASGOW -	809,986	23'6	20'8	19'4	18'4	1'8	490	286	50	53	-	15	-	1	2	1	12	?	79	12	GLASGOW.				
DUBLIN† -	378,994	22'7	20'4	22'0	19'7	0'7	238	143	32	42	-	-	-	1	2	1	2	2	54	9	DUBLIN†.				
BELFAST† -	368,680	20'1	20'4	21'5	18'5	1'0	194	127	22	28	-	1	2	-	3	1	2	6	28	?	BELFAST†.				

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTIETH Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	2219	2555	2623	2519	2269	2527	2231	2339	2544	2446	2520.2	2279
Males - - -	1171	1342	1292	1309	1179	1295	1151	1189	1331	1215	1295.2	1168
Females - - -	1048	1213	1331	1210	1090	1232	1080	1150	1213	1231	1225.0	1111
TOTAL Deaths -	1477	1539	1796	1423	2078	1454	1612	1682	1486	1696	1686.6	1725
Males - - -	759	789	910	734	1040	762	834	884	752	850	863.3	915
Females - - -	718	750	886	689	1038	692	778	798	734	846	823.3	810

* The numbers in this column are the average weekly numbers in the fiftieth week of the ten years 1895-1904, raised by 3.333 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	13 Weeks.
TOTAL Births -	2400	2171	2380	2386	2372	2362	2494	2485	2298	2366	2275	2462	2279	30730
TOTAL Deaths -	1195	1251	1189	1255	1331	1433	1494	1489	1552	1739	1623	1460	1725	18736
Ages at Death -														
Under 1 year -	305	295	276	266	244	286	273	298	302	352	341	335	333	3906
1-5 years -	109	131	103	116	135	124	146	156	183	205	209	201	229	2047
5-20 " -	68	62	73	73	70	71	77	71	73	82	76	75	79	950
20-40 " -	139	165	154	173	178	206	177	197	197	197	174	159	184	2300
40-60 " -	245	258	238	267	283	280	320	315	344	361	316	266	365	3858
60 yrs. & upwds.	329	340	345	360	421	466	501	452	453	542	507	424	535	5675
Deaths from—														
Small-pox† -	-	-	-	-	33	31	34	47	54	48	53	45	58	455
Measles - - -	7	15	15	15	33	13	17	13	8	6	18	13	20	163
Scarlet Fever -	6	17	7	9	16	13	17	13	8	6	18	13	20	163
Diphtheria - -	11	13	9	12	3	12	13	9	19	10	5	21	11	148
Whooping-cough -	14	22	18	11	19	7	19	13	20	24	25	25	28	245
Typhus - - -	-	-	-	-	-	7	-	-	-	-	-	-	-	-
Enteric Fever -	4	10	5	10	8	4	5	7	8	3	3	4	2	73
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	113	90	59	55	31	34	21	27	13	11	16	14	13	497
All above Diseases -	155	167	113	112	110	101	109	116	122	102	120	122	132	1581
Dis. of Resp. System -	57	64	67	101	112	157	177	209	187	282	245	192	274	2124
Pneumonia - - -	73	91	85	90	136	129	163	174	214	208	233	184	186	1966
Phthisis - - -	125	125	104	151	121	174	129	145	136	161	130	132	191	1824
Dis. of Circ. System -	152	170	165	166	191	211	211	196	200	229	243	188	215	2537
Violence - - -	45	63	61	38	63	57	65	48	68	70	77	59	56	770
Inquest Cases - - -	112	157	131	95	138	147	168	109	170	169	191	130	144	1861
Deaths in Institutions	483	494	465	512	540	573	551	591	606	636	606	509	612	7178
TEMPERATURE OF THE AIR.														
Mean - - -	54.3	53.0	48.8	48.6	41.0	41.5	47.3	43.1	39.1	38.5	42.9	43.3	36.6	44.5
Mean of Highest -	62.6	58.6	54.9	54.9	50.0	48.9	53.8	50.2	42.8	44.4	47.6	48.2	41.6	50.7
Mean of Lowest -	46.7	48.4	42.9	42.7	32.2	33.0	41.1	36.1	35.7	30.9	35.9	39.1	32.4	38.2
Mean Humidity of the Air.	76	83	73	81	75	81	86	91	87	84	87	90	92	84
Rain-fall (in inches) -	0.01	1.27	0.16	0.16	0.13	0.05	1.60	0.65	0.64	0.17	0.61	0.31	0.02	5.78
Registered Sunshine (in hours).	27.8	13.3	19.5	6.6	34.6	18.4	15.5	16.9	9.3	17.9	6.8	9.5	4.0	200.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	3424	3591	3789	3954	4153	4222	4200	4154	4120	4127	4021	3888	3670	3947
Diphtheria - -	703	733	775	781	797	799	804	786	790	755	725	727	713	761
Typhus - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	140	143	161	167	161	157	160	157	154	132	115	102	92	142

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witt, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns. Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th December, 1905.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.	
LONDON - - -		4,536,429	2279	1725	333	535	-	53	20	11	28	-	2	-	13	56	144	612
WEST DISTRICTS - - -		805,311	366	304	57	99	-	7	3	2	1	-	1	-	2	10	27	114
NORTH DISTRICTS - - -		1,056,070	489	403	66	140	-	11	5	3	7	-	1	-	3	12	26	112
CENTRAL DISTRICTS - - -		209,465	112	78	15	22	-	-	1	2	-	-	-	-	4	6	8	40
EAST DISTRICTS - - -		715,739	432	269	62	72	-	8	-	1	9	-	-	-	3	10	35	114
SOUTH DISTRICTS - - -		1,749,844	880	617	133	183	-	32	9	3	9	-	-	-	2	19	50	178
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	54	-	19	-	-	3	1	-	-	-	-	3	1	-	54
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.		93,178	46	48	4	13	-	3	-	-	-	-	-	-	1	2	4	16
W ² H																		
St. John Paddington H - G.		33,617	7	15	-	5	-	-	-	-	-	-	-	-	-	2	2	8
North-West Paddington - C.		17,181	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w ² H G. & W. & C.		128,037	53	54	9	16	-	-	-	-	-	-	-	-	-	1	4	26
Brompton 2H - - W. & C.		48,591	11	12	-	6	-	-	-	-	-	-	1	-	-	-	-	3
North Hammersmith W, w ² H } W. & G.		49,192	34	17	8	3	-	-	-	-	-	-	-	-	1	-	1	-
South Hammersmith w ² H		63,047	31	19	5	5	-	1	-	-	1	-	-	-	-	1	3	2
North-west Fulham W } W. & C.		45,180	39	29	5	9	-	1	-	-	-	-	-	-	-	-	2	18
North-east Fulham F		46,405	27	15	3	4	-	-	3	1	-	-	-	-	-	1	2	7
South Fulham W		45,704	17	12	4	1	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North W, w ³ H - - C.		42,514	20	34	3	17	-	-	-	-	-	-	-	-	-	1	1	25
Chelsea South W ² H - - C.		31,323	16	12	3	7	-	1	-	-	-	-	-	-	-	1	2	3
Mayfair and Knightsbridge C. & G.		28,743	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W ² H - - C.		55,815	25	14	4	4	-	-	-	-	-	-	-	-	-	-	4	4
St. Margaret & St. John 4H - C.		43,698	20	17	7	3	-	1	-	-	-	-	-	-	-	1	2	2
St. James Westminster } N. & G.		21,588	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W ² H																		
St. Anne Soho 5H - - N.		11,493	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.		35,391	7	24	1	9	-	-	-	-	-	-	-	-	-	-	-	10
St. Mary Marylebone W, 4H G. & W.		37,943	33	6	-	5	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone H- W.		39,536	18	20	7	7	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.		20,426	8	7	1	4	-	-	-	-	1	-	-	-	-	-	-	1
Hampstead W, F, 3H - N. & W.		81,942	19	30	4	7	-	-	3	1	-	-	-	-	-	1	2	11
West St. Pancras 2H - - W.		60,562	29	18	3	8	-	1	-	-	1	-	-	-	-	-	-	8
Tottenham-court w, 7H N. & W.		21,258	13	10	3	1	-	-	-	-	-	-	-	-	-	-	-	2
Gray's Inn Lane 4H - - N.		34,449	17	10	1	3	-	-	-	-	-	-	-	-	-	1	2	9
East St. Pancras W ² H - - N.		60,320	33	32	3	14	-	-	-	-	4	-	-	-	-	1	3	11
North St. Pancras 2W - - N.		58,728	28	20	4	5	-	-	-	-	-	-	-	-	-	-	-	9
Tufnell W - - N.		31,995	8	27	3	15	-	-	-	-	-	-	-	-	-	-	-	16
Upper Holloway 2W, w, H - N.		33,978	24	35	4	15	-	2	-	-	-	-	-	-	-	1	1	23
Tollington WH - - N.		33,922	13	5	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - N.		41,424	19	15	3	3	-	3	-	-	-	-	-	-	-	1	2	-
Barnsbury - - N.		54,478	39	13	5	3	-	1	-	-	-	-	-	-	1	1	1	-
Islington South-east F - - N.		75,397	36	20	5	5	-	-	-	-	1	-	-	-	-	-	-	-
Highbury 2H - - N.		63,797	22	23	1	8	-	2	-	-	-	-	-	-	-	3	3	1
Stoke Newington H - - N.		51,247	24	14	3	5	-	-	-	1	-	-	-	-	-	-	-	-
North Hackney - - E. & N.		50,560	9	15	3	5	-	-	-	-	-	-	-	-	-	1	4	-
Central Hackney 2w, F - E. & N.		50,536	29	15	3	4	-	-	2	1	-	-	-	-	-	1	-	2
South-west Hackney 3H E. & N.		59,921	29	14	2	6	-	-	-	-	-	-	-	-	-	1	2	4
South-east Hackney 2W, w, H E. & N.		58,255	32	30	7	7	-	-	-	-	-	-	1	-	1	1	3	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; H—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signed Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th December, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																	
			Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.					
CENTRAL DISTRICTS.																				
Giles and Bloomsbury W,2H N.	31,436	15	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
and W,4H - - - N. & O. and Union Workhouse, Edmonton -	21,674	8	13	2	5	-	-	-	-	-	-	-	-	-	-	-	-	9	-	
Isborn W,6H - - - N.	29,612	12	14	3	-	-	-	-	-	-	1	-	-	-	-	-	-	10	-	
North Clerkenwell - - - N.	28,676	17	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
North Clerkenwell H - - - N.	35,028	17	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isborn 3H,L - - - N.	36,116	37	8	3	2	-	-	-	-	-	1	-	-	-	-	-	-	2	-	
Isborn Union Workhouse, } Micheam - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Botolph H - - - N. & E.	10,299	4	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Seapulchre and Allhallows } V,2H - - - N.	16,624	2	18	3	3	-	-	-	-	-	1	-	-	-	-	3	3	16	-	
of London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
EAST DISTRICTS.																				
Bedditch South H - E. & N.	46,362	29	12	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Bedditch North-West W,w,H N.	36,127	20	21	4	7	-	-	-	-	-	-	-	-	-	-	-	1	14	-	
Bedditch North-East - N. & E.	34,148	23	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bedditch Union Workhouse, Wood } Green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isborn Green North 2H - E.	51,514	31	12	8	-	-	1	-	-	-	-	-	-	-	1	-	-	4	-	
Isborn Green South - - E.	33,472	25	10	2	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	
Isborn Green East 2W,H,L - E.	44,694	24	22	2	7	-	1	-	-	2	-	-	-	-	-	-	1	10	-	
Isborn Green North 2H - E.	27,969	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isborn End New Town W,H - E.	28,718	17	34	4	3	-	-	-	-	1	1	-	-	-	-	5	6	27	-	
Isborn Endman's Fields - - E.	22,081	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
George and St. John 2W E.	49,068	27	20	5	7	-	1	-	-	-	-	-	-	-	2	1	4	10	-	
Isborn Well and Ratcliff W,H,E. & N.	25,568	11	18	6	2	-	-	-	-	-	3	-	-	-	-	-	3	14	-	
Isborn House W - - - E.	32,369	29	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isborn End Old Town South- } Western H - - - E.	63,698	45	14	4	7	-	1	-	-	-	-	-	-	-	-	-	2	-	-	
Isborn End Old Town North- } Eastern W,w - - - E.	40,129	29	13	1	6	-	-	-	-	-	-	-	-	-	-	-	-	5	-	
Isborn Z - - - E.	41,989	20	12	4	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
Isborn ley 3w,H - - - E.	68,319	50	41	7	15	-	3	-	-	1	-	-	-	-	-	1	7	27	-	
Isborn lar W,w - - - E.	68,514	30	20	5	5	-	-	-	-	-	2	-	-	-	-	3	5	2	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th December, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total Deaths.	Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	small-pox.	Deaths from										Inquest Cases.	Deaths in Public Institutions.
							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																		
Christchurch Southwark W, H, & S.	11,203	5	7	-	3	-	1	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H - S.	12,056	4	16	1	3	-	-	-	-	-	-	-	-	-	2	2	13	
Kent-road - - - S. & L.	21,904	14	5	-	1	-	3	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr } S. & L.	39,094	18	14	4	2	-	3	-	-	-	-	-	-	-	-	-	3	
West W, 2H, L - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington North - - S. & L.	49,022	24	20	10	-	-	4	-	-	-	-	-	-	-	-	1	-	
Newington South W - S. & L.	72,341	47	16	8	1	-	3	-	-	-	-	-	-	-	1	1	-	
St. Olave 2W - - - S.	9,817	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - S.	82,483	48	20	7	5	-	-	-	-	1	-	-	-	-	-	3	-	
Rotherhithe W, F - - S. & K.	38,460	14	21	3	6	-	1	-	-	1	-	-	-	-	1	2	8	
Waterloo-road 2H - - L. & S.	27,440	24	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church 1st H - L. & S.	18,423	10	18	1	1	-	1	-	-	1	-	-	-	-	1	3	14	
Lambeth Church 2nd 2W - L. & S.	39,818	23	34	4	11	-	1	-	-	1	-	-	-	-	-	-	22	
Kennington 1st H - - S. & L.	53,198	25	11	4	4	-	2	-	-	-	-	-	-	-	-	-	1	
Kennington 2nd H - - S. & L.	42,896	19	15	2	5	-	1	-	-	-	-	-	-	-	1	1	3	
Brixton F - - - L. & S.	84,232	33	22	3	12	-	1	3	1	-	-	-	-	-	-	-	3	
Norwood W, H - - - L.	35,888	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H - - S.	72,203	30	14	4	5	-	-	-	-	-	-	-	-	-	1	1	-	
North-west Battersea - - S.	49,656	25	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea 2W, H - S.	47,048	14	14	-	7	-	-	-	-	-	-	-	-	-	-	1	12	
Clapham 2H - - - L.	51,361	33	19	8	4	-	-	-	-	-	-	-	-	-	-	-	2	
Streatham W, 2w, 2F, 2L - - L.	88,019	46	43	4	22	-	1	-	-	-	-	-	-	-	1	1	12	
Springfield 2W, L - - - S.	27,959	10	5	3	2	-	-	-	-	-	-	-	-	-	-	-	1	
Southfields H - - - S.	40,444	20	12	3	2	-	-	-	-	2	-	-	-	-	-	-	-	
Putney - - - S.	24,139	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - L. & S.	13,359	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W, w - S. & L.	40,206	13	22	2	8	-	-	-	-	-	-	-	-	-	-	2	14	
Camberwell North W, 2L - S. & L.	65,584	36	44	8	14	-	3	-	-	2	-	-	-	-	4	6	20	
St. George - - - L. & S.	47,331	26	16	6	2	-	-	-	1	-	-	-	-	-	1	2	-	
Peckham North* - - S., L. & K.	48,913	40	18	5	5	-	-	-	-	-	-	-	-	-	-	1	-	
Peckham South* 2W, w - S., L. & K.	43,946	17	15	2	5	-	2	-	-	-	-	-	-	-	1	1	1	
Deptford North - - - K.	37,613	26	14	5	1	-	1	-	-	1	-	-	-	-	-	2	-	
Deptford Central - - - K.	45,481	26	10	5	2	-	1	-	-	-	-	-	-	-	1	-	-	
Deptford South - - - K.	34,625	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - K.	23,456	6	10	3	1	-	1	-	-	-	-	-	-	-	-	1	1	
Greenwich East 2W, H - - K.	43,859	30	23	2	11	-	1	-	1	-	-	-	-	-	2	3	15	
Eltham w, H - - - K.	7,226	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Lee w, H - - - K.	25,490	9	5	-	3	-	1	-	-	-	-	-	-	-	-	1	-	
Lewisham W, w, F - - K.	58,352	32	32	6	8	-	1	-	1	-	-	-	-	-	-	4	13	
Sydenham H - - - L.	43,653	20	11	1	5	-	-	-	-	-	-	-	-	-	-	-	1	
Charlton F, 2H - - - K.	21,134	7	6	-	1	-	-	4	-	-	-	-	-	-	-	-	4	
Woolwich 5H - - - K.	41,625	22	14	8	2	-	1	-	-	-	-	-	-	-	1	2	-	
Plumstead West W - - K.	18,063	8	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
Plumstead East 2W, H - - K.	50,264	34	21	4	10	-	-	-	-	-	-	-	-	-	-	3	13	
Workhouse:—																		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)			2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
M. A. B. Small-pox Hospitals:—																		
Joyce Green - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																		
North-Eastern - - -			4	-	-	-	-	3	1	-	-	-	-	-	-	-	4	
Northern - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—																		
Caterham - - -			4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
Darenth - - -			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Gore Farm (temporary) - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden - - -			4	-	3	-	-	-	-	-	-	-	-	-	1	-	4	
London County Lunatic Asylums:—																		
Banstead - - -			6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	
Ewell (Epileptic Colony) - - -			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Horton - - -			4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
Manor - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill - - -			4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	
Dartford Heath - - -			5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	
Hanwell - - -			8	-	5	-	3	-	-	-	-	-	-	-	1	-	8	
Colney Hatch - - -			6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	
Claybury - - -			5	-	1	-	-	-	-	-	-	-	-	-	1	-	5	

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North and Peckham South, respectively.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th December, 1905.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from													
					Deaths of 1 Year of Age. Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,602	2,044,973	1233	570	154	175	-	9	1	7	8	4	5	15	45	93	5	
Carshalton 2F,2H	12,228	32,997	20	9	3	4	-	-	-	2	-	-	-	-	-	-	1	-
Epsom, part of* W,w,2F,H	10,423	15,548	4	9	1	6	-	-	-	-	-	-	-	-	-	-	6	-
Godstone, part of* W,F	2,754	2,892	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	20	7	1	-	-	1	-	-	-	-	-	-	1	1	-	-
West Croydon 3W,F,H	2,168	42,888	17	18	6	3	-	1	-	-	-	-	-	-	1	1	10	-
North Croydon H	2,644	41,698	18	8	1	4	-	-	-	-	-	-	-	-	-	1	-	-
Penge w,H	770	22,465	6	9	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham w	11,711	30,015	21	11	3	5	-	-	-	-	-	-	1	-	-	-	-	-
Wimbledon F,3H	3,221	41,652	18	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Kingston 2W,H	6,224	42,068	33	13	5	4	-	-	-	-	-	-	-	-	-	-	4	-
Surbiton F,H	3,046	15,017	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of* H	5,402	13,100	4	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Hampton H,F,L	4,564	23,456	18	4	-	1	-	-	-	1	-	-	-	-	-	1	1	-
Richmond W,H	2,162	28,865	6	8	-	1	-	-	-	-	-	1	-	-	-	1	1	-
Mortlake F	2,847	20,628	8	6	3	2	-	-	-	-	-	-	-	-	-	1	-	-
Bromley F,2H	4,703	27,354	11	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Beckenham H	7,325	28,497	13	8	3	4	-	-	-	-	-	-	-	-	-	-	1	1
Orpington part of* W	10,113	9,857	3	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Chislehurst 2H	7,333	16,446	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Bexley w,F,H	8,678	21,151	8	5	-	2	-	-	-	-	-	1	-	-	-	-	-	-
Erith F,H	3,854	25,296	21	4	2	1	-	-	1	-	-	-	-	-	-	-	1	-
Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury w	11,054	18,683	13	4	1	2	-	-	-	-	-	-	-	1	1	-	-	-
Staines W,H	13,277	15,178	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	6	7	2	5	-	-	-	-	-	-	-	-	-	-	2	-
Uxbridge H	12,757	8,984	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Hayes w,F,H	8,060	16,358	10	7	2	1	-	-	-	1	-	-	-	-	2	2	-	-
Isleworth 3W,2F,H	6,859	30,863	21	9	1	4	-	-	-	-	-	-	-	-	1	1	2	-
Twickenham F,H	2,421	20,991	12	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Brentford 3F,2H,L	4,319	48,289	32	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Chiswick H	1,249	29,809	8	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Acton w,3H	6,132	48,914	38	16	5	2	-	-	-	-	-	1	-	-	-	2	-	-
Harrow F,H	13,809	25,523	22	8	3	2	-	1	-	-	-	-	-	-	-	-	-	1
Edgware F,2H	6,994	4,521	7	37	13	9	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	64	2	-	1	-	-	-	-	2	-	1	3	4	6	1	-
Bendon W,F	8,382	22,450	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
South Mimms 2F,H	17,755	7,308	3	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H	4,688	33,692	26	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,066	25	14	2	4	-	-	-	-	1	-	-	-	-	-	-	-
Wood Green H	1,625	34,233	18	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
West Tottenham F	996	48,853	42	20	8	4	-	1	-	1	-	-	1	-	1	4	6	-
East Tottenham 2H	2,017	53,688	43	27	8	11	-	-	-	-	-	-	-	-	1	4	4	-
Edmonton W,w,2F	7,491	61,892	32	16	6	3	-	3	-	-	-	-	-	-	-	4	1	-
Enfield 2W,F,H	12,601	42,738	29	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	26	13	3	5	-	-	-	-	-	-	-	-	1	4	-	-
Plaistow F,2H	1,249	90,921	63	22	9	1	-	1	-	1	-	1	-	-	1	3	3	-
Canning Town H	1,556	70,718	55	22	7	5	-	1	-	-	-	-	-	-	-	2	-	-
Forest Gate w	806	60,892	26	13	5	3	-	-	-	-	-	-	-	-	-	-	-	-
North East Ham w,H	1,333	58,676	35	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-
South East Ham 2F	1,993	57,342	31	1	1	4	-	-	-	1	1	-	-	-	2	1	-	-
Wanstead F	1,379	61,779	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	40	18	5	8	-	-	-	-	-	-	-	-	1	1	4	-
North Leyton 2W,w,F	1,963	48,445	40	40	8	6	-	-	-	-	2	-	-	-	1	1	27	-
Walthamstow 3H,L	6,504	108,929	91	27	9	10	-	-	-	-	-	-	-	-	-	3	-	-
Chigwell, part of* 2F,3H	11,778	16,397	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	8,091	14	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Ilford F,L	8,496	41,234	23	8	2	3	-	-	-	-	-	-	-	-	-	1	1	-
Barking Town F	3,803	21,547	23	5	1	2	-	-	-	-	-	-	1	1	1	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
City of London Asylum, Stone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	December 16	2279	1725	19·2	-	58	20	12	28	2
CALCUTTA - -	847,796	November 4	-	467	28·6	1	-	-	-	1	145
BOMBAY - -	778,006	" 28	343	507	34·0	1	3	-	-	-	63†
MADRAS - -	509,346	" 17	453	520	53·0	2	4	?	?	?	144
PARIS - -	2,660,559	December 9	1046	937	18·2	4	19	-	3	1	5
BRUSSELS - -	586,936	" 9	198	181	15·7	-	-	-	1	-	-
ANTWERP - -	286,895	" 9	155	79	14·1	-	1	-	-	-	-
AMSTERDAM -	554,210	" 2	237	129	12·1	-	5	-	1	1	-
COPENHAGEN -	426,000	" 9	226	121	14·7	-	-	-	1	1	-
STOCKHOLM -	309,496	" 2	133	87	14·2	-	-	2	-	-	-
CHRISTIANIA -	223,649	" 9	118	62	14·5	-	-	-	-	-	-
ST. PETERSBURG	1,248,122	November 18	715	536	20·0	-	10	17	6	5	38
		" 25	740	639	23·9	1	12	28	30	10	30
MOSCOW - -	1,092,360	" 18	-	515	24·6	-	4	17	7	2	6
WARSAW - -			-	-	-	-	-	-	-	-	-
BERLIN - -	2,034,000	November 25	863	601	15·3	-	6	10	12	7	6
HAMBURG - -	772,852	December 9	-	234	15·7	-	2	-	2	6	-
BRESLAU - -	462,147	" 9	-	-	-	-	-	-	-	-	-
MUNICH - -	528,000	" 9	-	147	14·5	-	-	-	4	2	-
VIENNA - -	1,897,630	" 9	866	596	16·2	-	5	5	12	3	2
PRAGUE - -	430,569	" 9	200	150	17·1	-	-	2	-	2	1
BUDA-PESTH -	836,267	" 9	495	282	17·5	-	6	3	5	2	3
TRIESTE - -	191,403	" 9	140	90	23·9	-	4	-	3	-	-
ROME - -	514,930	September 23	212	143	14·4	-	1	-	-	-	4
VENICE - -	169,417	December 2	77	61	18·8	-	-	-	-	-	-
BUCHAREST -	282,071	" 2	122	141	26·1	-	-	1	2	-	1
NEW YORK - -	3,948,191	" 2	1945	1375	17·8	-	11	6	34	3	10
CHICAGO - -	1,932,315	November 25	-	471	12·3	-	-	1	8	1	4
		December 2	-	483	12·6	-	4	1	12	3	8
PHILADELPHIA -	1,438,318	November 25	-	472	17·1	-	-	2	14	-	11
BOSTON - -	617,950	" 25	-	215	13·8	-	2	1	2	2	3
RIO DE JANEIRO	850,000	October 22	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 14 deaths from plague in Calcutta, and 8 in Bombay.

‡ Including 42 deaths from cholera in Calcutta, and 12 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th December, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	44·6	25·4	37·0	0·02	BRADFORD - -	50·6	31·6	43·3	0·0
BRIGHTON - -	47·0	29·5	40·4	0·00	LEEDS - - - -	49·0	37·0	43·9	0·0
PORTSMOUTH - -	48·0	30·3	40·5	0·01	HULL - - - -	47·0	31·0	40·5	0·0
NORWICH - -	45·2	28·4	37·6	0·04	TYNEMOUTH - -	49·0	34·0	42·5	0·0
PLYMOUTH - -	49·9	31·0	42·3	0·00	CARDIFF - - -	46·3	26·0	36·8	0·0
BRISTOL - -	47·0	28·0	38·4	0·07	EDINBURGH - -	48·0	34·9	43·3	0·0
BIRMINGHAM -	46·2	31·2	40·0	0·02	GLASGOW - - -	52·8	30·2	44·9	0·0
NOTTINGHAM -	46·4	27·1	38·2	0·04	DUBLIN { Phoenix Park. Fitz- william Square.†	49·5	28·3	43·0	0·0
LIVERPOOL OBSERVATORY. }	47·0	34·0	42·6	0·02		50·7	34·0	45·1	0·0
MANCHESTER -	45·8	33·9	40·7	0·02		49·0	31·0	43·0	0·0
PRESTON - -	47·5	34·8	41·9	0·02					
HUDDERSFIELD -	46·7	35·3	41·9	0·00					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1905.		MONTH AND DAY		Phases of the Moon.		Mean daily reading (corrected and reduced to 32° Fahrenheit).		Of the Air.		Difference between the Air Temperature and Wet Point Temperature.		Of the Humidity (saturation 100°).		Radiation.		Of the Earth Surface.		General Direction.		Outer's.		Pressure on the Square Foot.		Robinson's.		Ozone.	
DECEMBER	DAY	Mo.	Mean	High-est.	Low-est.	Daily Range.	Mean	Daily Range.	Mean	Daily Range.	Mean	Daily Range.	High-est.	Low-est.	A.M.	P.M.	Greatest.	Least.	Mean.	Horizontal Movement.	Depart-ure from Average of each Day.	Miles.	Miles.	Sum.	Sum.	Gauge.	Ozone.
			in	°	°	°	°	°	°	°	°	°	°	°	WSW.	SW. & S.	lbs.	lbs.	lbs.	Horizontal Movement.	Depart-ure from Average of each Day.	Miles.	Miles.	Sum.	Sum.	Gauge.	Ozone.
SUNDAY	- 10	..	30505	387	286	121	323	- 76	313	10	53	05	387	211	4588	°	°	°	°	°	°	128	-178	000	000	00	00
MONDAY	- 11	Full	30612	376	254	122	305	- 93	293	12	45	00	552	213	4549	°	°	°	°	°	°	69	-238	000	000	00	00
TUESDAY	- 12	..	30683	440	288	152	351	- 48	348	03	18	00	440	288	4488	°	°	°	°	°	°	106	-201	000	000	00	00
WEDNESDAY	13	Greatest Dec. N.	30537	426	308	118	353	- 48	348	05	11	00	426	273	4438	°	°	°	°	°	°	134	-174	000	000	00	00
THURSDAY	- 14	..	30376	446	385	61	424	+ 22	397	27	81	00	446	385	4412	°	°	°	°	°	°	104	-204	002	002	00	00
FRIDAY	- 15	..	30250	437	395	42	412	+ 09	349	63	74	53	437	377	4404	°	°	°	°	°	°	197	-112	000	000	00	00
SATURDAY	- 16	..	30166	400	373	27	391	- 11	356	35	55	10	452	367	4405	°	°	°	°	°	°	197	-112	000	000	00	00
MEANS	-		30448	416	324	92	366	- 35	343	22	48	10	446	302	4489	°	°	°	°	°	°	23	-1219	Sum 902	Sum 902	00	26
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.		Sunshine.	
DECEMBER.	DAY		Mo.	Mean	High-est.	Low-est.	Daily Range.	Mean	Daily Range.	Mean	Daily Range.	Mean	Daily Range.	High-est.	Low-est.	A.M.	P.M.	Greatest.	Least.	Mean.	Horizontal Movement.	Depart-ure from Average of each Day.	Miles.	Miles.	Sum.	Sum.	Gauge.	Ozone.	100	79
			in	°	°	°	°	°	°	°	°	°	°	°	°	WSW.	SW. & S.	lbs.	lbs.	lbs.	Horizontal Movement. <td>Depart-ure from Average of each Day.<td>Miles.</td><td>Miles.</td><td>Sum.</td><td>Sum.</td><td>Gauge.</td><td>Ozone.</td><td>100</td><td>79</td></td>	Depart-ure from Average of each Day. <td>Miles.</td> <td>Miles.</td> <td>Sum.</td> <td>Sum.</td> <td>Gauge.</td> <td>Ozone.</td> <td>100</td> <td>79</td>	Miles.	Miles.	Sum.	Sum.	Gauge.	Ozone.	100	79
SUNDAY	- 10	m. P. generally.	30505	387	286	121	323	- 76	313	10	53	05	387	211	4588	°	°	°	°	°	°	128	-178	000	000	00	00	100	79	79
MONDAY	- 11	s. P. generally till 10h. A.M.; m. P. till 7h. P.M.; s. P. afterwards.	30612	376	254	122	305	- 93	293	12	45	00	552	213	4549	°	°	°	°	°	°	69	-238	000	000	00	00	40	79	79
TUESDAY	- 12	s. P. till 5h. A.M.; m. P. till 7h. A.M.; w. P. generally afterwards.	30683	440	288	152	351	- 48	348	03	18	00	440	288	4488	°	°	°	°	°	°	106	-201	000	000	00	00	00	78	78
WEDNESDAY	13	w. P. throughout.	30537	426	308	118	353	- 48	348	05	11	00	426	273	4438	°	°	°	°	°	°	134	-174	000	000	00	00	00	78	78
THURSDAY	- 14	w. P. throughout.	30376	446	385	61	424	+ 22	397	27	81	00	446	385	4412	°	°	°	°	°	°	104	-204	002	002	00	00	00	78	78
FRIDAY	- 15	w. P. till 9h. A.M.; m. P. generally afterwards.	30250	437	395	42	412	+ 09	349	63	74	53	437	377	4404	°	°	°	°	°	°	197	-112	000	000	00	00	00	78	78
SATURDAY	- 16	w. P. till 10h. A.M.; m. P. afterwards.	30166	400	373	27	391	- 11	356	35	55	10	452	367	4405	°	°	°	°	°	°	197	-112	000	000	00	00	00	78	78
MEANS		-	30448	416	324	92	366	- 35	343	22	48	10	446	302	4489	°	°	°	°	°	°	23	-1219	Sum 902	Sum 902	00	26	28	29	29
No. of Col.		-	27	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 158 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

The observations are usually taken at 8h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.

The reading of the barometer increased from 30.35 in. at the beginning of the week to 30.71 in. by 9h. P.M. on the 12th; decreased to 30.15 in. by 3h. P.M. on the 16th, and was 30.17 in. at midnight on the same day.

GENERAL REMARKS.

Cloudless with slight exceptions; variable fog after 6h. A.M.; hoar frost in morning and at night.

Day of variable density prevalent throughout the day, but very fine with little cloud in forenoon; hoar frost in morning and at night.

Partially cloudy and foggy till evening; overcast at night; hoar frost in morning.

Partially cloudy with hoar frost in morning; dense fog generally prevalent after 10h. 30m. A.M.

Overcast; heavy fog with slight rain in early morning followed by slight fog with gloomy intervals till evening.

Overcast throughout.

Overcast; a little misty rain in evening.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 9th December, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	3	3	-	4	-	-	4	1
Kensington - - - -	180,083	-	1	1	-	2	-	-	6	-
Hammersmith - - -	119,037	-	5	1	-	1	-	-	2	-
Fulham - - - - -	157,210	-	9	5	-	1	-	-	3	-
Chelsea - - - - -	74,496	-	5	-	-	-	-	-	-	-
City of Westminster -	175,606	-	7	3	-	1	-	-	3	-
NORTH.										
St. Marylebone - - -	129,453	-	7	2	-	2	-	-	4	1
Hampstead - - - -	88,142	-	4	4	-	-	-	-	2	-
St. Pancras - - - -	236,183	-	16	6	-	-	-	-	8	-
Islington - - - - -	342,994	-	23	8	-	-	-	-	6	1
Stoke Newington - - -	52,828	-	4	-	-	1	-	-	1	-
Hackney - - - - -	228,470	-	33	7	-	2	-	-	14	1
CENTRAL.										
Holborn - - - - -	56,481	-	3	-	-	-	-	-	-	-
Finsbury - - - - -	98,207	-	14	2	-	-	-	-	2	-
City of London - - -	22,425	-	3	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	116,565	-	11	-	-	1	-	-	1	-
Bethnal Green - - -	130,401	-	13	6	-	1	-	-	5	-
Stepney - - - - -	305,466	-	36	10	-	1	-	-	13	-
Poplar - - - - -	170,280	-	21	6	-	-	-	-	5	1
SOUTH.										
Southwark - - - -	208,528	-	17	6	-	1	-	-	11	-
Bermondsey - - - -	129,006	-	24	8	-	-	-	-	2	-
Lambeth - - - - -	313,045	-	32	9	-	-	-	-	8	1
Battersea - - - - -	177,532	-	14	5	-	-	-	-	3	-
Wandsworth - - - -	265,392	-	23	8	-	2	-	-	1	2
Camberwell - - - -	271,240	-	22	3	-	-	-	-	9	-
Deptford - - - - -	114,495	-	12	4	-	1	-	-	1	-
Greenwich - - - - -	103,493	-	7	5	-	-	-	-	2	-
Lewisham - - - - -	144,420	-	16	4	-	-	-	-	6	-
Woolwich - - - - -	125,372	-	9	4	-	1	-	-	2	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	400	120	-	22	-	-	127	8
Ag.										
0-1 - - - - -	-	-	2	2	-	-	-	-	5	-
" 1-5 - - - - -	-	-	114	50	-	1	-	-	3	-
" 5- - - - -	-	-	177	37	-	3	-	-	2	-
" 10- - - - -	-	-	66	12	-	7	-	-	6	-
" 15- - - - -	-	-	16	5	-	-	-	-	8	-
" 20- - - - -	-	-	11	3	-	4	-	-	6	1
" 25- - - - -	-	-	11	8	-	2	-	-	16	5
" 35- - - - -	-	-	2	1	-	3	-	-	27	2
" 45- - - - -	-	-	1	2	-	2	-	-	21	-
" 55- - - - -	-	-	-	-	-	-	-	-	19	-
" 65 and upwards -	-	-	-	-	-	-	-	-	14	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 51. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, DEC. 23. [Price 1½d.

*General Register Office, Somerset House,
December 27th, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·8 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 16·1, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·4 in Tynemouth, 22·6 in Burnley, 22·9 in Croydon, 23·2 in St. Helens, 23·4 in West Hartlepool, 25·0 in Newport (Mon.), 28·8 in Preston, and 30·3 in Bury; from *measles*, 1·6 in Blackburn, 2·7 in Bury, and 8·1 in Preston; from *scarlet fever*, 2·2 in West Hartlepool; from *diphtheria*, 1·2 in Rochdale, 1·4 in Newport (Mon.), and 2·1 in Merthyr Tydfil; and from *whooping-cough*, 1·1 in West Ham and in Huddersfield, 1·3 in Reading and in Gateshead, 1·4 in Leicester, 1·5 in Warrington, and 1·9 in Aston Manor. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2488 BIRTHS and 1746 DEATHS were registered. Allowing for increase of population, the births were 69 and the deaths 73 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 18·1, 16·3, and 19·2 in the preceding three weeks, rose to 19·4 last week. During the four weeks ended on Saturday last the death-rate averaged 18·3 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1746 deaths included 60 from measles, 18 from scarlet fever, 18 from diphtheria, 38 from whooping-cough, 2 from enteric fever, and 18 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 154 deaths were referred to these diseases in the aggregate, being 17 below the corrected average weekly number.

The deaths from *measles*, which had been 53, 45, and 58 in the preceding three weeks, were 60 last week, and were 2 above the corrected average; 10 deaths belonged to the Borough of Islington, 8 to Lambeth, 8 to Camberwell, 6 to Stepney, 5 to Southwark, 4 to Bermondsey, 4 to Lewisham, and 3 to Fulham. The deaths from *scarlet fever*, which had been 18, 13, and 20 in the preceding three weeks, were 18 last week, and were 6 above the corrected average; 3 deaths belonged to Bethnal Green and 3 to Stepney. The deaths from *diphtheria*, which had been 5, 21, and 11 in the preceding three weeks, were 18 last week, and were 23 below the corrected average; 5 deaths belonged to Hackney and 3 to Southwark. The deaths from *whooping-cough*, which had been 25, 25, and 28 in the preceding three weeks, further rose to 38 last week, and were 9 above the corrected average; 6 deaths belonged to Stepney, 5 to St. Pancras, 5 to Islington, 4 to Bethnal Green, and 3 to Wandsworth. The fatal cases of *enteric fever*, which had been 3, 4, and 2 in the preceding three weeks, were again 2 last week, and were 13 below the corrected average. The deaths from *diarrhoea*, which had been 16, 14, and 13 in the preceding three weeks, rose to 18 last week, and were 4 above the corrected average; 3 deaths belonged to Stepney, and 3 to Wandsworth. Of the 18 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 6, 21, and 13 in the preceding three weeks.

Different forms of *violence* caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 4 were cases of suicide, while the remaining 54 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 13 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3409 cases of scarlet fever, 670 of diphtheria, and 82 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 295 cases, against 375, 355, and 341; of diphtheria, 98 cases, against 93, 95, and 103; and of enteric fever, 12 cases, against 15, 12, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended December 16th.

GREATER LONDON.

In Greater London 3855 births and 2333 deaths were registered. Allowing for increase of population, these numbers are 243 and 5 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 4 from whooping-cough, and 2 from "fever," were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·12 inches, and that of the Thermometer 43°·2, the latter being 4°·0 above the week's average in the 50 years 1841-90. The general direction of the wind was Southerly, the horizontal movement of the air being 7 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 4·7 hours; no rainfall was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 23rd December, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Cols.	POPULATION estimated to the middle of the year 1906.	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 23rd Dec., 1905.		The DEATHS registered in the Week include										TOWNS.	
			Week ended					Week ended 23rd Dec., 1905.		Deaths of Persons aged 60 Years and upwards.		Deaths from							Inquest Cases.		Deaths in Public Institutions.		Unclassified Causes of Death.
			2nd Dec., 1905.	9th Dec., 1905.	16th Dec., 1905.	23rd Dec., 1905.	Week ended 23rd Dec., 1905.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM	-	542,959	17.5	18.2	19.1	20.3	2.1	2.1	44	62	-	4	4	4	8	-	2	4	7	44	5	BIRMINGHAM.	
KINGS NORTON	-	98,830	5.2	9.0	9.0	12.7	-	3	8	-	-	-	-	-	-	-	-	-	1	1	-	KINGS NORTON.	
SMETHWICK	-	62,605	11.7	18.3	15.8	13.3	0.8	5	5	-	1	-	-	-	-	-	-	-	1	1	-	SMETHWICK.	
ASTON MANOR	-	81,320	10.9	18.0	19.2	18.6	1.9	8	5	-	-	-	-	-	3	-	3	5	1	1	-	ASTON MANOR.	
COVENTRY	-	75,134	16.0	9.0	14.6	13.2	0.7	3	9	-	-	-	-	-	-	1	1	2	1	1	-	COVENTRY.	
LEICESTER	-	228,132	11.2	12.6	12.6	17.8	2.1	9	20	-	-	3	-	-	6	-	-	5	13	-	-	LEICESTER.	
GRIMSBY	-	68,153	6.9	10.7	13.8	11.5	0.8	5	1	-	-	-	-	-	-	1	2	4	3	-	-	GRIMSBY.	
NOTTINGHAM	-	251,671	13.7	16.0	14.9	13.5	0.6	14	23	-	-	-	1	-	-	-	3	4	10	1	-	NOTTINGHAM.	
DERBY	-	122,207	21.8	14.1	17.5	16.6	0.4	10	2	-	-	-	-	1	-	-	2	7	8	-	-	DERBY.	
STOCKPORT	-	98,320	19.1	14.3	18.6	17.5	-	14	8	-	-	-	-	-	-	-	-	1	3	-	-	STOCKPORT.	
BIRKENHEAD	-	116,035	14.4	18.0	16.6	16.2	0.4	8	8	-	-	-	1	-	-	-	-	5	9	-	-	BIRKENHEAD.	
WALLASEY	-	62,460	10.0	15.0	13.4	11.7	-	3	5	-	-	-	-	-	-	-	-	1	-	-	-	WALLASEY.	
LIVERPOOL†	-	730,143	21.3	23.6	21.1	21.5	1.6	82	70	-	2	4	4	4	8	1	4	17	21	97	13	LIVERPOOL.†	
BOOTLE†	-	62,758	24.1	25.8	20.8	17.4	0.8	5	6	-	-	-	-	-	1	-	-	3	3	3	1	BOOTLE.†	
ST. HELENS	-	89,643	15.1	16.8	9.9	23.2	-	9	11	-	-	-	-	-	-	-	3	4	5	2	-	ST. HELENS.	
WIGAN	-	86,551	21.1	10.8	13.9	19.3	-	9	11	-	-	-	-	-	-	-	1	3	3	-	-	WIGAN.	
WARRINGTON	-	68,301	16.8	19.1	14.5	14.5	2.3	5	3	-	-	1	-	-	2	-	2	2	2	-	-	WARRINGTON.	
BOLTON	-	178,111	14.6	14.3	13.8	13.2	0.9	9	14	-	-	-	1	-	-	2	-	2	7	-	-	BOLTON.	
BURY	-	58,594	16.9	19.6	13.3	30.3	3.6	9	9	-	3	-	-	-	-	-	1	3	5	-	-	BURY.	
MANCHESTER	-	631,185	17.3	15.5	15.9	21.0	1.3	63	64	-	2	2	2	4	5	2	1	20	72	4	-	MANCHESTER.	
SALFORD	-	231,514	19.8	13.5	16.4	15.1	2.5	20	10	-	1	2	3	4	-	1	1	4	11	-	-	SALFORD.	
OLDHAM	-	140,225	17.5	15.6	13.8	17.8	1.1	15	15	-	-	1	-	1	-	-	4	5	8	-	-	OLDHAM.	
ROCHDALE	-	86,390	26.6	16.9	19.3	19.9	1.2	10	15	-	-	-	2	-	-	-	1	1	5	-	-	ROCHDALE.	
BURNLEY	-	101,682	15.9	20.5	17.4	22.6	1.5	5	9	-	-	-	1	-	-	-	4	5	5	-	-	BURNLEY.	
BLACKBURN	-	133,067	17.6	18.0	17.6	15.3	3.1	8	13	-	-	-	1	2	1	1	-	5	5	-	-	BLACKBURN.	
PRESTON	-	115,721	17.1	23.4	27.0	28.8	8.6	12	19	-	4	1	2	-	-	-	5	6	13	3	-	PRESTON.	
BARROW-IN-FURNESS.	-	60,306	9.5	20.8	11.2	17.3	0.9	8	2	-	1	-	-	-	-	-	1	1	4	-	-	BARROW-IN-FURNESS.	

TOWNS	POPULATION estimated to the middle of the year 1905.*	DEATH-RATES from all Causes.				Registered during the Week ended 30th Dec., 1905.		The Deaths registered in the Week include										Deaths of		Deaths from										Deaths in Public Institutions.		Causes of Death.		TOWNS
		Week ended.				in Colls. 11-17.		during the Week ended 30th Dec., 1905.		Infants under 1 year of age.	Persons aged 1 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.													
		2nd Dec., 1905.	9th Dec., 1905.	16th Dec., 1905.	23rd Dec., 1905.	6th Dec., 1905.	Week ended Dec., 1905.	7.	8.													9.	10.	11.	12.	13.	14.	15.	16.					
		Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.										
HUDDESFIELD.	-	20'3	13'7	18'7	18'7	18'7	1'6	50	34	7	11	-	-	1	-	2	-	-	-	1	3	1	COLS.											
HALIFAX.	-	11'5	12'0	21'2	15'9	-	39	33	4	11	-	-	-	-	-	-	-	-	-	1	4	-	HUDDESFIELD.											
BRADFORD.	-	15'6	17'8	13'8	12'7	1'1	114	70	12	20	-	-	2	2	2	1	1	1	6	9	-	HALIFAX.												
LEEDS.	-	15'6	18'7	17'4	16'9	1'8	234	148	33	41	-	-	8	-	5	2	-	3	7	21	1	BRADFORD.												
SHEFFIELD.	-	14'3	14'7	13'9	15'5	1'1	252	131	31	39	-	-	2	2	2	-	-	1	3	5	18	4	LEEDS.											
ROTHERHAM.	-	19'2	21'8	14'8	18'3	0'9	39	21	7	2	-	-	1	-	-	-	-	-	-	-	2	1	SHEFFIELD.											
YORK.	-	13'9	18'4	13'3	14'6	0'6	39	23	6	9	-	-	-	-	1	-	-	-	-	3	-	1	ROTHERHAM.											
HULL.	-	14'1	11'5	17'0	20'2	1'4	135	100	24	21	-	-	-	1	5	-	1	4	6	23	-	-	YORK.											
MIDDLESBROUGH.	-	16'4	15'4	20'7	21'2	2'1	77	40	10	8	-	-	-	-	1	1	-	2	4	4	10	1	HULL.											
STOCKTON-ON-TEES.	-	16'9	8'0	19'9	19'9	1'0	32	20	6	7	-	-	-	-	-	-	-	1	2	2	3	1	MIDDLESBROUGH.											
WEST HARTLEPOOL.	-	17'5	17'5	18'3	23'4	4'4	28	32	7	5	-	-	-	3	1	1	-	1	2	6	4	-	STOCKTON-ON-TEES.											
SUNDERLAND.	-	17'4	18'4	17'4	19'8	1'4	95	58	12	16	-	-	-	-	1	-	2	1	3	7	-	-	WEST HARTLEPOOL.											
SOUTH SHIELDS.	-	12'9	12'4	14'8	15'7	0'5	82	33	9	9	-	-	-	-	-	1	-	-	1	4	2	-	SUNDERLAND.											
GATESHEAD.	-	21'6	19'5	16'0	13'4	1'3	80	31	11	6	-	-	-	-	-	3	-	-	1	3	5	2	SOUTH SHIELDS.											
NEWCASTLE-ON-TYNE.	-	19'5	17'5	13'0	15'0	0'8	177	76	17	27	-	-	-	-	2	2	-	-	2	6	9	-	GATESHEAD.											
TYNEMOUTH.	-	23'3	13'6	10'7	22'4	1'0	32	23	7	6	-	-	-	-	1	-	-	-	-	2	-	-	NEWCASTLE-ON-TYNE.											
NEWPORT (MON.).	-	14'3	16'5	15'7	25'0	2'1	39	35	6	10	-	-	-	-	2	1	-	-	3	5	8	-	TYNEMOUTH.											
CARDIFF.	-	13'6	16'2	16'5	14'5	0'3	94	50	12	16	-	-	-	-	1	-	-	-	5	7	8	-	NEWPORT (MON.).											
RHONDDA.	-	15'0	16'3	14'6	14'2	2'1	84	34	10	7	-	1	1	1	-	1	1	1	1	1	1	-	CARDIFF.											
MERTHYR TYDFIL.	-	22'6	14'8	16'9	19'1	2'1	48	27	10	4	-	-	-	-	3	-	-	-	1	2	1	-	RHONDDA.											
SWANSEA.	-	16'8	22'7	16'8	17'9	0'5	56	33	10	8	-	-	-	-	-	-	-	-	1	2	3	-	MERTHYR TYDFIL.											
GREATER LONDON.	-	16'1	14'8	17'1	17'4	1'5	3855	2333	547	707	-	71	22	27	53	4	19	76	220	703	7	-	SWANSEA.											
OUTER RING.	-	12'1	12'0	12'8	13'2	0'9	1367	587	165	178	-	11	4	9	15	2	1	18	46	93	3	7	GREATER LONDON.											
8 TOWNS IN OUTER RING.	-	13'6	11'7	14'1	14'0	1'3	656	304	86	79	-	9	2	5	11	-	1	9	30	46	-	-	OUTER RING.											
REMAINDER OF OUTER RING.	-	10'7	12'3	11'6	12'4	0'6	711	283	79	99	-	2	2	4	4	2	-	9	16	47	3	-	8 TOWNS IN OUTER RING.											
EDINBURGH.	-	13'5	19'2	16'9	15'0	1'2	119	97	31	28	-	-	-	3	1	-	-	2	?	?	6	6	EDINBURGH.											
GLASGOW.	-	20'8	19'4	18'4	15'5	2'6	467	241	57	33	-	25	1	6	1	2	6	15	?	69	5	8	GLASGOW.											
DUBLIN†.	-	20'4	22'0	19'7	22'3	1'0	199	162	31	43	-	-	1	-	1	4	1	4	8	61	8	?	DUBLIN†.											
BELFAST†.	-	20'4	21'5	18'5	21'2	1'6	158	146	31	28	-	-	2	3	1	2	2	4	6	34	?	?	BELFAST†.											

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1895–1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895–1904.*	1905
TOTAL Births -	2401	2522	2106	2422	2585	2436	2493	2407	1802	2122	2418.9	2488
Males -	1213	1285	1059	1232	1348	1282	1262	1259	909	1117	1242.5	1217
Females -	1183	1237	1047	1190	1237	1154	1231	1148	893	1005	1176.4	1271
TOTAL Deaths -	1521	1459	1555	1470	2607	1382	1625	1720	1204	1572	1673.3	1746
Males -	794	719	764	774	1304	752	844	890	588	815	855.8	860
Females -	727	740	791	696	1303	630	781	830	618	757	817.5	886

* The numbers in this column are the average weekly numbers in the fifty-first week of the ten years 1895–1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	13 Weeks.
TOTAL Births -	2171	2380	2386	2372	2362	2494	2485	2298	2366	2275	2462	2279	2488	30818
TOTAL Deaths -	1251	1189	1255	1331	1433	1494	1489	1552	1739	1623	1460	1725	1746	19287
Ages at Death -														
Under 1 year -	295	276	266	244	286	273	298	302	352	341	335	333	382	3983
1–5 years -	131	103	116	135	124	146	156	183	205	209	201	229	281	2219
5–20 " -	62	73	73	70	71	77	71	78	82	76	75	79	64	946
20–40 " -	165	154	173	178	296	177	197	197	197	174	159	184	147	2308
40–60 " -	258	235	237	283	280	320	315	344	361	316	266	365	343	3956
60 yrs. & up wds. -	340	345	360	421	466	501	452	453	542	507	424	535	529	5875
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	15	15	15	33	31	34	47	54	48	53	45	58	60	508
Scarlet Fever -	17	7	9	16	13	17	13	8	6	18	13	20	18	175
Diphtheria -	13	9	12	3	12	13	9	19	10	5	21	11	18	155
Whooping-cough -	22	18	11	19	7	19	13	20	24	25	25	28	38	269
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	10	5	10	8	4	5	7	8	3	3	4	2	2	71
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	90	59	55	31	34	21	27	13	11	16	14	13	18	402
All above Diseases -	167	113	112	110	101	109	116	122	102	120	123	132	154	1580
Dis. of Resp. System -	64	67	101	112	157	177	209	187	282	245	192	274	254	2321
Pneumonia -	91	85	90	136	129	163	174	214	208	233	184	186	262	2155
Phthisis -	125	104	151	121	174	129	145	136	161	130	132	191	161	1880
Dis. of Circ. System -	170	165	166	191	211	211	196	200	229	243	188	215	212	2597
Violence -	63	61	33	63	57	65	48	68	70	77	59	56	58	783
Inquest Cases -	157	131	95	138	147	168	109	170	169	191	130	144	174	1923
Deaths in Institutions -	494	465	512	540	573	551	591	606	636	606	509	612	610	7305
TEMPERATURE OF THE AIR.														
Mean -	53.0	48.8	48.6	41.0	41.5	47.3	43.1	39.1	38.5	42.9	43.8	36.6	43.2	43.6
Mean of Highest -	58.6	54.9	54.9	50.0	48.9	53.8	50.2	42.8	44.4	47.6	48.2	41.6	46.2	49.4
Mean of Lowest -	48.4	42.9	42.7	32.2	33.0	41.1	35.7	30.9	35.9	37.9	39.1	32.4	38.7	37.6
Mean Humidity of the Air.	83	73	81	75	81	86	91	87	84	87	90	92	82	84
Rain-fall (in inches) -	1.27	0.16	0.16	0.13	0.05	1.60	0.65	0.64	0.17	0.61	0.31	0.02	0.00	5.77
Registered Sunshine (in hours) -	13.3	19.5	6.6	34.6	18.4	15.5	16.9	9.3	17.9	6.8	9.5	4.0	4.7	177.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	3946
Scarlet Fever -	3591	3789	3954	4153	4222	4200	4154	4120	4127	4021	3888	3670	3400	758
Diphtheria -	733	775	781	797	799	804	786	790	755	725	727	713	670	758
Typhus -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	143	161	167	161	157	160	157	154	132	115	102	92	82	137

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witt, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 2. LONDON.—DEATHS Registered in the FIFTY-FIRST Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 51st week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 51st week of the year 1904.	1905—Deaths of persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							1-1.	1-5.	5-20.			
ALL CAUSES	1572	1746	382	281	64	147	343	529	Meningitis (not tuberc.)	13	12	6	3	2	1	-	-
									Insanity, Gen. Par. of	12	21	-	-	-	4	7	10
									Insane -	12	9	-	-	2	2	2	3
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	18	21	20	1	-	-	-	-
Cowpox -	-	-	-	-	-	-	-	-	Convulsions -	-	4	-	-	-	1	1	2
Measles (Morbilli) -	26	60	10	47	2	-	-	1	Locomotor Ataxy -	1	6	-	-	-	2	1	3
Scarlet Fever -	3	18	1	13	4	-	-	-	Paraplegia, Dis. of Cord	24	23	2	-	1	1	7	12
Typhus -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-
Plague -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	44	33	-	1	3	4	10	15
Influenza -	40	10	-	1	1	1	3	4	Cerebr. Hæm. Thromb.-	31	43	-	-	-	2	12	29
Whooping-cough -	17	38	14	23	1	-	-	-	Apoplexy, Hemiplegia -	20	17	-	-	-	1	5	11
Diphtheria -	13	18	4	11	3	-	-	-	Aneurysm -	5	4	-	-	-	-	2	2
Cerebro Spinal Fever	1	-	-	-	-	-	-	-	Embolism, Thrombosis }	-	1	-	-	-	-	1	-
<i>Pyæmia</i> † (Origin un-	-	-	-	-	-	-	-	-	(not cerebral) -	100	114	-	1	1	8	39	65
certain) -	7	2	-	-	2	-	-	-	Heart & Blood Vessel Dis.	1	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	211	209	56	27	3	2	24	97
Asiatic Cholera -	-	-	-	-	-	-	-	-	Memb.) -	8	15	1	-	-	-	5	9
Epidemic Diarrhœa }	4	10	7	3	-	-	-	-	Bronchitis -	8	11	1	2	-	2	3	3
(Infective Enteritis) }	8	8	1	1	1	2	3	-	Asthma, Emphysema -	8	19	2	4	-	1	2	10
Diarrhœa, Dysentery -	-	3	1	-	-	1	1	-	Pleurisy -	1	2	1	-	-	-	-	-
Tetanus -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	1	2	1	-	-	-	-	-
Rabies, <i>Hydrophobia</i> -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	1	2	1	-	-	1	-	-
Glanders -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	6	9	5	1	-	-	2	1
Anthrax (Splenic Fever)-	1	-	-	-	-	-	-	-	<i>Gastro-Enteritis</i> -	5	4	3	-	-	-	1	1
Veneræal Dis. -	5	10	7	-	-	1	2	-	<i>Peritonitis</i> (not Puerp.) -	2	3	-	1	1	-	1	-
Puerperal Septicæmia -	3	2	-	-	-	2	-	-	Cirrhosis of Liver -	9	17	-	-	-	1	11	5
Puerperal Pyæmia -	1	-	-	-	-	-	-	-	Liver Dis. (other) -	5	7	-	1	1	1	2	2
Puerperal Fever -	-	1	-	-	-	1	-	-	Digestive Dis., Other -	42	39	3	1	5	8	11	11
Infective Endocarditis -	1	1	-	-	1	-	-	-	Nephritis, Acute -	11	4	-	-	-	2	1	1
Lobar -	23	17	1	1	-	3	5	7	Bright's Dis., Albumin-	26	35	-	-	1	1	15	18
Broncho -	81	148	61	66	2	1	5	13	uria -	10	9	-	-	-	1	2	6
Epidemic -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	3	3	-	-	-	1	2	-
Not defined -	76	97	22	19	4	7	25	20	Generative Organs Dis.-	4	3	-	-	-	3	-	-
Erysipelas -	4	9	2	-	-	2	1	4	Childbirth (Accid. of) -	73	51	-	-	-	-	-	51
Septicæmia (not Puer-	2	-	-	-	-	-	-	-	Old Age -	99	105	72	16	-	5	5	7
peral) -	-	3	1	-	-	1	1	-	Other Diseases -	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal) -	-	9	6	2	-	-	2	2	ACCIDENT.	1	-	-	-	-	-	-	-
Other Infective Processes	9	6	2	-	-	-	2	2	By Railways -	11	7	-	-	-	-	2	5
Tuberculous Phthisis -	108	84	3	4	3	25	37	12	By Vehicles and Horses-	-	-	-	-	-	-	-	-
"Phthisis" -	73	67	-	1	5	25	29	7	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
Tuberculous Meningitis -	22	24	4	17	3	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tuberculous Peritonitis -	4	7	1	2	2	-	2	-	ing) -	-	-	-	-	-	-	-	-
<i>Tabs Mesenterica</i> -	4	1	1	-	-	-	-	-	In Building Operations -	1	-	-	-	-	-	-	-
Tuberculous Dis. (other)-	16	13	2	5	2	2	2	-	In Conflagrations -	4	13	-	6	4	1	1	1
<i>Scrofula</i> -	2	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	3	3	-	-	-	-	2	1
Alcoholism -	8	8	-	-	-	2	4	2	plosions -	10	9	9	-	-	-	-	-
Rheumatic Fever -	4	4	-	1	1	1	1	-	By Drowning -	3	1	-	-	-	-	-	-
Gout -	2	3	-	-	-	-	-	3	By Suffocation in Bed -	3	1	-	-	-	-	-	-
Carcinoma -	47	70	-	-	1	6	24	39	By Poisons or Poisonous	14	21	3	1	2	2	4	9
Sarcoma -	4	1	-	-	-	-	1	-	Vapours -	-	-	-	-	-	-	-	-
Cancer (undefined) -	27	33	-	-	-	2	11	20	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Diabetes Mellitus -	8	6	-	-	-	-	6	-	dent -	-	-	-	-	-	-	-	-
Premature Birth -	46	53	53	-	-	-	-	-	VIOLENCE OTHER THAN	1	-	-	-	-	-	-	-
									ACCIDENTAL.	12	4	-	-	-	-	2	2
									Homicide -	-	-	-	-	-	-	-	-
									Suicide -	-	-	-	-	-	-	-	-
									Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd December, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from													Inquest Cases.
				Deaths of 1 Year or Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia* (Origin un- certain).	Diarrhoea.	Violence.		
LONDON - - -	4,530,429	2488	1746	382	529	-	60	18	18	38	-	2	-	18	58	174	61
WEST DISTRICTS	805,311	360	292	64	97	-	5	-	-	2	-	1	-	2	9	27	10
NORTH DISTRICTS - - -	1,058,070	538	374	76	116	-	12	4	7	8	-	-	-	2	14	42	10
CENTRAL DISTRICTS - - -	209,465	96	64	15	15	-	-	-	-	5	-	-	-	1	1	5	5
EAST DISTRICTS - - -	715,739	480	345	82	91	-	9	-	3	12	-	-	-	5	18	52	15
SOUTH DISTRICTS - - -	1,749,844	1014	623	145	189	-	34	10	8	11	-	1	-	6	16	47	15
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	48	-	21	-	-	4	-	-	-	-	-	2	-	1	4
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	49	37	8	13	-	1	-	-	1	-	-	-	1	-	1	1
W ^{2H}																	
St. John Paddington } H - G.	33,617	8	17	4	7	-	-	-	-	-	-	-	-	-	2	2	-
North-West Paddington } - C.	17,181	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w ^{2H} G. & W. & C.	128,037	56	35	6	15	-	-	-	-	-	-	-	-	-	-	2	1
Brompton 2H - - - W. & C.	48,561	7	11	-	4	-	-	-	-	-	-	-	-	-	2	2	-
North Hammersmith W ^{wH} } W. & G.	49,192	31	12	5	-	-	-	-	-	-	-	-	-	-	1	2	-
South Hammersmith w ^{2H} } -	63,047	32	23	6	7	-	1	-	-	-	-	-	-	-	-	3	-
North-west Fulham W } W. & C.	45,180	33	35	10	9	-	2	-	-	1	-	1	-	-	1	3	2
North-east Fulham F } -	46,405	20	14	7	3	-	-	-	-	-	-	-	-	-	-	-	-
South Fulham W } -	45,704	28	13	3	6	-	1	-	-	-	-	-	-	-	1	2	-
Chelsea North W ^{w,3H} - - C.	42,514	20	36	3	16	-	-	-	-	-	-	-	-	-	-	2	2
Chelsea South W ^{2H} - - C.	31,328	11	10	3	3	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge C. & G.	28,743	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W ^{2H} - - - C.	55,815	26	22	1	5	-	-	-	-	-	-	-	-	-	1	3	8
St. Margaret & St. John 4H - C.	43,698	17	14	5	3	-	-	-	-	-	-	-	-	-	1	3	4
St. James Westminster } N. & G.	21,588	6	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-
W ^H																	
St. Anne Soho 5H - - - N.	11,493	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	8	13	1	2	-	-	-	-	-	-	-	-	-	1	1	8
St. Mary Marylebone W ^{4H} G. & W.	37,948	51	19	5	9	-	-	-	-	-	-	-	-	-	1	1	6
Christchurch Marylebone H- W.	39,536	19	14	5	4	-	-	-	-	-	-	-	-	1	1	3	-
St. John Marylebone 3H - W.	20,426	4	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead W ^{P,3H} - N. & W.	81,942	29	30	5	7	-	1	1	1	-	-	-	-	-	2	3	6
West St. Pancras 2H - - W.	60,562	33	21	3	9	-	1	-	-	1	-	-	-	-	-	4	2
Tottenham-court w ^{7H} N. & W.	21,268	7	8	2	1	-	-	-	-	-	-	-	-	-	-	1	6
Gray's Inn Lane 4H - - N.	34,449	13	16	2	3	-	-	-	-	-	-	-	-	2	5	7	-
East St. Pancras W ^{2H} - - N.	60,320	30	26	7	9	-	-	-	-	1	-	-	-	1	2	10	6
North St. Pancras 2W - - N.	58,728	35	15	5	3	-	-	-	-	1	-	-	-	1	3	6	-
Tufnell W - - - N.	31,995	18	26	6	7	-	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway 2W, w ^H - N.	33,978	14	24	3	7	-	1	-	-	-	-	-	-	-	-	1	16
Tollington WH - - - N.	33,922	14	12	1	4	-	3	-	-	1	-	-	-	-	1	-	14
Lower Holloway - - - N.	41,424	20	11	4	-	-	1	-	-	1	-	-	-	-	-	-	-
Barnsbury - - - N.	54,478	35	18	6	2	-	3	-	-	-	-	-	-	1	2	-	-
Islington South-east F - - N.	75,397	39	11	2	3	-	-	-	-	-	-	-	-	-	2	-	-
Highbury 2H - - - N.	63,797	23	15	1	8	-	2	-	-	-	-	-	-	-	1	1	2
Stoke Newington H - - N.	51,247	15	11	1	5	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - - - E. & N.	50,560	25	18	3	9	-	-	-	-	-	-	-	-	-	2	4	-
Central Hackney 2w, F - E. & N.	50,536	34	22	3	6	-	-	3	6	-	-	-	-	-	1	3	10
South-west Hackney 3H E. & N.	59,921	33	13	5	3	-	-	-	-	1	-	-	-	-	-	-	2
South-east Hackney 2W, w, H E. & N.	58,255	30	26	6	12	-	-	-	-	-	-	-	-	1	1	4	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifi Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist.
in each SUB-DISTRICT during the Week ended Saturday, 23rd December, 1905—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W.H.L. & S.	11,263	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H - S.	12,056	8	21	5	2	-	1	-	2	-	-	-	-	-	-	2	3	16	
Kent-road - S. & L.	21,904	16	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr } S. & L.	39,094	21	17	4	3	-	-	-	-	-	-	-	-	-	-	-	-	8	
West W.2H.L. - - - } S. & L.	49,022	33	15	5	2	-	2	-	-	-	-	-	-	-	-	-	1	1	
Newington North - - - S. & L.	72,841	47	22	5	6	-	1	-	-	-	-	-	-	-	-	-	2	1	
Newington South W - S. & L.																			
St. Olave 2W - - - S.	9,817	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Bermondsey W - - - S.	82,483	47	23	11	4	-	-	-	-	1	-	-	-	-	-	-	1	1	
Rotherhithe W.F. - S. & K.	38,460	18	19	5	4	-	3	-	-	1	-	-	-	-	-	-	1	10	
Waterloo-road 2H - L. & S.	27,440	33	8	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
Lambeth Church 1st H - L. & S.	18,423	3	18	1	7	-	2	-	-	-	-	-	-	-	-	-	1	12	
Lambeth Church 2nd 2W - L. & S.	39,818	29	30	12	9	-	1	-	1	-	-	-	-	-	-	-	1	12	
Kennington 1st H - S. & L.	53,198	41	12	1	6	-	2	-	-	-	-	-	-	-	-	-	-	3	
Kennington 2nd H - S. & L.	42,896	19	14	3	3	-	-	-	-	-	-	-	-	-	-	-	-	6	
Brixton F - - - L. & S.	84,232	37	30	5	11	-	4	2	2	1	-	-	-	-	-	-	3	6	
Norwood W.H. - - - L.	35,888	15	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H - - - S.	72,203	37	18	5	4	-	1	-	-	1	-	-	-	-	-	-	3	-	
North-west Battersea - - S.	49,656	39	8	1	6	-	-	-	-	-	-	-	-	-	-	-	1	-	
South-west Battersea 2W.B. - S.	47,048	18	19	3	7	-	-	-	-	-	-	-	-	-	-	-	-	9	
Clapham 2H - - - S.	51,361	27	16	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streatham W.2w,2F,3L - L.	88,019	50	38	3	16	-	2	3	1	-	-	-	-	-	-	2	1	11	
Springfield 2W.L. - - S.	27,959	26	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - S.	40,444	32	10	3	2	-	-	-	-	1	-	-	-	-	-	1	2	-	
Putney - - - S.	24,139	8	10	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	
Dulwich - - - L. & S.	13,359	4	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W.w - S. & L.	40,206	18	18	1	9	-	-	-	-	-	-	-	-	-	-	1	1	13	
Camberwell North W.2L - S. & L.	65,584	31	32	4	15	-	1	-	-	-	-	-	-	-	-	2	3	16	
St. George - - - L. & S.	47,331	24	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Peckham North* - - - S., L. & K.	48,913	29	20	6	5	-	2	-	-	1	-	-	-	-	-	-	2	-	
Peckham South* 2W.w S., L. & K.	43,946	22	17	3	6	-	3	-	-	-	-	-	-	-	-	-	-	1	
Deptford North - - - K.	37,613	30	14	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central - - - K.	45,481	42	14	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Deptford South - - - K.	34,625	17	12	4	4	-	-	-	1	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - K.	23,456	14	9	5	1	-	1	-	-	-	-	-	-	-	-	-	2	1	
Greenwich East 2W,H - K.	43,859	16	20	4	7	-	-	-	-	-	-	-	-	-	-	-	3	12	
Eltham w,H - - - K.	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee w,H - - - K.	25,490	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham w w.F - - K.	58,352	51	28	8	7	-	1	4	-	1	-	-	-	-	-	1	1	14	
Sydenham H - - - L.	43,653	26	10	2	5	-	3	-	-	-	-	-	-	-	-	-	1	3	
Charlton F.2H - - - K.	21,134	9	6	1	1	-	-	1	2	-	-	1	-	-	-	-	-	4	
Woolwich 5H - - - K.	41,625	11	12	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Plumstead West W - - K.	18,063	7	5	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	
Plumstead East 2W,H - K.	50,264	33	15	9	3	-	-	-	-	-	-	-	-	-	-	-	1	4	
Workhouse:—																			
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)			3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	
M. A. B. Small-pox Hospitals:—																			
Joyce Green - - -																			
Long Reach - - -																			
M. A. B. Fever Hospitals:—																			
North-Eastern - - -			3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3	
Northern - - -			1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
M. A. B. Imbecile Asylums:—																			
Caterham - - -			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Darenth - - -			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gore Farm (temporary) - -			2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
Leavesden - - -																			
London County Lunatic Asylums:—																			
Banstead - - -			6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	6	
Ewell (Epileptic Colony) -			3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	
Horton - - -			4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manor - - -			7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	4	
Cane Hill - - -			6	-	3	-	-	-	-	-	-	-	-	-	-	-	1	7	
Partford Heath - - -			6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	6	
Hanwell - - -			3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	
Colney Hatch - - -			7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	7	
Claybury - - -			3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	3	

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North and Peckham South, respectively.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd December, 1905.

					The DEATHS registered in the Week include														
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		368,602	2,044,973	1367	587	165	178	-	11	4	9	15	2	1	18	46	93	3	
1	Carshalton 2F,2H	12,228	32,997	12	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	11	5	1	3	-	-	1	-	-	-	-	-	-	1	-	
1	Godstone, part of* W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Coulsdon	11,069	8,166	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	22	16	5	6	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	33	31	9	11	-	2	1	-	-	-	-	1	3	-	-	
4	North Croydon H	2,644	41,698	19	14	5	3	-	-	-	-	1	-	-	1	1	15	-	
5	Penge w,H	770	22,465	4	6	3	1	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	37	6	2	2	-	-	-	-	-	-	-	1	1	-	-	
1	Wimbledon F,3H	3,221	41,652	23	7	1	1	-	-	-	-	-	-	-	-	1	-	-	
2	Kingston 2W,H	6,224	42,068	22	14	4	4	-	-	-	-	-	-	-	-	1	3	-	
3	Surbiton F,H	3,046	15,017	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	22	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	Richmond W,H	2,162	28,865	17	9	-	7	-	-	-	-	-	1	-	-	-	3	-	
2	Mortlake F	2,847	20,628	15	9	4	1	-	-	1	-	-	-	-	3	3	1	-	
1	Bromley F,2H	4,703	27,354	11	6	1	3	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,825	28,497	19	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	6	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
4	Chislehurst 2H	7,333	16,446	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
1	Bexley w F,H	8,678	21,151	17	7	3	2	-	-	-	-	-	-	-	-	1	-	1	
2	Erith F,H	3,854	25,296	15	5	2	1	-	-	-	-	-	-	-	1	2	-	-	
3	Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	2	-	-	
1	Sunbury w	11,054	18,683	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
1	Hillingdon W,F,H	6,035	13,661	10	10	1	5	-	-	-	1	1	-	-	-	-	4	-	
2	Uxbridge H	12,757	8,984	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,F,H	8,066	16,358	19	7	-	4	-	1	-	-	-	-	-	-	-	1	-	
1	Isleworth 3W,2F,H	6,859	30,863	23	11	1	6	-	-	-	-	-	-	-	-	-	8	-	
2	Twickenham F,H	2,421	20,991	17	9	5	2	-	-	-	-	1	-	-	-	1	2	1	
3	Brentford 3F,2H,L	4,319	48,289	38	18	6	5	-	-	-	-	-	-	-	1	2	2	-	
4	Chiswick H	1,249	29,809	20	8	1	2	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,3H	6,132	48,914	51	17	8	5	-	-	-	-	-	-	-	-	-	1	-	
1	Harrow F,H	13,809	25,523	16	13	1	4	-	-	-	-	1	-	-	-	1	1	-	
2	Edgware F,2H	6,994	4,521	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,2F,2H	4,384	114,811	85	34	9	12	-	2	-	-	1	-	1	-	1	2	-	
4	Hendon W,F	8,382	22,450	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
1	South Mimms 2F,H	17,755	7,308	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	8	3	-	1	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley F,2H	4,688	35,692	17	5	1	3	-	-	-	-	-	-	-	-	-	-	-	
1	Hornsey F,H	2,875	72,056	31	16	4	5	-	-	1	-	-	-	-	-	1	-	-	
2	Wood Green H	1,625	34,233	27	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	38	11	7	-	-	-	-	-	-	-	-	1	4	-	-	
4	East Tottenham 2H	2,017	53,688	34	19	3	6	-	-	-	-	-	-	-	-	1	6	-	
5	Edmonton W,w,2F	7,491	61,892	58	21	8	4	-	1	-	-	1	-	-	-	1	4	-	
1	Enfield 2W,F,H	12,601	42,738	19	11	5	2	-	-	-	-	-	-	-	-	-	2	-	
2	Waltham Abbey F	11,017	6,549	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Cheshunt F,H	8,479	12,292	5	6	2	2	-	-	-	-	-	-	-	-	-	-	1	
1	Hatfield, part of* W	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Bushey H	9,333	9,173	1	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Stratford H	1,072	44,827	22	9	3	1	-	-	-	-	-	-	-	3	4	-	-	
2	Plaistow F,2H	1,249	90,921	82	20	6	3	-	3	-	-	-	-	-	2	3	1	-	
3	Canning Town H	1,556	70,718	46	19	9	3	-	1	-	-	4	-	-	-	-	-	-	
4	Forest Gate w	806	60,892	17	10	3	3	-	-	-	-	2	-	-	-	2	-	-	
5	North East Ham w,H	1,333	58,676	43	16	6	4	-	-	1	-	-	-	-	1	1	-	-	
1	South East Ham 2F	1,993	37,342	35	14	4	3	-	-	-	1	-	-	-	-	3	-	-	
2	Wanstead F	1,679	9,179	5	2	-	1	-	-	-	-	-	-	-	1	1	-	-	
3	South Leyton 2W	631	50,467	41	16	2	5	-	-	-	-	-	-	-	-	1	7	-	
4	North Leyton 2W,w,F	1,963	48,445	34	31	4	10	-	2	1	2	-	-	-	-	1	18	-	
5	Walthamstow 3H,L	6,504	108,929	78	25	11	5	-	-	1	-	-	-	-	-	2	-	-	
1	Chigwell, part of* 2F,3H	11,778	16,397	2	4	1	2	-	-	1	1	-	-	-	-	-	1	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Romford, part of* W,2F	6,556	6,091	2	4	1	3	-	-	-	1	-	-	-	-	-	2	-	
4	Ilford F,L	8,496	41,234	38	8	2	1	-	-	-	-	-	-	-	-	-	2	-	
5	Barking Town F	3,803	21,547	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
Western Hospital, Fulham		-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	2	-	

Some parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bole parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,684,794	December 23	2488	1746	19'4	-	60	18	18	38	2	1
CALCUTTA - -	847,796	November 11	-	488	29'9	1	-	-	3	-	175†	-
BOMBAY - -	776,006	December 5	401	574	38'5	1	1	-	-	1	68†	-
MADRAS - -	509,346	November 24	414	510	52'0	12	10	?	?	?	118	10
PARIS - -	2,680,559	December 16	933	960	18'7	1	10	1	3	1	5	2
BRUSSELS - -	586,936	" 16	-	-	-	-	-	-	-	-	-	-
ANTWERP - -	286,695	" 16	-	-	-	-	-	-	-	-	-	-
AMSTERDAM -	554,240	" 9	282	182	17'0	-	4	1	2	6	-	-
COPENHAGEN -	426,000	" 16	229	131	15'9	-	2	1	-	2	-	-
STOCKHOLM -	309,496	" 9	138	97	15'8	-	-	2	2	1	1	-
CHRISTIANIA -	223,649	" 16	107	66	15'4	-	-	-	6	1	-	-
ST. PETERSBURG	1,248,122	" 2	702	570	21'4	-	11	9	11	9	24	-
MOSCOW - -	1,092,360	November 25	-	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,035,815	December 2	879	593	15'2	-	9	6	6	14	1	-
HAMBURG - -	772,852	" 16	-	247	16'6	-	1	-	-	8	-	-
BRESLAU - -	462,147	" 9	-	185	18'6	-	-	1	-	5	-	-
" 16		" 16	-	188	18'9	-	1	-	4	2	-	-
MUNICH - -	528,000	" 16	-	159	15'7	-	2	-	1	1	1	-
VIENNA - -	1,897,630	" 16	865	598	16'2	-	4	3	8	5	4	-
PRAGUE - -	430,569	" 16	191	171	19'5	-	-	-	2	1	-	-
BUDA-PESTH -	836,267	" 16	490	294	18'3	-	11	6	4	-	6	-
TRIESTE - -	191,403	" 16	117	83	22'1	-	3	-	-	-	1	-
ROME - -	514,930	September 30	233	150	15'2	-	1	-	-	-	89	-
VENICE - -	169,417	December 9	64	60	18'5	-	-	-	2	1	-	-
BUCHAREST -	282,071	" 9	139	127	23'5	-	-	1	2	1	5	-
NEW YORK - -	3,948,191	" 9	2163	1295	16'8	-	7	6	40	4	13	-
CHICAGO - -	1,932,315	" 9	-	554	14'5	-	4	1	11	-	6	-
PHILADELPHIA -	1,438,318	" 2	-	463	16'7	-	3	-	19	1	12	-
BOSTON - -	617,950	" 2	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	850,000	October 22	-	305	17'6	2	7	-	-	1	5†	-

* Excluding deaths from croup in the Indian Cities.

† Including 21 deaths from plague in Calcutta, 7 in Bombay, and 1 in Rio de Janeiro.

‡ Including 33 deaths from cholera in Calcutta, and 3 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd December, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	50'2	33'1	42'4	0'00	BRADFORD - -	51'2	37'0	43'4	0'00
BRIGHTON - -	49'1	34'5	43'2	0'05	LEEDS - -	52'0	36'0	43'9	0'00
PORTSMOUTH - -	52'0	37'0	44'7	0'04	HULL - -	52'0	35'0	42'4	0'00
NORWICH - -	50'6	30'8	40'8	0'07	TYNEMOUTH - -	54'0	37'0	43'9	0'00
PLYMOUTH - -	50'9	34'1	44'8	0'24	CARDIFF - -	51'1	29'0	42'1	0'2
BRISTOL - -	50'0	33'0	42'8	0'11	EDINBURGH - -	50'7	37'7	43'8	0'0
BIRMINGHAM - -	49'8	34'6	41'0	0'05	GLASGOW - -	51'8	37'4	44'7	0'3
NOTTINGHAM - -	-	-	-	-	DUBLIN { Phoenix Park. Fitz- william Square.†	52'4	38'9	46'1	0'2
LIVERPOOL }	52'0	37'0	43'1	0'13		54'2	40'3	47'6	0'3
OBSERVATORY.	50'2	35'8	42'3	0'21		51'5	36'0	44'2	0'4
MANCHESTER - -	49'5	37'6	43'1	0'25	BELFAST - -	-	-	-	-
PRESTON - -	49'3	32'0	41'3	0'24					
HUDDERSFIELD -	-	-	-	-					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1905.			TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Ozone	
Phases of the Moon.			Of the Air.				Of the Air Temperature and Dew Point.				Difference between the Air Temperature and Dew Point.				Of Radiation.				General Direction.				Oster's.				Robinson's.				Rain collected in a Gauge whose receiving surface is 1 square foot.			
MONTH AND DAY			Low-est.		Daily Range.		Mean daily value.		Mean daily value.		Mean daily value.		Mean daily value.		Highest in the day.		Lowest in the day.		A.M.		P.M.		Great-est.		Least.		Mean hourly obs.		Horizontal Movement of the Air on each Day.		Vertical Movement of the Air on each Day.		Average of the 15 years.	
DECEMBER			in.		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°	
SUNDAY	- 17	30191	422	382	40	404	0	395	0	39	18	422	372	4410	SW. & SE.	SSE. & SE.	10	00	116	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
MONDAY	- 18	30031	439	375	64	407	0	362	45	64	07	470	343	4406	SW. & SE.	SSE. & SE.	07	00	161	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
TUESDAY	- 19	29880	500	342	158	437	0	380	57	94	24	734	272	4404	SW. & SE.	WSW. & SW.	30	00	360	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
WEDNESDAY	20	30120	476	331	145	434	0	386	48	72	24	514	257	4406	SW. & SE.	WSW. & SW.	29	00	348	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
THURSDAY	- 21	30198	502	475	27	489	0	412	77	94	57	560	438	4400	WSW. & SW.	WSW. & SW.	36	00	496	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
FRIDAY	- 22	30238	475	410	65	443	0	382	61	73	46	479	398	4420	WSW. & SW.	WSW. & SW.	19	00	310	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
SATURDAY	- 23	30148	420	393	27	407	0	384	43	51	28	480	382	4457	WSW. & SW.	WSW. & SW.	10	00	212	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
MEANS	-	30115	462	387	75	432	0	379	53	71	29	523	352	4415	WSW. & SSE.	WSW. & SSE.	Sum 2003	
No. of Column	-	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	

DATE.		ELECTRICITY.		Registered Sunshine.		GENERAL REMARKS.	
DECEMBER.		(For explanation of symbols, see Note.)		Sun above Horizon, in hours.		Sun above Horizon, in hours.	
SUNDAY	- 17	w. P. generally; occasional m. P.		00		Overcast; occasional misty rain.	
MONDAY	- 18	w. P. till 11h. A.M.; m. P. till 8h. P.M.; w. P. afterwards.		00		Generally overcast; very slight rain in forenoon.	
TUESDAY	- 19	w. P. till 9h. A.M.; m. P. generally afterwards with s. N. at 3h. P.M.		47		Overcast till 8h. A.M.; very fine generally till evening; cloudless at night.	
WEDNESDAY	20	m. P. till 8h. P.M.; w. P. afterwards.		00		Cloudless with hoar frost in morning; generally overcast after 7h. A.M. Lunar halo observed at 6h. 30m. A.M.	
THURSDAY	- 21	w. P. generally.		00		Generally overcast; very mild; small range of temperature.	
FRIDAY	- 22	w. P. till 9h. A.M.; m. P. generally afterwards.		00		Overcast generally.	
SATURDAY	- 23	w. P. till 9h. A.M.; m. P. afterwards.		00		Overcast; small range of temperature.	
No. of Col	-	27		Sum 47		Sum 646	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 150 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. The observations are usually taken at 8h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the year is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading columns 8 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The readings of the barometer increased from 30.17 in. at the beginning of the week to 30.22 in. by 10h. A.M. on the 17th; decreased to 29.79 in. by 6h. A.M. on the 18th; increased to 30.27 in. by 10h. A.M. on the 22nd; decreased to 30.12 in. by 7h. P.M. on the 23rd, and was 30.13 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th December, 1905.*

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	147,935	-	2	1	-	2	-	-	5	-
Kensington - - - -	180,083	-	3	-	-	-	-	-	1	-
Hammersmith - - -	119,037	-	3	4	-	2	-	-	-	1
Fulham - - - - -	157,210	-	14	5	-	-	-	-	4	2
Chelsea - - - - -	74,496	-	2	2	-	-	-	-	2	-
City of Westminster -	175,606	-	3	4	-	1	-	-	-	-
NORTH.										
St. Marylebone - - -	129,453	-	4	1	-	1	-	-	3	-
Hampstead - - - -	88,142	-	3	2	-	1	-	-	1	-
St. Pancras - - - -	236,183	-	17	8	-	2	-	-	3	1
Islington - - - - -	342,994	-	23	6	-	1	-	-	5	-
Stoke Newington - -	52,828	-	6	-	-	-	-	-	-	-
Hackney - - - - -	238,470	-	22	7	-	2	-	-	2	-
CENTRAL.										
Holborn - - - - -	56,481	-	2	1	-	1	-	-	2	1
Finsbury - - - - -	98,207	-	9	1	-	-	-	-	-	-
City of London - - -	22,425	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	116,566	-	15	2	-	2	-	-	-	-
Bethnal Green - - -	130,401	-	21	4	-	1	-	-	6	-
Stepney - - - - -	305,466	-	27	9	-	-	-	-	16	-
Poplar - - - - -	170,280	-	21	11	-	-	-	-	-	-
SOUTH.										
Southwark - - - - -	208,528	-	11	6	-	2	-	-	7	-
Bermondsey - - - -	129,006	-	24	4	-	-	-	-	3	-
Lambeth - - - - -	313,045	-	43	6	-	-	-	-	5	-
Battersea - - - - -	177,532	-	25	5	-	-	-	-	3	-
Wandsworth - - - -	265,392	-	16	5	-	-	-	-	7	-
Camberwell - - - -	271,240	-	19	6	-	-	-	-	3	-
Deptford - - - - -	114,495	-	13	5	-	-	-	-	6	-
Greenwich - - - - -	103,493	-	13	7	-	-	-	-	-	-
Lewisham - - - - -	144,420	-	9	3	-	1	-	-	3	-
Woolwich - - - - -	125,372	-	18	15	-	-	-	-	2	1
Port of London - - -	-	-	-	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	390	130	-	21	-	-	89	6
Ages 0-1 - - - -		-	4	6	-	-	-	-	5	-
" 1-5 - - - - -		-	139	51	-	1	-	-	7	-
" 5- - - - -		-	167	38	-	1	-	-	-	-
" 10- - - - -		-	49	11	-	5	-	-	3	-
" 15- - - - -		-	11	4	-	3	-	-	2	-
" 20- - - - -		-	6	4	-	3	-	-	5	1
" 25- - - - -		-	8	9	-	5	-	-	14	4
" 35- - - - -		-	3	3	-	2	-	-	19	1
" 45- - - - -		-	2	2	-	1	-	-	16	-
" 55- - - - -		-	1	-	-	-	-	-	10	-
" 65 and upwards -		-	-	-	-	-	-	-	7	-
Age not stated - -		-	-	2	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 53 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E

1905.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 52. 1905. VOL. LXVI.] WEEK ENDED SATURDAY, DEC. 30. [Price 1½d.

General Register Office, Somerset House,
January 1st, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·4 per 1000 of their aggregate population, which is estimated† at 15,609,377 persons in the middle of 1905. In the preceding three weeks the rates had been 16·1, 17·0, and 17·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·5 in Burnley, 22·3 in Newcastle on Tyne, 22·4 in Tynemouth, 24·2 in Huddersfield, 24·8 in Preston, 24·9 in Liverpool, 25·4 in Merthyr Tydfil, and 30·6 in Hanley; from *measles*, 1·2 in Blackburn, 1·7 in Leeds, and 3·6 in Preston; from *diphtheria*, 1·1 in Middlesbrough and 1·5 in West Hartlepool; from *whooping-cough*, 1·2 in Rochdale and in Newcastle on Tyne, and 2·6 in Burnley; from "*fever*," 1·1 in Stockport and 1·2 in Wigan; and from *diarrhoea*, 1·1 in Oldham and in Middlesbrough, and 1·4 in Coventry. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 1807 BIRTHS and 1602 DEATHS were registered. Allowing for increase of population, the births were 254 and the deaths 293 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000, from all causes, which had been 16·3, 19·2, and 19·4 in the preceding three weeks, fell last week to 17·8. During the four weeks ended on Saturday last the death-rate averaged 18·2 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the ten years 1895–1904.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1602 deaths included 59 from measles, 12 from scarlet fever, 17 from diphtheria, 34 from whooping-cough, 5 from enteric fever, and 19 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 146 deaths were referred to these diseases in the aggregate, being 35 below the corrected average weekly number.

The deaths from *measles*, which had been 45, 58, and 60 in the preceding three weeks, were 59 last week, and were 5 below the corrected average; 11 deaths belonged to the Borough of Islington, 10 to Camberwell, 7 to Stepney, 6 to Southwark, 5 to Wandsworth, and 4 to Bermondsey. The deaths from *scarlet fever*, which had been 13, 20, and 18 in the preceding three weeks, fell to 12 last week, and were 1 below the corrected average; 4 deaths belonged to Bermondsey. The deaths from *diphtheria*, which had been 21, 11, and 18 in the preceding three weeks, were 17 last week, and were 23 below the corrected average; 4 deaths belonged to Stepney and 3 to Wandsworth. The deaths from *whooping-cough*, which had been 25, 28, and 38 in the preceding three weeks, were 34 last week, and were equal to the corrected average; 6 deaths belonged to St. Pancras, 4 each to Fulham and Stepney, and 3 to Lambeth. The fatal cases of *enteric fever*, which had been 4, 2, and 2 in the preceding three weeks, rose to 5 last week, but were 9 below the corrected average. The deaths from *diarrhœa*, which had been 14, 13, and 18 in the preceding three weeks, were 19 last week, and were 5 above the corrected average; 3 deaths belonged to Fulham, and 3 to Lambeth. Of the 19 deaths from diarrhœa, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 8, having been 21, 13, and 10 in the preceding three weeks. The death of a house painter, aged 63 years, was certified as due to *lead colic*.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 46 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 4 to burns or scalds, 4 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 12 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3446 cases of scarlet fever, 701 of diphtheria, and 78 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 295 cases, against 355, 341, and 295; of diphtheria, 108 cases, against 95, 103, and 98; and of enteric fever, 16 cases, against 12, 11, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease notified in the County during the week ended December 23rd.

GREATER LONDON.

In Greater London 2688 births and 2211 deaths were registered. Allowing for increase of population, these numbers are 361 and 421 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 5 from diphtheria, 3 from whooping-cough, and 1 from "fever" were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.74 inches, and that of the Thermometer 39.5, the latter being 1.1 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 37 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 4.3 hours; the measured rainfall amounted to 0.24 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	POPULATION estimated in middle of the Year 1905.*	DEATH-RATES from all Causes.					Rate from Diseases 11-17.		Registered during the week ended 30th Dec., 1905.	The Deaths registered in the Week include										TOWNS		
		Week ended					Deaths from Diseases 11-17.	Persons aged under 1 Year of Age.		Deaths from												
		9th Dec., 1905.	16th Dec., 1905.	23rd Dec., 1905.	30th Dec., 1905.	Week ended Decem., 1905.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Unofficial Causes of Death.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	18.	20.	21.	Cols.
76 TOWNS	15,609,377	16'1	17'0	17'8	17'4	1'4	6413	5199	1216	1498	-	117	43	69	91	28	57	190	441	1209	79	76 TOWNS.
LONDON -	4,684,794	16'3	19'2	19'4	17'8	1'6	1807	1602	338	523	-	59	12	17	31	5	19	56	188	577	3	LONDON.
(CROYDON -	147,704	12'7	10'2	22'9	18'0	1'8	62	51	18	17	-	2	-	1	2	-	-	2	5	8	-	(CROYDON.
WILLESDEN -	138,080	12'1	14'0	13'2	13'2	0'8	58	35	7	9	-	1	-	1	-	-	-	1	2	2	-	WILLESDEN.
HORNSEY -	84,070	8'1	9'3	9'9	8'1	0'6	21	13	6	10	-	1	-	1	-	-	-	-	1	4	-	HORNSEY.
TOTTENHAM -	116,232	11'7	20'2	12'6	13'9	0'9	47	31	6	10	-	1	-	1	-	-	-	-	4	4	-	TOTTENHAM.
WEST HAM -	294,997	11'3	15'4	12'7	13'3	1'8	109	75	19	21	-	3	2	2	2	-	1	3	9	15	-	WEST HAM.
EAST HAM -	123,381	13'5	12'7	14'8	13'1	0'4	51	31	13	7	-	1	-	-	1	-	-	1	1	4	-	EAST HAM.
LEYTON -	114,555	10'5	15'9	12'7	13'7	0'5	48	30	6	7	-	1	-	-	-	-	1	-	1	8	-	LEYTON.
(WALTHAMSTOW -	116,297	13'0	12'6	11'2	12'1	1'3	50	27	6	7	-	-	-	2	-	1	-	2	4	4	-	(WALTHAMSTOW.
HASTINGS -	66,820	7'0	10'9	8'6	13'3	0'8	16	17	4	4	-	1	-	-	-	-	-	-	1	2	-	HASTINGS.
BRIGHTON -	127,183	10'2	14'8	9'8	16'0	0'4	39	39	8	14	-	1	-	-	-	-	2	4	9	1	-	BRIGHTON.
PORTSMOUTH -	201,975	15'5	13'7	18'3	14'7	1'3	74	57	8	14	-	-	-	3	-	1	1	3	4	8	-	PORTSMOUTH.
BOURNEMOUTH -	66,168	10'2	9'5	10'2	12'6	1'6	12	16	2	9	-	-	-	1	-	1	-	-	-	3	1	BOURNEMOUTH.
SOUTHAMPTON -	114,897	20'4	14'1	18'2	14'1	-	32	31	3	14	-	-	-	-	-	-	-	1	6	9	-	SOUTHAMPTON.
READING -	77,674	13'4	10'7	12'1	10'7	2'0	26	16	4	5	-	-	-	1	1	-	1	-	1	1	1	READING.
NORTHAMPTON -	92,441	14'1	17'5	11'8	14'7	-	42	26	7	9	-	-	-	-	-	-	-	-	3	2	1	NORTHAMPTON.
IPSWICH -	70,802	15'5	13'3	13'3	14'0	1'5	34	19	10	5	-	-	-	-	1	-	1	-	-	1	4	IPSWICH.
GREAT YARMOUTH -	52,353	18'9	14'9	16'9	19'9	-	21	20	2	12	-	-	-	-	-	-	-	-	1	4	-	GREAT YARMOUTH.
NORWICH -	116,741	16'5	13'8	16'1	19'2	0'9	49	43	12	11	-	-	1	1	-	-	-	-	5	1	1	NORWICH.
PLYMOUTH -	116,000	18'4	13'0	16'2	18'0	1'3	36	40	2	10	-	1	2	-	-	-	1	1	1	8	-	PLYMOUTH.
DEVONPORT -	76,894	14'9	13'6	17'6	16'3	-	24	24	5	10	-	-	-	-	-	-	-	2	4	3	-	DEVONPORT.
BRISTOL -	358,515	14'7	17'0	19'1	18'5	1'7	126	127	28	42	-	4	1	3	2	2	-	3	11	32	1	BRISTOL.
HANLEY† -	64,067	25'0	22'6	15'3	30'6	1'6	38	38	11	12	-	-	1	1	-	-	-	-	-	7	-	HANLEY†.
BURTON-ON-TRENT -	52,424	14'8	9'0	9'0	11'9	-	21	12	5	3	-	-	-	-	-	-	1	1	1	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	99,456	14'7	16'8	21'0	17'3	0'5	52	33	7	9	-	1	-	-	-	-	1	1	3	5	1	WOLVERHAMPTON.
WALSALL -	82,998	11'2	14'0	12'3	10'7	-	49	19	4	3	-	-	-	-	-	-	1	1	1	2	1	WALSALL.
HANDSWORTH -	61,721	11'8	15'2	13'5	15'2	0'8	19	18	3	6	-	-	-	-	-	-	-	1	1	1	2	HANDSWORTH.
WEST BROMWICH -	67,823	19'2	17'7	13'8	15'4	0'8	24	20	6	1	-	-	-	-	1	-	-	-	2	2	1	WEST BROMWICH.

* See note † on first page of this return.
† The recent extension of the Borough of Hanley will not be taken into account in the Weekly Returns until 1906.
‡ These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 30th December, 1905, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 30th Dec., 1905.		The DEATHS registered in the Week include											TOWNS,		
		Week ended				30th Dec., 1905.		30th Dec., 1905.		Deaths of													
		9th Dec., 1905.	16th Dec., 1905.	23rd Dec., 1905.	30th Dec., 1905.	Week ended 30th Dec., 1905.		30th Dec., 1905.		Persons aged 60 Years and upwards													
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.
BIRMINGHAM -	-	542,959	18'2	19'1	20'3	18'9	1'4	233	197	60	42	-	6	2	-	6	-	1	11	13	31	8	BIRMINGHAM.
KINGS NORTON -	-	99,330	9'0	9'0	12'7	7'5	-	19	10	3	5	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK -	-	62,605	18'3	15'8	13'3	17'5	1'7	16	21	12	-	-	1	-	-	-	-	1	1	1	1	-	SMETHWICK.
ASTON MANOR -	-	81,320	18'0	19'2	18'6	12'8	1'3	26	20	6	2	-	-	-	1	1	-	1	1	2	1	1	ASTON MANOR.
COVENTRY -	-	75,134	9'0	14'6	13'2	18'7	2'1	40	27	6	12	-	-	-	-	-	1	2	1	2	6	-	COVENTRY.
LEICESTER -	-	228,132	12'6	12'6	17'8	17'1	1'1	88	75	25	14	-	-	-	-	3	-	2	3	4	15	1	LEICESTER.
GRIMSBY -	-	68,153	10'7	13'8	11'5	14'5	0'8	30	19	5	1	-	-	-	1	-	-	-	1	3	4	-	GRIMSBY.
NOTTINGHAM -	-	251,671	16'0	14'9	13'5	15'7	0'2	107	76	18	26	-	-	-	-	-	-	-	1	3	17	-	NOTTINGHAM.
DERBY -	-	122,207	14'1	17'5	16'6	11'5	0'9	42	27	4	8	-	-	-	2	-	-	-	1	4	4	-	DERBY.
STOCKPORT -	-	98,320	14'3	18'6	17'5	15'9	2'1	34	30	5	12	-	-	1	-	-	2	1	1	1	6	-	STOCKPORT.
BIRKENHEAD -	-	116,085	18'0	16'6	16'2	17'1	0'9	53	33	7	10	-	-	-	-	-	-	2	4	6	7	1	BIRKENHEAD.
WALLASEY -	-	62,460	15'0	13'4	11'7	11'7	0'8	29	14	2	8	-	-	-	-	-	-	1	-	-	-	1	WALLASEY.
LIVERPOOL† -	-	730,143	23'6	21'1	21'5	24'9	1'4	388	348	87	86	-	-	8	3	3	2	3	22	34	100	17	LIVERPOOL.†
BOOTLE† -	-	62,768	25'8	20'8	17'4	18'3	-	22	22	6	6	-	-	-	-	-	-	-	1	1	3	3	BOOTLE.†
ST. HELENS -	-	89,843	16'8	9'9	23'2	15'1	0'6	49	26	6	7	-	-	-	-	1	-	-	1	1	4	2	ST. HELENS.
WIGAN -	-	86,681	10'8	19'9	19'3	16'9	1'2	40	28	4	10	-	-	-	-	-	2	-	-	-	3	-	WIGAN.
WARRINGTON -	-	68,301	19'1	14'5	14'5	16'0	-	30	21	7	9	-	-	-	-	-	-	1	1	1	3	1	WARRINGTON.
BOLTON -	-	178,111	14'3	13'8	13'2	14'9	0'9	73	51	8	9	-	-	-	-	-	2	1	4	7	9	-	BOLTON.
BURY -	-	58,594	19'6	13'3	30'3	16'0	0'9	18	18	1	9	-	1	-	-	-	-	-	-	1	2	-	BURY.
MANCHESTER -	-	631,185	15'5	15'9	21'0	19'4	1'1	232	235	53	69	-	1	-	-	4	3	-	13	23	52	5	MANCHESTER.
SALFORD -	-	231,514	13'5	16'4	15'1	16'7	1'1	95	74	15	22	-	-	-	-	3	-	1	2	3	20	-	SALFORD.
OLDHAM -	-	140,225	15'6	13'8	17'8	17'1	1'9	53	46	10	15	-	-	-	-	-	1	1	3	-	6	-	OLDHAM.
ROCHDALE -	-	86,390	16'9	19'3	19'9	17'5	1'8	25	23	5	11	-	-	1	-	-	-	-	1	1	3	-	ROCHDALE.
BURNLEY -	-	101,682	20'5	17'4	22'6	21'5	2'6	46	42	15	9	-	-	-	-	-	-	-	1	4	4	1	BURNLEY.
BLACKBURN -	-	133,067	18'0	17'6	15'3	17'2	2'4	49	44	9	13	-	3	2	-	-	-	1	-	-	5	-	BLACKBURN.
PRESTON -	-	115,721	23'4	27'0	28'8	24'8	4'1	51	55	13	12	-	8	-	-	-	1	-	1	1	10	1	PRESTON.
BARROW-IN-FORWARD -	-	60,306	20'8	11'2	17'3	13'8	0'9	36	16	8	4	-	-	-	-	-	-	1	-	-	2	-	BARROW-IN-FORWARD.

TOWNS.	POPULATION estimated to the middle of the Year 1905.*	DEATH-RATES from all Causes.					Rates from Diseases in Coln. 11-17.		Registered during the Week ended 30th Dec., 1905.		The DEATHS registered in the Week include										TOWNS	
		Week ended					Week ended 30th Dec., 1905.	BIRTHS.	DEATHS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.		
		Week ended																				
		9th Dec., 1905.	16th Dec., 1905.	23rd Dec., 1905.	30th Dec., 1905.	Week ended 30th Dec., 1905.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,888	13.7	18.7	18.7	24.2	0.5	35	44	16	11	-	-	-	-	-	-	1	-	4	2	-	HUDDESFIELD.
HALIFAX.	108,419	12.0	21.2	15.9	15.9	1.0	31	33	7	11	-	-	1	1	-	-	-	-	3	5	1	HALIFAX.
BRADFORD.	286,789	17.8	13.8	12.7	16.0	2.4	88	13	28	23	-	-	3	2	-	1	-	1	9	20	-	BRADFORD.
LEEDS.	456,787	18.7	17.4	16.9	17.7	1.3	166	155	34	38	-	15	3	2	4	1	1	1	16	17	-	LEEDS.
SHEFFIELD.	440,414	14.7	13.9	15.5	15.3	0.9	208	129	31	31	-	1	3	2	2	2	1	2	15	32	3	SHEFFIELD.
ROTHERHAM.	59,794	21.8	14.8	18.3	13.1	-	33	15	5	4	-	-	1	-	-	-	-	-	4	4	-	ROTHERHAM.
YORK.	82,382	18.4	13.3	14.6	10.1	-	38	16	3	4	-	-	-	-	-	-	-	-	4	1	-	YORK.
HULL.	258,127	11.5	17.0	20.2	16.2	1.2	96	80	21	22	-	-	-	4	2	-	-	-	6	17	1	HULL.
MIDDLESBROUGH.	93,869	15.4	20.7	21.2	17.0	2.1	44	32	9	4	-	-	-	2	-	1	2	1	1	2	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,425	8.0	19.9	19.9	18.9	-	25	19	8	5	-	-	-	-	-	-	-	-	-	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	71,313	17.5	18.3	23.4	16.8	1.5	27	23	5	7	-	-	-	2	-	-	-	-	4	1	-	WEST HARTLEPOOL.
SUNDERLAND.	152,761	18.4	17.4	19.8	17.4	0.3	99	51	7	17	-	1	-	-	-	2	-	2	4	12	2	SUNDERLAND.
SOUTH SHIELDS.	109,360	12.4	14.8	15.7	19.5	1.0	59	41	9	7	-	-	-	-	1	1	-	1	2	3	3	SOUTH SHIELDS.
GATESHEAD.	120,620	19.5	16.0	13.4	16.4	1.7	58	38	9	9	-	2	-	1	1	-	-	-	-	5	5	GATESHEAD.
NEWCASTLE-ON-TYNE.	264,511	17.5	13.0	15.0	22.3	2.4	153	113	39	27	-	1	-	3	6	1	1	1	6	20	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	53,595	13.6	10.7	22.4	22.4	1.0	32	23	4	8	-	-	-	-	1	-	-	-	2	6	-	TYNEMOUTH.
NEWPORT (MON.).	72,880	16.5	15.7	25.0	15.7	1.4	34	22	4	7	-	-	-	1	-	1	1	2	2	1	-	NEWPORT (MON.).
CARDIFF.	180,054	16.2	16.5	14.5	13.6	0.6	83	47	21	8	-	-	-	-	-	2	3	5	4	1	-	CARDIFF.
RHONDDA.	134,968	16.3	14.6	14.2	19.2	0.8	77	46	17	8	-	-	-	1	1	-	2	2	4	1	4	RHONDDA.
MERTHYR TYDFIL.	73,848	14.8	16.9	19.1	25.4	2.8	49	36	16	5	-	-	1	1	1	1	1	2	2	3	-	MERTHYR TYDFIL.
SWANSEA.	96,384	22.7	16.8	17.9	15.7	1.6	37	29	4	6	-	2	1	-	-	-	-	1	3	3	-	SWANSEA.
GREATER LONDON.	7,010,172	14.8	17.1	17.4	16.4	1.4	2688	2211	487	713	-	74	14	29	43	7	20	79	222	669	4	GREATER LONDON.
OUTER RING.	2,325,378	12.0	12.8	13.2	13.7	0.9	881	603	159	190	-	15	2	12	9	2	1	23	54	92	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,135,316	11.7	14.1	14.0	13.5	1.1	446	293	75	84	-	8	2	7	6	1	1	9	26	45	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,190,062	12.3	11.6	12.4	13.8	0.7	435	316	84	106	-	7	-	5	3	1	-	14	28	47	1	REMAINDER OF OUTER RING.
EDINBURGH.	338,577	19.2	16.9	15.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.
GLASGOW.	809,366	13.4	18.4	15.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	56	-	GLASGOW.
DUBLIN.	375,994	22.0	19.7	22.3	17.9	1.0	184	130	18	41	-	-	-	1	1	3	2	2	3	2	6	DUBLIN.
BELFAST.	368,680	21.5	18.5	21.2	18.0	0.4	189	124	26	23	-	-	-	-	-	-	1	5	8	26	?	BELFAST.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1895-1905.

	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904	Corrected Weekly Average in 10 Years 1895-1904.*	1905
TOTAL Births -	1501	1839	2363	2215	1880	1591	1663	1651	2828	2320	2060.7	1807
Males - - -	758	904	1197	1154	950	842	881	868	1454	1200	1060.0	937
Females - - -	743	925	1166	1061	930	749	787	783	1374	1120	1000.7	870
TOTAL Deaths -	1502	1279	2360	1593	3067	1466	1791	1458	1866	1868	1895.0	1602
Males - - -	775	648	1195	828	1485	751	918	735	957	939	958.5	796
Females - - -	727	631	1165	765	1582	715	873	723	909	929	936.5	806

* The numbers in this column are the average weekly numbers in the fifty-second week of the ten years 1895-1904, raised by 3.833 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	13 Weeks.
TOTAL Births -	2380	2386	2372	2362	2494	2485	2298	2366	2275	2162	2279	2488	1807	30454
TOTAL Deaths -	1189	1255	1331	1433	1494	1489	1552	1739	1623	1460	1725	1746	1602	19638
Ages at Death {														
Under 1 year -	276	266	244	286	273	293	302	352	341	335	333	382	328	4016
1-5 years -	103	116	135	124	146	156	183	205	209	201	229	281	222	2310
5-20 " -	73	73	70	71	77	71	73	82	76	75	79	64	69	953
20-40 " -	154	173	178	206	177	197	197	197	174	159	181	147	151	2294
40-60 " -	238	267	283	280	320	315	344	361	316	266	365	343	309	4007
60 yrs.& upwds	345	360	421	466	501	452	453	542	507	424	535	529	523	6058
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	15	15	33	31	34	47	54	48	53	45	58	60	59	552
Scarlet Fever -	7	9	16	13	17	13	8	6	18	13	20	18	12	170
Diphtheria - -	9	12	3	12	13	9	19	10	5	21	11	18	17	159
Whooping-cough	18	11	19	7	19	13	20	24	25	25	28	38	34	281
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	10	8	4	5	7	8	3	3	4	2	2	5	66
Pyrexia (origin uncertain)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	59	55	31	34	21	27	13	11	16	14	13	18	19	331
All above Diseases -	113	112	110	101	109	116	122	102	120	122	132	154	146	1559
Dis. of Resp. System	67	101	112	157	177	209	187	282	245	192	274	254	241	2496
Pneumonia - -	85	90	136	129	163	174	214	208	233	184	186	262	185	2449
Phthisis - - -	104	151	121	174	129	145	136	161	130	132	191	151	150	1875
Dis. of Circ. System	165	166	191	211	211	196	200	229	243	188	215	212	186	2613
Violence - - -	61	38	63	57	65	48	68	70	77	59	56	58	56	776
Inquest Cases -	131	95	138	147	168	109	170	169	191	130	144	174	168	1934
Deaths in Institutions	465	512	540	573	551	591	606	636	606	509	612	610	577	7388
TEMPERATURE OF THE AIR	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	48.8	48.6	41.0	41.5	47.3	43.1	39.1	38.5	42.9	43.8	36.6	43.2	39.5	42.6
Mean of Highest -	54.9	54.9	50.0	48.9	53.8	50.2	42.8	41.4	47.6	48.2	41.6	46.2	43.5	48.2
Mean of Lowest -	42.9	42.7	32.2	33.0	41.1	36.1	35.7	30.9	35.9	39.1	32.4	38.7	33.7	36.5
Mean Humidity of the Air	73	81	75	81	86	91	87	84	87	90	92	82	92	85
Rain-fall (in inches) -	0.16	0.16	0.13	0.05	1.60	0.65	0.64	0.17	0.61	0.31	0.02	0.00	0.24	4.74
Registered Sunshine (in hours)	19.5	6.6	34.6	18.4	15.5	16.9	9.3	17.9	6.8	9.5	4.0	4.7	4.3	168.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	3789	3954	4153	4222	4200	4154	4120	4127	4021	3888	3670	3409	3446	3935
Diphtheria - -	775	781	797	799	804	786	790	755	725	727	713	670	701	756
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	161	167	161	157	160	157	154	132	115	102	92	82	78	132

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE B.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witt, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 2. LONDON.—DEATHS Registered in the FIFTY-SECOND Week of the Year 1905.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 52nd week of the year 1904.	1905—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 52nd week of the year 1904.	1905—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1863	1602	328	222	69	151	309	523	Meningitis (not tuberc.)	14	15	4	5	3	1	2	-
									Insanity, Gen. Par. of	25	17	-	-	-	4	4	9
									Insane -	8	8	-	1	2	1	2	2
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	31	22	21	1	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Convulsions -	2	-	-	-	-	-	-	-
Measles (Morbilli)	44	59	10	46	3	-	-	-	Locomotor Ataxy -	5	8	-	-	1	-	4	3
Scarlet Fever	15	12	-	8	4	-	-	-	Paraplegia, Dis. of Cord	25	16	-	1	-	4	6	5
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	55	46	-	-	3	7	14	22
Plague	1	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-Cerebr. Hæm. Thromb.	56	33	-	-	-	-	11	20
Influenza	23	8	-	-	-	1	7	-	Apoplexy, Hemiplegia	11	9	-	-	-	1	1	7
Whooping-cough	25	34	13	21	-	-	-	-	Aneurysm -	4	1	-	-	-	-	-	-
Diphtheria	17	17	2	14	1	-	-	-	Embolism, Thrombosis (not cerebral)	-	1	-	-	-	-	-	1
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	117	96	-	-	3	2	29	62
Pyæmia,† (Origin uncertain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	-	1	-	1	-	-	-	-
Enteric Fever	8	5	-	-	2	3	-	-	Bronchitis -	317	218	46	14	-	4	27	127
Asiatic Cholera	-	-	-	-	-	-	-	-	Asthma, Emphysema	13	2	-	-	-	-	2	-
Epidemic Diarrhoea (Infective Enteritis)	5	4	2	2	-	-	-	-	Pleurisy -	4	3	1	1	-	-	1	-
Diarrhoea, Dysentery	10	15	9	-	-	2	-	4	Respiratory Dis. (other)	24	17	4	1	-	-	-	12
Tetanus	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	1	1	-	-	-	-	-	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	8	14	7	1	-	1	3	2
Glanders	-	-	-	-	-	-	-	-	Gastro-Enteritis -	3	5	2	2	1	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	1	3	-	-	1	-	2	-
Venereal Dis.	6	5	3	1	-	-	1	-	Cirrhosis of Liver -	23	9	-	-	-	1	4	4
Puerperal Septicæmia	4	5	-	-	-	4	1	-	Liver Dis. (other)	7	6	-	-	-	2	2	2
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Digestive Dis., Other	39	39	7	1	3	5	11	12
Puerperal Fever	-	-	-	-	-	-	-	-	Nephritis, Acute -	12	5	-	-	-	1	3	1
Infective Endocarditis	3	2	-	-	-	1	1	-	Bright's Dis., Albuminuria	43	47	-	-	3	2	16	26
Lobar -	11	14	-	2	1	1	3	7	Urinary Sys., Other Dis.	9	15	-	-	-	1	7	7
Broncho -	84	100	33	50	2	1	5	9	Generative Organs Dis.-Childbirth (Accid. of)	2	3	1	-	-	1	1	-
Epidemic -	-	-	-	-	-	-	-	-	Old Age -	4	3	-	-	1	2	-	-
Not defined	68	71	20	11	2	9	12	17	Other Diseases -	76	68	-	-	-	-	-	68
Erysipelas	8	5	3	-	-	-	2	-		84	90	61	12	5	1	6	5
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	ACCIDENT.								
Pyæmia (not Puerperal)	-	2	-	-	-	1	-	1	By Railways -	1	-	-	-	-	-	-	-
Other Infective Processes	14	7	1	2	-	1	1	2	By Vehicles and Horses -	3	7	-	2	2	-	2	1
Tuberculous Phthisis	101	81	-	1	4	37	29	10	In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-
"Phthisis"	91	69	-	1	4	28	26	10	In Building Operations -	-	1	-	-	-	-	1	-
Tuberculous Meningitis	25	20	4	8	7	-	1	-	In Conflagrations -	-	1	-	-	-	-	-	1
Tuberculous Peritonitis	1	9	4	2	1	1	1	-	By Burns, Scalds, Explosions -	9	4	-	2	2	-	-	-
Tabes Mesenterica	2	10	5	5	-	-	-	-	By Drowning -	4	4	-	-	1	1	2	-
Tuberculous Dis. (other)	10	17	4	2	5	3	2	1	By Suffocation in Bed -	26	12	12	-	-	-	-	-
Scrofula	1	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	1	2	-	1	-	-	1	-
Alcoholism	15	17	-	-	-	4	11	2	Other Deaths by Accident	24	15	3	-	-	-	4	8
Rheumatic Fever	3	7	-	-	2	2	3	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Gout	2	1	-	-	-	-	-	1	Homicide -	1	2	1	-	-	1	-	-
Carcinoma	67	43	-	-	-	2	16	25	Suicide -	7	8	-	-	-	3	3	2
Sarcoma	3	5	-	-	-	1	3	1	Execution -	-	-	-	-	-	-	-	-
Cancer (undefined)	30	26	-	-	-	1	16	9									
Diabetes Mellitus	5	10	-	-	-	-	4	6									
Premature Birth	67	45	45	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th December, 1905.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of													
				Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases, Deaths in Public Institutions.	
LONDON - - -	4,536,429	1807	1602	328	523	-	59	12	17	34	-	5	-	19	56	168	577
WEST DISTRICTS - - -	805,311	293	266	44	94	-	4	-	-	8	-	-	-	5	13	29	123
NORTH DISTRICTS - - -	1,056,070	349	345	67	106	-	16	3	5	7	-	1	-	-	9	27	113
CENTRAL DISTRICTS - - -	209,485	81	72	16	21	-	-	-	2	2	-	1	-	-	6	11	35
EAST DISTRICTS - - -	715,739	336	255	63	69	-	7	-	2	7	-	-	-	2	13	42	93
SOUTH DISTRICTS - - -	1,749,844	748	619	138	215	-	32	9	6	12	-	3	-	9	15	59	168
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	45	-	18	-	-	-	2	-	-	-	-	3	-	-	45
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	31	30	3	16	-	-	-	-	-	-	-	-	1	2	3	14
W ² H - - -																	
St. John Paddington } H - G.	33,617	5	8	-	2	-	-	-	-	-	-	-	-	-	1	1	7
North-West Paddington - C.	17,181	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W w ² H G. & W. & C.	128,037	43	54	4	16	-	-	-	-	-	-	-	-	-	1	4	34
Brompton 2H - - W. & C.	48,591	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith W, w ² H } W. & G.	49,192	20	10	3	4	-	-	-	-	1	-	-	-	-	-	4	-
South Hammersmith w ² H - - -	63,047	29	27	10	5	-	2	-	-	-	-	-	-	1	1	2	8
North-west Fulham W } W. & C.	45,180	32	27	3	10	-	-	-	-	1	-	-	-	2	2	3	16
North-east Fulham F - - -	46,405	21	11	7	2	-	2	-	-	2	-	-	-	-	-	2	-
South Fulham W - - -	45,704	18	8	-	6	-	-	-	-	1	-	-	-	-	-	-	-
Chelsea North W, w ² H - - C.	42,514	18	33	-	17	-	-	-	-	-	-	-	-	-	1	2	26
Chelsea South W ² H - - C.	31,328	14	13	5	5	-	-	-	-	-	-	-	-	1	2	3	1
Mayfair and Knightsbridge C. & G.	28,743	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W ² H - - C.	56,815	12	11	1	5	-	-	-	-	-	-	-	-	-	1	1	4
St. Margaret & St. John 4H - C.	43,698	23	20	5	2	-	-	-	-	-	-	-	-	-	2	2	10
St. James Westminster } N. & G.	21,588	4	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1
W ² H - - -																	
St. Anne Soho 5H - - N.	11,493	3	5	1	1	-	-	-	1	-	-	-	-	-	-	1	2
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	3	18	-	8	-	-	-	-	-	-	-	-	-	1	2	10
St. Mary Marylebone 1W, 4H G. & W.	37,943	32	8	3	1	-	-	-	-	-	-	-	-	-	-	-	4
Christchurch Marylebone H - W.	39,536	10	7	4	2	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone 3H - W.	20,426	2	4	-	4	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead W, F, 6H - N. & W.	81,942	18	17	4	5	-	2	1	-	-	-	-	-	-	1	2	5
West St. Pancras 2H - - W.	60,562	29	16	2	4	-	1	-	-	1	-	-	-	-	2	2	4
Tottenham-court w ² H N. & W.	21,258	4	9	1	4	-	-	-	1	-	-	-	-	-	-	-	7
Gray's Inn Lane 4H - - N.	34,449	15	12	2	-	-	-	-	-	1	-	-	-	-	-	-	8
East St. Pancras W ² H - - N.	60,320	18	29	1	10	-	1	-	-	2	-	-	-	-	1	1	12
North St. Pancras 2W - - N.	58,728	14	16	3	4	-	-	-	-	-	-	-	-	-	-	-	8
Tufnell W - - N.	31,995	12	21	4	9	-	-	-	-	-	-	-	-	-	-	1	13
Upper Holloway 2W, w ² H - N.	33,978	15	26	5	11	-	-	-	-	-	-	-	-	-	1	2	14
Tollington W ² H - - N.	33,922	17	15	5	4	-	3	-	-	1	-	-	-	-	-	-	-
Lower Holloway - - N.	41,424	13	14	2	5	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury - - N.	54,478	20	19	6	4	-	1	-	1	-	-	-	-	-	2	-	-
Islington South-east F - - N.	75,397	33	21	5	4	-	1	-	-	-	-	-	-	-	1	-	-
Highbury 2H - - N.	63,797	15	13	2	4	-	1	-	-	1	-	-	-	-	1	-	-
Stoke Newington H - - N.	51,247	11	9	-	2	-	-	-	-	-	-	-	-	-	1	2	-
North Hackney - - E. & N.	50,560	13	7	-	4	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney 2w, F - E. & N.	50,536	25	20	7	1	-	1	2	3	1	-	1	-	-	1	1	6
South-west Hackney 3H E. & N.	59,921	20	18	6	5	-	-	-	-	-	-	-	-	-	1	3	3
South-east Hackney 2W, w ² H E. & N.	56,255	10	26	5	11	-	-	-	-	-	-	-	-	-	4	18	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifies Grand Junction; W, West Middlesex; O, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Giles and Bloomsbury W,2H N.	31,436	4	6	-	2	-	-	-	-	-	-	-	-	-	-	2	1	-
and W,4H - - - N. & C.	21,674	4	9	2	3	-	-	-	-	-	-	-	-	-	-	3	3	7
and Union Workhouse, Edmonton -	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
born W,8H - - - N.	29,612	15	15	5	2	-	-	-	-	2	2	-	1	-	-	-	-	12
th Clerkenwell - - - N.	28,676	15	6	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
th Clerkenwell H - - - N.	35,028	14	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury 3H,L - - - N.	36,116	27	11	4	5	-	-	-	-	-	-	-	-	-	-	-	2	1
born Union Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
icham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph H - - - N. & E.	10,299	1	4	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Seapulchre and Allhallows } N.	16,624	1	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10
2H - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
reditch South H - - E. & N.	46,362	11	14	3	2	-	-	-	-	1	-	-	-	-	-	1	3	-
reditch North-West W,w,H N.	36,127	14	13	-	10	-	-	-	-	-	-	-	-	-	-	-	-	8
reditch North-East - - N. & E.	34,148	9	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
reditch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
reen - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
onal Green North 2H - - E.	51,514	20	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
onal Green South - - - E.	33,472	10	7	1	3	-	-	-	-	-	-	-	-	-	-	1	1	14
onal Green East 2W,H,L - E.	44,694	16	27	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-
alfields - - - - E. & N.	27,969	17	7	6	-	-	-	-	-	-	-	-	-	-	-	2	3	-
e End New Town W,H - - E.	28,718	21	31	6	5	-	1	-	1	-	-	-	-	-	-	-	9	28
ldman's Fields - - - E.	22,081	10	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2W E.	49,068	34	23	6	7	-	-	-	-	-	-	-	-	-	1	-	7	8
dwell and Ratcliff W,H,E. & N.	25,568	13	11	3	-	-	1	-	-	-	3	-	-	-	-	1	2	6
ehouse W - - - - E.	32,369	8	7	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
e End Old Town South- }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
estern H - - - - E.	63,698	39	17	5	2	-	-	-	-	1	-	-	-	-	-	1	4	-
e End Old Town North- }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
estern W,w - - - - E.	49,129	25	22	3	9	-	2	-	-	1	-	-	-	-	-	-	-	10
g L - - - - E.	41,989	24	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ley 3w,H - - - - E.	68,319	36	41	9	15	-	1	-	-	-	1	-	-	-	-	3	11	16
lar W,w - - - - E.	58,514	29	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist-
in each SUB-DISTRICT during the Week ended Saturday, 30th December, 1905—continued.

		The DEATHS registered during the Week include															
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																	
Christchurch Southwark W,H,L & S.	11,263	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	1	13	3	1	-	1	-	-	-	-	-	1	-	-	1	12
Kent-road - - - S. & L.	21,904	12	9	33	2	-	1	-	-	-	-	-	-	-	-	1	-
St. George the Martyr } S. & L.	39,094	14	12	8	-	-	2	-	-	-	-	-	-	-	-	-	5
West W,H,L - - - - -	49,022	27	11	33	1	-	-	-	-	-	-	-	-	-	-	-	-
Newington North - - - S. & L.	72,841	24	19	33	7	-	2	-	-	-	-	-	-	-	-	2	1
Newington South W - - S. & L.																	
St. Olave 2W - - - - S.	9,817	1	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey W - - - - S.	82,483	34	30	8	6	-	2	-	-	-	-	-	-	-	1	4	-
Rotherhithe W,F - - - S. & K.	38,460	17	23	5	12	-	1	-	-	1	-	-	-	-	1	1	10
Waterloo-road 2H - - L. & S.	27,440	29	9	4	-	-	-	-	-	-	-	-	-	-	-	-	3
Lambeth Church 1st H L. & S.	18,423	6	13	-	4	-	-	-	-	1	-	-	-	-	1	2	13
Lambeth Church 2nd 2W L. & S.	39,818	20	22	33	12	-	-	-	-	1	-	-	-	-	-	-	14
Kennington 1st H - - S. & L.	53,198	30	14	7	1	-	1	-	-	2	-	-	-	-	2	-	-
Kennington 2nd H - - S. & L.	42,896	16	12	3	3	-	1	-	-	-	-	-	-	-	1	1	3
Brixton F - - - - L. & S.	84,232	35	28	7	11	-	-	2	-	-	-	-	-	-	-	3	3
Norwood W,H - - - - L.	35,888	11	9	2	4	-	1	-	-	-	-	-	-	-	1	1	1
East Battersea H - - - S.	72,203	33	14	4	4	-	2	-	-	1	-	-	-	-	-	-	-
North-west Battersea - - S.	49,656	27	13	4	6	-	-	-	-	-	-	-	-	-	-	2	-
South-west Battersea 2W,H - S.	47,048	12	32	3	10	-	-	-	-	1	-	-	-	-	-	1	2
Clapham 2H - - - - S.	51,361	17	8	1	3	-	1	-	-	-	-	-	-	-	-	-	14
Streatham W,2W,2F,2L - L.	88,019	34	32	5	14	-	1	2	2	-	-	-	-	-	1	-	2
Springfield 2W,L - - - S.	27,959	16	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - - S.	40,444	20	16	4	4	-	-	-	1	1	-	1	-	-	1	3	-
Putney - - - - - S.	24,139	13	12	1	4	-	4	-	-	1	-	-	-	-	-	-	-
Dulwich - - - - L. & S.	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w S. & L.	40,206	22	29	4	14	-	-	-	-	-	-	-	-	-	-	-	18
Camberwell North W,2L S. & L.	65,584	27	34	6	13	-	5	-	-	-	-	-	-	-	2	6	12
St. George - - - - L. & S.	47,331	21	13	4	1	-	4	-	-	-	-	-	-	-	1	2	-
Peckham North* - - S., L. & K.	48,913	16	22	6	8	-	-	-	-	1	-	-	-	-	1	1	-
Peckham South* 2W,w S., L. & K.	43,946	18	13	2	5	-	1	-	-	-	-	-	-	-	1	-	-
Deptford North - - - K.	37,613	21	8	3	2	-	-	-	-	-	-	-	-	-	1	2	-
Deptford Central - - - K.	45,481	23	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford South - - - K.	34,625	14	7	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West 2H - - K.	23,456	14	12	4	5	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich East 2W,H - - K.	43,559	16	25	5	12	-	-	-	-	2	-	1	-	-	-	2	13
Eltham w,H - - - - K.	7,226	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee wH - - - - - K.	25,490	4	6	1	5	-	-	-	-	1	-	-	-	-	-	-	-
Lewisham W w,F - - - K.	58,352	22	28	4	13	-	1	5	1	-	-	-	-	-	1	5	15
Sydenham H - - - - L.	43,653	12	13	3	4	-	1	-	-	-	-	-	-	-	-	-	-
Charlton F,2H - - - K.	21,134	6	8	1	2	-	-	-	2	-	-	-	-	-	-	2	3
Woolwich 5H - - - - K.	41,625	28	6	2	3	-	-	-	-	-	-	-	-	-	1	3	-
Plumstead West W - - K.	18,063	6	2	1	1	-	-	-	-	-	-	-	-	-	1	2	-
Plumstead East 2W,H - - K.	50,264	22	20	5	6	-	-	-	-	-	-	-	-	-	-	1	3
Workhouse:—																	
Central London Sick Asylum -			3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
(Westminster, St. Giles, and Strand Unions.)																	
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
North-Eastern - - - - -			2	-	-	-	-	-	2	-	-	-	-	-	-	-	2
Northern - - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham - - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -			2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Gore Farm (temporary) - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - - -			4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
London County Lunatic Asylums:—																	
Banstead - - - - -			8	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Ewell (Epileptic Colony) - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - -			5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
Manor - - - - -			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill - - - - -			2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath - - - - -			2	-	1	-	-	-	-	-	-	-	-	-	1	2	2
Hanwell - - - - -			6	-	4	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch - - - - -			6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Claybury - - - - -			4	-	3	-	-	-	-	-	-	-	-	-	-	-	4

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North and Peckham South, respectively

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th December, 1905.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	881	609	159	190	-	15	2	12	9	2	1	23	54	92	1
1 Carshalton 2F, 3H	12,228	32,997	22	10	4	1	-	-	-	-	-	-	-	-	1	1	-
2 Epsom, part of* W, w, 2F, H	10,423	15,548	5	6	-	4	-	-	-	-	-	-	-	-	-	2	-
1 Godstone, part of* W, F	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	18	16	3	9	-	1	-	-	-	-	-	-	-	-	-
3 West Croydon 3W, F, H	2,168	42,888	29	22	10	4	-	1	-	1	1	-	-	3	3	10	-
4 North Croydon H	2,644	41,698	15	15	6	4	-	-	-	-	-	-	-	1	3	-	-
5 Penge w, H	770	22,465	1	8	1	3	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham w	11,711	30,015	19	14	5	5	-	1	-	-	-	-	-	-	2	-	-
1 Wimbledon F, 3H	3,221	41,652	15	12	3	5	-	-	-	-	-	-	-	-	-	-	-
2 Kingston 2W, H	6,224	42,068	13	15	-	9	-	-	-	-	-	1	-	-	1	4	-
3 Surbiton F, H	3,046	15,017	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-
4 Esher, part of* H	5,402	13,100	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
5 Hampton H, F, L	4,564	23,466	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Richmond W, H	2,162	28,865	8	6	-	2	-	-	-	-	-	-	-	-	-	1	-
2 Mortlake F	2,847	20,628	12	8	1	4	-	-	-	-	-	-	-	1	1	-	-
1 Bromley F, 2H	4,703	27,354	7	6	2	1	-	-	-	-	-	-	-	-	-	1	-
2 Beckenham H	7,325	28,497	9	6	2	4	-	-	-	-	-	-	-	-	-	-	-
3 Orpington part of* W	10,113	9,857	7	9	-	7	-	-	-	-	-	-	-	-	-	8	-
4 Chislehurst 2H	7,333	16,446	4	6	-	3	-	-	-	-	-	-	-	-	-	1	-
1 Bexley w, F, H	8,678	21,151	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-
2 Erith F, H	3,854	25,296	13	2	1	1	-	-	-	-	-	-	-	1	1	-	-
3 Dartford W, F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury w	11,054	18,683	2	7	1	2	-	1	-	-	-	-	-	1	1	-	1
2 Staines W, H	13,277	16,178	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Hillingdon W, F, H	6,035	13,661	6	4	1	-	-	-	-	-	-	-	-	-	-	2	-
2 Uxbridge H	12,757	8,984	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w, F, H	8,066	16,358	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Isleworth 3W, 2F, H	6,859	30,863	15	12	3	4	-	-	-	1	-	-	-	2	2	4	-
2 Twickenham F, H	2,421	20,991	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
3 Brentford 3F, 2H, L	4,319	43,289	28	19	5	8	-	-	-	1	-	-	-	1	2	1	-
4 Chiswick H	1,249	29,809	13	7	-	3	-	-	-	-	-	-	-	-	2	-	-
5 Acton w, 3H	6,132	48,914	27	20	8	6	-	-	-	1	-	-	-	1	2	1	-
1 Harrow F, H	13,809	25,523	12	7	3	2	-	-	-	-	2	-	-	-	1	-	-
2 Edgware F, 2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W, 2F, 2H	4,384	114,811	58	35	7	9	-	1	-	-	1	-	-	1	2	3	-
4 Hendon W, F	8,382	22,450	11	8	3	2	-	-	-	-	-	-	-	-	-	2	-
1 South Mimms 2F, H	17,755	7,308	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W, 2H	3,324	17,970	5	7	3	4	-	-	-	-	-	-	-	-	1	1	2
3 Finchley F, 2H	4,688	33,692	11	11	4	2	-	-	-	-	-	-	-	-	1	1	-
1 Hornsey F, H	2,875	72,056	21	13	-	6	-	-	-	1	-	-	-	-	1	-	-
2 Wood Green H	1,625	34,233	14	5	-	-	-	-	-	-	1	-	-	-	-	1	-
3 West Tottenham F	996	48,853	18	10	1	2	-	-	-	1	-	-	-	-	-	-	-
4 East Tottenham 2H	2,017	53,688	29	19	5	5	-	1	-	-	-	-	-	1	5	2	-
5 Edmonton W, w, 2F	7,491	61,892	28	27	6	10	-	5	-	-	-	-	-	-	1	7	-
6 Enfield 2W, F, H	12,601	42,738	16	6	4	1	-	-	-	-	-	-	-	1	1	-	-
7 Waltham Abbey F	11,017	6,549	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F, H	8,479	12,292	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of* W	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3 Watford W, 2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford H	1,072	44,827	27	12	2	2	-	-	-	-	-	-	-	-	1	3	4
2 Plaistow F, 2H	1,249	90,921	35	25	9	4	-	3	2	2	1	-	-	-	-	3	4
3 Canning Town H	1,556	70,718	35	21	7	6	-	-	-	-	1	-	-	1	3	5	1
4 Forest Gate w	806	60,892	12	10	1	6	-	-	-	-	-	-	-	-	1	1	-
5 North East Ham w, H	1,333	58,676	30	13	6	5	-	-	-	-	-	-	-	-	-	-	-
6 South East Ham 2F	1,993	37,342	21	14	5	1	-	-	-	-	1	-	-	-	-	-	-
7 Wanstead F	1,679	9,179	1	4	1	4	-	-	-	2	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	24	15	4	4	-	-	-	-	-	-	-	-	-	2	-
9 North Leyton 2W, w, F	1,963	48,445	24	29	4	10	-	1	-	-	1	-	-	1	1	18	-
10 Walthamstow 3H, L	6,504	108,929	55	24	6	5	-	-	-	-	-	-	-	2	4	-	-
1 Chigwell, part of* 2F, 3H	11,778	16,397	3	7	2	1	-	-	-	1	-	-	-	1	3	1	-
2 Epping W, F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Romford, part of* W, 2F	6,556	8,091	3	6	2	1	-	-	-	-	-	-	-	-	-	1	2
2 Ilford F, L	8,496	41,234	16	10	2	2	-	-	-	-	-	-	-	1	1	2	-
3 Barking Town F	3,803	21,647	11	5	4	1	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Rydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,684,794	December 30	1807	1602	17·8	-	59	12	18	34	5
CALCUTTA - -	847,796	November 18	-	543	33·3	1	-	-	1	1	191†
BOMBAY - -	776,006	December 12	541	503	39·7	-	3	-	-	-	65†
MADRAS - -	509,346	" 1	432	526	53·6	7	7	?	?	?	135
PARIS - -	2,660,559	" 23	952	842	17·4	1	11	-	3	3	4
BRUSSELS - -	586,936	" 23	212	160	13·9	-	-	-	1	1	1
ANTWERP - -	286,695	" 23	108	71	12·6	-	-	-	-	-	-
AMSTERDAM -	554,240	" 16	296	147	13·8	-	5	-	3	4	1
COPENHAGEN -	426,000	" 23	188	124	15·0	-	1	-	-	3	-
STOCKHOLM -	306,496	" 16	147	90	14·7	-	-	2	1	-	-
CHRISTIANIA -	223,649	" 23	111	60	14·0	-	-	-	4	-	-
ST. PETERSBURG	1,248,122	" 9	-	614	22·9	-	19	36	27	4	27
MOSCOW - -	1,092,360	November 25	-	-	-	-	-	-	-	-	-
WARSAW - -	-	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,035,382	December 9	851	648	16·6	-	6	10	13	13	1
HAMBURG - -	772,852	" 23	-	244	16·4	-	3	-	2	11	-
BRESLAU - -	462,147	" 23	-	-	-	-	-	-	-	-	-
MUNICH - -	523,000	" 23	-	192	18·9	-	5	-	2	4	-
VIENNA - -	1,897,630	" 23	947	629	17·2	-	5	3	13	7	1
PRAGUE - -	430,569	" 23	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	836,267	" 23	-	-	-	-	-	-	-	-	-
TRIESTE - -	191,403	" 23	108	82	21·8	-	5	1	2	1	-
ROME - -	514,930	October 7	222	142	14·3	-	-	-	-	-	10§
VENICE - -	169,417	December 16	105	73	22·5	-	-	-	1	-	-
BUCHAREST - -	282,071	" 16	115	118	21·8	-	-	2	1	-	1
NEW YORK - -	3,948,191	" 16	1747	1289	16·7	-	5	4	30	2	17
CHICAGO - -	1,932,315	" 16	-	489	12·8	-	5	1	11	-	4
PHILADELPHIA -	1,438,318	" 9	-	479	17·6	-	4	-	16	-	13
BOSTON - -	617,956	" 2	-	181	15·8	-	1	-	2	-	1
RIO DE JANEIRO	850,000	October 29 November 5	- -	314 276	18·1 15·9	2 4	12 8	1 -	1 1	- -	2† 7†

* Excluding deaths from croup in the Indian Cities.

† Including 17 deaths from plague in Calcutta, 15 in Bombay, and 1 and 6 in Rio de Janeiro.

‡ Including 74 deaths from cholera in Calcutta, 1 in Bombay, and 6 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th December, 1905.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	46·6	28·3	38·6	0·24	BRADFORD - -	45·8	30·0	38·2	0·
BRIGHTON - -	46·9	33·1	42·3	0·15	LEEDS - - -	47·0	31·0	33·3	0·
PORTSMOUTH - -	49·2	35·5	43·6	0·16	HULL - - -	45·0	32·0	38·6	0·
NORWICH - -	44·6	30·6	37·3	0·37	TYNEMOUTH - -	50·0	33·0	39·8	0·
PLYMOUTH - -	49·3	39·3	45·5	0·61	CARDIFF - -	49·9	34·2	41·2	0·
BRISTOL - -	52·0	30·0	40·2	0·21	EDINBURGH - -	-	-	-	-
BIRMINGHAM - -	47·8	30·6	37·8	0·41	GLASGOW - -	-	-	-	-
NOTTINGHAM - -	45·6	28·0	37·1	0·39	DUBLIN { Phoenix Park. Fitz- william Square.†	53·8	38·2	45·7	0·
LIVERPOOL }	51·0	32·0	38·8	0·24		55·6	41·0	47·8	0·
MANCHESTER - -	43·8	30·8	37·7	0·09					
PRESTON - -	-	-	-	-					
HUDDERSFIELD -	45·8	30·0	36·7	0·23	BELFAST - -	51·0	39·8	44·8	1·

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1905.

[illegible]

The results apply to the civil day, or from midnight to midnight of the sea; the height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine in each day.

The reading of the barometer increased from 30.13 in. at the beginning of the week to 30.18 in. by 11h. A.M. on the 24th; decreased to 29.97 in. by 7h. A.M. on the 26th, and increased to 30.15 in. by midnight on the 30th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 23rd December, 1905.*

BOROUGH.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	147,935	-	1	2	-	1	-	-	1	-
Kensington - - - - -	180,083	-	1	1	-	-	-	-	2	-
Hammersmith - - - - -	119,037	-	2	4	-	1	-	-	3	-
Fulham - - - - -	157,210	-	5	2	-	1	-	-	1	2
Chelsea - - - - -	74,496	-	2	1	-	-	-	-	1	1
City of Westminster - - - - -	175,606	-	2	2	-	2	-	-	4	-
NORTH.										
St. Marylebone - - - - -	129,453	-	1	-	-	-	-	-	4	-
Hampstead - - - - -	88,142	-	5	1	-	-	-	-	1	-
St. Pancras - - - - -	236,183	-	13	3	-	2	-	-	3	-
Islington - - - - -	342,994	-	23	9	-	1	-	-	5	1
Stoke Newington - - - - -	52,823	-	2	-	-	-	-	-	-	-
Hackney - - - - -	228,470	-	17	6	-	1	-	-	7	-
CENTRAL.										
Holborn - - - - -	56,481	-	-	1	-	-	-	-	2	-
Finsbury - - - - -	98,207	-	12	-	-	-	-	-	2	-
City of London - - - - -	22,425	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	116,565	-	9	3	-	2	-	-	2	-
Bethnal Green - - - - -	130,401	-	12	2	-	-	-	-	6	-
Stepney - - - - -	305,466	-	21	6	-	1	-	-	7	-
Poplar - - - - -	170,280	-	14	7	-	-	-	-	4	-
SOUTH.										
Southwark - - - - -	208,528	-	16	12	-	-	-	-	4	-
Bermondsey - - - - -	129,006	-	20	5	-	-	-	-	-	-
Lambeth - - - - -	313,045	-	23	5	-	2	-	-	2	-
Battersea - - - - -	177,532	-	15	4	-	-	-	-	2	1
Wandsworth - - - - -	265,392	-	19	6	-	2	-	-	3	-
Camberwell - - - - -	271,240	-	22	5	-	2	-	-	7	2
Deptford - - - - -	114,495	-	8	5	-	-	-	-	4	-
Greenwich - - - - -	103,493	-	9	8	-	-	-	-	5	-
Lewisham - - - - -	144,420	-	10	2	-	2	-	-	5	2
Woolwich - - - - -	125,372	-	9	7	-	1	-	-	3	1
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,634,794										
		-	294	109	-	21	-	-	90	10
Ages										
0-1 - - - - -	-	-	5	6	-	-	-	-	6	-
" 1-5 - - - - -	-	-	97	48	-	-	-	-	1	-
" 5- - - - -	-	-	124	33	-	5	-	-	7	-
" 10- - - - -	-	-	39	12	-	5	-	-	5	-
" 15- - - - -	-	-	10	2	-	1	-	-	7	-
" 20- - - - -	-	-	9	-	-	1	-	-	6	2
" 25- - - - -	-	-	9	2	-	4	-	-	12	6
" 35- - - - -	-	-	1	5	-	1	-	-	15	2
" 45- - - - -	-	-	-	-	-	4	-	-	13	-
" 55- - - - -	-	-	-	1	-	-	-	-	9	-
" 65 and upwards - - - - -	-	-	-	-	-	-	-	-	9	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 53 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

